



### General Instructions

- (i) This question paper contains 295 questions. All questions are compulsory.
- (ii) It comprises 295 single-correct multiple-choice questions.
- (iii) These questions follow the NEET PG examination pattern.
- (iv) Each correct answer is awarded +4 marks, with -1 for an incorrect answer.
- (v) The actual NEET paper has 180 questions to be attempted in 3 hours 20 minutes.
- (vi) Use of calculators is not permitted.
- (vii) Attempt every question; detailed solutions are provided in the companion solutions booklet.

1. Nerves of the branchial (pharyngeal) arch are derived from:

- (A) Mesoderm
- (B) Endoderm
- (C) Neural crest
- (D) Neuroectoderm

2. The hard palate contains:

- (A) Keratinised epithelium, submucosa, minor salivary gland
- (B) Keratinised epithelium, absent submucosal layer, minor salivary gland
- (C) Non-keratinised epithelium, submucosal layer, minor salivary gland
- (D) Non-keratinised epithelium, absent submucosa, minor salivary gland

3. What is the tensor of the vocal cords?

- (A) Cricothyroid
  - (B) Lateral cricoarytenoid
  - (C) Thyroarytenoid
  - (D) Posterior cricoarytenoid
- 

4. The ureteric bud develops from:

- (A) Mesonephros
  - (B) Metanephros
  - (C) Pronephros
  - (D) Genital sinus
- 

5. Regarding Weber's syndrome, which statement is INCORRECT?

- (A) Contralateral hemiplegia
  - (B) Ipsilateral oculomotor nerve palsy
  - (C) Contralateral parkinsonism
  - (D) Anterior cerebral peduncle
- 

6. Regarding Sibson's fascia, which statement is INCORRECT?

- (A) Attached to the inner border of the 2nd rib
  - (B) Covers the apical part of the lung
  - (C) Is a part of the scalenus anterior muscle
  - (D) Vessels pass above the fascia
- 

7. Thrombosis of the posterior inferior cerebellar artery causes:

- (A) Lateral medullary syndrome
  - (B) Weber syndrome
  - (C) Medial medullary syndrome
  - (D) None
- 

**8. Broca's area is situated in:**

- (A) Inferior frontal gyrus
  - (B) Superior temporal gyrus
  - (C) Angular gyrus
  - (D) None of the above
- 

**9. Acute tonsillitis affects which nerve?**

- (A) Glossopharyngeal nerve
  - (B) Facial nerve
  - (C) Trigeminal nerve
  - (D) Vagus nerve
- 

**10. Which of the following structures does NOT pass through the aortic opening of the diaphragm?**

- (A) Azygos vein
  - (B) Aorta
  - (C) Thoracic duct
  - (D) Vagus
- 

**11. What value of BMI is considered "lethal" in men?**

- (A) 12
  - (B) 18
  - (C) 13
  - (D) 14
- 

**12.** Which receptors are blocked in Myasthenia Gravis?

- (A) Acetylcholine (ACh) receptors
  - (B)  $\text{Ca}^{++}$  receptors
  - (C)  $\text{Na}^{2+}$  receptors
  - (D) Opioid receptors
- 

**13.** What is the characteristic pattern seen in Brown-Sequard syndrome?

- (A) Contralateral loss of joint sense and position
  - (B) Contralateral loss of pain
  - (C) Ipsilateral loss of complete sensory functions
  - (D) Contralateral motor functions
- 

**14.** When is the ventilation-perfusion ratio ( $V_a/Q$ ) infinity?

- (A) Partial pressure of  $\text{O}_2$  becomes zero
  - (B) No exchange of  $\text{O}_2$  and  $\text{CO}_2$
  - (C) Partial pressure of  $\text{CO}_2$  alone becomes zero
  - (D) Partial pressure of both  $\text{CO}_2$  and  $\text{O}_2$  remain normal
- 

**15.** The 'c' wave of the jugular venous pulse (JVP) is seen during which phase of the cardiac cycle?

- (A) Isovolumetric contraction
  - (B) Slow filling at end of diastole
  - (C) End of systole
  - (D) Start of diastole
- 

**16.** Alpha waves on the electroencephalogram (EEG) are seen during which state?

- (A) Sleep
  - (B) REM movements
  - (C) Relaxed state
  - (D) Active state
- 

**17.** In hypovolemic shock, which of the following renal vascular changes occurs?

- (A) Afferent arteriolar constriction
  - (B) Efferent arteriolar constriction
  - (C) Increased blood flow to kidney
  - (D) Normal cardiac output
- 

**18.** The components responsible for the counter-current mechanism in the kidney include all of the following EXCEPT:

- (A) Sodium outflow in thick ascending limb
  - (B) Water outflow in thin descending limb
  - (C) Sodium outflow in thin ascending limb
  - (D) Flow of tubular fluid from PCT to DCT
- 

**19.** Glucose is absorbed across the intestinal epithelium into the blood (at the basolateral membrane) by which mechanism?

- (A) Secondary active transport
  - (B) Facilitated diffusion
  - (C) Simple diffusion
  - (D) Primary active transport
- 

**20.** Insulin-like growth factor (IGF-1, somatomedin C) is secreted mainly by which organ?

- (A) Liver
  - (B) Pituitary gland
  - (C) Pancreas
  - (D) Adrenal glands
- 

**21.** What is prosopagnosia?

- (A) Impairment of consciousness
  - (B) Being unaware of one's problems
  - (C) Difficulty in identifying known faces
  - (D) Failure to identify objects
- 

**22.** Tyrosinosis is caused due to deficiency of which enzyme?

- (A) Fumarylacetoacetate hydrolase
  - (B) p-hydroxy phenylpyruvate dehydrogenase
  - (C) Tyrosine transaminase
  - (D) Tyrosine ligase
- 

**23.** Lesch-Nyhan syndrome is caused by deficiency of which enzyme?

- (A) Orotate phosphoribosyltransferase
  - (B) Uracil phosphoribosyltransferase
  - (C) Quinolinate phosphoribosyltransferase
  - (D) Hypoxanthine-guanine phosphoribosyltransferase (HGPRT)
- 

**24.** Fish odor syndrome is caused by deficiency of which enzyme?

- (A) Fumarylacetoacetate hydrolase
  - (B) Methane monooxygenase
  - (C) Flavin monooxygenase 3 (FMO3)
  - (D) D-amino acid oxidase
- 

**25.** Classic galactosemia is due to deficiency of which enzyme?

- (A) Galactose-1-phosphate uridyltransferase
  - (B) HGPRT
  - (C) Galactokinase
  - (D) Epimerase
- 

**26.** Which of the following is the most abundant end product of fatty acid synthesis?

- (A) Oleic acid
  - (B) Palmitic acid
  - (C) Arachidonic acid
  - (D) Glucose
- 

**27.** About DNA polymerase I, which one of the following statements is correct?

- (A) Not required in bacteria
  - (B) Repairs any damage within DNA
  - (C) Involved in Okazaki fragment processing
  - (D) Participates in DNA replication
- 

**28.** What do chaperones assist in?

- (A) Protein cleavage
  - (B) Protein folding
  - (C) Protein degradation
  - (D) Protein modification
- 

**29.** Fishy odour occurs due to deficiency of which vitamin from the diet?

- (A) Biotin
  - (B) Thiamine
  - (C) Riboflavin
  - (D) Vitamin A
- 

**30.** VMA is excreted in the urine in which condition?

- (A) Alkaptonuria
  - (B) Phenylketonuria
  - (C) Pheochromocytoma
  - (D) Diabetic ketoacidosis
- 

**31.** In cystinuria, a reabsorption defect is present for all of the following amino acids, EXCEPT:



- (A) Lysine
  - (B) Citrulline
  - (C) Arginine
  - (D) Ornithine
- 

**32.** Fibrinopeptide A and fibrinopeptide B are acidic due to the presence of which amino acids in their structure?

- (A) Serine and threonine
  - (B) Glutamate and aspartate
  - (C) Histidine and lysine
  - (D) Glutamine and valine
- 

**33.** HIAA (5-hydroxyindoleacetic acid) is present in the urine in which condition?

- (A) Alkaptonuria
  - (B) Albinism
  - (C) Carcinoid
  - (D) Phenylketonuria
- 

**34.** Warthin-Finkeldey cells are seen in which infection?

- (A) Measles
  - (B) Rubella
  - (C) Rabies
  - (D) Typhoid
- 

**35.** CD59 is a marker of which disease?

- (A) PNH
  - (B) PTEN
  - (C) BRR
  - (D) Cowden syndrome
- 

**36.** Opsonin is

- (A) C3a
  - (B) C3b
  - (C) C5a
  - (D) C6
- 

**37.** Bernard-Soulier syndrome is due to deficiency of

- (A) Gp 2b/3a
  - (B) Gp 1b
  - (C) vWf
  - (D) TNF
- 

**38.** Cowden syndrome is associated with mutation in

- (A) P53
  - (B) PTEN
  - (C) Rb
  - (D) Ras
- 

**39.** The chromosome involved in myotonic dystrophy is

- (A) Chromosome 19
  - (B) Chromosome 20
  - (C) Chromosome 21
  - (D) Chromosome 22
- 

**40.** TRALI occurs within how many hours of transfusion?

- (A) 48 Hrs
  - (B) 72 Hrs
  - (C) 6 Hrs
  - (D) 12 Hrs
- 

**41.** The kidney responds to shock by

- (A) Decreases renal blood flow
  - (B) Increases afferent arteriole resistance
  - (C) GFR remains unaltered
  - (D) Perfusion of kidney increases
- 

**42.** Which of the following is an epithelial tumor of stomach?

- (A) Carcinoid
  - (B) Lymphoma
  - (C) GIST
  - (D) Gastric adenocarcinoma
- 

**43.** Identify an X linked disorder?

- (A) Color blindness
  - (B) Thalassemia
  - (C) Azoospermia
  - (D) Retinitis Pigmentosa
- 

44. H and L variety cells are seen in which type of Hodgkin lymphoma?

- (A) Mixed cellularity Hodgkin
  - (B) Lymphocyte depleted
  - (C) Lymphocyte predominance
  - (D) Nodular sclerosis
- 

45. Stellate granuloma is seen in which of the following?

- (A) Sarcoidosis
  - (B) Cat scratch disease
  - (C) Cryptococcosis
  - (D) Histoplasmosis
- 

46. Which best explains the LDH "Flipping effect"?

- (A)  $\text{LDH 1} > \text{LDH 2}$
  - (B)  $\text{LDH 2} > \text{LDH 1}$
  - (C)  $\text{LDH 2} > \text{LDH 3}$
  - (D)  $\text{LDH 3} > \text{LDH 2}$
- 

47. Nude mice are not resistant to xenografts due to the absence of which cells?

- (A) B cell
  - (B) T cell
  - (C) Both B and T cell
  - (D) None
- 

**48.** Anaplasia is defined as?

- (A) Changing one type of epithelium to another
  - (B) Nuclear chromatin
  - (C) Lack of differentiation
  - (D) Morphological changes
- 

**49.** Which level of prolactin definitely suggests a prolactinoma?

- (A) 300 ng/ml
  - (B) 150 ng/ml
  - (C) 200 ng/ml
  - (D) 100 ng/ml
- 

**50.** Laxative abuse causes which of the following renal stones?

- (A) Uric acid
  - (B) Ammonium urate
  - (C) Struvite
  - (D) Ca oxalate
- 

**51.** Which of the following can result in dactylitis?

- (A) Hemophilia
  - (B) Von Willebrand disease 1
  - (C) Measles
  - (D) Sickle Cell Anemia
- 

**52.** Which chromosome is responsible for the production of MIF (Mullerian Inhibiting Factor)?

- (A) Chromosome 16
  - (B) Chromosome 22
  - (C) X Chromosome
  - (D) Y chromosome
- 

**53.** Site of action of amphotericin B is:

- (A) Ribosomes
  - (B) Cell wall
  - (C) Plasma membrane
  - (D) Protein
- 

**54.** Which antiretroviral drug also has anti-hepatitis activity?

- (A) Abacavir
  - (B) Tenofovir
  - (C) Nevirapine
  - (D) Emtricitabine
- 

**55.** Drug of choice for resistant rheumatic chorea?

- (A) Valproate
  - (B) Haloperidol
  - (C) Diazepam
  - (D) Probenecid
- 

**56.** At  $pK_a = pH$  -

- (A) Conc. of drug is 50% ionic and 50% non-ionic
  - (B) Absorption of drug is 50% ionic and 50% ionic
  - (C) Conc. of drug is 75% ionic and 25% non-ionic
  - (D) Conc. of drug is 25% ionic and 75% non-ionic
- 

**57.** The physiological dose of hydrocortisone (mg/kg/day) is:

- (A) 5 mg/kg/day
  - (B) 10 mg/kg/day
  - (C) 15 mg/kg/day
  - (D) 20 mg/kg/day
- 

**58.** What is the mechanism of action of colchicine in acute gout?

- (A) Inhibition of purine metabolism
  - (B) Inhibition of uric acid conversion
  - (C) Migration of leukocytes
  - (D) Leukocyte and lymphocyte migration inhibition & microtubular inhibitor
- 

**59.** Basiliximab is an:

- (A) IL-1 receptor antagonist
  - (B) Anti-CD3 antibody
  - (C) IL-2 receptor antagonist
  - (D) TNF inhibitor
- 

**60.** Pirenzepine is used in:

- (A) Gastric ulcer
  - (B) Glaucoma
  - (C) Hypertension
  - (D) Congestive cardiac failure
- 

**61.** Which of the following antipsychotics has increased prolactin secretion?

- (A) Olanzapine
  - (B) Ziprasidone
  - (C) Clozapine
  - (D) Risperidone
- 

**62.** Which of the following is a glucocorticoid synthesis inhibitor?

- (A) Mifepristone
  - (B) Flutamide
  - (C) Finasteride
  - (D) Metyrapone
- 

**63.** Which of the following statements is incorrect with respect to prasugrel?



- (A) Not a prodrug
  - (B) P2Y purinergic receptor blocker
  - (C) Has a strong antiplatelet activity
  - (D) Causes intracranial haemorrhage in TIA patients
- 

**64.** Q-T elongation is seen in which drug?

- (A) Quinidine
  - (B) Amiodarone
  - (C) Magnesium Sulfate
  - (D) Lignocaine
- 

**65.** Sacubitril is,

- (A) ACE inhibitor
  - (B) Neutral endopeptidase inhibitor
  - (C) Calcium channel inhibitor
  - (D) Beta adrenergic blocker
- 

**66.** Niacin therapy is contraindicated in diabetes because -

- (A) Increases the blood sugar levels
  - (B) Causes scleroderma
  - (C) Difficult to give injection
  - (D) Increases the metabolism of oral hypoglycemic drugs
- 

**67.** Endothelin acts through which receptors?

- (A) cAMP
  - (B) cGMP
  - (C) Na<sup>+</sup> receptors
  - (D) Calcium receptors
- 

**68.** Which is the centrally acting alpha 2 agonist muscle relaxant -

- (A) Diazepam
  - (B) Bromocriptine
  - (C) Tizanidine
  - (D) Methocarbamol
- 

**69.** Apixaban is -

- (A) Antithrombin inhibitor
  - (B) Direct Xa inhibitor
  - (C) Platelet activator
  - (D) Clotting Factor XII
- 

**70.** Anaerobes are resistant intrinsically against -

- (A) Beta lactam antibiotics
  - (B) Aminoglycosides
  - (C) Azithromycin
  - (D) Metronidazole
- 

**71.** Which of the following is NOT a bacteriostatic antibiotic?

- (A) Clindamycin
  - (B) Vancomycin
  - (C) Tetracycline
  - (D) Cephalosporins
- 

**72.** Which of the following causes melanosis coli?

- (A) Senna
  - (B) Sorbitol
  - (C) Magnesium Sulphate
  - (D) Bisacodyl
- 

**73.** Which among the following will be the choice of antibiotic for a bedridden patient with catheter-related UTI and pneumonia?

- (A) Amoxicillin
  - (B) Beta lactam antibiotic with beta lactamase inhibitor
  - (C) 3rd generation cephalosporins
  - (D) 2nd generation cephalosporins
- 

**74.** Mycoplasma is resistant to which of the following?

- (A) Ceftriaxone
  - (B) Cephalosporins
  - (C) Aminoglycosides
  - (D) Fluoroquinolones
- 

**75.** Tadalafil should NOT be given together with which of the following?

- (A) Vasodilator
  - (B) Antibiotics
  - (C) Vasoconstrictors
  - (D) Valproate
- 

**76.** Estimate the volume of Ringer lactate required in the first 8 hours for a 50 kg male with 40% second-degree burns.

- (A) 8 litres
  - (B) 4 litres
  - (C) 2 litres
  - (D) 6 litres
- 

**77.** A posthumous child is defined as:

- (A) A child delivered after the death of the biological mother
  - (B) A child delivered after the death of the biological father
  - (C) A child born after the death of both parents
  - (D) A child who has been abandoned by the parents
- 

**78.** M'naghten rule comes under which section of IPC?

- (A) CrPC 84
  - (B) CPC 48
  - (C) IPC 84
  - (D) IPC 48
- 

**79.** Bluish discoloration of gastric mucosa is seen in which poisoning?

- (A) Mercury
  - (B) Cadmium
  - (C) Amytal sodium
  - (D) Arsenic
- 

**80.** Muscle pain and nephropathy are caused by which metal poisoning?

- (A) Arsenic
  - (B) Cadmium
  - (C) Mercury
  - (D) Lead
- 

**81.** Which is the first organ to putrefy?

- (A) Brain
  - (B) Heart
  - (C) Prostate
  - (D) Kidney
- 

**82.** Locard is famous for:

- (A) Theory of exchange
  - (B) Fingerprint study
  - (C) Formula for estimation of stature
  - (D) System of personal identification using body measurements
- 

**83.** When does the basiocciput fuse with the basisphenoid?

- (A) 18 to 22 years
  - (B) 22 to 25 years
  - (C) 14 to 16 years
  - (D) 12 to 14 years
- 

**84.** What is the smell of a mummified body?

- (A) Odourless
  - (B) Putrid
  - (C) Pungent
  - (D) Offensive
- 

**85.** A patient presented with proximal tubule proteinuria. Which metal is most likely to be associated with it?

- (A) Cadmium
  - (B) Mercury
  - (C) Gold
  - (D) Lead
- 

**86.** Which of the following constitutional articles is NOT related to children?

- (A) Article 23
  - (B) Article 21-A
  - (C) Article 42
  - (D) Article 24
- 

**87.** Which of the following statements regarding the Factory Act is correct?

- (A) A child aged less than 14 years carrying out serious work earns more money
  - (B) A child less than 14 years is not permitted to work under the Factory Act
  - (C) More than 72 hours of work per week is allowed
  - (D) More than 82 hours a week is allowed
- 

**88.** Burkholderia cepacia is resistant to which of the following drugs?

- (A) Ceftazidime
  - (B) Trimethoprim-sulfamethoxazole
  - (C) Temocillin
  - (D) Cefotetan
- 

**89.** Shingles is caused by which of the following?

- (A) Varicella-zoster virus
  - (B) Herpes simplex virus
  - (C) Cytomegalovirus (CMV)
  - (D) None
- 

**90.** The urea breath test is used for diagnosis of infection by which organism?

- (A) Helicobacter pylori
  - (B) Campylobacter jejuni
  - (C) Escherichia coli
  - (D) Lactobacillus
- 

**91.** Hyperacute graft rejection occurs after how much time following transplantation?

- (A) 24 hours
  - (B) 2 weeks
  - (C) Within minutes
  - (D) Years
- 

**92.** Australian antigen for hepatitis B is?

- (A) HBsAg
  - (B) HBeAg
  - (C) HBcAg
  - (D) HBV DNA
- 

**93.** Which fungus is most commonly associated with orbital cellulitis in patients with diabetic ketoacidosis?

- (A) Candida
  - (B) Mucor
  - (C) Aspergillus
  - (D) Rhizopus
- 

**94.** Sabin Feldman dye test is used for diagnosis of which of the following conditions?

- (A) Botulism
  - (B) Toxoplasmosis
  - (C) Sarcoidosis
  - (D) Yellow fever
- 

**95.** Acute hemorrhagic conjunctivitis is caused by which enterovirus type?



- (A) 69
  - (B) 68
  - (C) 70
  - (D) 71
- 

**96.** Echinococcus granulosus is commonly seen in which of the given animals?

- (A) Dog
  - (B) Cat
  - (C) Fox
  - (D) Pig
- 

**97.** An anaerobe causing multiple abscesses with discharging sinuses, demonstrating sulphur granules in pus is?

- (A) Actinomyces
  - (B) Nocardia
  - (C) Salmonella
  - (D) Tularemia
- 

**98.** Whole blood is used as a sample for which test?

- (A) Bacteria
  - (B) IGRA
  - (C) GeneXpert
  - (D) Virus
- 

**99.** Which organism causes acute bacterial prostatitis?

- (A) Enterococcus
  - (B) Streptococcus viridans
  - (C) Peptostreptococcus
  - (D) E. coli
- 

**100.** Which of the following organisms releases histamine and causes scombroid fish poisoning?

- (A) Salmonella
  - (B) Staphylococcus
  - (C) P. aeruginosa
  - (D) Weissella
- 

**101.** Who is the father of microbiology?

- (A) A. V. Leeuwenhoek
  - (B) Robert Brown
  - (C) J. C. Bose
  - (D) Pasteur
- 

**102.** Cutaneous larva migrans is caused by which organism?

- (A) Strongyloides
  - (B) Toxocara canis
  - (C) Ancylostoma braziliense
  - (D) Necator americanus
- 

**103.** After kidney transplantation, infection with which organism is most likely to occur?

- (A) CMV
  - (B) Klebsiella
  - (C) Streptococcus
  - (D) Staphylococcus
- 

**104.** The incidence of a disease is 4 per 1000 of population with a duration of 2 years. Calculate the prevalence.

- (A) 8/1000
  - (B) 4/1000
  - (C) 2/1000
  - (D) 6/1000
- 

**105.** Disposal of cytotoxic and expired drugs is done by which method?

- (A) Dumping
  - (B) Autoclave
  - (C) Landfill
  - (D) Burning
- 

**106.** For the Net Reproduction Rate (NRR) to be equal to 1, the couple protection rate should be at least?

- (A) 50%
  - (B) 60%
  - (C) 55%
  - (D) 75%
-

**107.** The new RNTCP online software introduced to monitor the TB control programme is?

- (A) NIKSHAY
  - (B) NICHAY
  - (C) E-DOTS
  - (D) NIRBHAI
- 

**108.** The unit of study in an ecological study is?

- (A) Population
  - (B) Patient
  - (C) Community
  - (D) Case
- 

**109.** In a screening test for diabetes mellitus, out of a population of 1000, 90 were positive. The gold standard test was then done, in which 100 were positive. Calculate the sensitivity of the screening test.

- (A) 90/100
  - (B) 100/110
  - (C) 80/100
  - (D) 100/100
- 

**110.** What is the drug of choice for mass chemoprophylaxis of meningococcal meningitis?

- (A) Rifampicin
- (B) Chloramphenicol
- (C) Tetracycline
- (D) Penicillin

---

**111.** Which among the following is the active form of chlorine responsible for disinfection during chlorination?

- (A) Hypochlorite ion
- (B) Hydrogen chloride
- (C) Hypochlorous acid
- (D) Chloride ion

---

**112.** Kala-azar is found in all of the following endemic areas in India except?

- (A) West Bengal
- (B) Uttar Pradesh
- (C) Bihar
- (D) Assam

---

**113.** The ratio of the risk of disease among those exposed to a factor to the risk among those not exposed is defined as:

- (A) Relative risk
- (B) Odds ratio
- (C) Attributable risk
- (D) None of the above

---

**114.** The holder (low-temperature) method of pasteurization of milk is done at:

- (A) 73 degrees C for 20 min
- (B) 63 degrees C for 30 min
- (C) 72 degrees C for 30 seconds
- (D) 63 degrees C for 30 seconds

115. When two live vaccines are not given at the same visit, the ideal minimum time gap between them is:

- (A) 2 weeks
- (B) 4 weeks
- (C) 8 weeks
- (D) 12 weeks

116. The number of susceptible persons who develop the disease within the range of the incubation period after contact with a primary case is the:

- (A) Secondary attack rate
- (B) Case fatality rate
- (C) Primary attack rate
- (D) Tertiary attack rate

117. Out of 100 women offered oral contraceptive pills, 10 women became pregnant when followed for 24 months. What is the Pearl Index?

- (A) 10
- (B) 5
- (C) 4
- (D) 2

118. Which of the following does NOT cause hardness of water?

- (A) Calcium carbonate
- (B) Calcium sulphate
- (C) Calcium bicarbonate
- (D) Magnesium bicarbonate

---

**119.** Which of the following is NOT an example of direct transmission in communicable diseases?

- (A) Transplacental (vertical)
- (B) Soil
- (C) Respiratory
- (D) STD

---

**120.** Water's view is used to obtain diagnostic information of:

- (A) Maxillary sinus
- (B) Ethmoidal sinuses
- (C) Frontal sinus
- (D) Sphenoid sinus

---

**121.** Tracheostomy indication is:

- (A) Vocal cord replacement
- (B) Pharynx replacement
- (C) Tracheomalacia
- (D) Foreign body obstructing airway

---

**122.** Caldwell's view is used for:

- (A) Maxillary sinus
  - (B) Frontal sinus
  - (C) Ethmoidal sinus
  - (D) All of the above
-

**123.** Astigmatism in an emmetropic eye of an elderly person contributes to (the threshold above which laser/bioptics correction is needed):

- (A) +1D
  - (B) +2D
  - (C) +3D
  - (D) +4D
- 

**124.** 100 day glaucoma is seen in which of the following conditions:

- (A) Central retinal vein occlusion (CRVO)
  - (B) Neovascular glaucoma
  - (C) Central retinal artery occlusion (CRAO)
  - (D) Steroid induced glaucoma
- 

**125.** Roth spots are seen in:

- (A) Uveal melanoma
  - (B) Acute leukaemia
  - (C) Both a & b
  - (D) None of the above
- 

**126.** Yoke muscle of the right lateral rectus is:

- (A) Left medial rectus
  - (B) Left superior rectus
  - (C) Left lateral rectus
  - (D) Left inferior oblique
-



**127.** Severe (hyperacute) conjunctivitis is caused by which of the following organisms?

- (A) Neisseria
  - (B) Staphylococcus
  - (C) Streptococcus
  - (D) Haemophilus
- 

**128.** Which of the following spectacle prescriptions is an example of Simple Myopic Astigmatism?

- (A) Rx (+) sphere
  - (B) Rx will be plano (-)
  - (C) Rx will be (-) sphere
  - (D) (-)(+) (+)(-) on both 90 and 180 degree axis
- 

**129.** A blow out fracture of the orbit most commonly involves the:

- (A) Floor
  - (B) Medial wall
  - (C) Lateral wall
  - (D) Roof
- 

**130.** Which of the following prostaglandins is the principal final mediator of fever (pyrogenesis) in the hypothalamus?

- (A) PG E2
  - (B) PG D2
  - (C) PGF2 alpha
  - (D) PG I2
-

**131.** In Bartter syndrome, the genetic defect is located in the:

- (A) Defect in PCT
  - (B) Defect in DCT
  - (C) Defect in thick ascending limb of loop of Henle
  - (D) None
- 

**132.** Which of the following is NOT a feature of allergic bronchopulmonary aspergillosis (ABPA)?

- (A) High IgE level
  - (B) Recurrent pneumonia
  - (C) Occurrence in patients with old cavitory lesions
  - (D) Pleural effusion
- 

**133.** Pseudo P pulmonale on the ECG is associated with which electrolyte abnormality?

- (A) Hypokalemia
  - (B) Hyponatremia
  - (C) Hypocalcemia
  - (D) Hypercalcemia
- 

**134.** Automatic Implantable Cardioverter Defibrillator (AICD) implantation is done for which of the following conditions?

- (A) Brugada syndrome
  - (B) Ventricular fibrillation
  - (C) Acute coronary syndrome with low ejection fraction
  - (D) All of the above
-

**135.** What is the line of treatment for intractable Sydenham chorea?

- (A) Haloperidol
  - (B) Valproate
  - (C) Warfarin
  - (D) Risperidone
- 

**136.** All of the following are criteria for Neurofibromatosis type 1 EXCEPT:

- (A) Brain tumor
  - (B) Acoustic neuromas
  - (C) Pseudoarthrosis
  - (D) Cafe-au-lait spots
- 

**137.** What is the most common site of a chronic gastric ulcer?

- (A) Pyloric antrum
  - (B) Upper part of lesser curvature
  - (C) Lower part of lesser curvature
  - (D) Segment of large intestine
- 

**138.** The approximate time interval between HIV infection and the manifestation of AIDS is?

- (A) 7.5 years
  - (B) 10 years
  - (C) 12 years
  - (D) 11 years
- 

**139.** Heller's myotomy is done for which condition?

- (A) Zenker's diverticulum
  - (B) Achalasia cardia
  - (C) Bunions
  - (D) Knee arthroscopy
- 

**140.** A patient shows a myocardial stunning pattern that does not match the territory of the ECG changes. What is the diagnosis?

- (A) Takotsubo cardiomyopathy
  - (B) Restrictive cardiomyopathy
  - (C) Brugada cardiomyopathy
  - (D) Pericardial disease
- 

**141.** Alternative drug for cardiac arrest in place of epinephrine is?

- (A) Amiodarone infusion
  - (B) Atropine
  - (C) High dose vasopressin
  - (D) Adenosine
- 

**142.** A patient presents with cutaneous vasculitis, glomerulonephritis and peripheral neuropathy. Which investigation should be performed next to help diagnose the condition?

- (A) ANCA
  - (B) RA factor
  - (C) HBsAg
  - (D) MIF
-

**143.** Cryoglobulinemia is most commonly associated with which of the following?

- (A) Hepatitis C
  - (B) Ovarian cancer
  - (C) Diabetes
  - (D) Leukemia
- 

**144.** Which of the following causes hypokalemic metabolic alkalosis with hypertension?

- (A) Liddle syndrome
  - (B) Bartter syndrome
  - (C) Gitelman syndrome
  - (D) Renal tubular acidosis
- 

**145.** According to the GOLD criteria, very severe COPD is defined by which of the following?

- (A)  $FEV_1/FVC < 70$  and  $FEV_1 < 30$
  - (B)  $FEV_1/FVC < 70$  and  $FEV_1 < 70$
  - (C)  $FEV_1/FVC < 70$  and  $FEV_1 < 50$
  - (D) Both A and C
- 

**146.** The Ankle-Brachial Pressure Index (ABPI) is artificially increased in which of the following?

- (A) Arteriosclerosis with calcified arteries
  - (B) Ischemic ulcers
  - (C) Intermittent claudication
  - (D) DVT
-

**147.** Minimal dysfunction syndrome (minimal brain dysfunction) is seen in?

- (A) Dyslexia
  - (B) ADHD
  - (C) Mental subnormality
  - (D) Down's syndrome
- 

**148.** Van Nuys prognostic index is not based on:

- (A) Age
  - (B) Microcalcification
  - (C) Size
  - (D) ER status
- 

**149.** Common cause of chronic pancreatitis:

- (A) Chronic alcohol
  - (B) Chronic pancreatic calculi
  - (C) Pancreas divisum
  - (D) Gall bladder stones
- 

**150.** The following statement about Keloid is true:

- (A) It contains growth factor
  - (B) Extended excision is the treatment of choice
  - (C) It does not extend beyond the wound
  - (D) None of the above
- 

**151.** Which of the following layers are cut during fasciotomy?

- (A) Skin
  - (B) Skin + subcutaneous fascia
  - (C) Skin + subcutaneous tissue + superficial fascia
  - (D) Skin + subcutaneous tissue + superficial fascia + deep fascia
- 

**152.** Which statement is not true regarding Crohn's disease?

- (A) Rectum is not involved
  - (B) Continuous lesion visualized in endoscopy
  - (C) Non-caseating granulomas
  - (D) Cobblestone appearance
- 

**153.** Which is the best investigation for carcinoma head of pancreas?

- (A) Guided biopsy
  - (B) ERCP
  - (C) Transduodenal / transperitoneal sampling
  - (D) EUS
- 

**154.** An abdominal mass is best demonstrated in congenital hypertrophic pyloric stenosis by:

- (A) In palpation over the epigastrium
  - (B) In left hypochondriac region
  - (C) Right iliac fossa
  - (D) During feeding
-

**155.** Calculate the Glasgow Coma Scale (GCS) of a 25-year-old head injury patient with the following parameters: confused, opening eyes in response to pain, and localizing pain.

- (A) 6
- (B) 11
- (C) 12
- (D) 7

---

**156.** The RET proto-oncogene is associated with the development of which of the following?

- (A) Medullary carcinoma thyroid
- (B) Astrocytoma
- (C) Paraganglioma
- (D) Hurthle cell tumor thyroid

---

**157.** What is the cutoff for surgery in an abdominal aortic aneurysm in asymptomatic patients?

- (A) 5.5 cm
- (B) 6.5 cm
- (C) 7.5 cm
- (D) 8.5 cm

---

**158.** Which of the following fontanelles is the last to close?

- (A) Anterolateral
- (B) Anterior
- (C) Lateral
- (D) Occipital



---

**159.** Which enzyme deficiency causes Lesch-Nyhan syndrome?

- (A) Hypoxanthine-guanine phosphoribosyltransferase (HGPRT)
- (B) Xanthine oxidase
- (C) Adenine phosphoribosyltransferase (APRT)
- (D) AMP deaminase

---

**160.** Which vaccine is NOT included in the Mission Indradhanush immunization programme?

- (A) Tuberculosis
- (B) Measles
- (C) Japanese Encephalitis
- (D) Diphtheria

---

**161.** Which among the following is the most common cause of neonatal blindness?

- (A) Neisseria gonorrhoeae
- (B) Chlamydia trachomatis
- (C) Klebsiella
- (D) Enterobacter

---

**162.** Muscles affected in De Quervain tenosynovitis are -

- (A) Abductor pollicis longus and extensor pollicis brevis
  - (B) Adductor pollicis longus and extensor pollicis brevis
  - (C) Abductor pollicis longus and flexor pollicis brevis
  - (D) Adductor pollicis longus and flexor pollicis brevis
-

**163.** What is meant by perilunate dislocation?

- (A) Lower radius, scaphoid, lunate and capitate all in same plane
  - (B) Lower radius, scaphoid and capitate in alignment, lunate alone out of plane
  - (C) Lower radius, scaphoid and lunate in alignment, capitate alone is out of plane
  - (D) Both lunate and capitate are out of plane
- 

**164.** Fallen fragment sign is seen in -

- (A) Simple bone cyst
  - (B) Osteosarcoma
  - (C) Adamantinoma
  - (D) Aneurysmal bone cyst
- 

**165.** You are posted as an intern in casualty. Among the following patients with fracture, which will be your first priority to call the ortho PG and inform?

- (A) Patient's finger is blackening
  - (B) Patient cannot extend his arm
  - (C) A 10 cm abrasion
  - (D) Intra-articular fracture of the elbow joint
- 

**166.** In rheumatoid arthritis, which type of cells are prominently present in the hypertrophied synovial lining?

- (A) B cells
  - (B) T cells
  - (C) Macrophages
  - (D) Dendritic cells
-

**167.** The 8th and 9th rib costal cartilages form which type of joint with each other?

- (A) Costochondral joint
  - (B) Interchondral joint
  - (C) Synovial joint
  - (D) Costovertebral joint
- 

**168.** Tom Smith septic arthritis is -

- (A) Acute gonococcal arthritis
  - (B) Smallpox arthritis
  - (C) Septic arthritis of infancy
  - (D) Chronic pyogenic arthritis
- 

**169.** Which of the following is correct regarding the placenta and umbilical cord?

- (A) Placental artery provides nutrients through the umbilical cord to the baby
  - (B) Placenta has Wharton's jelly
  - (C) Placenta has 2 veins and 1 artery
  - (D) Estrogen is secreted by the placenta
- 

**170.** Acute fatty liver of pregnancy is commonly seen at which stage of pregnancy?

- (A) 3rd trimester
  - (B) 1st trimester
  - (C) Immediate postpartum
  - (D) Intrapartum
- 

**171.** Establishment of the fetoplacental circulation is seen at which day after fertilization?

- (A) 11 to 13 days
  - (B) 20 to 22 days
  - (C) 7 days
  - (D) 25 to 26 days
- 

**172.** The fimbriectomy procedure of tubal sterilization is known as which method?

- (A) Uchida method
  - (B) Irving method
  - (C) Madlener technique
  - (D) Kroener method
- 

**173.** What is the recommended dietary allowance (RDA) of iodine during lactation, in micrograms per day?

- (A) 150
  - (B) 220
  - (C) 100
  - (D) 250
- 

**174.** Which one of the following is NOT a cause of secondary postpartum haemorrhage?

- (A) Placenta previa
  - (B) Retained bits of placenta
  - (C) Endometritis
  - (D) Polyp
- 

**175.** What is the best time during pregnancy to perform the quadruple (quad) test?

- (A) 8-12 weeks
  - (B) 11-15 weeks
  - (C) 15-20 weeks
  - (D) 18-22 weeks
- 

**176.** Drug that is used for fetal lung maturity is:

- (A) Dexamethasone
  - (B) Folic acid
  - (C) Beclomethasone
  - (D) None
- 

**177.** In uterine prolapse, how to know if the ring pessary is in place?

- (A) If not expelled after increased abdominal pressure
  - (B) If bleeding does not occur
  - (C) If patient feels discomfort
  - (D) None
- 

**178.** Hormone therapy (HT) is indicated in menopausal women for:

- (A) Hot flash
  - (B) Ca breast
  - (C) Endometriosis
  - (D) Uterine bleeding
- 

**179.** Dilatation and curettage (D&C) is contraindicated in:

- (A) Pelvic inflammatory disease (PID)
  - (B) Endometriosis
  - (C) Ectopic pregnancy
  - (D) None
- 

**180.** Which of these steps is followed first for the management of shoulder dystocia after the McRoberts maneuver?

- (A) Sharp flexion of hip joints towards abdomen
  - (B) Suprapubic pressure
  - (C) 90 degree rotation of posterior shoulder
  - (D) Emergency c-section
- 

**181.** True hermaphroditism (ovotesticular DSD) most commonly has which karyotype?

- (A) 45 XO with streak gonads
  - (B) 46 XX with ovotestis
  - (C) 47 XY +9
  - (D) 47 XX
- 

**182.** Peripartum cardiomyopathy occurs within what period of delivery?

- (A) Within 7 days
  - (B) Within 6 weeks
  - (C) Within 24 months
  - (D) Within 5 months
- 

**183.** Which nerve is most commonly compressed during pregnancy and the puerperium?

- (A) Radial nerve
  - (B) Median nerve
  - (C) Femoral nerve
  - (D) Facial nerve
- 

**184.** In pregnancy, which of the following levels is altered the most?

- (A) Total T3
  - (B) Free T3
  - (C) Free T4
  - (D) TSH
- 

**185.** Paget's disease is associated with which other cancer?

- (A) Vulva
  - (B) Vagina
  - (C) Cervix
  - (D) Uterus
- 

**186.** What is meant by Superfecundation?

- (A) Fertilization of two or more ova in one intercourse
  - (B) Fertilization of two or more ova in different intercourses in same menstrual cycle
  - (C) Fertilization of ovum and then its division
  - (D) Fertilization of second ovum, first being implanted
- 

**187.** The fetal heart starts contracting at:

- (A) 10-12 days
  - (B) 10-12 weeks
  - (C) 3-5 weeks
  - (D) 3-5 months
- 

**188.** Anaesthesia of choice for cesarean section in severe pre-eclampsia:

- (A) Spinal
  - (B) GA (general anaesthesia)
  - (C) Epidural
  - (D) Spinal + epidural
- 

**189.** Which of the following is NOT a high-risk pregnancy?

- (A) Previous history of manual removal of placenta
  - (B) Anemia
  - (C) Diabetes
  - (D) Obesity
- 

**190.** Which of the following is not used in pre-eclampsia?

- (A) Methyldopa
  - (B) Atenolol
  - (C) Labetalol
  - (D) Hydralazine
- 

**191.** Cutis marmorata occurs due to exposure to:



- (A) Cold temperature
  - (B) Dust
  - (C) Hot temperature
  - (D) Humidity
- 

**192.** Murphy's eye is seen in:

- (A) Macintosh laryngoscope
  - (B) Endotracheal tube
  - (C) LMA
  - (D) Flexible laryngoscope
- 

**193.** Modified Mallampati grading is used in assessment of:

- (A) Difficult intubation
  - (B) Airway obstruction
  - (C) Death due to aspiration
  - (D) Intubation
- 

**194.** Which nerve is tested for adequacy of anaesthesia?

- (A) Median Nerve
  - (B) Ulnar Nerve
  - (C) Radial nerve
  - (D) Mandibular nerve
- 

**195.** Most effective circuit in spontaneous anaesthesia is:

- (A) Mapleson A
  - (B) Mapleson B
  - (C) Mapleson C
  - (D) Mapleson D
- 

**196.** What is the mechanism of action of curonium drugs as muscle relaxants?

- (A) Persistently depolarizing at neuromuscular junction
  - (B) Act competitively on ACh receptors blocking post-synaptically
  - (C) Repetitive stimulation of ACh receptors on muscle end plate
  - (D) Inhibiting the calcium channel on presynaptic membrane
- 

**197.** Dye used in the diagnosis of esophageal perforation:

- (A) Iohexol
  - (B) Barium sulphate
  - (C) Gadolinium
  - (D) Iodine dye
- 

**198.** The Bragg peak effect is most pronounced in:

- (A) X-ray
  - (B) Proton
  - (C) Neutron
  - (D) Electron
- 

**199.** The salt and pepper pot appearance of the skull is seen in:

- (A) Hyperparathyroidism
  - (B) Multiple myeloma
  - (C) Hyperthyroidism
  - (D) Pseudohyperparathyroidism
- 

**200.** Imaging techniques used to evaluate uterine anomalies include all of the following EXCEPT:

- (A) HSG
  - (B) MRI guided HSG
  - (C) CT guided HSG
  - (D) USG
- 

**201.** The semen squeeze technique is used in the treatment of:

- (A) Erectile dysfunction
  - (B) Premature ejaculation
  - (C) Retrograde ejaculation
  - (D) Antegrade ejaculation
- 

**202.** A patient with a history of a road traffic accident 2 months ago presents with complaints of dreams of accidents. He is able to visualize the same scene whenever he visits the place and is afraid to go back to the accident site. Identify the type of disorder he might be suffering from:

- (A) Adjustment disorder
  - (B) PTSD
  - (C) Anxiety disorder
  - (D) OCD
-

**203.** Freud's theory of dreams includes all of the following EXCEPT:

- (A) Displacement
  - (B) Condensation
  - (C) Symbolisation
  - (D) Correlation
- 

**204.** Expression and consequent release of a previously repressed emotion is called as

- (A) Regression
  - (B) Dissociation
  - (C) Abreaction
  - (D) All of the above
- 

**205.** All are habit disorders except

- (A) Nail biting
  - (B) Thumb sucking
  - (C) Temper tantrum
  - (D) Tics
- 

**206.** New name of mental retardation according to the American Association on Mental Retardation

- (A) Feeble mindedness
  - (B) Madness
  - (C) Intellectual disability
  - (D) Mentally unstable
- 

**207.** Now-a-days Down syndrome is referred to as

- (A) Submental disorder
  - (B) Oligophrenia
  - (C) Madness
  - (D) Mentally unstable
- 

**208.** A 55-year-old chronic alcoholic male presents with irrelevant talks, tremor and sweating. He had his last drink 3 days back. What is the probable diagnosis?

- (A) Delirium tremens
  - (B) Korsakoff psychosis
  - (C) Post-acute withdrawal syndrome
  - (D) Discontinuation syndrome
- 


**209.**



Identify the type of muscle shown in the image below.

- (A) Cruciate
  - (B) Multipennate
  - (C) Parallel
  - (D) Unipennate
- 


210.



Function of the muscle shown in the picture

- (A) Flexion
  - (B) Extension
  - (C) Adduction
  - (D) Abduction
-

211.



The chemical structure shown in the image is also known as?

- (A) 5-hydroxytryptamine (5-HT)
  - (B) N-methyl phenylamine
  - (C) 3-Methoxytyramine
  - (D) Phenethylamine
- 


212.



Choose the best method of diagnosis for the clinical sign represented in the image.

- (A) Serum copper
  - (B) Serum ceruloplasmin
  - (C) Karyotyping
  - (D) PCR
-

213.



Identify the condition represented in the image.

- (A) Seminoma
- (B) Germ cell differentiate tumor
- (C) Non-seminoma
- (D) Teratoma

214.




Identify the condition shown in the image.

- (A) Lobar Pneumonia
- (B) Bronchopneumonia
- (C) Acute glomerulonephritis
- (D) Congested kidney



215.




Identify the condition represented in the below image.

- (A) Miliary tuberculosis
- (B) Bronchiectasis
- (C) COPD
- (D) Lung cancer

---

216.



Identify the organism related to the blood smear image.

- (A) *P. falciparum*
  - (B) *S. Typhi*
  - (C) *Treponema pallidum*
  - (D) *Toxoplasma gondii*
- 

217.



Which thickened nerve is shown here?

- (A) Facial Nerve
  - (B) Greater auricular nerve
  - (C) Vagus Nerve
  - (D) Glossopharyngeal Nerve
-

218.



Which type of retractor is shown in the image?

- (A) Morris retractor
- (B) Czerny retractor
- (C) Richardson retractor
- (D) Lower lid retractor

219.



Which of the following statements is true about the suture material shown in the image?

- (A) Made of rabbit submucosa
- (B) Made of cat submucosa
- (C) Not degraded
- (D) Degraded by enzymatic degradation

220.



A patient has a history of road traffic accident 2 years back, and at the same site has developed pain and swelling. X-ray shows the following features. What will be the diagnosis?

- (A) Osteogenic sarcoma
- (B) Ewing's sarcoma
- (C) Chronic osteomyelitis
- (D) Multiple myeloma

221.




Identify the bone numbered in the X-ray below that most commonly fractures when a person falls on outstretched hands.

- (A) 1
- (B) 2
- (C) 3
- (D) 4

---

222.



Identify the condition shown in the CT scan image below.

- (A) Dandy Walker malformation
  - (B) Cerebellar vermis hypoplasia
  - (C) Mega cisterna magna
  - (D) None
- 

223.



Identify the X-ray HSG (hysterosalpingogram) shown below.

- (A) Septate uterus
  - (B) Uterus didelphys
  - (C) Unicornuate uterus
  - (D) Bicornuate uterus
-

224.



In a woman complaining of abnormal uterine bleeding (AUB), the following image was seen on endoscopic (hysteroscopic) examination of the uterus. What will be the diagnosis?

- (A) Leiomyoma
- (B) Adenomyosis
- (C) Ovarian neoplasm
- (D) Carcinoma of uterus

---

225.



Identify the following lesion.

- (A) Becker nevus
  - (B) Hypopigmented macule
  - (C) Spitz nevus
  - (D) Epidermal nevus
- 

226.



A child has a rash as shown in the picture. His family history is positive for asthma. What could be the most probable diagnosis?

- (A) Seborrheic dermatitis
  - (B) Atopic dermatitis
  - (C) Allergic contact dermatitis
  - (D) Erysipelas
-



227.



Spot radiograph from a double contrast esophagram. Image represents:

- (A) Esophageal atresia
- (B) Esophageal stenosis
- (C) Feline oesophagus
- (D) Tracheoesophageal fistula

228.



MRI of skull represents:

- (A) Vein of Galen
- (B) Dandy Walker syndrome
- (C) Pneumocephalus
- (D) Crouzon syndrome

229.



What is a diagnosis based on a given image:

- (A) Uterus didelphys
- (B) Bicornuate uterus
- (C) Unicornuate uterus
- (D) Septate uterus

230.



X-ray of skull showing which lesions in the brain:

- (A) Paget's disease
- (B) Multiple myeloma
- (C) Osteosarcoma
- (D) Osteomyelitis

231.



CT of thorax represents:

- (A) Ascending aortic dissection
- (B) Descending aortic dissection
- (C) Aortic aneurysm
- (D) Cystic fibrosis




232.



CT scan of the abdomen shows a vascular structure that branches as it enters the liver. Identify the structure.

- (A) SVC
- (B) IVC
- (C) Portal vein
- (D) Splenic vein


233.



Identify artery 'X' in the given angiography anatomy image.

- (A) Superior mesenteric artery
- (B) Subclavian artery
- (C) Celiac artery
- (D) Brachiocephalic artery

234.



A woman shows symptoms of massive pulmonary thromboembolism. The gross appearance of the liver at autopsy is shown. Which of the following statements best characterizes the patient's condition?

- (A) Metastasis from PE
- (B) Angiosarcoma
- (C) Colonic adenocarcinoma with metastasis
- (D) Locally invaded hepatocellular carcinoma

---

235.



What is the structure seen in the given X-ray below?

- (A) Stent
- (B) Surgical clips
- (C) Foley catheter
- (D) Intravesical wire


236.



What is the diagnosis based on the following X-ray?

- (A) Uterine Fibroid
- (B) Bladder Carcinoma
- (C) Bladder stone
- (D) Renal Tuberculosis

237.




A red soft-to-firm swelling on the sternum, that on biopsy shows the following histology. What is the diagnosis?



- (A) Hemangioma
  - (B) Osteochondroma
  - (C) Osteoid osteoma
  - (D) Paget disease
- 

238.



Which of the following is the carrying agent (vector) for the disease with the given characteristic on polarized microscopy?

- (A) Anopheles
  - (B) Ixodes scapularis ticks
  - (C) Louse
  - (D) Rat flea
- 

239. Chordoma arises from:

- (A) Pharyngeal bursa
  - (B) Notochord
  - (C) Rathke's pouch
  - (D) Luschka's bursa
-

**240.** What is the effect of progesterone only pills?

- (A) Completely suppresses ovulation
  - (B) Thin lining of uterus
  - (C) Thick cervical mucus
  - (D) All of the above
- 

**241.** Which metal results in "saturnine gout" formation?

- (A) Cadmium
  - (B) Lead
  - (C) Beryllium
  - (D) Mercury
- 

**242.** Which drug decreases the bone resorption in osteoporosis?

- (A) Teriparatide
  - (B) Risedronate
  - (C) Cortisone
  - (D) Cimetidine
- 

**243.** Phenylketonuria is due to deficiency of:

- (A) Phenylalanine
  - (B) Phenylalanine hydroxylase (PAH)
  - (C) Phenylene
  - (D) All of these
- 

**244.** Which is NOT correct?

- (A) MRI needed to assess haemorrhage
  - (B) GCS assessment helps in prognosis
  - (C) Haematoma must be operated
  - (D) All of the above
- 

**245.** Maastricht classification of donation after cardiac death. What category is stage 3?

- (A) Awaiting cardiac arrest
  - (B) Brought in dead
  - (C) Unsuccessful resuscitation
  - (D) Cardiac arrest after brain-stem death
- 

**246.** What is the cause of cardiogenic (myocardial) shock other than acute myocardial infarction?

- (A) Acute mitral regurgitation
  - (B) Ventricular septal rupture
  - (C) Isolated right ventricular shock
  - (D) All of the above
- 

**247.** Nitric oxide acts by increasing which of the following?

- (A) BRCA 1
  - (B) BRCA 2
  - (C) Interleukin
  - (D) cGMP
- 

**248.** Periodic acid-Schiff (PAS) positive macrophages are seen in which condition?

- (A) Whipple's disease
  - (B) Crohn's disease
  - (C) AIDS
  - (D) None of the above
- 

**249.** A boy presented with multiple non-suppurative osteomyelitis along with sickle cell anaemia. What will be the causative organism?

- (A) Salmonella
  - (B) S. aureus
  - (C) H. influenzae
  - (D) Enterobacter species
- 

**250.** The term pathology refers to:

- (A) Work
  - (B) Function
  - (C) Details
  - (D) Explains
- 

**251.** A 1-year-old child weighing 6 kg is suffering from acute gastroenteritis with signs of sunken eyes and a skin pinch going back to normal very rapidly. What will be your management?

- (A) RL infusion 120 ml in the first hour followed by 360 ml in the next 5 hours
  - (B) RL infusion 180 ml in the first hour followed by 420 ml in the next 5 hours
  - (C) RL infusion 180 ml in the first hour followed by 480 ml in the next 5 hours
  - (D) RL infusion 240 ml in the first hour followed by 360 ml in the next 5 hours
-

**252.** What constitutes the Malpighian layer of the epidermis?

- (A) Stratum corneum and stratum lucidum
  - (B) Stratum corneum and stratum spinosum
  - (C) Stratum spinosum and stratum basale
  - (D) Stratum basale and stratum granulosum
- 

**253.** Which of the following is the underlying metabolic basis of acute gout?

- (A) Uric acid nephrolithiasis
  - (B) Deficiency of enzyme xanthine oxidase
  - (C) Increase in serum urate concentration
  - (D) Renal disease involving interstitial tissues
- 

**254.** Oxygen therapy may NOT be useful (or may be harmful) in which of the following conditions?

- (A) Asthma
  - (B) Pneumonia
  - (C) Subglottic stenosis
  - (D) Pulmonary fibrosis
- 

**255.** A newborn baby with a heart rate less than 60 beats per minute can be resuscitated by all of the following EXCEPT:

- (A) Chest compression
  - (B) Oxygen therapy
  - (C) Tactile stimulation
  - (D) Slapping the back
-

**256.** Mobitz type 2 second degree AV block is seen in all of the following EXCEPT:

- (A) Hypothyroidism
  - (B) Coronary artery disease
  - (C) Sarcoidosis
  - (D) Cushing syndrome
- 

**257.** By which of the following criteria can one diagnose acute respiratory distress (pediatric ARDS) in a child?

- (A) Within 7 days of known clinical insult
  - (B) Respiratory failure not fully explained by cardiac failure
  - (C) Left ventricular dysfunction excluded as sole cause
  - (D) All of the above
- 

**258.** A 6-year-old boy presented with life-threatening shock. CT showed large ascites, bowel wall thickening and poor or absent enhancement of a strangulated bowel segment, with gangrenous bowel found on surgical exploration. After resection, which statement about the intestinal anastomosis is TRUE?

- (A) Should be done by continuous layers as it takes less time
  - (B) Should be done with catgut
  - (C) Should be done by single layer seromuscular Lembert sutures
  - (D) Should be done by single layer taking submucosa
- 

**259.** In ACLS, which drug can be given for ventricular fibrillation after cardiac arrest, other than epinephrine?

- (A) Amiodarone
  - (B) Dopamine
  - (C) Adenosine
  - (D) Atropine
- 

**260.** Which of the following statement is false about the MR vaccination campaign launched by WHO?

- (A) Children from 9 months to less than 15 years are vaccinated
  - (B) Targets congenital rubella syndrome (CRS), which is responsible for irreversible birth defects
  - (C) India has not yet launched this campaign
  - (D) It will replace routine immunization for measles vaccine
- 

**261.** Which of the following is true regarding Hemophilia A?

- (A) Serum levels of factor VIII are decreased
  - (B) Deficiency of factor IX
  - (C) PT is increased
  - (D) FIT decreased
- 

**262.** Marked bleeding is seen in which of the following conditions?

- (A) VMA disease
  - (B) Haemophilia A
  - (C) Haemophilia B
  - (D) All
- 

**263.** Reed-Sternberg cells are found in which condition?

- (A) Hodgkin's disease
  - (B) Sickle cell anaemia
  - (C) Thalassemia
  - (D) CML
- 

**264.** By which method is foreign DNA introduced into a cell by a virus or viral vector?

- (A) Transduction
  - (B) Transcription
  - (C) Lysogenic conversion
  - (D) Transformation
- 

**265.** Which one of the following shows allosteric inhibition?

- (A) Malonic acid & succinate
  - (B) 2,3 BPG
  - (C) Amino acid alanine & pyruvate kinase
  - (D) Citrate
- 

**266.** Which of the following is seen in seropositive rheumatoid arthritis?

- (A) Multiple joints affected
  - (B) Symmetrical joint symptoms
  - (C) Joint pain and swelling
  - (D) All
- 

**267.** Which of the following is not seen in the anterior mediastinum?



- (A) Thyroid tumour
  - (B) Thymoma
  - (C) Lymphoma
  - (D) Neurogenic tumor
- 

**268.** Struvite stone is caused by which metal?

- (A) Magnesium
  - (B) Calcium
  - (C) Sodium & potassium
  - (D) Both (a) & (b)
- 

**269.** Which of the following statements about Graves disease is false?

- (A) Results in hyperthyroidism
  - (B) Autoimmune disorder
  - (C) Common in male
  - (D) Referred as toxic diffuse goitre
- 

**270.** Aldosterone synthesis is stimulated by which of the following?

- (A) ACTH
  - (B) Hyperkalemia
  - (C) Hyponatremia
  - (D) Exogenous steroids
- 

**271.** Which of the following is false about Alzheimer's disease?

- (A) One in 10 people age 65 and older has Alzheimer's disease
  - (B) Alzheimer's disease is curable
  - (C) Causes dementia
  - (D) All of the above
- 

**272.** Which of the following is true about vitamin K?

- (A) Anticoagulant
  - (B) Prolonged use of antimicrobial leads to deficiency
  - (C) Dietary allowance is 15-20 mg
  - (D) All of the above
- 

**273.** Which drug needs continuous monitoring of prothrombin time?

- (A) Aspirin
  - (B) Lepirudin
  - (C) Digoxin
  - (D) Coumadin
- 

**274.** Which of the following are risk factors for cutaneous lymphoma?

- (A) Age
  - (B) Gender
  - (C) Weakened immune system
  - (D) All
- 

**275.** Which of the following is NOT included in AIDS-related complex (ARC)?

- (A) Ectopic pregnancy
  - (B) Recurrent genital candidiasis
  - (C) Generalised lymphadenopathy
  - (D) Chronic diarrhea
- 

**276.** Which is the treatment of choice for irradiation in chordoma?

- (A) Protons
  - (B) Electrons
  - (C) Gamma radiation
  - (D) 3D-CRT
- 

**277.** What differentiates delirium from dementia?

- (A) Confusion
  - (B) Difficulty in communicating
  - (C) Hallucination
  - (D) Sudden change
- 

**278.** Genital warts are caused by which virus?

- (A) Herpes simplex
  - (B) Human papilloma
  - (C) Cytomegalovirus
  - (D) Varicella zoster
- 

**279.** Which drug regimen is given in a pregnant woman with HIV infection?

- (A) Tenofovir disoproxil fumarate with emtricitabine
  - (B) Tenofovir disoproxil fumarate with lamivudine
  - (C) Abacavir with lamivudine
  - (D) All
- 

**280.** Which of the following structures develops from the dorsal mesentery?

- (A) Greater omentum
  - (B) Lesser omentum
  - (C) Liver
  - (D) Diaphragm
- 

**281.** Which of the following is the best graft/stent for a femoropopliteal bypass?

- (A) Dacron
  - (B) Reversed saphenous vein
  - (C) PTFE
  - (D) None
- 

**282.** Trilene (trichloroethylene) is degraded by:

- (A) Enzymatic degradation
  - (B) Non-enzymatic degradation
  - (C) Chemical degradation
  - (D) None
- 

**283.** The earliest feature of third cranial nerve involvement in a diabetes mellitus patient is:

- (A) Normal light reflex
  - (B) Abnormal light reflex
  - (C) Normal light and accommodation reflex
  - (D) Abnormal light and accommodation reflex
- 

**284.** During squint surgery the anaesthesiologist sees the blood pressure suddenly drop to 40. What is the best immediate management?

- (A) Give atropine
  - (B) Increase level of anaesthesia
  - (C) Ask the surgeon to stop the surgery
  - (D) Give adrenaline
- 

**285.** All of the following belong to the special visceral efferent column EXCEPT:

- (A) Glossopharyngeal nerve
  - (B) Nucleus ambiguus
  - (C) Vagus nerve
  - (D) Trigeminal nerve
- 

**286.** Which of the following conditions is NOT caused by Parvovirus B19?

- (A) Roseola infantum
  - (B) Aplastic anaemia in sickle cell disease
  - (C) Fetal hydrops
  - (D) Erythema infectiosum
- 

**287.** Which of the following statements is NOT true about the iliolumbar ligament?

- (A) Upper fibres attached to iliac crest
  - (B) Lower fibres attached to base of sacrum
  - (C) Helps in maintaining lumbosacral joint stability
  - (D) Upper attachment to transverse process of T12
- 

**288.** Where will be the placement location for an Auditory Brainstem Implant (ABI)?

- (A) Scala tympani
  - (B) Recess of 4th ventricle
  - (C) Internal auditory canal (IAC)
  - (D) Back of ear
- 

**289.** Which condition is associated with congenital adrenal hyperplasia?

- (A) Male pseudohermaphroditism
  - (B) Female pseudohermaphroditism
  - (C) True pseudohermaphroditism
  - (D) Sequential pseudohermaphroditism
- 

**290.** Which of the following is true regarding ataxia telangiectasia?

- (A) Increase in AFP (alpha-fetoprotein)
  - (B) Increases the risk of squamous cell carcinoma
  - (C) Autosomal dominant
  - (D) None of the above
- 

**291.** A diabetic patient develops hypopyon 2 days after cataract surgery. What is the management?

- (A) Intravitreal antibiotics
  - (B) Eye drops
  - (C) Surgery
  - (D) No treatment required
- 

**292.** What is the thinnest part of the neuro-retinal rim according to the ISNT rule?

- (A) Inferior
  - (B) Superficial
  - (C) Temporal
  - (D) Medial
- 

**293.** Leiden thrombophilia is caused by a mutational deficiency involving which of the following factors?

- (A) Factor V
  - (B) Factor VII
  - (C) Factor IX
  - (D) Factor X
- 

**294.** Anteversion of the uterus is maintained by which ligament?

- (A) Cardinal ligament
  - (B) Uterosacral ligament
  - (C) Pubocervical ligament
  - (D) Round ligament
- 

**295.** Long-standing pelvic inflammation may lead to which of the following conditions?

- (A) Pyometra
- (B) Uterine polyposis
- (C) Pseudopregnancy
- (D) Cystic endometrial hyperplasia