MEDTRICS-RELEASE-NOTES · OPERATOR GUIDE

Release Notes Runbook

After every deploy, one Slack message goes out: a tidy index of what shipped, with a thread of per-ticket detail beneath it. This guide takes you from a fresh checkout to a posted announcement — for both the main Medtrics platform and Oracle.

THE FASTEST PATH — START TO FINISH

1 **Open the right checkout**
Main platform → your `medtrics/` folder. Oracle → your `medtrics-oracle/` folder. Open Cowork there.

2 **Run the command**
Type `/release-slack` or `/oracle-release`. Sweep everything deploy-ready, or name tickets with `tickets …`.

3 **Let it gather and draft**
It pulls tickets and code, resolves each developer's Slack handle, tags client institutions, writes both voices, and composes the message. Just watch.

4 **Read the preview carefully**
The full root post and every thread reply print in chat, with any flags. Read it the way your teammates and clients will. Nothing is sent yet.

5 **Approve to post — it will not send until you do**
Reply `y` to post. Anything else sends nothing. Root goes first, then each reply into the thread.

6 **Forward the client ledes**
The release is archived to Mem automatically. Copy each `For clients:` paragraph from the thread and send it to customers.

PICK YOUR TRACK

Main platform `/release-slack`

→ `#dream-team`

Run after a **Medtrics platform** deploy. Tickets are **M1-** / **GEN-** ids from Optimus; code comes from GitLab merge requests.

Oracle `/oracle-release`

→ `#pod-oracle`

Run after a **medtrics-oracle** deploy. Tickets are **ORC-** ids from Optimus; code comes from GitHub pull requests.

REFERENCE

The two commands, side by side

Same shape and feel — they differ only in where tickets and code come from, and where they post.

	MAIN PLATFORM	ORACLE
Command	`/release-slack`	`/oracle-release`
Posts to	`#dream-team`	`#pod-oracle`
Tickets from	Optimus — `M1-` / `GEN-` ids	Optimus — `ORC-` ids
Code from	GitLab merge requests	GitHub pull requests
Run it from	`medtrics/`	`medtrics-oracle/`
Extra safety	—	Client ledes pass an IP guard (pre-GA product)
Archived to	**One Mem note per release — trace details + the full posted message. Mem is required.**	

Each command reads its settings from the `.env` in the folder you run it from — that is why the track is really decided by which checkout you are in.

WAYS TO RUN EACH

Main platform

`/release-slack`

`/release-slack` All deploy-ready tickets (default; **`status`** is the same).

`tickets M1-986,M1-1039` Only these — paste from Optimus.

`mr 6567` Summarize one GitLab MR.

`dry-run` Show, don't post. Add to any mode.

Oracle

`/oracle-release`

`tickets ORC-101,ORC-115` Name the ORC tickets (primary).

`status` All Oracle tickets in deploy lanes.

`tickets ORC-101 dry-run` Discovery preview only.

> **Before your first run — confirm these once**
>
> **Mem is connected** in your session (it is the release archive — the command stops if not). · **The bot is in the channel** — `/invite @Medtrics Release Bot` in #dream-team and #pod-oracle. · **The `.env` is filled in** (keys on the last page). · **You've pulled the deployed code** so the notes match what shipped.

THE PREVIEW

What you'll see, and approve

A compact index up top; the detail lives in the thread. This is roughly what prints in chat before you reply.

dream-team · Medtrics Release Bot

🚀 **Release Notes — Tuesday, September 2**

ENHANCEMENTS & NEW FEATURES

1. M1-986 · Average score now shows on completed evaluations

BUG FIXES

2. M1-1039 · Single sign-on no longer loops on expired sessions

Clients to notify: KFSHRC · UCSF — details for each item are in this thread.

> **1. M1-986 · Average score now shows on completed evaluations**
>
> **For clients:** Program administrators can now see each evaluation's average score directly on the completed form — no export needed.
>
> `Ticket: M1-986  Developer: @chris.t (Chris Tokodi)`
> `Internal: New "Average Score" element on the Form Complete page.`
> `Clients: KFSHRC`

Oracle looks the same, posted to #pod-oracle, with GitHub `PRs:` lines instead of GitLab `MRs:`.

> **The confirmation gate is real, and always there**
>
> Both commands preview first and never post without an explicit `y` in the same session — even a scheduled run stops here. If a reply fails partway, you're told which landed and the root timestamp; re-run only the missing replies. The root is never re-posted.

TWO THINGS SPECIFIC TO ORACLE

When it can't find a ticket's PR, you tell it. Optimus doesn't expose Oracle's PR field, so PRs are matched from GitHub. If the preview shows *"No PR found"* or two candidates, reply with the pick — e.g. `ORC-232 → 415` — and it records the choice, re-runs, and remembers it for future releases.

Every release is kept in Mem, not on disk. On a successful post the command writes one note to the `Release Notes Archive` collection (both tracks share it): the date, channel, a clickable Slack permalink, the tickets that shipped, and the full posted message. Later you can search Mem for a single id — `ORC-232`, `M1-1457` — and land on the exact release, then click through to the thread.

REFERENCE & RECOVERY

Settings, fixes, and the rules that matter

SETTINGS EACH COMMAND READS

Main platform

`medtrics/.env`

`OPTIMUS_API_KEY`
`GITLAB_TOKEN`
`GITLAB_PROJECT_ID`
`SLACK_CHANNEL_INTERNAL`
`SLACK_BOT_TOKEN`

`optional — GITLAB_URL · MEM_RELEASE_ARCHIVE_COLLECTION`

Oracle

`medtrics-oracle/.env`

`OPTIMUS_API_KEY`
`GITHUB_TOKEN`
`GITHUB_REPO`
`SLACK_CHANNEL_ORACLE`
`SLACK_BOT_TOKEN`

`optional — GITHUB_API_URL · ORACLE_REPO_PATH · MEM_PR_OVERRIDES_COLLECTION_ID · MEM_RELEASE_ARCHIVE_COLLECTION`

WHEN SOMETHING STOPS YOU

`Mem MCP not connected`	Expected — Mem is the archive. Connect the Mem connector and re-run. It stops before gathering, on purpose.
`not_in_channel`	The bot isn't in the channel. Run `/invite @Medtrics Release Bot` there, then re-run.
"Missing required env keys"	The `.env` here is incomplete. Fill the required keys above — nothing was gathered.
Oracle: "No PR found"	Reply with the pick, e.g. `ORC-232 → 415`. It records the PR and re-runs.
A reply failed partway	You're told which landed and the root ts. Re-run to post only the remaining replies.
"Nothing to post"	No deploy-ready tickets found. Check the deploy lane in Optimus, or name them with `tickets …`

FIVE THINGS TO REMEMBER

01
Right folder, right track
The checkout you run from decides everything.

02
It always previews first
Nothing reaches Slack until you reply `y`.

03
Connect Mem, or it won't run
The archive lives in Mem — no connection, no release.

04
You forward to clients
The post is internal; send the `For clients:` ledes on.

05
Fix a wrong Oracle PR inline
Reply `ORC-nnn → NNN` at the preview; it remembers next time.