```python
1   #Program to implement Fractional Knapsack
2   class objects:
3       def __init__(self,wt,val,ind):
4           self.weight=wt
5           self.profit=val
6           self.index=ind
7           self.cost=val/wt
8       def __lt__(self, other):
9           return self.cost < other.cost
10  class FractionalKnapsack:
11      @staticmethod
12      def getMaxprofit(wt,val,capacity):
13          ival=[]
14          for i in range(len(wt)):
15              ival.append(objects(wt[i],val[i],i))
16          ival.sort(reverse=True)
17          totalprofit=0
18          for i in ival:
19              currentweight=int(i.weight)
20              currentvalue=int(i.profit)
21              if((capacity-currentweight)>=0):
22                  capacity-=currentweight
23                  totalprofit+=currentvalue
24              else:
25                  fraction=capacity/currentweight
26                  totalprofit+=currentvalue*fraction
27                  capacity=int(capacity-(currentweight*fraction))
28                  break
29          return totalprofit
30  def print_array(a):
31      for i in a:
32          print("%2d"%(i),end=" ")
33      print("\n")
34  import random
35  n=10
36  wt=[0]*(n)
37  val=[0]*(n)
38  capacity=30
39  for i in range(n):
```

```
40      wt[i]=random.randint(3,10)
41      val[i]=random.randint(12,40)
42   capacity=50
43   maximumprofit=FractionalKnapsack.getMaxprofit(wt,val,capacity)
44   print("Object Weight:",end=" ")
45   print_array(wt)
46   print("Object Profit:",end=" ")
47   print_array(val)
48   print("Maximum Profit in Fractional Knapsack = %.2f "%(maximumprofit))
```