

ICPSR 22626

**India Human Development Survey
(IHDS), 2005**

Sonalde Desai
University of Maryland

Reeve Vanneman
University of Maryland

*National Council of Applied Economic
Research, New Delhi*

Original Combined Individual and Household
Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/22626.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

```
. codebook, tab(36)
```

```
-----
stateid                                     State code
-----
```

```
type: numeric (byte)
```

```
label: stateid
```

```
range: [1,34]
```

```
units: 1
```

```
unique values: 33
```

```
missing .: 0/41554
```

```
tabulation: Freq.  Numeric  Label
              715        1  Jammu & Kashmir 01
              1372        2  Himachal Pradesh 02
              1593        3  Punjab 03
               90         4  Chandigarh 04
               458        5  Uttaranchal 05
              1618        6  Haryana 06
              960         7  Delhi 07
              2485        8  Rajasthan 08
              3512        9  Uttar Pradesh 09
              1430       10  Bihar 10
               105       11  Sikkim 11
               165       12  Arunachal Pradesh 12
               130       13  Nagaland 13
               105       14  Manipur 14
               105       15  Mizoram 15
               229       16  Tripura 16
               161       17  Meghalaya 17
              1017       18  Assam 18
              2380       19  West Bengal 19
               924       20  Jharkhand 20
              2064       21  Orissa 21
              1175       22  Chhatishgarh 22
              2805       23  Madhya Pradesh 23
              2078       24  Gujarat 24
                60       25  Daman & Diu 25
                60       26  Dadra+Nagar Haveli 26
              3203       27  Maharashtra 27
              2435       28  Andhra Pradesh 28
              4021       29  Karnataka 29
               165       30  Goa 30
              1731       32  Kerala 32
              2098       33  Tamil Nadu 33
               105       34  Pondicherry 34
```

```
-----
distid                                     District code
-----
```

```
type: numeric (byte)
```

```
range: [0,68]
```

```
units: 1
```

```
unique values: 61
```

```
missing .: 0/41554
```

```
mean: 14.6924
```

```
std. dev: 12.3204
```

```
percentiles:      10%      25%      50%      75%      90%
                  2         6        12        20        29
```

 psuid PSU: village/neighborhood code

type: numeric (byte)

range: [1,39] units: 1
 unique values: 39 missing .: 0/41554

mean: 5.75742
 std. dev: 5.76636

percentiles:	10%	25%	50%	75%	90%
	1	2	4	7	11

 hhid Household ID

type: numeric (byte)

range: [1,52] units: 1
 unique values: 52 missing .: 0/41554

mean: 9.21969
 std. dev: 5.8208

percentiles:	10%	25%	50%	75%	90%
	2	4	9	13	17

 hhsplitid Split household ID

type: numeric (byte)

range: [0,7] units: 1
 unique values: 8 missing .: 0/41554

tabulation:	Freq.	Value
	27654	0
	11517	1
	1713	2
	518	3
	121	4
	23	5
	6	6
	2	7

 caseid HH id: 11 byte string

type: string (str9)

unique values: 41554 missing "": 0/41554

examples: "082001071"
 "190602111"
 "233003050"
 "282208051"

 idhh HH id 9-digit unique

type: numeric (long)

range: [10201010,3.400e+08] units: 1
 unique values: 41554 missing .: 0/41554

mean: 1.9e+08
 std. dev: 9.8e+07

percentiles: 10% 25% 50% 75% 90%
 5.1e+07 9.2e+07 2.1e+08 2.8e+08 2.9e+08

 idpsu PSU id 6-digit unique

type: numeric (long)

range: [10201,340006] units: 1
 unique values: 2474 missing .: 0/41554

mean: 189288
 std. dev: 98397.5

percentiles: 10% 25% 50% 75% 90%
 51302 92002 211604 280207 292932

 stateid2 State codes, collapsed

type: numeric (int)
 label: state2f

range: [101,733] units: 1
 unique values: 22 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	715	101	Jammu & Kashmir 01
	1372	102	Himachal Pradesh 02
	458	105	Uttarakhand 05
	1683	203	Punjab 03
	1618	206	Haryana 06
	960	207	Delhi 07
	3512	309	Uttar Pradesh 09
	1430	310	Bihar 10
	924	320	Jharkhand 20
	2485	408	Rajasthan 08
	1175	422	Chhattisgarh 22
	2805	423	Madhya Pradesh 23
	1000	517	Northeast 17
	1017	518	Assam 18
	2380	519	West Bengal 19
	2064	521	Orissa 21
	2198	624	Gujarat 24
	3368	627	Maharashtra, Goa 27
	2435	728	Andhra Pradesh 28
	4021	729	Karnataka 29

1731	732	Kerala 32
2203	733	Tamil Nadu 33

distname	District codes with names
----------	---------------------------

type: numeric (int)
 label: distname, but 1 nonmissing value is not labeled
 range: [102,3400] units: 1
 unique values: 373 missing .: 0/41554
 examples: 820 Pali
 1906 Maldah
 2330 Rajgarh
 2822 Anantapur

dist01	H1sp: District ID Census 2001
--------	-------------------------------

type: numeric (byte)
 range: [0,68] units: 1
 unique values: 61 missing .: 0/41554
 mean: 14.6686
 std. dev: 12.3181
 percentiles: 10% 25% 50% 75% 90%
 2 6 12 20 29

urban	Census: 2001 village/town
-------	---------------------------

type: numeric (byte)
 label: urban
 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 tabulation: Freq. Numeric Label
 26734 0 rural 0
 14820 1 urban 1

metro6	Largest 6 metro areas 1-6
--------	---------------------------

type: numeric (byte)
 label: metro6f
 range: [1,6] units: 1
 unique values: 6 missing .: 37421/41554
 tabulation: Freq. Numeric Label
 585 1 Mumbai 1
 1326 2 Delhi 2
 1114 3 Kolkata 3
 291 4 Chennai 4

360	5	Bangalore 5
457	6	Hyderabad 6
37421	.	

sweight	Design weights
---------	----------------

type: numeric (float)

range: [220.00238,308216.38] units: .00001
unique values: 1526 missing .: 0/41554

mean: 4623.48
std. dev: 5057.27

percentiles: 10% 25% 50% 75% 90%
 1408.89 2450.21 3704 5234.42 8098.4

Npersons	HH4 2.0 N in hh
----------	-----------------

type: numeric (byte)

range: [1,38] units: 1
unique values: 33 missing .: 0/41554

tabulation: Freq. Value

801	1
3215	2
5228	3
8878	4
8360	5
5929	6
3601	7
2031	8
1262	9
771	10
453	11
338	12
230	13
136	14
145	15
41	16
34	17
34	18
15	19
15	20
13	21
9	22
1	23
2	24
1	25
1	26
3	27
2	28
1	29
1	30
1	31
1	33
1	38

 Nchildren HH4 2.5 N 0-14 in hh

type: numeric (byte)
 range: [0,17] units: 1
 unique values: 17 missing .: 0/41554

tabulation:	Freq.	Value
	12512	0
	8692	1
	9729	2
	5816	3
	2723	4
	1232	5
	472	6
	212	7
	95	8
	30	9
	19	10
	11	11
	3	12
	3	13
	1	14
	1	15
	3	17

 Nteens HH4 2.5 N 15-21 in hh

type: numeric (byte)
 range: [0,8] units: 1
 unique values: 9 missing .: 0/41554

tabulation:	Freq.	Value
	22309	0
	10666	1
	6003	2
	2066	3
	409	4
	81	5
	15	6
	4	7
	1	8

 Nadults HH4 2.5 N 22+ in hh

type: numeric (byte)
 range: [0,18] units: 1
 unique values: 17 missing .: 0/41554

tabulation:	Freq.	Value
	110	0
	2891	1
	20322	2


```

8298 3
5585 4
2222 5
1258 6
466 7
238 8
76 9
50 10
16 11
9 12
8 13
3 14
1 15
1 18

```

```

-----
Nmarriedf                                     HH4 2.6 N married women in hh
-----

```

type: numeric (byte)

```

range: [0,8]          units: 1
unique values: 9      missing .: 0/41554

```

```

tabulation: Freq. Value
3203 0
28929 1
7231 2
1744 3
366 4
59 5
16 6
2 7
4 8

```

```

-----
Nmarriedm                                     HH4 2.6 N married men in hh
-----

```

type: numeric (byte)

```

range: [0,8]          units: 1
unique values: 9      missing .: 0/41554

```

```

tabulation: Freq. Value
3803 0
29032 1
6778 2
1548 3
320 4
56 5
10 6
4 7
3 8

```

```

-----
copc                                     HH19 12. Mo.consumption percapita
-----

```

```

type: numeric (long)
label: missing, but 3839 nonmissing values are not labeled

```

```

range: [4,39273]           units: 1
unique values: 3839        missing .: 0/41554
unique mv codes: 2         missing .*: 63/41554

examples: 402
           581
           816
           1264

```

```

-----
groups8                                     HH3 1.13-15 Caste/religion 8cats
-----

```

```

type: numeric (byte)
label: groups8f

range: [1,8]           units: 1
unique values: 8       missing .: 0/41554

tabulation: Freq.   Numeric   Label
            2421      1   Brahmin 1
            7151      2   High caste 2
            14068      3   OBC 3
            8333      4   Dalit 4
            3439      5   Adivasi 5
            4708      6   Muslim 6
            683      7   Sikh, Jain 7
            751      8   Christian 8

```

```

-----
hhassets                                    HH22+EH 30 hh goods & housing
-----

```

```

type: numeric (byte)

range: [0,30]           units: 1
unique values: 31       missing .: 0/41554

tabulation: Freq.   Value
            101      0
            293      1
            685      2
            1292     3
            1953     4
            2312     5
            2440     6
            2385     7
            2303     8
            2251     9
            2250    10
            2185    11
            2096    12
            2069    13
            1961    14
            1844    15
            1801    16
            1727    17
            1594    18
            1631    19
            1419    20
            1309    21
            1100    22

```

851 23
 659 24
 438 25
 263 26
 179 27
 97 28
 43 29
 23 30

 hhed5adult HH17 ed5 Highest adult(21+) educ

type: numeric (byte)
 label: ed5f

range: [0,15] units: 1
 unique values: 16 missing .: 0/41554
 unique mv codes: 1 missing .*: 55/41554

tabulation:	Freq.	Numeric	Label
	8628	0	none 0
	160	1	1
	701	2	2
	879	3	3
	1361	4	4
	2929	5	5th standard 5
	1274	6	6
	2117	7	7
	3013	8	8
	3609	9	9
	5278	10	matric 10
	879	11	11
	3817	12	higher sec 12
	205	13	13
	326	14	14
	6323	15	graduate 15
	55	.d	invalid skip .d

 hhed5f HH17 ed5 Highest female 21+ ed

type: numeric (byte)
 label: ed5f

range: [0,15] units: 1
 unique values: 16 missing .: 0/41554
 unique mv codes: 2 missing .*: 784/41554

tabulation:	Freq.	Numeric	Label
	18285	0	none 0
	139	1	1
	665	2	2
	841	3	3
	1297	4	4
	2989	5	5th standard 5
	1033	6	6
	1886	7	7
	2396	8	8
	2145	9	9
	3514	10	matric 10

404	11	11
2037	12	higher sec 12
100	13	13
153	14	14
2886	15	graduate 15
671	.a	valid blank .a
113	.d	invalid skip .d

hhed5m	HH17 ed5 Highest male 21+ ed
--------	------------------------------

type: numeric (byte)
label: ed5f

range:	[0,15]	units:	1
unique values:	16	missing .:	0/41554
unique mv codes:	2	missing .*:	2282/41554

tabulation:	Freq.	Numeric	Label
	8494	0	none 0
	180	1	1
	780	2	2
	950	3	3
	1442	4	4
	2867	5	5th standard 5
	1210	6	6
	2022	7	7
	2925	8	8
	3439	9	9
	5035	10	matric 10
	803	11	11
	3404	12	higher sec 12
	179	13	13
	254	14	14
	5288	15	graduate 15
	2167	.a	valid blank .a
	115	.d	invalid skip .d

Nwork	HH 4-7 Nhh any work
-------	---------------------

type: numeric (byte)

range:	[0,13]	units:	1
unique values:	14	missing .:	0/41554

tabulation:	Freq.	Value
	1799	0
	13561	1
	13089	2
	6465	3
	3976	4
	1623	5
	640	6
	242	7
	98	8
	37	9
	12	10
	6	11
	3	12

3 13

Nfarm HH9 4.28 Nhh family farm

type: numeric (byte)

range: [0,13] units: 1
unique values: 14 missing .: 0/41554

tabulation:	Freq.	Value
	28174	0
	3316	1
	5498	2
	2446	3
	1366	4
	454	5
	198	6
	60	7
	23	8
	11	9
	3	10
	3	11
	1	12
	1	13

Nanimal HH9 5.5 Nhh animal care

type: numeric (byte)

range: [0,9] units: 1
unique values: 10 missing .: 0/41554

tabulation:	Freq.	Value
	25168	0
	4396	1
	7288	2
	2794	3
	1258	4
	432	5
	132	6
	43	7
	26	8
	17	9

Nagwage HH11 6.3 Nhh ag wage

type: numeric (byte)

range: [0,10] units: 1
unique values: 10 missing .: 0/41554

tabulation:	Freq.	Value
	31211	0
	4720	1
	3737	2
	1126	3

527	4
156	5
53	6
18	7
4	8
2	10

NnonagHH11 6.3 Nhh nonag wage

type: numeric (byte)

range: [0,8]

units: 1

unique values: 9

missing .: 0/41554

tabulation:	Freq.	Value
	31052	0
	7552	1
	2217	2
	537	3
	149	4
	26	5
	14	6
	6	7
	1	8

NsalaryHH11 6.7 Nhh salaried

type: numeric (byte)

range: [0,6]

units: 1

unique values: 7

missing .: 0/41554

tabulation:	Freq.	Value
	28698	0
	10304	1
	2053	2
	397	3
	84	4
	11	5
	7	6

NbusinessHH12 7.7 Nhh family business

type: numeric (byte)

range: [0,7]

units: 1

unique values: 8

missing .: 0/41554

tabulation:	Freq.	Value
	33538	0
	5389	1
	2011	2
	459	3
	125	4
	21	5
	8	6

3 7

income HH5-15 3-8 Total income

type: numeric (float)

range: [-108327.75,6520260.5] units: 1.000e-06
unique values: 21111 missing : 0/41554

mean: 54359.5
std. dev: 83382

percentiles: 10% 25% 50% 75% 90%
 9171.73 17000 32000 65920.7 120000

incfarm HH6-10 4-6 Family farm income

type: numeric (float)

range: [-228327.75,3935151.5] units: 1.000e-08
unique values: 17102 missing : 0/41554

mean: 10188.7
std. dev: 49027.7

percentiles: 10% 25% 50% 75% 90%
 0 0 0 6500 24641.3

incagwage HH11 6.8+ hh ag wages

type: numeric (float)

range: [0,155000] units: .1
unique values: 1273 missing : 0/41554

mean: 3242.38
std. dev: 8155.77

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1020 12000

incnonag HH11 6.8+ hh nonag wages

type: numeric (float)

range: [0,292000] units: .1
unique values: 1372 missing : 0/41554

mean: 5551.23
std. dev: 13515.9

percentiles: 10% 25% 50% 75% 90%
 0 0 0 2100 21000

incsalary HH11 6.8+ hh salaries

type: numeric (float)

range: [0,960000] units: 1.000e-06
 unique values: 2394 missing .: 0/41554

mean: 20620.2
 std. dev: 47752.1

percentiles:	10%	25%	50%	75%	90%
	0	0	0	18000	74500

incbus HH12-14 7. Net business income

type: numeric (float)

range: [0,6190000] units: 1
 unique values: 844 missing .: 0/41554

mean: 10127.9
 std. dev: 50731.1

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30000

incremit HH5 3.13 Sum hh remittances

type: numeric (float)

range: [0,610000] units: 1
 unique values: 190 missing .: 0/41554

mean: 1443.29
 std. dev: 9226.89

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

incgovt HH15 8.7-13 govt benefits

type: numeric (float)

range: [0,200000] units: 1
 unique values: 394 missing .: 0/41554

mean: 220.291
 std. dev: 1832.09

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	300

incother HH15 8.1+ property, pensions etc.

```

-----
                type: numeric (float)

                range: [0,500000]          units: 1
unique values: 564                      missing .: 0/41554

                mean: 2965.47
                std. dev: 13936.3

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      1800

```

```

-----
pcpl                                                    Poverty line
-----

```

```

                type: numeric (float)

                range: [292.95,665.9]      units: .01
unique values: 41                      missing .: 0/41554

                mean: 422.227
                std. dev: 97.6262

percentiles:      10%      25%      50%      75%      90%
                  324.17   353.93   382.82   483.26   560

```

```

-----
poor                                                    HH19 12. HH below poverty line
-----

```

```

                type: numeric (byte)
label: poor

                range: [0,1]              units: 1
unique values: 2                      missing .: 0/41554
unique mv codes: 2                  missing .*: 63/41554

tabulation: Freq.   Numeric   Label
            33366    0 nonpoor 0
              8125    1 poor 1
               62    .d invalid skip .d
                1    .e out of range .e

```

```

-----
hc3                                                    HH1 3 Interviewer ID
-----

```

```

                type: numeric (int)
label: missing, but 431 nonmissing values are not labeled

                range: [0,3413]           units: 1
unique values: 431                      missing .: 0/41554
unique mv codes: 1                      missing .*: 717/41554

examples: 532
          1223
          1911
          2431

```

hc6 HH1 6 Supervisor ID

```

type: numeric (int)
label: missing, but 257 nonmissing values are not labeled

range: [0,3316]          units: 1
unique values: 257        missing .: 1/41554
unique mv codes: 2        missing .*: 1068/41554

examples: 530
           1230
           1910
           2420

```

hc9 HH1 9 Reinterview household

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2        missing .: 0/41554

tabulation: Freq.    Numeric  Label
             27654      0      No 0
             13900      1      Yes 1

```

hc10 HH1 10 Number of visits

```

type: numeric (byte)
label: missing, but 6 nonmissing values are not labeled

range: [1,6]          units: 1
unique values: 6        missing .: 0/41554

tabulation: Freq.    Numeric  Label
             36001      1
             3920       2
             1283       3
             309        4
             34         5
             7          6

```

hc11 HH1 11 Completion status

```

type: numeric (byte)
label: hc11f

range: [1,2]          units: 1
unique values: 2        missing .: 0/41554

tabulation: Freq.    Numeric  Label
             41192      1      Complete 1
             362        2      Incomplete 2

```

hc12 HH1 12 Additional booklet

type: numeric (byte)
 label: yesno
 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	41361	0	No 0
	193	1	Yes 1

hc13 HH1 13 Learning completion

type: numeric (byte)
 label: hc13f
 range: [1,4] units: 1
 unique values: 4 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	2984	1	Not done 1
	778	2	Partially done 2
	10048	3	Fully done 3
	27744	4	Not applicable 4

hc14 HH1 14 3+ learning sheets

type: numeric (byte)
 label: yesno
 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	41519	0	No 0
	35	1	Yes 1

hc15 HH1 15 Data Entry ID

type: numeric (int)
 label: missing, but 51 nonmissing values are not labeled
 range: [0,2211] units: 1
 unique values: 51 missing .: 4/41554
 unique mv codes: 2 missing .*: 4748/41554

examples: 7
 11
 21
 31

hs1 HH2 1 Agree to interview

```

      type:  numeric (byte)
      label:  yesno

      range:  [0,1]
      units:  1
unique values: 2
missing .. 0/41554
unique mv codes: 1
missing .*: 1/41554

```

```

tabulation:  Freq.    Numeric  Label
              4          0    No 0
            41549        1    Yes 1
              1          .a  valid blank .a

```

hs2 HH2 2 Date of interview

```

type: string (str6)
unique values: 621 missing "": 0/41554
examples: "070205"
           "121204"
           "190205"
           "241204"

```

```
warning: variable has leading and embedded blanks
```

hs3 HH2 3 Interview start time

```

type: numeric (int)
label: missing, but 464 nonmissing values are not labeled

range: [100,1258]          units: 1
unique values: 464          missing .. 4/41554

examples: 240
           430
           930
           1110

```

hs3b HH2 3 Interview start AM/PM

```

      type: numeric (byte)
      label: ampm

      range: [1,2]                      units: 1
unique values: 2                        missing .: 0/41554
unique mv codes: 2                     missing .*: 203/41554

```

```

tabulation:  Freq.    Numeric  Label
              16628         1    AM 1
              24723         2    PM 2
              198          .a  valid blank .a
              5           .o  valid skip 0 .o

```

id1 HH3 1.1 Stratum Number

```

-----
      type: numeric (byte)
      label: missing, but 33 nonmissing values are not labeled

      range: [0,32]                units: 1
unique values: 33                missing .: 0/41554
unique mv codes: 2              missing .*: 5511/41554

```

tabulation:	Freq.	Numeric	Label
	22917	0	
	2345	1	
	1915	2	
	502	3	
	480	4	
	395	5	
	775	6	
	648	7	
	557	8	
	487	9	
	413	10	
	630	11	
	789	12	
	350	13	
	399	14	
	373	15	
	472	16	
	599	17	
	108	18	
	92	19	
	72	20	
	155	21	
	235	22	
	27	23	
	41	24	
	1	25	
	27	26	
	13	27	
	71	28	
	24	29	
	10	30	
	63	31	
	58	32	
	4737	.a	valid blank .a
	774	.b	valid skip 9 .b

```

-----
id2

```

```

-----
HH3 1.2 Listing Sheet Number
-----

```

```

      type: numeric (int)
      label: missing, but 341 nonmissing values are not labeled

      range: [0,453]                units: 1
unique values: 341                missing .: 0/41554
unique mv codes: 1              missing .*: 3276/41554

examples: 0
           28
           71
           139

```

id3 HH3 1.3 State/UT code

type: numeric (byte)
label: stateid

range: [1,34] units: 1
unique values: 33 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	715	1	Jammu & Kashmir 01
	1372	2	Himachal Pradesh 02
	1593	3	Punjab 03
	90	4	Chandigarh 04
	458	5	Uttaranchal 05
	1618	6	Haryana 06
	960	7	Delhi 07
	2485	8	Rajasthan 08
	3512	9	Uttar Pradesh 09
	1430	10	Bihar 10
	105	11	Sikkim 11
	165	12	Arunachal Pradesh 12
	130	13	Nagaland 13
	105	14	Manipur 14
	105	15	Mizoram 15
	229	16	Tripura 16
	161	17	Meghalaya 17
	1017	18	Assam 18
	2380	19	West Bengal 19
	924	20	Jharkhand 20
	2064	21	Orissa 21
	1175	22	Chhatishgarh 22
	2805	23	Madhya Pradesh 23
	2078	24	Gujarat 24
	60	25	Daman & Diu 25
	60	26	Dadra+Nagar Haveli 26
	3203	27	Maharashtra 27
	2435	28	Andhra Pradesh 28
	4021	29	Karnataka 29
	165	30	Goa 30
	1731	32	Kerala 32
	2098	33	Tamil Nadu 33
	105	34	Pondicherry 34

id4 HH3 1.4 District code

type: numeric (byte)

range: [0,68] units: 1
unique values: 61 missing .: 0/41554

mean: 14.6924
std. dev: 12.3204

percentiles:	10%	25%	50%	75%	90%
	2	6	12	20	29

id5 HH3 1.5 Tehsil/taluka code

	type:	numeric (byte)			
	label:	missing			
	range:	[.,.]	units:	.	
	unique values:	0	missing .:	41554/41554	
	tabulation:	Freq.	Numeric	Label	
		41554	.		

id6	HH3 1.6 Village/town code				

	type:	numeric (byte)			
	range:	[1,39]	units:	1	
	unique values:	39	missing .:	0/41554	
	mean:	5.75742			
	std. dev:	5.76636			
	percentiles:	10%	25%	50%	75%
		1	2	4	7
					90%
					11

id7a	HH3 1.7 Post-office code				

	type:	numeric (byte)			
	label:	missing			
	range:	[.,.]	units:	.	
	unique values:	0	missing .:	0/41554	
	unique mv codes:	1	missing .*:	41554/41554	
	tabulation:	Freq.	Numeric	Label	
		41554	.a	valid blank	.a

id8a	HH3 1.8 Mohalla/Hamlet code				

	type:	numeric (byte)			
	label:	missing			
	range:	[.,.]	units:	.	
	unique values:	0	missing .:	0/41554	
	unique mv codes:	1	missing .*:	41554/41554	
	tabulation:	Freq.	Numeric	Label	
		41554	.a	valid blank	.a

id9	HH3 1.9 Rural/Urban/slum				

	type:	numeric (byte)			
	label:	id9f			
	range:	[1,3]	units:	1	

unique values: 3 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	27011	1	Rural 1
	13818	2	Urban 2
	725	3	Urban Slum 3

id10 HH3 1.10 1993-94 Household ID

type: numeric (int)
label: missing, but 3586 nonmissing values are not labeled

range: [1,4975] units: 1
unique values: 3586 missing .: 0/41554
unique mv codes: 2 missing .*: 27661/41554

examples: 1190
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

id12 HH3 1.12 Caste name

type: string (str24)

unique values: 7372 missing "": 0/41554

examples: "CHOWDHARY"
 "KALLAR"
 "MARATHA"
 "RAJPUT"

warning: variable has leading and embedded blanks

id13 HH3 1.13 Caste category

type: numeric (byte)
label: id13f

range: [1,5] units: 1
unique values: 5 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	2422	1	Brahmin 1
	16286	2	OBC 2
	8333	3	SC 3
	3439	4	ST 4
	11074	5	Other 5

id14 HH3 1.14 Religion

type: numeric (byte)
label: id14f

range: [1,9] units: 1
 unique values: 9 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	33527	1	Hindu 1
	4788	2	Muslim 2
	1376	3	Christian 3
	990	4	Sikh 4
	281	5	Buddhist 5
	138	6	Jain 6
	427	7	Tribal 7
	24	8	Others 8
	3	9	None 9

 id15 HH3 1.15 Main income source

type: numeric (byte)
 label: id15f

range: [1,11] units: 1
 unique values: 11 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	9798	1	Cultivation 01
	375	2	Allied agr. 02
	5653	3	Ag labour 03
	7305	4	Non-Ag labour 04
	2476	5	Artisan 05
	1882	6	Petty trade 06
	2440	7	Business 07
	8476	8	Salaried 08
	417	9	Profession 09
	1633	10	Pension/rent 10
	1099	11	Others 11

 id16 HH3 1.16 Years in place

type: numeric (byte)
 label: missing, but 86 nonmissing values are not labeled

range: [0,90] units: 1
 unique values: 86 missing .: 0/41554
 unique mv codes: 1 missing .*: 2/41554

examples: 30
 90
 90
 90

 id17 HH3 1.17 Place of Origin

type: numeric (byte)
 label: id17f

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554

unique mv codes: 3 missing .*: 29658/41554

tabulation:	Freq.	Numeric	Label
	9287	1	Same state 1
	2107	2	Another state 2
	502	3	Another country 3
	29655	.a	valid blank .a
	2	.c	don't know 8 .c
	1	.o	valid skip 0 .o

id18 HH3 1.18 Type of origin place

type: numeric (byte)
label: id18f

range: [1,4] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 3 missing .*: 29663/41554

tabulation:	Freq.	Numeric	Label
	1	1	Same 1
	8304	2	Another village 2
	2998	3	Another town 3
	588	4	Another large city 4
	29655	.a	valid blank .a
	7	.c	don't know 8 .c
	1	.o	valid skip 0 .o

id19 HH3 1.19 Occ head's father/husb

type: numeric (byte)
label: occupf, but 2 nonmissing values are not labeled

range: [0,97] units: 1
unique values: 91 missing .: 408/41554
unique mv codes: 3 missing .*: 3163/41554

examples: 61 Cultivators 61
 61 Cultivators 61
 61 Cultivators 61
 64 Plantation lab 64

id19b HH3 1.19 Occ name head's fa/husb

type: string (str20)

unique values: 7718 missing "": 0/41554

examples: "AGRICULTURAL"
 "CULTIVATION"
 "CULTIVATOR"
 "METERIAL LABOUR"

warning: variable has leading and embedded blanks

id20 HH3 1.20 Educ head's father/husb

type: numeric (byte)
 label: missing, but 16 nonmissing values are not labeled

range: [0,15] units: 1
 unique values: 16 missing .: 0/41554
 unique mv codes: 1 missing .*: 820/41554

tabulation:	Freq.	Numeric	Label
	24407	0	
	280	1	
	1588	2	
	1473	3	
	1966	4	
	3589	5	
	687	6	
	1074	7	
	1433	8	
	518	9	
	2094	10	
	154	11	
	593	12	
	11	13	
	18	14	
	849	15	
	820	.c	don't know 8 .c

fm1 HH6 4.1 Local area unit name

type: string (str20)

unique values: 348 missing "": 0/41554

examples: ".a"
 ".a"
 "ACRE"
 "BIGHA"

warning: variable has leading and embedded blanks

fm2 HH6 4.2 Local units/acre

type: numeric (float)
 label: missing, but 68 nonmissing values are not labeled

range: [.04,4000] units: .01
 unique values: 68 missing .: 1/41554
 unique mv codes: 2 missing .*: 24044/41554

examples: 1.5
 100
 .a valid blank .a
 .a valid blank .a

fm3 HH6 4.3 Any owned or cultivated

```

-----
                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
unique values: 2                missing .: 0/41554

                tabulation: Freq.   Numeric   Label
                        24156         0   No  0
                        17398         1   Yes 1

```

```

-----
fm4                HH6 4.4 Area owned
-----

```

```

                type: numeric (float)
                label: missing, but 325 nonmissing values are not labeled

                range: [0,20000]            units: .01
unique values: 325                missing .: 0/41554
unique mv codes: 1                missing .*: 22171/41554

                examples: 3
                        20
                        .a   valid blank .a
                        .a   valid blank .a

```

```

-----
fm5                HH6 4.5 Area owned & cultivated
-----

```

```

                type: numeric (float)
                label: missing, but 296 nonmissing values are not labeled

                range: [0,15000]            units: .01
unique values: 296                missing .: 1/41554
unique mv codes: 2                missing .*: 22916/41554

                examples: 2
                        20
                        .a   valid blank .a
                        .a   valid blank .a

```

```

-----
fm6a               HH6 4.6a Area rented out
-----

```

```

                type: numeric (float)
                label: missing, but 146 nonmissing values are not labeled

                range: [0,8000]             units: .01
unique values: 146                missing .: 3/41554
unique mv codes: 2                missing .*: 26639/41554

                examples: 0
                        .a   valid blank .a
                        .a   valid blank .a
                        .a   valid blank .a

```

```

-----
fm6b               HH6 4.6b Cash/Crop rented out
-----

```

```

-----
                type: numeric (byte)
                label: fm6bf

                range: [1,3]                      units: 1
    unique values: 3                               missing .: 0/41554
    unique mv codes: 3                             missing .*: 39423/41554

    tabulation: Freq.   Numeric   Label
                 804         1   Cash 1
                 1219        2   Crop 2
                 108         3   Both 3
                35538        .a   valid blank .a
                   1         .b   valid skip 9 .b
                 3884        .o   valid skip 0 .o
-----
fm6c                                         HH6 4.6c Rs land rented out
-----

```

```

                type: numeric (long)
                label: missing, but 122 nonmissing values are not labeled

                range: [0,180000]                  units: 1
    unique values: 122                             missing .: 0/41554
    unique mv codes: 1                             missing .*: 36952/41554

    examples: .a   valid blank .a
              .a   valid blank .a
              .a   valid blank .a
              .a   valid blank .a
-----
fm6d                                         HH6 4.6d Crop % land rented out
-----

```

```

                type: numeric (byte)
                label: missing, but 25 nonmissing values are not labeled

                range: [0,75]                      units: 1
    unique values: 25                             missing .: 0/41554
    unique mv codes: 1                             missing .*: 36955/41554

    tabulation: Freq.   Numeric   Label
                 3266         0
                   1         5
                   1         6
                   1         8
                   8        10
                   2        12
                   1        15
                   2        16
                  13        20
                   1        22
                   1        23
                  43        25
                   1        26
                   1        28
                  16        30
                   1        32
                  25        33

```

7	35
34	40
1	44
1148	50
3	60
4	66
1	70
17	75
36955	.a valid blank .a

fm6e	HH6 4.6e Crop Rs land rented out
------	----------------------------------

type: numeric (long)
 label: missing, but 232 nonmissing values are not labeled

 range: [0,125000] units: 1
 unique values: 232 missing .: 0/41554
 unique mv codes: 1 missing .*: 36224/41554

 examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

fm7	HH6 4.7 Orchards/Plantations
-----	------------------------------

type: numeric (float)
 label: missing, but 142 nonmissing values are not labeled

 range: [0,8000] units: .01
 unique values: 142 missing .: 3/41554
 unique mv codes: 2 missing .*: 27625/41554

 examples: 0
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

fm8a	HH6 4.8a Rented in farmland
------	-----------------------------

type: numeric (float)
 label: missing, but 101 nonmissing values are not labeled

 range: [0,5000] units: .01
 unique values: 101 missing .: 2/41554
 unique mv codes: 2 missing .*: 25224/41554

 examples: 0
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

fm8b	HH6 4.8b Cash/Crop rented in
------	------------------------------

```

      type: numeric (byte)
      label: fm6bf

      range: [1,3]                      units: 1
      unique values: 3                  missing .: 0/41554
      unique mv codes: 3                missing .*: 39643/41554

```

```

      tabulation: Freq.  Numeric  Label
                   503      1  Cash 1
                   1332     2  Crop 2
                   76       3  Both 3
                   36955    .a  valid blank .a
                   11       .b  valid skip 9 .b
                   2677    .o  valid skip 0 .o

```

```

-----
fm8c                                     HH6 4.8c Rs paid land rented in
-----

```

```

      type: numeric (long)
      label: missing, but 131 nonmissing values are not labeled

      range: [0,880000]                 units: 1
      unique values: 131                missing .: 0/41554
      unique mv codes: 1                missing .*: 37229/41554

      examples: .a  valid blank .a
                 .a  valid blank .a
                 .a  valid blank .a
                 .a  valid blank .a

```

```

-----
fm9a                                     HH6 4.9a Irrigation
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 1                missing .*: 23270/41554

      tabulation: Freq.  Numeric  Label
                   9969      0  No 0
                   8315      1  Yes 1
                   23270    .a  valid blank .a

```

```

-----
fm9b                                     HH6 4.9b Irrigation type 1
-----

```

```

      type: numeric (byte)
      label: fm9bf

      range: [1,6]                      units: 1
      unique values: 6                  missing .: 0/41554
      unique mv codes: 3                missing .*: 33230/41554

      tabulation: Freq.  Numeric  Label
                   4412      1  Tubewell 1
                   1368      2  Other well 2
                   840       3  Government 3

```

283	4	Private canal	4
1012	5	Tank/pond/nala	5
409	6	Other	6
32842	.a	valid blank	.a
1	.b	valid skip	9 .b
387	.o	valid skip	0 .o

fm9c

HH6 4.9b Irrigation type 2

type: numeric (byte)
label: fm9bf

range:	[1,6]	units:	1
unique values:	6	missing .:	0/41554
unique mv codes:	4	missing .*:	38564/41554

tabulation:	Freq.	Numeric	Label
	537	1	Tubewell 1
	513	2	Other well 2
	455	3	Government 3
	121	4	Private canal 4
	410	5	Tank/pond/nala 5
	954	6	Other 6
	36733	.a	valid blank .a
	197	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1633	.o	valid skip 0 .o

fm9d

HH6 4.9c Land irrigated

type: numeric (float)
label: missing, but 221 nonmissing values are not labeled

range:	[0,6000]	units:	.01
unique values:	221	missing .:	1/41554
unique mv codes:	2	missing .*:	31623/41554

examples: 13
.a valid blank .a
.a valid blank .a
.a valid blank .a

fm19a

HH7 4.19 Crop residue sold

type: numeric (long)
label: missing, but 202 nonmissing values are not labeled

range:	[0,64000]	units:	1
unique values:	202	missing .:	0/41554
unique mv codes:	1	missing .*:	30199/41554

examples: 200
.a valid blank .a
.a valid blank .a
.a valid blank .a

fm19b HH7 4.19b Crop residue own use

```

      type: numeric (long)
      label: missing, but 337 nonmissing values are not labeled

      range: [0,200000]          units: 1
      unique values: 337          missing .: 0/41554
      unique mv codes: 1          missing .*: 27855/41554

      examples: 1000
                 .a  valid blank .a
                 .a  valid blank .a
                 .a  valid blank .a

```

fm20a HH8 4.20a Hired farm labour days

```

      type: numeric (int)
      label: missing, but 261 nonmissing values are not labeled

      range: [0,6800]           units: 1
      unique values: 261          missing .: 0/41554
      unique mv codes: 1          missing .*: 25468/41554

      examples: 5
                 .a  valid blank .a
                 .a  valid blank .a
                 .a  valid blank .a

```

fm20b HH8 4.20b Hired farm labour Rs

```

      type: numeric (long)
      label: missing, but 620 nonmissing values are not labeled

      range: [0,680000]         units: 1
      unique values: 620          missing .: 0/41554
      unique mv codes: 1          missing .*: 26381/41554

      examples: 600
                 .a  valid blank .a
                 .a  valid blank .a
                 .a  valid blank .a

```

fm20c HH8 4.20c Meals to workers

```

      type: numeric (byte)
      label: missing, but 6 nonmissing values are not labeled

      range: [0,5]              units: 1
      unique values: 6            missing .: 0/41554
      unique mv codes: 1          missing .*: 28150/41554

      tabulation: Freq.  Numeric  Label
                   10422      0
                   2481      1

```

fm21a HH8 4.21 Seeds Rs

fm21b HH8 4.21b Seeds Homegrown

fm22 HH8 4.22 Fertilizers Rs

fm23 HH8 4.23 Pesticides Rs

```

      type: numeric (long)
      label: missing, but 357 nonmissing values are not labeled

      range: [0,200000]          units: 1
unique values: 357              missing .: 2/41554
unique mv codes: 2              missing .*: 24902/41554

```

```

type: numeric (long)
label: missing, but 337 nonmissing values are not labeled

range: [0,50000]          units: 1
unique values: 337        missing .: 2/41554
unique mv codes: 2        missing .*: 25149/41554

examples: 0
          .a    valid blank .a
          .a    valid blank .a
          .a    valid blank .a

```

```

      type: numeric (long)
      label: missing, but 374 nonmissing values are not labeled

      range: [0,87120]                                units: 1
unique values: 374                                     missing .: 0/41554
unique mv codes: 1                                     missing .*: 24563/41554

      examples: 250
                  8000
                  .a    valid blank  .a
                  .a    valid blank  .a

```

```

      type: numeric (long)
      label: missing, but 158 nonmissing values are not labeled

      range: [0,400000]                                units: 1
unique values: 158                                     missing .: 2/41554
unique mv codes: 2                                     missing .*: 25688/41554

      examples: 0
                .a    valid blank  .a
                .a    valid blank  .a
                .a    valid blank  .a

```

```

-----
      type: numeric (long)
      label: missing, but 435 nonmissing values are not labeled

      range: [0,208000]          units: 1
unique values: 435              missing .: 0/41554
unique mv codes: 1              missing .*: 25351/41554

examples: 0
      .a    valid blank .a
      .a    valid blank .a
      .a    valid blank .a

```

fm31

HH9 4.31 ID farm decision-maker

```

-----
      type: numeric (byte)
      label: missing, but 15 nonmissing values are not labeled

      range: [1,99]              units: 1
unique values: 15              missing .: 1/41554
unique mv codes: 2             missing .*: 24156/41554

```

tabulation:	Freq.	Numeric	Label
	15912	1	
	617	2	
	620	3	
	58	4	
	67	5	
	34	6	
	35	7	
	14	8	
	14	9	
	12	10	
	5	11	
	5	12	
	1	15	
	1	20	
	2	99	
	1	.	
	24156	.a	valid blank .a

fm32a

HH9 4.32a Own: Tubewells

```

-----
      type: numeric (byte)
      label: missing, but 7 nonmissing values are not labeled

      range: [0,6]              units: 1
unique values: 7              missing .: 0/41554
unique mv codes: 1             missing .*: 26637/41554

```

tabulation:	Freq.	Numeric	Label
	12277	0	
	2493	1	
	97	2	
	27	3	
	13	4	
	7	5	

3
26637 .a valid blank .a

fm32b HH9 4.32b Own: Electric Pumps

type: numeric (byte)
label: missing, but 8 nonmissing values are not labeled

range: [0,10] units: 1
unique values: 8 missing .: 0/41554
unique mv codes: 1 missing .*: 26975/41554

tabulation:	Freq.	Numeric	Label
	12114	0	
	2325	1	
	105	2	
	18	3	
	8	4	
	7	5	
	1	6	
	1	10	
	26975	.a	valid blank .a

fm32c HH9 4.32c Own: Diesel pumps

type: numeric (byte)
label: missing, but 7 nonmissing values are not labeled

range: [0,6] units: 1
unique values: 7 missing .: 0/41554
unique mv codes: 1 missing .*: 26985/41554

tabulation:	Freq.	Numeric	Label
	13029	0	
	1474	1	
	53	2	
	8	3	
	3	4	
	1	5	
	1	6	
	26985	.a	valid blank .a

fm32d HH9 4.32d Own: Bullock carts

type: numeric (byte)
label: missing, but 4 nonmissing values are not labeled

range: [0,3] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 1 missing .*: 27010/41554

tabulation:	Freq.	Numeric	Label
	12249	0	
	2260	1	
	34	2	
	1	3	

27010 .a valid blank .a

fm32e HH9 4.32e Own: Tractors

type: numeric (byte)
 label: missing, but 3 nonmissing values are not labeled

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 27098/41554

tabulation:	Freq.	Numeric	Label
	13718	0	
	727	1	
	11	2	
	27098	.a	valid blank .a

fm32f HH9 4.32f Own: Threshers

type: numeric (byte)
 label: missing, but 3 nonmissing values are not labeled

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 27150/41554

tabulation:	Freq.	Numeric	Label
	13787	0	
	558	1	
	59	2	
	27150	.a	valid blank .a

fm32g HH9 4.32g Own: Bio-gas plants

type: numeric (byte)
 label: missing, but 3 nonmissing values are not labeled

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 27256/41554

tabulation:	Freq.	Numeric	Label
	14126	0	
	170	1	
	2	2	
	27256	.a	valid blank .a

fm32h HH9 4.32h New farm equipt Rs

type: numeric (long)
 label: missing, but 244 nonmissing values are not labeled

range: [0,500000] units: 1
 unique values: 244 missing .: 0/41554

unique mv codes: 1 missing .*: 27061/41554

examples: 0

.a valid blank .a
 .a valid blank .a
 .a valid blank .a

 fm32i

HH9 4.32i Rent out equipt Rs

type: numeric (long)

label: missing, but 97 nonmissing values are not labeled

range: [0,175000]

units: 1

unique values: 97

missing .: 0/41554

unique mv codes: 1

missing .*: 28332/41554

examples: 0

.a valid blank .a
 .a valid blank .a
 .a valid blank .a

 an1a

HH10 5.1a Milch cows

type: numeric (byte)

label: missing, but 23 nonmissing values are not labeled

range: [0,100]

units: 1

unique values: 23

missing .: 2/41554

unique mv codes: 2

missing .*: 16101/41554

tabulation:	Freq.	Numeric	Label
	17990	0	
	4974	1	
	1766	2	
	373	3	
	178	4	
	62	5	
	18	6	
	16	7	
	6	8	
	1	9	
	35	10	
	2	11	
	3	12	
	1	13	
	1	14	
	4	15	
	12	20	
	1	22	
	3	30	
	1	36	
	2	40	
	1	50	
	1	100	
	2	.	
	16101	.a	valid blank .a

an1b

HH10 5.1b Milch buffalos

```

type: numeric (byte)
label: missing, but 18 nonmissing values are not labeled

range: [0,40]          units: 1
unique values: 18      missing .: 2/41554
unique mv codes: 2     missing .*: 16942/41554

```

tabulation:	Freq.	Numeric	Label
	18493	0	
	3723	1	
	1613	2	
	369	3	
	203	4	
	74	5	
	38	6	
	21	7	
	23	8	
	5	9	
	18	10	
	2	11	
	6	12	
	5	15	
	11	20	
	1	25	
	4	30	
	1	40	
	2	.	
	16942	.a	valid blank .a

an1c

HH10 5.1c Draft animals

```

type: numeric (byte)
label: missing, but 18 nonmissing values are not labeled

range: [0,30]          units: 1
unique values: 18      missing .: 0/41554
unique mv codes: 1     missing .*: 17222/41554

```

tabulation:	Freq.	Numeric	Label
	17279	0	
	1707	1	
	4480	2	
	374	3	
	324	4	
	64	5	
	54	6	
	18	7	
	11	8	
	4	9	
	8	10	
	2	12	
	1	14	
	1	15	
	2	16	
	1	17	
	1	20	
	1	30	

17222 .a valid blank .a

an1d HH10 5.1d Goats

type: numeric (byte)
label: missing, but 32 nonmissing values are not labeled

range: [0,60] units: 1
unique values: 32 missing .: 1/41554
unique mv codes: 2 missing .*: 17397/41554

tabulation:	Freq.	Numeric	Label
	20072	0	
	1371	1	
	1138	2	
	555	3	
	377	4	
	200	5	
	110	6	
	57	7	
	57	8	
	14	9	
	80	10	
	8	11	
	20	12	
	1	13	
	1	14	
	25	15	
	3	16	
	1	17	
	3	18	
	1	19	
	23	20	
	1	22	
	2	23	
	7	25	
	1	26	
	1	27	
	13	30	
	1	32	
	3	35	
	4	40	
	5	50	
	1	60	
	1	.	
	17397	.a	valid blank .a

an1e HH10 5.1e Sheep

type: numeric (int)
label: missing, but 30 nonmissing values are not labeled

range: [0,150] units: 1
unique values: 30 missing .: 0/41554
unique mv codes: 1 missing .*: 17652/41554

tabulation:	Freq.	Numeric	Label
	23280	0	

120	1
139	2
54	3
60	4
51	5
24	6
12	7
11	8
2	9
53	10
1	11
3	12
2	13
1	14
13	15
4	16
1	18
24	20
1	24
5	25
20	30
12	40
1	45
1	50
2	60
1	70
1	80
2	100
1	150
17652	.a valid blank .a

an1f	HH10 5.1f Poultry
------	-------------------

type: numeric (int)
 label: missing, but 37 nonmissing values are not labeled

 range: [0,200] units: 1
 unique values: 37 missing .: 1/41554
 unique mv codes: 3 missing .*: 17670/41554

 examples: 0
 0
 .a valid blank .a
 .a valid blank .a

an1g	HH10 5.1g Other
------	-----------------

type: numeric (byte)
 label: missing, but 20 nonmissing values are not labeled

 range: [0,40] units: 1
 unique values: 20 missing .: 0/41554
 unique mv codes: 1 missing .*: 17087/41554

 tabulation:

Freq.	Numeric	Label
17432	0	
4152	1	
1867	2	

482	3
260	4
119	5
59	6
28	7
9	8
4	9
23	10
5	11
10	12
4	15
1	16
1	19
7	20
1	25
1	27
2	40
17087	.a valid blank .a

an2a HH10 5.2a Milk & eggs Rs

type: numeric (long)
 label: missing, but 484 nonmissing values are not labeled

range: [0,1000000] units: 1
 unique values: 484 missing .: 0/41554
 unique mv codes: 1 missing .*: 20748/41554

examples: 0
 800
 .a valid blank .a
 .a valid blank .a

an2b HH10 5.2b Chicken/Livestock Rs

type: numeric (long)
 label: missing, but 170 nonmissing values are not labeled

range: [0,150000] units: 1
 unique values: 170 missing .: 1/41554
 unique mv codes: 2 missing .*: 21431/41554

examples: 0
 0
 .a valid blank .a
 .a valid blank .a

an3 HH10 5.3 Buy livestock Rs

type: numeric (long)
 label: missing, but 226 nonmissing values are not labeled

range: [0,600000] units: 1
 unique values: 226 missing .: 1/41554
 unique mv codes: 2 missing .*: 21705/41554

```

examples: 0
           0
           .a valid blank .a
           .a valid blank .a

```

an4a HH10 5.4 Feed Home grain

```

type: numeric (long)
label: missing, but 258 nonmissing values are not labeled

range: [0,55000] units: 1
unique values: 258 missing .: 0/41554
unique mv codes: 1 missing .*: 22628/41554

examples: 0
           2000
           .a valid blank .a
           .a valid blank .a

```

an4b HH10 5.4b Feed Home residue

```

type: numeric (long)
label: missing, but 311 nonmissing values are not labeled

range: [0,99000] units: 1
unique values: 311 missing .: 0/41554
unique mv codes: 1 missing .*: 22426/41554

examples: 200
           3000
           .a valid blank .a
           .a valid blank .a

```

an4c HH10 5.4c Feed Purchased

```

type: numeric (long)
label: missing, but 408 nonmissing values are not labeled

range: [0,600000] units: 1
unique values: 408 missing .: 0/41554
unique mv codes: 1 missing .*: 22305/41554

examples: 80
           3000
           .a valid blank .a
           .a valid blank .a

```

an7 HH10 5.7 Animal care: Primary ID

```

type: numeric (byte)
label: missing, but 20 nonmissing values are not labeled

range: [1,25] units: 1
unique values: 20 missing .: 2/41554

```

unique mv codes: 2 missing .*: 25471/41554

tabulation:	Freq.	Numeric	Label
	6398	1	
	7083	2	
	1243	3	
	594	4	
	198	5	
	195	6	
	140	7	
	85	8	
	58	9	
	23	10	
	15	11	
	25	12	
	10	13	
	3	14	
	2	15	
	4	16	
	2	17	
	1	20	
	1	23	
	1	25	
	2	.	
	25471	.a	valid blank .a

nf1 HH12 7.1a Busns1: type

type: string (str40)

unique values: 2918 missing "": 0/41554

examples: ".a"
 ".a"
 ".a"
 "AUTO DRIVER"

warning: variable has leading and embedded blanks

nf1a HH12 7.1a Busns1: Industry

type: numeric (byte)

label: indf, but 1 nonmissing value is not labeled

range: [0,97]

units: 1

unique values: 64

missing .: 53/41554

unique mv codes: 4

missing .*: 32805/41554

examples: 96 Personal services 96
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

nf1b HH12 7.1b Busns1: Occupation

type: numeric (byte)

label: occupf, but 1 nonmissing value is not labeled

range: [0,95] units: 1
 unique values: 55 missing .: 30/41554
 unique mv codes: 3 missing .*: 32901/41554

examples: 56 Barbers 56
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

nf2 HH12 7.2 Busns1: Work place

type: numeric (byte)
 label: nf2f

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 32996/41554

tabulation: Freq. Numeric Label
 2507 1 Home 1
 4258 2 Other fixed 2
 1793 3 Moving 3
 32864 .a valid blank .a
 132 .o valid skip 0 .o

nf3 HH12 7.3 Busns1: Gross receipts

type: numeric (long)
 label: missing, but 793 nonmissing values are not labeled

range: [0,10800000] units: 1
 unique values: 793 missing .: 0/41554
 unique mv codes: 1 missing .*: 33267/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

nf4 HH12 7.4 Busns1: Paid workers

type: numeric (long)
 label: missing, but 185 nonmissing values are not labeled

range: [0,900000] units: 1
 unique values: 185 missing .: 0/41554
 unique mv codes: 2 missing .*: 33869/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

nf5 HH12 7.5 Busns1: Other expenses

```

-----
      type: numeric (long)
      label: missing, but 661 nonmissing values are not labeled

      range: [0,8000000]          units: 1
      unique values: 661          missing .: 0/41554
      unique mv codes: 1          missing .*: 33477/41554

      examples: .a    valid blank .a
                .a    valid blank .a
                .a    valid blank .a
                .a    valid blank .a
  
```

nf6 HH12 7.6 Busns1: Net income

```

-----
      type: numeric (long)
      label: missing, but 741 nonmissing values are not labeled

      range: [0,2500000]          units: 1
      unique values: 741          missing .: 0/41554
      unique mv codes: 1          missing .*: 32771/41554

      examples: 131600
                .a    valid blank .a
                .a    valid blank .a
                .a    valid blank .a
  
```

nf10 HH13 7.10a Busns2: type

```

-----
      type: string (str40)

      unique values: 442          missing "": 0/41554

      examples: ".a"
                ".a"
                ".a"
                ".a"

      warning: variable has leading and embedded blanks
  
```

nf10a HH13 7.10a Busns2: Industry

```

-----
      type: numeric (byte)
      label: indf

      range: [0,97]          units: 1
      unique values: 54          missing .: 4/41554
      unique mv codes: 3          missing .*: 40505/41554

      examples: .a    valid blank .a
                .a    valid blank .a
                .a    valid blank .a
                .a    valid blank .a
  
```

nf10b HH13 7.10b Busns2: Occupation

type: numeric (byte)
 label: occupf, but 1 nonmissing value is not labeled

range: [0,89] units: 1
 unique values: 42 missing .: 3/41554
 unique mv codes: 4 missing .*: 40612/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

nf11 HH13 7.11 Busns2: Work place

type: numeric (byte)
 label: nf2f

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 40775/41554

tabulation:	Freq.	Numeric	Label
	244	1	Home 1
	319	2	Other fixed 2
	216	3	Moving 3
	40663	.a	valid blank .a
	112	.o	valid skip 0 .o

nf12 HH13 7.12 Busns2: Gross Receipts

type: numeric (long)
 label: missing, but 220 nonmissing values are not labeled

range: [0,10000000] units: 1
 unique values: 220 missing .: 0/41554
 unique mv codes: 1 missing .*: 40515/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

nf13 HH13 7.13 Busns2: Paid workers

type: numeric (long)
 label: missing, but 53 nonmissing values are not labeled

range: [0,200000] units: 1
 unique values: 53 missing .: 0/41554
 unique mv codes: 1 missing .*: 40576/41554

examples: .a valid blank .a


```
.a    valid blank .a
.a    valid blank .a
.a    valid blank .a
```

```
nf14                                     HH13 7.14 Busns2: Other expenses
```

```
      type: numeric (long)
      label: missing, but 173 nonmissing values are not labeled

      range: [0,93868000]          units: 1
      unique values: 173           missing .: 0/41554
      unique mv codes: 1           missing .*: 40546/41554

      examples: .a    valid blank .a
                .a    valid blank .a
                .a    valid blank .a
                .a    valid blank .a
```

```
nf15                                     HH13 7.15 Busns2: Net income
```

```
      type: numeric (long)
      label: missing, but 207 nonmissing values are not labeled

      range: [0,6000000]          units: 1
      unique values: 207           missing .: 0/41554
      unique mv codes: 1           missing .*: 40476/41554

      examples: .a    valid blank .a
                .a    valid blank .a
                .a    valid blank .a
                .a    valid blank .a
```

```
nf19                                     HH14 7.19a Busns3: type
```

```
      type: string (str39)

      unique values: 46           missing "": 0/41554

      examples: ".a"
                ".a"
                ".a"
                ".a"

      warning: variable has embedded blanks
```

```
nf19a                                    HH14 7.19a Busns3: Industry
```

```
      type: numeric (byte)
      label: indf

      range: [0,97]              units: 1
      unique values: 29           missing .: 1/41554
      unique mv codes: 3           missing .*: 41231/41554
```

tabulation:	Freq.	Numeric	Label
	250	0	Agriculture 0
	1	15	Nonmetal mining 15
	5	20	Manf food products 20
	1	24	Manf wool/silk/etc 24
	1	28	Manf paper/publish 28
	1	29	Manf leather 29
	1	31	Manf rubber/plastic 31
	1	32	Manf mineral 32
	1	38	Manf other 38
	1	50	Construction 50
	1	51	Allied construction 51
	1	60	Whsl ag/textiles 60
	1	61	Whsl basic goods 61
	1	62	Whsl machinery 62
	1	63	Whsl nec 63
	3	64	Manf agents 64
	21	65	Retail food 65
	4	67	Retail household 67
	1	68	Retail nec 68
	3	69	Restaurants/hotels 69
	3	70	Land transport 70
	1	73	Transport nec 73
	2	75	Communication 75
	1	84	Lotteries 84
	1	92	Education 92
	2	93	Medical 93
	1	94	Community 94
	6	96	Personal services 96
	5	97	Repair services 97
	1	.	.
	41229	.a	valid blank .a
	2	.b	valid skip 9 .b

nf19bHH14 7.19b Busns3: Occupation

type: numeric (byte)
label: occupf

range: [0,87] units: 1
unique values: 19 missing .: 0/41554
unique mv codes: 2 missing .*: 41322/41554

tabulation:	Freq.	Numeric	Label
	161	0	Physical scientists 0
	1	7	Physicians 7
	1	15	Teachers 15
	3	17	Artists 17
	1	19	Professional nec 19
	4	24	Mgr manf 24
	5	25	Mgr transp/commun 25
	10	26	Mgr service 26
	1	39	Telephone op 39
	31	40	Shopkeepers 40
	4	43	Sales, shop 43
	2	44	FIRE sales 44
	2	49	Sales, nec 49
	1	55	Launderers 55
	1	60	Farm manager 60
	1	75	Textile 75

```

      1      77 Food 77
      1      85 Electrical 85
      1      87 Plumbers/welders 87
41321      .a valid blank .a
      1      .b valid skip 9 .b

```

```

-----
nf20                                     HH14 7.20 Busns3: Work place
-----

```

```

      type: numeric (byte)
      label: nf2f

```

```

      range: [1,3]                      units: 1
unique values: 3                      missing .: 0/41554
unique mv codes: 2                    missing .*: 41482/41554

```

```

tabulation: Freq.  Numeric  Label
              22         1  Home 1
              30         2  Other fixed 2
              20         3  Moving 3
            41359      .a  valid blank .a
              123      .o  valid skip 0 .o

```

```

-----
nf21                                     HH14 7.21 Busns3: Gross receipts
-----

```

```

      type: numeric (long)
      label: missing, but 49 nonmissing values are not labeled

```

```

      range: [0,6000000]                units: 100
unique values: 49                      missing .: 0/41554
unique mv codes: 1                    missing .*: 41183/41554

```

```

examples: .a  valid blank .a
          .a  valid blank .a
          .a  valid blank .a
          .a  valid blank .a

```

```

-----
nf22                                     HH14 7.22 Busns3: Paid workers
-----

```

```

      type: numeric (long)
      label: missing, but 17 nonmissing values are not labeled

```

```

      range: [0,40000]                  units: 100
unique values: 17                      missing .: 0/41554
unique mv codes: 1                    missing .*: 41175/41554

```

```

tabulation: Freq.  Numeric  Label
              358         0
              1         200
              1         700
              1        1200
              1        2000
              2        3000
              2        5000
              2        6000
              1        8000
              1       10000

```

```

      1      11400
      1      12000
      1      15000
      1      18000
      1      20000
      3      24000
      1      40000
41175      .a valid blank .a

```

```

nf23                                     HH14 7.23 Busns3: Other expenses

```

```

      type: numeric (long)
      label: missing, but 44 nonmissing values are not labeled

      range: [0,5784000]          units: 100
      unique values: 44          missing .: 0/41554
      unique mv codes: 1          missing .*: 41183/41554

      examples: .a valid blank .a
                .a valid blank .a
                .a valid blank .a
                .a valid blank .a

```

```

nf24                                     HH14 7.24 Busns3: Net income

```

```

      type: numeric (long)
      label: missing, but 53 nonmissing values are not labeled

      range: [0,210000]          units: 1
      unique values: 53          missing .: 0/41554
      unique mv codes: 1          missing .*: 41175/41554

      examples: .a valid blank .a
                .a valid blank .a
                .a valid blank .a
                .a valid blank .a

```

```

in1                                     HH15 8.1 Inc: renting property

```

```

      type: numeric (long)
      label: missing, but 155 nonmissing values are not labeled

      range: [0,500000]          units: 1
      unique values: 155          missing .: 2/41554
      unique mv codes: 2          missing .*: 7293/41554

      examples: 0
                0
                0
                2400

```

```

in2                                     HH15 8.2 Inc: interest

```

```

      type: numeric (long)

```

label: missing, but 121 nonmissing values are not labeled

range: [0,500000] units: 1
 unique values: 121 missing .: 1/41554
 unique mv codes: 2 missing .*: 7529/41554

examples: 0
 0
 0
 0

 in3a HH15 8.3a Inc: Govt pension

type: numeric (long)
 label: missing, but 346 nonmissing values are not labeled

range: [0,400000] units: 1
 unique values: 346 missing .: 5/41554
 unique mv codes: 2 missing .*: 7479/41554

examples: 0
 0
 0
 37200

 in3b HH15 8.3b Inc: Pvt pension

type: numeric (long)
 label: missing, but 97 nonmissing values are not labeled

range: [0,200000] units: 1
 unique values: 97 missing .: 2/41554
 unique mv codes: 2 missing .*: 7875/41554

examples: 0
 0
 0
 0

 in4a HH15 8.4a Inc: sale non-ag land

type: numeric (long)
 label: missing, but 65 nonmissing values are not labeled

range: [0,500000] units: 1
 unique values: 65 missing .: 1/41554
 unique mv codes: 3 missing .*: 7741/41554

examples: 0
 0
 0
 0

 in4b HH15 8.4b Inc: sale ag land

type: numeric (long)
 label: missing, but 86 nonmissing values are not labeled

 range: [0,600000] units: 1
 unique values: 86 missing .: 1/41554
 unique mv codes: 3 missing .*: 7870/41554

 examples: 0
 0
 0
 0

----- HH15 8.5 Inc: scholarship/gift -----

type: numeric (long)
 label: missing, but 240 nonmissing values are not labeled

 range: [0,200000] units: 1
 unique values: 240 missing .: 2/41554
 unique mv codes: 2 missing .*: 7592/41554

 examples: 0
 0
 0
 900

----- HH15 8.6 Inc: IRDP/ insurance -----

type: numeric (long)
 label: missing, but 121 nonmissing values are not labeled

 range: [0,500000] units: 1
 unique values: 121 missing .: 1/41554
 unique mv codes: 2 missing .*: 8018/41554

 examples: 0
 0
 0
 400

----- HH15 8.14a Land from govt -----

type: numeric (byte)
 label: missing, but 15 nonmissing values are not labeled

 range: [0,100] units: 1
 unique values: 15 missing .: 0/41554
 unique mv codes: 1 missing .*: 10027/41554

 tabulation: Freq. Numeric Label
 31342 0
 96 1
 25 2
 18 3
 11 4

in14b	HH15 8.14b Land from govt Rs
-------	------------------------------

in15	HH16 8.15	Govt housing
------	-----------	--------------

in15a	HH16 8.15a Govt housing Built Rs
-------	----------------------------------

in15b	HH16 8.15b Govt housing Rs
-------	----------------------------

```

-----
      type: numeric (long)
      label: missing, but 103 nonmissing values are not labeled

      range: [0,82000]          units: 1
      unique values: 103        missing .: 0/41554
      unique mv codes: 1        missing .*: 12947/41554

      examples: 0
                0
                0
                .a    valid blank .a

```

```

-----
in15c                                     HH16 8.15c Govt housing Materials Rs
-----

```

```

      type: numeric (long)
      label: missing, but 79 nonmissing values are not labeled

      range: [0,60000]          units: 10
      unique values: 79         missing .: 0/41554
      unique mv codes: 1        missing .*: 13127/41554

      examples: 0
                0
                0
                .a    valid blank .a

```

```

-----
in15d                                     HH16 8.15d Govt housing latrines Rs
-----

```

```

      type: numeric (int)
      label: missing, but 68 nonmissing values are not labeled

      range: [0,5000]           units: 1
      unique values: 68         missing .: 1/41554
      unique mv codes: 2        missing .*: 13047/41554

      examples: 0
                0
                0
                .a    valid blank .a

```

```

-----
in15e                                     HH16 8.15e Govt housing chulha Rs
-----

```

```

      type: numeric (int)
      label: missing, but 45 nonmissing values are not labeled

      range: [0,4000]           units: 1
      unique values: 45         missing .: 0/41554
      unique mv codes: 1        missing .*: 13033/41554

      examples: 0
                0
                0
                .a    valid blank .a

```

in16 HH16 8.16 Inc: other source Rs

```

      type: numeric (long)
      label: missing, but 101 nonmissing values are not labeled

      range: [0,100000]          units: 1
      unique values: 101          missing .: 0/41554
      unique mv codes: 1          missing .*: 6600/41554

      examples: 0
                 0
                 0
                 0

```

in16a HH16 8.16 Inc: other source name

```

      type: string (str20)

      unique values: 159          missing "": 0/41554

      examples: ".a"
                 ".a"
                 ".a"
                 ".a"

      warning: variable has leading and embedded blanks

```

in17 HH16 8.17 Better off last 10 yrs

```

      type: numeric (byte)
      label: in17f

      range: [1,3]              units: 1
      unique values: 3           missing .: 0/41554
      unique mv codes: 3         missing .*: 30/41554

      tabulation: Freq.  Numeric  Label
                  15280      1 Same 1
                  20367      2 Better 2
                  5877       3 Worse 3
                   5         .a valid blank .a
                   24         .c don't know 8 .c
                   1         .o valid skip 0 .o

```

rc1 HH16 9.1 Ration card

```

      type: numeric (byte)
      label: yesno

      range: [0,1]              units: 1
      unique values: 2           missing .: 0/41554

      tabulation: Freq.  Numeric  Label
                  7148      0 No 0

```

34406 1 Yes 1

rc1a HH16 9.1a Ration card type
-----type: numeric (byte)
label: rc1afrange: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 7148/41554

tabulation:	Freq.	Numeric	Label
	13137	1	BPL 1
	20301	2	Standard/APL 2
	968	3	Antodaya 3
	7148	.a	valid blank .a

rc1b HH16 9.1b Ration card N listed
-----type: numeric (byte)
label: missing, but 28 nonmissing values are not labeledrange: [1,40] units: 1
unique values: 28 missing .: 0/41554
unique mv codes: 1 missing .*: 7149/41554

tabulation:	Freq.	Numeric	Label
	1181	1	
	3374	2	
	4697	3	
	8246	4	
	6944	5	
	4512	6	
	2285	7	
	1372	8	
	649	9	
	480	10	
	187	11	
	170	12	
	92	13	
	63	14	
	67	15	
	17	16	
	15	17	
	9	18	
	7	19	
	17	20	
	4	21	
	1	22	
	2	23	
	1	27	
	1	28	
	3	30	
	7	31	
	2	40	
	7149	.a	valid blank .a

rc1c HH16 9.1c Ration card used

```

-----
      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 7159/41554

      tabulation: Freq.  Numeric  Label
                   5165      0    No 0
                   29230     1    Yes 1
                   7149     .a  valid blank .a
                   10      .e  out of range .e

```

rc1d HH16 9.1d Ration card no use

```

-----
      type: numeric (byte)
      label: rc1df

      range: [1,6]                units: 1
      unique values: 6            missing .: 0/41554
      unique mv codes: 3          missing .*: 36375/41554

      tabulation: Freq.  Numeric  Label
                   226      1    Too far 1
                   505      2    No time 2
                   197      3    Financial 3
                   1501     4    Irregular supply 4
                   436      5    Poor quality 5
                   2314     6    Other 6
                   35442    .a  valid blank .a
                   2      .b  valid skip 9 .b
                   931     .o  valid skip 0 .o

```

rc2 HH16 9.2 Ration card why none

```

-----
      type: numeric (byte)
      label: rc2f

      range: [1,5]                units: 1
      unique values: 5            missing .: 0/41554
      unique mv codes: 2          missing .*: 34407/41554

      tabulation: Freq.  Numeric  Label
                   814      1    Not needed 1
                   552      2    Lost 2
                   2802     3    Bureaucratic 3
                   759      4    Moved 4
                   2220     5    Other 5
                   32903    .a  valid blank .a
                   1504     .o  valid skip 0 .o

```

rc3 HH16 9.3 Health insurance

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 2                missing .*: 99/41554

```

```

      tabulation: Freq.  Numeric  Label
                  40210      0    No 0
                  1245       1    Yes 1
                   85        .a  valid blank .a
                   14        .c  don't know 8 .c

```

```

-----
rc4                                     HH16 9.4 LIC/Life insurance
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 2                missing .*: 75/41554

```

```

      tabulation: Freq.  Numeric  Label
                  32095      0    No 0
                  9384       1    Yes 1
                   59        .a  valid blank .a
                   16        .c  don't know 8 .c

```

```

-----
rc5                                     HH16 9.5 KISAN credit card
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 3                missing .*: 86/41554

```

```

      tabulation: Freq.  Numeric  Label
                  39887      0    No 0
                  1581       1    Yes 1
                   78        .a  valid blank .a
                   6         .c  don't know 8 .c
                   2         .e  out of range .e

```

```

-----
mm1a                                    HH18 11.1 Radio regular Men
-----

```

```

      type: numeric (byte)
      label: mm1af

      range: [0,2]                      units: 1
      unique values: 3                  missing .: 0/41554
      unique mv codes: 1                missing .*: 1455/41554

```

```

      tabulation: Freq.  Numeric  Label
                  20908      0    Never 0
                  13836      1    Sometimes 1

```

5355 2 Regularly 2
1455 .a valid blank .a

mm2a HH18 11.2 Newspaper regular Men

type: numeric (byte)
label: mm1af

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 1571/41554

tabulation:	Freq.	Numeric	Label
	19625	0	Never 0
	11103	1	Sometimes 1
	9255	2	Regularly 2
	1571	.a	valid blank .a

mm3a HH18 11.3 TV regular Men

type: numeric (byte)
label: mm1af

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 1601/41554

tabulation:	Freq.	Numeric	Label
	11389	0	Never 0
	13030	1	Sometimes 1
	15534	2	Regularly 2
	1601	.a	valid blank .a

mm4a HH18 11.4 TV hrs/day Men

type: numeric (byte)
label: mm4ac, but 12 nonmissing values are not labeled

range: [0,12] units: 1
unique values: 13 missing .: 0/41554
unique mv codes: 1 missing .*: 5937/41554

tabulation:	Freq.	Numeric	Label
	12408	0	<half hour 0
	10823	1	
	9123	2	
	2264	3	
	718	4	
	167	5	
	69	6	
	5	7	
	10	8	
	4	9	
	16	10	
	4	11	
	6	12	

5937 .a valid blank .a

mm5a HH18 11.5 TV news regular Men

type: numeric (byte)
label: mm1af

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 6435/41554

tabulation:	Freq.	Numeric	Label
	16529	0	Never 0
	11847	1	Sometimes 1
	6743	2	Regularly 2
	6435	.a	valid blank .a

mm1b HH18 11.1 Radio regular Women

type: numeric (byte)
label: mm1af

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 1092/41554

tabulation:	Freq.	Numeric	Label
	24556	0	Never 0
	11503	1	Sometimes 1
	4403	2	Regularly 2
	1092	.a	valid blank .a

mm2b HH18 11.2 Newspaper regular Women

type: numeric (byte)
label: mm1af

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 1239/41554

tabulation:	Freq.	Numeric	Label
	28174	0	Never 0
	6850	1	Sometimes 1
	5291	2	Regularly 2
	1239	.a	valid blank .a

mm3b HH18 11.3 TV regular Women

type: numeric (byte)
label: mm1af

range: [0,2] units: 1
unique values: 3 missing .: 0/41554

unique mv codes: 1 missing .*: 1145/41554

tabulation:	Freq.	Numeric	Label
	12468	0	Never 0
	9499	1	Sometimes 1
	18442	2	Regularly 2
	1145	.a	valid blank .a

mm4b HH18 11.4 TV hrs/day Women

type: numeric (byte)
label: mm4ac, but 12 nonmissing values are not labeled

range: [0,12] units: 1
unique values: 13 missing .: 0/41554
unique mv codes: 1 missing .*: 5977/41554

tabulation:	Freq.	Numeric	Label
	11035	0	<half hour 0
	5916	1	
	9244	2	
	5414	3	
	2643	4	
	860	5	
	361	6	
	45	7	
	27	8	
	9	9	
	14	10	
	1	11	
	8	12	
	5977	.a	valid blank .a

mm5b HH18 11.5 TV news regular Women

type: numeric (byte)
label: mm1af

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 6425/41554

tabulation:	Freq.	Numeric	Label
	20735	0	Never 0
	10269	1	Sometimes 1
	4125	2	Regularly 2
	6425	.a	valid blank .a

mm1c HH18 11.1 Radio regular Kids

type: numeric (byte)
label: mm1af

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 9055/41554

tabulation:	Freq.	Numeric	Label
	24035	0	Never 0
	6358	1	Sometimes 1
	2106	2	Regularly 2
	9055	.a	valid blank .a

mm2c HH18 11.2 Newspaper regular Kids

type: numeric (byte)
label: mm1af

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	1	missing .*:	9610/41554

tabulation:	Freq.	Numeric	Label
	26303	0	Never 0
	3813	1	Sometimes 1
	1828	2	Regularly 2
	9610	.a	valid blank .a

mm3c HH18 11.3 TV regular Kids

type: numeric (byte)
label: mm1af

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	1	missing .*:	9768/41554

tabulation:	Freq.	Numeric	Label
	13826	0	Never 0
	7263	1	Sometimes 1
	10697	2	Regularly 2
	9768	.a	valid blank .a

mm4c HH18 11.4 TV hrs/day Kids

type: numeric (byte)
label: mm4ac, but 11 nonmissing values are not labeled

range:	[0,12]	units:	1
unique values:	12	missing .:	0/41554
unique mv codes:	1	missing .*:	13916/41554

tabulation:	Freq.	Numeric	Label
	12487	0	<half hour 0
	5123	1	
	5992	2	
	2538	3	
	1112	4	
	232	5	
	106	6	
	17	7	
	8	8	


```

          7          9
        11        10
          5        12
    13916      .a valid blank .a

```

```
-----
mm5c                                     HH18 11.5 TV news regular Kids
-----
```

```

      type: numeric (byte)
      label: mm1af

      range: [0,2]                units: 1
      unique values: 3            missing .: 0/41554
      unique mv codes: 1          missing .*: 14137/41554

      tabulation: Freq.  Numeric  Label
                  21242      0  Never 0
                  4746      1  Sometimes 1
                  1429      2  Regularly 2
                  14137     .a  valid blank .a

```

```
-----
co1x                                     HH19 12.1 Rice: Rs
-----
```

```

      type: numeric (int)
      label: missing, but 788 nonmissing values are not labeled

      range: [0,7200]            units: 1
      unique values: 788         missing .: 0/41554
      unique mv codes: 1         missing .*: 62/41554

      examples: 60
                162
                300
                480

```

```
-----
co1a                                     HH19 12.1 Rice: kg
-----
```

```

      type: numeric (int)
      label: missing, but 123 nonmissing values are not labeled

      range: [1,450]            units: 1
      unique values: 123         missing .: 0/41554
      unique mv codes: 1         missing .*: 1957/41554

      examples: 8
                20
                30
                50

```

```
-----
co1b                                     HH19 12.1 Rice: homegrown
-----
```

```

      type: numeric (byte)
      label: fm21bf

      range: [1,3]                units: 1

```

tabulation:	Freq.	Numeric	Label
	4624	1	Home grown 1
	32998	2	Purchased 2
	1975	3	Both 3
	1957	.a	valid blank .a

```
examples: 10
          11
          12
          14
```

```
examples: 20
          .a  valid blank .a
          .a  valid blank .a
          .o  valid skip 0 .o
```

tabulation:	Freq.	Numeric	Label
	4	1	
	95	2	
	11751	3	
	3528	4	
	4141	5	
	9338	6	
	2157	7	
	2047	8	
	1779	9	
	567	10	
	1743	11	

1	12
4403	.

co2x	HH19 12.2 Wheat: Rs
------	---------------------

```

type: numeric (int)
label: missing, but 486 nonmissing values are not labeled

range: [0,3150]          units: 1
unique values: 486        missing .: 0/41554
unique mv codes: 1        missing .*: 62/41554

examples: 0
           60
           165
           315

```

co2a	HH19 12.2 Wheat: kg
------	---------------------

```

type: numeric (int)
label: missing, but 108 nonmissing values are not labeled

range: [1,350]          units: 1
unique values: 108        missing .: 0/41554
unique mv codes: 1        missing .*: 8843/41554

examples: 10
           20
           40
           .a    valid blank .a

```

co2b	HH19 12.2 Wheat: homegrown
------	----------------------------

```

type: numeric (byte)
label: fm21bf

range: [1,3]          units: 1
unique values: 3        missing .: 0/41554
unique mv codes: 1        missing .*: 8843/41554

tabulation: Freq.   Numeric  Label
              4067       1  Home grown 1
              27605       2  Purchased 2
              1039        3  Both 3
              8843        .a  valid blank .a

```

co2c	HH19 12.2 Wheat: market price
------	-------------------------------

```

type: numeric (byte)
label: missing, but 19 nonmissing values are not labeled

range: [3,21]          units: 1
unique values: 19        missing .: 105/41554

```

tabulation:	Freq.	Numeric	Label
	1	3	
	3	4	
	308	5	
	2100	6	
	5730	7	
	7720	8	
	4532	9	
	9456	10	
	2882	11	
	6307	12	
	1322	13	
	453	14	
	292	15	
	105	16	
	25	17	
	133	18	
	32	19	
	46	20	
	2	21	
	105	.	

co2dHH19 12.2 Wheat: PDS kg

type: numeric (int)
 label: missing, but 47 nonmissing values are not labeled

 range: [1,200] units: 1
 unique values: 47 missing .: 0/41554
 unique mv codes: 2 missing .*: 34931/41554

 examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .o valid skip 0 .o

co2eHH19 12.2 Wheat: PDS price

type: numeric (byte)
 label: missing, but 13 nonmissing values are not labeled

 range: [2,16] units: 1
 unique values: 13 missing .: 756/41554

tabulation:	Freq.	Numeric	Label
	2503	2	
	9919	3	
	4953	4	
	9945	5	
	1553	6	
	3728	7	
	7587	8	
	189	9	
	304	10	
	8	11	
	107	12	
	1	13	
	1	16	

756 .

co3x HH19 12.3 Sugar: Rs

type: numeric (int)
 label: missing, but 396 nonmissing values are not labeled

 range: [0,2200] units: 1
 unique values: 396 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

 examples: 32
 54
 80
 120

co3a HH19 12.3 Sugar: kg

type: numeric (byte)
 label: missing, but 54 nonmissing values are not labeled

 range: [1,100] units: 1
 unique values: 54 missing .: 0/41554
 unique mv codes: 1 missing .*: 2285/41554

 examples: 2
 3
 5
 8

co3b HH19 12.3 Sugar: homegrown

type: numeric (byte)
 label: fm21bf

 range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 2285/41554

 tabulation: Freq. Numeric Label
 119 1 Home grown 1
 39096 2 Purchased 2
 54 3 Both 3
 2285 .a valid blank .a

co3c HH19 12.3 Sugar: market price

type: numeric (byte)
 label: missing, but 24 nonmissing values are not labeled

 range: [2,28] units: 1
 unique values: 24 missing .: 0/41554

 tabulation: Freq. Numeric Label

1	2
1	4
6	7
13	8
9	9
71	10
14	11
54	12
36	13
177	14
238	15
663	16
1685	17
6699	18
3181	19
20272	20
2048	21
5334	22
259	23
468	24
234	25
48	26
6	27
37	28

co3d HH19 12.3 Sugar: PDS kg

type: numeric (byte)
label: missing, but 17 nonmissing values are not labeled

range: [1,20] units: 1
unique values: 17 missing .: 1/41554
unique mv codes: 3 missing .*: 34206/41554

tabulation:	Freq.	Numeric	Label
	1846	1	
	2842	2	
	1136	3	
	584	4	
	567	5	
	119	6	
	83	7	
	59	8	
	10	9	
	59	10	
	3	11	
	16	12	
	2	13	
	1	14	
	13	15	
	3	18	
	4	20	
	1	.	
	20271	.a	valid blank .a
	13935	.o	valid skip 0 .o

co3e HH19 12.3 Sugar: PDS price

```

      type: numeric (float)
      label: missing, but 20 nonmissing values are not labeled

      range: [1,18]                units: .1
unique values: 20                missing .: 195/41554

```

tabulation:	Freq.	Numeric	Label
	8	1	
	3	2	
	6	3	
	21	4	
	7	5	
	9	6	
	14	7	
	45	8	
	214	9	
	150	10	
	1675	11	
	1484	11.5	
	2324	12	
	6059	13	
	1637	13.5	
	19495	14	
	7620	15	
	478	16	
	10	17	
	100	18	
	195	.	

co4xHH19 12.4 Kerosene: Rs

```

      type: numeric (int)
      label: missing, but 316 nonmissing values are not labeled

      range: [0,900]                units: 1
unique values: 316                missing .: 0/41554
unique mv codes: 1                missing .*: 62/41554

examples: 0
           22
           40
           55

```

co4aHH19 12.4 Kerosene: Lts

```

      type: numeric (byte)
      label: missing, but 38 nonmissing values are not labeled

      range: [1,50]                units: 1
unique values: 38                missing .: 0/41554
unique mv codes: 1                missing .*: 9988/41554

examples: 2
           4
           5
           .a    valid blank .a

```

co4b

HH19 12.4 Kerosene: Rs

```

-----
      type: numeric (byte)
      label: fm21bf

      range: [1,3]                units: 1
      unique values: 3            missing .: 0/41554
      unique mv codes: 1          missing .*: 9988/41554

      tabulation: Freq.  Numeric  Label
                  12        1  Home grown 1
                  31549     2  Purchased 2
                   5        3  Both 3
                  9988     .a  valid blank .a
-----

```

co4c

HH19 12.4 Kerosene: market price

```

-----
      type: numeric (float)
      label: missing, but 25 nonmissing values are not labeled

      range: [8,35]                units: .1
      unique values: 25            missing .: 0/41554

      tabulation: Freq.  Numeric  Label
                  13        8
                  191        9
                  3208       10
                  3457       11
                  2109       12
                  2046       13
                  1985       14
                  7225       15
                  2477       16
                   512       17
                   752      17.5
                  3852       18
                   112       19
                  7907       20
                   97        21
                  2542       22
                   127       23
                   500       24
                  1691       25
                   100       26
                   55        27
                   202       28
                   2         29
                   391       30
                   1         35
-----

```

co4d

HH19 12.4 Kerosene: PDS lts

```

-----
      type: numeric (byte)
      label: missing, but 22 nonmissing values are not labeled

      range: [1,35]                units: 1
      unique values: 22            missing .: 0/41554
-----

```


unique mv codes: 2

missing .*: 16644/41554

tabulation:	Freq.	Numeric	Label
	1110	1	
	6424	2	
	6690	3	
	3065	4	
	5085	5	
	509	6	
	191	7	
	456	8	
	316	9	
	819	10	
	12	11	
	47	12	
	6	13	
	13	14	
	89	15	
	10	16	
	1	17	
	20	18	
	4	19	
	41	20	
	1	21	
	1	35	
	13953	.a	valid blank .a
	2691	.o	valid skip 0 .o

co4eHH19 12.4 Kerosene: PDS price

type: numeric (byte)
label: missing, but 16 nonmissing values are not labeled

range: [1,16] units: 1
unique values: 16 missing .: 195/41554

tabulation:	Freq.	Numeric	Label
	13	1	
	21	2	
	13	3	
	13	4	
	17	5	
	13	6	
	22	7	
	86	8	
	5065	9	
	22790	10	
	9509	11	
	2581	12	
	647	13	
	157	14	
	409	15	
	3	16	
	195	.	

co5xHH19 12.5 Other cereals: Rs

type: numeric (int)

label: missing, but 187 nonmissing values are not labeled

range: [0,7750] units: 1
 unique values: 187 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

examples: 0
 0
 0
 60

 co5a HH19 12.5 Other cereals: kg

type: numeric (int)
 label: missing, but 69 nonmissing values are not labeled

range: [1,500] units: 1
 unique values: 69 missing .: 0/41554
 unique mv codes: 1 missing .*: 26538/41554

examples: 10
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 co5b HH19 12.5 Other cereals: homegrown

type: numeric (byte)
 label: fm21bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 26538/41554

tabulation: Freq. Numeric Label
 2913 1 Home grown 1
 11572 2 Purchased 2
 531 3 Both 3
 26538 .a valid blank .a

 co5c HH19 12.5 Other cereals: price

type: numeric (float)
 label: missing, but 32 nonmissing values are not labeled

range: [2,35] units: .1
 unique values: 32 missing .: 195/41554

tabulation: Freq. Numeric Label
 3 2
 72 3
 494 4
 2529 5
 7052 6
 3440 7
 7678 8

558	9
7569	10
1978	11
556	12
85	13
249	14
884	14.5
2117	15
87	16
1112	17
1139	18
20	19
1066	20
5	21
1664	22
5	23
84	24
430	25
35	26
21	27
189	28
2	29
234	30
1	33
1	35
195	.

co5d HH19 12.5 Other cereals: PDS kg

type: numeric (byte)
label: missing, but 2 nonmissing values are not labeled

range: [10,18] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 41552/41554

tabulation:	Freq.	Numeric	Label
	1	10	
	1	18	
	34537	.a	valid blank .a
	7015	.o	valid skip 0 .o

co5e HH19 12.5 Other cereals: PDS price

type: numeric (byte)
label: missing, but 3 nonmissing values are not labeled

range: [4,10] units: 1
unique values: 3 missing .: 39456/41554

tabulation:	Freq.	Numeric	Label
	1	4	
	2096	7	
	1	10	
	39456	.	

co6x HH19 12.6 Cereal products: Rs

```

-----
      type: numeric (int)
      label: missing, but 219 nonmissing values are not labeled

      range: [0,2000]          units: 1
      unique values: 219      missing .: 0/41554
      unique mv codes: 1      missing .*: 62/41554

      examples: 0
                14
                36
                80

```

```

-----
co6a                                     HH19 12.6 Cereal products: kg
-----

```

```

      type: numeric (int)
      label: missing, but 32 nonmissing values are not labeled

      range: [1,120]          units: 1
      unique values: 32      missing .: 0/41554
      unique mv codes: 1      missing .*: 31008/41554

```

tabulation:	Freq.	Numeric	Label
	3317	1	
	3630	2	
	1292	3	
	649	4	
	648	5	
	185	6	
	59	7	
	124	8	
	25	9	
	280	10	
	5	11	
	39	12	
	3	13	
	5	14	
	91	15	
	7	16	
	7	18	
	71	20	
	2	21	
	2	22	
	3	23	
	3	24	
	23	25	
	1	28	
	32	30	
	1	35	
	7	40	
	4	45	
	1	47	
	17	50	
	12	60	
	1	120	
	31008	.a	valid blank .a

```

-----
co6b                                     HH19 12.6 Cereal products: homegr
-----

```

type: numeric (byte)	
label: fm21bf	
range: [1,3]	units: 1
unique values: 3	missing .: 0/41554
unique mv codes: 1	missing .*: 14867/41554
tabulation: Freq. Numeric Label	
447	1 Home grown 1
25916	2 Purchased 2
324	3 Both 3
14867	.a valid blank .a

co6c	HH19 12.6 Cereal products: price

type: numeric (float)	
label: missing, but 190 nonmissing values are not labeled	
range: [0,300]	units: 1.000e-07
unique values: 190	missing .: 315/41554
examples: 13	
15	
16	
20	

co6t	HH19 12.6 Cereal products: Rs

type: numeric (int)	
label: missing, but 182 nonmissing values are not labeled	
range: [0,2000]	units: 1
unique values: 182	missing .: 0/41554
unique mv codes: 1	missing .*: 18943/41554
examples: 40	
100	
.a	valid blank .a
.a	valid blank .a

co7x	HH19 12.7 Pulses: Rs

type: numeric (int)	
label: missing, but 313 nonmissing values are not labeled	
range: [0,2500]	units: 1
unique values: 313	missing .: 0/41554
unique mv codes: 1	missing .*: 62/41554
examples: 40	
64	
96	
150	

co7a HH19 12.7 Pulses: kg

type: numeric (byte)
 label: missing, but 41 nonmissing values are not labeled

range: [1,61] units: 1
 unique values: 41 missing .: 0/41554
 unique mv codes: 1 missing .*: 14209/41554

examples: 2
 4
 8
 .a valid blank .a

co7b HH19 12.7 Pulses: homegrown

type: numeric (byte)
 label: fm21bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 2489/41554

tabulation:	Freq.	Numeric	Label
	1504	1	Home grown 1
	36658	2	Purchased 2
	903	3	Both 3
	2489	.a	valid blank .a

co7c HH19 12.7 Pulses: price

type: numeric (float)
 label: missing, but 238 nonmissing values are not labeled

range: [0,325] units: 1.000e-07
 unique values: 238 missing .: 105/41554

examples: 25
 28
 30
 32

co7t HH19 12.7 Pulses: Rs

type: numeric (int)
 label: missing, but 243 nonmissing values are not labeled

range: [0,1200] units: 1
 unique values: 243 missing .: 0/41554
 unique mv codes: 1 missing .*: 16395/41554

examples: 50
 100
 450

.a valid blank .a

co8x HH19 12.8 Meat: Rs

type: numeric (int)
label: missing, but 313 nonmissing values are not labeled

range: [0,6000] units: 1
unique values: 313 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 0
0
100
200

co8a HH19 12.8 Meat: kg

type: numeric (byte)
label: missing, but 34 nonmissing values are not labeled

range: [1,60] units: 1
unique values: 34 missing .: 0/41554
unique mv codes: 1 missing .*: 28305/41554

tabulation:	Freq.	Numeric	Label
	3859	1	
	3870	2	
	1528	3	
	1384	4	
	1001	5	
	349	6	
	142	7	
	264	8	
	33	9	
	400	10	
	5	11	
	64	12	
	7	13	
	9	14	
	162	15	
	8	16	
	4	17	
	14	18	
	1	19	
	65	20	
	2	21	
	4	22	
	3	24	
	11	25	
	28	30	
	1	32	
	2	33	
	1	34	
	3	35	
	12	40	
	2	42	
	1	45	

```

        6      50
        4      60
28305      .a valid blank .a

```

```
-----
co8b                                     HH19 12.8 Meat: homegrown
-----
```

```

      type: numeric (byte)
      label: fm21bf

      range: [1,3]                units: 1
unique values: 3                missing .: 0/41554
unique mv codes: 1              missing .*: 17016/41554

```

```

tabulation: Freq.  Numeric  Label
             410      1  Home grown 1
             23782     2  Purchased 2
             346      3  Both 3
             17016     .a valid blank .a

```

```
-----
co8c                                     HH19 12.8 Meat: price
-----
```

```

      type: numeric (float)
      label: missing, but 241 nonmissing values are not labeled

      range: [0,1500]            units: 1.000e-07
unique values: 241              missing .: 334/41554

examples: 50
           60
           83.333336
           100

```

```
-----
co8t                                     HH19 12.8 Meat: Rs
-----
```

```

      type: numeric (int)
      label: missing, but 205 nonmissing values are not labeled

      range: [0,4800]            units: 1
unique values: 205              missing .: 0/41554
unique mv codes: 1              missing .*: 22890/41554

examples: 120
           400
           .a valid blank .a
           .a valid blank .a

```

```
-----
co9x                                     HH19 12.9 Sweeteners: Rs
-----
```

```

      type: numeric (int)
      label: missing, but 195 nonmissing values are not labeled

      range: [0,2336]            units: 1
unique values: 195              missing .: 0/41554
unique mv codes: 1              missing .*: 62/41554

```


examples: 0
0
24
50

co9a HH19 12.9 Sweeteners: kg

type: numeric (byte)
label: missing, but 28 nonmissing values are not labeled

range: [1,60] units: 1
unique values: 28 missing .: 0/41554
unique mv codes: 1 missing .*: 26651/41554

tabulation:	Freq.	Numeric	Label
	5658	1	
	4947	2	
	1513	3	
	927	4	
	1108	5	
	146	6	
	66	7	
	106	8	
	9	9	
	246	10	
	3	11	
	24	12	
	2	13	
	3	14	
	38	15	
	3	16	
	2	17	
	51	20	
	1	22	
	2	24	
	17	25	
	1	28	
	14	30	
	1	34	
	2	35	
	10	40	
	2	50	
	1	60	
	26651	.o	valid skip 0 .o

co9b HH19 12.9 Sweeteners: homegrown

type: numeric (byte)
label: fm21bf

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 17692/41554

tabulation:	Freq.	Numeric	Label
	139	1	Home grown 1
	23706	2	Purchased 2

```

      type: numeric (byte)
      label: missing, but 21 nonmissing values are not labeled

      range: [1,30]                      units: 1
unique values: 21                        missing.: 0/41554
unique mv codes: 1                      missing.*: 9028/41554

tabulation: Freq.   Numeric   Label

```

5227	1
9505	2
7205	3
4216	4
3630	5
984	6
560	7
453	8
58	9
356	10
6	11
82	12
18	13
4	14
189	15
8	16
1	17
3	18
13	20
1	21
7	30
9028	.o valid skip 0 .o

co10b	HH19 12.10 Edible oil: homegrown
-------	----------------------------------

type: numeric (byte)
 label: fm21bf

 range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 1080/41554

tabulation:	Freq.	Numeric	Label
	495	1	Home grown 1
	39715	2	Purchased 2
	264	3	Both 3
	1080	.a	valid blank .a

co10c	HH19 12.10 Edible oil: price
-------	------------------------------

type: numeric (float)
 label: missing, but 185 nonmissing values are not labeled

 range: [0,412.5] units: 1.000e-08
 unique values: 185 missing .: 229/41554

 examples: 50
 50
 55
 60

co10t	HH19 12.10 Edible oil: Rs
-------	---------------------------

type: numeric (int)
 label: missing, but 312 nonmissing values are not labeled

col1x HH19 12.11 Eggs: Rs

co11a HH19 12.12 Eggs: dozens

tabulation:	Freq.	Numeric	Label
	4608	1	
	3112	2	
	781	3	
	382	4	
	168	5	
	73	6	
	18	7	
	57	8	
	5	9	
	111	10	
	2	11	
	103	12	
	4	13	
	2	14	
	57	15	
	3	16	
	9	18	
	61	20	
	1	22	
	36	24	
	7	25	
	35	30	
	1	35	
	4	36	
	1	38	

```

      5      40
      2      45
      6      48
      5      50
      1      90
      1     120
31893      .o valid skip 0 .o

```

```
-----
co11b                                     HH19 12.12 Eggs: homegrown
-----
```

```

      type: numeric (byte)
      label: fm21bf

      range: [1,3]                units: 1
      unique values: 3            missing .: 0/41554
      unique mv codes: 1          missing .*: 24548/41554

```

```

      tabulation: Freq.   Numeric  Label
                  891       1   Home grown 1
                  15959     2   Purchased 2
                   156       3   Both 3
                  24548     .a   valid blank .a

```

```
-----
co11c                                     HH19 12.12 Eggs: price
-----
```

```

      type: numeric (float)
      label: missing, but 105 nonmissing values are not labeled

      range: [0,300]              units: 1.000e-07
      unique values: 105          missing .: 229/41554

      examples: 20
                 22
                 24
                 24

```

```
-----
co11t                                     HH19 12.12 Eggs: Rs
-----
```

```

      type: numeric (int)
      label: missing, but 136 nonmissing values are not labeled

      range: [0,960]              units: 1
      unique values: 136          missing .: 0/41554
      unique mv codes: 1          missing .*: 29364/41554

      examples: 42
                 .a   valid blank .a
                 .a   valid blank .a
                 .a   valid blank .a

```

```
-----
co12x                                     HH19 12.12 Milk: Rs
-----
```

```

      type: numeric (int)
      label: missing, but 466 nonmissing values are not labeled

```

co12a HH19 12.12 Milk: lts

co12b HH19 12.12 Milk: homegrown

co12c HH19 12.12 Milk: price

co12t HH19 12.12 Milk: Rs

```

      type: numeric (int)
      label: missing, but 319 nonmissing values are not labeled

      range: [0,5000]          units: 1
      unique values: 319      missing .: 0/41554
      unique mv codes: 1      missing .*: 24863/41554

```

```

      examples: 150
                2000
                .a   valid blank .a
                .a   valid blank .a

```

```

-----
co13x                                     HH19 12.13 Milk products: Rs
-----

```

```

      type: numeric (int)
      label: missing, but 313 nonmissing values are not labeled

      range: [0,20000]        units: 1
      unique values: 313      missing .: 0/41554
      unique mv codes: 1      missing .*: 62/41554

```

```

      examples: 0
                0
                24
                150

```

```

-----
co13a                                     HH19 12.13 Milk products: lts
-----

```

```

      type: numeric (int)
      label: missing, but 43 nonmissing values are not labeled

      range: [1,180]          units: 1
      unique values: 43      missing .: 0/41554
      unique mv codes: 1      missing .*: 31871/41554

```

```

      examples: 6
                .o   valid skip 0 .o
                .o   valid skip 0 .o
                .o   valid skip 0 .o

```

```

-----
co13b                                     HH19 12.13 Milk products: homegr
-----

```

```

      type: numeric (byte)
      label: fm21bf

      range: [1,3]            units: 1
      unique values: 3        missing .: 0/41554
      unique mv codes: 1      missing .*: 22872/41554

```

```

      tabulation: Freq.   Numeric   Label
                  4372       1   Home grown 1
                  14031      2   Purchased 2
                   279       3   Both 3
                  22872      .a   valid blank .a

```

co13c HH19 12.13 Milk products: price

```

      type: numeric (float)
      label: missing, but 243 nonmissing values are not labeled

      range: [0,900]          units: 1.000e-07
unique values: 243          missing .: 334/41554

      examples: 35
                60
                100
                150

```

co13t HH19 12.13 Milk products: Rs

```

      type: numeric (int)
      label: missing, but 210 nonmissing values are not labeled

      range: [0,4400]        units: 1
unique values: 210          missing .: 0/41554
unique mv codes: 1          missing .*: 27454/41554

      examples: 140
                .a  valid blank .a
                .a  valid blank .a
                .a  valid blank .a

```

co14x HH19 12.14 Vegetables: Rs

```

      type: numeric (int)
      label: missing, but 421 nonmissing values are not labeled

      range: [0,9000]        units: 1
unique values: 421          missing .: 0/41554
unique mv codes: 1          missing .*: 62/41554

      examples: 90
                150
                200
                300

```

co14a HH19 12.14 Vegetables: kg

```

      type: numeric (int)
      label: missing, but 76 nonmissing values are not labeled

      range: [1,300]         units: 1
unique values: 76           missing .: 0/41554
unique mv codes: 1          missing .*: 25521/41554

      examples: 17
                .o  valid skip 0 .o
                .o  valid skip 0 .o
                .o  valid skip 0 .o

```

co14b HH19 12.14 Vegetables: homegrown

type: numeric (byte)
 label: fm21bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 1639/41554

tabulation: Freq. Numeric Label
 484 1 Home grown 1
 37696 2 Purchased 2
 1735 3 Both 3
 1639 .a valid blank .a

co14c HH19 12.14 Vegetables: price

type: numeric (float)
 label: missing, but 595 nonmissing values are not labeled

range: [0,500] units: 1.000e-08
 unique values: 595 missing .: 499/41554

examples: 7
 10
 10
 14.5

co14t HH19 12.14 Vegetables: Rs

type: numeric (int)
 label: missing, but 264 nonmissing values are not labeled

range: [0,7000] units: 1
 unique values: 264 missing .: 0/41554
 unique mv codes: 1 missing .*: 5579/41554

examples: 100
 150
 250
 450

co15 HH20 12.15 Salt/spices Rs

type: numeric (int)
 label: missing, but 202 nonmissing values are not labeled

range: [0,3500] units: 1
 unique values: 202 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

examples: 40
 60
 90

120

co16 HH20 12.16 Other Food Rs

```

      type: numeric (int)
      label: missing, but 230 nonmissing values are not labeled

      range: [0,5000]          units: 1
      unique values: 230        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

      examples: 25
                50
                80
                125

```

co17 HH20 12.17 Paan/tobac/intox Rs

```

      type: numeric (int)
      label: missing, but 216 nonmissing values are not labeled

      range: [0,8000]          units: 1
      unique values: 216        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

      examples: 0
                15
                50
                120

```

co18 HH20 12.18 Fruits/nuts Rs

```

      type: numeric (int)
      label: missing, but 153 nonmissing values are not labeled

      range: [0,5000]          units: 1
      unique values: 153        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

      examples: 0
                15
                50
                100

```

co19 HH20 12.19 Eating out Rs

```

      type: numeric (int)
      label: missing, but 154 nonmissing values are not labeled

      range: [0,6000]          units: 1
      unique values: 154        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

      examples: 0

```

0
0
50

co20 HH20 12.20 Fuel/Light Rs

type: numeric (int)
label: missing, but 838 nonmissing values are not labeled

range: [0,9300] units: 1
unique values: 838 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 0
100
250
400

co21 HH20 12.21 Entertainment Rs

type: numeric (int)
label: missing, but 121 nonmissing values are not labeled

range: [0,10000] units: 1
unique values: 121 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 0
0
0
0

co22 HH20 12.22 Telephone Rs

type: numeric (int)
label: missing, but 418 nonmissing values are not labeled

range: [0,12000] units: 1
unique values: 418 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 0
0
0
150

co23 HH20 12.23 Personal care Rs

type: numeric (int)
label: missing, but 136 nonmissing values are not labeled

range: [0,6000] units: 1
unique values: 136 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 0
0
0
10

co24 HH20 12.24 Toiletries Rs

type: numeric (int)
label: missing, but 193 nonmissing values are not labeled

range: [0,6300] units: 1
unique values: 193 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 20
40
60
100

co25 HH20 12.25 HH items Rs

type: numeric (int)
label: missing, but 245 nonmissing values are not labeled

range: [0,4000] units: 1
unique values: 245 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 25
50
76
120

co26 HH20 12.26 Conveyance Rs

type: numeric (int)
label: missing, but 309 nonmissing values are not labeled

range: [0,29000] units: 1
unique values: 309 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 0
50
150
300

co27 HH20 12.27 House/Other rent Rs

type: numeric (int)
label: missing, but 192 nonmissing values are not labeled

range: [0,14400] units: 1

```
examples: 0
           0
           0
           0
```

```
examples: 0
           0
           0
           10
```

```
examples: 0
           0
           0
           15
```

examples: 0
0
100
300

```
type: numeric (long)
label: missing, but 437 nonmissing values are not labeled
```

range:	[0,800000]	units:	1
unique values:	437	missing .:	0/41554
unique mv codes:	1	missing .*:	62/41554

examples: 0
0
0
1200

co32 HH21 12.32 School Rs

type: numeric (long)
label: missing, but 1625 nonmissing values are not labeled

range:	[0,300000]	units:	1
unique values:	1625	missing .:	0/41554
unique mv codes:	1	missing .*:	62/41554

examples: 0
0
250
1650

co33 HH21 12.33 School books Rs

type: numeric (long)
label: missing, but 576 nonmissing values are not labeled

range:	[0,85000]	units:	1
unique values:	576	missing .:	0/41554
unique mv codes:	1	missing .*:	62/41554

examples: 0
0
500
1400

co34 HH21 12.34 Clothing/bedding Rs

type: numeric (long)
label: missing, but 362 nonmissing values are not labeled

range:	[0,80000]	units:	1
unique values:	362	missing .:	0/41554
unique mv codes:	1	missing .*:	62/41554

examples: 500
1000
1800
3000

co35 HH21 12.35 Footwear Rs

co36	HH21 12.36 Furniture/fixtures Rs
------	----------------------------------

co37 HH21 12.37 Crockery/utensils Rs

co38 HH21 12.38 HH appliances Rs

co39 HH21 12.39 Recreation goods Rs

```

type: numeric (long)
label: missing, but 227 nonmissing values are not labeled

range: [0,90000]          units: 1
unique values: 227        missing .: 0/41554
unique mv codes: 1        missing .*: 62/41554

examples: 0
           0
           0
           0

```

```

-----
co40                                     HH21 12.40 Jewellery Rs
-----

```

```

type: numeric (long)
label: missing, but 283 nonmissing values are not labeled

range: [0,300000]        units: 1
unique values: 283        missing .: 0/41554
unique mv codes: 1        missing .*: 62/41554

examples: 0
           0
           0
           0

```

```

-----
co41                                     HH21 12.41 Transport equipt Rs
-----

```

```

type: numeric (long)
label: missing, but 330 nonmissing values are not labeled

range: [0,800000]        units: 1
unique values: 330        missing .: 0/41554
unique mv codes: 1        missing .*: 62/41554

examples: 0
           0
           0
           200

```

```

-----
co42                                     HH21 12.42 Therapeutic app Rs
-----

```

```

type: numeric (int)
label: missing, but 113 nonmissing values are not labeled

range: [0,25000]         units: 1
unique values: 113        missing .: 0/41554
unique mv codes: 1        missing .*: 62/41554

examples: 0
           0
           0
           0

```

co43	HH21 12.43 Other personal Rs
------	------------------------------

```

      type: numeric (long)
      label: missing, but 271 nonmissing values are not labeled

      range: [0,90000]          units: 1
      unique values: 271        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

      examples: 0
                0
                0
                0

```

co44	HH21 12.44 Repair/maintenance Rs
------	----------------------------------

```

      type: numeric (long)
      label: missing, but 286 nonmissing values are not labeled

      range: [0,500000]        units: 1
      unique values: 286        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

      examples: 0
                0
                0
                200

```

co45	HH21 12.45 Insurance premiums Rs
------	----------------------------------

```

      type: numeric (long)
      label: missing, but 1316 nonmissing values are not labeled

      range: [0,125000]        units: 1
      unique values: 1316       missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

      examples: 0
                0
                0
                500

```

co46	HH21 12.46 Vacations Rs
------	-------------------------

```

      type: numeric (long)
      label: missing, but 158 nonmissing values are not labeled

      range: [0,80000]          units: 1
      unique values: 158        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

      examples: 0
                0
                0

```

0

co47 HH21 12.47 Social functions Rs

type: numeric (long)
 label: missing, but 458 nonmissing values are not labeled

 range: [0,800000] units: 1
 unique values: 458 missing .: 0/41554
 unique mv codes: 2 missing .*: 63/41554

 examples: 100
 350
 800
 2000

cg1 HH22 13.1 House own/rent

type: numeric (byte)
 label: cg1f

 range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 4/41554

 tabulation: Freq. Numeric Label
 36994 1 Owned 1
 3829 2 Rental 2
 727 3 Neither 3
 4 .a valid blank .a

cg2 HH22 13.2 Own: Cycle/bicycle

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 80/41554

 tabulation: Freq. Numeric Label
 18620 0 No 0
 22854 1 Yes 1
 80 .d invalid skip .d

cg3 HH22 13.3 Own: Sewing machine

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 89/41554

tabulation:	Freq.	Numeric	Label
	30426	0	No 0
	11039	1	Yes 1
	89	.d	invalid skip .d

cg4 HH22 13.4 Own: Generator set

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 101/41554

tabulation:	Freq.	Numeric	Label
	40884	0	No 0
	569	1	Yes 1
	101	.d	invalid skip .d

cg5 HH22 13.5 Own: Mixer/grinder

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 89/41554

tabulation:	Freq.	Numeric	Label
	30766	0	No 0
	10699	1	Yes 1
	89	.d	invalid skip .d

cg6 HH22 13.6 Own: Motor cycle

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 109/41554

tabulation:	Freq.	Numeric	Label
	33681	0	No 0
	7764	1	Yes 1
	109	.d	invalid skip .d

cg7 HH22 13.7 Own: B/W TV

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554

unique mv codes: 1 missing .*: 128/41554

tabulation:	Freq.	Numeric	Label
	30639	0	No 0
	10787	1	Yes 1
	128	.d	invalid skip .d

cg8

HH22 13.8 Own: Colour TV

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 106/41554

tabulation:	Freq.	Numeric	Label
	29091	0	No 0
	12357	1	Yes 1
	106	.d	invalid skip .d

cg9

HH22 13.9 Own: Air cooler

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 131/41554

tabulation:	Freq.	Numeric	Label
	36082	0	No 0
	5341	1	Yes 1
	131	.d	invalid skip .d

cg10

HH22 13.10 Own: Clock/watch

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 94/41554

tabulation:	Freq.	Numeric	Label
	5993	0	No 0
	35467	1	Yes 1
	94	.d	invalid skip .d

cg11

HH22 13.11 Own: Electric fan

type: numeric (byte)
label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 66/41554

tabulation:	Freq.	Numeric	Label
	14867	0	No 0
	26621	1	Yes 1
	66	.d	invalid skip .d

 cg12 HH22 13.12 Own: Chair/table

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 71/41554

tabulation:	Freq.	Numeric	Label
	12954	0	No 0
	28529	1	Yes 1
	71	.d	invalid skip .d

 cg13 HH22 13.13 Own: Cot

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 69/41554

tabulation:	Freq.	Numeric	Label
	6252	0	No 0
	35233	1	Yes 1
	69	.d	invalid skip .d

 cg14 HH22 13.14 Own: Telephone

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 133/41554

tabulation:	Freq.	Numeric	Label
	34345	0	No 0
	7076	1	Yes 1
	133	.d	invalid skip .d

 cg15 HH22 13.15 Own: Cell phone

type: numeric (byte)

```

tabulation:  Freq.    Numeric  Label
              37784         0    No  0
              3617         1    Yes 1
              153         .d invalid skip .d

```

```

tabulation:  Freq.    Numeric  Label
              34059         0    No 0
              7354         1    Yes 1
              141         .d invalid skip .d

```

```

tabulation:  Freq.    Numeric  Label
              22805         0    No 0
              18489         1    Yes 1
               260         .d invalid skip .d

```

```

tabulation:  Freq.    Numeric  Label
              38309         0    No 0
              893         1    Yes 1
              2352        .a valid blank .a

```

cg19 HH22 13.19 Own: Air conditioner

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 2380/41554

```

```

      tabulation: Freq.   Numeric   Label
                  38926      0   No 0
                  248       1   Yes 1
                  2380      .a   valid blank .a

```

```

-----
cg20                                     HH22 13.20 Own: Washing machine
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 2407/41554

```

```

      tabulation: Freq.   Numeric   Label
                  37317      0   No 0
                  1830      1   Yes 1
                  2407      .a   valid blank .a

```

```

-----
cg21                                     HH22 13.21 Own: Computer
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 2425/41554

```

```

      tabulation: Freq.   Numeric   Label
                  38605      0   No 0
                   524      1   Yes 1
                  2425      .a   valid blank .a

```

```

-----
cg22                                     HH22 13.22 Own: Credit card
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 2524/41554

```

```

      tabulation: Freq.   Numeric   Label
                  38391      0   No 0
                   639      1   Yes 1
                  2524      .a   valid blank .a

```

cg23 HH22 13.23 Own: 2 clothes

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 150/41554

```

tabulation:	Freq.	Numeric	Label
	1004	0	No 0
	40400	1	Yes 1
	150	.a	valid blank .a

cg24 HH22 13.24 Own: Footwear

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 151/41554

```

tabulation:	Freq.	Numeric	Label
	2446	0	No 0
	38957	1	Yes 1
	151	.a	valid blank .a

db1 HH23 14.1 N loans last 5 yrs

```

type: numeric (byte)
label: missing, but 28 nonmissing values are not labeled

range: [0,50]          units: 1
unique values: 28      missing .: 0/41554
unique mv codes: 1    missing .*: 1/41554

```

tabulation:	Freq.	Numeric	Label
	24645	0	
	6915	1	
	2896	2	
	2382	3	
	1512	4	
	1110	5	
	502	6	
	294	7	
	297	8	
	118	9	
	370	10	
	18	11	
	143	12	
	16	13	
	11	14	
	173	15	
	10	16	
	3	17	
	12	18	

80	20
4	21
4	22
11	25
1	28
17	30
3	40
1	45
5	50
1	.c don't know 8 .c

db2	HH23 14.2a Yrs ago largest loan
-----	---------------------------------

type: numeric (byte)
 label: missing, but 6 nonmissing values are not labeled

 range: [0,5] units: 1
 unique values: 6 missing .: 0/41554
 unique mv codes: 1 missing .*: 24624/41554

tabulation:	Freq.	Numeric	Label
	561	0	
	7665	1	
	4443	2	
	2187	3	
	1465	4	
	609	5	
	24624	.a	valid blank .a

db2b	HH23 14.2b Loan largest amount
------	--------------------------------

type: numeric (long)
 label: missing, but 299 nonmissing values are not labeled

 range: [0,20000000] units: 1
 unique values: 299 missing .: 0/41554
 unique mv codes: 1 missing .*: 24645/41554

 examples: 12000
 350000
 .a valid blank .a
 .a valid blank .a

db2c	HH23 14.2c Loan purpose
------	-------------------------

type: numeric (byte)
 label: db2cf

 range: [1,9] units: 1
 unique values: 9 missing .: 0/41554
 unique mv codes: 2 missing .*: 24648/41554

 tabulation:

Freq.	Numeric	Label
2758	1	House 1
171	2	Land 2
2604	3	Marriage 3

5196	4	Ag/business	4
2078	5	Consumption	5
244	6	Car/appliance	6
409	7	Education	7
2393	8	Medical	8
1053	9	Other	9
24643	.a	valid blank	.a
5	.o	valid skip 0	.o

db2d HH23 14.2d Loan source

type: numeric (byte)
label: db2df

range:	[1,9]	units:	1
unique values:	9	missing .:	0/41554
unique mv codes:	2	missing .*:	24649/41554

tabulation:	Freq.	Numeric	Label
	306	1	Employer 1
	5357	2	Money lender 2
	1622	3	Friend 3
	3151	4	Relative 4
	4632	5	Bank 5
	27	6	NGO 6
	386	7	Credit group 7
	185	8	Govt. program 8
	1239	9	Other 9
	24646	.a	valid blank .a
	3	.o	valid skip 0 .o

db2e HH23 14.2e Loan monthly rate

type: numeric (float)
label: missing, but 93 nonmissing values are not labeled

range:	[0,20]	units:	.01
unique values:	93	missing .:	2/41554
unique mv codes:	2	missing .*:	24647/41554

examples: 1.5
10
.a valid blank .a
.a valid blank .a

db2f HH23 14.2f Loan repayment

type: numeric (byte)
label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	1	missing .*:	24620/41554

tabulation:	Freq.	Numeric	Label
	12284	0	No 0

4650 1 Yes 1
24620 .a valid blank .a

db3a HH23 14.3a Land sold to pay

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 66/41554

tabulation:	Freq.	Numeric	Label
	40917	0	No 0
	571	1	Yes 1
	64	.a	valid blank .a
	1	.b	valid skip 9 .b
	1	.c	don't know 8 .c

db3b HH23 14.3b Jewellery sold to pay

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 4 missing .*: 71/41554

tabulation:	Freq.	Numeric	Label
	40545	0	No 0
	938	1	Yes 1
	66	.a	valid blank .a
	2	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	2	.e	out of range .e

db4 HH23 14.4 Outstanding HH debt

type: numeric (long)
label: missing, but 571 nonmissing values are not labeled

range: [0,6500000] units: 1
unique values: 571 missing .: 0/41554
unique mv codes: 2 missing .*: 8465/41554

examples: 0
900
19000
.a valid blank .a

db5a HH23 14.5a Debt with shopkeeper

type: numeric (byte)
label: yesno

```

      range: [0,1]          units: 1
unique values: 2          missing.: 0/41554
unique mv codes: 3        missing.*: 36/41554

```

```

tabulation:  Freq.    Numeric  Label
              31093         0    No 0
              10425         1    Yes 1
               32         .a valid blank .a
               2         .c don't know 8 .c
               2         .e out of range .e

```

db5b HH23 14.5b Rs debt shopkeeper

```
type: numeric (long)
label: missing, but 243 nonmissing values are not labeled
```

```

      range: [0,400000]          units: 1
unique values: 243              missing .: 2/41554
unique mv codes: 2             missing .*: 15321/41554

```

```
examples: 0
          150
          2500
          .a valid blank .a
```

db6 HH23 14.6 Credit due to the HH

```
type: numeric (long)
label: missing, but 182 nonmissing values are not labeled
```

```

      range: [0,3000000]          units: 1
unique values: 182                missing .: 1/41554
unique mv codes: 2                missing .*: 7763/41554

```

```
examples: 0
           0
           0
           20000
```

sn1a HH24 15.1a Netwk Medical

```
type: numeric (byte)
label: yesno
```

```

      range: [0,1]          units: 1
unique values: 2          missing .: 0/41554
unique mv codes: 1        missing .*: 454/41554

```

```

tabulation:  Freq.    Numeric  Label
              27925         0    No 0
              13175         1    Yes 1
               454         .d invalid skip .d

```

sn1b	HH24 15.1b Netwk Med type
------	---------------------------

```

-----
                type: numeric (byte)
                label: sn1bf

                range: [1,4]                      units: 1
                unique values: 4                  missing .: 0/41554
                unique mv codes: 2                missing .*: 28371/41554

                tabulation: Freq.  Numeric  Label
                           10099      1  Doctors 1
                           2296      2  Nurses 2
                           354       3  Technician 3
                           434       4  Other 4
                           27252     .a  valid blank .a
                           1119     .o  valid skip 0 .o
-----
sn1c                                     HH24 15.1c Netwk Med Sex
-----

```

```

                type: numeric (byte)
                label: sn1cf

                range: [1,2]                      units: 1
                unique values: 2                  missing .: 0/41554
                unique mv codes: 2                missing .*: 28370/41554

                tabulation: Freq.  Numeric  Label
                           10487      1  Male 1
                           2697      2  Female 2
                           27425     .a  valid blank .a
                           945       .o  valid skip 0 .o
-----
sn1d                                     HH24 15.1d Netwk Med Relation
-----

```

```

                type: numeric (byte)
                label: sn1df

                range: [0,2]                      units: 1
                unique values: 3                  missing .: 0/41554
                unique mv codes: 1                missing .*: 27463/41554

                tabulation: Freq.  Numeric  Label
                           11678      0  Not family 0
                           2156      1  Family, not hh 1
                           257       2  In household 2
                           27463     .d  invalid skip .d
-----
sn1e                                     HH24 15.1e Netwk Med Community
-----

```

```

                type: numeric (byte)
                label: sn1ef

                range: [0,1]                      units: 1
                unique values: 2                  missing .: 0/41554
                unique mv codes: 1                missing .*: 27455/41554

```

```

tabulation: Freq.  Numeric  Label
             8924      0  Different jati 0
             5175      1  Same jati 1
             27455     .d  invalid skip .d

```

```
-----
sn1f                                     HH24 15.1f Netwk Med Residence
-----
```

```

type: numeric (byte)
label: sn1ff

```

```

range: [0,1]                units: 1
unique values: 2             missing .: 0/41554
unique mv codes: 2           missing .*: 27278/41554

```

```

tabulation: Freq.  Numeric  Label
             8622      0  Other place 0
             5654      1  Same 1
             27275     .a  valid blank .a
              3        .d  invalid skip .d

```

```
-----
sn2a                                     HH24 15.2a Netwk School
-----
```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]                units: 1
unique values: 2             missing .: 0/41554
unique mv codes: 1           missing .*: 515/41554

```

```

tabulation: Freq.  Numeric  Label
             24538      0  No 0
             16501      1  Yes 1
              515       .d  invalid skip .d

```

```
-----
sn2b                                     HH24 15.2b Netwk School type
-----
```

```

type: numeric (byte)
label: sn2bf

```

```

range: [1,3]                units: 1
unique values: 3             missing .: 0/41554
unique mv codes: 2           missing .*: 25048/41554

```

```

tabulation: Freq.  Numeric  Label
             14566      1  Teacher 1
              1345      2  Clerk 2
              595       3  Other 3
             23891     .a  valid blank .a
              1157     .o  valid skip 0 .o

```

```
-----
sn2c                                     HH24 15.2c Netwk School Sex
-----
```

```

type: numeric (byte)
label: sn1cf

```

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 25045/41554

tabulation:	Freq.	Numeric	Label
	13950	1	Male 1
	2559	2	Female 2
	24102	.a	valid blank .a
	943	.o	valid skip 0 .o

 sn2d HH24 15.2d Netwk School Relation

type: numeric (byte)
 label: sn1df

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 24132/41554

tabulation:	Freq.	Numeric	Label
	13198	0	Not family 0
	3526	1	Family, not hh 1
	698	2	In household 2
	24132	.d	invalid skip .d

 sn2e HH24 15.2e Netwk School Community

type: numeric (byte)
 label: sn1ef

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 24128/41554

tabulation:	Freq.	Numeric	Label
	8974	0	Different jati 0
	8452	1	Same jati 1
	24128	.d	invalid skip .d

 sn2f HH24 15.2f Netwk School Residence

type: numeric (byte)
 label: sn1ff

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 23992/41554

tabulation:	Freq.	Numeric	Label
	9220	0	Other place 0
	8342	1	Same 1
	23984	.a	valid blank .a
	8	.d	invalid skip .d

sn3a HH24 15.3a Netwk Govt service

```

-----
                type: numeric (byte)
                label: yesno

                range: [0,1]                      units: 1
                unique values: 2                  missing .: 0/41554
                unique mv codes: 1                missing .*: 684/41554

                tabulation: Freq.  Numeric  Label
                           26586      0  No 0
                           14284      1  Yes 1
                           684        .d  invalid skip .d
-----

```

sn3b HH24 15.3b Netwk Govt type

```

-----
                type: numeric (byte)
                label: sn3bf

                range: [1,3]                      units: 1
                unique values: 3                  missing .: 0/41554
                unique mv codes: 2                missing .*: 27237/41554

                tabulation: Freq.  Numeric  Label
                           6591      1  Officer 1
                           4639      2  Clerk 2
                           3087      3  Other 3
                           25938     .a  valid blank .a
                           1299      .o  valid skip 0 .o
-----

```

sn3c HH24 15.3c Netwk Govt Sex

```

-----
                type: numeric (byte)
                label: sn1cf

                range: [1,2]                      units: 1
                unique values: 2                  missing .: 0/41554
                unique mv codes: 2                missing .*: 27238/41554

                tabulation: Freq.  Numeric  Label
                           13397      1  Male 1
                           919        2  Female 2
                           26203     .a  valid blank .a
                           1035      .o  valid skip 0 .o
-----

```

sn3d HH24 15.3d Netwk Govt Relation

```

-----
                type: numeric (byte)
                label: sn1df

                range: [0,2]                      units: 1
                unique values: 3                  missing .: 0/41554
                unique mv codes: 1                missing .*: 26236/41554

                tabulation: Freq.  Numeric  Label
-----

```


10157	0	Not family 0
4049	1	Family, not hh 1
1112	2	In household 2
26236	.d	invalid skip .d

 sn3e HH24 15.3e Netwk Govt Community

type: numeric (byte)
 label: sn1ef

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	1	missing .*:	26243/41554

tabulation:	Freq.	Numeric	Label
	6269	0	Different jati 0
	9042	1	Same jati 1
	26243	.d	invalid skip .d

 sn3f HH24 15.3f Netwk Govt Residence

type: numeric (byte)
 label: sn1ff

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	2	missing .*:	26258/41554

tabulation:	Freq.	Numeric	Label
	8895	0	Other place 0
	6401	1	Same 1
	26236	.a	valid blank .a
	22	.d	invalid skip .d

 me1 HH25 16.1 Member Mahila mandal

type: numeric (byte)
 label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	2	missing .*:	75/41554

tabulation:	Freq.	Numeric	Label
	38427	0	No 0
	3052	1	Yes 1
	2	.c	don't know 8 .c
	73	.d	invalid skip .d

 me2 HH25 16.2 Member Youth/Sports/Read

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 65/41554

tabulation:	Freq.	Numeric	Label
	39323	0	No 0
	2166	1	Yes 1
	65	.d	invalid skip .d

 me3 HH25 16.3 Member Union/Busns

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 68/41554

tabulation:	Freq.	Numeric	Label
	39387	0	No 0
	2099	1	Yes 1
	2	.c	don't know 8 .c
	66	.d	invalid skip .d

 me4 HH25 16.4 Member Self Help

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 66/41554

tabulation:	Freq.	Numeric	Label
	37544	0	No 0
	3944	1	Yes 1
	1	.c	don't know 8 .c
	65	.d	invalid skip .d

 me5 HH25 16.5 Member Credit/Savings

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 73/41554

tabulation:	Freq.	Numeric	Label
	38638	0	No 0
	2843	1	Yes 1
	1	.c	don't know 8 .c
	72	.d	invalid skip .d

 me6 HH25 16.6 Member Relig/Social

```

-----
                type: numeric (byte)
                label: yesno

                range: [0,1]                      units: 1
            unique values: 2                      missing .: 0/41554
            unique mv codes: 1                    missing .*: 67/41554

            tabulation: Freq.   Numeric   Label
                       35485         0   No 0
                       6002          1   Yes 1
                       67           .d   invalid skip .d

```

```

-----
me7                                     HH25 16.7 Member Caste Assoc
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                      units: 1
            unique values: 2                      missing .: 0/41554
            unique mv codes: 2                    missing .*: 71/41554

            tabulation: Freq.   Numeric   Label
                       35965         0   No 0
                       5518          1   Yes 1
                       1           .c   don't know 8 .c
                       70           .d   invalid skip .d

```

```

-----
me8                                     HH25 16.8 Member Development/NGO
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                      units: 1
            unique values: 2                      missing .: 0/41554
            unique mv codes: 2                    missing .*: 75/41554

            tabulation: Freq.   Numeric   Label
                       40701         0   No 0
                       778          1   Yes 1
                       3           .c   don't know 8 .c
                       72           .d   invalid skip .d

```

```

-----
me9                                     HH25 16.9 Member Cooperative
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                      units: 1
            unique values: 2                      missing .: 0/41554
            unique mv codes: 2                    missing .*: 95/41554

            tabulation: Freq.   Numeric   Label
                       40014         0   No 0
                       1445          1   Yes 1

```

5 .c don't know 8 .c
90 .d invalid skip .d

me10 HH25 16.10 Voted 2004 election

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 76/41554

tabulation:	Freq.	Numeric	Label
	4138	0	No 0
	37340	1	Yes 1
	76	.d	invalid skip .d

me11 HH25 16.11 Attend public meeting

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 100/41554

tabulation:	Freq.	Numeric	Label
	29652	0	No 0
	11802	1	Yes 1
	5	.c	don't know 8 .c
	95	.d	invalid skip .d

me12 HH25 16.12 Official in panchayat

type: numeric (byte)
label: me12f

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 2 missing .*: 192/41554

tabulation:	Freq.	Numeric	Label
	37136	0	Nobody close 0
	3663	1	Somebody close 1
	563	2	In household 2
	187	.a	valid blank .a
	5	.c	don't know 8 .c

tr1 HH25 17.1 Conflict in village

type: numeric (byte)
label: tr1f

range: [1,3] units: 1

tabulation:	Freq.	Numeric	Label
	5832	1	Alot 1
	12878	2	Some 2
	22591	3	Get along 3
	75	.a	valid blank .a
	46	.b	valid skip 9 .b
	21	.c	don't know 8 .c
	111	.o	valid skip 0 .o

| tr2 | HH25 17.2 Solve local problems |

tabulation:	Freq.	Numeric	Label
	23838	1	Bond together 1
	17534	2	Each family individually 2
	83	.a	valid blank .a
	8	.b	valid skip 9 .b
	25	.c	don't know 8 .c
	66	.o	valid skip 0 .o

| tr3 | HH25 17.3 Conflict among jatis |

tabulation:	Freq.	Numeric	Label
	1764	1	Alot 1
	10103	2	Some 2
	29445	3	Not much 3
	76	.a	valid blank .a
	53	.b	valid skip 9 .b
	24	.c	don't know 8 .c
	89	.o	valid skip 0 .o

lc1 HH25 18.1 Theft

```

      range: [0,1]          units: 1
unique values: 2          missing .: 0/41554
unique mv codes: 2       missing .*: 97/41554

```

ci1 HH26 19.1 Confidence: Pols

```

-----
                type: numeric (byte)
                label: cif

                range: [1,3]                      units: 1
            unique values: 3                      missing .: 0/41554
            unique mv codes: 3                    missing .*: 312/41554

            tabulation: Freq.   Numeric   Label
                        4496         1   A great deal 1
                        13190        2   Only some 2
                        23556        3   Hardly any 3
                        89           .a   valid blank .a
                        218           .c   don't know 8 .c
                        5             .o   valid skip 0 .o
-----
ci2                                     HH26 19.2 Confidence: Military
-----

```

```

                type: numeric (byte)
                label: cif

                range: [1,3]                      units: 1
            unique values: 3                      missing .: 0/41554
            unique mv codes: 3                    missing .*: 517/41554

            tabulation: Freq.   Numeric   Label
                        35346         1   A great deal 1
                        4668          2   Only some 2
                        1023          3   Hardly any 3
                        88            .a   valid blank .a
                        428           .c   don't know 8 .c
                        1             .o   valid skip 0 .o
-----
ci3                                     HH26 19.3 Confidence: Police
-----

```

```

                type: numeric (byte)
                label: cif

                range: [1,3]                      units: 1
            unique values: 3                      missing .: 0/41554
            unique mv codes: 3                    missing .*: 362/41554

            tabulation: Freq.   Numeric   Label
                        9608          1   A great deal 1
                        19900         2   Only some 2
                        11684         3   Hardly any 3
                        90            .a   valid blank .a
                        268           .c   don't know 8 .c
                        4             .o   valid skip 0 .o
-----
ci4                                     HH26 19.4 Confidence: State govt
-----

```

```

                type: numeric (byte)
                label: cif

```

```

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 576/41554

```

```

tabulation: Freq. Numeric Label
10649      1 A great deal 1
21097      2 Only some 2
9232       3 Hardly any 3
91         .a valid blank .a
478        .c don't know 8 .c
7          .o valid skip 0 .o

```

```

-----
ci5 HH26 19.5 Confidence: Newspapers
-----

```

```

type: numeric (byte)
label: cif

```

```

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 2964/41554

```

```

tabulation: Freq. Numeric Label
14783      1 A great deal 1
20486      2 Only some 2
3321       3 Hardly any 3
104        .a valid blank .a
2820       .c don't know 8 .c
40         .o valid skip 0 .o

```

```

-----
ci6 HH26 19.6 Confidence: Panchayats
-----

```

```

type: numeric (byte)
label: cif

```

```

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 716/41554

```

```

tabulation: Freq. Numeric Label
13753      1 A great deal 1
19316      2 Only some 2
7769       3 Hardly any 3
92         .a valid blank .a
600        .c don't know 8 .c
24         .o valid skip 0 .o

```

```

-----
ci7 HH26 19.7 Confidence: Schools
-----

```

```

type: numeric (byte)
label: cif

```

```

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 479/41554

```

```

tabulation: Freq. Numeric Label

```



```

28320      1 A great deal 1
10293      2 Only some 2
2462       3 Hardly any 3
  90       .a valid blank .a
 377       .c don't know 8 .c
  12       .o valid skip 0 .o

```

```
-----
ci8                                             HH26 19.8 Confidence: Medical
-----
```

```

type: numeric (byte)
label: cif

```

```

range: [1,3]                      units: 1
unique values: 3                  missing .: 0/41554
unique mv codes: 3                missing .*: 298/41554

```

```

tabulation: Freq.  Numeric  Label
26613        1  A great deal 1
11428        2  Only some 2
 3215        3  Hardly any 3
   92        .a valid blank .a
  201        .c don't know 8 .c
    5        .o valid skip 0 .o

```

```
-----
ci9                                             HH26 19.9 Confidence: Courts
-----
```

```

type: numeric (byte)
label: cif

```

```

range: [1,3]                      units: 1
unique values: 3                  missing .: 0/41554
unique mv codes: 3                missing .*: 1964/41554

```

```

tabulation: Freq.  Numeric  Label
22152        1  A great deal 1
13396        2  Only some 2
 4042        3  Hardly any 3
   98        .a valid blank .a
 1835        .c don't know 8 .c
   31        .o valid skip 0 .o

```

```
-----
ci10                                          HH26 19.10 Confidence: Banks
-----
```

```

type: numeric (byte)
label: cif

```

```

range: [1,3]                      units: 1
unique values: 3                  missing .: 0/41554
unique mv codes: 3                missing .*: 631/41554

```

```

tabulation: Freq.  Numeric  Label
36373        1  A great deal 1
 3877        2  Only some 2
   673        3  Hardly any 3
   92        .a valid blank .a
  494        .c don't know 8 .c

```

45 .o valid skip 0 .o

de1 HH26 20.1 Any deaths

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 1134/41554

tabulation:	Freq.	Numeric	Label
	38746	0	No 0
	1674	1	Yes 1
	1134	.a	valid blank .a

de2a HH26 20.2 Death 1: Rel to head

type: numeric (byte)
label: de2f

range: [2,12] units: 1
unique values: 11 missing .: 0/41554
unique mv codes: 2 missing .*: 39972/41554

tabulation:	Freq.	Numeric	Label
	293	2	Wife/husband 2
	267	3	Son/daughter 3
	34	4	Daughter-in-law/son-in-law 4
	66	5	Grandchild 5
	670	6	Father/mother 6
	84	7	Brother/sister 7
	66	8	Father-in-law/mother-in-law 8
	16	9	Nephew/niece 9
	16	10	Brother-in-law/sister-in-law 10
	65	11	Other relatives 11
	5	12	Servant/other 12
	39844	.a	valid blank .a
	128	.o	valid skip 0 .o

de3a HH26 20.3 Death 1: Sex

type: numeric (byte)
label: de3f

range: [1,2] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 39959/41554

tabulation:	Freq.	Numeric	Label
	955	1	Male 1
	640	2	Female 2
	39939	.a	valid blank .a
	20	.o	valid skip 0 .o

de4a

HH26 20.4 Death 1: Age

```

-----
type: numeric (byte)
label: missing, but 95 nonmissing values are not labeled

range: [0,96]                units: 1
unique values: 95            missing .: 0/41554
unique mv codes: 3           missing .*: 39988/41554

examples: .a    valid blank .a
           .a    valid blank .a
           .a    valid blank .a
           .a    valid blank .a

```

de5a

HH26 20.5 Death 1: Cause

```

-----
type: numeric (byte)
label: de5f

range: [1,9]                units: 1
unique values: 9            missing .: 0/41554
unique mv codes: 2          missing .*: 39919/41554

tabulation: Freq.  Numeric  Label
              87         1  Accident 1
              43         2  Childbirth 2
             252         3  Fever 3
              48         4  Diarrhea 4
             101         5  Cancer 5
             228         6  Heart attack 6
              77         7  TB 7
              10         8  HIV-AIDS 8
             789         9  Other 9
            39906        .a  valid blank .a
              13        .o  valid skip 0 .o

```

de6a

HH26 20.6 Death 1: Childbirth

```

-----
type: numeric (byte)
label: de6f

range: [0,3]                units: 1
unique values: 4            missing .: 0/41554
unique mv codes: 1          missing .*: 41288/41554

tabulation: Freq.  Numeric  Label
              248         0  No 0
               5         1  Yes, pregnant 1
               7         2  Yes, during delivery 2
               6         3  Yes, within 6 weeks 3
            41288        .a  valid blank .a

```

de2b

HH26 20.2 Death 2: Rel to head

```

-----
type: numeric (byte)

```

label: de2f

range: [2,11] units: 1

unique values: 10 missing .: 0/41554

unique mv codes: 2 missing .*: 41504/41554

tabulation:	Freq.	Numeric	Label
	2	2	Wife/husband 2
	6	3	Son/daughter 3
	1	4	Daughter-in-law/son-in-law 4
	5	5	Grandchild 5
	15	6	Father/mother 6
	9	7	Brother/sister 7
	5	8	Father-in-law/mother-in-law 8
	2	9	Nephew/niece 9
	2	10	Brother-in-law/sister-in-law 10
	3	11	Other relatives 11
	41497	.a	valid blank .a
	7	.o	valid skip 0 .o

de3b HH26 20.3 Death 2: Sex

type: numeric (byte)

label: de3f

range: [1,2] units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 2 missing .*: 41503/41554

tabulation:	Freq.	Numeric	Label
	25	1	Male 1
	26	2	Female 2
	41497	.a	valid blank .a
	6	.o	valid skip 0 .o

de4b HH26 20.4 Death 2: Age

type: numeric (byte)

label: missing, but 28 nonmissing values are not labeled

range: [0,90] units: 1

unique values: 28 missing .: 0/41554

unique mv codes: 1 missing .*: 41499/41554

tabulation:	Freq.	Numeric	Label
	8	0	
	2	1	
	2	3	
	1	4	
	1	8	
	1	9	
	2	18	
	2	30	
	1	34	
	2	35	
	2	40	
	1	42	
	1	45	

1	48
3	50
1	52
1	55
2	57
1	58
6	60
7	65
1	70
1	75
1	77
1	80
1	85
1	87
1	90
41499	.a valid blank .a

 de5b HH26 20.5 Death 2: Cause

type: numeric (byte)
 label: de5f

range:	[1,9]	units:	1
unique values:	8	missing .:	0/41554
unique mv codes:	2	missing .*:	41503/41554

tabulation:	Freq.	Numeric	Label
	3	1	Accident 1
	1	2	Childbirth 2
	9	3	Fever 3
	3	4	Diarrhea 4
	4	5	Cancer 5
	3	6	Heart attack 6
	4	7	TB 7
	24	9	Other 9
	41498	.a	valid blank .a
	5	.o	valid skip 0 .o

 de6b HH26 20.6 Death 2: Childbirth

type: numeric (byte)
 label: de6f

range:	[0,2]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	2	missing .*:	41535/41554

tabulation:	Freq.	Numeric	Label
	18	0	No 0
	1	2	Yes, during delivery 2
	41534	.a	valid blank .a
	1	.b	valid skip 9 .b

 de2c HH26 20.2 Death 3: Rel to head

type: numeric (byte)

label: de2f

range: [9,11] units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 2 missing .*: 41552/41554

tabulation:	Freq.	Numeric	Label
	1	9	Nephew/niece 9
	1	11	Other relatives 11
	41546	.a	valid blank .a
	6	.o	valid skip 0 .o

de3c HH26 20.3 Death 3: Sex

type: numeric (byte)

label: de3f

range: [2,2] units: 1

unique values: 1 missing .: 0/41554

unique mv codes: 2 missing .*: 41552/41554

tabulation:	Freq.	Numeric	Label
	2	2	Female 2
	41549	.a	valid blank .a
	3	.o	valid skip 0 .o

de4c HH26 20.4 Death 3: Age

type: numeric (byte)

label: missing, but 3 nonmissing values are not labeled

range: [0,95] units: 1

unique values: 3 missing .: 0/41554

unique mv codes: 1 missing .*: 41548/41554

tabulation:	Freq.	Numeric	Label
	4	0	
	1	12	
	1	95	
	41548	.a	valid blank .a

de5c HH26 20.5 Death 3: Cause

type: numeric (byte)

label: de5f

range: [9,9] units: 1

unique values: 1 missing .: 0/41554

unique mv codes: 2 missing .*: 41552/41554

tabulation:	Freq.	Numeric	Label
	2	9	Other 9
	41547	.a	valid blank .a
	5	.o	valid skip 0 .o

de6c HH26 20.6 Death 3: Childbirth

```

-----
      type: numeric (byte)
      label: de6f

      range: [0,0]                units: 1
      unique values: 1            missing .: 0/41554
      unique mv codes: 2          missing .*: 41545/41554

      tabulation: Freq.  Numeric  Label
                   9         0  No 0
                   41544      .a  valid blank .a
                   1         .b  valid skip 9 .b

```

oh1a HH28 22.1 ID Primary resp

```

-----
      type: numeric (byte)
      label: missing, but 21 nonmissing values are not labeled

      range: [0,26]                units: 1
      unique values: 21            missing .: 0/41554
      unique mv codes: 1           missing .*: 196/41554

      tabulation: Freq.  Numeric  Label
                   25         0
                   28001      1
                   8308       2
                   2982       3
                   793        4
                   430        5
                   267        6
                   234        7
                   125        8
                   77         9
                   35        10
                   27        11
                   17        12
                   13        13
                   5         14
                   8         15
                   3         16
                   4         17
                   2         18
                   1         21
                   1         26
                   196      .a  valid blank .a

```

oh2a HH28 22.2 Other resp 1 ID

```

-----
      type: numeric (byte)
      label: missing, but 20 nonmissing values are not labeled

      range: [0,19]                units: 1
      unique values: 20            missing .: 0/41554
      unique mv codes: 1           missing .*: 5026/41554

      tabulation: Freq.  Numeric  Label

```

19383	0
2286	1
9502	2
2745	3
1217	4
508	5
314	6
229	7
128	8
86	9
41	10
36	11
19	12
17	13
8	14
2	15
2	16
3	17
1	18
1	19
5026	.a valid blank .a

oh2b

HH28 22.2 Other resp 2 ID

type: numeric (byte)
 label: missing, but 18 nonmissing values are not labeled

range:	[0,18]	units:	1
unique values:	18	missing .:	0/41554
unique mv codes:	1	missing .*:	23521/41554

tabulation:	Freq.	Numeric	Label
	14832	0	
	159	1	
	526	2	
	1099	3	
	690	4	
	286	5	
	165	6	
	95	7	
	71	8	
	41	9	
	26	10	
	13	11	
	10	12	
	9	13	
	3	14	
	5	15	
	2	16	
	1	18	
	23521	.a	valid blank .a

oh2c

HH28 22.2 Other resp 3 ID

type: numeric (byte)
 label: missing, but 18 nonmissing values are not labeled

range:	[0,17]	units:	1
--------	--------	--------	---

tabulation:	Freq.	Numeric	Label
	14685	0	
	84	1	
	31	2	
	62	3	
	256	4	
	95	5	
	65	6	
	29	7	
	30	8	
	12	9	
	13	10	
	8	11	
	6	12	
	4	13	
	5	14	
	1	15	
	1	16	
	1	17	
	26166	.a	valid blank .a

oh2d HH28 22.2 Other resp 4: ID

tabulation:	Freq.	Numeric	Label
	14657	0	
	76	1	
	9	2	
	10	3	
	16	4	
	56	5	
	22	6	
	7	7	
	6	8	
	12	9	
	3	10	
	1	11	
	6	12	
	2	13	
	1	14	
	4	15	
	1	19	
	1	20	
	26664	.a	valid blank .a

oh3 HH28 22.3 Non-HH at interview

```
type: numeric (byte)
label: yesno
```

```

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 1519/41554

```

```

tabulation: Freq. Numeric Label
26217      0 No 0
13818      1 Yes 1
1514       .a valid blank .a
5          .e out of range .e

```

oh4 HH28 22.4 Obs: Purpose

```

type: numeric (byte)
label: oh4f

```

```

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 2 missing .*: 382/41554

```

```

tabulation: Freq. Numeric Label
33188      0 No 0
6951       1 Some difficulty 1
1033       2 Alot of difficulty 2
380        .d invalid skip .d
2          .e out of range .e

```

oh5 HH28 22.5 Obs: Understanding

```

type: numeric (byte)
label: oh4f

```

```

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 2 missing .*: 361/41554

```

```

tabulation: Freq. Numeric Label
32248      0 No 0
7820       1 Some difficulty 1
1125       2 Alot of difficulty 2
1          .c don't know 8 .c
360        .d invalid skip .d

```

oh6 HH28 22.6 Obs: Response clarity

```

type: numeric (byte)
label: oh6f

```

```

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 2 missing .*: 347/41554

```

```

tabulation: Freq. Numeric Label
2238      0 No 0
12874     1 Sometimes 1
26095     2 Usually 2

```

```

      1      .c don't know 8 .c
    346      .d invalid skip .d

```

```

-----
oh7                                     HH28 22.7 Obs: Knows expenditure
-----

```

```

      type: numeric (byte)
      label: oh7f

      range: [0,2]                      units: 1
unique values: 3                      missing .: 0/41554
unique mv codes: 2                    missing .*: 353/41554

```

```

      tabulation: Freq.  Numeric  Label
                  2248      0  Very little knowledge 0
                  13826     1  Somewhat 1
                  25127     2  Very knowledgeable 2
                   1      .c  don't know 8 .c
                   352     .d  invalid skip .d

```

```

-----
oh8                                     HH28 22.8 Obs: Confidence
-----

```

```

      type: numeric (byte)
      label: oh6f

      range: [0,2]                      units: 1
unique values: 3                      missing .: 0/41554
unique mv codes: 3                    missing .*: 367/41554

```

```

      tabulation: Freq.  Numeric  Label
                  1407      0  No 0
                  11219     1  Sometimes 1
                  28561     2  Usually 2
                   1      .c  don't know 8 .c
                   362     .d  invalid skip .d
                   4      .e  out of range .e

```

```

-----
oh9                                     HH28 22.9 Interview end time
-----

```

```

      type: numeric (int)
      label: missing, but 527 nonmissing values are not labeled

      range: [0,3000]                  units: 1
unique values: 527                    missing .: 14/41554
unique mv codes: 2                    missing .*: 454/41554

      examples: 240
                  430
                  730
                  1130

```

```

-----
oh9b                                    HH28 22.9 Interview end (AM/PM)
-----

```

```

      type: numeric (byte)
      label: ampm

```

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 683/41554

tabulation:	Freq.	Numeric	Label
	10640	1	AM 1
	30231	2	PM 2
	616	.d	invalid skip .d
	1	.e	out of range .e
	66	.o	valid skip 0 .o

 apd HH29 23.dt Anthropometry date

type: string (str6)
 unique values: 287 missing "": 0/41554
 examples: ".a"
 ".a"
 ".a"
 ".a"
 warning: variable has leading blanks

 ge1 Study Code

type: numeric (byte)
 range: [22,22] units: 1
 unique values: 1 missing .: 0/41554
 tabulation: Freq. Value
 41554 22

 ge3 EH1 3 Interviewer ID

type: numeric (int)
 label: missing, but 461 nonmissing values are not labeled
 range: [0,8150] units: 1
 unique values: 461 missing .: 0/41554
 unique mv codes: 1 missing .*: 866/41554
 examples: 523
 1222
 1912
 2433

 ge6 EH1 6 Supervisor ID

type: numeric (int)
 label: missing, but 308 nonmissing values are not labeled

range: [0,3660] units: 1
 unique values: 308 missing .: 0/41554
 unique mv codes: 1 missing .*: 1420/41554

examples: 530
 1230
 1910
 2430

 ge9 EH1 9 Reinterview Household

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	27654	0	No 0
	13900	1	Yes 1

 ge10a EH1 10a 1st Part Completion

type: numeric (byte)
 label: complete

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	41407	1	Complete 1
	147	2	Incomplete 2

 ge10b EH1 10b Elig Wom Completion

type: numeric (byte)
 label: complete

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	38530	1	Complete 1
	3024	2	Incomplete 2

 ge11 EH1 11 Anthro Completion

type: numeric (byte)
 label: ge11f

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 1 missing .*: 1/41554

tabulation:	Freq.	Numeric	Label
	1660	1	Not Done 1
	3288	2	Partially 2
	30829	3	Fully 3
	5776	4	NA 4
	1	.o	valid skip 0 .o

ge12EH1 12 Learning Completion

type: numeric (byte)
label: ge12f

range: [1,4] units: 1
unique values: 4 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	4231	1	Not Done 1
	654	2	Partially 2
	8147	3	Fully 3
	28522	4	NA 4

ge13EH1 13 Additional Learning Sheet

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	41550	0	No 0
	4	1	Yes 1

ge14EH1 14 Data Entry ID

type: numeric (int)
label: missing, but 52 nonmissing values are not labeled

range: [0,2501] units: 1
unique values: 52 missing .: 0/41554
unique mv codes: 1 missing .*: 4825/41554

examples: 7
 11
 21
 32

cd1EH2 cd1 Agree to interview

type: numeric (byte)
label: yesno

range: [1,1] units: 1
unique values: 1 missing .: 0/41554

```

tabulation:  Freq.  Numeric  Label
              41554      1  Yes 1

```

```

-----
cd2                                     EH2 cg2 Date of interview
-----

```

```

      type:  string (str6)

unique values:  621                missing "":  0/41554

examples:  "070205"
            "130104"
            "190205"
            "241204"

warning:  variable has embedded blanks

```

```

-----
cd3                                     EH2 cg3 Interview start time
-----

```

```

      type:  numeric (int)

      range:  [0,1259]                units:  1
unique values:  521                missing .:  0/41554
unique mv codes: 1                missing .*: 222/41554

      mean:  682.835
      std. dev: 400.479

percentiles:      10%      25%      50%      75%      90%
                  155      310      650      1055     1205

```

```

-----
cd3b                                    EH2 cg3b AM/PM Int. time
-----

```

```

      type:  numeric (byte)
      label:  ampm

      range:  [1,2]                units:  1
unique values:  2                missing .:  0/41554
unique mv codes: 2                missing .*: 257/41554

      tabulation:  Freq.  Numeric  Label
                   15661      1  AM 1
                   25636      2  PM 2
                     255      .a  valid blank .a
                      2      .o  valid skip 0 .o

```

```

-----
hi1                                     EH3 1.1 Stratum Number
-----

```

```

      type:  numeric (byte)
      label:  missing, but 33 nonmissing values are not labeled

      range:  [0,32]                units:  1
unique values:  33                missing .:  0/41554
unique mv codes: 2                missing .*: 5293/41554

```

tabulation:	Freq.	Numeric	Label
	23134	0	
	2345	1	
	1915	2	
	502	3	
	480	4	
	395	5	
	775	6	
	648	7	
	557	8	
	487	9	
	413	10	
	630	11	
	789	12	
	350	13	
	399	14	
	373	15	
	472	16	
	599	17	
	108	18	
	93	19	
	72	20	
	155	21	
	235	22	
	27	23	
	41	24	
	1	25	
	27	26	
	13	27	
	71	28	
	24	29	
	10	30	
	63	31	
	58	32	
	4520	.a	valid blank .a
	773	.b	valid skip 9 .b

hi2EH3 1.2 Listing Sheet Number

type: numeric (int)
 label: missing, but 341 nonmissing values are not labeled

 range: [0,453] units: 1
 unique values: 341 missing .: 0/41554
 unique mv codes: 1 missing .*: 2613/41554

 examples: 0
 25
 67
 131

hi3EH3 1.3 State/UT Code

type: numeric (byte)
 label: stateid

 range: [1,34] units: 1

unique values: 33 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	715	1	Jammu & Kashmir 01
	1372	2	Himachal Pradesh 02
	1593	3	Punjab 03
	90	4	Chandigarh 04
	458	5	Uttaranchal 05
	1618	6	Haryana 06
	960	7	Delhi 07
	2485	8	Rajasthan 08
	3512	9	Uttar Pradesh 09
	1430	10	Bihar 10
	105	11	Sikkim 11
	165	12	Arunachal Pradesh 12
	130	13	Nagaland 13
	105	14	Manipur 14
	105	15	Mizoram 15
	229	16	Tripura 16
	161	17	Meghalaya 17
	1017	18	Assam 18
	2380	19	West Bengal 19
	924	20	Jharkhand 20
	2064	21	Orissa 21
	1175	22	Chhatishgarh 22
	2805	23	Madhya Pradesh 23
	2078	24	Gujarat 24
	60	25	Daman & Diu 25
	60	26	Dadra+Nagar Haveli 26
	3203	27	Maharashtra 27
	2435	28	Andhra Pradesh 28
	4021	29	Karnataka 29
	165	30	Goa 30
	1731	32	Kerala 32
	2098	33	Tamil Nadu 33
	105	34	Pondicherry 34

hi4

EH3 1.4 District Code

type: numeric (byte)

range: [0,68] units: 1
unique values: 61 missing .: 0/41554

mean: 14.6933
std. dev: 12.3209

percentiles:	10%	25%	50%	75%	90%
	2	6	12	20	29

hi5

EH3 1.5 Tehsil/Taluka Code

type: numeric (byte)
label: missing

range: [.,.] units: .
unique values: 0 missing .: 41554/41554

tabulation: Freq. Numeric Label
41554 .

hi6 EH3 1.6 Village/Town Code

type: numeric (byte)

range: [1,39] units: 1
unique values: 39 missing .: 0/41554

mean: 5.7573
std. dev: 5.76638

percentiles:	10%	25%	50%	75%	90%
	1	2	4	7	11

hi7a EH3 1.7a Post-Office Code

type: numeric (byte)
label: missing

range: [.,.] units: .
unique values: 0 missing .: 0/41554
unique mv codes: 1 missing .*: 41554/41554

tabulation: Freq. Numeric Label
41554 .a valid blank .a

hi8a EH3 1.8a Mohalla/Hamlet Code

type: numeric (byte)
label: missing

range: [.,.] units: .
unique values: 0 missing .: 0/41554
unique mv codes: 1 missing .*: 41554/41554

tabulation: Freq. Numeric Label
41554 .a valid blank .a

hi9 EH3 1.9 Rural/Urban/Slum

type: numeric (byte)
label: hi9f

range: [1,3] units: 1
unique values: 3 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	27011	1	Rural 1
	13715	2	Urban 2
	828	3	Slum 3

hi10 EH3 1.10 1993-94 Household ID

```

-----
      type: numeric (int)
      label: missing, but 3588 nonmissing values are not labeled

      range: [0,8888]          units: 1
unique values: 3588          missing .: 0/41554
unique mv codes: 1          missing .*: 22191/41554

examples: 421
          1894
          .a   valid blank .a
          .a   valid blank .a

```

hi12 EH3 1.12 Intvw Language Code

```

-----
      type: numeric (byte)
      label: hi12f

      range: [1,11]          units: 1
unique values: 11          missing .: 0/41554
unique mv codes: 1          missing .*: 2568/41554

```

tabulation:	Freq.	Numeric	Label
	17889	1	Hindi 1
	948	2	Assamese 2
	2565	3	Bangla 3
	2134	4	Gujarathi 4
	2926	5	Marathi 5
	2012	6	Oriya 6
	4002	7	Kannad 7
	1726	8	Malyalam 8
	2210	9	Tamil 9
	2365	10	Telegu 10
	209	11	English 11
	2568	.e	out of range .e

ch1 EH6 3.1 Ch1: Code

```

-----
      type: numeric (byte)
      label: missing, but 19 nonmissing values are not labeled

      range: [2,20]          units: 1
unique values: 19          missing .: 17/41554
unique mv codes: 2          missing .*: 29821/41554

```

tabulation:	Freq.	Numeric	Label
	151	2	
	3233	3	
	2888	4	
	2668	5	
	1360	6	
	652	7	
	313	8	
	176	9	
	124	10	
	59	11	

31	12
18	13
12	14
10	15
6	16
5	17
3	18
5	19
2	20
17	.
29821	.a valid blank .a

ch2 EH6 3.2 Ch1: School enrolment

type: numeric (byte)
 label: ch2f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 29838/41554

tabulation:	Freq.	Numeric	Label
	166	0	No 0
	2126	1	Yes, past 1
	9424	2	Yes, now 2
	29838	.a	valid blank .a

ch3 EH6 3.3 Ch1: Start Age in years

type: numeric (byte)
 label: missing, but 15 nonmissing values are not labeled

range: [0,51] units: 1
 unique values: 15 missing .: 0/41554
 unique mv codes: 1 missing .*: 30000/41554

tabulation:	Freq.	Numeric	Label
	4	0	
	14	1	
	67	2	
	875	3	
	1461	4	
	4800	5	
	3359	6	
	608	7	
	233	8	
	86	9	
	34	10	
	10	11	
	1	21	
	1	26	
	1	51	
	30000	.a	valid blank .a

ch4 EH6 3.4 Ch1: Faculty attendance

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 2

      units: 1
      missing .: 0/41554
      missing .*: 30043/41554

```

```

      tabulation: Freq.  Numeric  Label
                  337      0      No 0
                  11174     1      Yes 1
                  30036     .a      valid blank .a
                   7      .c      don't know 8 .c

```

ch5 EH6 3.5 Ch1: Teacher attendance

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 2

      units: 1
      missing .: 0/41554
      missing .*: 30047/41554

```

```

      tabulation: Freq.  Numeric  Label
                  362      0      No 0
                  11145     1      Yes 1
                  30036     .a      valid blank .a
                   11      .c      don't know 8 .c

```

ch6 EH6 3.6 Ch1: Local teacher

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 2

      units: 1
      missing .: 0/41554
      missing .*: 30058/41554

```

```

      tabulation: Freq.  Numeric  Label
                  4949     0      No 0
                  6547     1      Yes 1
                  30046     .a      valid blank .a
                   12      .c      don't know 8 .c

```

ch7 EH6 3.7 Ch1: Fair Teacher

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 2

      units: 1
      missing .: 0/41554
      missing .*: 30056/41554

```

```

      tabulation: Freq.  Numeric  Label
                  299      0      No 0
                  11199     1      Yes 1
                  30046     .a      valid blank .a

```

10 .c don't know 8 .c

ch8 EH6 3.8 Ch1: Good Teacher

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 30065/41554

tabulation:	Freq.	Numeric	Label
	327	0	No 0
	11162	1	Yes 1
	30051	.a	valid blank .a
	14	.c	don't know 8 .c

ch9 EH6 3.9 Ch1: Biased Teacher

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 30059/41554

tabulation:	Freq.	Numeric	Label
	10391	0	No 0
	1104	1	Yes 1
	30048	.a	valid blank .a
	11	.c	don't know 8 .c

ch10 EH6 3.10 Ch1: PTA participation

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 30053/41554

tabulation:	Freq.	Numeric	Label
	5765	0	No 0
	5736	1	Yes 1
	30051	.a	valid blank .a
	2	.c	don't know 8 .c

ch11 EH6 3.11 Ch1: # teacher discuss

type: numeric (byte)
label: missing, but 35 nonmissing values are not labeled

range: [0,99] units: 1
unique values: 35 missing .: 0/41554

unique mv codes: 1 missing .*: 30519/41554

tabulation:	Freq.	Numeric	Label
	3664	0	
	1023	1	
	2667	2	
	1172	3	
	760	4	
	443	5	
	324	6	
	112	7	
	223	8	
	119	9	
	211	10	
	8	11	
	173	12	
	2	13	
	8	14	
	37	15	
	3	16	
	2	18	
	1	19	
	22	20	
	2	21	
	2	22	
	27	24	
	1	25	
	2	26	
	4	30	
	1	35	
	3	36	
	2	40	
	2	48	
	3	60	
	1	64	
	1	84	
	4	94	
	6	99	
	30519	.a	valid blank .a

 ch12 EH6 3.12 Ch1: Average student

type: numeric (byte)
 label: ch12f

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	2	missing .*:	30082/41554

tabulation:	Freq.	Numeric	Label
	1328	0	Below Average 0
	8595	1	Average 1
	1549	2	Better than Average 2
	30080	.a	valid blank .a
	2	.c	don't know 8 .c

 ch13 EH6 3.13 Ch1: School enjoyment

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 2                missing .*: 30064/41554

```

```

      tabulation: Freq.  Numeric  Label
                   796      0     No 0
                   10694     1     Yes 1
                   30063     .a valid blank .a
                      1     .c don't know 8 .c

```

ch14EH6 3.14 Ch1: # Repeats

```

      type: numeric (byte)
      label: missing, but 6 nonmissing values are not labeled

      range: [0,5]                      units: 1
      unique values: 6                  missing .: 0/41554
      unique mv codes: 1                missing .*: 30156/41554

```

```

      tabulation: Freq.  Numeric  Label
                   10130     0
                   773      1
                   380      2
                   98       3
                   13       4
                   4        5
                   30156     .a valid blank .a

```

ch15aEH6 3.15a Ch1: Ever praised

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 2                missing .*: 30235/41554

```

```

      tabulation: Freq.  Numeric  Label
                   7599     0     No 0
                   3720     1     Yes 1
                   30230     .a valid blank .a
                      5     .c don't know 8 .c

```

ch15bEH6 3.15b Ch1: Ever beaten

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 2                missing .*: 30304/41554

```

```

      tabulation: Freq.  Numeric  Label

```



```

      8707      0 No 0
      2543      1 Yes 1
      30300     .a valid blank .a
         4      .c don't know 8 .c

```

```

-----
ch1ss                                     EH6 state Ch1: School state
-----

```

```

      type: numeric (byte)
      label: stateid

```

```

      range: [1,34]                units: 1
unique values: 33                missing .: 17/41554
unique mv codes: 2                missing .*: 29821/41554

```

```

tabulation: Freq.  Numeric  Label
            212      1 Jammu & Kashmir 01
            385      2 Himachal Pradesh 02
            534      3 Punjab 03
             17      4 Chandigarh 04
            142      5 Uttaranchal 05
            516      6 Haryana 06
            186      7 Delhi 07
            850      8 Rajasthan 08
           1445      9 Uttar Pradesh 09
            547     10 Bihar 10
             22     11 Sikkim 11
             45     12 Arunachal Pradesh 12
             18     13 Nagaland 13
             30     14 Manipur 14
             23     15 Mizoram 15
             41     16 Tripura 16
             51     17 Meghalaya 17
            197     18 Assam 18
            644     19 West Bengal 19
            213     20 Jharkhand 20
            605     21 Orissa 21
            372     22 Chhatishgarh 22
            918     23 Madhya Pradesh 23
            549     24 Gujarat 24
             18     25 Daman & Diu 25
             21     26 Dadra+Nagar Haveli 26
            882     27 Maharashtra 27
            530     28 Andhra Pradesh 28
            943     29 Karnataka 29
             29     30 Goa 30
            294     32 Kerala 32
            412     33 Tamil Nadu 33
             25     34 Pondicherry 34
             17      .
          29821     .a valid blank .a

```

```

-----
ch1sd                                     EH6 dist Ch1: School district
-----

```

```

      type: numeric (byte)
      label: missing, but 61 nonmissing values are not labeled

```

```

      range: [0,68]                units: 1
unique values: 61                missing .: 16/41554

```

unique mv codes: 2 missing .*: 28818/41554

examples: 16
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 ch1sp EH6 psu Ch1: School PSU

type: numeric (byte)
 label: missing, but 38 nonmissing values are not labeled

range: [1,39] units: 1
 unique values: 38 missing .: 17/41554
 unique mv codes: 2 missing .*: 29821/41554

examples: 6
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 ch1s EH6 sch Ch1: School code

type: numeric (byte)
 label: missing, but 10 nonmissing values are not labeled

range: [0,82] units: 1
 unique values: 10 missing .: 17/41554
 unique mv codes: 3 missing .*: 30201/41554

tabulation:	Freq.	Numeric	Label
	27	0	
	7591	1	
	3702	2	
	1	3	
	9	4	
	1	7	
	1	8	
	2	10	
	1	11	
	1	82	
	17	.	
	30192	.a	valid blank .a
	9	.c	don't know 8 .c

 ch18 EH7 3.18 Ch2: roster id

type: numeric (byte)

range: [2,24] units: 1
 unique values: 21 missing .: 21/41554
 unique mv codes: 2 missing .*: 38531/41554

tabulation:	Freq.	Value
	6	2
	107	3

```

869 4
720 5
574 6
274 7
160 8
105 9
55 10
43 11
35 12
20 13
10 14
8 15
3 16
3 17
2 18
2 20
3 21
2 22
1 24
21 .
38531 .a

```

ch19EH7 3.19 Ch2: School enrolment

```

type: numeric (byte)
label: ch2f

```

```

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 38556/41554

```

tabulation:	Freq.	Numeric	Label
	69	0	No 0
	549	1	Yes, past 1
	2380	2	Yes, now 2
	38556	.a	valid blank .a

ch20EH7 3.20 Ch2: Start Age in years

```

type: numeric (byte)
label: missing, but 13 nonmissing values are not labeled

```

```

range: [0,12] units: 1
unique values: 13 missing .: 0/41554
unique mv codes: 2 missing .*: 38624/41554

```

tabulation:	Freq.	Numeric	Label
	2	0	
	2	1	
	15	2	
	199	3	
	383	4	
	1220	5	
	869	6	
	174	7	
	48	8	
	12	9	
	4	10	

```

      1      11
      1      12
38623      .a valid blank .a
      1      .c don't know 8 .c

```

----- EH7 3.21 Ch2: Faculty attendance -----

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
unique values: 2          missing .: 0/41554
unique mv codes: 2        missing .*: 38637/41554

      tabulation: Freq.  Numeric  Label
                  86        0    No 0
                  2831       1    Yes 1
                 38634       .a valid blank .a
                   3        .c don't know 8 .c

```

----- EH7 3.22 Ch2: Teacher attendance -----

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
unique values: 2          missing .: 0/41554
unique mv codes: 2        missing .*: 38636/41554

      tabulation: Freq.  Numeric  Label
                  97        0    No 0
                 2821       1    Yes 1
                 38633       .a valid blank .a
                   3        .c don't know 8 .c

```

----- EH7 3.23 Ch2: Local teacher -----

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
unique values: 2          missing .: 0/41554
unique mv codes: 2        missing .*: 38639/41554

      tabulation: Freq.  Numeric  Label
                 1270       0    No 0
                 1645       1    Yes 1
                 38635       .a valid blank .a
                   4        .c don't know 8 .c

```

----- EH7 3.24 Ch2: Fair teacher -----

```

      type: numeric (byte)
      label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 2
units: 1
missing .: 0/41554
missing .*: 38634/41554

```

```

tabulation: Freq.  Numeric  Label
              88      0  No 0
              2832     1  Yes 1
              38632    .a valid blank .a
              2      .c don't know 8 .c

```

ch25 EH7 3.25 Ch2: Good Teacher

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 2
units: 1
missing .: 0/41554
missing .*: 38635/41554

```

```

tabulation: Freq.  Numeric  Label
              89      0  No 0
              2830     1  Yes 1
              38633    .a valid blank .a
              2      .c don't know 8 .c

```

ch26 EH7 3.26 Ch2: Biased teacher

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 2
units: 1
missing .: 0/41554
missing .*: 38635/41554

```

```

tabulation: Freq.  Numeric  Label
              2645     0  No 0
              274      1  Yes 1
              38632    .a valid blank .a
              3      .c don't know 8 .c

```

ch27 EH7 3.27 Ch2: PTA participation

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 2
units: 1
missing .: 0/41554
missing .*: 38639/41554

```

```

tabulation: Freq.  Numeric  Label
              1512     0  No 0
              1403     1  Yes 1
              38638    .a valid blank .a
              1      .c don't know 8 .c

```

ch28

EH7 3.28 Ch2: # teacher discuss

```

type: numeric (byte)
label: missing, but 27 nonmissing values are not labeled

range: [0,94]          units: 1
unique values: 27      missing .: 0/41554
unique mv codes: 2     missing .*: 38762/41554

```

tabulation:	Freq.	Numeric	Label
	983	0	
	233	1	
	669	2	
	303	3	
	161	4	
	97	5	
	86	6	
	27	7	
	47	8	
	36	9	
	60	10	
	1	11	
	43	12	
	3	14	
	16	15	
	1	18	
	7	20	
	3	22	
	6	24	
	1	25	
	1	30	
	1	32	
	1	35	
	2	36	
	1	40	
	1	64	
	2	94	
	38760	.a	valid blank .a
	2	.b	valid skip 9 .b

ch29

EH7 3.29 Ch2: Average student

```

type: numeric (byte)
label: ch12f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 2     missing .*: 38648/41554

```

tabulation:	Freq.	Numeric	Label
	391	0	Below Average 0
	2183	1	Average 1
	332	2	Better than Average 2
	38647	.a	valid blank .a
	1	.c	don't know 8 .c

ch30

EH7 3.30 Ch2: School enjoyment

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 38639/41554

```

tabulation:	Freq.	Numeric	Label
	224	0	No 0
	2691	1	Yes 1
	38639	.a	valid blank .a

ch31

EH7 3.31 Ch2: # Repeats

```

type: numeric (byte)
label: missing, but 6 nonmissing values are not labeled

range: [0,5]          units: 1
unique values: 6      missing .: 0/41554
unique mv codes: 1    missing .*: 38662/41554

```

tabulation:	Freq.	Numeric	Label
	2624	0	
	180	1	
	69	2	
	13	3	
	5	4	
	1	5	
	38662	.a	valid blank .a

ch32a

EH7 3.32a Ch2: Ever praised

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 38675/41554

```

tabulation:	Freq.	Numeric	Label
	2041	0	No 0
	838	1	Yes 1
	38674	.a	valid blank .a
	1	.c	don't know 8 .c

ch32b

EH7 3.32b Ch2: Ever beaten

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 38695/41554

```

tabulation:	Freq.	Numeric	Label
	2181	0	No 0
	678	1	Yes 1
	38692	.a	valid blank .a
	3	.c	don't know 8 .c

ch2ss	EH7 state Ch2: School state
-------	-----------------------------

type: numeric (byte)
label: stateid

range:	[1,34]	units:	1
unique values:	33	missing .:	21/41554
unique mv codes:	2	missing .*:	38531/41554

tabulation:	Freq.	Numeric	Label
	59	1	Jammu & Kashmir 01
	121	2	Himachal Pradesh 02
	172	3	Punjab 03
	3	4	Chandigarh 04
	41	5	Uttaranchal 05
	156	6	Haryana 06
	27	7	Delhi 07
	243	8	Rajasthan 08
	458	9	Uttar Pradesh 09
	176	10	Bihar 10
	2	11	Sikkim 11
	9	12	Arunachal Pradesh 12
	4	13	Nagaland 13
	7	14	Manipur 14
	5	15	Mizoram 15
	8	16	Tripura 16
	14	17	Meghalaya 17
	35	18	Assam 18
	132	19	West Bengal 19
	32	20	Jharkhand 20
	101	21	Orissa 21
	78	22	Chhatishgarh 22
	247	23	Madhya Pradesh 23
	161	24	Gujarat 24
	4	25	Daman & Diu 25
	5	26	Dadra+Nagar Haveli 26
	243	27	Maharashtra 27
	94	28	Andhra Pradesh 28
	236	29	Karnataka 29
	5	30	Goa 30
	37	32	Kerala 32
	83	33	Tamil Nadu 33
	4	34	Pondicherry 34
	21	.	.
	38531	.a	valid blank .a

ch2sd	EH7 dist Ch2: School district
-------	-------------------------------

type: numeric (byte)
label: missing, but 61 nonmissing values are not labeled

range:	[0,68]	units:	1
--------	--------	--------	---

unique values: 61 missing .: 20/41554
 unique mv codes: 2 missing .*: 37282/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

ch2spEH7 psu Ch2: School PSU

type: numeric (byte)
 label: missing, but 32 nonmissing values are not labeled

range: [1,37] units: 1
 unique values: 32 missing .: 21/41554
 unique mv codes: 2 missing .*: 38531/41554

tabulation:	Freq.	Numeric	Label
	516	1	
	503	2	
	434	3	
	340	4	
	260	5	
	232	6	
	197	7	
	163	8	
	85	9	
	68	10	
	51	11	
	39	12	
	34	13	
	15	14	
	7	15	
	2	16	
	4	17	
	7	18	
	2	19	
	1	20	
	5	21	
	1	22	
	2	23	
	1	24	
	1	25	
	7	31	
	6	32	
	4	33	
	2	34	
	8	35	
	3	36	
	2	37	
	21	.	
	38531	.a	valid blank .a

ch2sEH7 sch Ch2: School code

type: numeric (byte)
 label: missing, but 7 nonmissing values are not labeled

range: [0,8] units: 1
 unique values: 7 missing .: 21/41554
 unique mv codes: 3 missing .*: 38638/41554

tabulation:	Freq.	Numeric	Label
	6	0	
	1984	1	
	900	2	
	1	3	
	2	4	
	1	7	
	1	8	
	21	.	
	38635	.a	valid blank .a
	3	.c	don't know 8 .c

 mp1 EH8 4.1 Marry daughter natal vill

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 200/41554

tabulation:	Freq.	Numeric	Label
	21492	0	No 0
	19862	1	Yes 1
	200	.a	valid blank .a

 mp2 EH8 4.2 Marry daughter cousin

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 206/41554

tabulation:	Freq.	Numeric	Label
	26633	0	No 0
	14715	1	Yes 1
	206	.a	valid blank .a

 mp3a EH8 4.3a Boy's wed exp-lower

type: numeric (long)
 label: missing, but 146 nonmissing values are not labeled

range: [0,2000000] units: 1
 unique values: 146 missing .: 2/41554
 unique mv codes: 2 missing .*: 294/41554

examples: 20000
 40000
 50000

100000

mp3b EH8 4.3b Boy's wed exp-upper

```

      type: numeric (long)
      label: missing, but 219 nonmissing values are not labeled

      range: [0,2005000]          units: 1
      unique values: 219          missing .: 0/41554
      unique mv codes: 1          missing .*: 271/41554

      examples: 25000
                50000
                60000
                100000

```

mp4a EH8 4.4a Girl's wed exp-lower

```

      type: numeric (long)
      label: missing, but 196 nonmissing values are not labeled

      range: [0,2005000]          units: 1
      unique values: 196          missing .: 1/41554
      unique mv codes: 2          missing .*: 300/41554

      examples: 30000
                50000
                80000
                110000

```

mp4b EH8 4.4b Girl's wed exp-upper

```

      type: numeric (long)
      label: missing, but 268 nonmissing values are not labeled

      range: [0,2050000]          units: 1
      unique values: 268          missing .: 0/41554
      unique mv codes: 1          missing .*: 267/41554

      examples: 40000
                70000
                100000
                180000

```

mp5a EH8 4.5a Wed Gift: gold

```

      type: numeric (byte)
      label: mp5f

      range: [0,2]                units: 1
      unique values: 3             missing .: 0/41554
      unique mv codes: 2           missing .*: 220/41554

      tabulation: Freq.  Numeric  Label

```

2830	0	Rarely/Never	0
7546	1	Sometimes	1
30958	2	Usually	2
217	.a	valid blank	.a
3	.c	don't know	8 .c

mp5b

EH8 4.5b Wed Gift: silver

type: numeric (byte)
label: mp5f

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	2	missing .*:	210/41554

tabulation:	Freq.	Numeric	Label
	6061	0	Rarely/Never 0
	8580	1	Sometimes 1
	26703	2	Usually 2
	208	.a	valid blank .a
	2	.c	don't know 8 .c

mp5c

EH8 4.5c Wed Gift: land

type: numeric (byte)
label: mp5f

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	2	missing .*:	216/41554

tabulation:	Freq.	Numeric	Label
	39061	0	Rarely/Never 0
	1876	1	Sometimes 1
	401	2	Usually 2
	214	.a	valid blank .a
	2	.c	don't know 8 .c

mp5d

EH8 4.5d Wed Gift: car

type: numeric (byte)
label: mp5f

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	3	missing .*:	224/41554

tabulation:	Freq.	Numeric	Label
	38786	0	Rarely/Never 0
	2198	1	Sometimes 1
	346	2	Usually 2
	216	.a	valid blank .a
	6	.b	valid skip 9 .b
	2	.c	don't know 8 .c

mp5e EH8 4.5e Wed Gift: scooter

```

type: numeric (byte)
label: mp5f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 3    missing .*: 221/41554

```

tabulation:	Freq.	Numeric	Label
	28645	0	Rarely/Never 0
	8038	1	Sometimes 1
	4650	2	Usually 2
	212	.a	valid blank .a
	7	.b	valid skip 9 .b
	2	.c	don't know 8 .c

mp5f EH8 4.5f Wed Gift: TV

```

type: numeric (byte)
label: mp5f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 3    missing .*: 243/41554

```

tabulation:	Freq.	Numeric	Label
	20422	0	Rarely/Never 0
	10765	1	Sometimes 1
	10124	2	Usually 2
	221	.a	valid blank .a
	19	.b	valid skip 9 .b
	3	.c	don't know 8 .c

mp5g EH8 4.5g Wed Gift: Fridge

```

type: numeric (byte)
label: mp5f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 3    missing .*: 250/41554

```

tabulation:	Freq.	Numeric	Label
	26766	0	Rarely/Never 0
	8671	1	Sometimes 1
	5867	2	Usually 2
	229	.a	valid blank .a
	19	.b	valid skip 9 .b
	2	.c	don't know 8 .c

mp5h EH8 4.5h Wed Gift: Furniture

```

type: numeric (byte)
label: mp5f

```

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 246/41554

tabulation:	Freq.	Numeric	Label
	11470	0	Rarely/Never 0
	8032	1	Sometimes 1
	21806	2	Usually 2
	225	.a	valid blank .a
	18	.b	valid skip 9 .b
	3	.c	don't know 8 .c

 mp5i EH8 4.5i Wed Gift: Pressure cook

type: numeric (byte)
 label: mp5f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 242/41554

tabulation:	Freq.	Numeric	Label
	16569	0	Rarely/Never 0
	8072	1	Sometimes 1
	16671	2	Usually 2
	239	.a	valid blank .a
	1	.b	valid skip 9 .b
	2	.c	don't know 8 .c

 mp5j EH8 4.5j Wed Gift: Utensils

type: numeric (byte)
 label: mp5f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 255/41554

tabulation:	Freq.	Numeric	Label
	3841	0	Rarely/Never 0
	3869	1	Sometimes 1
	33589	2	Usually 2
	252	.a	valid blank .a
	3	.c	don't know 8 .c

 mp5k EH8 4.5k Wed Gift: Mixer/Grinder

type: numeric (byte)
 label: mp5f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 292/41554

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

24267	0	Rarely/Never	0
8157	1	Sometimes	1
8838	2	Usually	2
288	.a	valid blank	.a
4	.c	don't know	8 .c

mp5lEH8 4.5l Wed Gift: Bedding

type: numeric (byte)
label: mp5f

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	2	missing .*:	252/41554

tabulation:	Freq.	Numeric	Label
	5562	0	Rarely/Never 0
	5573	1	Sometimes 1
	30167	2	Usually 2
	248	.a	valid blank .a
	4	.c	don't know 8 .c

mp5mEH8 4.5m Wed Gift: Watch

type: numeric (byte)
label: mp5f

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	3	missing .*:	254/41554

tabulation:	Freq.	Numeric	Label
	6562	0	Rarely/Never 0
	8469	1	Sometimes 1
	26269	2	Usually 2
	248	.a	valid blank .a
	2	.b	valid skip 9 .b
	4	.c	don't know 8 .c

mp5nEH8 4.5n Wed Gift: Bicycle

type: numeric (byte)
label: mp5f

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	2	missing .*:	263/41554

tabulation:	Freq.	Numeric	Label
	28633	0	Rarely/Never 0
	7055	1	Sometimes 1
	5603	2	Usually 2
	259	.a	valid blank .a
	4	.c	don't know 8 .c

mp5o EH8 4.5o Wed Gift: Sewing m/c

```

type: numeric (byte)
label: mp5f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 2    missing .*: 275/41554

tabulation: Freq.  Numeric  Label
             23652      0  Rarely/Never 0
             8270       1  Sometimes 1
             9357       2  Usually 2
              271       .a  valid blank .a
               4        .c  don't know 8 .c

```

mp5p EH8 4.5p Wed Gift: Livestock

```

type: numeric (byte)
label: mp5f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 3    missing .*: 281/41554

tabulation: Freq.  Numeric  Label
             32296      0  Rarely/Never 0
             6349       1  Sometimes 1
             2628       2  Usually 2
              276       .a  valid blank .a
               1        .b  valid skip 9 .b
               4        .c  don't know 8 .c

```

mp5q EH8 4.5q Wed Gift: Tractor

```

type: numeric (byte)
label: mp5f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 2    missing .*: 333/41554

tabulation: Freq.  Numeric  Label
             40887      0  Rarely/Never 0
              202       1  Sometimes 1
              132       2  Usually 2
              329       .a  valid blank .a
               4        .c  don't know 8 .c

```

mp5r EH8 4.5r Wed Gift: Cash

```

type: numeric (byte)
label: mp5f

range: [0,2]          units: 1

```


unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 502/41554

tabulation:	Freq.	Numeric	Label
	15764	0	Rarely/Never 0
	8975	1	Sometimes 1
	16313	2	Usually 2
	499	.a	valid blank .a
	1	.b	valid skip 9 .b
	2	.c	don't know 8 .c

 mp5s EH8 4.5s Wed Gift: Cash amount

type: numeric (long)
 label: missing, but 197 nonmissing values are not labeled

range: [0,2500000] units: 1
 unique values: 197 missing .: 0/41554
 unique mv codes: 2 missing .*: 7489/41554

examples: 20
 10000
 30000
 150000

 wa1 EH9 5.1 Water source: usual

type: numeric (byte)
 label: wa1f

range: [1,11] units: 1
 unique values: 11 missing .: 0/41554
 unique mv codes: 1 missing .*: 60/41554

tabulation:	Freq.	Numeric	Label
	19114	1	Piped 01
	4293	2	Tube well 02
	11228	3	Hand pump 03
	4893	4	Open well 04
	824	5	Covered well 05
	323	6	River 06
	155	7	Pond 07
	371	8	Truck 08
	28	9	Rainwater 09
	42	10	Bottled 10
	223	11	Other 11
	60	.a	valid blank .a

 wa2 EH9 5.2 Water within house

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 60/41554

tabulation:	Freq.	Numeric	Label
	19715	0	No 0
	21779	1	Yes 1
	60	.a	valid blank .a

wa2aEH9 5.2a Walking time to water

type: numeric (int)
 label: missing, but 41 nonmissing values are not labeled

 range: [1,120] units: 1
 unique values: 41 missing .: 0/41554
 unique mv codes: 1 missing .*: 21857/41554

 examples: 5
 15
 .a valid blank .a
 .a valid blank .a

wa3EH9 5.3 Water supply hours

type: numeric (byte)
 label: wa3f, but 23 nonmissing values are not labeled

 range: [1,24] units: 1
 unique values: 24 missing .: 0/41554
 unique mv codes: 2 missing .*: 22443/41554

tabulation:	Freq.	Numeric	Label
	6615	1	< 1 hour 01
	4553	2	
	1669	3	
	1490	4	
	711	5	
	879	6	
	198	7	
	657	8	
	111	9	
	303	10	
	29	11	
	230	12	
	11	13	
	20	14	
	65	15	
	26	16	
	2	17	
	21	18	
	3	19	
	80	20	
	5	21	
	32	22	
	58	23	
	1343	24	
	22413	.a	valid blank .a
	30	.o	valid skip 0 .o

wa4 EH9 5.4 Same water source summer

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 60/41554

```

tabulation:	Freq.	Numeric	Label
	2458	0	No 0
	39036	1	Yes 1
	60	.a	valid blank .a

wa5 EH9 5.5 Water source summer

```

type: numeric (byte)
label: wa1f

range: [1,11]        units: 1
unique values: 11    missing .: 0/41554
unique mv codes: 1   missing .*: 39096/41554

```

tabulation:	Freq.	Numeric	Label
	151	1	Piped 01
	220	2	Tube well 02
	571	3	Hand pump 03
	732	4	Open well 04
	96	5	Covered well 05
	219	6	River 06
	47	7	Pond 07
	181	8	Truck 08
	125	9	Rainwater 09
	4	10	Bottled 10
	112	11	Other 11
	39096	.a	valid blank .a

wa6 EH9 5.6 Water in house summer

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 39096/41554

```

tabulation:	Freq.	Numeric	Label
	2184	0	No 0
	274	1	Yes 1
	39096	.a	valid blank .a

wa6a EH9 5.6a Time to summer water

```

type: numeric (int)
label: missing, but 32 nonmissing values are not labeled

```

```

range: [1,120]
unique values: 32
unique mv codes: 1
units: 1
missing .: 0/41554
missing .*: 39370/41554

```

tabulation:	Freq.	Numeric	Label
	19	1	
	64	2	
	36	3	
	3	4	
	312	5	
	7	6	
	5	7	
	3	8	
	2	9	
	480	10	
	1	12	
	359	15	
	1	17	
	269	20	
	2	22	
	2	24	
	57	25	
	329	30	
	1	31	
	16	35	
	30	40	
	13	45	
	1	48	
	4	50	
	1	51	
	118	60	
	2	70	
	5	75	
	16	90	
	1	100	
	2	101	
	23	120	
	39370	.a	valid blank .a

```

-----
wa7                                     EH9 5.7 Water Avail: usual
-----

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 1
units: 1
missing .: 0/41554
missing .*: 1236/41554

```

tabulation:	Freq.	Numeric	Label
	3072	0	No 0
	37246	1	Yes 1
	1236	.a	valid blank .a

```

-----
wa8                                     EH9 5.8 Water Avail: Summer
-----

```

```

type: numeric (byte)
label: yesno

```

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 631/41554

tabulation:	Freq.	Numeric	Label
	6291	0	No 0
	34632	1	Yes 1
	631	.a	valid blank .a

 wa9a EH9 5.9a Get Water women

type: numeric (int)
 label: missing, but 142 nonmissing values are not labeled

range: [0,720] units: 1
 unique values: 142 missing .: 1/41554
 unique mv codes: 2 missing .*: 16515/41554

examples: 15
 60
 360
 .a valid blank .a

 wa9b EH9 5.9b Get Water men

type: numeric (int)
 label: missing, but 105 nonmissing values are not labeled

range: [0,540] units: 1
 unique values: 105 missing .: 1/41554
 unique mv codes: 2 missing .*: 19717/41554

examples: 0
 30
 .a valid blank .a
 .a valid blank .a

 wa9c EH9 5.9c Get Water girls

type: numeric (int)
 label: missing, but 70 nonmissing values are not labeled

range: [0,440] units: 1
 unique values: 70 missing .: 1/41554
 unique mv codes: 2 missing .*: 21999/41554

examples: 0
 10
 .a valid blank .a
 .a valid blank .a

 wa9d EH9 5.9d Get Water boys

```

      type: numeric (int)
      label: missing, but 59 nonmissing values are not labeled

      range: [0,360]                units: 1
      unique values: 59             missing .: 0/41554
      unique mv codes: 1            missing .*: 21980/41554

```

```

      examples: 0
                0
                .a   valid blank .a
                .a   valid blank .a

```

```

-----
wa10                                EH9 5.10 Purify water
-----

```

```

      type: numeric (byte)
      label: wa10f

      range: [0,3]                units: 1
      unique values: 4             missing .: 0/41554
      unique mv codes: 1           missing .*: 395/41554

```

```

      tabulation: Freq.  Numeric  Label
                  26770      0  Never 0
                  5190       1  Rarely/Never 1
                  5301       2  Usually 2
                  3898       3  Always 3
                  395        .a  valid blank .a

```

```

-----
wa11a                              EH9 5.11a Drinking water storage
-----

```

```

      type: numeric (byte)
      label: wa11af

      range: [0,2]                units: 1
      unique values: 3             missing .: 0/41554
      unique mv codes: 1           missing .*: 312/41554

```

```

      tabulation: Freq.  Numeric  Label
                  3653      0  No vessel 0
                  34750     1  has lid 1
                  2839      2  no lid 2
                  312       .a  valid blank .a

```

```

-----
wa11b                              EH9 5.11b Drinking water pouring
-----

```

```

      type: numeric (byte)
      label: wa11bf

      range: [1,4]                units: 1
      unique values: 4             missing .: 0/41554
      unique mv codes: 2           missing .*: 3965/41554

```

```

      tabulation: Freq.  Numeric  Label
                  6006      1  Poured from vessel 1
                  15216     2  long ladle 2
                  14378     3  cup, utensil 3

```

sa1	EH10 6.1 Number of rooms
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

sa2 EH10 6.2 Cooking place

sa2a EH10 6.2a Vent in cooking place

type: numeric (byte)
 label: sa2af, but 1 nonmissing value is not labeled

 range: [0,9] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 1 missing .*: 4009/41554

tabulation:	Freq.	Numeric	Label
	10261	0	No 0
	21981	1	Yes 1
	1	8	
	5302	9	Cooking is outdoors 9
	4009	.a	valid blank .a

sa3 EH10 6.3 Household servant

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 507/41554

tabulation:	Freq.	Numeric	Label
	39138	0	No 0
	1909	1	Yes 1
	507	.a	valid blank .a

sa4 EH10 6.4 Household Toilet

type: numeric (byte)
 label: sa4f

 range: [0,3] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 1 missing .*: 305/41554

tabulation:	Freq.	Numeric	Label
	21997	0	None, open fields 0
	5604	1	Traditional latrine 1
	2999	2	VIP latrine 2
	10649	3	Flush toilet 3
	305	.d	invalid skip .d

sa5 EH10 6.5 Access to public toilet

type: numeric (byte)
 label: sa5f

 range: [0,3] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 2 missing .*: 12386/41554

tabulation:	Freq.	Numeric	Label
	25514	0	None, 0

898	1	Shared toilet in bldg
1361	2	Shared toilet outside bldg 2
1395	3	Public Govt toilet 3
12385	.a	valid blank .a
1	.b	valid skip 9 .b

sa6 EH10 6.6 Handwash aft defecation

type: numeric (byte)
label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	1	missing .*:	157/41554

tabulation:	Freq.	Numeric	Label
	309	0	No 0
	41088	1	Yes 1
	157	.a	valid blank .a

sa6a EH10 6.6a Use in handwash

type: numeric (byte)
label: sa6af

range:	[1,3]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	2	missing .*:	467/41554

tabulation:	Freq.	Numeric	Label
	7499	1	Water alone 1
	12268	2	Mud, ash etc. 2
	21320	3	Soap 3
	336	.a	valid blank .a
	131	.o	valid skip 0 .o

fu1 EH10 7.1 HH electricity

type: numeric (byte)
label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	1	missing .*:	305/41554

tabulation:	Freq.	Numeric	Label
	8943	0	No 0
	32306	1	Yes 1
	305	.a	valid blank .a

fu1a EH10 7.1a Electricity hours

type: numeric (byte)
label: missing, but 25 nonmissing values are not labeled

range: [0,24] units: 1
 unique values: 25 missing .: 0/41554
 unique mv codes: 1 missing .*: 7938/41554

tabulation:	Freq.	Numeric	Label
	1310	0	
	132	1	
	252	2	
	248	3	
	723	4	
	758	5	
	1615	6	
	621	7	
	2001	8	
	686	9	
	1463	10	
	226	11	
	2064	12	
	206	13	
	702	14	
	1037	15	
	1071	16	
	338	17	
	2689	18	
	409	19	
	3708	20	
	614	21	
	2585	22	
	2515	23	
	5643	24	
	7938	.a	valid blank .a

 fu1b EH10 7.1b Electricity Payment

type: numeric (byte)
 label: fu1bf

range: [0,5] units: 1
 unique values: 6 missing .: 0/41554
 unique mv codes: 1 missing .*: 8095/41554

tabulation:	Freq.	Numeric	Label
	4350	0	No bill 0
	26451	1	Bill from SEB 1
	981	2	Neighbour 2
	1062	3	In rent 3
	26	4	Own generator 4
	589	5	Other means 5
	8095	.a	valid blank .a

 fu1c EH10 7.1c Electricity Rs

type: numeric (int)
 label: missing, but 622 nonmissing values are not labeled

range: [0,9000] units: 1
 unique values: 622 missing .: 0/41554

unique mv codes: 3 missing .*: 10587/41554

examples: 70
150
295
.a valid blank .a

fu2

EH10 7.2 Meals per day

type: numeric (byte)
label: missing, but 7 nonmissing values are not labeled

range: [0,6] units: 1
unique values: 7 missing .: 0/41554
unique mv codes: 1 missing .*: 336/41554

tabulation:	Freq.	Numeric	Label
	168	0	
	197	1	
	10602	2	
	25692	3	
	3939	4	
	616	5	
	4	6	
	336	.a	valid blank .a

fu3

EH10 7.3 Hours burning stove

type: numeric (byte)
label: missing, but 13 nonmissing values are not labeled

range: [0,12] units: 1
unique values: 13 missing .: 0/41554
unique mv codes: 1 missing .*: 255/41554

tabulation:	Freq.	Numeric	Label
	106	0	
	4275	1	
	11300	2	
	10847	3	
	7689	4	
	3811	5	
	1985	6	
	510	7	
	434	8	
	146	9	
	192	10	
	2	11	
	2	12	
	255	.a	valid blank .a

fu4

EH10 7.4 HH chulha type

type: numeric (byte)
label: fu4f

range: [0,3] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 1 missing .*: 857/41554

tabulation:	Freq.	Numeric	Label
	10961	0	no biomass stove 0
	9237	1	Open fire 1
	18462	2	Traditional chulha 2
	2037	3	Improved chulha 3
	857	.a	valid blank .a

fu5 EH11 7.5 Firewood use

type: numeric (byte)
 label: fu5f

range: [0,4] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 1 missing .*: 438/41554

tabulation:	Freq.	Numeric	Label
	11674	0	Fuel not used 0
	18987	1	Mainly cooking 1
	94	2	Mainly lighting 2
	986	3	Mainly heating 3
	9375	4	Combination 4
	438	.a	valid blank .a

fu5a EH11 7.5a Firewood source

type: numeric (byte)
 label: fu5af

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 2 missing .*: 12091/41554

tabulation:	Freq.	Numeric	Label
	8653	1	Purchase 1
	8616	2	Collect from own land 2
	10406	3	Collect from village 3
	1788	4	Both 4
	7701	.a	valid blank .a
	4390	.o	valid skip 0 .o

fu5b EH11 7.5b Firewood Rs

type: numeric (int)
 label: missing, but 156 nonmissing values are not labeled

range: [0,2500] units: 1
 unique values: 156 missing .: 0/41554
 unique mv codes: 1 missing .*: 17931/41554

examples: 0
 100

```
.a    valid blank .a
.a    valid blank .a
```

```
-----
fu6                                     EH11 7.6 Dung use
-----
```

```
type: numeric (byte)
label: fu5f
```

```
range: [0,4]                units: 1
unique values: 5            missing .: 0/41554
unique mv codes: 1         missing .*: 991/41554
```

tabulation:	Freq.	Numeric	Label
	25416	0	Fuel not used 0
	10256	1	Mainly cooking 1
	98	2	Mainly lighting 2
	780	3	Mainly heating 3
	4013	4	Combination 4
	991	.a	valid blank .a

```
-----
fu6a                                    EH11 7.6a Dung source
-----
```

```
type: numeric (byte)
label: fu5af
```

```
range: [1,4]                units: 1
unique values: 4            missing .: 0/41554
unique mv codes: 2         missing .*: 26381/41554
```

tabulation:	Freq.	Numeric	Label
	2405	1	Purchase 1
	8733	2	Collect from own land 2
	3517	3	Collect from village 3
	518	4	Both 4
	16070	.a	valid blank .a
	10311	.o	valid skip 0 .o

```
-----
fu6b                                    EH11 7.6b Dung Rs
-----
```

```
type: numeric (int)
label: missing, but 82 nonmissing values are not labeled
```

```
range: [0,800]              units: 1
unique values: 82           missing .: 0/41554
unique mv codes: 1         missing .*: 24361/41554
```

```
examples: 0
           200
           .a    valid blank .a
           .a    valid blank .a
```

```
-----
fu7                                     EH11 7.7 Crop residue use
-----
```

```
type: numeric (byte)
```

label: fu5f

range: [0,4] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 1 missing .*: 1987/41554

tabulation:	Freq.	Numeric	Label
	34244	0	Fuel not used 0
	2969	1	Mainly cooking 1
	57	2	Mainly lighting 2
	536	3	Mainly heating 3
	1761	4	Combination 4
	1987	.a	valid blank .a

fu7a EH11 7.7a Crop residue source

type: numeric (byte)
 label: fu5af

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 2 missing .*: 36206/41554

tabulation:	Freq.	Numeric	Label
	263	1	Purchase 1
	3275	2	Collect from own land 2
	1727	3	Collect from village 3
	83	4	Both 4
	21935	.a	valid blank .a
	14271	.o	valid skip 0 .o

fu7b EH11 7.7b Crop residue Rs

type: numeric (int)
 label: missing, but 38 nonmissing values are not labeled

range: [0,750] units: 1
 unique values: 38 missing .: 0/41554
 unique mv codes: 1 missing .*: 27169/41554

examples: 0

.a	valid blank	.a
.a	valid blank	.a
.a	valid blank	.a

fu8 EH11 7.8 Kerosene use

type: numeric (byte)
 label: fu5f

range: [0,4] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 1 missing .*: 503/41554

tabulation:	Freq.	Numeric	Label
	10459	0	Fuel not used 0

6458	1	Mainly cooking 1
18537	2	Mainly lighting 2
742	3	Mainly heating 3
4855	4	Combination 4
503	.a	valid blank .a

fu8a	EH11 7.8a Kerosene source
------	---------------------------

type: numeric (byte)
label: fu8af

range:	[1,3]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	2	missing .*:	10911/41554

tabulation:	Freq.	Numeric	Label
	23400	1	Ration shop 1
	4764	2	Market 2
	2479	3	Both 3
	6988	.a	valid blank .a
	3923	.o	valid skip 0 .o

fu8b	EH11 7.8b Kerosene Rs
------	-----------------------

type: numeric (int)
label: missing, but 260 nonmissing values are not labeled

range:	[0,875]	units:	1
unique values:	260	missing .:	0/41554
unique mv codes:	1	missing .*:	7409/41554

examples: 20
33
50
162

fu9	EH11 7.9 LPG use
-----	------------------

type: numeric (byte)
label: fu5f

range:	[0,4]	units:	1
unique values:	5	missing .:	0/41554
unique mv codes:	1	missing .*:	1784/41554

tabulation:	Freq.	Numeric	Label
	23795	0	Fuel not used 0
	12730	1	Mainly cooking 1
	143	2	Mainly lighting 2
	44	3	Mainly heating 3
	3058	4	Combination 4
	1784	.d	invalid skip .d

fu9a	EH11 7.9a LPG source
------	----------------------

type: numeric (byte)
 label: fu9af

 range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 25541/41554

tabulation:	Freq.	Numeric	Label
	3675	1	Subsidized govt 1
	11733	2	Gas company 2
	605	3	Black market 3
	14855	.a	valid blank .a
	10686	.o	valid skip 0 .o

fu9b

EH11 7.9b LPG Rs

type: numeric (int)
 label: missing, but 289 nonmissing values are not labeled

 range: [0,1000] units: 1
 unique values: 289 missing .: 0/41554
 unique mv codes: 1 missing .*: 16551/41554

 examples: 0
 300
 600
 .a valid blank .a

fu10

EH11 7.10 Coal/ charcoal use

type: numeric (byte)
 label: fu5f

 range: [0,4] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 1 missing .*: 3017/41554

tabulation:	Freq.	Numeric	Label
	36756	0	Fuel not used 0
	1342	1	Mainly cooking 1
	13	2	Mainly lighting 2
	213	3	Mainly heating 3
	213	4	Combination 4
	3017	.a	valid blank .a

fu10a

EH11 7.10a Coal/ charcoal source

type: numeric (byte)
 label: fu10af

 range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 39757/41554

 tabulation: Freq. Numeric Label

1489	1	Purchase 1
278	2	Collect 2
30	3	Both 3
24254	.a	valid blank .a
15503	.o	valid skip 0 .o

fu10b	EH11 7.10b Coal/ charcoal Rs
-------	------------------------------

type: numeric (int)
 label: missing, but 89 nonmissing values are not labeled

 range: [0,850] units: 1
 unique values: 89 missing .: 1/41554
 unique mv codes: 2 missing .*: 26584/41554

 examples: 0
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

fu11a	EH11 7.11a Fuel distance
-------	--------------------------

type: numeric (int)
 label: missing, but 66 nonmissing values are not labeled

 range: [0,240] units: 1
 unique values: 66 missing .: 2/41554
 unique mv codes: 2 missing .*: 16455/41554

 examples: 10
 30
 180
 .a valid blank .a

fu11b	EH11 7.11b Fuel Coll women
-------	----------------------------

type: numeric (int)
 label: missing, but 246 nonmissing values are not labeled

 range: [0,3600] units: 1
 unique values: 246 missing .: 1/41554
 unique mv codes: 2 missing .*: 18306/41554

 examples: 70
 240
 .a valid blank .a
 .a valid blank .a

fu11c	EH11 7.11c Fuel Coll men
-------	--------------------------

type: numeric (int)
 label: missing, but 184 nonmissing values are not labeled

 range: [0,2100] units: 1

```
examples: 0
          240
          .a valid blank .a
          .a valid blank .a
```

fu11d EH11 7.11d Fuel Coll girls

```

type: numeric (int)
label: missing, but 109 nonmissing values are not labeled

range: [0,1340]                                units: 1
unique values: 109                             missing .: 1/41554
unique mv codes: 2                             missing .*: 24401/41554

examples: 0
          180
          .a    valid blank  .a
          .a    valid blank  .a

```

fu11e EH11 7.11e Fuel Coll boys

```

      type: numeric (int)
      label: missing, but 85 nonmissing values are not labeled

      range: [0,1440]                                units: 1
unique values: 85                                     missing .: 1/41554
unique mv codes: 2                                   missing .*: 24578/41554

examples: 0
          180
          .a    valid blank .a
          .a    valid blank .a

```

qc1 EH17 11.1 Med treatment who

```

      type: numeric (byte)
      label: qc1f

      range: [1,5]                units: 1
unique values: 5                  missing .: 0/41554
unique mv codes: 3                missing .*: 4233/41554

```

tabulation:	Freq.	Numeric	Label
	11267	1	Govt Dr/Nurse 1
	1933	2	Govt Dr/Nurse in pvt 2
	22116	3	Pvt Dr/nurse 3
	1467	4	Pharmacy 4
	538	5	Other 5
	3900	.a	valid blank .a
	246	.c	don't know 8 .c
	87	.o	valid skip 0 .o

qc2

EH17 11.2 Med treatment where

```

type: numeric (byte)
label: qc2f

range: [1,4]          units: 1
unique values: 4      missing .: 0/41554
unique mv codes: 3    missing .*: 4299/41554

```

tabulation:	Freq.	Numeric	Label
	19768	1	Village 1
	8402	2	Another village 2
	5213	3	Other town 3
	3872	4	District town 4
	4239	.a	valid blank .a
	10	.b	valid skip 9 .b
	50	.o	valid skip 0 .o

qc3

EH17 11.3 Illness type

```

type: numeric (byte)
label: qc3f

range: [1,4]          units: 1
unique values: 4      missing .: 0/41554
unique mv codes: 2    missing .*: 4516/41554

```

tabulation:	Freq.	Numeric	Label
	19877	1	Fever 1
	4117	2	Cough Cold 2
	1843	3	Diarrhea 3
	11201	4	Other 4
	4425	.a	valid blank .a
	91	.o	valid skip 0 .o

qc4

EH17 11.4m Med treatment Month

```

type: numeric (byte)
label: missing, but 18 nonmissing values are not labeled

range: [0,31]          units: 1
unique values: 18      missing .: 0/41554
unique mv codes: 3    missing .*: 5595/41554

```

tabulation:	Freq.	Numeric	Label
	262	0	
	5659	1	
	4258	2	
	3700	3	
	3446	4	
	2491	5	
	2073	6	
	1414	7	
	1754	8	
	1808	9	
	2225	10	
	2782	11	

4081	12
1	13
2	18
1	22
1	29
1	31
4650	.a valid blank .a
7	.b valid skip 9 .b
938	.c don't know 8 .c

qc4b	EH17 11.4y Med treatment Year
------	-------------------------------

type: numeric (byte)
label: missing, but 29 nonmissing values are not labeled

range: [0,97] units: 1
unique values: 29 missing .: 0/41554
unique mv codes: 3 missing .*: 4417/41554

tabulation:	Freq.	Numeric	Label
	169	0	
	209	1	
	534	2	
	979	3	
	14854	4	
	19872	5	
	114	6	
	40	7	
	18	8	
	25	9	
	4	10	
	7	11	
	9	12	
	1	15	
	215	18	
	1	28	
	2	31	
	2	64	
	1	84	
	1	86	
	1	87	
	3	89	
	6	90	
	6	92	
	4	93	
	15	94	
	11	95	
	9	96	
	25	97	
	4297	.a valid blank .a	
	50	.b valid skip 9 .b	
	70	.c don't know 8 .c	

qc5	EH17 11.5 Med treatment sex
-----	-----------------------------

type: numeric (byte)
label: qc5f

```

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 4554/41554

```

```

tabulation: Freq. Numeric Label
             5434      1 Female
             29260     2 Male
             2306      3 Both
             4473     .a valid blank .a
               3     .b valid skip 9 .b
              78     .o valid skip 0 .o

```

qc6 EH17 11.6 Doctor's behaviour

```

type: numeric (byte)
label: nicely

```

```

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 4 missing .*: 4433/41554

```

```

tabulation: Freq. Numeric Label
             27555      1 Nicely 1
             9275      2 Somewhat nicely 2
              291      3 Not nicely 3
             4344     .a valid blank .a
               4     .b valid skip 9 .b
               2     .c don't know 8 .c
              83     .o valid skip 0 .o

```

qc7 EH17 11.7 Med treat wait time

```

type: numeric (int)
label: missing, but 81 nonmissing values are not labeled

```

```

range: [0,480] units: 1
unique values: 81 missing .: 0/41554
unique mv codes: 1 missing .*: 4731/41554

```

```

examples: 5
          10
          20
          60

```

qc8 EH17 11.8 Med treat accompanied

```

type: numeric (byte)
label: qc8f

```

```

range: [1,7] units: 1
unique values: 7 missing .: 0/41554
unique mv codes: 3 missing .*: 4389/41554

```

```

tabulation: Freq. Numeric Label
             14060      1 Alone 1
             14357      2 w husband 2

```

1085	3	w older men 3
1677	4	w older women 4
1749	5	w younger women 5
1876	6	w adolescent/ younger men 6
2361	7	Other 7
4305	.a	valid blank .a
16	.b	valid skip 9 .b
68	.o	valid skip 0 .o

qcstate	EH17 clinicid state
---------	---------------------

type: numeric (byte)
label: stateid

range:	[1,34]	units:	1
unique values:	34	missing .:	13/41554
unique mv codes:	3	missing .*:	1868/41554

tabulation:	Freq.	Numeric	Label
	633	1	Jammu & Kashmir 01
	1331	2	Himachal Pradesh 02
	1553	3	Punjab 03
	97	4	Chandigarh 04
	460	5	Uttaranchal 05
	1562	6	Haryana 06
	948	7	Delhi 07
	2320	8	Rajasthan 08
	3397	9	Uttar Pradesh 09
	1308	10	Bihar 10
	106	11	Sikkim 11
	154	12	Arunachal Pradesh 12
	96	13	Nagaland 13
	86	14	Manipur 14
	98	15	Mizoram 15
	208	16	Tripura 16
	150	17	Meghalaya 17
	953	18	Assam 18
	2272	19	West Bengal 19
	901	20	Jharkhand 20
	1997	21	Orissa 21
	1138	22	Chhatishgarh 22
	2719	23	Madhya Pradesh 23
	2015	24	Gujarat 24
	66	25	Daman & Diu 25
	60	26	Dadra+Nagar Haveli 26
	2790	27	Maharashtra 27
	2361	28	Andhra Pradesh 28
	3940	29	Karnataka 29
	165	30	Goa 30
	4	31	Lakshadweep 31
	1632	32	Kerala 32
	2050	33	Tamil Nadu 33
	103	34	Pondicherry 34
	13	.	
	1857	.a	valid blank .a
	11	.e	out of range .e

qcdist	EH17 clinicid district
--------	------------------------

```

      type: numeric (byte)
      label: missing, but 70 nonmissing values are not labeled

      range: [0,98]                units: 1
      unique values: 70            missing .: 13/41554
      unique mv codes: 2           missing .*: 1757/41554

      examples: 5
                10
                15
                25

```

```

-----
qcpsu                                     EH17 clinicid PSU
-----

```

```

      type: numeric (byte)
      label: missing, but 46 nonmissing values are not labeled

      range: [1,90]                units: 1
      unique values: 46            missing .: 13/41554
      unique mv codes: 2           missing .*: 1892/41554

      examples: 2
                3
                6
                9

```

```

-----
qccode                                    EH17 clinicid clinic code
-----

```

```

      type: numeric (byte)
      label: missing, but 20 nonmissing values are not labeled

      range: [0,92]                units: 1
      unique values: 20            missing .: 0/41554
      unique mv codes: 1           missing .*: 4991/41554

      tabulation: Freq.  Numeric  Label
                  241      0
                  11451     1
                  24543     2
                   205      3
                   10       4
                    4       5
                    2       6
                   11       7
                   80       8
                    1       9
                    1      10
                    1      11
                    1      12
                    3      13
                    3      22
                    1      23
                    1      24
                    1      32
                    2      40
                    1      92
                  4991     .a valid blank .a

```

o5a EH18 12.5a Obs: respondent ID

type: numeric (byte)
label: missing, but 16 nonmissing values are not labeled

range: [1,17] units: 1
unique values: 16 missing .: 19/41554
unique mv codes: 2 missing .*: 26574/41554

tabulation:	Freq.	Numeric	Label
	3807	1	
	8781	2	
	888	3	
	882	4	
	236	5	
	127	6	
	105	7	
	63	8	
	34	9	
	8	10	
	13	11	
	8	12	
	5	13	
	1	15	
	1	16	
	2	17	
	19	.	
	26574	.a	valid blank .a

o6 EH18 12.6 Obs: Other respondt 1

type: numeric (byte)
label: missing, but 17 nonmissing values are not labeled

range: [0,21] units: 1
unique values: 17 missing .: 0/41554
unique mv codes: 1 missing .*: 30089/41554

tabulation:	Freq.	Numeric	Label
	6519	0	
	2205	1	
	978	2	
	829	3	
	462	4	
	192	5	
	130	6	
	72	7	
	36	8	
	18	9	
	7	10	
	6	11	
	4	12	
	1	13	
	3	14	
	2	16	
	1	21	
	30089	.a	valid blank .a

o6a EH18 12.6a Obs: Other respondt 2

type: numeric (byte)
label: missing, but 16 nonmissing values are not labeled

range: [0,15] units: 1
unique values: 16 missing .: 0/41554
unique mv codes: 1 missing .*: 34620/41554

tabulation:	Freq.	Numeric	Label
	5911	0	
	112	1	
	150	2	
	272	3	
	215	4	
	125	5	
	49	6	
	42	7	
	24	8	
	13	9	
	8	10	
	5	11	
	3	12	
	3	13	
	1	14	
	1	15	
	34620	.a	valid blank .a

o6b EH18 12.6b Obs: Other respondt 3

type: numeric (byte)
label: missing, but 15 nonmissing values are not labeled

range: [0,15] units: 1
unique values: 15 missing .: 0/41554
unique mv codes: 1 missing .*: 35329/41554

tabulation:	Freq.	Numeric	Label
	5997	0	
	15	1	
	8	2	
	54	3	
	63	4	
	32	5	
	19	6	
	12	7	
	8	8	
	4	9	
	4	10	
	4	11	
	2	13	
	2	14	
	1	15	
	35329	.a	valid blank .a

o6c EH18 12.6c Obs: Other respondt 4

```

type: numeric (byte)
label: missing, but 13 nonmissing values are not labeled

range: [0,15]          units: 1
unique values: 13      missing .: 0/41554
unique mv codes: 1     missing .*: 35443/41554

```

tabulation:	Freq.	Numeric	Label
	6044	0	
	11	1	
	5	2	
	11	3	
	12	4	
	9	5	
	5	6	
	6	7	
	1	8	
	2	9	
	2	10	
	1	13	
	2	15	
	35443	.a	valid blank .a

o7

EH18 12.7 Obs: Non-HH present

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 26462/41554

```

tabulation:	Freq.	Numeric	Label
	9824	0	No 0
	5268	1	Yes 1
	26462	.a	valid blank .a

ew3

EH19 13.3 EWoman: HH ID

```

type: numeric (byte)
label: missing, but 23 nonmissing values are not labeled

range: [1,28]          units: 1
unique values: 23      missing .: 15/41554
unique mv codes: 2     missing .*: 8056/41554

```

tabulation:	Freq.	Numeric	Label
	1486	1	
	24222	2	
	1911	3	
	4301	4	
	364	5	
	302	6	
	252	7	
	255	8	
	164	9	

91	10
43	11
33	12
20	13
11	14
6	15
9	16
5	17
1	18
1	19
3	22
1	23
1	24
1	28
15	.
8056	.a valid blank .a

 ew4 EH19 13.4 EWoman: Rel to HH head

type: numeric (byte)
 label: ew4f

range:	[1,11]	units:	1
unique values:	11	missing .:	0/41554
unique mv codes:	3	missing .*:	8064/41554

tabulation:	Freq.	Numeric	Label
	1515	1	Head 01
	23989	2	Wife 02
	450	3	Son/Daughter 03
	6905	4	Daughter- Son-inlaw 04
	2	5	Grandhild 05
	70	6	Parent 06
	56	7	Sibling 07
	1	8	Father- Mother-inlaw 08
	5	9	Nephew/Niece 09
	371	10	Brother/Sister in law 10
	126	11	Other relatives 11
	8059	.a	valid blank .a
	2	.e	out of range .e
	3	.o	valid skip 0 .o

 ew5 EH19 13.5 EWoman: Age

type: numeric (byte)
 label: missing, but 36 nonmissing values are not labeled

range:	[15,50]	units:	1
unique values:	36	missing .:	0/41554
unique mv codes:	1	missing .*:	8071/41554

tabulation:	Freq.	Numeric	Label
	24	15	
	68	16	
	88	17	
	359	18	
	388	19	
	986	20	

581	21
1146	22
901	23
1009	24
1738	25
1109	26
908	27
1625	28
850	29
2336	30
703	31
1595	32
947	33
956	34
2340	35
1171	36
873	37
1557	38
694	39
2158	40
486	41
1148	42
671	43
496	44
1550	45
605	46
468	47
692	48
256	49
1	50
8071	.a valid blank .a

ew6	EH19 13.6 EWoman: Date of birth
-----	---------------------------------

```

type: string (str6)

unique values: 7015          missing "": 0/41554

examples: "010171"
           "210361"
           "888865"
           "888885"

warning: variable has leading blanks

```

ew7	EH19 13.7 EWoman: Education
-----	-----------------------------

```

type: numeric (byte)
label: missing, but 16 nonmissing values are not labeled

range: [0,15]          units: 1
unique values: 16      missing .: 0/41554
unique mv codes: 1     missing .*: 8497/41554

tabulation: Freq.   Numeric   Label
             14356      0
             112       1
             528       2

```

714	3
1077	4
3072	5
871	6
1704	7
2113	8
1664	9
3199	10
283	11
1484	12
63	13
81	14
1736	15
8497	.a valid blank .a

ew8EH19 13.8 EWoman: N children

type: numeric (byte)
label: missing, but 14 nonmissing values are not labeled

range:	[0,13]	units:	1
unique values:	14	missing .:	0/41554
unique mv codes:	1	missing .*:	8154/41554

tabulation:	Freq.	Numeric	Label
	2514	0	
	5210	1	
	9962	2	
	7996	3	
	4173	4	
	1953	5	
	937	6	
	403	7	
	166	8	
	57	9	
	21	10	
	4	11	
	2	12	
	2	13	
	8154	.a	valid blank .a

ew9EH19 13.9 EWoman: general health

type: numeric (byte)
label: ew9f

range:	[1,5]	units:	1
unique values:	5	missing .:	0/41554
unique mv codes:	2	missing .*:	8046/41554

tabulation:	Freq.	Numeric	Label
	5714	1	Very Good 1
	16353	2	Good 2
	9647	3	OK 3
	1684	4	Poor 4
	110	5	Very Poor 5
	8045	.a	valid blank .a
	1	.o	valid skip 0 .o

 hb1 EH20 14.1 Belief Daily milk

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 9798/41554

tabulation:	Freq.	Numeric	Label
	24715	0	No 0
	7041	1	Yes 1
	8140	.a	valid blank .a
	1658	.c	don't know 8 .c

 hb2 EH20 14.2 Belief Male sterilistn

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 17557/41554

tabulation:	Freq.	Numeric	Label
	10329	0	No 0
	13668	1	Yes 1
	8144	.a	valid blank .a
	9413	.c	don't know 8 .c

 hb3 EH20 14.3 Belief 1st thin milk

type: numeric (byte)
 label: hb3f

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 4 missing .*: 8473/41554

tabulation:	Freq.	Numeric	Label
	25014	1	Good 1
	5894	2	Harmful 2
	2173	3	Doesnt Matter 3
	8139	.a	valid blank .a
	1	.b	valid skip 9 .b
	306	.c	don't know 8 .c
	27	.o	valid skip 0 .o

 hb4 EH20 14.4 Belief Chulha smoke

type: numeric (byte)
 label: hb3f

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 4 missing .*: 8303/41554

tabulation:	Freq.	Numeric	Label
	1426	1	Good 1
	27254	2	Harmful 2
	4571	3	Doesnt Matter 3
	8149	.a	valid blank .a
	1	.b	valid skip 9 .b
	105	.c	don't know 8 .c
	48	.o	valid skip 0 .o

hb5

EH20 14.5 Belief Diarrhea

type: numeric (byte)
 label: hb5f

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 4 missing .*: 10746/41554

tabulation:	Freq.	Numeric	Label
	4828	1	< usual 1
	19612	2	> usual 2
	5642	3	About the same 3
	726	4	doesnt matter 4
	8135	.a	valid blank .a
	1	.b	valid skip 9 .b
	2607	.c	don't know 8 .c
	3	.o	valid skip 0 .o

hb6

EH20 14.6 Belief Pregnancy

type: numeric (byte)
 label: hb6f

range: [1,5] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 3 missing .*: 19380/41554

tabulation:	Freq.	Numeric	Label
	4785	1	Immediately after 1
	6749	2	Just before 2
	5591	3	In the middle 3
	3917	4	Just before and after 4
	1132	5	no difference 5
	8184	.a	valid blank .a
	11163	.c	don't know 8 .c
	33	.o	valid skip 0 .o

ai1

EH20 15.1 AIDS Awareness

type: numeric (byte)
 label: yesno

```

range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 0/41554
missing .*: 8347/41554

```

```

tabulation: Freq.   Numeric   Label
            13891      0   No 0
            19316      1   Yes 1
             8329      .a valid blank .a
               1      .b valid skip 9 .b
              17      .c don't know 8 .c

```

```

-----
ai1a                                     EH20 15.1a AIDS Sex
-----

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 0/41554
missing .*: 22004/41554

```

```

tabulation: Freq.   Numeric   Label
            1078      0   No 0
            18472      1   Yes 1
            20637      .a valid blank .a
               56      .b valid skip 9 .b
            1311      .c don't know 8 .c

```

```

-----
ai1b                                     EH20 15.1b AIDS Needle
-----

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 0/41554
missing .*: 22443/41554

```

```

tabulation: Freq.   Numeric   Label
            1232      0   No 0
            17879      1   Yes 1
            20711      .a valid blank .a
               56      .b valid skip 9 .b
            1676      .c don't know 8 .c

```

```

-----
ai1c                                     EH20 15.1c AIDS Mosquito bite
-----

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 0/41554
missing .*: 24341/41554

```

```

tabulation: Freq.   Numeric   Label
            9557      0   No 0
            7656      1   Yes 1
            20723      .a valid blank .a

```


56 .b valid skip 9 .b
3562 .c don't know 8 .c

ai1d EH20 15.1d AIDS Transfusion

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 22534/41554

tabulation:	Freq.	Numeric	Label
	1295	0	No 0
	17725	1	Yes 1
	20722	.a	valid blank .a
	56	.b	valid skip 9 .b
	1756	.c	don't know 8 .c

ai1e EH20 15.1e AIDS Food sharing

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 23580/41554

tabulation:	Freq.	Numeric	Label
	13439	0	No 0
	4535	1	Yes 1
	20725	.a	valid blank .a
	56	.b	valid skip 9 .b
	2799	.c	don't know 8 .c

ai2 EH20 15.2 AIDS Known person

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 20244/41554

tabulation:	Freq.	Numeric	Label
	19586	0	No 0
	1724	1	Yes 1
	19986	.a	valid blank .a
	53	.b	valid skip 9 .b
	205	.c	don't know 8 .c

gr1a EH21 16.1a Cooking Respondent

type: numeric (byte)

label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 3 missing .*: 8389/41554

tabulation:	Freq.	Numeric	Label
	1591	0	No 0
	31574	1	Yes 1
	8387	.a	valid blank .a
	1	.c	don't know 8 .c
	1	.e	out of range .e

gr1b EH21 16.1b Cooking Husband

type: numeric (byte)

label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 3 missing .*: 11355/41554

tabulation:	Freq.	Numeric	Label
	16488	0	No 0
	13711	1	Yes 1
	11348	.a	valid blank .a
	3	.b	valid skip 9 .b
	4	.e	out of range .e

gr1c EH21 16.1c Cooking Sr male

type: numeric (byte)

label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 3 missing .*: 13486/41554

tabulation:	Freq.	Numeric	Label
	24502	0	No 0
	3566	1	Yes 1
	13482	.a	valid blank .a
	3	.b	valid skip 9 .b
	1	.c	don't know 8 .c

gr1d EH21 16.1d Cooking Sr female

type: numeric (byte)

label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 3 missing .*: 13096/41554

tabulation:	Freq.	Numeric	Label
	21185	0	No 0

```

      7273      1 Yes 1
    13092      .a valid blank .a
      2      .b valid skip 9 .b
      2      .e out of range .e

```

```
-----
gr1e                                     EH21 16.1e Cooking Other
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
    unique values: 2                    missing .: 0/41554
    unique mv codes: 2                  missing .*: 13966/41554

    tabulation: Freq.  Numeric  Label
                24483      0 No 0
                3105      1 Yes 1
                13964      .a valid blank .a
                 2      .b valid skip 9 .b

```

```
-----
gr1f                                     EH21 16.1f Cooking No One
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
    unique values: 2                    missing .: 0/41554
    unique mv codes: 2                  missing .*: 15932/41554

    tabulation: Freq.  Numeric  Label
                25223      0 No 0
                 399      1 Yes 1
                15927      .a valid blank .a
                 5      .b valid skip 9 .b

```

```
-----
gr1g                                     EH21 16.1g Cooking Most Say
-----
```

```

      type: numeric (byte)
      label: grf

      range: [1,5]                      units: 1
    unique values: 5                    missing .: 0/41554
    unique mv codes: 5                  missing .*: 8531/41554

    tabulation: Freq.  Numeric  Label
                24637      1 Respondent 1
                3558      2 Husband 2
                 631      3 Senior Male 3
                3795      4 Senior Female 4
                 402      5 Other 5
                8389      .a valid blank .a
                 2      .b valid skip 9 .b
                 11      .c don't know 8 .c
                 1      .e out of range .e
                128      .o valid skip 0 .o

```

 gr2a EH21 16.2a Purchase Respondent

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 9705/41554

tabulation:	Freq.	Numeric	Label
	7860	0	No 0
	23989	1	Yes 1
	9698	.a	valid blank .a
	3	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	3	.e	out of range .e

 gr2b EH21 16.2b Purchase Husband

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 8885/41554

tabulation:	Freq.	Numeric	Label
	2979	0	No 0
	29690	1	Yes 1
	8878	.a	valid blank .a
	5	.b	valid skip 9 .b
	2	.e	out of range .e

 gr2c EH21 16.2c Purchase Sr male

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 13149/41554

tabulation:	Freq.	Numeric	Label
	22037	0	No 0
	6368	1	Yes 1
	13144	.a	valid blank .a
	5	.b	valid skip 9 .b

 gr2d EH21 16.2d Purchase Sr female

type: numeric (byte)
 label: yesno

range: [0,1] units: 1

```
unique values: 2          missing .: 0/41554
unique mv codes: 3       missing .*: 13479/41554
```

```

tabulation: Freq.    Numeric  Label
            22433      0 No 0
            5642      1 Yes 1
            13473      .a valid blank .a
              5      .b valid skip 9 .b
              1      .e out of range .e

```

gr2e	Eh21 16.2e Purchase Other
------	---------------------------

```
type: numeric (byte)
label: yesno
```

```

      range: [0,1]          units: 1
unique values: 2           missing .: 0/41554
unique mv codes: 3        missing .*: 14075/41554

```

tabulation:	Freq.	Numeric	Label
	24906	0	No 0
	2573	1	Yes 1
	14067	.a	valid blank .a
	5	.b	valid skip 9 .b
	3	.e	out of range .e

gr2f EH21 16.2f Purchase No One

```
type: numeric (byte)
label: yesno
```

```

      range: [0,1]          units: 1
unique values: 2           missing .: 0/41554
unique mv codes: 3        missing .*: 16153/41554

```

tabulation:	Freq.	Numeric	Label
	25108	0	No 0
	293	1	Yes 1
	16142	.a	valid blank .a
	7	.b	valid skip 9 .b
	4	.e	out of range .e

gr2g EH21 16.2g Purchase Most Say

```
type: numeric (byte)
label: grf
```

```

      range: [1,5]          units: 1
unique values: 5           missing .: 0/41554
unique mv codes: 4        missing .*: 8481/41554

```

tabulation:	Freq.	Numeric	Label
	3642	1	Respondent 1
	24280	2	Husband 2
	3770	3	Senior Male 3
	1015	4	Senior Female 4

```

366      5 Other 5
8349     .a valid blank .a
4        .b valid skip 9 .b
16       .c don't know 8 .c
112      .o valid skip 0 .o

```

```
-----
gr3a                                           EH21 16.3a N children Respondent
-----
```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 4    missing .*: 9383/41554

```

```

tabulation: Freq.  Numeric  Label
5031        0    No 0
27140       1    Yes 1
9340        .a valid blank .a
37          .b valid skip 9 .b
3           .c don't know 8 .c
3           .e out of range .e

```

```
-----
gr3b                                           EH21 16.3b N children Husband
-----
```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 4    missing .*: 8962/41554

```

```

tabulation: Freq.  Numeric  Label
2553        0    No 0
30039       1    Yes 1
8934        .a valid blank .a
24          .b valid skip 9 .b
2           .c don't know 8 .c
2           .e out of range .e

```

```
-----
gr3c                                           EH21 16.3c N children Sr male
-----
```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 13794/41554

```

```

tabulation: Freq.  Numeric  Label
25269       0    No 0
2491        1    Yes 1
13776       .a valid blank .a
18          .b valid skip 9 .b

```

gr3d EH21 16.3d N children Sr female

```

-----
                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
            unique values: 2                missing .: 0/41554
        unique mv codes: 2                missing .*: 13800/41554

        tabulation: Freq.  Numeric  Label
                   24119      0  No 0
                   3635       1  Yes 1
                   13781      .a  valid blank .a
                   19        .b  valid skip 9 .b
    
```

gr3e EH21 16.3e N children Other

```

-----
                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
            unique values: 2                missing .: 0/41554
        unique mv codes: 3                missing .*: 14375/41554

        tabulation: Freq.  Numeric  Label
                   26787      0  No 0
                   392       1  Yes 1
                   14355      .a  valid blank .a
                   19        .b  valid skip 9 .b
                   1         .e  out of range .e
    
```

gr3f EH21 16.3f N children No One

```

-----
                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
            unique values: 2                missing .: 0/41554
        unique mv codes: 3                missing .*: 16094/41554

        tabulation: Freq.  Numeric  Label
                   24966      0  No 0
                   494       1  Yes 1
                   16065      .a  valid blank .a
                   24        .b  valid skip 9 .b
                   5         .e  out of range .e
    
```

gr3g EH21 16.3g N children Most Say

```

-----
                type: numeric (byte)
                label: grf

                range: [1,5]                units: 1
            unique values: 5                missing .: 0/41554
        unique mv codes: 4                missing .*: 9064/41554
    
```

tabulation:	Freq.	Numeric	Label
	6380	1	Respondent 1
	24521	2	Husband 2
	537	3	Senior Male 3
	999	4	Senior Female 4
	53	5	Other 5
	8639	.a	valid blank .a
	65	.b	valid skip 9 .b
	35	.c	don't know 8 .c
	325	.o	valid skip 0 .o

gr4aEH21 16.4a Child ill Respondent

type: numeric (byte)
label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	4	missing .*:	9529/41554

tabulation:	Freq.	Numeric	Label
	4490	0	No 0
	27535	1	Yes 1
	9436	.a	valid blank .a
	91	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e

gr4bEH21 16.4b Child ill Husband

type: numeric (byte)
label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	3	missing .*:	9959/41554

tabulation:	Freq.	Numeric	Label
	4817	0	No 0
	26778	1	Yes 1
	9898	.a	valid blank .a
	57	.b	valid skip 9 .b
	4	.e	out of range .e

gr4cEH21 16.4c Child ill Sr male

type: numeric (byte)
label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	3	missing .*:	13897/41554

tabulation:	Freq.	Numeric	Label
	23221	0	No 0


```

4436      1 Yes 1
13851    .a valid blank .a
  44     .b valid skip 9 .b
   2     .e out of range .e

```

gr4d EH21 16.4d Child ill Sr female

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 13943/41554

```

```

tabulation:  Freq.    Numeric  Label
              22534         0  No 0
              5077         1  Yes 1
              13899        .a  valid blank .a
               43         .b  valid skip 9 .b
               1         .e  out of range .e

```

gr4e EH21 16.4e Child ill Other

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 2

      units: 1
      missing .: 0/41554
      missing .*: 14615/41554

```

```

tabulation:  Freq.    Numeric  Label
              25442         0  No 0
              1497         1  Yes 1
              14572         .a  valid blank .a
               43         .b  valid skip 9 .b

```

gr4f EH21 16.4f Child ill No One

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 3

      units: 1
      missing .: 0/41554
      missing .*: 16350/41554

```

tabulation:	Freq.	Numeric	Label
	24593	0	No 0
	611	1	Yes 1
	16302	.a	valid blank .a
	44	.b	valid skip 9 .b
	4	.e	out of range .e

qr4g EH21 16.4g Child ill Most Say

```

      type: numeric (byte)
      label: grf

      range: [1,5]                units: 1
      unique values: 5            missing .: 0/41554
      unique mv codes: 4          missing .*: 9480/41554

```

```

      tabulation: Freq.  Numeric  Label
                  9813      1  Respondent 1
                  19064     2  Husband 2
                  1704      3  Senior Male 3
                  1262      4  Senior Female 4
                   231      5  Other 5
                  8873     .a  valid blank .a
                   90     .b  valid skip 9 .b
                   29     .c  don't know 8 .c
                  488     .o  valid skip 0 .o

```

```

-----
gr5a                                     EH21 16.5a Child's wed R
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 3          missing .*: 10101/41554

```

```

      tabulation: Freq.  Numeric  Label
                  6455      0  No 0
                  24998     1  Yes 1
                  10002     .a  valid blank .a
                   92     .b  valid skip 9 .b
                   7      .c  don't know 8 .c

```

```

-----
gr5b                                     EH21 16.5b Child's wed Husband
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 4          missing .*: 9609/41554

```

```

      tabulation: Freq.  Numeric  Label
                  3051      0  No 0
                  28894     1  Yes 1
                  9529     .a  valid blank .a
                   59     .b  valid skip 9 .b
                   2      .c  don't know 8 .c
                  19     .e  out of range .e

```

```

-----
gr5c                                     EH21 16.5c Child's wed Sr male
-----

```

```

      type: numeric (byte)
      label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 0/41554
missing .*: 13677/41554

```

```

tabulation: Freq.   Numeric   Label
            20882      0   No 0
            6995      1   Yes 1
            13631      .a valid blank .a
            45        .b valid skip 9 .b
            1         .c don't know 8 .c

```

```

-----
gr5d                                     EH21 16.5d Child's wed Sr female
-----

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 4
units: 1
missing .: 0/41554
missing .*: 13880/41554

```

```

tabulation: Freq.   Numeric   Label
            20975      0   No 0
            6699      1   Yes 1
            13835      .a valid blank .a
            43        .b valid skip 9 .b
            1         .c don't know 8 .c
            1         .e out of range .e

```

```

-----
gr5e                                     EH21 16.5e Child's wed Other
-----

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 0/41554
missing .*: 14566/41554

```

```

tabulation: Freq.   Numeric   Label
            24063      0   No 0
            2925      1   Yes 1
            14521      .a valid blank .a
            44        .b valid skip 9 .b
            1         .c don't know 8 .c

```

```

-----
gr5f                                     EH21 16.5f Child's wed No One
-----

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 4
units: 1
missing .: 0/41554
missing .*: 16276/41554

```

```

tabulation: Freq.   Numeric   Label
            24318      0   No 0
            960       1   Yes 1

```

```

16226      .a valid blank .a
  44       .b valid skip 9 .b
   1       .c don't know 8 .c
   5       .e out of range .e

```

```
-----
gr5g                                             EH21 16.5g Child's wed Most Say
-----
```

```

type: numeric (byte)
label: grf

```

```

range: [1,5]                units: 1
unique values: 5             missing .: 0/41554
unique mv codes: 4           missing .*: 9704/41554

```

```

tabulation: Freq.  Numeric  Label
            3293      1  Respondent 1
            22471     2  Husband 2
            4285      3  Senior Male 3
            1112      4  Senior Female 4
             689      5  Other 5
            8989     .a valid blank .a
             111     .b valid skip 9 .b
              46     .c don't know 8 .c
             558     .o valid skip 0 .o

```

```
-----
gr6a                                             EH21 16.6a Permission health centre
-----
```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]                units: 1
unique values: 2             missing .: 0/41554
unique mv codes: 2           missing .*: 8246/41554

```

```

tabulation: Freq.  Numeric  Label
            8432     0  No 0
            24876     1  Yes 1
            8226     .a valid blank .a
             20      .b valid skip 9 .b

```

```
-----
gr6b                                             EH21 16.6b Perm husband: health centre
-----
```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]                units: 1
unique values: 2             missing .: 0/41554
unique mv codes: 2           missing .*: 13613/41554

```

```

tabulation: Freq.  Numeric  Label
            4966     0  No 0
            22975     1  Yes 1
            13607     .a valid blank .a
              6      .b valid skip 9 .b

```

gr6c EH21 16.6c Perm Sr male: health centre

```

-----
      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 17798/41554

      tabulation: Freq.  Numeric  Label
                  19992      0    No 0
                  3764       1    Yes 1
                  17795      .a    valid blank .a
                   3         .b    valid skip 9 .b

```

gr6d EH21 16.6d Perm Sr Female: health centre

```

-----
      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 3          missing .*: 17650/41554

      tabulation: Freq.  Numeric  Label
                  18158      0    No 0
                  5746       1    Yes 1
                  17645      .a    valid blank .a
                   4         .b    valid skip 9 .b
                   1         .e    out of range .e

```

gr6e EH21 16.6e Perm others health centre

```

-----
      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 18434/41554

      tabulation: Freq.  Numeric  Label
                  22011      0    No 0
                  1109       1    Yes 1
                  18430      .a    valid blank .a
                   4         .b    valid skip 9 .b

```

gr6f EH21 16.6f Health centre alone

```

-----
      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 9369/41554

```

tabulation:	Freq.	Numeric	Label
	9641	0	No 0
	22544	1	Yes 1
	9369	.a	valid blank .a

 gr7a EH21 16.7a Permission Friend home

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 8791/41554

tabulation:	Freq.	Numeric	Label
	7898	0	No 0
	24865	1	Yes 1
	8311	.a	valid blank .a
	479	.b	valid skip 9 .b
	1	.e	out of range .e

 gr7b EH21 16.7b Perm husband Friend home

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 13662/41554

tabulation:	Freq.	Numeric	Label
	4848	0	No 0
	23044	1	Yes 1
	13656	.a	valid blank .a
	5	.b	valid skip 9 .b
	1	.e	out of range .e

 gr7c EH21 16.7c Perm Sr male Friend home

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 18091/41554

tabulation:	Freq.	Numeric	Label
	19713	0	No 0
	3750	1	Yes 1
	18089	.a	valid blank .a
	2	.b	valid skip 9 .b

 gr7d EH21 16.7d Perm Sr Female Friend home

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                missing .: 0/41554
unique mv codes: 2              missing .*: 17964/41554

```

```

tabulation: Freq.  Numeric  Label
            17767      0    No 0
              5823      1   Yes 1
            17962      .a valid blank .a
               2      .b valid skip 9 .b

```

```
-----
gr7e                                     EH21 16.7e Perm others Friend home
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                missing .: 0/41554
unique mv codes: 3              missing .*: 18755/41554

```

```

tabulation: Freq.  Numeric  Label
            21688      0    No 0
              1111      1   Yes 1
            18751      .a valid blank .a
               3      .b valid skip 9 .b
               1      .e out of range .e

```

```
-----
gr7f                                     EH21 16.7f Visit Friend home alone
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                missing .: 0/41554
unique mv codes: 1              missing .*: 9899/41554

```

```

tabulation: Freq.  Numeric  Label
            8906      0    No 0
            22749      1   Yes 1
             9899      .a valid blank .a

```

```
-----
gr8a                                     EH21 16.8a Permission Kirana shop
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                missing .: 0/41554
unique mv codes: 3              missing .*: 14247/41554

```

```

tabulation: Freq.  Numeric  Label
            12286      0    No 0
            15021      1   Yes 1
             8486      .a valid blank .a

```

5759 .b valid skip 9 .b
2 .e out of range .e

gr8b EH21 16.8b Perm husband Kirana shop

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 4 missing .*: 19716/41554

tabulation:	Freq.	Numeric	Label
	7858	0	No 0
	13980	1	Yes 1
	19651	.a	valid blank .a
	62	.b	valid skip 9 .b
	2	.c	don't know 8 .c
	1	.e	out of range .e

gr8c EH21 16.8c Perm Sr male Kirana shop

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 23216/41554

tabulation:	Freq.	Numeric	Label
	16122	0	No 0
	2216	1	Yes 1
	23166	.a	valid blank .a
	49	.b	valid skip 9 .b
	1	.e	out of range .e

gr8d EH21 16.8d Perm Sr Female Kirana shop

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 23178/41554

tabulation:	Freq.	Numeric	Label
	15126	0	No 0
	3250	1	Yes 1
	23128	.a	valid blank .a
	50	.b	valid skip 9 .b

gr8e EH21 16.8e Perm others Kirana shop

type: numeric (byte)


```

label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 23631/41554

```

```

tabulation: Freq.  Numeric  Label
            16994      0     No 0
              929      1     Yes 1
            23581      .a  valid blank .a
              50      .b  valid skip 9 .b

```

```

-----
gr8f                                     EH21 16.8f Visit Kirana shop alone
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 13624/41554

```

```

tabulation: Freq.  Numeric  Label
            6760      0     No 0
            21170      1     Yes 1
            13619      .a  valid blank .a
               5      .b  valid skip 9 .b

```

```

-----
gr9                                     EH22 16.9 Purdah Practice
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 8171/41554

```

```

tabulation: Freq.  Numeric  Label
            15629      0     No 0
            17754      1     Yes 1
             8171      .a  valid blank .a

```

```

-----
gr10                                    EH22 16.10 Family outing
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 8245/41554

```

```

tabulation: Freq.  Numeric  Label
            15953      0     No 0
            17356      1     Yes 1
             8217      .a  valid blank .a
               28      .b  valid skip 9 .b

```

 gr11a EH22 16.11s Shopping Respondent

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 8256/41554

tabulation:	Freq.	Numeric	Label
	13949	0	No 0
	19349	1	Yes 1
	8256	.a	valid blank .a

 gr11b EH22 16.11m Shopping Adult men

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 8232/41554

tabulation:	Freq.	Numeric	Label
	6396	0	No 0
	26926	1	Yes 1
	8227	.a	valid blank .a
	5	.b	valid skip 9 .b

 gr11c EH22 16.11w Shopping Adult women

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 8442/41554

tabulation:	Freq.	Numeric	Label
	27439	0	No 0
	5673	1	Yes 1
	8435	.a	valid blank .a
	7	.b	valid skip 9 .b

 gr11d EH22 16.11c Shopping Children

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 9003/41554

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

qr12d EH22 16.12c Homework Children

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 3

      units: 1
      missing .: 0/41554
      missing .*: 10328/41554

```

```

      tabulation: Freq.  Numeric  Label
                  22332      0  No 0
                  8894      1  Yes 1
                  9442      .a valid blank .a
                   884      .b valid skip 9 .b
                   2       .c don't know 8 .c

```

gr13 EH22 16.13 Family meal taking

```

      type: numeric (byte)
      label: gr13f

      range: [1,4]
      unique values: 4
      unique mv codes: 4

      units: 1
      missing .: 0/41554
      missing .*: 8173/41554

```

```

      tabulation: Freq.  Numeric  Label
                  17220      1  Eat together 1
                   620      2  Women first 2
                  10269      3  Men first 3
                   5272      4  Varies, Other 4
                   8149      .a valid blank .a
                      7      .b valid skip 9 .b
                      1      .c don't know 8 .c
                   16      .o valid skip 0 .o

```

gr14 EH22 16.14 Cash-in-hand

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 2

      units: 1
      missing .: 0/41554
      missing .*: 8161/41554

```

```

      tabulation: Freq.  Numeric  Label
                  5687      0  No 0
                 27706      1  Yes 1
                  8160      .a valid blank .a
                   1       .c don't know 8 .c

```

gr15a EH22 16.15a Family bank account

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2

      units: 1
      missing .: 0/41554

```

unique mv codes: 3 missing .*: 8256/41554

tabulation:	Freq.	Numeric	Label
	20350	0	No 0
	12948	1	Yes 1
	8207	.a	valid blank .a
	2	.b	valid skip 9 .b
	47	.c	don't know 8 .c

gr15b EH22 16.15b Resp account holder

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 11413/41554

tabulation:	Freq.	Numeric	Label
	24014	0	No 0
	6127	1	Yes 1
	11373	.a	valid blank .a
	1	.b	valid skip 9 .b
	39	.c	don't know 8 .c

gr16 EH22 16.16 House papers: Woman

type: numeric (byte)
label: gr16f

range: [0,8] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 2 missing .*: 8249/41554

tabulation:	Freq.	Numeric	Label
	26825	0	No 0
	5144	1	Yes 1
	1336	8	No house/papers 8
	8247	.a	valid blank .a
	2	.e	out of range .e

gr17 EH22 16.17 Girls educatn equal

type: numeric (byte)
label: gr17f

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 4 missing .*: 8311/41554

tabulation:	Freq.	Numeric	Label
	28609	1	Same 1
	3625	2	Boys more 2
	1009	3	Girls more 3
	8208	.a	valid blank .a
	16	.b	valid skip 9 .b

18 .c don't know 8 .c
69 .o valid skip 0 .o

gr18a EH22 16.18a Discuss: Work/farm

type: numeric (byte)
label: gr18f

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 8841/41554

tabulation:	Freq.	Numeric	Label
	6788	0	Never 0
	14113	1	sometimes 1
	11812	2	Often 2
	8539	.a	valid blank .a
	298	.b	valid skip 9 .b
	4	.c	don't know 8 .c

gr18b EH22 16.18b Discuss: Expenditure

type: numeric (byte)
label: gr18f

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 8720/41554

tabulation:	Freq.	Numeric	Label
	3956	0	Never 0
	12802	1	sometimes 1
	16076	2	Often 2
	8547	.a	valid blank .a
	169	.b	valid skip 9 .b
	4	.c	don't know 8 .c

gr18c EH22 16.18c Discuss: Politics

type: numeric (byte)
label: gr18f

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 4 missing .*: 8743/41554

tabulation:	Freq.	Numeric	Label
	11257	0	Never 0
	15008	1	sometimes 1
	6546	2	Often 2
	8568	.a	valid blank .a
	168	.b	valid skip 9 .b
	5	.c	don't know 8 .c
	2	.e	out of range .e

gr19 EH22 16.19 Natal family visit

type: numeric (byte)
 label: gr19f

range: [1,5] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 4 missing .*: 9217/41554

tabulation:	Freq.	Numeric	Label
	2442	1	Daily/Weekly 1
	4764	2	Monthly 2
	16191	3	2-3 times a year 3
	7380	4	Once a year 4
	1560	5	< once a year 5
	8348	.a	valid blank .a
	761	.b	valid skip 9 .b
	7	.c	don't know 8 .c
	101	.o	valid skip 0 .o

gr20 EH22 16.20 Natal family nearby

type: numeric (byte)
 label: gr20f

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 9380/41554

tabulation:	Freq.	Numeric	Label
	13241	0	No 0
	18933	1	Yes 1
	8429	.a	valid blank .a
	948	.b	valid skip 9 .b
	3	.c	don't know 8 .c

gr21 EH23 16.21 Beat leaves no permit

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 8199/41554

tabulation:	Freq.	Numeric	Label
	21272	0	No 0
	12083	1	Yes 1
	8148	.a	valid blank .a
	2	.b	valid skip 9 .b
	49	.c	don't know 8 .c

gr22 EH23 16.22 Beat if no dowry

type: numeric (byte)

label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 8197/41554

tabulation:	Freq.	Numeric	Label
	24693	0	No 0
	8664	1	Yes 1
	8148	.a	valid blank .a
	1	.b	valid skip 9 .b
	48	.c	don't know 8 .c

gr23 EH23 16.23 Beat if House neglect

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 8179/41554

tabulation:	Freq.	Numeric	Label
	22697	0	No 0
	10678	1	Yes 1
	8150	.a	valid blank .a
	1	.b	valid skip 9 .b
	28	.c	don't know 8 .c

gr24 EH23 16.24 Beat if bad cooking

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 8173/41554

tabulation:	Freq.	Numeric	Label
	24529	0	No 0
	8852	1	Yes 1
	8146	.a	valid blank .a
	1	.b	valid skip 9 .b
	26	.c	don't know 8 .c

gr25 EH23 16.25 Beat if extramarital

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 8259/41554

tabulation:	Freq.	Numeric	Label
	5584	0	No 0


```

27711      1 Yes 1
8164      .a valid blank .a
1         .b valid skip 9 .b
94        .c don't know 8 .c

```

```
-----
gr26                                             EH23 16.26 Widow support
-----
```

```

      type: numeric (byte)
      label: gr26f

      range: [1,4]                units: 1
unique values: 4                missing .: 0/41554
unique mv codes: 4              missing .*: 8265/41554

```

```

tabulation: Freq.  Numeric  Label
            8166      1  Natal Families 1
            10843     2  Husbands Families 2
            12475     3  Both 3
            1805      4  Neither 4
            8183      .a valid blank .a
              1      .b valid skip 9 .b
              47      .c don't know 8 .c
              34      .o valid skip 0 .o

```

```
-----
gr27                                             EH23 16.27 Live with in old age
-----
```

```

      type: numeric (byte)
      label: gr27f

      range: [1,4]                units: 1
unique values: 4                missing .: 0/41554
unique mv codes: 4              missing .*: 8573/41554

```

```

tabulation: Freq.  Numeric  Label
            26921     1  Son 1
            1780      2  Daughter 2
            1317      3  Both 3
            2963      4  Other/ No one 4
            8264      .a valid blank .a
            163       .b valid skip 9 .b
            93        .c don't know 8 .c
            53        .o valid skip 0 .o

```

```
-----
gr28                                             EH23 16.28 Would live w daughter
-----
```

```

      type: numeric (byte)
      label: gr28f

      range: [0,1]                units: 1
unique values: 2                missing .: 0/41554
unique mv codes: 3              missing .*: 15374/41554

```

```

tabulation: Freq.  Numeric  Label
            20473     0  No 0
            5707      1  Yes 1
            10275     .a valid blank .a

```

5035 .b valid skip 9 .b
64 .c don't know 8 .c

gr29 EH23 16.29 Financial support

type: numeric (byte)
label: gr27f

range: [1,4] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 4 missing .*: 8740/41554

tabulation:	Freq.	Numeric	Label
	26054	1	Son 1
	1846	2	Daughter 2
	2017	3	Both 3
	2897	4	Other/ No one 4
	8372	.a	valid blank .a
	176	.b	valid skip 9 .b
	109	.c	don't know 8 .c
	83	.o	valid skip 0 .o

gr30 EH23 16.30 Support: daughter

type: numeric (byte)
label: gr28f

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 15505/41554

tabulation:	Freq.	Numeric	Label
	19012	0	No 0
	7037	1	Yes 1
	10362	.a	valid blank .a
	5055	.b	valid skip 9 .b
	88	.c	don't know 8 .c

gr31 EH23 16.31 Harassment of girls

type: numeric (byte)
label: gr31f

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 4 missing .*: 8872/41554

tabulation:	Freq.	Numeric	Label
	26663	1	Rarely 1
	4751	2	Sometimes 2
	1268	3	Often 3
	8201	.a	valid blank .a
	16	.b	valid skip 9 .b
	61	.c	don't know 8 .c
	594	.o	valid skip 0 .o

```
-----
grwho                                     EH23 16 who else present
-----
```

```

      type: numeric (byte)
      label: grwhof

      range: [1,4]                units: 1
      unique values: 4            missing .: 0/41554
      unique mv codes: 3          missing .*: 8380/41554

```

```

tabulation: Freq.  Numeric  Label
            16575      1  Nobody else 1
            8139       2  Adults only 2
            2505       3  Children only 3
            5955       4  Adults & Children 4
            8302       .a  valid blank .a
               3       .c  don't know 8 .c
               75       .o  valid skip 0 .o

```

```
-----
mh1a                                     EH24 17.1a Age at marriage
-----
```

```

      type: numeric (byte)
      label: missing, but 43 nonmissing values are not labeled

      range: [0,88]              units: 1
      unique values: 43          missing .: 0/41554
      unique mv codes: 1         missing .*: 8101/41554

```

```

examples: 15
           17
           20
           29

```

```
-----
mh1b                                     EH24 17.1b Date of marriage
-----
```

```

      type: string (str4)

      unique values: 629          missing "": 0/41554

```

```

examples: ".c"
           "0486"
           "0689"
           "8818"

```

```

warning: variable has leading blanks

```

```
-----
mh2a                                     EH24 17.2a Age at Gauna
-----
```

```

      type: numeric (byte)
      label: missing, but 39 nonmissing values are not labeled

      range: [2,99]              units: 1
      unique values: 39          missing .: 0/41554
      unique mv codes: 1         missing .*: 8094/41554

```

examples: 16
18
20
29

mh2b

EH24 17.2b Date of Gauna

type: string (str4)

unique values: 616

missing "": 0/41554

examples: ".c"
"0485"
"0694"
"8818"

warning: variable has leading blanks

mh2c

EH24 17.2c Age at Menarche

type: numeric (byte)

label: missing, but 18 nonmissing values are not labeled

range: [0,25]

units: 1

unique values: 18

missing .: 0/41554

unique mv codes: 3

missing .*: 8139/41554

tabulation:	Freq.	Numeric	Label
	2	0	
	1	8	
	14	9	
	180	10	
	609	11	
	4431	12	
	9445	13	
	10639	14	
	5358	15	
	1963	16	
	410	17	
	258	18	
	66	19	
	31	20	
	1	21	
	3	22	
	1	23	
	3	25	
	8135	.a	valid blank .a
	1	.b	valid skip 9 .b
	3	.c	don't know 8 .c

mh2d

EH24 17.2d Menarche after wed

type: numeric (byte)

label: mh2df

range: [1,3]

units: 1

unique values: 3 missing .: 0/41554
 unique mv codes: 5 missing .*: 8182/41554

tabulation:	Freq.	Numeric	Label
	29186	1	Before marriage 1
	2620	2	After marriage before gauna 2
	1566	3	After marriage and gauna 3
	8165	.a	valid blank .a
	4	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e
	11	.o	valid skip 0 .o

 mh3 EH24 17.3 Marriage status

type: numeric (byte)
 label: mh3f, but 1 nonmissing value is not labeled

range: [0,4] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 1 missing .*: 8026/41554

tabulation:	Freq.	Numeric	Label
	4	0	
	32155	1	Still married 1
	1126	2	Widowed 2
	149	3	Separated 3
	94	4	Divorced 4
	8026	.a	valid blank .a

 mh4 EH24 17.4 Knew husb before wed

type: numeric (byte)
 label: mh4f

range: [1,5] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 3 missing .*: 8179/41554

tabulation:	Freq.	Numeric	Label
	21982	1	wedding day 1
	3313	2	< 1 month 2
	4161	3	< 1 year 3
	1600	4	> 1 year 4
	2319	5	Since childhood 5
	8142	.a	valid blank .a
	3	.c	don't know 8 .c
	34	.o	valid skip 0 .o

 mh5a EH24 17.5a Marriage choice

type: numeric (byte)
 label: mh5af

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554

unique mv codes: 4 missing .*: 8131/41554

tabulation:	Freq.	Numeric	Label
	1674	1	R herself 1
	12431	2	R & parents together 2
	19121	3	Parents alone 3
	197	4	Other 4
	8118	.a	valid blank .a
	1	.c	don't know 8 .c
	2	.e	out of range .e
	10	.o	valid skip 0 .o

mh5b

EH24 17.5b Choice R say

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 18558/41554

tabulation:	Freq.	Numeric	Label
	15365	0	No 0
	7631	1	Yes 1
	18555	.a	valid blank .a
	1	.c	don't know 8 .c
	2	.e	out of range .e

mh6

EH24 17.6 Husband same vill

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 8191/41554

tabulation:	Freq.	Numeric	Label
	28729	0	No 0
	4634	1	Yes 1
	8187	.a	valid blank .a
	4	.e	out of range .e

mh7

EH24 17.7 Husband same caste

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 8180/41554

tabulation:	Freq.	Numeric	Label
	1842	0	No 0
	31532	1	Yes 1
	8175	.a	valid blank .a

5 .e out of range .e

mh8 EH24 17.8 Live after marriage

type: numeric (byte)
label: mh8f

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 8223/41554

tabulation:	Freq.	Numeric	Label
	30189	1	his parents 1
	932	2	woman's parents 2
	2210	3	alone 3
	8193	.a	valid blank .a
	2	.e	out of range .e
	28	.o	valid skip 0 .o

mh9 EH24 17.9 Distance natal family

type: numeric (byte)
label: mh9f, but 56 nonmissing values are not labeled

range: [0,99] units: 1
unique values: 57 missing .: 0/41554
unique mv codes: 1 missing .*: 8422/41554

examples: 1 1 or < 1
2
4
.a valid blank .a

mh10 EH24 17.10 Husband blood rel

type: numeric (byte)
label: mh10f

range: [0,9] units: 1
unique values: 5 missing .: 0/41554
unique mv codes: 1 missing .*: 16944/41554

tabulation:	Freq.	Numeric	Label
	20104	0	No relations 0
	758	1	Uncle 1
	1774	2	Cousin 2
	821	3	Other 3
	1153	9	Not permitted 9
	16944	.a	valid blank .a

mh11 EH24 17.11 Natal fam married husb fam

type: numeric (byte)
label: mh11f

range: [0,4] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 3 missing .*: 11352/41554

tabulation:	Freq.	Numeric	Label
	26860	0	None 0
	1920	1	Sister 1
	592	2	aunt 2
	140	3	Both 3
	690	4	Other 4
	11286	.a	valid blank .a
	43	.b	valid skip 9 .b
	23	.c	don't know 8 .c

 mh12 EH24 17.12 Natal fam married same vill

type: numeric (byte)
 label: mh11f

range: [0,4] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 4 missing .*: 11157/41554

tabulation:	Freq.	Numeric	Label
	25712	0	None 0
	2407	1	Sister 1
	694	2	aunt 2
	283	3	Both 3
	1301	4	Other 4
	11085	.a	valid blank .a
	44	.b	valid skip 9 .b
	27	.c	don't know 8 .c
	1	.e	out of range .e

 mh13 EH24 17.13 Econ stat husb fam

type: numeric (byte)
 label: mh13f

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 5 missing .*: 9666/41554

tabulation:	Freq.	Numeric	Label
	23142	1	Same 1
	6198	2	Better off 2
	2548	3	Worse off 3
	9288	.a	valid blank .a
	6	.b	valid skip 9 .b
	21	.c	don't know 8 .c
	1	.e	out of range .e
	350	.o	valid skip 0 .o

 mh14 EH24 17.14 Husband: N sisters

```

      type: numeric (byte)
      label: missing, but 17 nonmissing values are not labeled

      range: [0,99]
      unique values: 17
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 8604/41554

```

tabulation:	Freq.	Numeric	Label
	5078	0	
	9114	1	
	9358	2	
	5144	3	
	2689	4	
	1021	5	
	357	6	
	122	7	
	37	8	
	15	9	
	5	10	
	1	11	
	4	12	
	1	15	
	1	20	
	1	88	
	2	99	
	8604	.a	valid blank .a

mh14aEH24 17.14a Husb sisters educ

```

      type: numeric (byte)
      label: missing, but 18 nonmissing values are not labeled

      range: [0,99]
      unique values: 18
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 11094/41554

```

tabulation:	Freq.	Numeric	Label
	15496	0	
	79	1	
	270	2	
	433	3	
	659	4	
	2645	5	
	660	6	
	1264	7	
	1706	8	
	853	9	
	3039	10	
	195	11	
	1246	12	
	52	13	
	55	14	
	1704	15	
	60	88	
	44	99	
	11094	.a	valid blank .a

mh15aEH25 17.15a Husb N brothers

type: numeric (byte)
 label: missing, but 16 nonmissing values are not labeled
 range: [0,88] units: 1
 unique values: 16 missing .: 0/41554
 unique mv codes: 1 missing .*: 8334/41554

tabulation:	Freq.	Numeric	Label
	4540	0	
	8713	1	
	9054	2	
	5754	3	
	3021	4	
	1354	5	
	516	6	
	181	7	
	46	8	
	13	9	
	9	10	
	6	11	
	6	12	
	2	13	
	1	37	
	4	88	
	8334	.a	valid blank .a

mh15bEH25 17.15b Husb brothers educ

type: numeric (byte)
 label: missing, but 21 nonmissing values are not labeled
 range: [0,99] units: 1
 unique values: 21 missing .: 0/41554
 unique mv codes: 1 missing .*: 10303/41554

tabulation:	Freq.	Numeric	Label
	8187	0	
	135	1	
	236	2	
	392	3	
	634	4	
	2561	5	
	677	6	
	1300	7	
	2374	8	
	1635	9	
	5100	10	
	511	11	
	2826	12	
	132	13	
	165	14	
	4283	15	
	1	19	
	69	88	
	1	90	
	1	98	
	31	99	
	10303	.a	valid blank .a

 mh16 EH25 17.16 Husb Marriage 1+

type: numeric (byte)
 label: mh16f, but 5 nonmissing values are not labeled

range: [1,9] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 2 missing .*: 8256/41554

tabulation:	Freq.	Numeric	Label
	32137	1	Once 1
	1150	2	More than once 2
	5	3	
	2	4	
	1	5	
	2	8	
	1	9	
	8171	.a	valid blank .a
	85	.o	valid skip 0 .o

 mh17a EH25 17.17a R Marriage 1+

type: numeric (byte)
 label: mh16af, but 2 nonmissing values are not labeled

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 5 missing .*: 8391/41554

tabulation:	Freq.	Numeric	Label
	32791	1	
	372	2	
	8316	.a	valid blank .a
	1	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	4	.e	out of range .e
	69	.o	valid skip 0 .o

 mh17b EH25 17.17b R N marriages

type: numeric (byte)
 label: missing, but 6 nonmissing values are not labeled

range: [0,9] units: 1
 unique values: 6 missing .: 0/41554
 unique mv codes: 1 missing .*: 36487/41554

tabulation:	Freq.	Numeric	Label
	2745	0	
	1947	1	
	366	2	
	7	3	
	1	5	
	1	9	
	36487	.a	valid blank .a

```
-----
mh18a                                     EH25 17.18a 1st marriage Age
-----
```

```

      type: numeric (byte)
      label: missing, but 29 nonmissing values are not labeled

      range: [0,30]                      units: 1
      unique values: 29                  missing .: 0/41554
      unique mv codes: 1                 missing .*: 40752/41554

```

```

tabulation: Freq.  Numeric  Label
              433      0
              2        1
              2        2
              2        4
              4        5
              4        6
              8        7
              5        8
             10        9
             24       10
             13       11
             31       12
             26       13
             43       14
             54       15
             41       16
             16       17
             41       18
             12       19
             15       20
              3       21
              4       22
              1       23
              2       24
              2       25
              1       26
              1       27
              1       29
              1       30
          40752      .a valid blank .a

```

```
-----
mh18b                                     EH25 17.18b 1st marriage Date
-----
```

```

      type: string (str4)

      unique values: 177                  missing "": 0/41554

      examples: ".a"
                ".a"
                ".a"
                ".a"

      warning: variable has leading blanks

```

```
-----
mh19a                                     EH25 17.19a 1st marriage Age gauna
-----
```

```

      type: numeric (byte)
      label: missing, but 27 nonmissing values are not labeled

      range: [0,99]
      unique values: 27
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 40839/41554

```

tabulation:	Freq.	Numeric	Label
	348	0	
	2	7	
	2	8	
	5	9	
	11	10	
	8	11	
	21	12	
	32	13	
	38	14	
	67	15	
	49	16	
	18	17	
	48	18	
	14	19	
	16	20	
	3	21	
	4	22	
	1	23	
	3	24	
	3	25	
	1	26	
	1	27	
	1	29	
	1	30	
	3	88	
	1	98	
	14	99	
	40839	.a	valid blank .a

```

-----
mh19b                                     EH25 17.19b 1st marriage Date gauna
-----

```

```

      type: string (str4)

      unique values: 181
      missing "": 0/41554

      examples: ".a"
               ".a"
               ".a"
               ".a"

      warning: variable has leading blanks

```

```

-----
mh20                                     EH25 17.20 1st marriage Status
-----

```

```

      type: numeric (byte)
      label: mh20f

      range: [2,4]
      unique values: 3
      unique mv codes: 3

      units: 1
      missing .: 0/41554
      missing .*: 41192/41554

```

tabulation:	Freq.	Numeric	Label
	102	2	Widowed 2
	123	3	Separated 3
	137	4	Divorced 4
	40871	.a	valid blank .a
	1	.c	don't know 8 .c
	320	.o	valid skip 0 .o

fh1 EH26 18.1 N sons with R

type: numeric (byte)
 label: missing, but 9 nonmissing values are not labeled

range:	[0,8]	units:	1
unique values:	9	missing .:	0/41554
unique mv codes:	1	missing .*:	8650/41554

tabulation:	Freq.	Numeric	Label
	7477	0	
	13251	1	
	9011	2	
	2337	3	
	598	4	
	170	5	
	45	6	
	11	7	
	4	8	
	8650	.a	valid blank .a

fh2 EH26 18.2 N daughters with R

type: numeric (byte)
 label: missing, but 9 nonmissing values are not labeled

range:	[0,8]	units:	1
unique values:	9	missing .:	0/41554
unique mv codes:	1	missing .*:	8730/41554

tabulation:	Freq.	Numeric	Label
	11275	0	
	12647	1	
	5888	2	
	2109	3	
	659	4	
	189	5	
	43	6	
	9	7	
	5	8	
	8730	.a	valid blank .a

fh3 EH26 18.3 N sons elsewhere

type: numeric (byte)
 label: missing, but 7 nonmissing values are not labeled

range: [0,7] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 1 missing .*: 9049/41554

tabulation:	Freq.	Numeric	Label
	30338	0	
	1665	1	
	413	2	
	72	3	
	10	4	
	6	5	
	1	7	
	9049	.a	valid blank .a

fh4

EH26 18.4 N daughters elsewhere

type: numeric (byte)
 label: missing, but 8 nonmissing values are not labeled

range: [0,7] units: 1
 unique values: 8 missing .: 0/41554
 unique mv codes: 1 missing .*: 9035/41554

tabulation:	Freq.	Numeric	Label
	27722	0	
	3312	1	
	1105	2	
	299	3	
	65	4	
	11	5	
	4	6	
	1	7	
	9035	.a	valid blank .a

fh5a

EH26 18.5a N sons died

type: numeric (byte)
 label: missing, but 8 nonmissing values are not labeled

range: [0,7] units: 1
 unique values: 8 missing .: 0/41554
 unique mv codes: 1 missing .*: 9101/41554

tabulation:	Freq.	Numeric	Label
	29362	0	
	2505	1	
	446	2	
	109	3	
	22	4	
	5	5	
	2	6	
	2	7	
	9101	.a	valid blank .a

fh5b

EH26 18.5b N daughters died

type: numeric (byte)
 label: missing, but 6 nonmissing values are not labeled

 range: [0,5] units: 1
 unique values: 6 missing .: 0/41554
 unique mv codes: 1 missing .*: 9128/41554

tabulation:	Freq.	Numeric	Label
	29562	0	
	2304	1	
	429	2	
	99	3	
	28	4	
	4	5	
	9128	.a	valid blank .a

fh6

EH26 18.6 Total N children borne

type: numeric (byte)
 label: missing, but 15 nonmissing values are not labeled

 range: [0,15] units: 1
 unique values: 15 missing .: 0/41554
 unique mv codes: 1 missing .*: 8603/41554

tabulation:	Freq.	Numeric	Label
	1918	0	
	4778	1	
	9286	2	
	7583	3	
	4471	4	
	2363	5	
	1252	6	
	652	7	
	342	8	
	165	9	
	90	10	
	29	11	
	14	12	
	6	13	
	2	15	
	8603	.a	valid blank .a

fh7a

EH26 18.7a N still births

type: numeric (byte)
 label: missing, but 10 nonmissing values are not labeled

 range: [0,99] units: 1
 unique values: 10 missing .: 0/41554
 unique mv codes: 1 missing .*: 9771/41554

tabulation:	Freq.	Numeric	Label
	30334	0	
	1126	1	
	231	2	
	58	3	
	13	4	

7	5
11	6
1	7
1	8
1	99
9771	.a valid blank .a

 fh7b EH26 18.7b N miscarriages

type: numeric (byte)
 label: missing, but 10 nonmissing values are not labeled

range: [0,10] units: 1
 unique values: 10 missing .: 0/41554
 unique mv codes: 1 missing .*: 9933/41554

tabulation:	Freq.	Numeric	Label
	27752	0	
	2793	1	
	746	2	
	212	3	
	80	4	
	22	5	
	9	6	
	4	7	
	2	9	
	1	10	
	9933	.a	valid blank .a

 fh7c EH26 18.7c N spontaneous miscarr

type: numeric (byte)
 label: missing, but 10 nonmissing values are not labeled

range: [0,10] units: 1
 unique values: 10 missing .: 0/41554
 unique mv codes: 1 missing .*: 10423/41554

tabulation:	Freq.	Numeric	Label
	28399	0	
	2030	1	
	488	2	
	146	3	
	40	4	
	15	5	
	7	6	
	4	7	
	1	9	
	1	10	
	10423	.a	valid blank .a

 fh7d EH26 18.7d N abortions

type: numeric (byte)
 label: missing, but 8 nonmissing values are not labeled

range: [0,9] units: 1
 unique values: 8 missing .: 0/41554
 unique mv codes: 1 missing .*: 10568/41554

tabulation:	Freq.	Numeric	Label
	30004	0	
	756	1	
	172	2	
	29	3	
	18	4	
	4	5	
	2	6	
	1	9	
	10568	.a	valid blank .a

 fhchk EH26 18.chk One+ live births

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 9520/41554

tabulation:	Freq.	Numeric	Label
	2775	0	No 0
	29259	1	Yes 1
	9443	.a	valid blank .a
	2	.b	valid skip 9 .b
	75	.e	out of range .e

 fp1 EH28 20.1 Current pregnancy

type: numeric (byte)
 label: fp1f, but 1 nonmissing value is not labeled

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 9203/41554

tabulation:	Freq.	Numeric	Label
	30733	0	No 0
	1617	1	Yes 1
	1	2	
	9117	.a	valid blank .a
	3	.b	valid skip 9 .b
	83	.c	don't know 8 .c

 fp2a EH28 20.2a Contraceptive usage

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 11247/41554

tabulation:	Freq.	Numeric	Label
	13173	0	No 0
	17134	1	Yes 1
	11229	.a	valid blank .a
	10	.b	valid skip 9 .b
	8	.e	out of range .e

fp2b

EH28 20.2b Contraception Method1

type: numeric (byte)
 label: fp2bf, but 4 nonmissing values are not labeled

range:	[1,90]	units:	1
unique values:	14	missing .:	0/41554
unique mv codes:	4	missing .*:	22936/41554

tabulation:	Freq.	Numeric	Label
	1503	1	Oral pill 01
	858	2	Copper T/IUD 02
	41	3	Diaphragm/ Jelly 03
	546	4	Injectible Contraception 04
	2166	5	Condom 05
	11994	6	Female sterilization 06
	371	7	Male sterilization 07
	581	8	Periodic abstinence 08
	344	9	Withdrawal 09
	210	10	Other 10
	1	11	
	1	65	
	1	88	
	1	90	
	20659	.a	valid blank .a
	453	.c	don't know 8 .c
	209	.d	invalid skip .d
	1615	.o	valid skip 0 .o

fp2c

EH28 20.2c Contraception Method2

type: numeric (byte)
 label: fp2bf, but 4 nonmissing values are not labeled

range:	[1,90]	units:	1
unique values:	14	missing .:	0/41554
unique mv codes:	4	missing .*:	39991/41554

tabulation:	Freq.	Numeric	Label
	201	1	Oral pill 01
	81	2	Copper T/IUD 02
	12	3	Diaphragm/ Jelly 03
	173	4	Injectible Contraception 04
	299	5	Condom 05
	351	6	Female sterilization 06
	106	7	Male sterilization 07
	95	8	Periodic abstinence 08
	205	9	Withdrawal 09
	36	10	Other 10
	1	11	

1	80
1	88
1	90
34254	.a valid blank .a
616	.c don't know 8 .c
193	.d invalid skip .d
4928	.o valid skip 0 .o

fp3a EH28 20.3a More children desired

type: numeric (byte)
label: fp3af

range:	[0,3]	units:	1
unique values:	4	missing .:	0/41554
unique mv codes:	3	missing .*:	13674/41554

tabulation:	Freq.	Numeric	Label
	17500	0	No 0
	3977	1	No, sterilised (or husband) 1
	743	2	Not fertile anymore 2
	5660	3	Yes 3
	13369	.a	valid blank .a
	20	.b	valid skip 9 .b
	285	.c	don't know 8 .c

fp3b EH28 20.3b N more desired

type: numeric (byte)
label: missing, but 13 nonmissing values are not labeled

range:	[0,99]	units:	1
unique values:	13	missing .:	0/41554
unique mv codes:	1	missing .*:	33021/41554

tabulation:	Freq.	Numeric	Label
	2939	0	
	3531	1	
	1734	2	
	237	3	
	66	4	
	10	5	
	2	6	
	1	7	
	2	8	
	1	12	
	8	88	
	1	98	
	1	99	
	33021	.a	valid blank .a

fp3c EH28 20.3c Time next childbirth

type: numeric (byte)
label: fp3cf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 5 missing .*: 35954/41554

tabulation:	Freq.	Numeric	Label
	1300	1	Within 2 years 1
	2697	2	After 2 years 2
	1603	3	Upto God/ No preference 3
	33482	.a	valid blank .a
	1	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e
	2469	.o	valid skip 0 .o

fp4a

EH28 20.4a More ch desired Husb

type: numeric (byte)
 label: missing, but 7 nonmissing values are not labeled

range: [0,9] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 1 missing .*: 18236/41554

tabulation:	Freq.	Numeric	Label
	17137	0	
	5608	1	
	4	2	
	17	3	
	2	6	
	469	8	
	81	9	
	18236	.a	valid blank .a

fp4b

EH28 20.4b N more desired Husb

type: numeric (byte)
 label: missing, but 17 nonmissing values are not labeled

range: [0,99] units: 1
 unique values: 17 missing .: 0/41554
 unique mv codes: 1 missing .*: 33055/41554

tabulation:	Freq.	Numeric	Label
	2609	0	
	3578	1	
	1793	2	
	304	3	
	81	4	
	21	5	
	6	6	
	2	7	
	8	8	
	2	9	
	1	11	
	1	12	
	1	30	
	1	49	
	17	88	

```

          2      98
          72     99
    33055      .a valid blank .a

```

```
fp4c
```

```
EH28 20.4c Time next birth Husb
```

```

    type: numeric (byte)
    label: missing, but 5 nonmissing values are not labeled

    range: [0,4]                units: 1
    unique values: 5             missing .: 0/41554
    unique mv codes: 3           missing .*: 32751/41554

```

```

    tabulation: Freq.  Numeric  Label
                2224      0
                1438      1
                3180      2
                1960      3
                 1       4
                32658     .a valid blank .a
                 84      .b valid skip 9 .b
                 9       .c don't know 8 .c

```

```
fp5
```

```
EH28 20.5 N children ideally
```

```

    type: numeric (byte)
    label: missing, but 15 nonmissing values are not labeled

    range: [0,99]              units: 1
    unique values: 15           missing .: 0/41554
    unique mv codes: 1          missing .*: 9966/41554

```

```

    tabulation: Freq.  Numeric  Label
                571      0
                1372      1
                19125     2
                6374      3
                3195      4
                 302      5
                 204      6
                 19      7
                 19      8
                  2      9
                  4     10
                  2     12
                 375     88
                  14     98
                  10     99
                9966     .a valid blank .a

```

```
fp5a
```

```
EH28 20.5a N sons ideally
```

```

    type: numeric (byte)
    label: missing, but 11 nonmissing values are not labeled

    range: [0,99]              units: 1

```

tabulation:	Freq.	Numeric	Label
	569	0	
	17780	1	
	8612	2	
	909	3	
	163	4	
	33	5	
	6	6	
	2	7	
	2	8	
	3284	98	
	1	99	
	10193	.a	valid blank .a

fp5b EH28 20.5b N daughters ideally

```

      range: [0,98]          units: 1
unique values: 9             missing .: 0/41554
unique mv codes: 1          missing .*: 10383/41554

```

tabulation:	Freq.	Numeric	Label
	1509	0	
	22796	1	
	3268	2	
	215	3	
	39	4	
	9	5	
	1	6	
	2	88	
	3332	98	
	10383	.a	valid blank .a

fpwho EH28 20 0thers present

```

      range: [1,4]          units: 1
unique values: 4           missing.: 0/41554
unique mv codes: 5        missing.*: 10124/41554

```

tabulation:	Freq.	Numeric	Label
	16637	1	Nobody else 1
	7356	2	Adults only 2
	1996	3	Children only 3
	5441	4	Adults & children 4
	10038	.a	valid blank .a
	5	.b	valid skip 9 .b
	2	.c	don't know 8 .c
	1	.e	out of range .e
	78	.o	valid skip 0 .o

 lb0 EH29 21.0 Nbirths since Jan2000

type: numeric (byte)
 label: missing, but 6 nonmissing values are not labeled

range: [0,5] units: 1
 unique values: 6 missing .: 0/41554
 unique mv codes: 1 missing .*: 27836/41554

tabulation:	Freq.	Numeric	Label
	1756	0	
	7614	1	
	3885	2	
	421	3	
	39	4	
	3	5	
	27836	.a	valid blank .a

 lb1a EH29 21.1a Birth ID: LB

type: numeric (byte)
 label: missing, but 13 nonmissing values are not labeled

range: [1,13] units: 1
 unique values: 13 missing .: 27/41554
 unique mv codes: 2 missing .*: 29569/41554

tabulation:	Freq.	Numeric	Label
	3025	1	
	3617	2	
	2302	3	
	1258	4	
	759	5	
	440	6	
	260	7	
	150	8	
	73	9	
	40	10	
	19	11	
	10	12	
	5	13	
	27	.	
	29569	.a	valid blank .a

 lb1b EH29 21.1b LB Survival

type: numeric (byte)
 label: lb1bf

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 29545/41554

tabulation:	Freq.	Numeric	Label
	325	0	Dead 0
	11684	1	Alive 1


```

29538      .a valid blank .a
      1      .c don't know 8 .c
      6      .e out of range .e

```

```

-----
lb2a                                             EH29 21.2a Birth ID: NLB
-----

```

```

      type: numeric (byte)
      label: missing, but 12 nonmissing values are not labeled

      range: [1,12]                      units: 1
      unique values: 12                  missing .: 30/41554
      unique mv codes: 2                 missing .*: 37190/41554

```

```

      tabulation: Freq.  Numeric  Label
                  1847      1
                  1068      2
                   579      3
                   351      4
                   207      5
                   123      6
                    84      7
                    36      8
                    24      9
                     8     10
                     3     11
                     4     12
                    30      .
                 37190      .a valid blank .a

```

```

-----
lb2b                                             EH29 21.2b NLB Survival
-----

```

```

      type: numeric (byte)
      label: lb1bf

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 3                 missing .*: 36767/41554

```

```

      tabulation: Freq.  Numeric  Label
                  642      0 Dead 0
                  4145      1 Alive 1
                 36740      .a valid blank .a
                   21      .b valid skip 9 .b
                     6      .e out of range .e

```

```

-----
lb3a                                             EH29 21.3a LB Antenatal  checkup
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 2                 missing .*: 29726/41554

```

```

      tabulation: Freq.  Numeric  Label
                  2518      0 No 0

```

```

          9310      1 Yes 1
        29723      .a valid blank .a
           3       .e out of range .e

```

```

-----
1b3b                                     EH29 21.3b LB checkup Gov clinic
-----

```

```

          type: numeric (byte)
          label: yesno

          range: [0,1]                      units: 1
    unique values: 2                      missing .: 0/41554
    unique mv codes: 1                    missing .*: 30604/41554

```

```

    tabulation: Freq.  Numeric  Label
                5754      0 No 0
                5196      1 Yes 1
                30604     .a valid blank .a

```

```

-----
1b3c                                     EH29 21.3c LB checkup Pvt clinic
-----

```

```

          type: numeric (byte)
          label: yesno

          range: [0,1]                      units: 1
    unique values: 2                      missing .: 0/41554
    unique mv codes: 2                    missing .*: 30699/41554

```

```

    tabulation: Freq.  Numeric  Label
                6814      0 No 0
                4041      1 Yes 1
                30698     .a valid blank .a
                 1       .e out of range .e

```

```

-----
1b3d                                     EH29 21.3d LB checkup Gov as pvt
-----

```

```

          type: numeric (byte)
          label: yesno

          range: [0,1]                      units: 1
    unique values: 2                      missing .: 0/41554
    unique mv codes: 2                    missing .*: 30764/41554

```

```

    tabulation: Freq.  Numeric  Label
                10296     0 No 0
                 494      1 Yes 1
                30763     .a valid blank .a
                 1       .e out of range .e

```

```

-----
1b3e                                     EH29 21.3e LB checkup Home
-----

```

```

          type: numeric (byte)
          label: yesno

          range: [0,1]                      units: 1

```

```
unique values: 2          missing .: 0/41554
unique mv codes: 2       missing .*: 30769/41554
```

```

tabulation:  Freq.    Numeric  Label
              10007         0  No 0
              778         1  Yes 1
              30768      .a  valid blank .a
              1         .e  out of range .e

```

1b3f EH29 21.3f LB checkup doctor

```
type: numeric (byte)
label: yesno
```

```

      range: [0,1]          units: 1
unique values: 2            missing.: 0/41554
unique mv codes: 2         missing.*: 30538/41554

```

```

tabulation:  Freq.    Numeric  Label
              4113         0    No 0
              6903         1    Yes 1
              30537        .a  valid blank .a
               1         .e  out of range .e

```

1b3g EH29 21.3g LB checkup Nurse/ANM

```
type: numeric (byte)
label: yesno
```

```

      range: [0,1]          units: 1
unique values: 2           missing .: 0/41554
unique mv codes: 1        missing .*: 30626/41554

```

```

tabulation:  Freq.    Numeric  Label
              6254         0    No 0
              4674         1    Yes 1
              30626        .a valid blank .a

```

1b3h EH29 21.3h LB checkup Midwife

```
type: numeric (byte)
label: yesno
```

```

      range: [0,1]          units: 1
unique values: 2           missing .: 0/41554
unique mv codes: 1        missing .*: 30690/41554

```

```

tabulation:  Freq.    Numeric  Label
              9983         0    No 0
              881         1    Yes 1
              30690        .a valid blank .a

```

lb3i EH29 21.3i LB checkup By other

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 2                missing .*: 30693/41554

```

```

      tabulation: Freq.  Numeric  Label
                  10636      0    No 0
                   225      1    Yes 1
                  30686      .a  valid blank .a
                   7       .e  out of range .e

```

```

-----
lb4                                     EH29 21.4 LB Visit by pubhealth
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 3                missing .*: 29852/41554

```

```

      tabulation: Freq.  Numeric  Label
                  8640      0    No 0
                  3062      1    Yes 1
                  29842      .a  valid blank .a
                   2       .c  don't know 8 .c
                   8       .e  out of range .e

```

```

-----
lb5                                     EH29 21.5 LB  checkup Months
-----

```

```

      type: numeric (byte)
      label: missing, but 10 nonmissing values are not labeled

      range: [0,9]                      units: 1
      unique values: 10                  missing .: 0/41554
      unique mv codes: 1                missing .*: 30668/41554

```

```

      tabulation: Freq.  Numeric  Label
                  1497      0
                   573      1
                  2006      2
                  3535      3
                  1438      4
                  1147      5
                   280      6
                   267      7
                   100      8
                   43       9
                  30668      .a  valid blank .a

```

```

-----
lb6                                     EH29 21.6 LB N checkups
-----

```

```

      type: numeric (byte)
      label: missing, but 28 nonmissing values are not labeled

```

range: [0,99] units: 1
 unique values: 28 missing .: 0/41554
 unique mv codes: 1 missing .*: 30693/41554

tabulation:	Freq.	Numeric	Label
	1474	0	
	821	1	
	1853	2	
	1878	3	
	1132	4	
	931	5	
	962	6	
	538	7	
	473	8	
	407	9	
	225	10	
	7	11	
	84	12	
	7	13	
	13	14	
	18	15	
	5	16	
	8	18	
	10	20	
	2	21	
	2	22	
	3	24	
	1	25	
	2	30	
	1	31	
	1	32	
	1	88	
	2	99	
	30693	.a	valid blank .a

1b7aEH29 21.7a LB checkup Weight

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 30019/41554

tabulation:	Freq.	Numeric	Label
	4174	0	No 0
	7361	1	Yes 1
	30018	.a	valid blank .a
	1	.e	out of range .e

1b7bEH29 21.7b LB checkup BP

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 30013/41554

tabulation:	Freq.	Numeric	Label
	4623	0	No 0
	6918	1	Yes 1
	30012	.a	valid blank .a
	1	.e	out of range .e

 1b7c EH29 21.7c LB checkup Blood Test

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 30008/41554

tabulation:	Freq.	Numeric	Label
	4487	0	No 0
	7059	1	Yes 1
	30008	.a	valid blank .a

 1b7d EH29 21.7d LB checkup Urine Test

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 30011/41554

tabulation:	Freq.	Numeric	Label
	4620	0	No 0
	6923	1	Yes 1
	30011	.a	valid blank .a

 1b7e EH29 21.7e LB checkup Abdomen

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29993/41554

tabulation:	Freq.	Numeric	Label
	3883	0	No 0
	7678	1	Yes 1
	29992	.a	valid blank .a
	1	.b	valid skip 9 .b

 1b7f EH29 21.7f LB checkup Internal

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 30005/41554

tabulation:	Freq.	Numeric	Label
	8569	0	No 0
	2980	1	Yes 1
	30004	.a	valid blank .a
	1	.b	valid skip 9 .b

 lb7g EH29 21.7g LB checkup Sonogram

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 30129/41554

tabulation:	Freq.	Numeric	Label
	8499	0	No 0
	2926	1	Yes 1
	30129	.a	valid blank .a

 lb7h EH29 21.7h LB checkup Amnio

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 30162/41554

tabulation:	Freq.	Numeric	Label
	10326	0	No 0
	1066	1	Yes 1
	30162	.a	valid blank .a

 lb8 EH29 21.8 LB Sex determination

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 38394/41554

tabulation:	Freq.	Numeric	Label
	2662	0	No 0
	498	1	Yes 1
	38394	.a	valid blank .a

 lb9a EH29 21.9a LB prob: Night blindness

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 1                missing .*: 29705/41554

```

```

      tabulation: Freq.  Numeric  Label
                  11230      0    No 0
                   619      1   Yes 1
                  29705      .a valid blank .a

```

```

-----
1b9b                                     EH29 21.9b LB prob: Blurred vision
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 1                missing .*: 29707/41554

```

```

      tabulation: Freq.  Numeric  Label
                  10664      0    No 0
                   1183      1   Yes 1
                  29707      .a valid blank .a

```

```

-----
1b9c                                     EH29 21.9c LB prob: Convulsions
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 2                missing .*: 29709/41554

```

```

      tabulation: Freq.  Numeric  Label
                  10270      0    No 0
                   1575      1   Yes 1
                  29708      .a valid blank .a
                     1      .e out of range .e

```

```

-----
1b9d                                     EH29 21.9d LB prob: Fatigue
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 1                missing .*: 29708/41554

```

```

      tabulation: Freq.  Numeric  Label
                  7567      0    No 0
                   4279      1   Yes 1
                  29708      .a valid blank .a

```

 lb9e EH29 21.9e LB prob: Anaemia

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 29715/41554

tabulation:	Freq.	Numeric	Label
	9683	0	No 0
	2156	1	Yes 1
	29715	.a	valid blank .a

 lb9f EH29 21.9f LB prob: Bleeding

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29738/41554

tabulation:	Freq.	Numeric	Label
	11471	0	No 0
	345	1	Yes 1
	29735	.a	valid blank .a
	3	.e	out of range .e

 lb10 EH29 21.10 LB Iron tablets

type: numeric (byte)
 label: lb10f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 4 missing .*: 30095/41554

tabulation:	Freq.	Numeric	Label
	3725	0	None 0
	3529	1	< 3 months 1
	4205	2	> 3 months 2
	29694	.a	valid blank .a
	3	.b	valid skip 9 .b
	376	.c	don't know 8 .c
	22	.e	out of range .e

 lb12 EH30 21.12 LB N TT injections

type: numeric (byte)
 label: missing, but 7 nonmissing values are not labeled

range: [0,7] units: 1
 unique values: 7 missing .: 0/41554

unique mv codes: 3 missing .*: 29441/41554

tabulation:	Freq.	Numeric	Label
	1905	0	
	1072	1	
	6142	2	
	2990	3	
	2	4	
	1	5	
	1	7	
	29430	.a	valid blank .a
	5	.b	valid skip 9 .b
	6	.c	don't know 8 .c

lb13 EH30 21.13 LB Pre-delivery home

type: numeric (byte)
label: lb13f

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 4 missing .*: 29624/41554

tabulation:	Freq.	Numeric	Label
	8952	1	current home 1
	2477	2	Natal home 2
	501	3	Other 3
	29586	.a	valid blank .a
	1	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	36	.o	valid skip 0 .o

lb14 EH30 21.14 LB Place of delivery

type: numeric (byte)
label: lb14f

range: [1,4] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 4 missing .*: 29623/41554

tabulation:	Freq.	Numeric	Label
	2950	1	Govt clinic 1
	2650	2	Pvt nursing home 2
	6257	3	Home 3
	74	4	Other 4
	29587	.a	valid blank .a
	1	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	34	.o	valid skip 0 .o

lb15a EH30 21.15a LB delivery: doctor

type: numeric (byte)
label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29655/41554

tabulation:	Freq.	Numeric	Label
	6605	0	No 0
	5294	1	Yes 1
	29654	.a	valid blank .a
	1	.b	valid skip 9 .b

 lb15b EH30 21.15b LB delivery: Nurse

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29679/41554

tabulation:	Freq.	Numeric	Label
	7064	0	No 0
	4811	1	Yes 1
	29678	.a	valid blank .a
	1	.b	valid skip 9 .b

 lb15c EH30 21.15c LB delivery: Midwife

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29720/41554

tabulation:	Freq.	Numeric	Label
	6911	0	No 0
	4923	1	Yes 1
	29719	.a	valid blank .a
	1	.b	valid skip 9 .b

 lb15d EH30 21.15d LB delivery: Friend

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29740/41554

tabulation:	Freq.	Numeric	Label
	8410	0	No 0
	3404	1	Yes 1
	29739	.a	valid blank .a
	1	.b	valid skip 9 .b

lb15e EH30 21.15e LB delivery: Other

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 29781/41554

tabulation: Freq.  Numeric  Label
            10349      0    No 0
              1424      1    Yes 1
            29778      .a  valid blank .a
               1      .b  valid skip 9 .b
               2      .e  out of range .e

```

lb16 EH30 21.16 LB Size of child

```

type: numeric (byte)
label: lb16f

range: [1,4]          units: 1
unique values: 4      missing .: 0/41554
unique mv codes: 3    missing .*: 29679/41554

tabulation: Freq.  Numeric  Label
            1624      1    Large 1
            8055      2    Average 2
            1873      3    Small 3
             323      4    Very small 4
           29638      .a  valid blank .a
               1      .b  valid skip 9 .b
              40      .o  valid skip 0 .o

```

lb17 EH30 21.17 LB Type of Delivery

```

type: numeric (byte)
label: lb17f

range: [1,3]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 4    missing .*: 29665/41554

tabulation: Freq.  Numeric  Label
            10567      1    A normal delivery 1
              463      2    Forceps 2
              859      3    Cesarean 3
           29607      .a  valid blank .a
               1      .b  valid skip 9 .b
               3      .c  don't know 8 .c
              54      .o  valid skip 0 .o

```

lb18 EH30 21.18 LB Post-natal checkup

```

type: numeric (byte)

```

label: lb18f

range: [0,3] units: 1

unique values: 4 missing .: 0/41554

unique mv codes: 4 missing .*: 29670/41554

tabulation:	Freq.	Numeric	Label
	7899	0	No checkup 0
	658	1	Only mother 1
	1348	2	only baby 2
	1979	3	both 3
	29665	.a	valid blank .a
	2	.b	valid skip 9 .b
	2	.c	don't know 8 .c
	1	.e	out of range .e

lb18a EH30 21.18a LB when post-checkup

type: numeric (byte)

label: missing, but 57 nonmissing values are not labeled

range: [0,99] units: 1

unique values: 57 missing .: 0/41554

unique mv codes: 1 missing .*: 33959/41554

examples: .a valid blank .a

.a valid blank .a

.a valid blank .a

.a valid blank .a

lb19a EH30 21.19a LB Vaginal bleeding

type: numeric (byte)

label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 2 missing .*: 29888/41554

tabulation:	Freq.	Numeric	Label
	10823	0	No 0
	843	1	Yes 1
	29887	.a	valid blank .a
	1	.b	valid skip 9 .b

lb19b EH30 21.19b LB Very high fever

type: numeric (byte)

label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 2 missing .*: 29933/41554

tabulation:	Freq.	Numeric	Label
	10416	0	No 0

```

      1205      1 Yes 1
    29932      .a valid blank .a
      1      .b valid skip 9 .b

```

lb20 EH31 21.20 LB Immunization card

```

      type: numeric (byte)
      label: lb20f

      range: [0,2]          units: 1
    unique values: 3        missing .: 0/41554
    unique mv codes: 4      missing .*: 29773/41554

```

```

    tabulation: Freq.  Numeric  Label
                5571      0 No 0
                3211      1 not seen 1
                2999      2 seen 2
                29768     .a valid blank .a
                   2     .b valid skip 9 .b
                   1     .c don't know 8 .c
                   2     .e out of range .e

```

lb21a EH31 21.21a LB Immun BCG date

```

      type: string (str6)

    unique values: 1236          missing "": 0/41554

    examples: ".a"
              ".a"
              ".a"
              ".a"

    warning: variable has leading and embedded blanks

```

lb21b EH31 21.21b LB Immun Polio0 date

```

      type: string (str6)

    unique values: 806          missing "": 0/41554

    examples: ".a"
              ".a"
              ".a"
              ".a"

```

lb21c EH31 21.21c LB Immun DPT1 date

```

      type: string (str6)

    unique values: 1202          missing "": 0/41554

    examples: ".a"
              ".a"

```

".a"
".a"

warning: variable has leading and embedded blanks

lb21d EH31 21.21d LB Immun DPT2 date

type: string (str6)

unique values: 1168 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

lb21e EH31 21.21e LB Immun DPT3 date

type: string (str6)

unique values: 1100 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

lb21f EH31 21.21f LB Immun Polio1 date

type: string (str6)

unique values: 1154 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading and embedded blanks

lb21g EH31 21.21g LB Immun Polio2 date

type: string (str6)

unique values: 1124 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

lb21h EH31 21.21h LB Immun Polio3 date

type: string (str6)

unique values: 1061 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

lb21i EH31 21.21i LB Immun Measls date

type: string (str6)

unique values: 919 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

lb22 EH31 21.22 LB Vacc not recorded

type: numeric (byte)

label: yesno

range: [0,1]

units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 3 missing .*: 35356/41554

tabulation:	Freq.	Numeric	Label
	4368	0	No 0
	1830	1	Yes 1
	35329	.a	valid blank .a
	25	.b	valid skip 9 .b
	2	.e	out of range .e

lb23 EH31 21.23 LB Vacc No card

type: numeric (byte)

label: yesno

range: [0,1]

units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 4 missing .*: 32459/41554

tabulation:	Freq.	Numeric	Label
	1460	0	No 0
	7635	1	Yes 1
	32449	.a	valid blank .a
	8	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e

1b24 EH31 21.24 LB BCG given

type: numeric (byte)
label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	4	missing .*:	32782/41554

tabulation:	Freq.	Numeric	Label
	1734	0	No 0
	7038	1	Yes 1
	32767	.a	valid blank .a
	6	.b	valid skip 9 .b
	5	.c	don't know 8 .c
	4	.e	out of range .e

1b25 EH31 21.25 LB # DPT given

type: numeric (byte)
label: missing, but 10 nonmissing values are not labeled

range:	[0,9]	units:	1
unique values:	10	missing .:	0/41554
unique mv codes:	1	missing .*:	32871/41554

tabulation:	Freq.	Numeric	Label
	1898	0	
	1132	1	
	1166	2	
	4217	3	
	130	4	
	64	5	
	37	6	
	5	7	
	26	8	
	8	9	
	32871	.a	valid blank .a

1b26a EH31 21.26a LB Polio frequency

type: numeric (byte)
label: missing, but 39 nonmissing values are not labeled

range:	[0,99]	units:	1
unique values:	39	missing .:	0/41554
unique mv codes:	1	missing .*:	32831/41554

```

examples: 9
          .a   valid blank .a
          .a   valid blank .a
          .a   valid blank .a

```

```

1b26b                                     EH31 21.26b LB First polio time

```

```

type: numeric (byte)
label: 1b26bf

```

```

range: [1,2]                units: 1
unique values: 2            missing .: 0/41554
unique mv codes: 5          missing .*: 33671/41554

```

```

tabulation: Freq.  Numeric  Label
              3185        1  Within a week of birth 1
              4698        2  Later 2
            32930        .a  valid blank .a
               10        .b  valid skip 9 .b
               10        .c  don't know 8 .c
                6        .e  out of range .e
               715        .o  valid skip 0 .o

```

```

1b27                                     EH31 21.27  LB Measles vaccine

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]                units: 1
unique values: 2            missing .: 0/41554
unique mv codes: 4          missing .*: 32779/41554

```

```

tabulation: Freq.  Numeric  Label
              3557        0  No 0
              5218        1  Yes 1
            32729        .a  valid blank .a
               14        .b  valid skip 9 .b
               35        .c  don't know 8 .c
                1        .e  out of range .e

```

```

1b28                                     EH31 21.28  LB Vaccine Centre

```

```

type: numeric (byte)
label: 1b28f

```

```

range: [1,5]                units: 1
unique values: 5            missing .: 0/41554
unique mv codes: 4          missing .*: 31224/41554

```

```

tabulation: Freq.  Numeric  Label
              6351        1  Public clinic 1
              1772        2  Vaccination camp 2
               960        3  Pvt clinic 3
              1121        4  Nurse at home 4
               126        5  Govt in pvt 5
            30688        .a  valid blank .a

```

```

77      .b  valid skip 9 .b
10      .c  don't know 8 .c
449     .o  valid skip 0 .o

```

```
-----
lb29                                         EH31 21.29  LB mos. Vitamin A
-----
```

```

      type: numeric (byte)
      label: lb29f, but 55 nonmissing values are not labeled

      range: [0,69]                      units: 1
      unique values: 55                  missing .: 0/41554
      unique mv codes: 2                 missing .*: 37865/41554

      examples: .a  valid blank .a
                .a  valid blank .a
                .a  valid blank .a
                .a  valid blank .a

```

```
-----
lb30                                         EH32 21.30  LB Breastfeeding
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 3                 missing .*: 29540/41554

      tabulation: Freq.  Numeric  Label
                  322      0      No 0
                  11692     1      Yes 1
                  29538     .a  valid blank .a
                   1      .b  valid skip 9 .b
                   1      .e  out of range .e

```

```
-----
lb31                                         EH32 21.31  LB 1st breastfeeding
-----
```

```

      type: numeric (byte)
      label: lb31f, but 63 nonmissing values are not labeled

      range: [0,96]                      units: 1
      unique values: 64                  missing .: 0/41554
      unique mv codes: 2                 missing .*: 29973/41554

      examples: 24
                .a  valid blank .a
                .a  valid blank .a
                .a  valid blank .a

```

```
-----
lb32                                         EH32 21.32  LB Squeeze milk
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1

```

```
unique values: 2          missing .: 0/41554
unique mv codes: 4       missing .*: 29907/41554
```

```

tabulation:  Freq.    Numeric  Label
              5858         0    No 0
              5789         1    Yes 1
              29898        .a valid blank .a
               4         .b valid skip 9 .b
               4         .c don't know 8 .c
               1         .e out of range .e

```

1b33 EH32 21.33 LB Breastfeeding dur

```
type: numeric (byte)
label: lb33f, but 48 nonmissing values are not labeled
```

```

      range: [0,66]          units: 1
unique values: 48           missing .: 0/41554
unique mv codes: 2         missing .*: 36301/41554

```

```
examples:  .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
```

1b34a	EH32 21.34a LB Age at diet supp
-------	---------------------------------

```
type: numeric (byte)
label: lb34f, but 40 nonmissing values are not labeled
```

```

      range: [0,66]          units: 1
unique values: 40           missing .: 0/41554
unique mv codes: 2         missing .*: 32309/41554

```

```
examples: 12
      .a  valid blank  .a
      .a  valid blank  .a
      .a  valid blank  .a
```

1b34b EH32 21.34b LB Age at Solid food

```
type: numeric (byte)
label: lb34f, but 40 nonmissing values are not labeled
```

```

      range: [0,66]          units: 1
unique values: 40           missing .: 0/41554
unique mv codes: 2         missing .*: 32097/41554

```

```
examples: 12
          .a  valid blank .a
          .a  valid blank .a
          .a  valid blank .a
```

1b35		EH32 21.35 LB AWC beneficiary
------	--	-------------------------------

```

      type: numeric (byte)
      label: lb35f

      range: [0,3]                units: 1
      unique values: 4            missing .: 0/41554
      unique mv codes: 3          missing .*: 30539/41554

```

tabulation:	Freq.	Numeric	Label
	8757	0	No 0
	901	1	While pregnant 1
	626	2	While lactating 2
	731	3	While preg & lact 3
	29860	.a	valid blank .a
	3	.b	valid skip 9 .b
	676	.e	out of range .e

```

-----
lb36a                                     EH32 21.36a LB AWC:Immunization
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 4          missing .*: 30675/41554

```

tabulation:	Freq.	Numeric	Label
	8033	0	No 0
	2846	1	Yes 1
	30657	.a	valid blank .a
	16	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e

```

-----
lb36a1                                    EH32 21.36a LB AWC:Immun freq
-----

```

```

      type: numeric (byte)
      label: lb36f

      range: [0,6]                units: 1
      unique values: 7            missing .: 0/41554
      unique mv codes: 2          missing .*: 35011/41554

```

tabulation:	Freq.	Numeric	Label
	3685	0	Never 0
	119	1	Daily 1
	343	2	<= 1/week 2
	122	3	<= 1/fortnight 3
	1823	4	<= 1/month 4
	350	5	<= 1/quarter 5
	101	6	<= 1/year 6
	34997	.a	valid blank .a
	14	.b	valid skip 9 .b

```

-----
lb36b                                     EH32 21.36b LB AWC:Health check
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 3                missing .*: 30769/41554

```

```

      tabulation: Freq.  Numeric  Label
                  8660      0      No 0
                  2125      1      Yes 1
                  30753     .a      valid blank .a
                   15      .b      valid skip 9 .b
                   1      .c      don't know 8 .c

```

```

-----
lb36b1                                     EH32 21.36b LB AWC:Checkup freq
-----

```

```

      type: numeric (byte)
      label: lb36f

      range: [0,6]                      units: 1
      unique values: 7                  missing .: 0/41554
      unique mv codes: 2                missing .*: 35510/41554

```

```

      tabulation: Freq.  Numeric  Label
                  3885      0      Never 0
                   63      1      Daily 1
                   165      2      <= 1/week 2
                   178      3      <= 1/fortnight 3
                   1461     4      <= 1/month 4
                   226      5      <= 1/quarter 5
                   66      6      <= 1/year 6
                  35495     .a      valid blank .a
                   15      .b      valid skip 9 .b

```

```

-----
lb36c                                     EH32 21.36c LB AWC:Food
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 4                missing .*: 30792/41554

```

```

      tabulation: Freq.  Numeric  Label
                  8426      0      No 0
                  2336      1      Yes 1
                  30769     .a      valid blank .a
                   20      .b      valid skip 9 .b
                   1      .c      don't know 8 .c
                   2      .e      out of range .e

```

```

-----
lb36c1                                     EH32 21.36c LB AWC:Food freq
-----

```

```

      type: numeric (byte)
      label: lb36f

```

range: [0,6] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 3 missing .*: 35300/41554

tabulation:	Freq.	Numeric	Label
	3907	0	Never 0
	1171	1	Daily 1
	338	2	<= 1/week 2
	67	3	<= 1/fortnight 3
	580	4	<= 1/month 4
	72	5	<= 1/quarter 5
	119	6	<= 1/year 6
	35280	.a	valid blank .a
	19	.b	valid skip 9 .b
	1	.c	don't know 8 .c

 lb36d EH32 21.36d LB AWC:Grow monitor

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 30806/41554

tabulation:	Freq.	Numeric	Label
	8428	0	No 0
	2320	1	Yes 1
	30786	.a	valid blank .a
	17	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	2	.e	out of range .e

 lb36d1 EH32 21.36d LB AWC:Growth freq

type: numeric (byte)
 label: lb36f

range: [0,6] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 3 missing .*: 35299/41554

tabulation:	Freq.	Numeric	Label
	3913	0	Never 0
	89	1	Daily 1
	171	2	<= 1/week 2
	160	3	<= 1/fortnight 3
	1547	4	<= 1/month 4
	298	5	<= 1/quarter 5
	77	6	<= 1/year 6
	35281	.a	valid blank .a
	17	.b	valid skip 9 .b
	1	.e	out of range .e

 lb36e EH32 21.36e LB AWC:Educ

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 4                missing .*: 30848/41554

```

```

      tabulation: Freq.  Numeric  Label
                  9720      0      No 0
                  986       1      Yes 1
                  30823     .a      valid blank .a
                   23      .b      valid skip 9 .b
                   1       .c      don't know 8 .c
                   1       .e      out of range .e

```

```

-----
lb36e1                                     EH32 21.36e LB AWC:Educ freq
-----

```

```

      type: numeric (byte)
      label: lb36f

      range: [0,6]                      units: 1
      unique values: 7                  missing .: 0/41554
      unique mv codes: 2                missing .*: 35791/41554

```

```

      tabulation: Freq.  Numeric  Label
                  4736      0      Never 0
                   722      1      Daily 1
                   67      2      <= 1/week 2
                   20      3      <= 1/fortnight 3
                   113     4      <= 1/month 4
                   22      5      <= 1/quarter 5
                   83      6      <= 1/year 6
                  35769     .a      valid blank .a
                   22      .b      valid skip 9 .b

```

```

-----
nl1a                                     EH33 22.1a NLB Birth ID
-----

```

```

      type: numeric (byte)
      label: missing, but 12 nonmissing values are not labeled

      range: [1,12]                    units: 1
      unique values: 12                 missing .: 25/41554
      unique mv codes: 2                missing .*: 37214/41554

```

```

      tabulation: Freq.  Numeric  Label
                  1838      1
                  1071      2
                   569      3
                   347      4
                   208      5
                   123      6
                   85       7
                   34       8
                   25       9
                   9        10
                   3        11
                   3        12
                   25       .

```


37214 .a valid blank .a

n11b EH33 22.1b NLB Survival

type: numeric (byte)
label: lb1bf

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 37214/41554

tabulation:	Freq.	Numeric	Label
	267	0	Dead 0
	4073	1	Alive 1
	37211	.a	valid blank .a
	3	.e	out of range .e

n12a EH33 22.2a NLB Antenatal checkup

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 37297/41554

tabulation:	Freq.	Numeric	Label
	1302	0	No 0
	2955	1	Yes 1
	37293	.a	valid blank .a
	2	.b	valid skip 9 .b
	2	.e	out of range .e

n12b EH33 22.2b NLB checkup Govt

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 37880/41554

tabulation:	Freq.	Numeric	Label
	1907	0	No 0
	1767	1	Yes 1
	37880	.a	valid blank .a

n12c EH33 22.2c NLB checkup Priv

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554

unique mv codes: 1 missing .*: 37911/41554

tabulation:	Freq.	Numeric	Label
	2534	0	No 0
	1109	1	Yes 1
	37911	.a	valid blank .a

n12d EH33 22.2d NLB checkup Home

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 38433/41554

tabulation:	Freq.	Numeric	Label
	2972	0	No 0
	149	1	Yes 1
	38433	.a	valid blank .a

n12e EH33 22.2e NLB checkup Other

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 38432/41554

tabulation:	Freq.	Numeric	Label
	2865	0	No 0
	257	1	Yes 1
	38430	.a	valid blank .a
	2	.e	out of range .e

n12f EH33 22.2f NLB checkup doctor

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 38151/41554

tabulation:	Freq.	Numeric	Label
	1423	0	No 0
	1980	1	Yes 1
	38151	.a	valid blank .a

n12g EH33 22.2g NLB checkup Nurse

type: numeric (byte)
label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 38233/41554

tabulation:	Freq.	Numeric	Label
	1782	0	No 0
	1539	1	Yes 1
	38233	.a	valid blank .a

 nl2h EH33 22.2h NLB checkup Midwife

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 38397/41554

tabulation:	Freq.	Numeric	Label
	2804	0	No 0
	353	1	Yes 1
	38397	.a	valid blank .a

 nl2i EH33 22.2i NLB checkup See Other

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 38417/41554

tabulation:	Freq.	Numeric	Label
	3061	0	No 0
	76	1	Yes 1
	38417	.a	valid blank .a

 nl3 EH33 22.3 NLB Health worker

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 37476/41554

tabulation:	Freq.	Numeric	Label
	3099	0	No 0
	979	1	Yes 1
	37473	.a	valid blank .a
	3	.e	out of range .e

 nl4 EH33 22.4 NLB checkup Months

type: numeric (byte)
 label: missing, but 10 nonmissing values are not labeled

 range: [0,9] units: 1
 unique values: 10 missing .: 0/41554
 unique mv codes: 1 missing .*: 37883/41554

tabulation:	Freq.	Numeric	Label
	702	0	
	139	1	
	563	2	
	1106	3	
	541	4	
	419	5	
	116	6	
	52	7	
	27	8	
	6	9	
	37883	.a	valid blank .a

nl5EH33 22.5 NLB N checkups

type: numeric (byte)
 label: missing, but 24 nonmissing values are not labeled

 range: [0,99] units: 1
 unique values: 24 missing .: 0/41554
 unique mv codes: 1 missing .*: 37837/41554

tabulation:	Freq.	Numeric	Label
	740	0	
	297	1	
	634	2	
	644	3	
	375	4	
	329	5	
	264	6	
	127	7	
	106	8	
	113	9	
	49	10	
	4	11	
	13	12	
	4	13	
	4	14	
	2	15	
	4	16	
	1	18	
	1	19	
	2	20	
	1	30	
	1	31	
	1	60	
	1	99	
	37837	.a	valid blank .a

nl6aEH33 22.6a NLB checkup Weight

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 37542/41554

```

```

      tabulation: Freq.  Numeric  Label
                  1728      0    No 0
                  2284      1    Yes 1
                  37542     .a valid blank .a

```

```

-----
nl6b                                     EH33 22.6b NLB checkup BP
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 37549/41554

```

```

      tabulation: Freq.  Numeric  Label
                  1948      0    No 0
                  2057      1    Yes 1
                  37549     .a valid blank .a

```

```

-----
nl6c                                     EH33 22.6c NLB checkup Blood
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 37546/41554

```

```

      tabulation: Freq.  Numeric  Label
                  1860      0    No 0
                  2148      1    Yes 1
                  37546     .a valid blank .a

```

```

-----
nl6d                                     EH33 22.6d NLB checkup Urine
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 37546/41554

```

```

      tabulation: Freq.  Numeric  Label
                  1926      0    No 0
                  2082      1    Yes 1
                  37546     .a valid blank .a

```

nl6e EH33 22.6e NLB checkup Abdomen

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 37551/41554

tabulation: Freq.  Numeric  Label
             1749      0     No 0
             2254      1     Yes 1
             37551     .a  valid blank .a

```

nl6f EH33 22.6f NLB checkup Internal

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 37552/41554

tabulation: Freq.  Numeric  Label
             2812      0     No 0
             1190      1     Yes 1
             37552     .a  valid blank .a

```

nl6g EH33 22.6g NLB checkup Sonogram

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 37550/41554

tabulation: Freq.  Numeric  Label
             3302      0     No 0
             702       1     Yes 1
             37550     .a  valid blank .a

```

nl6h EH33 22.6h NLB checkup Amnio

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 37600/41554

tabulation: Freq.  Numeric  Label
             3727      0     No 0
             227       1     Yes 1
             37598     .a  valid blank .a

```

2 .c don't know 8 .c

nl7 EH33 22.7 NLB Sex determine

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 40703/41554

tabulation:	Freq.	Numeric	Label
	738	0	No 0
	113	1	Yes 1
	40690	.a	valid blank .a
	13	.b	valid skip 9 .b

nl8a EH33 22.8a NLB prob Night blind

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 37386/41554

tabulation:	Freq.	Numeric	Label
	3922	0	No 0
	246	1	Yes 1
	37386	.a	valid blank .a

nl8b EH33 22.8b NLB prob Blurred

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 37385/41554

tabulation:	Freq.	Numeric	Label
	3756	0	No 0
	413	1	Yes 1
	37384	.a	valid blank .a
	1	.b	valid skip 9 .b

nl8c EH33 22.8c NLB prob Convulsions

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 37382/41554

tabulation:	Freq.	Numeric	Label
	3699	0	No 0
	473	1	Yes 1
	37382	.a	valid blank .a

nl8d EH33 22.8d NLB prob Fatigue

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 37382/41554

tabulation:	Freq.	Numeric	Label
	2737	0	No 0
	1435	1	Yes 1
	37381	.a	valid blank .a
	1	.c	don't know 8 .c

nl8e EH33 22.8e NLB prob Anaemia

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 37381/41554

tabulation:	Freq.	Numeric	Label
	3445	0	No 0
	728	1	Yes 1
	37380	.a	valid blank .a
	1	.b	valid skip 9 .b

nl8f EH33 22.8f NLB prob Bleeding

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 37388/41554

tabulation:	Freq.	Numeric	Label
	4051	0	No 0
	115	1	Yes 1
	37387	.a	valid blank .a
	1	.e	out of range .e

nl9 EH33 22.9 NLB Iron tablets

type: numeric (byte)

label: lb10f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 37542/41554

tabulation:	Freq.	Numeric	Label
	1492	0	None 0
	1132	1	< 3 months 1
	1388	2	> 3 months 2
	37374	.a	valid blank .a
	164	.c	don't know 8 .c
	4	.e	out of range .e

 nl12 EH34 22.12 NLB N TT injections

type: numeric (byte)
 label: missing, but 6 nonmissing values are not labeled

range: [0,7] units: 1
 unique values: 6 missing .: 0/41554
 unique mv codes: 3 missing .*: 37138/41554

tabulation:	Freq.	Numeric	Label
	1019	0	
	368	1	
	2070	2	
	946	3	
	12	5	
	1	7	
	37127	.a	valid blank .a
	8	.b	valid skip 9 .b
	3	.c	don't know 8 .c

 nl13 EH34 22.13 NLB Pre-delivery home

type: numeric (byte)
 label: lb13f

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 37353/41554

tabulation:	Freq.	Numeric	Label
	3144	1	current home 1
	918	2	Natal home 2
	139	3	Other 3
	37338	.a	valid blank .a
	1	.c	don't know 8 .c
	14	.o	valid skip 0 .o

 nl14 EH34 22.14 NLB Place of delivery

type: numeric (byte)
 label: lb14f

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 3 missing .*: 37358/41554

tabulation:	Freq.	Numeric	Label
	926	1	Govt clinic 1
	691	2	Pvt nursing home 2
	2551	3	Home 3
	28	4	Other 4
	37343	.a	valid blank .a
	1	.c	don't know 8 .c
	14	.o	valid skip 0 .o

 nl15a EH34 22.15a NLB delivery doctor

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 37351/41554

tabulation:	Freq.	Numeric	Label
	2656	0	No 0
	1547	1	Yes 1
	37349	.a	valid blank .a
	2	.e	out of range .e

 nl15b EH34 22.15b NLB delivery Nurse

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 37358/41554

tabulation:	Freq.	Numeric	Label
	2771	0	No 0
	1425	1	Yes 1
	37358	.a	valid blank .a

 nl15c EH34 22.15c NLB delivery Midwife

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 37369/41554

tabulation:	Freq.	Numeric	Label
	2231	0	No 0
	1954	1	Yes 1
	37369	.a	valid blank .a

 nl15d EH34 22.15d NLB delivery Friend

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 37374/41554

tabulation:	Freq.	Numeric	Label
	2845	0	No 0
	1335	1	Yes 1
	37374	.a	valid blank .a

 nl15e EH34 22.15e NLB delivery Other

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 37391/41554

tabulation:	Freq.	Numeric	Label
	3692	0	No 0
	471	1	Yes 1
	37388	.a	valid blank .a
	3	.e	out of range .e

 nl16 EH34 22.16 NLB Size of child

type: numeric (byte)
 label: lb16f

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 3 missing .*: 37371/41554

tabulation:	Freq.	Numeric	Label
	560	1	Large 1
	2856	2	Average 2
	670	3	Small 3
	97	4	Very small 4
	37346	.a	valid blank .a
	1	.c	don't know 8 .c
	24	.o	valid skip 0 .o

 nl17 EH34 22.17 NLB Type of Delivery

type: numeric (byte)
 label: lb17f

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554

unique mv codes: 3 missing .*: 37371/41554

tabulation:	Freq.	Numeric	Label
	3869	1	A normal delivery 1
	127	2	Forceps 2
	187	3	Cesarean 3
	37345	.a	valid blank .a
	1	.c	don't know 8 .c
	25	.o	valid skip 0 .o

nl18 EH34 22.18 NLB Post checkup

type: numeric (byte)
label: lb18f

range: [0,3] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 2 missing .*: 37378/41554

tabulation:	Freq.	Numeric	Label
	3052	0	No checkup 0
	186	1	Only mother 1
	381	2	only baby 2
	557	3	both 3
	37377	.a	valid blank .a
	1	.b	valid skip 9 .b

nl18a EH34 22.18a NLB post-check Days

type: numeric (byte)
label: missing, but 43 nonmissing values are not labeled

range: [0,99] units: 1
unique values: 43 missing .: 0/41554
unique mv codes: 1 missing .*: 39073/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

nl19a EH34 22.19a NLB post bleeding

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 37452/41554

tabulation:	Freq.	Numeric	Label
	3848	0	No 0
	254	1	Yes 1
	37452	.a	valid blank .a

nl19b EH34 22.19b NLB post high fever

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 37472/41554

```

tabulation:	Freq.	Numeric	Label
	3657	0	No 0
	425	1	Yes 1
	37472	.a	valid blank .a

nl20 EH35 22.20 NLB Immunization card

```

type: numeric (byte)
label: lb20f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 4    missing .*: 37237/41554

```

tabulation:	Freq.	Numeric	Label
	2474	0	No 0
	1145	1	not seen 1
	698	2	seen 2
	37229	.a	valid blank .a
	6	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e

nl21a EH35 22.21a NLB Immun BCG

```

type: string (str6)

unique values: 505      missing "": 0/41554

```

```

examples: ".a"
          ".a"
          ".a"
          ".a"

```

warning: variable has leading blanks

nl21b EH35 22.21b NLB Immun Polio 0

```

type: string (str6)

unique values: 235      missing "": 0/41554

```

```

examples: ".a"
          ".a"
          ".a"
          ".a"

```

warning: variable has leading blanks

nl21c EH35 22.21c NLB Immun DPT1

type: string (str6)

unique values: 511 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

nl21d EH35 22.21d NLB Immun DPT2

type: string (str6)

unique values: 509 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

nl21e EH35 22.21e NLB Immun DPT3

type: string (str6)

unique values: 487 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

nl21f EH35 22.21f NLB Immun Polio 1

type: string (str6)

unique values: 494 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

nl21g EH35 22.21g NLB Immun Polio 2

type: string (str6)

unique values: 487 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

nl21h EH35 22.21h NLB Immun Polio 3

type: string (str6)

unique values: 473 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

nl21i EH35 22.21i NLB Immun Measles

type: string (str6)

unique values: 444 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

nl22 EH35 22.22 NLB Vacc not rec

type: numeric (byte)

label: yesno

range: [0,1]

units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 4 missing .*: 39554/41554

tabulation:	Freq.	Numeric	Label
	1385	0	No 0
	615	1	Yes 1
	39540	.a	valid blank .a
	12	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e

nl23 EH35 22.23 NLB Vacc No card

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 38036/41554

```

```

      tabulation: Freq.  Numeric  Label
                  598      0      No 0
                  2920     1      Yes 1
                  38035    .a      valid blank .a
                   1      .b      valid skip 9 .b

```

```

-----
nl24                                     EH35 22.24  NLB BCG given
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 3          missing .*: 38179/41554

```

```

      tabulation: Freq.  Numeric  Label
                  721      0      No 0
                  2654     1      Yes 1
                  38175    .a      valid blank .a
                   1      .b      valid skip 9 .b
                   3      .e      out of range .e

```

```

-----
nl25                                     EH35 22.25  NLB # DPT
-----

```

```

      type: numeric (byte)
      label: missing, but 8 nonmissing values are not labeled

      range: [0,7]                units: 1
      unique values: 8            missing .: 0/41554
      unique mv codes: 3          missing .*: 38226/41554

```

```

      tabulation: Freq.  Numeric  Label
                  739      0
                  301      1
                  399      2
                  1776     3
                   56      4
                   35      5
                   21      6
                   1       7
                  38214    .a      valid blank .a
                   5      .b      valid skip 9 .b
                   7      .c      don't know 8 .c

```

```

-----
nl26a                                    EH35 22.26a NLB # Polio
-----

```

```

      type: numeric (byte)
      label: missing, but 32 nonmissing values are not labeled

```


tabulation:	Freq.	Numeric	Label
	185	0	
	246	1	
	267	2	
	1056	3	
	236	4	
	248	5	
	258	6	
	74	7	
	217	8	
	201	9	
	182	10	
	10	11	
	64	12	
	7	13	
	6	14	
	47	15	
	2	16	
	4	18	
	3	20	
	1	22	
	4	24	
	1	25	
	1	29	
	5	31	
	5	32	
	2	36	
	3	41	
	2	48	
	3	51	
	1	52	
	1	61	
	1	62	
	38211	.a	valid blank .a

tabulation:	Freq.	Numeric	Label
	289	0	
	1082	1	Within a week of birth 1
	1936	2	Later 2
	38244	.a	valid blank .a
	1	.b	valid skip 9 .b
	2	.c	don't know 8 .c

nl27	EH35 22.27	NLB Measles vacc
------	------------	------------------

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 38196/41554

tabulation:	Freq.	Numeric	Label
	1185	0	No 0
	2173	1	Yes 1
	38177	.a	valid blank .a
	4	.b	valid skip 9 .b
	13	.c	don't know 8 .c
	2	.e	out of range .e

 nl28 EH35 22.28 NLB Vaccine Cent

type: numeric (byte)
 label: lb28f

 range: [1,5] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 4 missing .*: 37957/41554

tabulation:	Freq.	Numeric	Label
	2157	1	Public clinic 1
	667	2	Vaccination camp 2
	249	3	Pvt clinic 3
	472	4	Nurse at home 4
	52	5	Govt in pvt 5
	37706	.a	valid blank .a
	38	.b	valid skip 9 .b
	5	.c	don't know 8 .c
	208	.o	valid skip 0 .o

 nl29 EH35 22.29 NLB mos Vit A

type: numeric (byte)
 label: lb29f, but 53 nonmissing values are not labeled

 range: [0,66] units: 1
 unique values: 53 missing .: 0/41554
 unique mv codes: 2 missing .*: 40243/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 nl30 EH36 22.30 NLB Breastfeeding

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1

```

tabulation:  Freq.    Numeric  Label
              308         0    No 0
              4043        1    Yes 1
              37202       .a  valid blank .a
                   1       .e  out of range .e

```

```
examples:  .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
```

```

tabulation:  Freq.    Numeric  Label
              1936         0    No 0
              2102         1    Yes 1
              37512        .a valid blank .a
              3         .c don't know 8 .c
              1         .e out of range .e

```

```
examples:  .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
```

nl34a EH36 22.34a NLB Age other milk

```

      type: numeric (byte)
      label: nl34f, but 41 nonmissing values are not labeled

      range: [0,68]                                units: 1
unique values: 41                                missing .: 0/41554
unique mv codes: 2                            missing .*: 37936/41554

```

```
examples:  .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
```

nl34b	EH36 22.34b NLB Age solid food
-------	--------------------------------

```

      type: numeric (byte)
      label: nl34f, but 45 nonmissing values are not labeled

      range: [0,68]                                units: 1
unique values: 45                                missing .: 0/41554
unique mv codes: 2                                missing .*: 37736/41554

```

```
examples:  .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
```

n135		EH36 22.35	NLB AWC beneficiary
------	--	------------	---------------------

```

      type: numeric (byte)
      label: nl35f, but 4 nonmissing values are not labeled

      range: [0,3]                      units: 1
unique values: 4                        missing .: 0/41554
unique mv codes: 3                      missing .*: 37471/41554

```

```

tabulation: Freq.    Numeric    Label
            3124      0
            420      1
            188      2
            351      3
            37439    .a valid blank .a
              1    .b valid skip 9 .b
              31    .e out of range .e

```

nl36a EH36 22.36a NLB AWC:Immunization

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
      unique values: 2
      unique mv codes: 2

      units: 1
      missing .: 0/41554
      missing .*: 37747/41554

```

```

tabulation:  Freq.    Numeric  Label
              2810         0    No 0

```

```

          997      1 Yes 1
        37746      .a valid blank .a
           1      .e out of range .e

```

```
-----
nl36a1                                     EH36 22.36a NLB AWC:Immun freq
-----
```

```

      type: numeric (byte)
      label: lb36f

      range: [0,6]                units: 1
unique values: 7                missing .: 0/41554
unique mv codes: 1              missing .*: 39231/41554

```

```

tabulation: Freq.  Numeric  Label
            1325      0  Never 0
              40      1  Daily 1
             111      2  <= 1/week 2
              45      3  <= 1/fortnight 3
             661      4  <= 1/month 4
              97      5  <= 1/quarter 5
              44      6  <= 1/year 6
            39231      .a valid blank .a

```

```
-----
nl36b                                     EH36 22.36b NLB AWC:Checkup
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                missing .: 0/41554
unique mv codes: 2              missing .*: 37792/41554

```

```

tabulation: Freq.  Numeric  Label
            3024      0  No 0
             738      1  Yes 1
            37791      .a valid blank .a
               1      .b valid skip 9 .b

```

```
-----
nl36b1                                     EH36 22.36b NLB AWC:Checkup frq
-----
```

```

      type: numeric (byte)
      label: lb36f

      range: [0,6]                units: 1
unique values: 7                missing .: 0/41554
unique mv codes: 1              missing .*: 39398/41554

```

```

tabulation: Freq.  Numeric  Label
            1417      0  Never 0
              21      1  Daily 1
              49      2  <= 1/week 2
              56      3  <= 1/fortnight 3
             512      4  <= 1/month 4
              67      5  <= 1/quarter 5
              34      6  <= 1/year 6
            39398      .a valid blank .a

```

 nl36c EH36 22.36c NLB AWC:Food

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 37792/41554

tabulation:	Freq.	Numeric	Label
	2891	0	No 0
	871	1	Yes 1
	37791	.a	valid blank .a
	1	.e	out of range .e

 nl36c1 EH36 22.36c NLB AWC:Food freq

type: numeric (byte)
 label: lb36f

range: [0,6] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 2 missing .*: 39287/41554

tabulation:	Freq.	Numeric	Label
	1398	0	Never 0
	465	1	Daily 1
	113	2	<= 1/week 2
	16	3	<= 1/fortnight 3
	213	4	<= 1/month 4
	21	5	<= 1/quarter 5
	41	6	<= 1/year 6
	39286	.a	valid blank .a
	1	.b	valid skip 9 .b

 nl36d EH36 22.36d NLB AWC:Growth

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 37800/41554

tabulation:	Freq.	Numeric	Label
	2924	0	No 0
	830	1	Yes 1
	37799	.a	valid blank .a
	1	.e	out of range .e

 nl36d1 EH36 22.36d NLB AWC:Growth frq

type: numeric (byte)

label: lb36f

range: [0,6] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 1 missing .*: 39293/41554

tabulation:	Freq.	Numeric	Label
	1427	0	Never 0
	36	1	Daily 1
	38	2	<= 1/week 2
	61	3	<= 1/fortnight 3
	549	4	<= 1/month 4
	99	5	<= 1/quarter 5
	51	6	<= 1/year 6
	39293	.a	valid blank .a

nl36e EH36 22.36e NLB AWC:Education

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 37812/41554

tabulation:	Freq.	Numeric	Label
	3235	0	No 0
	507	1	Yes 1
	37811	.a	valid blank .a
	1	.b	valid skip 9 .b

nl36e1 EH36 22.36e NLB AWC:Educ freq

type: numeric (byte)
 label: lb36f

range: [0,6] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 2 missing .*: 39418/41554

tabulation:	Freq.	Numeric	Label
	1619	0	Never 0
	378	1	Daily 1
	26	2	<= 1/week 2
	12	3	<= 1/fortnight 3
	56	4	<= 1/month 4
	9	5	<= 1/quarter 5
	36	6	<= 1/year 6
	39417	.a	valid blank .a
	1	.b	valid skip 9 .b

hq1 EH37 23.1 Obs: House Type

type: numeric (byte)
 label: hq1f

range: [1,6] units: 1
 unique values: 6 missing .: 0/41554
 unique mv codes: 5 missing .*: 506/41554

tabulation:	Freq.	Numeric	Label
	7543	1	Bungalow 1
	22149	2	Shared walls 2
	1281	3	Flat 3
	3635	4	Chawl 4
	3926	5	Slum housing 5
	2514	6	Other 6
	330	.a	valid blank .a
	68	.b	valid skip 9 .b
	5	.c	don't know 8 .c
	1	.e	out of range .e
	102	.o	valid skip 0 .o

 hq2a EH37 23.2a Obs: House Excrement

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 407/41554

tabulation:	Freq.	Numeric	Label
	32113	0	No 0
	9034	1	Yes 1
	338	.a	valid blank .a
	64	.b	valid skip 9 .b
	4	.c	don't know 8 .c
	1	.e	out of range .e

 hq2b EH37 23.2b Obs: Stagnant water

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 439/41554

tabulation:	Freq.	Numeric	Label
	34365	0	No 0
	6750	1	Yes 1
	371	.a	valid blank .a
	63	.b	valid skip 9 .b
	4	.c	don't know 8 .c
	1	.e	out of range .e

 hq3 EH37 23.3 Obs: Animals kept in

type: numeric (byte)
 label: hq3f

range: [0,3] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 4 missing .*: 531/41554

tabulation:	Freq.	Numeric	Label
	27630	0	No animals 0
	3607	1	inside living area 1
	2710	2	Attached room 2
	7076	3	Outside 3
	451	.a	valid blank .a
	68	.b	valid skip 9 .b
	11	.c	don't know 8 .c
	1	.e	out of range .e

 hq4EH37 23.4 Obs: Wall type

type: numeric (byte)
 label: hq4f

range: [1,9] units: 1
 unique values: 9 missing .: 0/41554
 unique mv codes: 2 missing .*: 389/41554

tabulation:	Freq.	Numeric	Label
	1944	1	Grass, thatch 1
	12222	2	Mud,Unburnt bricks 2
	160	3	Plastic 3
	391	4	Wood 4
	8061	5	Burnt bricks 5
	319	6	GI/metal sheets 6
	2356	7	Stone 7
	15146	8	Cement/ Concrete 8
	566	9	Other 9
	348	.d	invalid skip .d
	41	.o	valid skip 0 .o

 hq5EH37 23.5 Obs: Roof type

type: numeric (byte)
 label: hq5f

range: [1,10] units: 1
 unique values: 10 missing .: 0/41554
 unique mv codes: 1 missing .*: 377/41554

tabulation:	Freq.	Numeric	Label
	8718	1	Grass, mud, wood 1
	8819	2	Tile 2
	2194	3	slate 3
	139	4	Plastic 4
	4272	5	GI,metal,Asbestos 5
	7025	6	Cement/ Concrete 6
	1682	7	Brick 7
	1646	8	Stone 8
	6564	9	Concrete 9
	118	10	Other 10
	377	.d	invalid skip .d

 hq6 EH37 23.6 Obs: Floor type

type: numeric (byte)
 label: hq6f

 range: [1,7] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 4 missing .*: 384/41554

tabulation:	Freq.	Numeric	Label
	16796	1	Mud,Unburnt bricks 1
	505	2	Wood, bamboo 2
	745	3	Brick 3
	2643	4	Stone 4
	16183	5	Cement/ Concrete 5
	3945	6	Tiles, Mosaic 6
	353	7	Other 7
	7	.b	valid skip 9 .b
	14	.c	don't know 8 .c
	354	.d	invalid skip .d
	9	.o	valid skip 0 .o

 og1 EH37 24.1 Obs: Purpose

type: numeric (byte)
 label: og1f

 range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 4 missing .*: 2483/41554

tabulation:	Freq.	Numeric	Label
	32806	0	No 0
	5359	1	Some difficulty 1
	906	2	Alot difficulty 2
	576	.a	valid blank .a
	1904	.b	valid skip 9 .b
	2	.c	don't know 8 .c
	1	.e	out of range .e

 og2 EH37 24.2 Obs: Understanding

type: numeric (byte)
 label: og1f

 range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 2702/41554

tabulation:	Freq.	Numeric	Label
	31521	0	No 0
	6282	1	Some difficulty 1
	1049	2	Alot difficulty 2
	568	.a	valid blank .a
	2131	.b	valid skip 9 .b
	3	.c	don't know 8 .c

 og3 EH37 24.3 Obs: Clarity

type: numeric (byte)
 label: og3f

 range: [0,2] units: 1
 unique values: 3 missing .: 1/41554
 unique mv codes: 4 missing .*: 7813/41554

tabulation:	Freq.	Numeric	Label
	1219	0	No 0
	10767	1	Sometimes 1
	21754	2	Usually 2
	1	.	
	585	.a	valid blank .a
	7226	.b	valid skip 9 .b
	2	.c	don't know 8 .c

 og4 EH37 24.4 Obs: Knows expenditure

type: numeric (byte)
 label: og4f

 range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 4 missing .*: 7512/41554

tabulation:	Freq.	Numeric	Label
	2881	0	Very little 0
	13933	1	Somewhat 1
	17228	2	Very 2
	609	.a	valid blank .a
	6899	.b	valid skip 9 .b
	2	.c	don't know 8 .c
	2	.e	out of range .e

 og5 EH37 24.5 Obs: Confidence

type: numeric (byte)
 label: og5f

 range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 7904/41554

tabulation:	Freq.	Numeric	Label
	629	0	No 0
	10601	1	Sometimes 1
	22420	2	Usually 2
	594	.a	valid blank .a
	7308	.b	valid skip 9 .b
	2	.c	don't know 8 .c

 og6 EH37 24.6 Interview end time

```

type: numeric (byte)
label: ampm

range: [1,2]          units: 1
unique values: 2      missing .: 20/41554
unique mv codes: 4    missing .*: 41195/41554

```

```

tabulation: Freq.  Numeric  Label
              73       1    AM 1
              266       2    PM 2
              20        .
              430       .a  valid blank .a
             40763       .e  out of range .e
               2        .o  valid skip 0 .o

```

```

-----
og7                                     EH37 24.7 Completion status
-----

```

```

type: numeric (byte)
label: complete

range: [1,2]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 303/41554

```

```

tabulation: Freq.  Numeric  Label
              39552       1  Complete 1
              1699       2  Incomplete 2
              298        .a  valid blank .a
               2        .e  out of range .e
               3        .o  valid skip 0 .o

```

stateid State code

type: numeric (byte)
label: stateid

range: [1,34] units: 1
unique values: 33 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	715	1	Jammu & Kashmir 01
	1372	2	Himachal Pradesh 02
	1593	3	Punjab 03
	90	4	Chandigarh 04
	458	5	Uttaranchal 05
	1618	6	Haryana 06
	960	7	Delhi 07
	2485	8	Rajasthan 08
	3512	9	Uttar Pradesh 09
	1430	10	Bihar 10
	105	11	Sikkim 11
	165	12	Arunachal Pradesh 12
	130	13	Nagaland 13
	105	14	Manipur 14
	105	15	Mizoram 15
	229	16	Tripura 16
	161	17	Meghalaya 17
	1017	18	Assam 18
	2380	19	West Bengal 19
	924	20	Jharkhand 20
	2064	21	Orissa 21
	1175	22	Chhatishgarh 22
	2805	23	Madhya Pradesh 23
	2078	24	Gujarat 24
	60	25	Daman & Diu 25
	60	26	Dadra+Nagar Haveli 26
	3203	27	Maharashtra 27
	2435	28	Andhra Pradesh 28
	4021	29	Karnataka 29
	165	30	Goa 30
	1731	32	Kerala 32
	2098	33	Tamil Nadu 33
	105	34	Pondicherry 34

distid District code

type: numeric (byte)

range: [0,68] units: 1
unique values: 61 missing .: 0/41554

mean: 14.6924
std. dev: 12.3204

percentiles:	10%	25%	50%	75%	90%
	2	6	12	20	29

psuid PSU: village/neighborhood code

type: numeric (byte)

range: [1,39] units: 1
unique values: 39 missing .: 0/41554

mean: 5.75742
std. dev: 5.76636

percentiles:	10%	25%	50%	75%	90%
	1	2	4	7	11

hhid	Household ID				

type:	numeric (byte)				
range:	[1,52]		units: 1		
unique values:	52		missing .: 0/41554		
mean:	9.21969				
std. dev:	5.8208				
percentiles:	10%	25%	50%	75%	90%
	2	4	9	13	17

hhsplitid	Split household ID				

type:	numeric (byte)				
range:	[0,7]		units: 1		
unique values:	8		missing .: 0/41554		
tabulation:	Freq. Value				
	27654 0				
	11517 1				
	1713 2				
	518 3				
	121 4				
	23 5				
	6 6				
	2 7				

caseid	HH id: 11 byte string				

type:	string (str9)				
unique values:	41554		missing "": 0/41554		
examples:	"082001071"				
	"190602111"				
	"233003050"				
	"282208051"				

idhh	HH id 9-digit unique				

type:	numeric (long)				
range:	[10201010,3.400e+08]		units: 1		
unique values:	41554		missing .: 0/41554		
mean:	1.9e+08				
std. dev:	9.8e+07				
percentiles:	10%	25%	50%	75%	90%
	5.1e+07	9.2e+07	2.1e+08	2.8e+08	2.9e+08

idpsu	PSU id 6-digit unique				

type:	numeric (long)				
range:	[10201,340006]		units: 1		
unique values:	2474		missing .: 0/41554		

urban Census: 2001 village/town

```

-----
                type: numeric (byte)
                label: urban

                range: [0,1]                units: 1
unique values: 2                missing .: 0/41554

                tabulation: Freq.  Numeric  Label
                           26734      0 rural 0
                           14820      1 urban 1
-----
metro6                                Largest 6 metro areas 1-6
-----

```

```

                type: numeric (byte)
                label: metro6f

                range: [1,6]                units: 1
unique values: 6                missing .: 37421/41554

                tabulation: Freq.  Numeric  Label
                           585        1 Mumbai 1
                           1326       2 Delhi 2
                           1114       3 Kolkata 3
                           291        4 Chennai 4
                           360        5 Bangalore 5
                           457        6 Hyderabad 6
                           37421      .
-----

```

```

-----
sweight                                Design weights
-----

                type: numeric (float)

                range: [220.00238,308216.38]    units: .00001
unique values: 1526                missing .: 0/41554

                mean: 4623.48
                std. dev: 5057.27

                percentiles:      10%      25%      50%      75%      90%
                           1408.89  2450.21  3704   5234.42  8098.4
-----

```

```

-----
Npersons                                HH4 2.0 N in hh
-----

                type: numeric (byte)

                range: [1,38]                units: 1
unique values: 33                missing .: 0/41554

                tabulation: Freq.  Value
                           801      1
                           3215     2
                           5228     3
                           8878     4
                           8360     5
                           5929     6
                           3601     7
                           2031     8
                           1262     9
                           772     10
                           452     11
                           338     12
                           230     13
                           136     14
                           145     15
                           41      16
                           34      17
-----

```


34 18
 15 19
 15 20
 13 21
 9 22
 1 23
 2 24
 1 25
 1 26
 3 27
 2 28
 1 29
 1 30
 1 31
 1 33
 1 38

 Nchildren HH4 2.5 N 0-14 in hh

type: numeric (byte)

range: [0,17] units: 1
 unique values: 17 missing .: 0/41554

tabulation: Freq. Value
 12516 0
 8695 1
 9727 2
 5817 3
 2716 4
 1234 5
 471 6
 213 7
 94 8
 30 9
 19 10
 11 11
 3 12
 3 13
 1 14
 1 15
 3 17

 Nteens HH4 2.5 N 15-21 in hh

type: numeric (byte)

range: [0,8] units: 1
 unique values: 9 missing .: 0/41554

tabulation: Freq. Value
 22296 0
 10675 1
 6010 2
 2063 3
 409 4
 81 5
 15 6
 4 7
 1 8

 Nadults HH4 2.5 N 22+ in hh

type: numeric (byte)

range: [0,18] units: 1
 unique values: 17 missing .: 0/41554

```

tabulation: Freq. Value
            110  0
            2897 1
            20308 2
            8305 3
            5584 4
            2222 5
            1259 6
            466 7
            240 8
            75 9
            50 10
            16 11
            9 12
            8 13
            3 14
            1 15
            1 18

```

```

-----
Nmarriedf                                     HH4 2.6 N married women in hh
-----

```

```

type: numeric (byte)

range: [0,8]          units: 1
unique values: 9      missing .: 0/41554

```

```

tabulation: Freq. Value
            3203  0
            28928 1
            7235 2
            1741 3
            366 4
            59 5
            16 6
            2 7
            4 8

```

```

-----
Nmarriedm                                     HH4 2.6 N married men in hh
-----

```

```

type: numeric (byte)

range: [0,8]          units: 1
unique values: 9      missing .: 0/41554

```

```

tabulation: Freq. Value
            3803  0
            29028 1
            6782 2
            1548 3
            319 4
            57 5
            10 6
            4 7
            3 8

```

```

-----
copc                                     HH19 12. Monthly consumption per capita
-----

```

```

type: numeric (long)
label: missing, but 3839 nonmissing values are not labeled

range: [4,39273]      units: 1
unique values: 3839    missing .: 0/41554
unique mv codes: 2     missing .*: 63/41554

examples: 402
          581

```

816
1264

groups8 HH3 1.13-15 Caste/religion 8cats

type: numeric (byte)
label: groups8f

range: [1,8] units: 1
unique values: 8 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	2421	1	Brahmin 1
	7151	2	High caste 2
	14068	3	OBC 3
	8333	4	Dalit 4
	3439	5	Adivasi 5
	4708	6	Muslim 6
	683	7	Sikh, Jain 7
	751	8	Christian 8

hhassets HH22+EH 30 hh goods & housing

type: numeric (byte)

range: [0,30] units: 1
unique values: 31 missing .: 0/41554

tabulation:	Freq.	Value
	101	0
	293	1
	685	2
	1293	3
	1953	4
	2311	5
	2440	6
	2385	7
	2303	8
	2251	9
	2250	10
	2186	11
	2095	12
	2069	13
	1961	14
	1844	15
	1801	16
	1727	17
	1594	18
	1631	19
	1419	20
	1309	21
	1100	22
	851	23
	659	24
	438	25
	263	26
	179	27
	97	28
	43	29
	23	30

hhed5adult HH17 ed5 Highest adult(22+) educ

type: numeric (byte)
label: ed5f

range: [0,15] units: 1

tabulation:	Freq.	Numeric	Label
	9938	0	none 0
	190	1	1
	820	2	2
	1001	3	3
	1509	4	4
	3017	5	5th standard 5
	1248	6	6
	2081	7	7

```

3011      8  8
3498      9  9
5135     10 matric 10
813      11 11
3447     12 higher sec 12
179      13 13
256      14 14
5347     15 graduate 15
9         .a Valid blank .a
55        .d Invalid skip .d

```

```

-----
Nwork                                           HH 4-7 Nhh any work
-----

```

type: numeric (byte)

```

range: [0,13]           units: 1
unique values: 14       missing .: 0/41554

```

```

tabulation: Freq. Value
2020 0
13426 1
13036 2
6448 3
3970 4
1615 5
639 6
241 7
98 8
37 9
12 10
6 11
3 12
3 13

```

```

-----
Nfarm                                           HH9 4.28 Nhh family farm
-----

```

type: numeric (byte)

```

range: [0,13]           units: 1
unique values: 14       missing .: 0/41554

```

```

tabulation: Freq. Value
28187 0
3308 1
5496 2
2444 3
1366 4
453 5
198 6
60 7
23 8
11 9
3 10
3 11
1 12
1 13

```

```

-----
Nanimal                                         HH9 5.5 Nhh animal care
-----

```

type: numeric (byte)

```

range: [0,9]           units: 1
unique values: 10      missing .: 0/41554

```

```

tabulation: Freq. Value
25176 0
4387 1

```

7289 2
2794 3
1258 4
432 5
132 6
43 7
26 8
17 9

Nagwage

HH11 6.3 Nhh ag wage

type: numeric (byte)

range: [0,10] units: 1
unique values: 10 missing .: 0/41554

tabulation:	Freq.	Value
	31210	0
	4723	1
	3736	2
	1126	3
	526	4
	156	5
	53	6
	18	7
	4	8
	2	10

Nnonag

HH11 6.3 Nhh nonag wage

type: numeric (byte)

range: [0,8] units: 1
unique values: 9 missing .: 0/41554

tabulation:	Freq.	Value
	31051	0
	7553	1
	2217	2
	537	3
	149	4
	26	5
	14	6
	6	7
	1	8

Nsalary

HH11 6.7 Nhh salaried

type: numeric (byte)

range: [0,6] units: 1
unique values: 7 missing .: 0/41554

tabulation:	Freq.	Value
	28700	0
	10302	1
	2053	2
	397	3
	84	4
	11	5
	7	6

Nbusiness

HH12 7.7 Nhh family business

type: numeric (byte)

range: [0,7] units: 1
 unique values: 8 missing .: 0/41554

tabulation: Freq. Value
 33823 0
 5133 1
 1984 2
 459 3
 123 4
 21 5
 8 6
 3 7

 income HH5-15 3-8 Total income

type: numeric (float)

range: [-107349.56,6520260.5] units: 1.000e-06
 unique values: 21111 missing .: 0/41554

mean: 54428.3
 std. dev: 85009.6

percentiles:	10%	25%	50%	75%	90%
	9170	17000	32000	65824	120000

 incfarm HH6-10 4-6 Family farm income

type: numeric (float)

range: [-107349.56,4817151.5] units: 1.000e-08
 unique values: 17098 missing .: 0/41554

mean: 10265.9
 std. dev: 51854.5

percentiles:	10%	25%	50%	75%	90%
	0	0	0	6479.29	24551.6

 incagwage HH11 6.8+ hh ag wages

type: numeric (float)

range: [0,155000] units: .1
 unique values: 1273 missing .: 0/41554

mean: 3242.46
 std. dev: 8155.62

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1020	12000

 incnonag HH11 6.8+ hh nonag wages

type: numeric (float)

range: [0,292000] units: .1
 unique values: 1372 missing .: 0/41554

mean: 5552.11
 std. dev: 13516.4

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2100	21000

 incsalary HH11 6.8+ hh salaries

type: numeric (float)
 range: [0,960000] units: 1.000e-06
 unique values: 2394 missing.: 0/41554
 mean: 20616.5
 std. dev: 47749.9
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 18000 74500

 incbus HH11-14 7. Net business income

type: numeric (float)
 range: [0,6190000] units: 1
 unique values: 844 missing.: 0/41554
 mean: 10127.9
 std. dev: 50731.1
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 30000

 incremit HH5 3.13 Sum hh remittances

type: numeric (float)
 range: [0,610000] units: 1
 unique values: 188 missing.: 0/41554
 mean: 1436.6
 std. dev: 8855.14
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

 incgovt HH15 8.7-13 govt benefits

type: numeric (float)
 range: [0,200000] units: 1
 unique values: 395 missing.: 0/41554
 mean: 221.417
 std. dev: 1837.36
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 300

 incother HH15 8.1+ property, pensions etc.

type: numeric (float)
 range: [0,500000] units: 1
 unique values: 564 missing.: 0/41554
 mean: 2965.43
 std. dev: 13930

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1800

pcpl Poverty line

type: numeric (float)

range: [292.95,665.9] units: .01

unique values: 41 missing .: 0/41554

mean: 422.227

std. dev: 97.6262

percentiles:	10%	25%	50%	75%	90%
	324.17	353.93	382.82	483.26	560

poor HH19 12. HH below poverty line

type: numeric (byte)

label: poor

range: [0,1] units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 2 missing .*: 63/41554

tabulation:	Freq.	Numeric	Label
	33366	0	nonpoor 0
	8125	1	poor 1
	62	.d	invalid skip .d
	1	.e	out of range .e

hc3 HH1 3 Interviewer ID

type: numeric (int)

label: missing, but 431 nonmissing values are not labeled

range: [0,3413] units: 1

unique values: 431 missing .: 0/41554

unique mv codes: 1 missing .*: 717/41554

examples: 532

 1223

 1911

 2431

hc6 HH1 6 Supervisor ID

type: numeric (int)

label: missing, but 257 nonmissing values are not labeled

range: [0,3316] units: 1

unique values: 257 missing .: 1/41554

unique mv codes: 2 missing .*: 1068/41554

examples: 530

 1230

 1910

 2420

hc9 HH1 9 Reinterview household

type: numeric (byte)

label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	27654	0	No 0
	13900	1	Yes 1

 hc10 HH1 10 Number of visits

type: numeric (byte)
 label: missing, but 6 nonmissing values are not labeled

range: [1,6] units: 1
 unique values: 6 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	36001	1	
	3920	2	
	1283	3	
	309	4	
	34	5	
	7	6	

 hc11 HH1 11 Completion status

type: numeric (byte)
 label: hc11f

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	41192	1	Complete 1
	362	2	Incomplete 2

 hc12 HH1 12 Additional booklet

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	41361	0	No 0
	193	1	Yes 1

 hc13 HH1 13 Learning completion

type: numeric (byte)
 label: hc13f

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	2984	1	Not done 1
	778	2	Partially done 2
	10048	3	Fully done 3
	27744	4	Not applicable 4

 hc14 HH1 14 3+ learning sheets

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
unique values: 2          missing .: 0/41554

```

```

      tabulation: Freq.   Numeric   Label
                  41519      0   No 0
                  35        1   Yes 1

```

```

-----
hc15                                     HH1 15 Data Entry ID
-----

```

```

      type: numeric (int)
      label: missing, but 51 nonmissing values are not labeled

      range: [0,2211]      units: 1
unique values: 51          missing .: 4/41554
unique mv codes: 2          missing .*: 4748/41554

      examples: 7
                  11
                  21
                  31

```

```

-----
hs1                                     HH2 1 Agree to interview
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
unique values: 2          missing .: 0/41554
unique mv codes: 1          missing .*: 1/41554

      tabulation: Freq.   Numeric   Label
                  4        0   No 0
                  41549     1   Yes 1
                  1        .a valid blank .a

```

```

-----
hs2                                     HH2 2 Date of interview
-----

```

```

      type: string (str6)

unique values: 621          missing "": 0/41554

      examples: "070205"
                  "121204"
                  "190205"
                  "241204"

      warning: variable has leading and embedded blanks

```

```

-----
hs3                                     HH2 3 Interview start time
-----

```

```

      type: numeric (int)
      label: missing, but 464 nonmissing values are not labeled

      range: [100,1258]      units: 1
unique values: 464          missing .: 4/41554

      examples: 240
                  430
                  930
                  1110

```

 hs3b HH2 3 Interview start AM/PM

type: numeric (byte)
 label: ampm

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 203/41554

tabulation:	Freq.	Numeric	Label
	16628	1	AM 1
	24723	2	PM 2
	198	.a	
	5	.o	

 id1 HH3 1.1 Stratum Number

type: numeric (byte)
 label: missing, but 33 nonmissing values are not labeled

range: [0,32] units: 1
 unique values: 33 missing .: 0/41554
 unique mv codes: 2 missing .*: 5511/41554

tabulation:	Freq.	Numeric	Label
	22917	0	
	2345	1	
	1915	2	
	502	3	
	480	4	
	395	5	
	775	6	
	648	7	
	557	8	
	487	9	
	413	10	
	630	11	
	789	12	
	350	13	
	399	14	
	373	15	
	472	16	
	599	17	
	108	18	
	92	19	
	72	20	
	155	21	
	235	22	
	27	23	
	41	24	
	1	25	
	27	26	
	13	27	
	71	28	
	24	29	
	10	30	
	63	31	
	58	32	
	4737	.a	valid blank .a
	774	.b	valid skip 9 .b

 id2 HH3 1.2 Listing Sheet Number

type: numeric (int)
 label: missing, but 341 nonmissing values are not labeled

range: [0,453] units: 1

```
unique values: 341          missing .: 0/41554
unique mv codes: 1         missing .*: 3276/41554
```

```
examples: 0
          28
          71
          139
```

id3	HH3 1.3 State/UT code
-----	-----------------------

```
type: numeric (byte)
label: stateid
```

```

      range: [1,34]          units: 1
unique values: 33          missing .: 0/41554

```

tabulation:	Freq.	Numeric	Label
	715	1	Jammu & Kashmir 01
	1372	2	Himachal Pradesh 02
	1593	3	Punjab 03
	90	4	Chandigarh 04
	458	5	Uttaranchal 05
	1618	6	Haryana 06
	960	7	Delhi 07
	2485	8	Rajasthan 08
	3512	9	Uttar Pradesh 09
	1430	10	Bihar 10
	105	11	Sikkim 11
	165	12	Arunachal Pradesh 12
	130	13	Nagaland 13
	105	14	Manipur 14
	105	15	Mizoram 15
	229	16	Tripura 16
	161	17	Meghalaya 17
	1017	18	Assam 18
	2380	19	West Bengal 19
	924	20	Jharkhand 20
	2064	21	Orissa 21
	1175	22	Chhatisgarh 22
	2805	23	Madhya Pradesh 23
	2078	24	Gujarat 24
	60	25	Daman & Diu 25
	60	26	Dadra+Nagar Haveli 26
	3203	27	Maharashtra 27
	2435	28	Andhra Pradesh 28
	4021	29	Karnataka 29
	165	30	Goa 30
	1731	32	Kerala 32
	2098	33	Tamil Nadu 33
	105	34	Pondicherry 34

id4 HH3 1.4 District code

```
type: numeric (byte)
```

```

      range: [0,68]          units: 1
unique values: 61          missing .: 0/41554

```

```
mean: 14.6924
std. dev: 12.3204
```

percentiles:	10%	25%	50%	75%	90%
	2	6	12	20	29

id5 HH3 1.5 Tehsil/taluka code

```
type: numeric (byte)
```

label: missing, but 53 nonmissing values are not labeled						
range: [0,61]		units: 1				
unique values: 53		missing .: 0/41554				
unique mv codes: 1		missing .*: 13765/41554				
examples: 2						
5						
12						
.a valid blank .a						

id6		HH3 1.6 Village/town code				

type: numeric (byte)						
range: [1,39]		units: 1				
unique values: 39		missing .: 0/41554				
mean: 5.72855						
std. dev: 5.77183						
percentiles:		10%	25%	50%	75%	90%
		1	2	4	7	11

id7a		HH3 1.7 Post-office code				

type: numeric (byte)						
label: missing						
range: [.,.]		units: .				
unique values: 0		missing .: 0/41554				
unique mv codes: 1		missing .*: 41554/41554				
tabulation:		Freq.	Numeric	Label		
		41554	.a	valid blank	.a	

id8a		HH3 1.8 Mohalla/Hamlet code				

type: numeric (byte)						
label: missing						
range: [.,.]		units: .				
unique values: 0		missing .: 0/41554				
unique mv codes: 1		missing .*: 41554/41554				
tabulation:		Freq.	Numeric	Label		
		41554	.a	valid blank	.a	

id9		HH3 1.9 Rural/Urban/slum				

type: numeric (byte)						
label: id9f						
range: [1,3]		units: 1				
unique values: 3		missing .: 0/41554				
tabulation:		Freq.	Numeric	Label		
		27011	1	Rural	1	
		13818	2	Urban	2	
		725	3	Urban Slum	3	

id10		HH3 1.10 1993-94 Household ID				

```

type: numeric (int)
label: missing, but 3586 nonmissing values are not labeled

range: [1,4975]          units: 1
unique values: 3586      missing .: 0/41554
unique mv codes: 2       missing .*: 27661/41554

```

```

examples: 1190
           .a valid blank .a
           .a valid blank .a
           .a valid blank .a

```

```
-----
id12                                     HH3 1.12 Caste name
-----
```

```

type: string (str24)

unique values: 7372      missing "": 0/41554

```

```

examples: "CHOWDHARY"
           "KALLAR"
           "MARATHA"
           "RAJPUT"

```

```

warning: variable has leading and embedded blanks

```

```
-----
id13                                     HH3 1.13 Caste category
-----
```

```

type: numeric (byte)
label: id13f

range: [1,5]          units: 1
unique values: 5      missing .: 0/41554

```

tabulation:	Freq.	Numeric	Label
	2422	1	Brahmin 1
	16286	2	OBC 2
	8333	3	SC 3
	3439	4	ST 4
	11074	5	Other 5

```
-----
id14                                     HH3 1.14 Religion
-----
```

```

type: numeric (byte)
label: id14f

range: [1,9]          units: 1
unique values: 9      missing .: 0/41554

```

tabulation:	Freq.	Numeric	Label
	33527	1	Hindu 1
	4788	2	Muslim 2
	1376	3	Christian 3
	990	4	Sikh 4
	281	5	Buddhist 5
	138	6	Jain 6
	427	7	Tribal 7
	24	8	Others 8
	3	9	None 9

```
-----
id15                                     HH3 1.15 Main income source
-----
```

```

type: numeric (byte)
label: id15f

range: [1,11]          units: 1

```

unique values: 11 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	9798	1	Cultivation 01
	375	2	Allied agr. 02
	5653	3	Ag labour 03
	7305	4	Non-Ag labour 04
	2476	5	Artisan 05
	1882	6	Petty trade 06
	2440	7	Business 07
	8476	8	Salaried 08
	417	9	Profession 09
	1633	10	Pension/rent 10
	1099	11	Others 11

id16 HH3 1.16 Years in place

type: numeric (byte)
label: missing, but 86 nonmissing values are not labeled

range: [0,90] units: 1
unique values: 86 missing .: 0/41554
unique mv codes: 1 missing .*: 2/41554

examples: 30
 90
 90
 90

id17 HH3 1.17 Place of Origin

type: numeric (byte)
label: id17f

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 29658/41554

tabulation:	Freq.	Numeric	Label
	9287	1	Same state 1
	2107	2	Another state 2
	502	3	Another country 3
	29655	.a	
	2	.c	
	1	.o	

id18 HH3 1.18 Type of origin place

type: numeric (byte)
label: id18f

range: [1,4] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 3 missing .*: 29663/41554

tabulation:	Freq.	Numeric	Label
	1	1	Same 1
	8304	2	Another village 2
	2998	3	Another town 3
	588	4	Another large city 4
	29655	.a	
	7	.c	
	1	.o	

id19 HH3 1.19 Occ head's father/husb

```

type: numeric (byte)
label: occupf, but 2 nonmissing values are not labeled

range: [0,97]          units: 1
unique values: 91      missing .: 408/41554
unique mv codes: 3     missing .*: 3163/41554

```

```

examples: 61    Cultivators 61
          61    Cultivators 61
          61    Cultivators 61
          64    Plantation lab 64

```

id20 HH3 1.20 Educ head's father/husb

```

type: numeric (byte)
label: missing, but 16 nonmissing values are not labeled

range: [0,15]          units: 1
unique values: 16      missing .: 0/41554
unique mv codes: 1     missing .*: 820/41554

```

tabulation:	Freq.	Numeric	Label
	24407	0	
	280	1	
	1588	2	
	1473	3	
	1966	4	
	3589	5	
	687	6	
	1074	7	
	1433	8	
	518	9	
	2094	10	
	154	11	
	593	12	
	11	13	
	18	14	
	849	15	
	820	.c	don't know 8 .c

fm2 HH6 4.2 Local units/acre

```

type: numeric (float)
label: missing, but 68 nonmissing values are not labeled

range: [.04,4000]      units: .01
unique values: 68      missing .: 1/41554
unique mv codes: 2     missing .*: 24044/41554

```

```

examples: 1.5
          100
          .a    valid blank .a
          .a    valid blank .a

```

fm3 HH6 4.3 Any owned or cultivated

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554

```

tabulation:	Freq.	Numeric	Label
	24156	0	No 0
	17398	1	Yes 1

 fm4 HH6 4.4 Area owned

type: numeric (float)
 label: missing, but 325 nonmissing values are not labeled

range: [0,20000] units: .01
 unique values: 325 missing.: 0/41554
 unique mv codes: 1 missing.*: 22171/41554

examples: 3
 20
 .a valid blank .a
 .a valid blank .a

 fm5 HH6 4.5 Area owned & cultivated

type: numeric (float)
 label: missing, but 296 nonmissing values are not labeled

range: [0,15000] units: .01
 unique values: 296 missing.: 1/41554
 unique mv codes: 2 missing.*: 22916/41554

examples: 2
 20
 .a valid blank .a
 .a valid blank .a

 fm6a HH6 4.6a Area rented out

type: numeric (float)
 label: missing, but 146 nonmissing values are not labeled

range: [0,8000] units: .01
 unique values: 146 missing.: 3/41554
 unique mv codes: 2 missing.*: 26641/41554

examples: 0
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 fm6b HH6 4.6b Cash/Crop rented out

type: numeric (byte)
 label: fm6bf

range: [1,3] units: 1
 unique values: 3 missing.: 0/41554
 unique mv codes: 3 missing.*: 39422/41554

tabulation:	Freq.	Numeric	Label
	804	1	Cash 1
	1220	2	Crop 2
	108	3	Both 3
	35537	.a	
	1	.b	
	3884	.o	

 fm6c HH6 4.6c Rs land rented out

type: numeric (long)
 label: missing, but 116 nonmissing values are not labeled

range: [0,90000] units: 1
 unique values: 116 missing .: 0/41554
 unique mv codes: 2 missing .*: 36963/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 fm6d HH6 4.6d Crop % land rented out

type: numeric (byte)
 label: missing, but 25 nonmissing values are not labeled

range: [0,75] units: 1
 unique values: 25 missing .: 0/41554
 unique mv codes: 1 missing .*: 36955/41554

tabulation:	Freq.	Numeric	Label
	3266	0	
	2	5	
	1	6	
	1	8	
	8	10	
	2	12	
	1	15	
	2	16	
	13	20	
	1	22	
	1	23	
	43	25	
	1	26	
	1	28	
	16	30	
	1	32	
	25	33	
	7	35	
	34	40	
	1	44	
	1147	50	
	3	60	
	4	66	
	1	70	
	17	75	
	36955	.a	valid blank .a

 fm6e HH6 4.6e Crop Rs land rented out

type: numeric (long)
 label: missing, but 231 nonmissing values are not labeled

range: [0,85000] units: 1
 unique values: 231 missing .: 0/41554
 unique mv codes: 2 missing .*: 36225/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 fm7 HH6 4.7 Orchards/Plantations

type: numeric (float)
 label: missing, but 142 nonmissing values are not labeled

range: [0,8000] units: .01

```
unique values: 142          missing .: 3/41554
unique mv codes: 2         missing .*: 27625/41554
```

```
examples: 0
          .a  valid blank  .a
          .a  valid blank  .a
          .a  valid blank  .a
```

fm8a HH6 4.8a Rented in farmland

```
type: numeric (float)
label: missing, but 101 nonmissing values are not labeled
```

```

      range: [0,5000]          units: .01
unique values: 101            missing .: 2/41554
unique mv codes: 2            missing .*: 25224/41554

```

```
examples: 0
          .a  valid blank  .a
          .a  valid blank  .a
          .a  valid blank  .a
```

fm8b HH6 4.8b Cash/Crop rented in

```
type: numeric (byte)
label: fm6bf
```

```

      range: [1,3]          units: 1
unique values: 3          missing .: 0/41554
unique mv codes: 3        missing .*: 39643/41554

```

tabulation:	Freq.	Numeric	Label
	503	1	Cash 1
	1332	2	Crop 2
	76	3	Both 3
	36955	.a	
	11	.b	
	2677	.o	

fm8c HH6 4.8c Rs paid land rented in

```
type: numeric (long)
label: missing, but 127 nonmissing values are not labeled
```

```

      range: [0,90000]          units: 1
unique values: 127             missing .: 0/41554
unique mv codes: 2             missing .*: 37233/41554

```

```
examples:  .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
           .a    valid blank  .a
```

fm9a HH6 4.9a Irrigation

```
type: numeric (byte)
label: yesno
```

```

      range: [0,1]          units: 1
unique values: 2          missing .: 0/41554
unique mv codes: 1       missing .*: 23270/41554

```

```

tabulation:  Freq.   Numeric  Label
              9969         0    No  0
              8315         1    Yes 1

```

23270 .a valid blank .a

fm9b HH6 4.9b Irrigation type 1

type: numeric (byte)
label: fm9bf

range: [1,6] units: 1
unique values: 6 missing .: 0/41554
unique mv codes: 3 missing .*: 33230/41554

tabulation:	Freq.	Numeric	Label
	4412	1	Tubewell 1
	1368	2	Other well 2
	840	3	Government 3
	283	4	Private canal 4
	1012	5	Tank/pond/nala 5
	409	6	Other 6
	32842	.a	
	1	.b	
	387	.o	

fm9c HH6 4.9b Irrigation type 2

type: numeric (byte)
label: fm9bf

range: [1,6] units: 1
unique values: 6 missing .: 0/41554
unique mv codes: 4 missing .*: 38564/41554

tabulation:	Freq.	Numeric	Label
	537	1	Tubewell 1
	513	2	Other well 2
	455	3	Government 3
	121	4	Private canal 4
	410	5	Tank/pond/nala 5
	954	6	Other 6
	36733	.a	
	197	.b	
	1	.c	
	1633	.o	

fm9d HH6 4.9c Land irrigated

type: numeric (float)
label: missing, but 221 nonmissing values are not labeled

range: [0,6000] units: .01
unique values: 221 missing .: 1/41554
unique mv codes: 2 missing .*: 31623/41554

examples: 13
.a valid blank .a
.a valid blank .a
.a valid blank .a

fm19a HH7 4.19 Crop residue sold

type: numeric (long)
label: missing, but 203 nonmissing values are not labeled

range: [0,99999] units: 1
unique values: 203 missing .: 0/41554
unique mv codes: 1 missing .*: 30203/41554

examples: 200
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 fm19b HH7 4.19b Crop residue own use

type: numeric (long)
 label: missing, but 337 nonmissing values are not labeled

 range: [0,200000] units: 1
 unique values: 337 missing .: 0/41554
 unique mv codes: 1 missing .*: 27861/41554

examples: 1000
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 fm20a HH8 4.20a Hired farm labour days

type: numeric (int)
 label: missing, but 261 nonmissing values are not labeled

 range: [0,6800] units: 1
 unique values: 261 missing .: 0/41554
 unique mv codes: 1 missing .*: 25468/41554

examples: 5
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 fm20b HH8 4.20b Hired farm labour Rs

type: numeric (long)
 label: missing, but 617 nonmissing values are not labeled

 range: [0,90000] units: 1
 unique values: 617 missing .: 0/41554
 unique mv codes: 2 missing .*: 26385/41554

examples: 600
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 fm20c HH8 4.20c Meals to workers

type: numeric (byte)
 label: missing, but 6 nonmissing values are not labeled

 range: [0,5] units: 1
 unique values: 6 missing .: 0/41554
 unique mv codes: 1 missing .*: 28150/41554

tabulation:	Freq.	Numeric	Label
	10422	0	
	2481	1	
	394	2	
	102	3	
	2	4	
	3	5	
	28150	.a	valid blank .a

 fm21a HH8 4.21 Seeds Rs

type: numeric (long)
 label: missing, but 1124 nonmissing values are not labeled

range: [0,90000] units: 1
 unique values: 1124 missing .: 0/41554
 unique mv codes: 2 missing .*: 23992/41554

examples: 500
 6000
 .a valid blank .a
 .a valid blank .a

 fm21b HH8 4.21b Seeds Homegrown

type: numeric (byte)
 label: fm21bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 4 missing .*: 27187/41554

tabulation:	Freq.	Numeric	Label
	4148	1	Home grown 1
	5684	2	Purchased 2
	4535	3	Both 3
	26605	.a	
	1	.b	
	1	.e	
	580	.o	

 fm22 HH8 4.22 Fertilizers Rs

type: numeric (long)
 label: missing, but 970 nonmissing values are not labeled

range: [0,96000] units: 1
 unique values: 970 missing .: 1/41554
 unique mv codes: 3 missing .*: 24218/41554

examples: 600
 10000
 .a valid blank .a
 .a valid blank .a

 fm23 HH8 4.23 Pesticides Rs

type: numeric (long)
 label: missing, but 354 nonmissing values are not labeled

range: [0,99990] units: 1
 unique values: 354 missing .: 2/41554
 unique mv codes: 3 missing .*: 24904/41554

examples: 0
 40000
 .a valid blank .a
 .a valid blank .a

 fm24 HH8 4.24 Irrigation water Rs

```

      type: numeric (long)
      label: missing, but 337 nonmissing values are not labeled

      range: [0,50000]          units: 1
      unique values: 337        missing .: 2/41554
      unique mv codes: 2        missing .*: 25149/41554

```

```

      examples: 0
                .a   valid blank .a
                .a   valid blank .a
                .a   valid blank .a

```

```

-----
fm25                                     HH8 4.25 Hired Equipt/Animals Rs
-----

```

```

      type: numeric (long)
      label: missing, but 374 nonmissing values are not labeled

      range: [0,87120]          units: 1
      unique values: 374        missing .: 0/41554
      unique mv codes: 1        missing .*: 24563/41554

```

```

      examples: 250
                8000
                .a   valid blank .a
                .a   valid blank .a

```

```

-----
fm26                                     HH8 4.26 Ag loan repayment Rs
-----

```

```

      type: numeric (long)
      label: missing, but 158 nonmissing values are not labeled

      range: [0,400000]         units: 1
      unique values: 158        missing .: 2/41554
      unique mv codes: 2        missing .*: 25688/41554

```

```

      examples: 0
                .a   valid blank .a
                .a   valid blank .a
                .a   valid blank .a

```

```

-----
fm27                                     HH8 4.27 Farm miscellaneous Rs
-----

```

```

      type: numeric (long)
      label: missing, but 429 nonmissing values are not labeled

      range: [0,98000]          units: 1
      unique values: 429        missing .: 0/41554
      unique mv codes: 2        missing .*: 25359/41554

```

```

      examples: 0
                .a   valid blank .a
                .a   valid blank .a
                .a   valid blank .a

```

```

-----
fm31                                     HH9 4.31 ID farm decision-maker
-----

```

```

      type: numeric (byte)
      label: missing, but 15 nonmissing values are not labeled

      range: [1,99]             units: 1
      unique values: 15          missing .: 1/41554
      unique mv codes: 2          missing .*: 24156/41554

```

```

      tabulation: Freq.   Numeric   Label
                  15912       1

```


617	2
620	3
58	4
67	5
34	6
35	7
14	8
14	9
12	10
5	11
5	12
1	15
1	20
2	99
1	.
24156	.a valid blank .a

fm32a

HH9 4.32a Own: Tubewells

```

type: numeric (byte)
label: missing, but 7 nonmissing values are not labeled

range: [0,6]          units: 1
unique values: 7      missing .: 0/41554
unique mv codes: 1    missing .*: 26637/41554

```

tabulation:	Freq.	Numeric	Label
	12277	0	
	2493	1	
	97	2	
	27	3	
	13	4	
	7	5	
	3	6	
	26637	.a	valid blank .a

fm32b

HH9 4.32b Own: Electric Pumps

```

type: numeric (byte)
label: missing, but 8 nonmissing values are not labeled

range: [0,10]         units: 1
unique values: 8      missing .: 0/41554
unique mv codes: 1    missing .*: 26975/41554

```

tabulation:	Freq.	Numeric	Label
	12114	0	
	2325	1	
	105	2	
	18	3	
	8	4	
	7	5	
	1	6	
	1	10	
	26975	.a	valid blank .a

fm32c

HH9 4.32c Own: Diesel pumps

```

type: numeric (byte)
label: missing, but 7 nonmissing values are not labeled

range: [0,6]          units: 1
unique values: 7      missing .: 0/41554
unique mv codes: 1    missing .*: 26985/41554

```

tabulation:	Freq.	Numeric	Label
	13029	0	

1474	1
53	2
8	3
3	4
1	5
1	6
26985	.a valid blank .a

 fm32d HH9 4.32d Own: Bullock carts

type: numeric (byte)
 label: missing, but 4 nonmissing values are not labeled

range:	[0,3]	units:	1
unique values:	4	missing .:	0/41554
unique mv codes:	1	missing .*:	27010/41554

tabulation:	Freq.	Numeric	Label
	12249	0	
	2260	1	
	34	2	
	1	3	
	27010	.a	valid blank .a

 fm32e HH9 4.32e Own: Tractors

type: numeric (byte)
 label: missing, but 3 nonmissing values are not labeled

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	1	missing .*:	27098/41554

tabulation:	Freq.	Numeric	Label
	13718	0	
	727	1	
	11	2	
	27098	.a	valid blank .a

 fm32f HH9 4.32f Own: Threshers

type: numeric (byte)
 label: missing, but 3 nonmissing values are not labeled

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	1	missing .*:	27150/41554

tabulation:	Freq.	Numeric	Label
	13787	0	
	558	1	
	59	2	
	27150	.a	valid blank .a

 fm32g HH9 4.32g Own: Bio-gas plants

type: numeric (byte)
 label: missing, but 3 nonmissing values are not labeled

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	1	missing .*:	27256/41554

tabulation:	Freq.	Numeric	Label
	14126	0	

```

170      1
2        2
27256    .a valid blank .a

```

```

-----
fm32h                                         HH9 4.32h New farm equipt Rs
-----

```

```

type: numeric (long)
label: missing, but 244 nonmissing values are not labeled

range: [0,500000]          units: 1
unique values: 244         missing .: 0/41554
unique mv codes: 1         missing .*: 27061/41554

examples: 0
.a valid blank .a
.a valid blank .a
.a valid blank .a

```

```

-----
fm32i                                         HH9 4.32i Rent out equipt Rs
-----

```

```

type: numeric (long)
label: missing, but 95 nonmissing values are not labeled

range: [0,99000]          units: 1
unique values: 95         missing .: 0/41554
unique mv codes: 2         missing .*: 28334/41554

examples: 0
.a valid blank .a
.a valid blank .a
.a valid blank .a

```

```

-----
an1a                                         HH10 5.1a Milch cows
-----

```

```

type: numeric (byte)
label: missing, but 23 nonmissing values are not labeled

range: [0,100]           units: 1
unique values: 23         missing .: 2/41554
unique mv codes: 2         missing .*: 16101/41554

```

```

tabulation: Freq.  Numeric  Label
17990      0
4974       1
1766       2
373        3
178        4
62         5
18         6
16         7
6          8
1          9
35        10
2         11
3         12
1         13
1         14
4         15
12        20
1         22
3         30
1         36
2         40
1         50
1        100
2         .
16101     .a valid blank .a

```

 an1b HH10 5.1b Milch buffalos

type: numeric (byte)
 label: missing, but 18 nonmissing values are not labeled

range: [0,40] units: 1
 unique values: 18 missing .: 2/41554
 unique mv codes: 2 missing .*: 16942/41554

tabulation:	Freq.	Numeric	Label
	18493	0	
	3723	1	
	1613	2	
	369	3	
	203	4	
	74	5	
	38	6	
	21	7	
	23	8	
	5	9	
	18	10	
	2	11	
	6	12	
	5	15	
	11	20	
	1	25	
	4	30	
	1	40	
	2	.	
	16942	.a	valid blank .a

 an1c HH10 5.1c Draft animals

type: numeric (byte)
 label: missing, but 18 nonmissing values are not labeled

range: [0,30] units: 1
 unique values: 18 missing .: 0/41554
 unique mv codes: 1 missing .*: 17222/41554

tabulation:	Freq.	Numeric	Label
	17279	0	
	1707	1	
	4480	2	
	374	3	
	324	4	
	64	5	
	54	6	
	18	7	
	11	8	
	4	9	
	8	10	
	2	12	
	1	14	
	1	15	
	2	16	
	1	17	
	1	20	
	1	30	
	17222	.a	valid blank .a

 an1d HH10 5.1d Goats

type: numeric (byte)
 label: missing, but 32 nonmissing values are not labeled

```

range: [0,60]          units: 1
unique values: 32      missing .: 1/41554
unique mv codes: 2     missing .*: 17397/41554

```

tabulation:	Freq.	Numeric	Label
	20072	0	
	1371	1	
	1138	2	
	555	3	
	377	4	
	200	5	
	110	6	
	57	7	
	57	8	
	14	9	
	80	10	
	8	11	
	20	12	
	1	13	
	1	14	
	25	15	
	3	16	
	1	17	
	3	18	
	1	19	
	23	20	
	1	22	
	2	23	
	7	25	
	1	26	
	1	27	
	13	30	
	1	32	
	3	35	
	4	40	
	5	50	
	1	60	
	1	.	
	17397	.a	valid blank .a

```

-----
anle                                     HH10 5.1e Sheep
-----

```

```

type: numeric (int)
label: missing, but 30 nonmissing values are not labeled

```

```

range: [0,150]          units: 1
unique values: 30      missing .: 0/41554
unique mv codes: 1     missing .*: 17652/41554

```

tabulation:	Freq.	Numeric	Label
	23280	0	
	120	1	
	139	2	
	54	3	
	60	4	
	51	5	
	24	6	
	12	7	
	11	8	
	2	9	
	53	10	
	1	11	
	3	12	
	2	13	
	1	14	
	13	15	
	4	16	
	1	18	
	24	20	
	1	24	
	5	25	

20	30
12	40
1	45
1	50
2	60
1	70
1	80
2	100
1	150
17652	.a valid blank .a

 an1f HH10 5.1f Poultry

type: numeric (int)
 label: missing, but 37 nonmissing values are not labeled

range: [0,200] units: 1
 unique values: 37 missing .: 1/41554
 unique mv codes: 3 missing .*: 17670/41554

examples: 0
 0
 .a valid blank .a
 .a valid blank .a

 an1g HH10 5.1g Other

type: numeric (byte)
 label: missing, but 20 nonmissing values are not labeled

range: [0,40] units: 1
 unique values: 20 missing .: 0/41554
 unique mv codes: 1 missing .*: 17087/41554

tabulation:	Freq.	Numeric	Label
	17432	0	
	4152	1	
	1867	2	
	482	3	
	260	4	
	119	5	
	59	6	
	28	7	
	9	8	
	4	9	
	23	10	
	5	11	
	10	12	
	4	15	
	1	16	
	1	19	
	7	20	
	1	25	
	1	27	
	2	40	
	17087	.a	valid blank .a

 an2a HH10 5.2a Milk & eggs Rs

type: numeric (long)
 label: missing, but 484 nonmissing values are not labeled

range: [0,1000000] units: 1
 unique values: 484 missing .: 0/41554
 unique mv codes: 1 missing .*: 20748/41554

examples: 0

```

800
.a valid blank .a
.a valid blank .a

```

```

-----
an2b                                     HH10 5.2b Chicken/Livestock Rs
-----

```

```

      type: numeric (long)
      label: missing, but 170 nonmissing values are not labeled

      range: [0,150000]          units: 1
      unique values: 170          missing .: 1/41554
      unique mv codes: 2          missing .*: 21431/41554

      examples: 0
                0
                .a valid blank .a
                .a valid blank .a

```

```

-----
an3                                     HH10 5.3 Buy livestock Rs
-----

```

```

      type: numeric (long)
      label: missing, but 226 nonmissing values are not labeled

      range: [0,600000]          units: 1
      unique values: 226          missing .: 1/41554
      unique mv codes: 2          missing .*: 21705/41554

      examples: 0
                0
                .a valid blank .a
                .a valid blank .a

```

```

-----
an4a                                     HH10 5.4 Feed Home grain
-----

```

```

      type: numeric (long)
      label: missing, but 258 nonmissing values are not labeled

      range: [0,55000]          units: 1
      unique values: 258          missing .: 0/41554
      unique mv codes: 1          missing .*: 22628/41554

      examples: 0
                2000
                .a valid blank .a
                .a valid blank .a

```

```

-----
an4b                                     HH10 5.4b Feed Home residue
-----

```

```

      type: numeric (long)
      label: missing, but 311 nonmissing values are not labeled

      range: [0,99000]          units: 1
      unique values: 311          missing .: 0/41554
      unique mv codes: 1          missing .*: 22426/41554

      examples: 200
                3000
                .a valid blank .a
                .a valid blank .a

```

```

-----
an4c                                     HH10 5.4c Feed Purchased
-----

```

```

      type: numeric (long)

```

label: missing, but 408 nonmissing values are not labeled

range: [0,600000] units: 1
 unique values: 408 missing .: 0/41554
 unique mv codes: 1 missing .*: 22305/41554

examples: 80
 3000
 .a valid blank .a
 .a valid blank .a

 an7 HH10 5.7 Animal care: Primary ID

type: numeric (byte)
 label: missing, but 20 nonmissing values are not labeled

range: [1,25] units: 1
 unique values: 20 missing .: 2/41554
 unique mv codes: 2 missing .*: 25471/41554

tabulation:	Freq.	Numeric	Label
	6398	1	
	7083	2	
	1243	3	
	594	4	
	198	5	
	195	6	
	140	7	
	85	8	
	58	9	
	23	10	
	15	11	
	25	12	
	10	13	
	3	14	
	2	15	
	4	16	
	2	17	
	1	20	
	1	23	
	1	25	
	2	.	
	25471	.a	valid blank .a

 nf1a HH12 7.1a Busns1: Industry

type: numeric (byte)
 label: indf, but 1 nonmissing value is not labeled

range: [0,97] units: 1
 unique values: 64 missing .: 52/41554
 unique mv codes: 4 missing .*: 32809/41554

examples: 96 Personal services 96
 .a
 .a
 .a

 nf1b HH12 7.1b Busns1: Occupation

type: numeric (byte)
 label: occupf, but 1 nonmissing value is not labeled

range: [0,95] units: 1
 unique values: 55 missing .: 29/41554
 unique mv codes: 3 missing .*: 32905/41554

examples: 56 Barbers 56
 .a
 .a
 .a

 nf2 HH12 7.2 Busns1: Work place

type: numeric (byte)
 label: nf2f

 range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 32996/41554

tabulation:	Freq.	Numeric	Label
	2507	1	Home 1
	4258	2	Other fixed 2
	1793	3	Moving 3
	32864	.a	
	132	.o	

 nf3 HH12 7.3 Busns1: Gross receipts

type: numeric (long)
 label: missing, but 793 nonmissing values are not labeled

 range: [0,10800000] units: 1
 unique values: 793 missing .: 0/41554
 unique mv codes: 1 missing .*: 33267/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 nf4 HH12 7.4 Busns1: Paid workers

type: numeric (long)
 label: missing, but 185 nonmissing values are not labeled

 range: [0,9000000] units: 1
 unique values: 185 missing .: 0/41554
 unique mv codes: 2 missing .*: 33869/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 nf5 HH12 7.5 Busns1: Other expenses

type: numeric (long)
 label: missing, but 661 nonmissing values are not labeled

 range: [0,8000000] units: 1
 unique values: 661 missing .: 0/41554
 unique mv codes: 1 missing .*: 33477/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 nf6 HH12 7.6 Busns1: Net income

```

-----
                type: numeric (long)
                label: missing, but 741 nonmissing values are not labeled

                range: [0,2500000]                units: 1
                unique values: 741                missing .: 0/41554
                unique mv codes: 1                missing .*: 32771/41554

                examples: 131600
                        .a   valid blank .a
                        .a   valid blank .a
                        .a   valid blank .a

```

```

-----
nf10a                                HH13 7.10a Busns2: Industry
-----

```

```

                type: numeric (byte)
                label: indf

                range: [0,97]                units: 1
                unique values: 54                missing .: 4/41554
                unique mv codes: 3                missing .*: 40506/41554

                examples: .a
                        .a
                        .a
                        .a

```

```

-----
nf10b                                HH13 7.10b Busns2: Occupation
-----

```

```

                type: numeric (byte)
                label: occupf, but 1 nonmissing value is not labeled

                range: [0,89]                units: 1
                unique values: 42                missing .: 3/41554
                unique mv codes: 4                missing .*: 40613/41554

                examples: .a
                        .a
                        .a
                        .a

```

```

-----
nf11                                HH13 7.11 Busns2: Work place
-----

```

```

                type: numeric (byte)
                label: nf2f

                range: [1,3]                units: 1
                unique values: 3                missing .: 0/41554
                unique mv codes: 2                missing .*: 40775/41554

                tabulation: Freq.   Numeric   Label
                        244         1   Home 1
                        319         2   Other fixed 2
                        216         3   Moving 3
                        40663        .a
                        112         .o

```

```

-----
nf12                                HH13 7.12 Busns2: Gross Receipts
-----

```

```

                type: numeric (long)
                label: missing, but 220 nonmissing values are not labeled

                range: [0,10000000]            units: 1
                unique values: 220            missing .: 0/41554

```

```

unique mv codes: 1                                missing .*: 40515/41554

examples: .a    valid blank .a
          .a    valid blank .a
          .a    valid blank .a
          .a    valid blank .a
-----
nf13                                             HH13 7.13 Busns2: Paid workers
-----

type: numeric (long)
label: missing, but 53 nonmissing values are not labeled

range: [0,200000]                                units: 1
unique values: 53                                missing .: 0/41554
unique mv codes: 1                                missing .*: 40576/41554

examples: .a    valid blank .a
          .a    valid blank .a
          .a    valid blank .a
          .a    valid blank .a
-----
nf14                                             HH13 7.14 Busns2: Other expenses
-----

type: numeric (long)
label: missing, but 173 nonmissing values are not labeled

range: [0,93868000]                              units: 1
unique values: 173                                missing .: 0/41554
unique mv codes: 1                                missing .*: 40546/41554

examples: .a    valid blank .a
          .a    valid blank .a
          .a    valid blank .a
          .a    valid blank .a
-----
nf15                                             HH13 7.15 Busns2: Net income
-----

type: numeric (long)
label: missing, but 207 nonmissing values are not labeled

range: [0,60000000]                              units: 1
unique values: 207                                missing .: 0/41554
unique mv codes: 1                                missing .*: 40476/41554

examples: .a    valid blank .a
          .a    valid blank .a
          .a    valid blank .a
          .a    valid blank .a
-----
nf19a                                           HH14 7.19a Busns3: Industry
-----

type: numeric (byte)
label: indf

range: [0,97]                                    units: 1
unique values: 29                                missing .: 1/41554
unique mv codes: 3                                missing .*: 41231/41554

tabulation: Freq.   Numeric   Label
              250         0   Agriculture 0
              1          15   Nonmetal mining 15
              5          20   Manf food products 20
              1          24   Manf wool/silk/etc 24
              1          28   Manf paper/publish 28
              1          29   Manf leather 29

```

1	31	Manf rubber/plastic 31
1	32	Manf mineral 32
1	38	Manf other 38
1	50	Construction 50
1	51	Allied construction 51
1	60	Whsl ag/textiles 60
1	61	Whsl basic goods 61
1	62	Whsl machinery 62
1	63	Whsl nec 63
3	64	Manf agents 64
21	65	Retail food 65
4	67	Retail household 67
1	68	Retail nec 68
3	69	Restaurants/hotels 69
3	70	Land transport 70
1	73	Transport nec 73
2	75	Communication 75
1	84	Lotteries 84
1	92	Education 92
2	93	Medical 93
1	94	Community 94
6	96	Personal services 96
5	97	Repair services 97
1	.	
41229	.a	
2	.b	

nf19b

HH14 7.19b Busns3: Occupation

type: numeric (byte)
label: occupf

range:	[0,87]	units:	1
unique values:	19	missing .:	0/41554
unique mv codes:	2	missing .*:	41322/41554

tabulation:	Freq.	Numeric	Label
	161	0	Physical scientists 0
	1	7	Physicians 7
	1	15	Teachers 15
	3	17	Artists 17
	1	19	Professional nec 19
	4	24	Mgr manf 24
	5	25	Mgr transp/commun 25
	10	26	Mgr service 26
	1	39	Telephone op 39
	31	40	Shopkeepers 40
	4	43	Sales, shop 43
	2	44	FIRE sales 44
	2	49	Sales, nec 49
	1	55	Launderers 55
	1	60	Farm manager 60
	1	75	Textile 75
	1	77	Food 77
	1	85	Electrical 85
	1	87	Plumbers/welders 87
	41321	.a	
	1	.b	

nf20

HH14 7.20 Busns3: Work place

type: numeric (byte)
label: nf2f

range:	[1,3]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	2	missing .*:	41482/41554

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

22	1	Home 1
30	2	Other fixed 2
20	3	Moving 3
41359	.a	
123	.o	

nf21 HH14 7.21 Busns3: Gross receipts

```

      type: numeric (long)
      label: missing, but 49 nonmissing values are not labeled

      range: [0,6000000]          units: 100
unique values: 49                missing .: 0/41554
unique mv codes: 1              missing .*: 41183/41554

examples: .a    valid blank .a
           .a    valid blank .a
           .a    valid blank .a
           .a    valid blank .a

```

nf22 HH14 7.22 Busns3: Paid workers

```

      type: numeric (long)
      label: missing, but 17 nonmissing values are not labeled

      range: [0,40000]          units: 100
      unique values: 17          missing.: 0/41554
      unique mv codes: 1         missing.*: 41175/41554

```

tabulation:	Freq.	Numeric	Label
	358	0	
	1	200	
	1	700	
	1	1200	
	1	2000	
	2	3000	
	2	5000	
	2	6000	
	1	8000	
	1	10000	
	1	11400	
	1	12000	
	1	15000	
	1	18000	
	1	20000	
	3	24000	
	1	40000	
	41175	.a	valid blank .a

nf23 HH14 7.23 Busns3: Other expenses

```

      type: numeric (long)
      label: missing, but 44 nonmissing values are not labeled

      range: [0,5784000]          units: 100
unique values: 44                missing .: 0/41554
unique mv codes: 1              missing .*: 41183/41554

examples: .a    valid blank .a
           .a    valid blank .a
           .a    valid blank .a
           .a    valid blank .a

```

nf24 HH14 7.24 Busns3: Net income

```

type: numeric (long)
label: missing, but 53 nonmissing values are not labeled

range: [0,210000]          units: 1
unique values: 53          missing .: 0/41554
unique mv codes: 1         missing .*: 41175/41554

```

```

examples: .a   valid blank .a
          .a   valid blank .a
          .a   valid blank .a
          .a   valid blank .a

```

```

-----
in1                                     HH15 8.1  Inc: renting property
-----

```

```

type: numeric (long)
label: missing, but 155 nonmissing values are not labeled

range: [0,500000]          units: 1
unique values: 155          missing .: 2/41554
unique mv codes: 2          missing .*: 7293/41554

examples: 0
          0
          0
          2400

```

```

-----
in2                                     HH15 8.2  Inc: interest
-----

```

```

type: numeric (long)
label: missing, but 122 nonmissing values are not labeled

range: [0,500000]          units: 1
unique values: 122          missing .: 1/41554
unique mv codes: 2          missing .*: 7529/41554

examples: 0
          0
          0
          0

```

```

-----
in3a                                    HH15 8.3a Inc: Govt pension
-----

```

```

type: numeric (long)
label: missing, but 346 nonmissing values are not labeled

range: [0,400000]          units: 1
unique values: 346          missing .: 5/41554
unique mv codes: 2          missing .*: 7479/41554

examples: 0
          0
          0
          37200

```

```

-----
in3b                                    HH15 8.3b Inc: Pvt pension
-----

```

```

type: numeric (long)
label: missing, but 97 nonmissing values are not labeled

range: [0,200000]          units: 1
unique values: 97          missing .: 2/41554
unique mv codes: 2          missing .*: 7875/41554

examples: 0
          0

```

0
0

in4a HH15 8.4a Inc: sale non-ag land

type: numeric (long)
label: missing, but 65 nonmissing values are not labeled

range: [0,500000]	units: 1
unique values: 65	missing .: 1/41554
unique mv codes: 3	missing .*: 7741/41554

examples: 0
0
0
0

in4b HH15 8.4b Inc: sale ag land

type: numeric (long)
label: missing, but 86 nonmissing values are not labeled

range: [0,600000]	units: 1
unique values: 86	missing .: 1/41554
unique mv codes: 3	missing .*: 7870/41554

examples: 0
0
0
0

in5 HH15 8.5 Inc: scholarship/gift

type: numeric (long)
label: missing, but 240 nonmissing values are not labeled

range: [0,200000]	units: 1
unique values: 240	missing .: 2/41554
unique mv codes: 2	missing .*: 7592/41554

examples: 0
0
0
900

in6 HH15 8.6 Inc: IRDP/ insurance

type: numeric (long)
label: missing, but 121 nonmissing values are not labeled

range: [0,500000]	units: 1
unique values: 121	missing .: 1/41554
unique mv codes: 2	missing .*: 8018/41554

examples: 0
0
0
400

in14a HH15 8.14a Land from govt

type: numeric (byte)
label: missing, but 15 nonmissing values are not labeled

range: [0,100] units: 1
 unique values: 15 missing .: 0/41554
 unique mv codes: 1 missing .*: 10027/41554

tabulation:	Freq.	Numeric	Label
	31342	0	
	96	1	
	25	2	
	18	3	
	11	4	
	23	5	
	2	6	
	1	7	
	1	8	
	2	10	
	1	11	
	1	25	
	1	30	
	1	50	
	2	100	
	10027	.a	valid blank .a

 in14b HH15 8.14b Land from govt Rs

type: numeric (long)
 label: missing, but 42 nonmissing values are not labeled

range: [0,350000] units: 1
 unique values: 42 missing .: 1/41554
 unique mv codes: 2 missing .*: 16467/41554

examples: 0
 0
 5000
 .a valid blank .a

 in15 HH16 8.15 Govt housing

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 609/41554

tabulation:	Freq.	Numeric	Label
	37464	0	No 0
	3481	1	Yes 1
	609	.a	valid blank .a

 in15a HH16 8.15a Govt housing Built Rs

type: numeric (long)
 label: missing, but 65 nonmissing values are not labeled

range: [0,100000] units: 1
 unique values: 65 missing .: 1/41554
 unique mv codes: 2 missing .*: 13009/41554

examples: 0
 0
 0
 .a valid blank .a

 in15b HH16 8.15b Govt housing Rs

```

-----
                type: numeric (long)
                label: missing, but 103 nonmissing values are not labeled

                range: [0,82000]                units: 1
                unique values: 103                missing .: 0/41554
                unique mv codes: 1                missing .*: 12947/41554

                examples: 0
                           0
                           0
                           .a    valid blank .a
-----

```

```

-----
in15c                HH16 8.15c Govt housing Materials Rs
-----

```

```

                type: numeric (long)
                label: missing, but 79 nonmissing values are not labeled

                range: [0,60000]                units: 10
                unique values: 79                missing .: 0/41554
                unique mv codes: 1                missing .*: 13127/41554

                examples: 0
                           0
                           0
                           .a    valid blank .a
-----

```

```

-----
in15d                HH16 8.15d Govt housing latrines Rs
-----

```

```

                type: numeric (int)
                label: missing, but 68 nonmissing values are not labeled

                range: [0,5000]                units: 1
                unique values: 68                missing .: 1/41554
                unique mv codes: 2                missing .*: 13047/41554

                examples: 0
                           0
                           0
                           .a    valid blank .a
-----

```

```

-----
in15e                HH16 8.15e Govt housing chulha Rs
-----

```

```

                type: numeric (int)
                label: missing, but 45 nonmissing values are not labeled

                range: [0,4000]                units: 1
                unique values: 45                missing .: 0/41554
                unique mv codes: 1                missing .*: 13032/41554

                examples: 0
                           0
                           0
                           .a    valid blank .a
-----

```

```

-----
in16                HH16 8.16 Inc: other source Rs
-----

```

```

                type: numeric (long)
                label: missing, but 102 nonmissing values are not labeled

                range: [0,100000]                units: 1
                unique values: 102                missing .: 0/41554
                unique mv codes: 1                missing .*: 6491/41554

```

examples: 0
0
0
0

in17 HH16 8.17 Better off last 10 yrs

type: numeric (byte)
label: in17f

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 2 missing .*: 29/41554

tabulation:	Freq.	Numeric	Label
	15280	1	Same 1
	20367	2	Better 2
	5878	3	Worse 3
	5	.a	
	24	.c	

rc1 HH16 9.1 Ration card

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	7148	0	No 0
	34406	1	Yes 1

rc1a HH16 9.1a Ration card type

type: numeric (byte)
label: rc1af

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 7148/41554

tabulation:	Freq.	Numeric	Label
	13137	1	BPL 1
	20301	2	Standard/APL 2
	968	3	Antodaya 3
	7148	.a	

rc1b HH16 9.1b Ration card N listed

type: numeric (byte)
label: missing, but 28 nonmissing values are not labeled

range: [1,40] units: 1
unique values: 28 missing .: 0/41554
unique mv codes: 1 missing .*: 7149/41554

tabulation:	Freq.	Numeric	Label
	1181	1	
	3374	2	
	4697	3	
	8246	4	
	6944	5	
	4512	6	
	2285	7	

1372	8
649	9
480	10
187	11
170	12
92	13
63	14
67	15
17	16
15	17
9	18
7	19
17	20
4	21
1	22
2	23
1	27
1	28
3	30
7	31
2	40
7149	.a valid blank .a

 rc1c HH16 9.1c Ration card used

type: numeric (byte)
 label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	2	missing .*:	7159/41554

tabulation:	Freq.	Numeric	Label
	5165	0	No 0
	29230	1	Yes 1
	7149	.a	valid blank .a
	10	.e	out of range .e

 rc1d HH16 9.1d Ration card no use

type: numeric (byte)
 label: rc1df

range:	[1,6]	units:	1
unique values:	6	missing .:	0/41554
unique mv codes:	3	missing .*:	36376/41554

tabulation:	Freq.	Numeric	Label
	226	1	Too far 1
	505	2	No time 2
	197	3	Financial 3
	1501	4	Irregular supply 4
	436	5	Poor quality 5
	2313	6	Other 6
	35443	.a	
	2	.b	
	931	.o	

 rc2 HH16 9.2 Ration card why none

type: numeric (byte)
 label: rc2f

range:	[1,5]	units:	1
unique values:	5	missing .:	0/41554
unique mv codes:	4	missing .*:	34179/41554

```

tabulation: Freq.  Numeric  Label
              874      1  Not needed 1
              567      2  Lost 2
              2842     3  Bureaucratic 3
              770      4  Moved 4
              2322     5  Other 5
              32586    .a
              84      .b
              5       .e
              1504    .o
-----
rc3                                     HH16 9.3 Health insurance
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 4    missing .*: 110/41554

tabulation: Freq.  Numeric  Label
              40199    0  No 0
              1245     1  Yes 1
              85      .a  valid blank .a
              8       .b  valid skip 9 .b
              14      .c  don't know 8 .c
              3       .e  out of range .e
-----

```

```

-----
rc4                                     HH16 9.4 LIC/Life insurance
-----

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 75/41554

tabulation: Freq.  Numeric  Label
              32095    0  No 0
              9384     1  Yes 1
              59      .a  valid blank .a
              16      .c  don't know 8 .c
-----

```

```

-----
rc5                                     HH16 9.5 KISAN credit card
-----

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 86/41554

tabulation: Freq.  Numeric  Label
              39887    0  No 0
              1581     1  Yes 1
              78      .a  valid blank .a
              6       .c  don't know 8 .c
              2       .e  out of range .e
-----

```

```

-----
mm1a                                    HH18 11.1 Radio regular Men
-----

type: numeric (byte)
label: mm1af

range: [0,2]          units: 1
-----

```

```
unique values: 3          missing .: 0/41554
unique mv codes: 1       missing .*: 1455/41554
```

tabulation:	Freq.	Numeric	Label
	20908	0	Never 0
	13836	1	Sometimes 1
	5355	2	Regularly 2
	1455	.a	

mm2a HH18 11.2 Newspaper regular Men

```
type: numeric (byte)
label: mm1af
```

```

      range: [0,2]          units: 1
unique values: 3          missing : 0/41554
unique mv codes: 1        missing .*: 1571/41554

```

tabulation:	Freq.	Numeric	Label
	19625	0	Never 0
	11103	1	Sometimes 1
	9255	2	Regularly 2
	1571	.a	

mm3a HH18 11.3 TV regular Men

```
type: numeric (byte)
label: mm1af
```

```

      range: [0,2]          units: 1
unique values: 3          missing : 0/41554
unique mv codes: 1        missing .*: 1601/41554

```

tabulation:	Freq.	Numeric	Label
	11389	0	Never 0
	13030	1	Sometimes 1
	15534	2	Regularly 2
	1601	.a	

mm4a HH18 11.4 TV hrs/day Men

```
type: numeric (byte)
label: mm4ac, but 12 nonmissing values are not labeled
```

```

      range: [0,12]          units: 1
unique values: 13           missing .: 0/41554
unique mv codes: 1         missing .*: 5937/41554

```

tabulation:	Freq.	Numeric	Label
12408	0	<half hour 0	
10823	1		
9123	2		
2264	3		
718	4		
167	5		
69	6		
5	7		
10	8		
4	9		
16	10		
4	11		
6	12		
5937	.a		

mm5a HH18 11.5 TV news regular Men

```

      type: numeric (byte)
      label: mm1af

      range: [0,2]                units: 1
      unique values: 3            missing .: 0/41554
      unique mv codes: 1          missing .*: 6435/41554

      tabulation: Freq.  Numeric  Label
                  16529      0  Never 0
                  11847      1  Sometimes 1
                   6743      2  Regularly 2
                   6435      .a

```

```

-----
mm1b                                     HH18 11.1 Radio regular Women
-----

```

```

      type: numeric (byte)
      label: mm1af

      range: [0,2]                units: 1
      unique values: 3            missing .: 0/41554
      unique mv codes: 1          missing .*: 1092/41554

      tabulation: Freq.  Numeric  Label
                  24556      0  Never 0
                  11503      1  Sometimes 1
                   4403      2  Regularly 2
                   1092      .a

```

```

-----
mm2b                                     HH18 11.2 Newspaper regular Women
-----

```

```

      type: numeric (byte)
      label: mm1af

      range: [0,2]                units: 1
      unique values: 3            missing .: 0/41554
      unique mv codes: 1          missing .*: 1239/41554

      tabulation: Freq.  Numeric  Label
                  28174      0  Never 0
                   6850      1  Sometimes 1
                   5291      2  Regularly 2
                   1239      .a

```

```

-----
mm3b                                     HH18 11.3 TV regular Women
-----

```

```

      type: numeric (byte)
      label: mm1af

      range: [0,2]                units: 1
      unique values: 3            missing .: 0/41554
      unique mv codes: 1          missing .*: 1145/41554

      tabulation: Freq.  Numeric  Label
                  12468      0  Never 0
                   9499      1  Sometimes 1
                  18442      2  Regularly 2
                   1145      .a

```

```

-----
mm4b                                     HH18 11.4 TV hrs/day Women
-----

```

```

      type: numeric (byte)
      label: mm4ac, but 12 nonmissing values are not labeled

      range: [0,12]                units: 1

```

```
unique values: 13          missing .: 0/41554
unique mv codes: 1        missing .*: 5977/41554
```

tabulation:	Freq.	Numeric	Label
11035	0	<half hour	0
5916	1		
9244	2		
5414	3		
2643	4		
860	5		
361	6		
45	7		
27	8		
9	9		
14	10		
1	11		
8	12		
5977	.a		

mm5b HH18 11.5 TV news regular Women

```
type: numeric (byte)
label: mm1af
```

```

      range: [0,2]          units: 1
unique values: 3          missing : 0/41554
unique mv codes: 1        missing .*: 6425/41554

```

```

tabulation:  Freq.   Numeric  Label
              20735      0      Never 0
              10269      1      Sometimes 1
               4125      2      Regularly 2
               6425      .a

```

mm1c HH18 11.1 Radio regular Kids

```
type: numeric (byte)
label: mm1af
```

```

      range: [0,2]          units: 1
unique values: 3          missing : 0/41554
unique mv codes: 1       missing .*: 9055/41554

```

```

tabulation:  Freq.   Numeric  Label
              24035      0      Never 0
              6358       1      Sometimes 1
              2106       2      Regularly 2
              9055       .a

```

mm2c HH18 11.2 Newspaper regular Kids

```
type: numeric (byte)
label: mm1af
```

```

      range: [0,2]          units: 1
unique values: 3          missing : 0/41554
unique mv codes: 1        missing .*: 9610/41554

```

```

tabulation:  Freq.  Numeric  Label
              26303      0  Never 0
              3813      1  Sometimes 1
              1828      2  Regularly 2
              9610      .a

```

mm3c HH18 11.3 TV regular Kids

```

      type: numeric (byte)
      label: mm1af

      range: [0,2]                units: 1
      unique values: 3            missing .: 0/41554
      unique mv codes: 1          missing .*: 9768/41554

      tabulation: Freq.  Numeric  Label
                  13826      0  Never 0
                  7263       1  Sometimes 1
                  10697      2  Regularly 2
                  9768       .a

-----
mm4c                                     HH18 11.4 TV hrs/day Kids
-----

```

```

      type: numeric (byte)
      label: mm4ac, but 11 nonmissing values are not labeled

      range: [0,12]              units: 1
      unique values: 12          missing .: 0/41554
      unique mv codes: 1          missing .*: 13916/41554

      tabulation: Freq.  Numeric  Label
                  12487      0  <half hour 0
                  5123       1
                  5992       2
                  2538       3
                  1112       4
                  232        5
                  106        6
                   17        7
                   8         8
                   7         9
                   11        10
                   5         12
                  13916      .a

-----
mm5c                                     HH18 11.5 TV news regular Kids
-----

```

```

      type: numeric (byte)
      label: mm1af

      range: [0,2]                units: 1
      unique values: 3            missing .: 0/41554
      unique mv codes: 1          missing .*: 14137/41554

      tabulation: Freq.  Numeric  Label
                  21242      0  Never 0
                  4746       1  Sometimes 1
                  1429       2  Regularly 2
                  14137      .a

-----
colx                                     HH19 12.1 Rice: Rs
-----

```

```

      type: numeric (int)
      label: missing, but 788 nonmissing values are not labeled

      range: [0,7200]            units: 1
      unique values: 788          missing .: 0/41554
      unique mv codes: 1          missing .*: 62/41554

      examples: 60
                162
                300
                480

```

 cola HH19 12.1 Rice: kg

type: numeric (int)
 label: missing, but 123 nonmissing values are not labeled

range: [1,450] units: 1
 unique values: 123 missing .: 0/41554
 unique mv codes: 1 missing .*: 1957/41554

examples: 8
 20
 30
 50

 colb HH19 12.1 Rice: homegrown

type: numeric (byte)
 label: fm21bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 1957/41554

tabulation:

Freq.	Numeric	Label
4624	1	Home grown 1
32998	2	Purchased 2
1975	3	Both 3
1957	.a	

 colc HH19 12.1 Rice: market price

type: numeric (byte)
 label: missing, but 39 nonmissing values are not labeled

range: [3,50] units: 1
 unique values: 39 missing .: 0/41554

examples: 10
 11
 12
 14

 cold HH19 12.1 Rice: PDS kg

type: numeric (int)
 label: missing, but 62 nonmissing values are not labeled

range: [1,200] units: 1
 unique values: 62 missing .: 0/41554
 unique mv codes: 2 missing .*: 31594/41554

examples: 20
 .a valid blank .a
 .a valid blank .a
 .o valid skip 0 .o

 cole HH19 12.1 Rice: PDS price

type: numeric (byte)
 label: missing, but 12 nonmissing values are not labeled

range: [1,12] units: 1
 unique values: 12 missing .: 4403/41554

	tabulation:	Freq.	Numeric	Label
		4	1	
		95	2	
		11751	3	
		3528	4	
		4141	5	
		9338	6	
		2157	7	
		2047	8	
		1779	9	
		567	10	
		1743	11	
		1	12	
		4403	.	

co2x

HH19 12.2 Wheat: Rs

type: numeric (int)

label: missing, but 486 nonmissing values are not labeled

range: [0,3150]

units: 1

unique values: 486

missing .: 0/41554

unique mv codes: 1

missing .*: 62/41554

examples: 0

60

165

315

co2a

HH19 12.2 Wheat: kg

type: numeric (int)

label: missing, but 108 nonmissing values are not labeled

range: [1,350]

units: 1

unique values: 108

missing .: 0/41554

unique mv codes: 1

missing .*: 8843/41554

examples: 10

20

40

.a valid blank .a

co2b

HH19 12.2 Wheat: homegrown

type: numeric (byte)

label: fm21bf

range: [1,3]

units: 1

unique values: 3

missing .: 0/41554

unique mv codes: 1

missing .*: 8843/41554

tabulation: Freq. Numeric Label

4067 1 Home grown 1

27605 2 Purchased 2

1039 3 Both 3

8843 .a

co2c

HH19 12.2 Wheat: market price

type: numeric (byte)

label: missing, but 19 nonmissing values are not labeled

range: [3,21]

units: 1

unique values: 19 missing .: 105/41554

tabulation:	Freq.	Numeric	Label
	1	3	
	3	4	
	308	5	
	2100	6	
	5730	7	
	7720	8	
	4532	9	
	9456	10	
	2882	11	
	6307	12	
	1322	13	
	453	14	
	292	15	
	105	16	
	25	17	
	133	18	
	32	19	
	46	20	
	2	21	
	105	.	

----- HH19 12.2 Wheat: PDS kg -----

type: numeric (int)
label: missing, but 47 nonmissing values are not labeled

range: [1,200] units: 1
unique values: 47 missing .: 0/41554
unique mv codes: 2 missing .*: 34931/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .o valid skip 0 .o

----- HH19 12.2 Wheat: PDS price -----

type: numeric (byte)
label: missing, but 13 nonmissing values are not labeled

range: [2,16] units: 1
unique values: 13 missing .: 756/41554

tabulation:	Freq.	Numeric	Label
	2503	2	
	9919	3	
	4953	4	
	9945	5	
	1553	6	
	3728	7	
	7587	8	
	189	9	
	304	10	
	8	11	
	107	12	
	1	13	
	1	16	
	756	.	

----- HH19 12.3 Sugar: Rs -----

type: numeric (int)
label: missing, but 396 nonmissing values are not labeled

range: [0,2200] units: 1
 unique values: 396 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

examples: 32
 54
 80
 120

 co3a HH19 12.3 Sugar: kg

type: numeric (byte)
 label: missing, but 54 nonmissing values are not labeled

range: [1,100] units: 1
 unique values: 54 missing .: 0/41554
 unique mv codes: 1 missing .*: 2285/41554

examples: 2
 3
 5
 8

 co3b HH19 12.3 Sugar: homegrown

type: numeric (byte)
 label: fm21bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 2285/41554

tabulation:	Freq.	Numeric	Label
	119	1	Home grown 1
	39096	2	Purchased 2
	54	3	Both 3
	2285	.a	

 co3c HH19 12.3 Sugar: market price

type: numeric (byte)
 label: missing, but 24 nonmissing values are not labeled

range: [2,28] units: 1
 unique values: 24 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	1	2	
	1	4	
	6	7	
	13	8	
	9	9	
	71	10	
	14	11	
	54	12	
	36	13	
	177	14	
	238	15	
	663	16	
	1685	17	
	6699	18	
	3181	19	
	20272	20	
	2048	21	
	5334	22	
	259	23	
	468	24	

234 25
48 26
6 27
37 28

co3d HH19 12.3 Sugar: PDS kg

type: numeric (byte)
label: missing, but 17 nonmissing values are not labeled

range: [1,20] units: 1
unique values: 17 missing .: 1/41554
unique mv codes: 3 missing .*: 34206/41554

tabulation:	Freq.	Numeric	Label
	1846	1	
	2842	2	
	1136	3	
	584	4	
	567	5	
	119	6	
	83	7	
	59	8	
	10	9	
	59	10	
	3	11	
	16	12	
	2	13	
	1	14	
	13	15	
	3	18	
	4	20	
	1	.	
	20271	.a	valid blank .a
	13935	.o	valid skip 0 .o

co3e HH19 12.3 Sugar: PDS price

type: numeric (float)
label: missing, but 20 nonmissing values are not labeled

range: [1,18] units: .1
unique values: 20 missing .: 195/41554

tabulation:	Freq.	Numeric	Label
	8	1	
	3	2	
	6	3	
	21	4	
	7	5	
	9	6	
	14	7	
	45	8	
	214	9	
	150	10	
	1675	11	
	1484	11.5	
	2324	12	
	6059	13	
	1637	13.5	
	19495	14	
	7620	15	
	478	16	
	10	17	
	100	18	
	195	.	

co4x HH19 12.4 Kerosene: Rs

```

-----
                type: numeric (int)
                label: missing, but 316 nonmissing values are not labeled

                range: [0,900]                units: 1
                unique values: 316            missing .: 0/41554
                unique mv codes: 1            missing .*: 62/41554

                examples: 0
                          22
                          40
                          55

```

```

-----
co4a                                     HH19 12.4 Kerosene: Lts
-----

```

```

                type: numeric (byte)
                label: missing, but 38 nonmissing values are not labeled

                range: [1,50]                units: 1
                unique values: 38            missing .: 0/41554
                unique mv codes: 1            missing .*: 9988/41554

                examples: 2
                          4
                          5
                          .a    valid blank .a

```

```

-----
co4b                                     HH19 12.4 Kerosene: Rs
-----

```

```

                type: numeric (byte)
                label: fm21bf

                range: [1,3]                units: 1
                unique values: 3            missing .: 0/41554
                unique mv codes: 1            missing .*: 9988/41554

                tabulation: Freq.  Numeric  Label
                          12         1   Home grown 1
                          31549      2   Purchased 2
                          5          3   Both 3
                          9988       .a

```

```

-----
co4c                                     HH19 12.4 Kerosene: market price
-----

```

```

                type: numeric (float)
                label: missing, but 25 nonmissing values are not labeled

                range: [8,35]                units: .1
                unique values: 25            missing .: 0/41554

                tabulation: Freq.  Numeric  Label
                          13         8
                          191        9
                          3208       10
                          3457       11
                          2109       12
                          2046       13
                          1985       14
                          7225       15
                          2477       16
                          512        17
                          752        17.5
                          3852       18
                          112        19
                          7907       20
                          97         21

```

2542	22
127	23
500	24
1691	25
100	26
55	27
202	28
2	29
391	30
1	35

 co4d HH19 12.4 Kerosene: PDS lts

type: numeric (byte)
 label: missing, but 22 nonmissing values are not labeled

range: [1,35] units: 1
 unique values: 22 missing .: 0/41554
 unique mv codes: 2 missing .*: 16644/41554

tabulation:	Freq.	Numeric	Label
	1110	1	
	6424	2	
	6690	3	
	3065	4	
	5085	5	
	509	6	
	191	7	
	456	8	
	316	9	
	819	10	
	12	11	
	47	12	
	6	13	
	13	14	
	89	15	
	10	16	
	1	17	
	20	18	
	4	19	
	41	20	
	1	21	
	1	35	
	13953	.a	valid blank .a
	2691	.o	valid skip 0 .o

 co4e HH19 12.4 Kerosene: PDS price

type: numeric (byte)
 label: missing, but 16 nonmissing values are not labeled

range: [1,16] units: 1
 unique values: 16 missing .: 195/41554

tabulation:	Freq.	Numeric	Label
	13	1	
	21	2	
	13	3	
	13	4	
	17	5	
	13	6	
	22	7	
	86	8	
	5065	9	
	22790	10	
	9509	11	
	2581	12	
	647	13	
	157	14	

409 15
3 16
195 .

co5x HH19 12.5 Other cereals: Rs

type: numeric (int)
label: missing, but 187 nonmissing values are not labeled

range: [0,7750] units: 1
unique values: 187 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 0
0
0
60

co5a HH19 12.5 Other cereals: kg

type: numeric (int)
label: missing, but 69 nonmissing values are not labeled

range: [1,500] units: 1
unique values: 69 missing .: 0/41554
unique mv codes: 1 missing .*: 26538/41554

examples: 10
.a valid blank .a
.a valid blank .a
.a valid blank .a

co5b HH19 12.5 Other cereals: homegrown

type: numeric (byte)
label: fm21bf

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 26538/41554

tabulation:	Freq.	Numeric	Label
	2913	1	Home grown 1
	11572	2	Purchased 2
	531	3	Both 3
	26538	.a	

co5c HH19 12.5 Other cereals: price

type: numeric (float)
label: missing, but 32 nonmissing values are not labeled

range: [2,35] units: .1
unique values: 32 missing .: 195/41554

tabulation:	Freq.	Numeric	Label
	3	2	
	72	3	
	494	4	
	2529	5	
	7052	6	
	3440	7	
	7678	8	
	558	9	
	7569	10	

1978	11
556	12
85	13
249	14
884	14.5
2117	15
87	16
1112	17
1139	18
20	19
1066	20
5	21
1664	22
5	23
84	24
430	25
35	26
21	27
189	28
2	29
234	30
1	33
1	35
195	.

co5d HH19 12.5 Other cereals: PDS kg

type: numeric (byte)
label: missing, but 2 nonmissing values are not labeled

range: [10,18] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 41552/41554

tabulation:	Freq.	Numeric	Label
	1	10	
	1	18	
	34537	.a	valid blank .a
	7015	.o	valid skip 0 .o

co5e HH19 12.5 Other cereals: PDS price

type: numeric (byte)
label: missing, but 3 nonmissing values are not labeled

range: [4,10] units: 1
unique values: 3 missing .: 39456/41554

tabulation:	Freq.	Numeric	Label
	1	4	
	2096	7	
	1	10	
	39456	.	

co6x HH19 12.6 Cereal products: Rs

type: numeric (int)
label: missing, but 219 nonmissing values are not labeled

range: [0,2000] units: 1
unique values: 219 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 0
14
36
80

 co6a HH19 12.6 Cereal products: kg

type: numeric (int)
 label: missing, but 32 nonmissing values are not labeled

range: [1,120] units: 1
 unique values: 32 missing .: 0/41554
 unique mv codes: 1 missing .*: 31008/41554

tabulation:	Freq.	Numeric	Label
	3317	1	
	3630	2	
	1292	3	
	649	4	
	648	5	
	185	6	
	59	7	
	124	8	
	25	9	
	280	10	
	5	11	
	39	12	
	3	13	
	5	14	
	91	15	
	7	16	
	7	18	
	71	20	
	2	21	
	2	22	
	3	23	
	3	24	
	23	25	
	1	28	
	32	30	
	1	35	
	7	40	
	4	45	
	1	47	
	17	50	
	12	60	
	1	120	
	31008	.a	valid blank .a

 co6b HH19 12.6 Cereal products: homegr

type: numeric (byte)
 label: fm21bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 14867/41554

tabulation:	Freq.	Numeric	Label
	447	1	Home grown 1
	25916	2	Purchased 2
	324	3	Both 3
	14867	.a	

 co6c HH19 12.6 Cereal products: price

type: numeric (float)
 label: missing, but 190 nonmissing values are not labeled

range: [0,300] units: 1.000e-07
 unique values: 190 missing .: 315/41554

examples: 13
15
16
20

co6t HH19 12.6 Cereal products: Rs

type: numeric (int)
label: missing, but 182 nonmissing values are not labeled

range: [0,2000] units: 1
unique values: 182 missing .: 0/41554
unique mv codes: 1 missing .*: 18943/41554

examples: 40
100
.a valid blank .a
.a valid blank .a

co7x HH19 12.7 Pulses: Rs

type: numeric (int)
label: missing, but 313 nonmissing values are not labeled

range: [0,2500] units: 1
unique values: 313 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 40
64
96
150

co7a HH19 12.7 Pulses: kg

type: numeric (byte)
label: missing, but 41 nonmissing values are not labeled

range: [1,61] units: 1
unique values: 41 missing .: 0/41554
unique mv codes: 1 missing .*: 14209/41554

examples: 2
4
8
.a valid blank .a

co7b HH19 12.7 Pulses: homegrown

type: numeric (byte)
label: fm21bf

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 2489/41554

tabulation: Freq. Numeric Label
1504 1 Home grown 1
36658 2 Purchased 2
903 3 Both 3
2489 .a

co7c HH19 12.7 Pulses: price

```

-----
                type: numeric (float)
                label: missing, but 238 nonmissing values are not labeled

                range: [0,325]                units: 1.000e-07
                unique values: 238            missing .: 105/41554

                examples: 25
                        28
                        30
                        32

```

```

-----
co7t                                HH19 12.7 Pulses: Rs
-----

```

```

                type: numeric (int)
                label: missing, but 243 nonmissing values are not labeled

                range: [0,1200]                units: 1
                unique values: 243            missing .: 0/41554
                unique mv codes: 1            missing .*: 16395/41554

                examples: 50
                        100
                        450
                        .a    valid blank .a

```

```

-----
co8x                                HH19 12.8 Meat: Rs
-----

```

```

                type: numeric (int)
                label: missing, but 313 nonmissing values are not labeled

                range: [0,6000]                units: 1
                unique values: 313            missing .: 0/41554
                unique mv codes: 1            missing .*: 62/41554

                examples: 0
                        0
                        100
                        200

```

```

-----
co8a                                HH19 12.8 Meat: kg
-----

```

```

                type: numeric (byte)
                label: missing, but 34 nonmissing values are not labeled

                range: [1,60]                units: 1
                unique values: 34            missing .: 0/41554
                unique mv codes: 1            missing .*: 28305/41554

```

tabulation:	Freq.	Numeric	Label
	3859	1	
	3870	2	
	1528	3	
	1384	4	
	1001	5	
	349	6	
	142	7	
	264	8	
	33	9	
	400	10	
	5	11	
	64	12	
	7	13	
	9	14	
	162	15	
	8	16	

```

      4      17
     14      18
      1      19
     65      20
      2      21
      4      22
      3      24
     11      25
     28      30
      1      32
      2      33
      1      34
      3      35
     12      40
      2      42
      1      45
      6      50
      4      60
28305      .a valid blank .a

```

```
-----
co8b                                     HH19 12.8 Meat: homegrown
-----
```

```

      type: numeric (byte)
      label: fm21bf

      range: [1,3]                units: 1
      unique values: 3            missing .: 0/41554
      unique mv codes: 1          missing .*: 17016/41554

      tabulation: Freq.  Numeric  Label
                   410       1    Home grown 1
                   23782      2    Purchased 2
                     346       3    Both 3
                   17016      .a

```

```
-----
co8c                                     HH19 12.8 Meat: price
-----
```

```

      type: numeric (float)
      label: missing, but 241 nonmissing values are not labeled

      range: [0,1500]             units: 1.000e-07
      unique values: 241          missing .: 334/41554

      examples: 50
                 60
                 83.333336
                 100

```

```
-----
co8t                                     HH19 12.8 Meat: Rs
-----
```

```

      type: numeric (int)
      label: missing, but 205 nonmissing values are not labeled

      range: [0,4800]             units: 1
      unique values: 205          missing .: 0/41554
      unique mv codes: 1          missing .*: 22890/41554

      examples: 120
                 400
                 .a valid blank .a
                 .a valid blank .a

```

```
-----
co9x                                     HH19 12.9 Sweeteners: Rs
-----
```

```

      type: numeric (int)

```

label: missing, but 195 nonmissing values are not labeled

range: [0,2336] units: 1
 unique values: 195 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

examples: 0
 0
 24
 50

 co9a HH19 12.9 Sweeteners: kg

type: numeric (byte)
 label: missing, but 28 nonmissing values are not labeled

range: [1,60] units: 1
 unique values: 28 missing .: 0/41554
 unique mv codes: 1 missing .*: 26651/41554

tabulation:	Freq.	Numeric	Label
	5658	1	
	4947	2	
	1513	3	
	927	4	
	1108	5	
	146	6	
	66	7	
	106	8	
	9	9	
	246	10	
	3	11	
	24	12	
	2	13	
	3	14	
	38	15	
	3	16	
	2	17	
	51	20	
	1	22	
	2	24	
	17	25	
	1	28	
	14	30	
	1	34	
	2	35	
	10	40	
	2	50	
	1	60	
	26651	.o	valid skip 0 .o

 co9b HH19 12.9 Sweeteners: homegrown

type: numeric (byte)
 label: fm21bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 17692/41554

tabulation:	Freq.	Numeric	Label
	139	1	Home grown 1
	23706	2	Purchased 2
	17	3	Both 3
	17692	.a	

 co9c HH19 12.9 Sweeteners: price

```

type: numeric (float)
label: missing, but 156 nonmissing values are not labeled

range: [0,700]          units: 1.000e-07
unique values: 156      missing .: 105/41554

examples: 15
          18
          20
          22

```

```
-----
co9t                                     HH19 12.9 Sweeteners: Rs
-----
```

```

type: numeric (int)
label: missing, but 156 nonmissing values are not labeled

range: [0,1080]         units: 1
unique values: 156      missing .: 0/41554
unique mv codes: 1      missing .*: 24967/41554

examples: 36
          .a valid blank .a
          .a valid blank .a
          .a valid blank .a

```

```
-----
co10x                                    HH19 12.10 Edible oil: Rs
-----
```

```

type: numeric (int)
label: missing, but 376 nonmissing values are not labeled

range: [0,1800]         units: 1
unique values: 376      missing .: 0/41554
unique mv codes: 1      missing .*: 62/41554

examples: 65
          110
          156
          240

```

```
-----
co10a                                    HH19 12.10 Edible oil: lts
-----
```

```

type: numeric (byte)
label: missing, but 21 nonmissing values are not labeled

range: [1,30]           units: 1
unique values: 21       missing .: 0/41554
unique mv codes: 1      missing .*: 9028/41554

```

tabulation:	Freq.	Numeric	Label
	5227	1	
	9505	2	
	7205	3	
	4216	4	
	3630	5	
	984	6	
	560	7	
	453	8	
	58	9	
	356	10	
	6	11	
	82	12	
	18	13	
	4	14	
	189	15	
	8	16	
	1	17	

```

3      18
13     20
1      21
7      30
9028   .o valid skip 0 .o

```

co10b HH19 12.10 Edible oil: homegrown

```

      type: numeric (byte)
      label: fm21bf

      range: [1,3]                units: 1
      unique values: 3             missing.: 0/41554
      unique mv codes: 1          missing.*: 1080/41554

```

tabulation:	Freq.	Numeric	Label
	495	1	Home grown 1
	39715	2	Purchased 2
	264	3	Both 3
	1080	.a	

co10c HH19 12.10 Edible oil: price

```

      type: numeric (float)
      label: missing, but 185 nonmissing values are not labeled
      range: [0,412.5]          units: 1.000e-08
unique values: 185              missing .: 229/41554

examples: 50
           50
           55
           60

```

co10t HH19 12.10 Edible oil: Rs

```

      type: numeric (int)
      label: missing, but 312 nonmissing values are not labeled

      range: [0,1500]                                units: 1
unique values: 312                                    missing .: 0/41554
unique mv codes: 1                                    missing .*: 18445/41554

      examples: 100
                180
                .a    valid blank .a
                .a    valid blank .a

```

co11x HH19 12.11 Eggs: Rs

```

      type: numeric (int)
      label: missing, but 181 nonmissing values are not labeled

      range: [0,2280]                                units: 1
unique values: 181                                    missing .: 0/41554
unique mv codes: 1                                    missing .*: 62/41554

examples: 0
          0
          0
          30

```

col1a HH19 12.12 Eggs: dozens


```

type: numeric (int)
label: missing, but 31 nonmissing values are not labeled

range: [1,120]          units: 1
unique values: 31        missing .: 0/41554
unique mv codes: 1       missing .*: 31893/41554

```

tabulation:	Freq.	Numeric	Label
	4608	1	
	3112	2	
	781	3	
	382	4	
	168	5	
	73	6	
	18	7	
	57	8	
	5	9	
	111	10	
	2	11	
	103	12	
	4	13	
	2	14	
	57	15	
	3	16	
	9	18	
	61	20	
	1	22	
	36	24	
	7	25	
	35	30	
	1	35	
	4	36	
	1	38	
	5	40	
	2	45	
	6	48	
	5	50	
	1	90	
	1	120	
	31893	.0	valid skip 0 .0

```

-----
collb                                HH19 12.12 Eggs: homegrown
-----

```

```

type: numeric (byte)
label: fm21bf

range: [1,3]          units: 1
unique values: 3        missing .: 0/41554
unique mv codes: 1       missing .*: 24548/41554

```

tabulation:	Freq.	Numeric	Label
	891	1	Home grown 1
	15959	2	Purchased 2
	156	3	Both 3
	24548	.a	

```

-----
collc                                HH19 12.12 Eggs: price
-----

```

```

type: numeric (float)
label: missing, but 105 nonmissing values are not labeled

range: [0,300]          units: 1.000e-07
unique values: 105       missing .: 229/41554

examples: 20
          22
          24
          24

```

 col1t HH19 12.12 Eggs: Rs

type: numeric (int)
 label: missing, but 136 nonmissing values are not labeled

range: [0,960] units: 1
 unique values: 136 missing .: 0/41554
 unique mv codes: 1 missing .*: 29364/41554

examples: 42
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 col2x HH19 12.12 Milk: Rs

type: numeric (int)
 label: missing, but 466 nonmissing values are not labeled

range: [0,6750] units: 1
 unique values: 466 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

examples: 0
 100
 225
 450

 col2a HH19 12.12 Milk: lts

type: numeric (int)
 label: missing, but 96 nonmissing values are not labeled

range: [1,450] units: 1
 unique values: 96 missing .: 0/41554
 unique mv codes: 2 missing .*: 15374/41554

examples: 15
 30
 80
 .o valid skip 0 .o

 col2b HH19 12.12 Milk: homegrown

type: numeric (byte)
 label: fm21bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 9436/41554

tabulation: Freq. Numeric Label
 8056 1 Home grown 1
 23748 2 Purchased 2
 314 3 Both 3
 9436 .a

 col2c HH19 12.12 Milk: price

type: numeric (float)
 label: missing, but 208 nonmissing values are not labeled

range: [0,1700] units: 1.000e-09
 unique values: 208 missing .: 0/41554

examples: 10
 12
 12
 15

 col2t HH19 12.12 Milk: Rs

type: numeric (int)
 label: missing, but 319 nonmissing values are not labeled

range: [0,5000] units: 1
 unique values: 319 missing .: 0/41554
 unique mv codes: 1 missing .*: 24863/41554

examples: 150
 2000
 .a valid blank .a
 .a valid blank .a

 col3x HH19 12.13 Milk products: Rs

type: numeric (int)
 label: missing, but 313 nonmissing values are not labeled

range: [0,20000] units: 1
 unique values: 313 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

examples: 0
 0
 24
 150

 col3a HH19 12.13 Milk products: lts

type: numeric (int)
 label: missing, but 43 nonmissing values are not labeled

range: [1,180] units: 1
 unique values: 43 missing .: 0/41554
 unique mv codes: 1 missing .*: 31871/41554

examples: 6
 .o valid skip 0 .o
 .o valid skip 0 .o
 .o valid skip 0 .o

 col3b HH19 12.13 Milk products: homegr

type: numeric (byte)
 label: fm21bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 22872/41554

tabulation:	Freq.	Numeric	Label
	4372	1	Home grown 1
	14031	2	Purchased 2
	279	3	Both 3
	22872	.a	

 col3c HH19 12.13 Milk products: price

type: numeric (float)
 label: missing, but 243 nonmissing values are not labeled

range: [0,900] units: 1.000e-07
 unique values: 243 missing .: 334/41554

examples: 35
 60
 100
 150

 col3t HH19 12.13 Milk products: Rs

type: numeric (int)
 label: missing, but 210 nonmissing values are not labeled

range: [0,4400] units: 1
 unique values: 210 missing .: 0/41554
 unique mv codes: 1 missing .*: 27454/41554

examples: 140
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 col4x HH19 12.14 Vegetables: Rs

type: numeric (int)
 label: missing, but 421 nonmissing values are not labeled

range: [0,9000] units: 1
 unique values: 421 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

examples: 90
 150
 200
 300

 col4a HH19 12.14 Vegetables: kg

type: numeric (int)
 label: missing, but 76 nonmissing values are not labeled

range: [1,300] units: 1
 unique values: 76 missing .: 0/41554
 unique mv codes: 1 missing .*: 25521/41554

examples: 17
 .o valid skip 0 .o
 .o valid skip 0 .o
 .o valid skip 0 .o

 col4b HH19 12.14 Vegetables: homegrown

type: numeric (byte)
 label: fm21bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 1639/41554

	tabulation:	Freq.	Numeric	Label
		484	1	Home grown 1
		37696	2	Purchased 2
		1735	3	Both 3
		1639	.a	

co14c	HH19 12.14 Vegetables: price			

	type:	numeric (float)		
	label:	missing, but 595 nonmissing values are not labeled		
	range:	[0,500]	units:	1.000e-08
	unique values:	595	missing .:	499/41554
	examples:	7		
		10		
		10		
		14.5		

co14t	HH19 12.14 Vegetables: Rs			

	type:	numeric (int)		
	label:	missing, but 264 nonmissing values are not labeled		
	range:	[0,7000]	units:	1
	unique values:	264	missing .:	0/41554
	unique mv codes:	1	missing .*:	5579/41554
	examples:	100		
		150		
		250		
		450		

co15	HH20 12.15 Salt/spices Rs			

	type:	numeric (int)		
	label:	missing, but 202 nonmissing values are not labeled		
	range:	[0,3500]	units:	1
	unique values:	202	missing .:	0/41554
	unique mv codes:	1	missing .*:	62/41554
	examples:	40		
		60		
		90		
		120		

co16	HH20 12.16 Other Food Rs			

	type:	numeric (int)		
	label:	missing, but 230 nonmissing values are not labeled		
	range:	[0,5000]	units:	1
	unique values:	230	missing .:	0/41554
	unique mv codes:	1	missing .*:	62/41554
	examples:	25		
		50		
		80		
		125		

co17	HH20 12.17 Paan/tobac/intox Rs			

```

      type: numeric (int)
      label: missing, but 216 nonmissing values are not labeled

      range: [0,8000]          units: 1
      unique values: 216        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

```

```

      examples: 0
                15
                50
                120

```

```

-----
co18                                     HH20 12.18 Fruits/nuts Rs
-----

```

```

      type: numeric (int)
      label: missing, but 153 nonmissing values are not labeled

      range: [0,5000]          units: 1
      unique values: 153        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

```

```

      examples: 0
                15
                50
                100

```

```

-----
co19                                     HH20 12.19 Eating out Rs
-----

```

```

      type: numeric (int)
      label: missing, but 154 nonmissing values are not labeled

      range: [0,6000]          units: 1
      unique values: 154        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

```

```

      examples: 0
                0
                0
                50

```

```

-----
co20                                     HH20 12.20 Fuel/Light Rs
-----

```

```

      type: numeric (int)
      label: missing, but 838 nonmissing values are not labeled

      range: [0,9300]          units: 1
      unique values: 838        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

```

```

      examples: 0
                100
                250
                400

```

```

-----
co21                                     HH20 12.21 Entertainment Rs
-----

```

```

      type: numeric (int)
      label: missing, but 121 nonmissing values are not labeled

      range: [0,10000]         units: 1
      unique values: 121        missing .: 0/41554
      unique mv codes: 1        missing .*: 62/41554

```

```

      examples: 0

```

0
0
0

co22 HH20 12.22 Telephone Rs

type: numeric (int)
label: missing, but 418 nonmissing values are not labeled

range: [0,12000] units: 1
unique values: 418 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 0
0
0
150

co23 HH20 12.23 Personal care Rs

type: numeric (int)
label: missing, but 136 nonmissing values are not labeled

range: [0,6000] units: 1
unique values: 136 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 0
0
0
10

co24 HH20 12.24 Toiletries Rs

type: numeric (int)
label: missing, but 193 nonmissing values are not labeled

range: [0,6300] units: 1
unique values: 193 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 20
40
60
100

co25 HH20 12.25 HH items Rs

type: numeric (int)
label: missing, but 245 nonmissing values are not labeled

range: [0,4000] units: 1
unique values: 245 missing .: 0/41554
unique mv codes: 1 missing .*: 62/41554

examples: 25
50
76
120

co26 HH20 12.26 Conveyance Rs

type: numeric (int)

```

label: missing, but 309 nonmissing values are not labeled

range: [0,29000]          units: 1
unique values: 309        missing .: 0/41554
unique mv codes: 1        missing .*: 62/41554

examples: 0
           50
           150
           300

```

```

co27                                     HH20 12.27 House/Other rent Rs

```

```

type: numeric (int)
label: missing, but 192 nonmissing values are not labeled

range: [0,14400]          units: 1
unique values: 192        missing .: 0/41554
unique mv codes: 1        missing .*: 62/41554

examples: 0
           0
           0
           0

```

```

co28                                     HH20 12.28 Consumer tax/fees Rs

```

```

type: numeric (int)
label: missing, but 261 nonmissing values are not labeled

range: [0,30000]          units: 1
unique values: 261        missing .: 0/41554
unique mv codes: 1        missing .*: 62/41554

examples: 0
           0
           0
           10

```

```

co29                                     HH20 12.29 Services servants Rs

```

```

type: numeric (int)
label: missing, but 162 nonmissing values are not labeled

range: [0,16000]          units: 1
unique values: 162        missing .: 0/41554
unique mv codes: 1        missing .*: 62/41554

examples: 0
           0
           0
           15

```

```

co30                                     HH20 12.30 Medical out-patient Rs

```

```

type: numeric (long)
label: missing, but 349 nonmissing values are not labeled

range: [0,70000]          units: 1
unique values: 349        missing .: 0/41554
unique mv codes: 1        missing .*: 62/41554

examples: 0
           0
           100

```


300

co31 HH21 12.31 Medical in-patient Rs

type: numeric (long)
 label: missing, but 437 nonmissing values are not labeled

 range: [0,800000] units: 1
 unique values: 437 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

 examples: 0
 0
 0
 1200

co32 HH21 12.32 School Rs

type: numeric (long)
 label: missing, but 1625 nonmissing values are not labeled

 range: [0,300000] units: 1
 unique values: 1625 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

 examples: 0
 0
 250
 1650

co33 HH21 12.33 School books Rs

type: numeric (long)
 label: missing, but 576 nonmissing values are not labeled

 range: [0,85000] units: 1
 unique values: 576 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

 examples: 0
 0
 500
 1400

co34 HH21 12.34 Clothing/bedding Rs

type: numeric (long)
 label: missing, but 362 nonmissing values are not labeled

 range: [0,80000] units: 1
 unique values: 362 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

 examples: 500
 1000
 1800
 3000

co35 HH21 12.35 Footwear Rs

type: numeric (long)
 label: missing, but 274 nonmissing values are not labeled

range:	[0,50000]	units:	1
unique values:	274	missing .:	0/41554
unique mv codes:	1	missing .*:	62/41554

examples: 135
250
500
800

co36 HH21 12.36 Furniture/fixtures Rs

type: numeric (long)
label: missing, but 189 nonmissing values are not labeled

range:	[0,100000]	units:	1
unique values:	189	missing .:	0/41554
unique mv codes:	1	missing .*:	62/41554

examples: 0
0
0
0

co37 HH21 12.37 Crockery/utensils Rs

type: numeric (long)
label: missing, but 225 nonmissing values are not labeled

range:	[0,50000]	units:	1
unique values:	225	missing .:	0/41554
unique mv codes:	1	missing .*:	62/41554

examples: 0
0
0
150

co38 HH21 12.38 HH appliances Rs

type: numeric (long)
label: missing, but 202 nonmissing values are not labeled

range:	[0,90000]	units:	1
unique values:	202	missing .:	0/41554
unique mv codes:	1	missing .*:	62/41554

examples: 0
0
0
0

co39 HH21 12.39 Recreation goods Rs

type: numeric (long)
label: missing, but 227 nonmissing values are not labeled

range:	[0,90000]	units:	1
unique values:	227	missing .:	0/41554
unique mv codes:	1	missing .*:	62/41554

examples: 0
0
0
0

 co40 HH21 12.40 Jewellery Rs

type: numeric (long)
 label: missing, but 283 nonmissing values are not labeled

range: [0,300000] units: 1
 unique values: 283 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

examples: 0
 0
 0
 0

 co41 HH21 12.41 Transport equipt Rs

type: numeric (long)
 label: missing, but 330 nonmissing values are not labeled

range: [0,800000] units: 1
 unique values: 330 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

examples: 0
 0
 0
 200

 co42 HH21 12.42 Therapeutic app Rs

type: numeric (int)
 label: missing, but 113 nonmissing values are not labeled

range: [0,25000] units: 1
 unique values: 113 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

examples: 0
 0
 0
 0

 co43 HH21 12.43 Other personal Rs

type: numeric (long)
 label: missing, but 271 nonmissing values are not labeled

range: [0,90000] units: 1
 unique values: 271 missing .: 0/41554
 unique mv codes: 1 missing .*: 62/41554

examples: 0
 0
 0
 0

 co44 HH21 12.44 Repair/maintenance Rs

type: numeric (long)
 label: missing, but 286 nonmissing values are not labeled

range: [0,500000] units: 1
 unique values: 286 missing .: 0/41554

```

unique mv codes: 1                                missing .*: 62/41554

examples: 0
          0
          0
          200
-----
co45                                             HH21 12.45 Insurance premiums Rs
-----

type: numeric (long)
label: missing, but 1316 nonmissing values are not labeled

range: [0,125000]                                units: 1
unique values: 1316                              missing .: 0/41554
unique mv codes: 1                              missing .*: 62/41554

examples: 0
          0
          0
          500
-----
co46                                             HH21 12.46 Vacations Rs
-----

type: numeric (long)
label: missing, but 158 nonmissing values are not labeled

range: [0,80000]                                units: 1
unique values: 158                              missing .: 0/41554
unique mv codes: 1                              missing .*: 62/41554

examples: 0
          0
          0
          0
-----
co47                                             HH21 12.47 Social functions Rs
-----

type: numeric (long)
label: missing, but 458 nonmissing values are not labeled

range: [0,800000]                                units: 1
unique values: 458                              missing .: 0/41554
unique mv codes: 2                              missing .*: 63/41554

examples: 100
          350
          800
          2000
-----
cg1                                             HH22 13.1 House own/rent
-----

type: numeric (byte)
label: cg1f

range: [1,3]                                    units: 1
unique values: 3                                missing .: 0/41554
unique mv codes: 1                              missing .*: 4/41554

tabulation: Freq.   Numeric   Label
            36994       1   Owned 1
            3829        2   Rental 2
            727         3   Neither 3
            4           .a
-----

```

cg2 HH22 13.2 Own: Cycle/bicycle

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 80/41554

tabulation: Freq.  Numeric  Label
            18620      0     No 0
            22854      1     Yes 1
             80        .d invalid skip .d

```

cg3 HH22 13.3 Own: Sewing machine

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 89/41554

tabulation: Freq.  Numeric  Label
            30426      0     No 0
            11039      1     Yes 1
             89        .d invalid skip .d

```

cg4 HH22 13.4 Own: Generator set

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 101/41554

tabulation: Freq.  Numeric  Label
            40884      0     No 0
             569       1     Yes 1
             101        .d invalid skip .d

```

cg5 HH22 13.5 Own: Mixer/grinder

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 89/41554

tabulation: Freq.  Numeric  Label
            30766      0     No 0
            10699      1     Yes 1
             89        .d invalid skip .d

```

cg6 HH22 13.6 Own: Motor cycle

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 109/41554

```

	tabulation:	Freq.	Numeric	Label
		33681	0	No 0
		7764	1	Yes 1
		109	.d	invalid skip .d

cg7	HH22 13.7 Own: B/W TV			

	type:	numeric (byte)		
	label:	yesno		
	range:	[0,1]		units: 1
	unique values:	2		missing .: 0/41554
	unique mv codes:	1		missing .*: 128/41554
	tabulation:	Freq.	Numeric	Label
		30639	0	No 0
		10787	1	Yes 1
		128	.d	invalid skip .d

cg8	HH22 13.8 Own: Colour TV			

	type:	numeric (byte)		
	label:	yesno		
	range:	[0,1]		units: 1
	unique values:	2		missing .: 0/41554
	unique mv codes:	1		missing .*: 106/41554
	tabulation:	Freq.	Numeric	Label
		29091	0	No 0
		12357	1	Yes 1
		106	.d	invalid skip .d

cg9	HH22 13.9 Own: Air cooler			

	type:	numeric (byte)		
	label:	yesno		
	range:	[0,1]		units: 1
	unique values:	2		missing .: 0/41554
	unique mv codes:	1		missing .*: 131/41554
	tabulation:	Freq.	Numeric	Label
		36082	0	No 0
		5341	1	Yes 1
		131	.d	invalid skip .d

cg10	HH22 13.10 Own: Clock/watch			

	type:	numeric (byte)		
	label:	yesno		
	range:	[0,1]		units: 1
	unique values:	2		missing .: 0/41554
	unique mv codes:	1		missing .*: 94/41554
	tabulation:	Freq.	Numeric	Label
		5993	0	No 0
		35467	1	Yes 1
		94	.d	invalid skip .d

cg11	HH22 13.11 Own: Electric fan			

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 66/41554

      tabulation: Freq.  Numeric  Label
                  14867      0     No 0
                  26621      1     Yes 1
                   66        .d invalid skip .d

```

cg12 HH22 13.12 Own: Chair/table

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 71/41554

      tabulation: Freq.  Numeric  Label
                  12954      0     No 0
                  28529      1     Yes 1
                   71        .d invalid skip .d

```

cg13 HH22 13.13 Own: Cot

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 69/41554

      tabulation: Freq.  Numeric  Label
                  6252      0     No 0
                  35233      1     Yes 1
                   69        .d invalid skip .d

```

cg14 HH22 13.14 Own: Telephone

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 133/41554

      tabulation: Freq.  Numeric  Label
                  34345      0     No 0
                   7076      1     Yes 1
                   133        .d invalid skip .d

```

cg15 HH22 13.15 Own: Cell phone

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 153/41554

      tabulation: Freq.  Numeric  Label

```

```

37784      0 No 0
3617      1 Yes 1
153       .d invalid skip .d

```

```

-----
cg16                                     HH22 13.16 Own: Refrigerator
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 141/41554

```

```

      tabulation: Freq.  Numeric  Label
                  34059      0 No 0
                  7354      1 Yes 1
                  141       .d invalid skip .d

```

```

-----
cg17                                     HH22 13.17 Own: Pressure cooker
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 260/41554

```

```

      tabulation: Freq.  Numeric  Label
                  22805      0 No 0
                  18489      1 Yes 1
                  260       .d invalid skip .d

```

```

-----
cg18                                     HH22 13.18 Own: Car
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 2352/41554

```

```

      tabulation: Freq.  Numeric  Label
                  38309      0 No 0
                   893      1 Yes 1
                  2352      .a valid blank .a

```

```

-----
cg19                                     HH22 13.19 Own: Air conditioner
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 2380/41554

```

```

      tabulation: Freq.  Numeric  Label
                  38926      0 No 0
                   248      1 Yes 1
                  2380      .a valid blank .a

```

```

-----
cg20                                     HH22 13.20 Own: Washing machine
-----

```

```

      type: numeric (byte)

```



```

label: yesno

range: [0,1]
unique values: 2
unique mv codes: 1

units: 1
missing .: 0/41554
missing .*: 2407/41554

tabulation: Freq. Numeric Label
              37317      0 No 0
              1830      1 Yes 1
              2407      .a valid blank .a

```

cg21 HH22 13.21 Own: Computer

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                                units: 1
unique values: 2                                  missing .: 0/41554
unique mv codes: 1                               missing .*: 2425/41554

      tabulation: Freq.   Numeric   Label
                  38605       0     No 0
                   524        1    Yes 1
                   2425       .a valid blank .a

```

```

type: numeric (byte)
label: yesno

range: [0,1]                                units: 1
unique values: 2                            missing.: 0/41554
unique mv codes: 1                          missing.*: 2524/41554

tabulation: Freq.   Numeric   Label
38391        0    No 0
639          1    Yes 1
2524         .a    valid blank .a

```

cg23 HH22 13.23 Own: 2 clothes

```

      type: numeric (byte)
    label: yesno

      range: [0,1]                      units: 1
unique values: 2                       missing .: 0/41554
unique mv codes: 1                     missing .*: 150/41554


      tabulation: Freq.   Numeric Label
                  1004       0 No 0
                  4040       1 Yes 1
                   150        .a valid blank .a

```

cg24HH22 13.24 Own: Footwear

```

type: numeric (byte)
label: yesno

range: [0,1]                                units: 1
unique values: 2                            missing.: 0/41554
unique mv codes: 1                         missing.*: 151/41554

tabulation: Freq.   Numeric   Label
            2446      0      No 0
            38957     1      Yes 1

```

151 .a valid blank .a

db1 HH23 14.1 N loans last 5 yrs

type: numeric (byte)
label: missing, but 28 nonmissing values are not labeled

range: [0,50] units: 1
unique values: 28 missing .: 0/41554
unique mv codes: 1 missing .*: 1/41554

tabulation:	Freq.	Numeric	Label
	24645	0	
	6915	1	
	2896	2	
	2382	3	
	1512	4	
	1110	5	
	502	6	
	294	7	
	297	8	
	118	9	
	370	10	
	18	11	
	143	12	
	16	13	
	11	14	
	173	15	
	10	16	
	3	17	
	12	18	
	80	20	
	4	21	
	4	22	
	11	25	
	1	28	
	17	30	
	3	40	
	1	45	
	5	50	
	1	.c	don't know 8 .c

db2 HH23 14.2a Yrs ago largest loan

type: numeric (byte)
label: missing, but 6 nonmissing values are not labeled

range: [0,5] units: 1
unique values: 6 missing .: 0/41554
unique mv codes: 1 missing .*: 24624/41554

tabulation:	Freq.	Numeric	Label
	561	0	
	7665	1	
	4443	2	
	2187	3	
	1465	4	
	609	5	
	24624	.a	valid blank .a

db2b HH23 14.2b Loan largest amount

type: numeric (long)
label: missing, but 299 nonmissing values are not labeled

range: [0,20000000] units: 1
unique values: 299 missing .: 0/41554

```
unique mv codes: 1          missing .*: 24645/41554
```

```
examples: 12000
          350000
          .a  valid blank .a
          .a  valid blank .a
```

db2c HH23 14.2c Loan purpose

```
type: numeric (byte)
label: db2cf
```

```

      range: [1,9]          units: 1
unique values: 9          missing .: 0/41554
unique mv codes: 2        missing *: 24648/41554

```

tabulation:	Freq.	Numeric	Label
	2758	1	House 1
	171	2	Land 2
	2604	3	Marriage 3
	5196	4	Ag/business 4
	2078	5	Consumption 5
	244	6	Car/appliance 6
	409	7	Education 7
	2393	8	Medical 8
	1053	9	Other 9
	24643	.a	
	5	.o	

db2d HH23 14.2d Loan source

```
type: numeric (byte)
label: db2df
```

```

      range: [1,9]           units: 1
unique values: 9             missing.: 0/41554
unique mv codes: 2          missing.*: 24649/41554

```

tabulation:	Freq.	Numeric	Label
	306	1	Employer 1
	5357	2	Money lender 2
	1622	3	Friend 3
	3151	4	Relative 4
	4632	5	Bank 5
	27	6	NGO 6
	386	7	Credit group 7
	185	8	Govt. program 8
	1239	9	Other 9
	24646	.a	
	3	.o	

db2e HH23 14.2e Loan monthly rate

```
type: numeric (float)
label: missing, but 93 nonmissing values are not labeled
```

```

      range: [0,20]          units: .01
unique values: 93          missing .: 2/41554
unique mv codes: 2        missing .*: 24647/41554

```

```
examples: 1.5
          10
          .a  valid blank .a
          .a  valid blank .a
```

db2f HH23 14.2f Loan repayment

```

-----
                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
                unique values: 2            missing .: 0/41554
                unique mv codes: 1          missing .*: 24620/41554

                tabulation: Freq.  Numeric  Label
                           12284      0    No 0
                           4650      1    Yes 1
                           24620     .a valid blank .a
-----

```

```

-----
db3a                                HH23 14.3a Land sold to pay
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
                unique values: 2            missing .: 0/41554
                unique mv codes: 3          missing .*: 66/41554

                tabulation: Freq.  Numeric  Label
                           40917      0    No 0
                           571       1    Yes 1
                           64        .a valid blank .a
                           1         .b valid skip 9 .b
                           1         .c don't know 8 .c
-----

```

```

-----
db3b                                HH23 14.3b Jewelery sold to pay
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
                unique values: 2            missing .: 0/41554
                unique mv codes: 4          missing .*: 71/41554

                tabulation: Freq.  Numeric  Label
                           40545      0    No 0
                           938       1    Yes 1
                           66        .a valid blank .a
                           2         .b valid skip 9 .b
                           1         .c don't know 8 .c
                           2         .e out of range .e
-----

```

```

-----
db4                                HH23 14.4 Outstanding HH debt
-----

```

```

                type: numeric (long)
                label: missing, but 571 nonmissing values are not labeled

                range: [0,6500000]          units: 1
                unique values: 571          missing .: 0/41554
                unique mv codes: 2          missing .*: 8465/41554

                examples: 0
                        900
                        19000
                        .a valid blank .a
-----

```

```

-----
db5a                                HH23 14.5a Debt with shopkeeper
-----

```

```

                type: numeric (byte)
                label: yesno
-----

```

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 36/41554

tabulation:	Freq.	Numeric	Label
	31093	0	No 0
	10425	1	Yes 1
	32	.a	valid blank .a
	2	.c	don't know 8 .c
	2	.e	out of range .e

 db5b HH23 14.5b Rs debt shopkeeper

type: numeric (long)
 label: missing, but 243 nonmissing values are not labeled

range: [0,400000] units: 1
 unique values: 243 missing .: 2/41554
 unique mv codes: 2 missing .*: 15321/41554

examples: 0
 150
 2500
 .a valid blank .a

 db6 HH23 14.6 Credit due to the HH

type: numeric (long)
 label: missing, but 182 nonmissing values are not labeled

range: [0,3000000] units: 1
 unique values: 182 missing .: 1/41554
 unique mv codes: 2 missing .*: 7763/41554

examples: 0
 0
 0
 20000

 sn1a HH24 15.1a Netwk Medical

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 454/41554

tabulation:	Freq.	Numeric	Label
	27925	0	No 0
	13175	1	Yes 1
	454	.d	invalid skip .d

 sn1b HH24 15.1b Netwk Med type

type: numeric (byte)
 label: sn1bf

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 2 missing .*: 28371/41554

tabulation:	Freq.	Numeric	Label
	10099	1	Doctors 1

2296	2	Nurses 2
354	3	Technician 3
434	4	Other 4
27252	.a	
1119	.o	

 sn1c HH24 15.1c Netwk Med Sex

type: numeric (byte)
 label: sn1cf

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 28370/41554

tabulation:	Freq.	Numeric	Label
	10487	1	Male 1
	2697	2	Female 2
	27425	.a	
	945	.o	

 sn1d HH24 15.1d Netwk Med Relation

type: numeric (byte)
 label: sn1df

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 27463/41554

tabulation:	Freq.	Numeric	Label
	11678	0	Not family 0
	2156	1	Family, not hh 1
	257	2	In household 2
	27463	.d	

 sn1e HH24 15.1e Netwk Med Community

type: numeric (byte)
 label: sn1ef

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 27455/41554

tabulation:	Freq.	Numeric	Label
	8924	0	Different jati 0
	5175	1	Same jati 1
	27455	.d	

 sn1f HH24 15.1f Netwk Med Residence

type: numeric (byte)
 label: sn1ff

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 27278/41554

tabulation:	Freq.	Numeric	Label
	8622	0	Other place 0
	5654	1	Same 1
	27275	.a	
	3	.d	

 sn2a HH24 15.2a Netwk School

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 515/41554

tabulation:	Freq.	Numeric	Label
	24538	0	No 0
	16501	1	Yes 1
	515	.d	invalid skip .d

 sn2b HH24 15.2b Netwk School type

type: numeric (byte)
 label: sn2bf

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 25048/41554

tabulation:	Freq.	Numeric	Label
	14566	1	Teacher 1
	1345	2	Clerk 2
	595	3	Other 3
	23891	.a	
	1157	.o	

 sn2c HH24 15.2c Netwk School Sex

type: numeric (byte)
 label: sn1cf

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 25045/41554

tabulation:	Freq.	Numeric	Label
	13950	1	Male 1
	2559	2	Female 2
	24102	.a	
	943	.o	

 sn2d HH24 15.2d Netwk School Relation

type: numeric (byte)
 label: sn1df

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 24132/41554

tabulation:	Freq.	Numeric	Label
	13198	0	Not family 0
	3526	1	Family, not hh 1
	698	2	In household 2
	24132	.d	

 sn2e HH24 15.2e Netwk School Community

type: numeric (byte)

```

label: sn1ef

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 24128/41554

tabulation: Freq.   Numeric   Label
            8974      0   Different jati 0
            8452      1   Same jati 1
            24128      .d

```

```

sn2f                                     HH24 15.2f Netwk School Residence

```

```

type: numeric (byte)
label: sn1ff

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 23992/41554

tabulation: Freq.   Numeric   Label
            9220      0   Other place 0
            8342      1   Same 1
            23984      .a
              8        .d

```

```

sn3a                                     HH24 15.3a Netwk Govt service

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 684/41554

tabulation: Freq.   Numeric   Label
            26586      0   No 0
            14284      1   Yes 1
              684      .d   invalid skip .d

```

```

sn3b                                     HH24 15.3b Netwk Govt type

```

```

type: numeric (byte)
label: sn3bf

range: [1,3]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 2    missing .*: 27237/41554

tabulation: Freq.   Numeric   Label
            6591      1   Officer 1
            4639      2   Clerk 2
            3087      3   Other 3
            25938      .a
            1299      .o

```

```

sn3c                                     HH24 15.3c Netwk Govt Sex

```

```

type: numeric (byte)
label: sn1cf

range: [1,2]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 27238/41554

```


sn3d	HH24 15.3d Netwk Govt Relation
type: numeric (byte) label: sn1df range: [0,2] units: 1 unique values: 3 missing .: 0/41554 unique mv codes: 1 missing .*: 26236/41554	tabulation: Freq. Numeric Label 13397 1 Male 1 919 2 Female 2 26203 .a 1035 .o
sn3e	HH24 15.3e Netwk Govt Community
type: numeric (byte) label: sn1ef range: [0,1] units: 1 unique values: 2 missing .: 0/41554 unique mv codes: 1 missing .*: 26243/41554	tabulation: Freq. Numeric Label 10157 0 Not family 0 4049 1 Family, not hh 1 1112 2 In household 2 26236 .d
sn3f	HH24 15.3f Netwk Govt Residence
type: numeric (byte) label: sn1ff range: [0,1] units: 1 unique values: 2 missing .: 0/41554 unique mv codes: 2 missing .*: 26258/41554	tabulation: Freq. Numeric Label 6269 0 Different jati 0 9042 1 Same jati 1 26243 .d
me1	HH25 16.1 Member Mahila mandal
type: numeric (byte) label: yesno range: [0,1] units: 1 unique values: 2 missing .: 0/41554 unique mv codes: 2 missing .*: 75/41554	tabulation: Freq. Numeric Label 38427 0 No 0 3052 1 Yes 1 2 .c don't know 8 .c 73 .d invalid skip .d

me2 HH25 16.2 Member Youth/Sports/Read

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 1    missing .*: 65/41554

      tabulation: Freq.  Numeric  Label
                  39323      0    No 0
                  2166       1    Yes 1
                   65       .d invalid skip .d

```

me3 HH25 16.3 Member Union/Busns

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 2    missing .*: 68/41554

      tabulation: Freq.  Numeric  Label
                  39387      0    No 0
                  2099       1    Yes 1
                   2       .c don't know 8 .c
                   66       .d invalid skip .d

```

me4 HH25 16.4 Member Self Help

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 2    missing .*: 66/41554

      tabulation: Freq.  Numeric  Label
                  37544      0    No 0
                  3944       1    Yes 1
                   1       .c don't know 8 .c
                   65       .d invalid skip .d

```

me5 HH25 16.5 Member Credit/Savings

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 2    missing .*: 73/41554

      tabulation: Freq.  Numeric  Label
                  38638      0    No 0
                  2843       1    Yes 1
                   1       .c don't know 8 .c
                   72       .d invalid skip .d

```

me6 HH25 16.6 Member Relig/Social

```

      type: numeric (byte)
      label: yesno

```

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 67/41554

tabulation:	Freq.	Numeric	Label
	35485	0	No 0
	6002	1	Yes 1
	67	.d	invalid skip .d

me7 HH25 16.7 Member Caste Assoc

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 71/41554

tabulation:	Freq.	Numeric	Label
	35965	0	No 0
	5518	1	Yes 1
	1	.c	don't know 8 .c
	70	.d	invalid skip .d

me8 HH25 16.8 Member Development/NGO

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 75/41554

tabulation:	Freq.	Numeric	Label
	40701	0	No 0
	778	1	Yes 1
	3	.c	don't know 8 .c
	72	.d	invalid skip .d

me9 HH25 16.9 Member Cooperative

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 95/41554

tabulation:	Freq.	Numeric	Label
	40014	0	No 0
	1445	1	Yes 1
	5	.c	don't know 8 .c
	90	.d	invalid skip .d

me10 HH25 16.10 Voted 2004 election

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 76/41554

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

4138	0	No 0
37340	1	Yes 1
76	.d	invalid skip .d

me11 HH25 16.11 Attend public meeting

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing.: 0/41554
unique mv codes: 2 missing.*: 100/41554

tabulation:	Freq.	Numeric	Label
	29652	0	No 0
	11802	1	Yes 1
	5	.c	don't know 8 .c
	95	.d	invalid skip .d

me12 HH25 16.12 Official in panchayat

type: numeric (byte)
label: me12f

range: [0,2] units: 1
unique values: 3 missing.: 0/41554
unique mv codes: 2 missing.*: 192/41554

tabulation:	Freq.	Numeric	Label
	37136	0	Nobody close 0
	3663	1	Somebody close 1
	563	2	In household 2
	187	.a	
	5	.c	

tr1 HH25 17.1 Conflict in village

type: numeric (byte)
label: tr1f

range: [1,3] units: 1
unique values: 3 missing.: 0/41554
unique mv codes: 4 missing.*: 253/41554

tabulation:	Freq.	Numeric	Label
	5832	1	Alot 1
	12878	2	Some 2
	22591	3	Get along 3
	75	.a	
	46	.b	
	21	.c	
	111	.o	

tr2 HH25 17.2 Solve local problems

type: numeric (byte)
label: tr2f

range: [1,2] units: 1
unique values: 2 missing.: 0/41554
unique mv codes: 4 missing.*: 182/41554

tabulation:	Freq.	Numeric	Label
	23838	1	Bond together 1
	17534	2	Each family individually 2

83 .a
8 .b
25 .c
66 .o

tr3 HH25 17.3 Conflict among jatis

type: numeric (byte)
label: tr3f

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 4 missing .*: 242/41554

tabulation:	Freq.	Numeric	Label
	1764	1	Alot 1
	10103	2	Some 2
	29445	3	Not much 3
	76	.a	
	53	.b	
	24	.c	
	89	.o	

lc1 HH25 18.1 Theft

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 97/41554

tabulation:	Freq.	Numeric	Label
	39856	0	No 0
	1601	1	Yes 1
	95	.a	valid blank .a
	2	.c	don't know 8 .c

lc2 HH25 18.2 Breaking in

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 95/41554

tabulation:	Freq.	Numeric	Label
	41043	0	No 0
	416	1	Yes 1
	92	.a	valid blank .a
	3	.c	don't know 8 .c

lc3 HH25 18.3 Attack/threat

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 99/41554

tabulation:	Freq.	Numeric	Label
	40417	0	No 0
	1038	1	Yes 1

```

93      .a valid blank .a
3       .b valid skip 9 .b
3       .c don't know 8 .c

```

```

-----
lc4                                           HH25 18.4 Harassment of girls
-----

```

```

      type: numeric (byte)
      label: lc4f

      range: [0,2]           units: 1
      unique values: 3       missing .: 0/41554
      unique mv codes: 3     missing .*: 305/41554

```

```

      tabulation: Freq.  Numeric  Label
                  36253      0  Rarely/Never 0
                  4570      1  Sometimes 1
                  426       2  Often 2
                  281       .a
                  12        .b
                  12        .c

```

```

-----
ci1                                           HH26 19.1 Confidence: Pols
-----

```

```

      type: numeric (byte)
      label: cif

      range: [1,3]           units: 1
      unique values: 3       missing .: 0/41554
      unique mv codes: 3     missing .*: 312/41554

```

```

      tabulation: Freq.  Numeric  Label
                  4496      1  A great deal 1
                  13190     2  Only some 2
                  23556     3  Hardly any 3
                   89       .a
                   218       .c
                   5        .o

```

```

-----
ci2                                           HH26 19.2 Confidence: Military
-----

```

```

      type: numeric (byte)
      label: cif

      range: [1,3]           units: 1
      unique values: 3       missing .: 0/41554
      unique mv codes: 3     missing .*: 517/41554

```

```

      tabulation: Freq.  Numeric  Label
                  35346     1  A great deal 1
                  4668      2  Only some 2
                  1023      3  Hardly any 3
                   88       .a
                   428       .c
                   1        .o

```

```

-----
ci3                                           HH26 19.3 Confidence: Police
-----

```

```

      type: numeric (byte)
      label: cif

      range: [1,3]           units: 1
      unique values: 3       missing .: 0/41554
      unique mv codes: 3     missing .*: 362/41554

```

```

      tabulation: Freq.  Numeric  Label

```

9608	1	A great deal 1
19900	2	Only some 2
11684	3	Hardly any 3
90	.a	
268	.c	
4	.o	

 ci4 HH26 19.4 Confidence: State govt

type: numeric (byte)
 label: cif

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 576/41554

tabulation:	Freq.	Numeric	Label
	10649	1	A great deal 1
	21097	2	Only some 2
	9232	3	Hardly any 3
	91	.a	
	478	.c	
	7	.o	

 ci5 HH26 19.5 Confidence: Newspapers

type: numeric (byte)
 label: cif

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 2964/41554

tabulation:	Freq.	Numeric	Label
	14783	1	A great deal 1
	20486	2	Only some 2
	3321	3	Hardly any 3
	104	.a	
	2820	.c	
	40	.o	

 ci6 HH26 19.6 Confidence: Panchayats

type: numeric (byte)
 label: cif

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 716/41554

tabulation:	Freq.	Numeric	Label
	13753	1	A great deal 1
	19316	2	Only some 2
	7769	3	Hardly any 3
	92	.a	
	600	.c	
	24	.o	

 ci7 HH26 19.7 Confidence: Schools

type: numeric (byte)
 label: cif

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554

unique mv codes: 3 missing .*: 479/41554

tabulation:	Freq.	Numeric	Label
	28320	1	A great deal 1
	10293	2	Only some 2
	2462	3	Hardly any 3
	90	.a	
	377	.c	
	12	.o	

ci8 HH26 19.8 Confidence: Medical

type: numeric (byte)
label: cif

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 298/41554

tabulation:	Freq.	Numeric	Label
	26613	1	A great deal 1
	11428	2	Only some 2
	3215	3	Hardly any 3
	92	.a	
	201	.c	
	5	.o	

ci9 HH26 19.9 Confidence: Courts

type: numeric (byte)
label: cif

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 1964/41554

tabulation:	Freq.	Numeric	Label
	22152	1	A great deal 1
	13396	2	Only some 2
	4042	3	Hardly any 3
	98	.a	
	1835	.c	
	31	.o	

ci10 HH26 19.10 Confidence: Banks

type: numeric (byte)
label: cif

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 631/41554

tabulation:	Freq.	Numeric	Label
	36373	1	A great deal 1
	3877	2	Only some 2
	673	3	Hardly any 3
	92	.a	
	494	.c	
	45	.o	

de1 HH26 20.1 Any deaths

type: numeric (byte)
label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 1134/41554

tabulation:	Freq.	Numeric	Label
	38746	0	No 0
	1674	1	Yes 1
	1134	.a	valid blank .a

 de2a HH26 20.2 Death 1: Rel to head

type: numeric (byte)
 label: de2f

range: [2,12] units: 1
 unique values: 11 missing .: 0/41554
 unique mv codes: 2 missing .*: 39972/41554

tabulation:	Freq.	Numeric	Label
	293	2	Wife/husband 2
	267	3	Son/daughter 3
	34	4	Daughter-in-law/son-in-law 4
	66	5	Grandchild 5
	670	6	Father/mother 6
	84	7	Brother/sister 7
	66	8	Father-in-law/mother-in-law 8
	16	9	Nephew/niece 9
	16	10	Brother-in-law/sister-in-law 10
	65	11	Other relatives 11
	5	12	Servant/other 12
	39844	.a	
	128	.o	

 de3a HH26 20.3 Death 1: Sex

type: numeric (byte)
 label: de3f

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 39959/41554

tabulation:	Freq.	Numeric	Label
	955	1	Male 1
	640	2	Female 2
	39939	.a	
	20	.o	

 de4a HH26 20.4 Death 1: Age

type: numeric (byte)
 label: missing, but 95 nonmissing values are not labeled

range: [0,96] units: 1
 unique values: 95 missing .: 0/41554
 unique mv codes: 3 missing .*: 39988/41554

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 de5a HH26 20.5 Death 1: Cause

```

type: numeric (byte)
label: de5f

range: [1,9]          units: 1
unique values: 9      missing .: 0/41554
unique mv codes: 2    missing .*: 39919/41554

```

tabulation:	Freq.	Numeric	Label
	87	1	Accident 1
	43	2	Childbirth 2
	252	3	Fever 3
	48	4	Diarrhea 4
	101	5	Cancer 5
	228	6	Heart attack 6
	77	7	TB 7
	10	8	HIV-AIDS 8
	789	9	Other 9
	39906	.a	
	13	.o	

```

-----
de6a                                HH26 20.6 Death 1: Childbirth
-----

```

```

type: numeric (byte)
label: de6f

range: [0,3]          units: 1
unique values: 4      missing .: 0/41554
unique mv codes: 1    missing .*: 41288/41554

```

tabulation:	Freq.	Numeric	Label
	248	0	No 0
	5	1	Yes, pregnant 1
	7	2	Yes, during delivery 2
	6	3	Yes, within 6 weeks 3
	41288	.a	

```

-----
de2b                                HH26 20.2 Death 2: Rel to head
-----

```

```

type: numeric (byte)
label: de2f

range: [2,11]         units: 1
unique values: 10     missing .: 0/41554
unique mv codes: 2    missing .*: 41504/41554

```

tabulation:	Freq.	Numeric	Label
	2	2	Wife/husband 2
	6	3	Son/daughter 3
	1	4	Daughter-in-law/son-in-law 4
	5	5	Grandchild 5
	15	6	Father/mother 6
	9	7	Brother/sister 7
	5	8	Father-in-law/mother-in-law 8
	2	9	Nephew/niece 9
	2	10	Brother-in-law/sister-in-law 10
	3	11	Other relatives 11
	41497	.a	
	7	.o	

```

-----
de3b                                HH26 20.3 Death 2: Sex
-----

```

```

type: numeric (byte)
label: de3f

range: [1,2]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 41503/41554

```

```

tabulation: Freq.  Numeric  Label
              25         1  Male 1
              26         2  Female 2
              41497      .a
              6          .o
-----
de4b                                             HH26 20.4 Death 2: Age
-----

```

```

type: numeric (byte)
label: missing, but 28 nonmissing values are not labeled

range: [0,90]          units: 1
unique values: 28      missing .: 0/41554
unique mv codes: 1     missing .*: 41499/41554

```

```

tabulation: Freq.  Numeric  Label
              8         0
              2         1
              2         3
              1         4
              1         8
              1         9
              2        18
              2        30
              1        34
              2        35
              2        40
              1        42
              1        45
              1        48
              3        50
              1        52
              1        55
              2        57
              1        58
              6        60
              7        65
              1        70
              1        75
              1        77
              1        80
              1        85
              1        87
              1        90
              41499      .a  valid blank  .a
-----
de5b                                             HH26 20.5 Death 2: Cause
-----

```

```

type: numeric (byte)
label: de5f

range: [1,9]          units: 1
unique values: 8      missing .: 0/41554
unique mv codes: 2     missing .*: 41503/41554

```

```

tabulation: Freq.  Numeric  Label
              3         1  Accident 1
              1         2  Childbirth 2
              9         3  Fever 3
              3         4  Diarrhea 4
              4         5  Cancer 5
              3         6  Heart attack 6
              4         7  TB 7
              24         9  Other 9
              41498      .a
              5          .o
-----

```

de6b

HH26 20.6 Death 2: Childbirth

```

type: numeric (byte)
label: de6f

range: [0,2]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 41535/41554

tabulation: Freq.  Numeric  Label
              18         0  No 0
              1         2  Yes, during delivery 2
            41534         .a
              1         .b

```

de2c

HH26 20.2 Death 3: Rel to head

```

type: numeric (byte)
label: de2f

range: [9,11]         units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 41552/41554

tabulation: Freq.  Numeric  Label
              1         9  Nephew/niece 9
              1        11  Other relatives 11
            41546         .a
              6         .o

```

de3c

HH26 20.3 Death 3: Sex

```

type: numeric (byte)
label: de3f

range: [2,2]          units: 1
unique values: 1      missing .: 0/41554
unique mv codes: 2    missing .*: 41552/41554

tabulation: Freq.  Numeric  Label
              2         2  Female 2
            41549         .a
              3         .o

```

de4c

HH26 20.4 Death 3: Age

```

type: numeric (byte)
label: missing, but 3 nonmissing values are not labeled

range: [0,95]         units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 1    missing .*: 41548/41554

tabulation: Freq.  Numeric  Label
              4         0
              1        12
              1        95
            41548         .a  valid blank .a

```

de5c

HH26 20.5 Death 3: Cause

```

type: numeric (byte)
label: de5f

```

range: [9,9] units: 1
 unique values: 1 missing .: 0/41554
 unique mv codes: 2 missing .*: 41552/41554

tabulation:	Freq.	Numeric	Label
	2	9	Other 9
	41547	.a	
	5	.o	

 de6c HH26 20.6 Death 3: Childbirth

type: numeric (byte)
 label: de6f

range: [0,0] units: 1
 unique values: 1 missing .: 0/41554
 unique mv codes: 2 missing .*: 41545/41554

tabulation:	Freq.	Numeric	Label
	9	0	No 0
	41544	.a	
	1	.b	

 oh1a HH28 22.1 ID Primary resp

type: numeric (byte)
 label: missing, but 21 nonmissing values are not labeled

range: [0,26] units: 1
 unique values: 21 missing .: 0/41554
 unique mv codes: 1 missing .*: 196/41554

tabulation:	Freq.	Numeric	Label
	25	0	
	28001	1	
	8308	2	
	2982	3	
	793	4	
	430	5	
	267	6	
	234	7	
	125	8	
	77	9	
	35	10	
	27	11	
	17	12	
	13	13	
	5	14	
	8	15	
	3	16	
	4	17	
	2	18	
	1	21	
	1	26	
	196	.a	valid blank .a

 oh2a HH28 22.2 Other resp 1 ID

type: numeric (byte)
 label: missing, but 20 nonmissing values are not labeled

range: [0,19] units: 1
 unique values: 20 missing .: 0/41554
 unique mv codes: 1 missing .*: 5026/41554

tabulation:	Freq.	Numeric	Label
	19383	0	

2286	1
9502	2
2745	3
1217	4
508	5
314	6
229	7
128	8
86	9
41	10
36	11
19	12
17	13
8	14
2	15
2	16
3	17
1	18
1	19
5026	.a valid blank .a

oh2b HH28 22.2 Other resp 2 ID

type: numeric (byte)
label: missing, but 18 nonmissing values are not labeled

range:	[0,18]	units:	1
unique values:	18	missing .:	0/41554
unique mv codes:	1	missing .*:	23521/41554

tabulation:	Freq.	Numeric	Label
	14832	0	
	159	1	
	526	2	
	1099	3	
	690	4	
	286	5	
	165	6	
	95	7	
	71	8	
	41	9	
	26	10	
	13	11	
	10	12	
	9	13	
	3	14	
	5	15	
	2	16	
	1	18	
	23521	.a	valid blank .a

oh2c HH28 22.2 Other resp 3 ID

type: numeric (byte)
label: missing, but 18 nonmissing values are not labeled

range:	[0,17]	units:	1
unique values:	18	missing .:	0/41554
unique mv codes:	1	missing .*:	26166/41554

tabulation:	Freq.	Numeric	Label
	14685	0	
	84	1	
	31	2	
	62	3	
	256	4	
	95	5	
	65	6	
	29	7	

30	8
12	9
13	10
8	11
6	12
4	13
5	14
1	15
1	16
1	17
26166	.a valid blank .a

oh2d HH28 22.2 Other resp 4: ID

type: numeric (byte)
label: missing, but 18 nonmissing values are not labeled

range:	[0,20]	units:	1
unique values:	18	missing .:	0/41554
unique mv codes:	1	missing .*:	26664/41554

tabulation:	Freq.	Numeric	Label
	14657	0	
	76	1	
	9	2	
	10	3	
	16	4	
	56	5	
	22	6	
	7	7	
	6	8	
	12	9	
	3	10	
	1	11	
	6	12	
	2	13	
	1	14	
	4	15	
	1	19	
	1	20	
	26664	.a	valid blank .a

oh3 HH28 22.3 Non-HH at interview

type: numeric (byte)
label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	2	missing .*:	1519/41554

tabulation:	Freq.	Numeric	Label
	26217	0	No 0
	13818	1	Yes 1
	1514	.a	valid blank .a
	5	.e	out of range .e

oh4 HH28 22.4 Obs: Purpose

type: numeric (byte)
label: oh4f

range:	[0,2]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	2	missing .*:	382/41554

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

```

33188      0 No 0
6951      1 Some difficulty 1
1033      2 Alot of difficulty 2
380       .d
2         .e

```

oh5 HH28 22.5 Obs: Understanding

```

type: numeric (byte)
label: oh4f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 2    missing .*: 361/41554

```

```

tabulation: Freq.  Numeric  Label
32248      0 No 0
7820      1 Some difficulty 1
1125      2 Alot of difficulty 2
1         .c
360       .d

```

oh6 HH28 22.6 Obs: Response clarity

```

type: numeric (byte)
label: oh6f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 2    missing .*: 347/41554

```

```

tabulation: Freq.  Numeric  Label
2238      0 No 0
12874     1 Sometimes 1
26095     2 Usually 2
1         .c
346       .d

```

oh7 HH28 22.7 Obs: Knows expenditure

```

type: numeric (byte)
label: oh7f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 2    missing .*: 353/41554

```

```

tabulation: Freq.  Numeric  Label
2248      0 Very little knowledge 0
13826     1 Somewhat 1
25127     2 Very knowledgeable 2
1         .c
352       .d

```

oh8 HH28 22.8 Obs: Confidence

```

type: numeric (byte)
label: oh6f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 3    missing .*: 367/41554

```

```

tabulation: Freq.  Numeric  Label
1407      0 No 0

```



```

11219      1 Sometimes 1
28561      2 Usually 2
      1      .c
      362    .d
      4      .e

```

```
-----
oh9                                             HH28 22.9 Interview end time
-----
```

```

      type: numeric (int)
      label: missing, but 527 nonmissing values are not labeled

      range: [0,3000]          units: 1
unique values: 527            missing .: 14/41554
unique mv codes: 2            missing .*: 454/41554

      examples: 240
                  430
                  730
                  1130

```

```
-----
oh9b                                          HH28 22.9 Interview end (AM/PM)
-----
```

```

      type: numeric (byte)
      label: ampm

      range: [1,2]            units: 1
unique values: 2              missing .: 0/41554
unique mv codes: 3            missing .*: 683/41554

      tabulation: Freq.   Numeric   Label
                  10640      1      AM 1
                  30231      2      PM 2
                   616      .d
                   1        .e
                   66      .o

```

```
-----
apd                                          HH29 23.dt Anthropometry date
-----
```

```

      type: string (str6)

unique values: 287            missing "": 0/41554

      examples: ".a"
                  ".a"
                  ".a"
                  ".a"

      warning: variable has leading blanks

```

```
-----
ge1                                          Study Code
-----
```

```

      type: numeric (byte)

      range: [22,22]          units: 1
unique values: 1              missing .: 0/41554

      tabulation: Freq.   Value
                  41554   22

```

```
-----
ge3                                          EH1 3 Interviewer ID
-----
```

```

      type: numeric (int)
      label: missing, but 461 nonmissing values are not labeled

```

range: [0,8150] units: 1
 unique values: 461 missing .: 0/41554
 unique mv codes: 1 missing .*: 866/41554

examples: 523
 1222
 1912
 2433

 ge6 EH1 6 Supervisor ID

type: numeric (int)
 label: missing, but 308 nonmissing values are not labeled

range: [0,3660] units: 1
 unique values: 308 missing .: 0/41554
 unique mv codes: 1 missing .*: 1420/41554

examples: 530
 1230
 1910
 2430

 ge9 EH1 9 Reinterview Household

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	27654	0	No 0
	13900	1	Yes 1

 ge10a EH1 10a 1st Part Completion

type: numeric (byte)
 label: complete

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	41407	1	Complete 1
	147	2	Incomplete 2

 ge10b EH1 10b Elig Wom Completion

type: numeric (byte)
 label: complete

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	38530	1	Complete 1
	3024	2	Incomplete 2

 ge11 EH1 11 Anthro Completion

type: numeric (byte)

label: ge11f

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 1 missing .*: 1/41554

tabulation:	Freq.	Numeric	Label
	1660	1	Not Done 1
	3288	2	Partially 2
	30829	3	Fully 3
	5776	4	NA 4
	1	.0	

ge12 EH1 12 Learning Completion

type: numeric (byte)

label: ge12f

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	4231	1	Not Done 1
	654	2	Partially 2
	8147	3	Fully 3
	28522	4	NA 4

ge13 EH1 13 Additional Learning Sheet

type: numeric (byte)

label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	41550	0	No 0
	4	1	Yes 1

ge14 EH1 14 Data Entry ID

type: numeric (int)

label: missing, but 52 nonmissing values are not labeled

range: [0,2501] units: 1
 unique values: 52 missing .: 0/41554
 unique mv codes: 1 missing .*: 4825/41554

examples: 7
 11
 21
 32

cd1 EH2 cd1 Agree to interview

type: numeric (byte)

label: yesno

range: [1,1] units: 1
 unique values: 1 missing .: 0/41554

tabulation:	Freq.	Numeric	Label
	41554	1	Yes 1

cd2 EH2 cg2 Date of interview

```

type: string (str6)
unique values: 621 missing "": 0/41554
examples: "070205"
           "130104"
           "190205"
           "241204"
warning: variable has embedded blanks

```

cd3 EH2 cg3 Interview start time

```

type: numeric (int)
range: [0,1259] units: 1
unique values: 521 missing .: 0/41554
unique mv codes: 1 missing .*: 222/41554

mean: 682.835
std. dev: 400.479

percentiles:    10%    25%    50%    75%    90%
                155    310    650    1055   1205

```

cd3b EH2 cg3b AM/PM Int. time

```

type: numeric (byte)
label: ampm

range: [1,2] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 257/41554

tabulation: Freq. Numeric Label
            15661      1 AM 1
            25636      2 PM 2
             255      .a
              2      .o

```

hi1 EH3 1.1 Stratum Number

```

type: numeric (byte)
label: missing, but 33 nonmissing values are not labeled

range: [0,32] units: 1
unique values: 33 missing .: 0/41554
unique mv codes: 2 missing .*: 5293/41554

tabulation: Freq. Numeric Label
            23134      0
             2345      1
             1915      2
              502      3
              480      4
              395      5
              775      6
              648      7
              557      8
              487      9
              413     10
              630     11
              789     12
              350     13

```

399	14
373	15
472	16
599	17
108	18
93	19
72	20
155	21
235	22
27	23
41	24
1	25
27	26
13	27
71	28
24	29
10	30
63	31
58	32
4520	.a valid blank .a
773	.b valid skip 9 .b

hi2EH3 1.2 Listing Sheet Number

```

type: numeric (int)
label: missing, but 341 nonmissing values are not labeled

range: [0,453]           units: 1
unique values: 341       missing .: 0/41554
unique mv codes: 1       missing .*: 2613/41554

examples: 0
           25
           67
           131

```

hi3EH3 1.3 State/UT Code

```

type: numeric (byte)
label: stateid

range: [1,34]           units: 1
unique values: 33       missing .: 0/41554

tabulation: Freq.  Numeric  Label
           715      1  Jammu & Kashmir 01
           1372     2  Himachal Pradesh 02
           1593     3  Punjab 03
             90      4  Chandigarh 04
            458      5  Uttaranchal 05
           1618     6  Haryana 06
            960      7  Delhi 07
           2485     8  Rajasthan 08
           3512     9  Uttar Pradesh 09
           1430    10  Bihar 10
            105    11  Sikkim 11
            165    12  Arunachal Pradesh 12
            130    13  Nagaland 13
            105    14  Manipur 14
            105    15  Mizoram 15
            229    16  Tripura 16
            161    17  Meghalaya 17
           1017    18  Assam 18
           2380    19  West Bengal 19
             924    20  Jharkhand 20
           2064    21  Orissa 21
           1175    22  Chhatishgarh 22
           2805    23  Madhya Pradesh 23
           2078    24  Gujarat 24

```

60	25	Daman & Diu	25
60	26	Dadra+Nagar Haveli	26
3204	27	Maharashtra	27
2435	28	Andhra Pradesh	28
4020	29	Karnataka	29
165	30	Goa	30
1731	32	Kerala	32
2098	33	Tamil Nadu	33
105	34	Pondicherry	34

hi4 EH3 1.4 District Code

type: numeric (byte)
range: [1,68] units: 1
unique values: 60 missing .: 0/41554
mean: 14.8076
std. dev: 12.2051
percentiles: 10% 25% 50% 75% 90%
2 6 12 20 29

hi5 EH3 1.5 Tehsil/Taluka Code

type: numeric (byte)
label: missing, but 53 nonmissing values are not labeled
range: [0,61] units: 1
unique values: 53 missing .: 0/41554
unique mv codes: 1 missing .*: 13545/41554
examples: 2
5
11
.a valid blank .a

hi6 EH3 1.6 Village/Town Code

type: numeric (byte)
range: [1,39] units: 1
unique values: 39 missing .: 0/41554
mean: 5.72843
std. dev: 5.77185
percentiles: 10% 25% 50% 75% 90%
1 2 4 7 11

hi7a EH3 1.7a Post-Office Code

type: numeric (byte)
label: missing
range: [.,.] units: .
unique values: 0 missing .: 0/41554
unique mv codes: 1 missing .*: 41554/41554
tabulation: Freq. Numeric Label
41554 .a valid blank .a

hi8a EH3 1.8a Mohalla/Hamlet Code

```

      type: numeric (byte)
      label: missing

      range: [.,.]          units: .
      unique values: 0      missing .: 0/41554
      unique mv codes: 1    missing .*: 41554/41554

      tabulation: Freq.  Numeric  Label
                  41554      .a  valid blank .a

```

```

hi9                                     EH3 1.9 Rural/Urban/Slum

```

```

      type: numeric (byte)
      label: hi9f

      range: [1,3]          units: 1
      unique values: 3      missing .: 0/41554

      tabulation: Freq.  Numeric  Label
                  27011      1  Rural 1
                  13715      2  Urban 2
                   828       3  Slum 3

```

```

hi10                                    EH3 1.10 1993-94 Household ID

```

```

      type: numeric (int)
      label: missing, but 3588 nonmissing values are not labeled

      range: [0,8888]       units: 1
      unique values: 3588    missing .: 0/41554
      unique mv codes: 1     missing .*: 22191/41554

      examples: 421
                1894
                .a  valid blank .a
                .a  valid blank .a

```

```

hi12                                    EH3 1.12 Intvw Language Code

```

```

      type: numeric (byte)
      label: hi12f

      range: [1,11]         units: 1
      unique values: 11      missing .: 0/41554
      unique mv codes: 1     missing .*: 2568/41554

      tabulation: Freq.  Numeric  Label
                  17889      1  Hindi 1
                   948       2  Assamese 2
                  2565       3  Bangla 3
                  2134       4  Gujarathi 4
                  2926       5  Marathi 5
                  2012       6  Oriya 6
                  4002       7  Kannad 7
                  1726       8  Malyalam 8
                  2210       9  Tamil 9
                  2365      10  Telegu 10
                   209      11  English 11
                  2568       .e

```

```

ch1                                     EH6 3.1 Ch1: Code

```

```

      type: numeric (byte)
      label: missing, but 19 nonmissing values are not labeled

```

range: [2,20] units: 1
 unique values: 19 missing .: 17/41554
 unique mv codes: 2 missing .*: 29821/41554

tabulation:	Freq.	Numeric	Label
	151	2	
	3233	3	
	2888	4	
	2668	5	
	1360	6	
	652	7	
	313	8	
	176	9	
	124	10	
	59	11	
	31	12	
	18	13	
	12	14	
	10	15	
	6	16	
	5	17	
	3	18	
	5	19	
	2	20	
	17	.	
	29821	.a	valid blank .a

 ch2 EH6 3.2 Ch1: School enrolment

type: numeric (byte)
 label: ch2f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 1 missing .*: 29838/41554

tabulation:	Freq.	Numeric	Label
	166	0	No 0
	2126	1	Yes, past 1
	9424	2	Yes, now 2
	29838	.a	

 ch3 EH6 3.3 Ch1: Start Age in years

type: numeric (byte)
 label: missing, but 15 nonmissing values are not labeled

range: [0,51] units: 1
 unique values: 15 missing .: 0/41554
 unique mv codes: 1 missing .*: 30000/41554

tabulation:	Freq.	Numeric	Label
	4	0	
	14	1	
	67	2	
	875	3	
	1461	4	
	4800	5	
	3359	6	
	608	7	
	233	8	
	86	9	
	34	10	
	10	11	
	1	21	
	1	26	
	1	51	
	30000	.a	valid blank .a

 ch4 EH6 3.4 Ch1: Faculty attendance

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 30043/41554

tabulation:	Freq.	Numeric	Label
	337	0	No 0
	11174	1	Yes 1
	30036	.a	valid blank .a
	7	.c	don't know 8 .c

 ch5 EH6 3.5 Ch1: Teacher attendance

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 30047/41554

tabulation:	Freq.	Numeric	Label
	362	0	No 0
	11145	1	Yes 1
	30036	.a	valid blank .a
	11	.c	don't know 8 .c

 ch6 EH6 3.6 Ch1: Local teacher

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 30058/41554

tabulation:	Freq.	Numeric	Label
	4949	0	No 0
	6547	1	Yes 1
	30046	.a	valid blank .a
	12	.c	don't know 8 .c

 ch7 EH6 3.7 Ch1: Fair Teacher

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 30056/41554

tabulation:	Freq.	Numeric	Label
	299	0	No 0
	11199	1	Yes 1
	30046	.a	valid blank .a
	10	.c	don't know 8 .c

 ch8 EH6 3.8 Ch1: Good Teacher

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 30065/41554

```

```

tabulation: Freq.  Numeric  Label
              327         0   No 0
              11162        1   Yes 1
              30051        .a valid blank .a
               14         .c don't know 8 .c

```

ch9 EH6 3.9 Ch1: Biased Teacher

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 30059/41554

```

```

tabulation: Freq.  Numeric  Label
              10391        0   No 0
               1104         1   Yes 1
              30048        .a valid blank .a
               11         .c don't know 8 .c

```

ch10 EH6 3.10 Ch1: PTA participation

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 30053/41554

```

```

tabulation: Freq.  Numeric  Label
              5765         0   No 0
              5736         1   Yes 1
              30051        .a valid blank .a
               2         .c don't know 8 .c

```

ch11 EH6 3.11 Ch1: # teacher discuss

```

type: numeric (byte)
label: missing, but 35 nonmissing values are not labeled

range: [0,99]         units: 1
unique values: 35      missing .: 0/41554
unique mv codes: 1      missing .*: 30519/41554

```

```

tabulation: Freq.  Numeric  Label
              3664         0
              1023         1
              2667         2
              1172         3
               760         4
               443         5
               324         6
               112         7
               223         8
               119         9
               211        10
                8         11
               173        12
                2         13

```

```

      8      14
    37      15
      3      16
      2      18
      1      19
    22      20
      2      21
      2      22
    27      24
      1      25
      2      26
      4      30
      1      35
      3      36
      2      40
      2      48
      3      60
      1      64
      1      84
      4      94
      6      99
    30519    .a valid blank .a

```

```
-----
ch12                                     EH6 3.12 Ch1: Average student
-----
```

```

      type: numeric (byte)
      label: ch12f

      range: [0,2]                      units: 1
      unique values: 3                  missing .: 0/41554
      unique mv codes: 2                missing .*: 30082/41554

```

```

tabulation: Freq.  Numeric  Label
            1328      0     Below Average 0
            8595      1     Average 1
            1549      2     Better than Average 2
            30080     .a
            2         .c

```

```
-----
ch13                                     EH6 3.13 Ch1: School enjoyment
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 2                missing .*: 30064/41554

```

```

tabulation: Freq.  Numeric  Label
            796      0     No 0
            10694     1     Yes 1
            30063     .a     valid blank .a
            1         .c     don't know 8 .c

```

```
-----
ch14                                     EH6 3.14 Ch1: # Repeats
-----
```

```

      type: numeric (byte)
      label: missing, but 6 nonmissing values are not labeled

      range: [0,5]                      units: 1
      unique values: 6                  missing .: 0/41554
      unique mv codes: 1                missing .*: 30156/41554

```

```

tabulation: Freq.  Numeric  Label
            10130     0
            773      1
            380      2

```

```

          98      3
          13      4
           4      5
        30156    .a valid blank .a

```

```
-----
ch15a                                     EH6 3.15a Ch1: Ever praised
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 30235/41554

      tabulation: Freq.  Numeric  Label
                   7599      0    No 0
                   3720      1   Yes 1
                   30230     .a valid blank .a
                      5      .c don't know 8 .c

```

```
-----
ch15b                                     EH6 3.15b Ch1: Ever beaten
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 30304/41554

      tabulation: Freq.  Numeric  Label
                   8707      0    No 0
                   2543      1   Yes 1
                   30300     .a valid blank .a
                      4      .c don't know 8 .c

```

```
-----
ch1ss                                     EH6 state Ch1: School state
-----
```

```

      type: numeric (byte)
      label: stateid

      range: [1,34]              units: 1
      unique values: 33          missing .: 17/41554
      unique mv codes: 2          missing .*: 29821/41554

      tabulation: Freq.  Numeric  Label
                   212      1  Jammu & Kashmir 01
                   385      2  Himachal Pradesh 02
                   534      3  Punjab 03
                   17       4  Chandigarh 04
                   142      5  Uttaranchal 05
                   516      6  Haryana 06
                   186      7  Delhi 07
                   850      8  Rajasthan 08
                   1445     9  Uttar Pradesh 09
                   547     10  Bihar 10
                   22       11  Sikkim 11
                   45       12  Arunachal Pradesh 12
                   18       13  Nagaland 13
                   30       14  Manipur 14
                   23       15  Mizoram 15
                   41       16  Tripura 16
                   51       17  Meghalaya 17
                   197      18  Assam 18
                   644      19  West Bengal 19
                   213      20  Jharkhand 20
                   605      21  Orissa 21
                   372      22  Chhatishgarh 22

```

918	23	Madhya Pradesh
549	24	Gujarat
18	25	Daman & Diu
21	26	Dadra+Nagar Haveli
882	27	Maharashtra
530	28	Andhra Pradesh
943	29	Karnataka
29	30	Goa
294	32	Kerala
412	33	Tamil Nadu
25	34	Pondicherry
17	.	
29821	.a	

 ch1sd EH6 dist Ch1: School district

type: numeric (byte)
 label: missing, but 61 nonmissing values are not labeled

range: [0,68] units: 1
 unique values: 61 missing.: 16/41554
 unique mv codes: 2 missing.*: 28818/41554

examples: 16
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 ch1sp EH6 psu Ch1: School PSU

type: numeric (byte)
 label: missing, but 38 nonmissing values are not labeled

range: [1,39] units: 1
 unique values: 38 missing.: 16/41554
 unique mv codes: 2 missing.*: 28818/41554

examples: 6
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 ch1s EH6 sch Ch1: School code

type: numeric (byte)
 label: missing, but 10 nonmissing values are not labeled

range: [0,82] units: 1
 unique values: 10 missing.: 17/41554
 unique mv codes: 3 missing.*: 30201/41554

tabulation:	Freq.	Numeric	Label
	27	0	
	7591	1	
	3702	2	
	1	3	
	9	4	
	1	7	
	1	8	
	2	10	
	1	11	
	1	82	
	17	.	
	30192	.a	valid blank .a
	9	.c	don't know 8 .c

ch18

EH7 3.18 Ch2: roster id

```

type: numeric (byte)
range: [2,24]
unique values: 21
unique mv codes: 2
units: 1
missing .: 21/41554
missing .*: 38531/41554

```

```

tabulation: Freq. Value
             6 2
            107 3
            869 4
            720 5
            574 6
            274 7
            160 8
            105 9
             55 10
             43 11
             35 12
             20 13
             10 14
              8 15
              3 16
              3 17
              2 18
              2 20
              3 21
              2 22
              1 24
             21 .
          38531 .a

```

ch19

EH7 3.19 Ch2: School enrolment

```

type: numeric (byte)
label: ch2f
range: [0,2]
unique values: 3
unique mv codes: 1
units: 1
missing .: 0/41554
missing .*: 38556/41554

```

```

tabulation: Freq. Numeric Label
             69      0 No 0
            549      1 Yes, past 1
           2380      2 Yes, now 2
          38556      .a

```

ch20

EH7 3.20 Ch2: Start Age in years

```

type: numeric (byte)
label: missing, but 13 nonmissing values are not labeled
range: [0,12]
unique values: 13
unique mv codes: 2
units: 1
missing .: 0/41554
missing .*: 38624/41554

```

```

tabulation: Freq. Numeric Label
             2      0
             2      1
            15      2
           199      3
           383      4
          1220      5
           869      6
           174      7
            48      8
            12      9

```

```

      4      10
      1      11
      1      12
38623      .a valid blank .a
      1      .c don't know 8 .c

```

```
-----
ch21                                     EH7 3.21 Ch2: Faculty attendance
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                missing .: 0/41554
unique mv codes: 2             missing .*: 38637/41554

```

```

tabulation: Freq.  Numeric  Label
           86         0    No 0
           2831        1    Yes 1
          38634        .a valid blank .a
              3         .c don't know 8 .c

```

```
-----
ch22                                     EH7 3.22 Ch2: Teacher attendance
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                missing .: 0/41554
unique mv codes: 2             missing .*: 38636/41554

```

```

tabulation: Freq.  Numeric  Label
           97         0    No 0
          2821        1    Yes 1
          38633        .a valid blank .a
              3         .c don't know 8 .c

```

```
-----
ch23                                     EH7 3.23 Ch2: Local teacher
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                missing .: 0/41554
unique mv codes: 2             missing .*: 38639/41554

```

```

tabulation: Freq.  Numeric  Label
          1270        0    No 0
          1645        1    Yes 1
          38635        .a valid blank .a
              4         .c don't know 8 .c

```

```
-----
ch24                                     EH7 3.24 Ch2: Fair teacher
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                missing .: 0/41554
unique mv codes: 2             missing .*: 38634/41554

```

```

tabulation: Freq.  Numeric  Label
           88         0    No 0
          2832        1    Yes 1
          38632        .a valid blank .a
              2         .c don't know 8 .c

```

 ch25 EH7 3.25 Ch2: Good Teacher

```

    type: numeric (byte)
    label: yesno

    range: [0,1]                units: 1
    unique values: 2            missing .: 0/41554
    unique mv codes: 2          missing .*: 38635/41554

    tabulation: Freq.  Numeric  Label
                  89         0    No 0
                  2830        1    Yes 1
                  38633       .a    valid blank .a
                  2          .c    don't know 8 .c
  
```

 ch26 EH7 3.26 Ch2: Biased teacher

```

    type: numeric (byte)
    label: yesno

    range: [0,1]                units: 1
    unique values: 2            missing .: 0/41554
    unique mv codes: 2          missing .*: 38635/41554

    tabulation: Freq.  Numeric  Label
                  2645        0    No 0
                  274         1    Yes 1
                  38632       .a    valid blank .a
                  3          .c    don't know 8 .c
  
```

 ch27 EH7 3.27 Ch2: PTA participation

```

    type: numeric (byte)
    label: yesno

    range: [0,1]                units: 1
    unique values: 2            missing .: 0/41554
    unique mv codes: 2          missing .*: 38639/41554

    tabulation: Freq.  Numeric  Label
                  1512        0    No 0
                  1403        1    Yes 1
                  38638       .a    valid blank .a
                  1          .c    don't know 8 .c
  
```

 ch28 EH7 3.28 Ch2: # teacher discuss

```

    type: numeric (byte)
    label: missing, but 27 nonmissing values are not labeled

    range: [0,94]              units: 1
    unique values: 27          missing .: 0/41554
    unique mv codes: 2          missing .*: 38762/41554

    tabulation: Freq.  Numeric  Label
                  983         0
                  233         1
                  669         2
                  303         3
                  161         4
                  97          5
                  86          6
                  27          7
                  47          8
  
```


36	9
60	10
1	11
43	12
3	14
16	15
1	18
7	20
3	22
6	24
1	25
1	30
1	32
1	35
2	36
1	40
1	64
2	94
38760	.a valid blank .a
2	.b valid skip 9 .b

ch29 EH7 3.29 Ch2: Average student

type: numeric (byte)
label: ch12f

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 2 missing .*: 38648/41554

tabulation:	Freq.	Numeric	Label
	391	0	Below Average 0
	2183	1	Average 1
	332	2	Better than Average 2
	38647	.a	
	1	.c	

ch30 EH7 3.30 Ch2: School enjoyment

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 38639/41554

tabulation:	Freq.	Numeric	Label
	224	0	No 0
	2691	1	Yes 1
	38639	.a	valid blank .a

ch31 EH7 3.31 Ch2: # Repeats

type: numeric (byte)
label: missing, but 6 nonmissing values are not labeled

range: [0,5] units: 1
unique values: 6 missing .: 0/41554
unique mv codes: 1 missing .*: 38662/41554

tabulation:	Freq.	Numeric	Label
	2624	0	
	180	1	
	69	2	
	13	3	
	5	4	
	1	5	

38662 .a valid blank .a

ch32a EH7 3.32a Ch2: Ever praised

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 38675/41554

tabulation:	Freq.	Numeric	Label
	2041	0	No 0
	838	1	Yes 1
	38674	.a	valid blank .a
	1	.c	don't know 8 .c

ch32b EH7 3.32b Ch2: Ever beaten

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 38695/41554

tabulation:	Freq.	Numeric	Label
	2181	0	No 0
	678	1	Yes 1
	38692	.a	valid blank .a
	3	.c	don't know 8 .c

ch2ss EH7 state Ch2: School state

type: numeric (byte)
label: stateid

range: [1,34] units: 1
unique values: 33 missing .: 21/41554
unique mv codes: 2 missing .*: 38531/41554

tabulation:	Freq.	Numeric	Label
	59	1	Jammu & Kashmir 01
	121	2	Himachal Pradesh 02
	172	3	Punjab 03
	3	4	Chandigarh 04
	41	5	Uttaranchal 05
	156	6	Haryana 06
	27	7	Delhi 07
	243	8	Rajasthan 08
	458	9	Uttar Pradesh 09
	176	10	Bihar 10
	2	11	Sikkim 11
	9	12	Arunachal Pradesh 12
	4	13	Nagaland 13
	7	14	Manipur 14
	5	15	Mizoram 15
	8	16	Tripura 16
	14	17	Meghalaya 17
	35	18	Assam 18
	132	19	West Bengal 19
	32	20	Jharkhand 20
	101	21	Orissa 21
	78	22	Chhatishgarh 22
	247	23	Madhya Pradesh 23
	161	24	Gujarat 24
	4	25	Daman & Diu 25

5	26	Dadra+Nagar Haveli 26
243	27	Maharashtra 27
94	28	Andhra Pradesh 28
236	29	Karnataka 29
5	30	Goa 30
37	32	Kerala 32
83	33	Tamil Nadu 33
4	34	Pondicherry 34
21	.	
38531	.a	

ch2sd EH7 dist Ch2: School district

type: numeric (byte)
label: missing, but 61 nonmissing values are not labeled

range: [0,68] units: 1
unique values: 61 missing .: 20/41554
unique mv codes: 2 missing .*: 37282/41554

examples: .a valid blank .a
.a valid blank .a
.a valid blank .a
.a valid blank .a

ch2sp EH7 psu Ch2: School PSU

type: numeric (byte)
label: missing, but 32 nonmissing values are not labeled

range: [1,37] units: 1
unique values: 32 missing .: 20/41554
unique mv codes: 2 missing .*: 37282/41554

tabulation:	Freq.	Numeric	Label
	711	1	
	690	2	
	615	3	
	486	4	
	412	5	
	394	6	
	290	7	
	222	8	
	140	9	
	88	10	
	51	11	
	39	12	
	34	13	
	15	14	
	7	15	
	2	16	
	4	17	
	7	18	
	2	19	
	1	20	
	5	21	
	1	22	
	2	23	
	1	24	
	1	25	
	7	31	
	6	32	
	4	33	
	2	34	
	8	35	
	3	36	
	2	37	
	20	.	
	37282	.a	valid blank .a

 ch2s EH7 sch Ch2: School code

type: numeric (byte)
 label: missing, but 7 nonmissing values are not labeled

range: [0,8] units: 1
 unique values: 7 missing .: 21/41554
 unique mv codes: 3 missing .*: 38638/41554

tabulation:	Freq.	Numeric	Label
	6	0	
	1984	1	
	900	2	
	1	3	
	2	4	
	1	7	
	1	8	
	21	.	
	38635	.a	valid blank .a
	3	.c	don't know 8 .c

 mp1 EH8 4.1 Marry daughter natal vill

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 200/41554

tabulation:	Freq.	Numeric	Label
	21492	0	No 0
	19862	1	Yes 1
	200	.a	valid blank .a

 mp2 EH8 4.2 Marry daughter cousin

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 206/41554

tabulation:	Freq.	Numeric	Label
	26633	0	No 0
	14715	1	Yes 1
	206	.a	valid blank .a

 mp3a EH8 4.3a Boy's wed exp-lower

type: numeric (long)
 label: missing, but 146 nonmissing values are not labeled

range: [0,2000000] units: 1
 unique values: 146 missing .: 2/41554
 unique mv codes: 2 missing .*: 294/41554

examples: 20000
 40000
 50000
 100000

mp3b EH8 4.3b Boy's wed exp-upper

type: numeric (long)
 label: missing, but 219 nonmissing values are not labeled

range: [0,2005000] units: 1
 unique values: 219 missing .: 0/41554
 unique mv codes: 1 missing .*: 271/41554

examples: 25000
 50000
 60000
 100000

mp4a EH8 4.4a Girl's wed exp-lower

type: numeric (long)
 label: missing, but 196 nonmissing values are not labeled

range: [0,2005000] units: 1
 unique values: 196 missing .: 1/41554
 unique mv codes: 2 missing .*: 300/41554

examples: 30000
 50000
 80000
 110000

mp4b EH8 4.4b Girl's wed exp-upper

type: numeric (long)
 label: missing, but 268 nonmissing values are not labeled

range: [0,2050000] units: 1
 unique values: 268 missing .: 0/41554
 unique mv codes: 1 missing .*: 267/41554

examples: 40000
 70000
 100000
 180000

mp5a EH8 4.5a Wed Gift: gold

type: numeric (byte)
 label: mp5f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 220/41554

tabulation:	Freq.	Numeric	Label
	2830	0	Rarely/Never 0
	7546	1	Sometimes 1
	30958	2	Usually 2
	217	.a	
	3	.c	

mp5b EH8 4.5b Wed Gift: silver

type: numeric (byte)
 label: mp5f

range: [0,2] units: 1

```
unique values: 3          missing .: 0/41554
unique mv codes: 2       missing .*: 210/41554
```

tabulation:	Freq.	Numeric	Label
	6061	0	Rarely/Never 0
	8580	1	Sometimes 1
	26703	2	Usually 2
	208	.a	
	2	.c	

mp5c EH8 4.5c Wed Gift: land

```
type: numeric (byte)
label: mp5f
```

```

      range: [0,2]          units: 1
unique values: 3          missing.: 0/41554
unique mv codes: 2       missing.*: 216/41554

```

tabulation:	Freq.	Numeric	Label
	39061	0	Rarely/Never 0
	1876	1	Sometimes 1
	401	2	Usually 2
	214	.a	
	2	.c	

mp5d EH8 4.5d Wed Gift: car

```
type: numeric (byte)
label: mp5f
```

```

      range: [0,2]          units: 1
unique values: 3           missing.: 0/41554
unique mv codes: 3        missing.*: 224/41554

```

tabulation:	Freq.	Numeric	Label
	38786	0	Rarely/Never 0
	2198	1	Sometimes 1
	346	2	Usually 2
	216	.a	
	6	.b	
	2	.c	

mp5e EH8 4.5e Wed Gift: scooter

```
type: numeric (byte)
label: mp5f
```

```

      range: [0,2]          units: 1
unique values: 3          missing.: 0/41554
unique mv codes: 3       missing.*: 221/41554

```

tabulation:	Freq.	Numeric	Label
	28645	0	Rarely/Never 0
	8038	1	Sometimes 1
	4650	2	Usually 2
	212	.a	
	7	.b	
	2	.c	

mp5f EH8 4.5f Wed Gift: TV

```
type: numeric (byte)
label: mp5f
```

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 243/41554

tabulation:	Freq.	Numeric	Label
	20422	0	Rarely/Never 0
	10765	1	Sometimes 1
	10124	2	Usually 2
	221	.a	
	19	.b	
	3	.c	

 mp5g EH8 4.5g Wed Gift: Fridge

type: numeric (byte)
 label: mp5f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 250/41554

tabulation:	Freq.	Numeric	Label
	26766	0	Rarely/Never 0
	8671	1	Sometimes 1
	5867	2	Usually 2
	229	.a	
	19	.b	
	2	.c	

 mp5h EH8 4.5h Wed Gift: Furniture

type: numeric (byte)
 label: mp5f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 246/41554

tabulation:	Freq.	Numeric	Label
	11470	0	Rarely/Never 0
	8032	1	Sometimes 1
	21806	2	Usually 2
	225	.a	
	18	.b	
	3	.c	

 mp5i EH8 4.5i Wed Gift: Pressure cook

type: numeric (byte)
 label: mp5f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 242/41554

tabulation:	Freq.	Numeric	Label
	16569	0	Rarely/Never 0
	8072	1	Sometimes 1
	16671	2	Usually 2
	239	.a	
	1	.b	
	2	.c	

 mp5j EH8 4.5j Wed Gift: Utensils

```

type: numeric (byte)
label: mp5f

range: [0,2]                                units: 1
unique values: 3                            missing.: 0/41554
unique mv codes: 2                          missing.*: 255/41554

tabulation: Freq.  Numeric  Label
              3841      0  Rarely/Never 0
              3869      1  Sometimes 1
             33589      2  Usually 2
               252      .a
                3      .c

```

mp5k EH8 4.5k Wed Gift: Mixer/Grinder

```

type: numeric (byte)
label: mp5f

range: [0,2]                units: 1
unique values: 3            missing.: 0/41554
unique mv codes: 2          missing.*: 292/41554

tabulation: Freq.  Numeric  Label
              24267      0  Rarely/Never 0
              8157       1  Sometimes 1
              8838       2  Usually 2
              288        .a
              4          .c

```

mp5l EH8 4.5l Wed Gift: Bedding

```

      type: numeric (byte)
      label: mp5f

      range: [0,2]                                units: 1
      unique values: 3                            missing.: 0/41554
      unique mv codes: 2                          missing.*: 252/41554

      tabulation: Freq.  Numeric  Label
                  5562      0  Rarely/Never 0
                  5573      1  Sometimes 1
                 30167      2  Usually 2
                   248      .a
                   4      .c

```

mp5m EH8 4.5m Wed Gift: Watch

```

type: numeric (byte)
label: mp5f

range: [0,2] units: 1
unique values: 3 missing.: 0/41554
unique mv codes: 3 missing.*: 254/41554

tabulation: Freq. Numeric Label
            6562      0 Rarely/Never 0
            8469      1 Sometimes 1
           26269      2 Usually 2
             248      .a
              2      .b
              4      .c

```

mp5n EH8 4.5n Wed Gift: Bicycle


```

type: numeric (byte)
label: mp5f

range: [0,2]                                units: 1
unique values: 3                            missing.: 0/41554
unique mv codes: 2                         missing.*: 263/41554

tabulation: Freq.  Numeric  Label
              28633      0  Rarely/Never 0
              7055      1  Sometimes 1
              5603      2  Usually 2
              259      .a
              4      .c

```

mp5o EH8 4.5o Wed Gift: Sewing m/c

```

type: numeric (byte)
label: mp5f

range: [0,2]                units: 1
unique values: 3            missing.: 0/41554
unique mv codes: 2         missing.*: 275/41554

tabulation: Freq.  Numeric  Label
              23652      0  Rarely/Never 0
              8270       1  Sometimes 1
              9357       2  Usually 2
              271        .a
              4          .c

```

mp5p EH8 4.5p Wed Gift: Livestock

```

      type: numeric (byte)
      label: mp5f

      range: [0,2]                      units: 1
unique values: 3                      missing.: 0/41554
unique mv codes: 3                    missing.*: 281/41554

      tabulation: Freq.   Numeric   Label
                  32296      0   Rarely/Never 0
                  6349      1   Sometimes 1
                  2628      2   Usually 2
                   276      .a
                   1      .b
                   4      .c

```

mp5q EH8 4.5q Wed Gift: Tractor

```

      type: numeric (byte)
    label: mp5f

      range: [0,2]                                units: 1
unique values: 3                                  missing.: 0/41554
unique mv codes: 2                               missing.*: 333/41554


tabulation: Freq.   Numeric Label
            40887     0 Rarely/Never 0
              202     1 Sometimes 1
               132     2 Usually 2
                329     .a
                 4     .c
```

mp5r EH8 4.5r Wed Gift: Cash

```

      type: numeric (byte)
      label: mp5f

      range: [0,2]          units: 1
      unique values: 3      missing .: 0/41554
      unique mv codes: 3    missing .*: 502/41554

```

```

      tabulation: Freq.  Numeric  Label
                  15764      0  Rarely/Never 0
                  8975      1  Sometimes 1
                  16313     2  Usually 2
                   499      .a
                   1       .b
                   2       .c

```

```

-----
mp5s                                     EH8 4.5s Wed Gift: Cash amount
-----

```

```

      type: numeric (long)
      label: missing, but 197 nonmissing values are not labeled

      range: [0,2500000]    units: 1
      unique values: 197    missing .: 0/41554
      unique mv codes: 2    missing .*: 7489/41554

```

```

      examples: 20
                10000
                30000
                150000

```

```

-----
wa1                                     EH9 5.1 Water source: usual
-----

```

```

      type: numeric (byte)
      label: wa1f

      range: [1,11]         units: 1
      unique values: 11     missing .: 0/41554
      unique mv codes: 1    missing .*: 60/41554

```

```

      tabulation: Freq.  Numeric  Label
                  19114      1  Piped 01
                   4293      2  Tube well 02
                  11228      3  Hand pump 03
                   4893      4  Open well 04
                   824       5  Covered well 05
                   323       6  River 06
                   155       7  Pond 07
                   371       8  Truck 08
                   28        9  Rainwater 09
                   42       10  Bottled 10
                   223      11  Other 11
                   60       .a

```

```

-----
wa2                                     EH9 5.2 Water within house
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 1    missing .*: 60/41554

```

```

      tabulation: Freq.  Numeric  Label
                  19715      0  No 0
                  21779      1  Yes 1
                   60      .a  valid blank .a

```

wa2a ----- EH9 5.2a Walking time to water -----

```

      type: numeric (int)
      label: missing, but 41 nonmissing values are not labeled

      range: [1,120]           units: 1
      unique values: 41         missing .: 0/41554
      unique mv codes: 1        missing .*: 21857/41554

      examples: 5
                15
                .a   valid blank .a
                .a   valid blank .a

```

wa3 ----- EH9 5.3 Water supply hours -----

```

      type: numeric (byte)
      label: wa3f, but 23 nonmissing values are not labeled

      range: [1,24]           units: 1
      unique values: 24         missing .: 0/41554
      unique mv codes: 2        missing .*: 22443/41554

```

tabulation:	Freq.	Numeric	Label
	6615	1	< 1 hour 01
	4553	2	
	1669	3	
	1490	4	
	711	5	
	879	6	
	198	7	
	657	8	
	111	9	
	303	10	
	29	11	
	230	12	
	11	13	
	20	14	
	65	15	
	26	16	
	2	17	
	21	18	
	3	19	
	80	20	
	5	21	
	32	22	
	58	23	
	1343	24	
	22413	.a	
	30	.o	

wa4 ----- EH9 5.4 Same water source summer -----

```

      type: numeric (byte)
      label: yesno

      range: [0,1]           units: 1
      unique values: 2         missing .: 0/41554
      unique mv codes: 1        missing .*: 60/41554

      tabulation: Freq.  Numeric  Label
                  2458      0     No 0
                  39036     1     Yes 1
                   60      .a   valid blank .a

```

wa5 ----- EH9 5.5 Water source summer -----

```

type: numeric (byte)
label: wa1f

range: [1,11]          units: 1
unique values: 11      missing .: 0/41554
unique mv codes: 1     missing .*: 39096/41554

```

tabulation:	Freq.	Numeric	Label
	151	1	Piped 01
	220	2	Tube well 02
	571	3	Hand pump 03
	732	4	Open well 04
	96	5	Covered well 05
	219	6	River 06
	47	7	Pond 07
	181	8	Truck 08
	125	9	Rainwater 09
	4	10	Bottled 10
	112	11	Other 11
	39096	.a	

```

-----
wa6                                     EH9 5.6 Water in house summer
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 39096/41554

```

tabulation:	Freq.	Numeric	Label
	2184	0	No 0
	274	1	Yes 1
	39096	.a	valid blank .a

```

-----
wa6a                                    EH9 5.6a Time to summer water
-----

```

```

type: numeric (int)
label: missing, but 32 nonmissing values are not labeled

range: [1,120]        units: 1
unique values: 32      missing .: 0/41554
unique mv codes: 1     missing .*: 39370/41554

```

tabulation:	Freq.	Numeric	Label
	19	1	
	64	2	
	36	3	
	3	4	
	312	5	
	7	6	
	5	7	
	3	8	
	2	9	
	480	10	
	1	12	
	359	15	
	1	17	
	269	20	
	2	22	
	2	24	
	57	25	
	329	30	
	1	31	
	16	35	
	30	40	
	13	45	
	1	48	

4	50
1	51
118	60
2	70
5	75
16	90
1	100
2	101
23	120
39370	.a valid blank .a

 wa7 EH9 5.7 Water Avail: usual

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 1236/41554

tabulation:	Freq.	Numeric	Label
	3072	0	No 0
	37246	1	Yes 1
	1236	.a	valid blank .a

 wa8 EH9 5.8 Water Avail: Summer

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 631/41554

tabulation:	Freq.	Numeric	Label
	6291	0	No 0
	34632	1	Yes 1
	631	.a	valid blank .a

 wa9a EH9 5.9a Get Water women

type: numeric (int)
 label: missing, but 142 nonmissing values are not labeled

range: [0,720] units: 1
 unique values: 142 missing .: 1/41554
 unique mv codes: 2 missing .*: 16515/41554

examples: 15
 60
 360
 .a valid blank .a

 wa9b EH9 5.9b Get Water men

type: numeric (int)
 label: missing, but 105 nonmissing values are not labeled

range: [0,540] units: 1
 unique values: 105 missing .: 1/41554
 unique mv codes: 2 missing .*: 19717/41554

examples: 0
 30
 .a valid blank .a

.a valid blank .a

wa9c EH9 5.9c Get Water girls

type: numeric (int)
label: missing, but 70 nonmissing values are not labeled

range: [0,440] units: 1
unique values: 70 missing .: 1/41554
unique mv codes: 2 missing .*: 21999/41554

examples: 0
10
.a valid blank .a
.a valid blank .a

wa9d EH9 5.9d Get Water boys

type: numeric (int)
label: missing, but 59 nonmissing values are not labeled

range: [0,360] units: 1
unique values: 59 missing .: 0/41554
unique mv codes: 1 missing .*: 21980/41554

examples: 0
0
.a valid blank .a
.a valid blank .a

wa10 EH9 5.10 Purify water

type: numeric (byte)
label: wa10f

range: [0,3] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 1 missing .*: 395/41554

tabulation:	Freq.	Numeric	Label
	26770	0	Never 0
	5190	1	Rarely/Never 1
	5301	2	Usually 2
	3898	3	Always 3
	395	.a	

wa11a EH9 5.11a Drinking water storage

type: numeric (byte)
label: wa11af

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 1 missing .*: 312/41554

tabulation:	Freq.	Numeric	Label
	3653	0	No vessel 0
	34750	1	has lid 1
	2839	2	no lid 2
	312	.a	

wa11b EH9 5.11b Drinking water pouring

```

      type: numeric (byte)
      label: wa11bf

      range: [1,4]          units: 1
unique values: 4           missing : 0/41554
unique mv codes: 2        missing .*: 3965/41554

```

```

tabulation: Freq.   Numeric Label
           6006      1  Poured from vessel 1
           15216     2  long ladle 2
           14378     3  cup, utensil 3
           1989      4  Tap in vessel 4
           3940      .a
              25      .o

```

sa1	EH10 6.1 Number of rooms
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

```

      type: numeric (byte)
      label: missing, but 22 nonmissing values are not labeled

      range: [0,27]
      units: 1
      unique values: 22
      missing .: 0/41554
      unique mv codes: 2
      missing .*: 953/41554

```

tabulation:	Freq.	Numeric	Label
	31	0	
	9571	1	
	14058	2	
	8351	3	
	4614	4	
	1933	5	
	996	6	
	381	7	
	329	8	
	103	9	
	110	10	
	26	11	
	46	12	
	17	13	
	7	14	
	10	15	
	4	16	
	5	17	
	4	18	
	1	19	
	3	20	
	1	27	
	157	.a	valid blank .a
	796	.f	inconsistent .f

sa2 EH10 6.2 Cooking place

```

      type:  numeric (byte)
      label:  sa2f

      range:  [1,3]                      units:  1
unique values: 3                        missing .:  0/41554
unique mv codes: 2                     missing .*: 148/41554

```

tabulation:	Freq.	Numeric	Label
	7760	1	outdoors 1
	25220	2	Separate kitchen 2
	8426	3	in living area 3
	126	.d	
	22	.o	

sa2a EH10 6.2a Vent in cooking place

```

      type: numeric (byte)
      label: sa2af, but 1 nonmissing value is not labeled

      range: [0,9]                units: 1
      unique values: 4            missing .: 0/41554
      unique mv codes: 1          missing .*: 4009/41554

      tabulation: Freq.  Numeric  Label
                  10261      0    No 0
                  21981      1    Yes 1
                   1         8
                  5302      9    Cooking is outdoors 9
                  4009      .a

-----
sa3                                     EH10 6.3 Household servant
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 507/41554

      tabulation: Freq.  Numeric  Label
                  39138      0    No 0
                  1909      1    Yes 1
                   507      .a    valid blank .a

-----
sa4                                     EH10 6.4 Household Toilet
-----

```

```

      type: numeric (byte)
      label: sa4f

      range: [0,3]                units: 1
      unique values: 4            missing .: 0/41554
      unique mv codes: 1          missing .*: 305/41554

      tabulation: Freq.  Numeric  Label
                  21997      0    None, open fields 0
                   5604      1    Traditional latrine 1
                   2999      2    VIP latrine 2
                  10649      3    Flush toilet 3
                   305      .d

-----
sa5                                     EH10 6.5 Access to public toilet
-----

```

```

      type: numeric (byte)
      label: sa5f

      range: [0,3]                units: 1
      unique values: 4            missing .: 0/41554
      unique mv codes: 2          missing .*: 12386/41554

      tabulation: Freq.  Numeric  Label
                  25514      0    None, 0
                   898      1    Shared toilet in bldg
                  1361      2    Shared toilet outside bldg 2
                   1395      3    Public Govt toilet 3
                  12385      .a
                   1         .b

-----
sa6                                     EH10 6.6 Handwash aft defecation
-----

```

```

      type: numeric (byte)

```


label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 157/41554

tabulation:	Freq.	Numeric	Label
	309	0	No 0
	41088	1	Yes 1
	157	.a	valid blank .a

sa6a EH10 6.6a Use in handwash

type: numeric (byte)
 label: sa6af

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 467/41554

tabulation:	Freq.	Numeric	Label
	7499	1	Water alone 1
	12268	2	Mud, ash etc. 2
	21320	3	Soap 3
	336	.a	
	131	.o	

fu1 EH10 7.1 HH electricity

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 305/41554

tabulation:	Freq.	Numeric	Label
	8943	0	No 0
	32306	1	Yes 1
	305	.a	valid blank .a

fula EH10 7.1a Electricity hours

type: numeric (byte)
 label: missing, but 25 nonmissing values are not labeled

range: [0,24] units: 1
 unique values: 25 missing .: 0/41554
 unique mv codes: 1 missing .*: 7938/41554

tabulation:	Freq.	Numeric	Label
	1310	0	
	132	1	
	252	2	
	248	3	
	723	4	
	758	5	
	1615	6	
	621	7	
	2001	8	
	686	9	
	1463	10	
	226	11	
	2064	12	
	206	13	
	702	14	
	1037	15	

1071	16
338	17
2689	18
409	19
3708	20
614	21
2585	22
2515	23
5643	24
7938	.a valid blank .a

fu1b	EH10 7.1b Electricity Payment
------	-------------------------------

type: numeric (byte)
 label: fu1bf

 range: [0,5] units: 1
 unique values: 6 missing .: 0/41554
 unique mv codes: 1 missing .*: 8095/41554

tabulation:	Freq.	Numeric	Label
	4350	0	No bill 0
	26451	1	Bill from SEB 1
	981	2	Neighbour 2
	1062	3	In rent 3
	26	4	Own generator 4
	589	5	Other means 5
	8095	.a	

fu1c	EH10 7.1c Electricity Rs
------	--------------------------

type: numeric (int)
 label: missing, but 622 nonmissing values are not labeled

 range: [0,9000] units: 1
 unique values: 622 missing .: 0/41554
 unique mv codes: 3 missing .*: 10587/41554

examples: 70
 150
 295
 .a valid blank .a

fu2	EH10 7.2 Meals per day
-----	------------------------

type: numeric (byte)
 label: missing, but 7 nonmissing values are not labeled

 range: [0,6] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 1 missing .*: 336/41554

tabulation:	Freq.	Numeric	Label
	168	0	
	197	1	
	10602	2	
	25692	3	
	3939	4	
	616	5	
	4	6	
	336	.a	valid blank .a

fu3	EH10 7.3 Hours burning stove
-----	------------------------------

type: numeric (byte)

```
label: missing, but 13 nonmissing values are not labeled
```

```

      range: [0,12]          units: 1
unique values: 13          missing.: 0/41554
unique mv codes: 1        missing.*: 255/41554

```

tabulation:	Freq.	Numeric	Label
	106	0	
	4275	1	
	11300	2	
	10847	3	
	7689	4	
	3811	5	
	1985	6	
	510	7	
	434	8	
	146	9	
	192	10	
	2	11	
	2	12	
	255	.a	valid blank .a

fu4 EH10 7.4 HH chuġha type

```
type: numeric (byte)
label: fu4f
```

```

      range: [0,3]          units: 1
unique values: 4           missing.: 0/41554
unique mv codes: 1        missing.*: 857/41554

```

tabulation:	Freq.	Numeric	Label
	10961	0	no biomass stove 0
	9237	1	Open fire 1
	18462	2	Traditional chulha 2
	2037	3	Improved chulha 3
	857	.a	

fu5 EH11 7.5 Firewood use

```
type: numeric (byte)
label: fu5f
```

```

      range: [0,4]          units: 1
unique values: 5           missing.: 0/41554
unique mv codes: 1        missing.*: 438/41554

```

tabulation:	Freq.	Numeric	Label
	11674	0	Fuel not used 0
	18987	1	Mainly cooking 1
	94	2	Mainly lighting 2
	986	3	Mainly heating 3
	9375	4	Combination 4
	438	.a	

fu5a EH11 7.5a Firewood source

```
type: numeric (byte)
label: fu5af
```

```

      range: [1,4]          units: 1
unique values: 4          missing .: 0/41554
unique mv codes: 2        missing .*: 12091/41554

```

tabulation:	Freq.	Numeric	Label
	8653	1	Purchase 1
	8616	2	Collect from own land 2

10406	3	Collect from village 3
1788	4	Both 4
7701	.a	
4390	.o	

fu5b EH11 7.5b Firewood Rs

type: numeric (int)
label: missing, but 156 nonmissing values are not labeled

range: [0,2500] units: 1
unique values: 156 missing .: 0/41554
unique mv codes: 1 missing .*: 17931/41554

examples: 0
100
.a valid blank .a
.a valid blank .a

fu6 EH11 7.6 Dung use

type: numeric (byte)
label: fu5f

range: [0,4] units: 1
unique values: 5 missing .: 0/41554
unique mv codes: 1 missing .*: 991/41554

tabulation:	Freq.	Numeric	Label
	25416	0	Fuel not used 0
	10256	1	Mainly cooking 1
	98	2	Mainly lighting 2
	780	3	Mainly heating 3
	4013	4	Combination 4
	991	.a	

fu6a EH11 7.6a Dung source

type: numeric (byte)
label: fu5af

range: [1,4] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 2 missing .*: 26381/41554

tabulation:	Freq.	Numeric	Label
	2405	1	Purchase 1
	8733	2	Collect from own land 2
	3517	3	Collect from village 3
	518	4	Both 4
	16070	.a	
	10311	.o	

fu6b EH11 7.6b Dung Rs

type: numeric (int)
label: missing, but 82 nonmissing values are not labeled

range: [0,800] units: 1
unique values: 82 missing .: 0/41554
unique mv codes: 1 missing .*: 24361/41554

examples: 0
200
.a valid blank .a

.a valid blank .a

fu7 EH11 7.7 Crop residue use

type: numeric (byte)
label: fu5f

range: [0,4] units: 1
unique values: 5 missing .: 0/41554
unique mv codes: 1 missing .*: 1987/41554

tabulation:	Freq.	Numeric	Label
	34244	0	Fuel not used 0
	2969	1	Mainly cooking 1
	57	2	Mainly lighting 2
	536	3	Mainly heating 3
	1761	4	Combination 4
	1987	.a	

fu7a EH11 7.7a Crop residue source

type: numeric (byte)
label: fu5af

range: [1,4] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 2 missing .*: 36206/41554

tabulation:	Freq.	Numeric	Label
	263	1	Purchase 1
	3275	2	Collect from own land 2
	1727	3	Collect from village 3
	83	4	Both 4
	21935	.a	
	14271	.o	

fu7b EH11 7.7b Crop residue Rs

type: numeric (int)
label: missing, but 38 nonmissing values are not labeled

range: [0,750] units: 1
unique values: 38 missing .: 0/41554
unique mv codes: 1 missing .*: 27169/41554

examples: 0
.a valid blank .a
.a valid blank .a
.a valid blank .a

fu8 EH11 7.8 Kerosene use

type: numeric (byte)
label: fu5f

range: [0,4] units: 1
unique values: 5 missing .: 0/41554
unique mv codes: 1 missing .*: 503/41554

tabulation:	Freq.	Numeric	Label
	10459	0	Fuel not used 0
	6458	1	Mainly cooking 1
	18537	2	Mainly lighting 2
	742	3	Mainly heating 3
	4855	4	Combination 4

503 .a

fu8a EH11 7.8a Kerosene source

type: numeric (byte)
 label: fu8af

 range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 10911/41554

tabulation:	Freq.	Numeric	Label
	23400	1	Ration shop 1
	4764	2	Market 2
	2479	3	Both 3
	6988	.a	
	3923	.o	

fu8b EH11 7.8b Kerosene Rs

type: numeric (int)
 label: missing, but 260 nonmissing values are not labeled

 range: [0,875] units: 1
 unique values: 260 missing .: 0/41554
 unique mv codes: 1 missing .*: 7409/41554

 examples: 20
 33
 50
 162

fu9 EH11 7.9 LPG use

type: numeric (byte)
 label: fu5f

 range: [0,4] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 1 missing .*: 1784/41554

tabulation:	Freq.	Numeric	Label
	23795	0	Fuel not used 0
	12730	1	Mainly cooking 1
	143	2	Mainly lighting 2
	44	3	Mainly heating 3
	3058	4	Combination 4
	1784	.d	

fu9a EH11 7.9a LPG source

type: numeric (byte)
 label: fu9af

 range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 2 missing .*: 25541/41554

tabulation:	Freq.	Numeric	Label
	3675	1	Subsidized govt 1
	11733	2	Gas company 2
	605	3	Black market 3
	14855	.a	
	10686	.o	

fu9b EH11 7.9b LPG Rs

type: numeric (int)
label: missing, but 289 nonmissing values are not labeled

range: [0,1000] units: 1
unique values: 289 missing .: 0/41554
unique mv codes: 1 missing .*: 16551/41554

examples: 0
300
600
.a valid blank .a

fu10 EH11 7.10 Coal/ charcoal use

type: numeric (byte)
label: fu5f

range: [0,4] units: 1
unique values: 5 missing .: 0/41554
unique mv codes: 1 missing .*: 3017/41554

tabulation:	Freq.	Numeric	Label
	36756	0	Fuel not used 0
	1342	1	Mainly cooking 1
	13	2	Mainly lighting 2
	213	3	Mainly heating 3
	213	4	Combination 4
	3017	.a	

fu10a EH11 7.10a Coal/ charcoal source

type: numeric (byte)
label: fu10af

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 2 missing .*: 39757/41554

tabulation:	Freq.	Numeric	Label
	1489	1	Purchase 1
	278	2	Collect 2
	30	3	Both 3
	24254	.a	
	15503	.o	

fu10b EH11 7.10b Coal/ charcoal Rs

type: numeric (int)
label: missing, but 89 nonmissing values are not labeled

range: [0,850] units: 1
unique values: 89 missing .: 1/41554
unique mv codes: 2 missing .*: 26584/41554

examples: 0
.a valid blank .a
.a valid blank .a
.a valid blank .a

fu11a EH11 7.11a Fuel distance

```

type: numeric (int)
label: missing, but 66 nonmissing values are not labeled

range: [0,240]          units: 1
unique values: 66       missing .: 2/41554
unique mv codes: 2      missing .*: 16455/41554

```

```

examples: 10
          30
          180
          .a    valid blank .a

```

```
-----
fu11b                                     EH11 7.11b Fuel Coll women
-----
```

```

type: numeric (int)
label: missing, but 246 nonmissing values are not labeled

range: [0,3600]        units: 1
unique values: 246     missing .: 1/41554
unique mv codes: 2     missing .*: 18306/41554

```

```

examples: 70
          240
          .a    valid blank .a
          .a    valid blank .a

```

```
-----
fu11c                                     EH11 7.11c Fuel Coll men
-----
```

```

type: numeric (int)
label: missing, but 184 nonmissing values are not labeled

range: [0,2100]        units: 1
unique values: 184     missing .: 2/41554
unique mv codes: 2     missing .*: 21695/41554

```

```

examples: 0
          240
          .a    valid blank .a
          .a    valid blank .a

```

```
-----
fu11d                                     EH11 7.11d Fuel Coll girls
-----
```

```

type: numeric (int)
label: missing, but 109 nonmissing values are not labeled

range: [0,1340]        units: 1
unique values: 109     missing .: 1/41554
unique mv codes: 2     missing .*: 24401/41554

```

```

examples: 0
          180
          .a    valid blank .a
          .a    valid blank .a

```

```
-----
fu11e                                     EH11 7.11e Fuel Coll boys
-----
```

```

type: numeric (int)
label: missing, but 85 nonmissing values are not labeled

range: [0,1440]        units: 1
unique values: 85       missing .: 1/41554
unique mv codes: 2      missing .*: 24578/41554

```

```

examples: 0
          180

```



```
.a valid blank .a
.a valid blank .a
```

```
-----
qc1                                     EH17 11.1 Med treatment who
-----
```

```
type: numeric (byte)
label: qc1f

range: [1,5]          units: 1
unique values: 5      missing .: 0/41554
unique mv codes: 3    missing .*: 4233/41554
```

```
tabulation: Freq.  Numeric  Label
11267      1  Govt Dr/Nurse 1
1933       2  Govt Dr/Nurse in pvt 2
22116      3  Pvt Dr/nurse 3
1467       4  Pharmacy 4
538        5  Other 5
3900       .a
246        .c
87         .o
```

```
-----
qc2                                     EH17 11.2 Med treatment where
-----
```

```
type: numeric (byte)
label: qc2f

range: [1,4]          units: 1
unique values: 4      missing .: 0/41554
unique mv codes: 3    missing .*: 4299/41554
```

```
tabulation: Freq.  Numeric  Label
19768      1  Village 1
8402       2  Another village 2
5213       3  Other town 3
3872       4  District town 4
4239       .a
10         .b
50         .o
```

```
-----
qc3                                     EH17 11.3 Illness type
-----
```

```
type: numeric (byte)
label: qc3f

range: [1,4]          units: 1
unique values: 4      missing .: 0/41554
unique mv codes: 2    missing .*: 4516/41554
```

```
tabulation: Freq.  Numeric  Label
19877      1  Fever 1
4117       2  Cough Cold 2
1843       3  Diarrhea 3
11201      4  Other 4
4425       .a
91         .o
```

```
-----
qc4                                     EH17 11.4m Med treatment Month
-----
```

```
type: numeric (byte)
label: missing, but 18 nonmissing values are not labeled

range: [0,31]         units: 1
unique values: 18      missing .: 0/41554
unique mv codes: 3     missing .*: 5595/41554
```

tabulation:	Freq.	Numeric	Label
	262	0	
	5659	1	
	4258	2	
	3700	3	
	3446	4	
	2491	5	
	2073	6	
	1414	7	
	1754	8	
	1808	9	
	2225	10	
	2782	11	
	4081	12	
	1	13	
	2	18	
	1	22	
	1	29	
	1	31	
	4650	.a	valid blank .a
	7	.b	valid skip 9 .b
	938	.c	don't know 8 .c

qc4bEH17 11.4y Med treatment Year

type: numeric (byte)
 label: missing, but 29 nonmissing values are not labeled

range: [0,97] units: 1
 unique values: 29 missing .: 0/41554
 unique mv codes: 3 missing .*: 4417/41554

tabulation:	Freq.	Numeric	Label
	169	0	
	209	1	
	534	2	
	979	3	
	14854	4	
	19872	5	
	114	6	
	40	7	
	18	8	
	25	9	
	4	10	
	7	11	
	9	12	
	1	15	
	215	18	
	1	28	
	2	31	
	2	64	
	1	84	
	1	86	
	1	87	
	3	89	
	6	90	
	6	92	
	4	93	
	15	94	
	11	95	
	9	96	
	25	97	
	4297	.a	valid blank .a
	50	.b	valid skip 9 .b
	70	.c	don't know 8 .c

qc5EH17 11.5 Med treatment sex

```

type: numeric (byte)
label: qc5f, but label does not exist

range: [1,3]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 3    missing .*: 4554/41554

```

```

tabulation: Freq. Value
             5434  1
             29260 2
             2306  3
             4473  .a
               3   .b
              78  .o

```

qc6 EH17 11.6 Doctor's behaviour

```

type: numeric (byte)
label: nicely

range: [1,3]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 4    missing .*: 4433/41554

```

```

tabulation: Freq. Numeric Label
             27555      1 Nicely 1
             9275      2 Somewhat nicely 2
              291      3 Not nicely 3
             4344      .a
               4       .b
               2       .c
              83       .o

```

qc7 EH17 11.7 Med treat wait time

```

type: numeric (int)
label: missing, but 81 nonmissing values are not labeled

range: [0,480]        units: 1
unique values: 81     missing .: 0/41554
unique mv codes: 1    missing .*: 4731/41554

examples: 5
          10
          20
          60

```

qc8 EH17 11.8 Med treat accompanied

```

type: numeric (byte)
label: qc8f, but label does not exist

range: [1,7]          units: 1
unique values: 7      missing .: 0/41554
unique mv codes: 3    missing .*: 4389/41554

```

```

tabulation: Freq. Value
             14060  1
             14357  2
             1085  3
             1677  4
             1749  5
             1876  6
             2361  7
             4305  .a
               16  .b
              68  .o

```

 qcstate EH17 clinicid state

type: numeric (byte)
 label: stateid

range: [1,34] units: 1
 unique values: 34 missing .: 13/41554
 unique mv codes: 3 missing .*: 1868/41554

tabulation:	Freq.	Numeric	Label
	633	1	Jammu & Kashmir 01
	1331	2	Himachal Pradesh 02
	1553	3	Punjab 03
	97	4	Chandigarh 04
	460	5	Uttaranchal 05
	1562	6	Haryana 06
	948	7	Delhi 07
	2320	8	Rajasthan 08
	3397	9	Uttar Pradesh 09
	1308	10	Bihar 10
	106	11	Sikkim 11
	154	12	Arunachal Pradesh 12
	96	13	Nagaland 13
	86	14	Manipur 14
	98	15	Mizoram 15
	208	16	Tripura 16
	150	17	Meghalaya 17
	953	18	Assam 18
	2272	19	West Bengal 19
	901	20	Jharkhand 20
	1997	21	Orissa 21
	1138	22	Chhatishgarh 22
	2719	23	Madhya Pradesh 23
	2015	24	Gujarat 24
	66	25	Daman & Diu 25
	60	26	Dadra+Nagar Haveli 26
	2790	27	Maharashtra 27
	2361	28	Andhra Pradesh 28
	3940	29	Karnataka 29
	165	30	Goa 30
	4	31	Lakshadweep 31
	1632	32	Kerala 32
	2050	33	Tamil Nadu 33
	103	34	Pondicherry 34
	13	.	.
	1857	.a	.a
	11	.e	.e

 qcdist EH17 clinicid district

type: numeric (byte)
 label: missing, but 70 nonmissing values are not labeled

range: [0,98] units: 1
 unique values: 70 missing .: 13/41554
 unique mv codes: 2 missing .*: 1757/41554

examples: 5
 10
 15
 25

 qcpsu EH17 clinicid PSU

type: numeric (byte)
 label: missing, but 45 nonmissing values are not labeled

range: [1,90] units: 1
 unique values: 45 missing .: 13/41554
 unique mv codes: 2 missing .*: 1786/41554

examples: 2
 3
 6
 9

 qccode EH17 clinicid clinic code

type: numeric (byte)
 label: missing, but 20 nonmissing values are not labeled

range: [0,92] units: 1
 unique values: 20 missing .: 0/41554
 unique mv codes: 1 missing .*: 4991/41554

tabulation:	Freq.	Numeric	Label
	241	0	
	11451	1	
	24543	2	
	205	3	
	10	4	
	4	5	
	2	6	
	11	7	
	80	8	
	1	9	
	1	10	
	1	11	
	1	12	
	3	13	
	3	22	
	1	23	
	1	24	
	1	32	
	2	40	
	1	92	
	4991	.a	valid blank .a

 o5a EH18 12.5a Obs: respondent ID

type: numeric (byte)
 label: missing, but 16 nonmissing values are not labeled

range: [1,17] units: 1
 unique values: 16 missing .: 19/41554
 unique mv codes: 2 missing .*: 26574/41554

tabulation:	Freq.	Numeric	Label
	3807	1	
	8781	2	
	888	3	
	882	4	
	236	5	
	127	6	
	105	7	
	63	8	
	34	9	
	8	10	
	13	11	
	8	12	
	5	13	
	1	15	
	1	16	
	2	17	
	19	.	

26574 .a valid blank .a

o6 EH18 12.6 Obs: Other respondt 1

type: numeric (byte)
label: missing, but 17 nonmissing values are not labeled

range: [0,21] units: 1
unique values: 17 missing .: 0/41554
unique mv codes: 1 missing .*: 30089/41554

tabulation:	Freq.	Numeric	Label
	6519	0	
	2205	1	
	978	2	
	829	3	
	462	4	
	192	5	
	130	6	
	72	7	
	36	8	
	18	9	
	7	10	
	6	11	
	4	12	
	1	13	
	3	14	
	2	16	
	1	21	
	30089		.a valid blank .a

o6a EH18 12.6a Obs: Other respondt 2

type: numeric (byte)
label: missing, but 16 nonmissing values are not labeled

range: [0,15] units: 1
unique values: 16 missing .: 0/41554
unique mv codes: 1 missing .*: 34620/41554

tabulation:	Freq.	Numeric	Label
	5911	0	
	112	1	
	150	2	
	272	3	
	215	4	
	125	5	
	49	6	
	42	7	
	24	8	
	13	9	
	8	10	
	5	11	
	3	12	
	3	13	
	1	14	
	1	15	
	34620		.a valid blank .a

o6b EH18 12.6b Obs: Other respondt 3

type: numeric (byte)
label: missing, but 15 nonmissing values are not labeled

range: [0,15] units: 1
unique values: 15 missing .: 0/41554
unique mv codes: 1 missing .*: 35329/41554

```

tabulation: Freq.  Numeric  Label
              5997      0
              15       1
              8        2
              54       3
              63       4
              32       5
              19       6
              12       7
              8        8
              4        9
              4       10
              4       11
              2       13
              2       14
              1       15
              35329    .a  valid blank  .a
-----
o6c                                         EH18 12.6c Obs: Other respondt 4
-----

```

```

type: numeric (byte)
label: missing, but 13 nonmissing values are not labeled

range: [0,15]          units: 1
unique values: 13      missing .: 0/41554
unique mv codes: 1     missing .*: 35443/41554

```

```

tabulation: Freq.  Numeric  Label
              6044      0
              11       1
              5        2
              11       3
              12       4
              9        5
              5        6
              6        7
              1        8
              2        9
              2       10
              1       13
              2       15
              35443    .a  valid blank  .a
-----
o7                                         EH18 12.7 Obs: Non-HH present
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1     missing .*: 26462/41554

```

```

tabulation: Freq.  Numeric  Label
              9824      0  No 0
              5268      1  Yes 1
              26462    .a  valid blank  .a
-----
ew3                                         EH19 13.3 EWoman: HH ID
-----

```

```

type: numeric (byte)
label: missing, but 23 nonmissing values are not labeled

range: [1,28]         units: 1
unique values: 23      missing .: 15/41554
unique mv codes: 2     missing .*: 8059/41554

```

tabulation:	Freq.	Numeric	Label
	1486	1	
	24223	2	
	1911	3	
	4300	4	
	364	5	
	300	6	
	250	7	
	256	8	
	164	9	
	90	10	
	44	11	
	33	12	
	20	13	
	11	14	
	6	15	
	9	16	
	5	17	
	1	18	
	1	19	
	3	22	
	1	23	
	1	24	
	1	28	
	15	.	
	8059	.a	valid blank .a

ew4	EH19 13.4 EWoman: Rel to HH head
-----	----------------------------------

type:	numeric (byte)
label:	ew4f
range:	[1,11]
unique values:	11
unique mv codes:	3
units:	1
missing .:	0/41554
missing .*:	8064/41554

tabulation:	Freq.	Numeric	Label
	1516	1	Head 01
	23990	2	Wife 02
	450	3	Son/Daughter 03
	6903	4	Daughter- Son-inlaw 04
	2	5	Grandhild 05
	70	6	Parent 06
	56	7	Sibling 07
	1	8	Father- Mother-inlaw 08
	5	9	Nephew/Niece 09
	371	10	Brother/Sister in law 10
	126	11	Other relatives 11
	8059	.a	
	2	.e	
	3	.o	

ew5	EH19 13.5 EWoman: Age
-----	-----------------------

type:	numeric (byte)
label:	missing, but 45 nonmissing values are not labeled
range:	[3,60]
unique values:	45
unique mv codes:	1
units:	1
missing .:	0/41554
missing .*:	8044/41554

examples:	26
	33
	39
	48

ew6	EH19 13.6 EWoman: Date of birth
-----	---------------------------------

type: string (str6)
 unique values: 7395 missing "": 0/41554

examples: "000073"
 "210263"
 "888865"
 "888886"

warning: variable has leading blanks

 ew7 EH19 13.7 EWoman: Education

type: numeric (byte)
 label: missing, but 16 nonmissing values are not labeled

range: [0,15] units: 1
 unique values: 16 missing .: 0/41554
 unique mv codes: 1 missing .*: 8501/41554

tabulation:	Freq.	Numeric	Label
	14353	0	
	112	1	
	528	2	
	714	3	
	1077	4	
	3073	5	
	870	6	
	1704	7	
	2113	8	
	1664	9	
	3198	10	
	283	11	
	1483	12	
	63	13	
	81	14	
	1737	15	
	8501	.a	valid blank .a

 ew8 EH19 13.8 EWoman: N children

type: numeric (byte)
 label: missing, but 14 nonmissing values are not labeled

range: [0,13] units: 1
 unique values: 14 missing .: 0/41554
 unique mv codes: 1 missing .*: 8155/41554

tabulation:	Freq.	Numeric	Label
	2513	0	
	5210	1	
	9960	2	
	7998	3	
	4171	4	
	1956	5	
	937	6	
	403	7	
	165	8	
	57	9	
	21	10	
	4	11	
	3	12	
	1	13	
	8155	.a	valid blank .a

 ew9 EH19 13.9 EWoman: general health

```

      type: numeric (byte)
      label: ew9f

      range: [1,5]          units: 1
      unique values: 5      missing.: 0/41554
      unique mv codes: 2    missing.*: 8032/41554

```

tabulation:	Freq.	Numeric	Label
	5714	1	Very Good 1
	16358	2	Good 2
	9654	3	OK 3
	1685	4	Poor 4
	111	5	Very Poor 5
	8031	.a	
	1	.o	

hb1 EH20 14.1 Belief Daily milk

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                                units: 1
      unique values: 2                            missing.: 0/41554
      unique mv codes: 2                          missing.*: 9801/41554

```

```

tabulation:  Freq.    Numeric  Label
              24712         0    No 0
              7041         1    Yes 1
              8143         .a  valid blank .a
              1658         .c  don't know 8 .c

```

hb2 EH20 14.2 Belief Male sterilistn

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                                units: 1
unique values: 2                                missing .: 0/41554
unique mv codes: 2                            missing .*: 17560/41554

```

```

tabulation:  Freq.    Numeric  Label
              10328         0    No 0
              13666         1    Yes 1
              8147         .a  valid blank .a
              9413         .c  don't know 8 .c

```

hb3 EH20 14.3 Belief 1st thin milk

```

      type: numeric (byte)
      label: hb3f

      range: [1,3]          units: 1
      unique values: 3      missing : 0/41554
      unique mv codes: 4    missing .*: 8465/41554

```

tabulation:	Freq.	Numeric	Label
25021	1	Good	1
5895	2	Harmful	2
2173	3	Doesnt Matter	3
8130	.a		
1	.b		
306	.c		
28	.o		

hb4 EH20 14.4 Belief Chulha smoke

```

-----
type: numeric (byte)
label: hb3f

range: [1,3]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 4    missing .*: 8294/41554

tabulation: Freq.  Numeric  Label
             1426      1    Good 1
             27260     2    Harmful 2
             4574     3    Doesnt Matter 3
             8140     .a
              1       .b
             105      .c
              48      .o
-----

```

```

-----
hb5                                     EH20 14.5 Belief Diarrhea
-----

```

```

type: numeric (byte)
label: hb5f

range: [1,4]          units: 1
unique values: 4      missing .: 0/41554
unique mv codes: 4    missing .*: 10737/41554

tabulation: Freq.  Numeric  Label
             4832     1    < usual 1
             19613     2    > usual 2
             5646     3    About the same 3
              726     4    doesnt matter 4
             8126     .a
              1       .b
             2607     .c
              3       .o
-----

```

```

-----
hb6                                     EH20 14.6 Belief Pregnancy
-----

```

```

type: numeric (byte)
label: hb6f

range: [1,5]          units: 1
unique values: 5      missing .: 0/41554
unique mv codes: 3    missing .*: 19376/41554

tabulation: Freq.  Numeric  Label
             4787     1    Immediately after 1
             6749     2    Just before 2
             5593     3    In the middle 3
             3917     4    Just before and after 4
             1132     5    no difference 5
             8175     .a
             11168     .c
              33      .o
-----

```

```

-----
ai1                                     EH20 15.1 AIDS Awareness
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 8350/41554

tabulation: Freq.  Numeric  Label
             13890     0    No 0
-----

```

```

19314      1 Yes 1
8332      .a valid blank .a
1         .b valid skip 9 .b
17        .c don't know 8 .c

```

```
-----
a11a                                             EH20 15.1a AIDS Sex
-----
```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 22006/41554

```

```

tabulation: Freq.  Numeric  Label
              1078      0 No 0
              18470     1 Yes 1
              20639     .a valid blank .a
                 56     .b valid skip 9 .b
              1311     .c don't know 8 .c

```

```
-----
a11b                                             EH20 15.1b AIDS Needle
-----
```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 22445/41554

```

```

tabulation: Freq.  Numeric  Label
              1232      0 No 0
              17877     1 Yes 1
              20713     .a valid blank .a
                 56     .b valid skip 9 .b
              1676     .c don't know 8 .c

```

```
-----
a11c                                             EH20 15.1c AIDS Mosquito bite
-----
```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 24343/41554

```

```

tabulation: Freq.  Numeric  Label
              9557      0 No 0
              7654      1 Yes 1
              20725     .a valid blank .a
                 56     .b valid skip 9 .b
              3562     .c don't know 8 .c

```

```
-----
a11d                                             EH20 15.1d AIDS Transfusion
-----
```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 22536/41554

```

```

tabulation: Freq.  Numeric  Label
              1295      0 No 0
              17723     1 Yes 1

```

```

20724      .a valid blank .a
  56       .b valid skip 9 .b
1756      .c don't know 8 .c

```

```

-----
aile                                             EH20 15.1e AIDS Food sharing
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 3          missing .*: 23582/41554

```

```

      tabulation: Freq.  Numeric  Label
                  13438      0     No 0
                  4534      1     Yes 1
                  20727      .a valid blank .a
                   56       .b valid skip 9 .b
                  2799      .c don't know 8 .c

```

```

-----
ai2                                             EH20 15.2 AIDS Known person
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 3          missing .*: 20246/41554

```

```

      tabulation: Freq.  Numeric  Label
                  19584      0     No 0
                  1724      1     Yes 1
                  19988      .a valid blank .a
                   53       .b valid skip 9 .b
                  205       .c don't know 8 .c

```

```

-----
gr1a                                           EH21 16.1a Cooking Respondent
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 3          missing .*: 8392/41554

```

```

      tabulation: Freq.  Numeric  Label
                  1591      0     No 0
                  31571     1     Yes 1
                  8390      .a valid blank .a
                   1       .c don't know 8 .c
                   1       .e out of range .e

```

```

-----
gr1b                                           EH21 16.1b Cooking Husband
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 3          missing .*: 11357/41554

```

```

      tabulation: Freq.  Numeric  Label
                  16487     0     No 0
                  13710     1     Yes 1
                  11350      .a valid blank .a

```

3 .b valid skip 9 .b
4 .e out of range .e

gr1c EH21 16.1c Cooking Sr male

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 13488/41554

tabulation:	Freq.	Numeric	Label
	24501	0	No 0
	3565	1	Yes 1
	13484	.a	valid blank .a
	3	.b	valid skip 9 .b
	1	.c	don't know 8 .c

gr1d EH21 16.1d Cooking Sr female

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 13097/41554

tabulation:	Freq.	Numeric	Label
	21184	0	No 0
	7273	1	Yes 1
	13093	.a	valid blank .a
	2	.b	valid skip 9 .b
	2	.e	out of range .e

gr1e EH21 16.1e Cooking Other

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 13968/41554

tabulation:	Freq.	Numeric	Label
	24481	0	No 0
	3105	1	Yes 1
	13966	.a	valid blank .a
	2	.b	valid skip 9 .b

gr1f EH21 16.1f Cooking No One

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 15933/41554

tabulation:	Freq.	Numeric	Label
	25222	0	No 0
	399	1	Yes 1
	15928	.a	valid blank .a
	5	.b	valid skip 9 .b

 gr1g EH21 16.1g Cooking Most Say

type: numeric (byte)
 label: grf

 range: [1,5] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 5 missing .*: 8532/41554

tabulation:	Freq.	Numeric	Label
	24636	1	Respondent 1
	3558	2	Husband 2
	631	3	Senior Male 3
	3795	4	Senior Female 4
	402	5	Other 5
	8390	.a	
	2	.b	
	11	.c	
	1	.e	
	128	.o	

 gr2a EH21 16.2a Purchase Respondent

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 9707/41554

tabulation:	Freq.	Numeric	Label
	7860	0	No 0
	23987	1	Yes 1
	9700	.a	valid blank .a
	3	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	3	.e	out of range .e

 gr2b EH21 16.2b Purchase Husband

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 8889/41554

tabulation:	Freq.	Numeric	Label
	2978	0	No 0
	29687	1	Yes 1
	8882	.a	valid blank .a
	5	.b	valid skip 9 .b
	2	.e	out of range .e

 gr2c EH21 16.2c Purchase Sr male

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 13150/41554

tabulation:	Freq.	Numeric	Label
	22036	0	No 0

```

        6368      1 Yes 1
13145      .a valid blank .a
         5      .b valid skip 9 .b

```

```
-----
gr2d                                           EH21 16.2d Purchase Sr female
-----
```

```

        type: numeric (byte)
        label: yesno

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/41554
    unique mv codes: 3              missing .*: 13481/41554

    tabulation: Freq.  Numeric  Label
                22432      0 No 0
                5641      1 Yes 1
                13475      .a valid blank .a
                 5      .b valid skip 9 .b
                 1      .e out of range .e

```

```
-----
gr2e                                           EH21 16.2e Purchase Other
-----
```

```

        type: numeric (byte)
        label: yesno

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/41554
    unique mv codes: 3              missing .*: 14077/41554

    tabulation: Freq.  Numeric  Label
                24904      0 No 0
                2573      1 Yes 1
                14069      .a valid blank .a
                 5      .b valid skip 9 .b
                 3      .e out of range .e

```

```
-----
gr2f                                           EH21 16.2f Purchase No One
-----
```

```

        type: numeric (byte)
        label: yesno

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/41554
    unique mv codes: 3              missing .*: 16154/41554

    tabulation: Freq.  Numeric  Label
                25107      0 No 0
                 293      1 Yes 1
                16143      .a valid blank .a
                 7      .b valid skip 9 .b
                 4      .e out of range .e

```

```
-----
gr2g                                           EH21 16.2g Purchase Most Say
-----
```

```

        type: numeric (byte)
        label: grf

        range: [1,5]                units: 1
    unique values: 5                missing .: 0/41554
    unique mv codes: 4              missing .*: 8482/41554

    tabulation: Freq.  Numeric  Label
                3643      1 Respondent 1
                24278      2 Husband 2
                3770      3 Senior Male 3

```


1015	4	Senior Female 4
366	5	Other 5
8350	.a	
4	.b	
16	.c	
112	.o	

gr3a

EH21 16.3a N children Respondent

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 4 missing .*: 9385/41554

tabulation:	Freq.	Numeric	Label
	5031	0	No 0
	27138	1	Yes 1
	9342	.a	valid blank .a
	37	.b	valid skip 9 .b
	3	.c	don't know 8 .c
	3	.e	out of range .e

gr3b

EH21 16.3b N children Husband

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 4 missing .*: 8964/41554

tabulation:	Freq.	Numeric	Label
	2553	0	No 0
	30037	1	Yes 1
	8936	.a	valid blank .a
	24	.b	valid skip 9 .b
	2	.c	don't know 8 .c
	2	.e	out of range .e

gr3c

EH21 16.3c N children Sr male

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 13795/41554

tabulation:	Freq.	Numeric	Label
	25268	0	No 0
	2491	1	Yes 1
	13777	.a	valid blank .a
	18	.b	valid skip 9 .b

gr3d

EH21 16.3d N children Sr female

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 13801/41554

```

tabulation: Freq.  Numeric  Label
             24118      0    No 0
             3635       1    Yes 1
             13782      .a valid blank .a
              19       .b valid skip 9 .b

```

```

-----
gr3e                                     EH21 16.3e N children Other
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]                units: 1
unique values: 2            missing .: 0/41554
unique mv codes: 3          missing .*: 14376/41554

```

```

tabulation: Freq.  Numeric  Label
             26786      0    No 0
              392       1    Yes 1
            14356      .a valid blank .a
              19       .b valid skip 9 .b
               1       .e out of range .e

```

```

-----
gr3f                                     EH21 16.3f N children No One
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]                units: 1
unique values: 2            missing .: 0/41554
unique mv codes: 3          missing .*: 16095/41554

```

```

tabulation: Freq.  Numeric  Label
            24965      0    No 0
             494       1    Yes 1
            16066      .a valid blank .a
              24       .b valid skip 9 .b
               5       .e out of range .e

```

```

-----
gr3g                                     EH21 16.3g N children Most Say
-----

```

```

type: numeric (byte)
label: grf

range: [1,5]                units: 1
unique values: 5            missing .: 0/41554
unique mv codes: 4          missing .*: 9065/41554

```

```

tabulation: Freq.  Numeric  Label
            6380       1 Respondent 1
            24520       2 Husband 2
             537       3 Senior Male 3
             999       4 Senior Female 4
              53       5 Other 5
            8640      .a
              65      .b
              35      .c
             325      .o

```

```

-----
gr4a                                     EH21 16.4a Child ill Respondent
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]                units: 1
unique values: 2            missing .: 0/41554

```

unique mv codes: 4 missing .*: 9531/41554

tabulation:	Freq.	Numeric	Label
	4490	0	No 0
	27533	1	Yes 1
	9438	.a	valid blank .a
	91	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e

gr4b EH21 16.4b Child ill Husband

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 9961/41554

tabulation:	Freq.	Numeric	Label
	4817	0	No 0
	26776	1	Yes 1
	9900	.a	valid blank .a
	57	.b	valid skip 9 .b
	4	.e	out of range .e

gr4c EH21 16.4c Child ill Sr male

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 13898/41554

tabulation:	Freq.	Numeric	Label
	23220	0	No 0
	4436	1	Yes 1
	13852	.a	valid blank .a
	44	.b	valid skip 9 .b
	2	.e	out of range .e

gr4d EH21 16.4d Child ill Sr female

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 13944/41554

tabulation:	Freq.	Numeric	Label
	22533	0	No 0
	5077	1	Yes 1
	13900	.a	valid blank .a
	43	.b	valid skip 9 .b
	1	.e	out of range .e

gr4e EH21 16.4e Child ill Other

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554

unique mv codes: 2 missing .*: 14616/41554

tabulation:	Freq.	Numeric	Label
	25441	0	No 0
	1497	1	Yes 1
	14573	.a	valid blank .a
	43	.b	valid skip 9 .b

----- EH21 16.4f Child ill No One -----

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 16352/41554

tabulation:	Freq.	Numeric	Label
	24592	0	No 0
	610	1	Yes 1
	16304	.a	valid blank .a
	44	.b	valid skip 9 .b
	4	.e	out of range .e

----- EH21 16.4g Child ill Most Say -----

type: numeric (byte)
label: grf

range: [1,5] units: 1
unique values: 5 missing .: 0/41554
unique mv codes: 4 missing .*: 9481/41554

tabulation:	Freq.	Numeric	Label
	9813	1	Respondent 1
	19063	2	Husband 2
	1704	3	Senior Male 3
	1262	4	Senior Female 4
	231	5	Other 5
	8874	.a	
	90	.b	
	29	.c	
	488	.o	

----- EH21 16.5a Child's wed R -----

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 10103/41554

tabulation:	Freq.	Numeric	Label
	6455	0	No 0
	24996	1	Yes 1
	10004	.a	valid blank .a
	92	.b	valid skip 9 .b
	7	.c	don't know 8 .c

----- EH21 16.5b Child's wed Husband -----

type: numeric (byte)
label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 9612/41554

tabulation:	Freq.	Numeric	Label
	3051	0	No 0
	28891	1	Yes 1
	9532	.a	valid blank .a
	59	.b	valid skip 9 .b
	2	.c	don't know 8 .c
	19	.e	out of range .e

 gr5c EH21 16.5c Child's wed Sr male

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 13678/41554

tabulation:	Freq.	Numeric	Label
	20881	0	No 0
	6995	1	Yes 1
	13632	.a	valid blank .a
	45	.b	valid skip 9 .b
	1	.c	don't know 8 .c

 gr5d EH21 16.5d Child's wed Sr female

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 13881/41554

tabulation:	Freq.	Numeric	Label
	20974	0	No 0
	6699	1	Yes 1
	13836	.a	valid blank .a
	43	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e

 gr5e EH21 16.5e Child's wed Other

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 14567/41554

tabulation:	Freq.	Numeric	Label
	24062	0	No 0
	2925	1	Yes 1
	14522	.a	valid blank .a
	44	.b	valid skip 9 .b
	1	.c	don't know 8 .c

 gr5f EH21 16.5f Child's wed No One

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 16277/41554

tabulation:	Freq.	Numeric	Label
	24317	0	No 0
	960	1	Yes 1
	16227	.a	valid blank .a
	44	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	5	.e	out of range .e

 gr5g EH21 16.5g Child's wed Most Say

type: numeric (byte)
 label: grf

range: [1,5] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 4 missing .*: 9700/41554

tabulation:	Freq.	Numeric	Label
	3293	1	Respondent 1
	22474	2	Husband 2
	4285	3	Senior Male 3
	1112	4	Senior Female 4
	690	5	Other 5
	8985	.a	
	111	.b	
	46	.c	
	558	.o	

 gr6a EH21 16.6a Permission health centre

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 8250/41554

tabulation:	Freq.	Numeric	Label
	8431	0	No 0
	24873	1	Yes 1
	8230	.a	valid blank .a
	20	.b	valid skip 9 .b

 gr6b EH21 16.6b Perm husband: health centre

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 13616/41554

tabulation:	Freq.	Numeric	Label
	4966	0	No 0
	22972	1	Yes 1
	13610	.a	valid blank .a
	6	.b	valid skip 9 .b

 gr6c EH21 16.6c Perm Sr male: health centre

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 2    missing .*: 17800/41554

```

```

      tabulation: Freq.  Numeric  Label
                  19991      0    No 0
                  3763      1    Yes 1
                  17797     .a valid blank .a
                   3       .b valid skip 9 .b

```

```

-----
gr6d                                EH21 16.6d Perm Sr Female: health centre
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 3    missing .*: 17652/41554

```

```

      tabulation: Freq.  Numeric  Label
                  18157      0    No 0
                   5745      1    Yes 1
                  17647     .a valid blank .a
                   4       .b valid skip 9 .b
                   1       .e out of range .e

```

```

-----
gr6e                                EH21 16.6e Perm others health centre
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 2    missing .*: 18436/41554

```

```

      tabulation: Freq.  Numeric  Label
                  22009      0    No 0
                   1109      1    Yes 1
                  18432     .a valid blank .a
                   4       .b valid skip 9 .b

```

```

-----
gr6f                                EH21 16.6f Health centre alone
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 1    missing .*: 9373/41554

```

```

      tabulation: Freq.  Numeric  Label
                  9640      0    No 0
                  22541      1    Yes 1
                   9373     .a valid blank .a

```

```

-----
gr7a                                EH21 16.7a Permission Friend home
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554

```

unique mv codes: 3 missing .*: 8795/41554

tabulation:	Freq.	Numeric	Label
	7897	0	No 0
	24862	1	Yes 1
	8315	.a	valid blank .a
	479	.b	valid skip 9 .b
	1	.e	out of range .e

gr7b EH21 16.7b Perm husband Friend home

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 13665/41554

tabulation:	Freq.	Numeric	Label
	4848	0	No 0
	23041	1	Yes 1
	13659	.a	valid blank .a
	5	.b	valid skip 9 .b
	1	.e	out of range .e

gr7c EH21 16.7c Perm Sr male Friend home

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 18093/41554

tabulation:	Freq.	Numeric	Label
	19712	0	No 0
	3749	1	Yes 1
	18091	.a	valid blank .a
	2	.b	valid skip 9 .b

gr7d EH21 16.7d Perm Sr Female Friend home

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 17966/41554

tabulation:	Freq.	Numeric	Label
	17766	0	No 0
	5822	1	Yes 1
	17964	.a	valid blank .a
	2	.b	valid skip 9 .b

gr7e EH21 16.7e Perm others Friend home

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 18757/41554

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

21686	0	No 0
1111	1	Yes 1
18753	.a	valid blank .a
3	.b	valid skip 9 .b
1	.e	out of range .e

 gr7f EH21 16.7f Visit Friend home alone

type: numeric (byte)
 label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	1	missing .*:	9903/41554

tabulation:	Freq.	Numeric	Label
	8904	0	No 0
	22747	1	Yes 1
	9903	.a	valid blank .a

 gr8a EH21 16.8a Permission Kirana shop

type: numeric (byte)
 label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	3	missing .*:	14250/41554

tabulation:	Freq.	Numeric	Label
	12284	0	No 0
	15020	1	Yes 1
	8490	.a	valid blank .a
	5758	.b	valid skip 9 .b
	2	.e	out of range .e

 gr8b EH21 16.8b Perm husband Kirana shop

type: numeric (byte)
 label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	4	missing .*:	19718/41554

tabulation:	Freq.	Numeric	Label
	7857	0	No 0
	13979	1	Yes 1
	19653	.a	valid blank .a
	62	.b	valid skip 9 .b
	2	.c	don't know 8 .c
	1	.e	out of range .e

 gr8c EH21 16.8c Perm Sr male Kirana shop

type: numeric (byte)
 label: yesno

range:	[0,1]	units:	1
unique values:	2	missing .:	0/41554
unique mv codes:	3	missing .*:	23217/41554

tabulation:	Freq.	Numeric	Label
	16121	0	No 0
	2216	1	Yes 1

23167 .a valid blank .a
 49 .b valid skip 9 .b
 1 .e out of range .e

 gr8d EH21 16.8d Perm Sr Female Kirana shop

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 23179/41554

tabulation:	Freq.	Numeric	Label
	15125	0	No 0
	3250	1	Yes 1
	23129	.a	valid blank .a
	50	.b	valid skip 9 .b

 gr8e EH21 16.8e Perm others Kirana shop

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 23632/41554

tabulation:	Freq.	Numeric	Label
	16993	0	No 0
	929	1	Yes 1
	23582	.a	valid blank .a
	50	.b	valid skip 9 .b

 gr8f EH21 16.8f Visit Kirana shop alone

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 13627/41554

tabulation:	Freq.	Numeric	Label
	6760	0	No 0
	21167	1	Yes 1
	13622	.a	valid blank .a
	5	.b	valid skip 9 .b

 gr9 EH22 16.9 Purdah Practice

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 8174/41554

tabulation:	Freq.	Numeric	Label
	15628	0	No 0
	17752	1	Yes 1
	8174	.a	valid blank .a

 gr10 EH22 16.10 Family outing

```

-----
                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
                unique values: 2            missing .: 0/41554
                unique mv codes: 2          missing .*: 8248/41554

                tabulation: Freq.  Numeric  Label
                           15951      0    No 0
                           17355      1    Yes 1
                           8220      .a valid blank .a
                           28        .b valid skip 9 .b
-----

```

```

-----
gr11a                                     EH22 16.11s Shopping Respondent
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
                unique values: 2            missing .: 0/41554
                unique mv codes: 1          missing .*: 8260/41554

                tabulation: Freq.  Numeric  Label
                           13946      0    No 0
                           19348      1    Yes 1
                           8260      .a valid blank .a
-----

```

```

-----
gr11b                                     EH22 16.11m Shopping Adult men
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
                unique values: 2            missing .: 0/41554
                unique mv codes: 2          missing .*: 8235/41554

                tabulation: Freq.  Numeric  Label
                           6397      0    No 0
                           26922      1    Yes 1
                           8230      .a valid blank .a
                           5          .b valid skip 9 .b
-----

```

```

-----
gr11c                                     EH22 16.11w Shopping Adult women
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
                unique values: 2            missing .: 0/41554
                unique mv codes: 2          missing .*: 8446/41554

                tabulation: Freq.  Numeric  Label
                           27435      0    No 0
                           5673      1    Yes 1
                           8439      .a valid blank .a
                           7          .b valid skip 9 .b
-----

```

```

-----
gr11d                                     EH22 16.11c Shopping Children
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
-----

```

unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 9007/41554

tabulation:	Freq.	Numeric	Label
	26925	0	No 0
	5622	1	Yes 1
	8999	.a	valid blank .a
	8	.b	valid skip 9 .b

 gr12a EH22 16.12s Homework Respondent

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 9739/41554

tabulation:	Freq.	Numeric	Label
	21343	0	No 0
	10472	1	Yes 1
	8835	.a	valid blank .a
	902	.b	valid skip 9 .b
	2	.c	don't know 8 .c

 gr12b EH22 16.12m Homework Adult men

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 9785/41554

tabulation:	Freq.	Numeric	Label
	21232	0	No 0
	10537	1	Yes 1
	8899	.a	valid blank .a
	884	.b	valid skip 9 .b
	2	.c	don't know 8 .c

 gr12c EH22 16.12w Homework Adult women

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 9889/41554

tabulation:	Freq.	Numeric	Label
	30023	0	No 0
	1642	1	Yes 1
	9003	.a	valid blank .a
	884	.b	valid skip 9 .b
	2	.c	don't know 8 .c

 gr12d EH22 16.12c Homework Children

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 10332/41554

```

tabulation: Freq.  Numeric  Label
            22328      0    No 0
            8894       1   Yes 1
            9446       .a valid blank .a
            884        .b valid skip 9 .b
             2         .c don't know 8 .c
-----
gr13                                             EH22 16.13 Family meal taking
-----

```

```

type: numeric (byte)
label: gr13f

range: [1,4]          units: 1
unique values: 4      missing .: 0/41554
unique mv codes: 4    missing .*: 8169/41554

```

```

tabulation: Freq.  Numeric  Label
            17223      1   Eat together 1
             620       2   Women first 2
            10268      3   Men first 3
             5274       4   Varies, Other 4
             8145       .a
              7         .b
              1         .c
             16         .o

```

```

-----
gr14                                             EH22 16.14 Cash-in-hand
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 8164/41554

```

```

tabulation: Freq.  Numeric  Label
            5686       0    No 0
            27704      1   Yes 1
             8163       .a valid blank .a
              1         .c don't know 8 .c

```

```

-----
gr15a                                           EH22 16.15a Family bank account
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 8259/41554

```

```

tabulation: Freq.  Numeric  Label
            20346      0    No 0
            12949      1   Yes 1
             8210       .a valid blank .a
              2         .b valid skip 9 .b
             47         .c don't know 8 .c

```

```

-----
gr15b                                           EH22 16.15b Resp account holder
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554

```

unique mv codes: 3 missing .*: 11416/41554

tabulation:	Freq.	Numeric	Label
	24011	0	No 0
	6127	1	Yes 1
	11376	.a	valid blank .a
	1	.b	valid skip 9 .b
	39	.c	don't know 8 .c

gr16 EH22 16.16 House papers: Woman

type: numeric (byte)
label: gr16f

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 9589/41554

tabulation:	Freq.	Numeric	Label
	26822	0	No 0
	5143	1	Yes 1
	8250	.a	
	1339	.e	

gr17 EH22 16.17 Girls educatn equal

type: numeric (byte)
label: gr17f

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 4 missing .*: 8308/41554

tabulation:	Freq.	Numeric	Label
	28611	1	Same 1
	3625	2	Boys more 2
	1010	3	Girls more 3
	8205	.a	
	16	.b	
	18	.c	
	69	.o	

gr18a EH22 16.18a Discuss: Work/farm

type: numeric (byte)
label: gr18f

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 8844/41554

tabulation:	Freq.	Numeric	Label
	6786	0	Never 0
	14113	1	sometimes 1
	11811	2	Often 2
	8542	.a	
	298	.b	
	4	.c	

gr18b EH22 16.18b Discuss: Expenditure

type: numeric (byte)
label: gr18f

range: [0,2] units: 1

unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 8723/41554

tabulation:	Freq.	Numeric	Label
	3956	0	Never 0
	12800	1	sometimes 1
	16075	2	Often 2
	8550	.a	
	169	.b	
	4	.c	

 gr18c EH22 16.18c Discuss: Politics

type: numeric (byte)
 label: gr18f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 4 missing .*: 8745/41554

tabulation:	Freq.	Numeric	Label
	11256	0	Never 0
	15007	1	sometimes 1
	6546	2	Often 2
	8571	.a	
	168	.b	
	5	.c	
	1	.e	

 gr19 EH22 16.19 Natal family visit

type: numeric (byte)
 label: gr19f

range: [1,5] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 4 missing .*: 9213/41554

tabulation:	Freq.	Numeric	Label
	2443	1	Daily/Weekly 1
	4765	2	Monthly 2
	16193	3	2-3 times a year 3
	7379	4	Once a year 4
	1561	5	< once a year 5
	8344	.a	
	761	.b	
	7	.c	
	101	.o	

 gr20 EH22 16.20 Natal family nearby

type: numeric (byte)
 label: gr20f

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 9383/41554

tabulation:	Freq.	Numeric	Label
	13241	0	No 0
	18930	1	Yes 1
	8432	.a	
	948	.b	
	3	.c	

 gr21 EH23 16.21 Beat leaves no permit

```

-----
                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
                unique values: 2            missing .: 0/41554
                unique mv codes: 3          missing .*: 8202/41554

                tabulation: Freq.  Numeric  Label
                           21272      0    No 0
                           12080      1    Yes 1
                           8151      .a    valid blank .a
                           2         .b    valid skip 9 .b
                           49         .c    don't know 8 .c
-----

```

```

-----
gr22                                EH23 16.22 Beat if no dowry
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
                unique values: 2            missing .: 0/41554
                unique mv codes: 3          missing .*: 8200/41554

                tabulation: Freq.  Numeric  Label
                           24692      0    No 0
                           8662      1    Yes 1
                           8151      .a    valid blank .a
                           1         .b    valid skip 9 .b
                           48         .c    don't know 8 .c
-----

```

```

-----
gr23                                EH23 16.23 Beat if House neglect
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
                unique values: 2            missing .: 0/41554
                unique mv codes: 3          missing .*: 8182/41554

                tabulation: Freq.  Numeric  Label
                           22696      0    No 0
                           10676     1    Yes 1
                           8153      .a    valid blank .a
                           1         .b    valid skip 9 .b
                           28         .c    don't know 8 .c
-----

```

```

-----
gr24                                EH23 16.24 Beat if bad cooking
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                units: 1
                unique values: 2            missing .: 0/41554
                unique mv codes: 3          missing .*: 8176/41554

                tabulation: Freq.  Numeric  Label
                           24528      0    No 0
                           8850      1    Yes 1
                           8149      .a    valid blank .a
                           1         .b    valid skip 9 .b
                           26         .c    don't know 8 .c
-----

```

```

-----
gr25                                EH23 16.25 Beat if extramarital
-----

```



```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 8262/41554

```

```

tabulation: Freq.  Numeric  Label
             5584      0     No 0
             27708     1     Yes 1
             8167     .a  valid blank .a
               1     .b  valid skip 9 .b
               94     .c  don't know 8 .c

```

```

-----
gr26                                     EH23 16.26 Widow support
-----

```

```

type: numeric (byte)
label: gr26f

range: [1,4]          units: 1
unique values: 4      missing .: 0/41554
unique mv codes: 4    missing .*: 8261/41554

```

```

tabulation: Freq.  Numeric  Label
             8167      1     Natal Families 1
            10843      2     Husbands Families 2
            12477      3     Both 3
             1806      4     Neither 4
             8179     .a
               1     .b
               47     .c
               34     .o

```

```

-----
gr27                                     EH23 16.27 Live with in old age
-----

```

```

type: numeric (byte)
label: gr27f

range: [1,4]          units: 1
unique values: 4      missing .: 0/41554
unique mv codes: 4    missing .*: 8569/41554

```

```

tabulation: Freq.  Numeric  Label
            26924      1     Son 1
            1779      2     Daughter 2
            1317      3     Both 3
            2965      4     Other/ No one 4
            8260     .a
             163     .b
              93     .c
              53     .o

```

```

-----
gr28                                     EH23 16.28 Would live w daughter
-----

```

```

type: numeric (byte)
label: gr28f

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 15378/41554

```

```

tabulation: Freq.  Numeric  Label
            20471      0     No 0
             5705      1     Yes 1
            10278     .a
             5036     .b

```

64 .c

gr29 EH23 16.29 Financial support
-----type: numeric (byte)
label: gr27frange: [1,4] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 4 missing .*: 8737/41554

tabulation:	Freq.	Numeric	Label
	26058	1	Son 1
	1846	2	Daughter 2
	2017	3	Both 3
	2896	4	Other/ No one 4
	8368	.a	
	176	.b	
	110	.c	
	83	.o	

gr30 EH23 16.30 Support: daughter
-----type: numeric (byte)
label: gr28frange: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 15509/41554

tabulation:	Freq.	Numeric	Label
	19009	0	No 0
	7036	1	Yes 1
	10365	.a	
	5056	.b	
	88	.c	

gr31 EH23 16.31 Harassment of girls
-----type: numeric (byte)
label: gr31frange: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 4 missing .*: 8868/41554

tabulation:	Freq.	Numeric	Label
	26667	1	Rarely 1
	4751	2	Sometimes 2
	1268	3	Often 3
	8197	.a	
	16	.b	
	61	.c	
	594	.o	

grwho EH23 16 who else present
-----type: numeric (byte)
label: grwhofrange: [1,4] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 3 missing .*: 8376/41554

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

16575	1	Nobody else
8143	2	Adults only
2505	3	Children only
5955	4	Adults & Children
8298	.a	
3	.c	
75	.o	

 mh1a EH24 17.1a Age at marriage

type: numeric (byte)
 label: missing, but 44 nonmissing values are not labeled

range:	[0,88]	units:	1
unique values:	44	missing .:	0/41554
unique mv codes:	1	missing .*:	8099/41554

examples: 15
 18
 20
 29

 mh1b EH24 17.1b Date of marriage

type: string (str4)

unique values:	664	missing "":	0/41554
----------------	-----	-------------	---------

examples: ".c"
 "0486"
 "0689"
 "8818"

warning: variable has leading blanks

 mh2a EH24 17.2a Age at Gauna

type: numeric (byte)
 label: missing, but 42 nonmissing values are not labeled

range:	[0,99]	units:	1
unique values:	42	missing .:	0/41554
unique mv codes:	1	missing .*:	8092/41554

examples: 16
 18
 20
 29

 mh2b EH24 17.2b Date of Gauna

type: string (str4)

unique values:	661	missing "":	0/41554
----------------	-----	-------------	---------

examples: ".c"
 "0484"
 "0693"
 "8818"

warning: variable has leading blanks

 mh2c EH24 17.2c Age at Menarche

```

type: numeric (byte)
label: missing, but 21 nonmissing values are not labeled

range: [0,25]          units: 1
unique values: 21      missing .: 0/41554
unique mv codes: 3      missing .*: 8162/41554

```

tabulation:	Freq.	Numeric	Label
	6	0	
	5	1	
	1	4	
	1	5	
	5	8	
	14	9	
	177	10	
	603	11	
	4421	12	
	9430	13	
	10630	14	
	5355	15	
	1963	16	
	410	17	
	262	18	
	69	19	
	31	20	
	1	21	
	4	22	
	1	23	
	3	25	
	8158	.a	valid blank .a
	1	.b	valid skip 9 .b
	3	.c	don't know 8 .c

```

-----
mh2d                                     EH24 17.2d Menarche after wed
-----

```

```

type: numeric (byte)
label: mh2df

range: [1,3]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 5      missing .*: 8193/41554

```

tabulation:	Freq.	Numeric	Label
	29182	1	Before marriage 1
	2616	2	After marriage before gauna 2
	1563	3	After marriage and gauna 3
	8173	.a	
	5	.b	
	1	.c	
	1	.e	
	13	.o	

```

-----
mh3                                     EH24 17.3 Marriage status
-----

```

```

type: numeric (byte)
label: mh3f, but 1 nonmissing value is not labeled

range: [0,4]          units: 1
unique values: 5      missing .: 0/41554
unique mv codes: 1      missing .*: 8021/41554

```

tabulation:	Freq.	Numeric	Label
	4	0	
	32160	1	Still married 1
	1126	2	Widowed 2
	149	3	Separated 3
	94	4	Divorced 4
	8021	.a	

 mh4 EH24 17.4 Knew husb before wed

type: numeric (byte)
 label: mh4f

 range: [1,5] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 3 missing .*: 8176/41554

tabulation:	Freq.	Numeric	Label
	21984	1	wedding day 1
	3313	2	< 1 month 2
	4161	3	< 1 year 3
	1600	4	> 1 year 4
	2320	5	Since childhood 5
	8139	.a	
	3	.c	
	34	.o	

 mh5a EH24 17.5a Marriage choice

type: numeric (byte)
 label: mh5af

 range: [1,4] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 4 missing .*: 8128/41554

tabulation:	Freq.	Numeric	Label
	1674	1	R herself 1
	12434	2	R & parents together 2
	19121	3	Parents alone 3
	197	4	Other 4
	8115	.a	
	1	.c	
	2	.e	
	10	.o	

 mh5b EH24 17.5b Choice R say

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 18561/41554

tabulation:	Freq.	Numeric	Label
	15364	0	No 0
	7629	1	Yes 1
	18558	.a	valid blank .a
	1	.c	don't know 8 .c
	2	.e	out of range .e

 mh6 EH24 17.6 Husband same vill

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 8195/41554

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

```

28725      0 No 0
4634       1 Yes 1
8191      .a valid blank .a
4          .e out of range .e

```

```
-----
mh7                                     EH24 17.7 Husband same caste
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing .: 0/41554
      unique mv codes: 2                missing .*: 8184/41554

      tabulation: Freq.  Numeric  Label
                  1841      0 No 0
                  31529     1 Yes 1
                  8179     .a valid blank .a
                  5        .e out of range .e

```

```
-----
mh8                                     EH24 17.8 Live after marriage
-----
```

```

      type: numeric (byte)
      label: mh8f

      range: [1,3]                      units: 1
      unique values: 3                  missing .: 0/41554
      unique mv codes: 3                missing .*: 8221/41554

      tabulation: Freq.  Numeric  Label
                  30191     1 his parents 1
                  932       2 woman's parents 2
                  2210      3 alone 3
                  8191     .a
                  2         .e
                  28        .o

```

```
-----
mh9                                     EH24 17.9 Distance natal family
-----
```

```

      type: numeric (byte)
      label: mh9f, but 56 nonmissing values are not labeled

      range: [0,99]                    units: 1
      unique values: 57                 missing .: 0/41554
      unique mv codes: 1                missing .*: 8426/41554

      examples: 1      1 or < 1
                2
                4
                .a

```

```
-----
mh10                                    EH24 17.10 Husband blood rel
-----
```

```

      type: numeric (byte)
      label: mh10f

      range: [0,9]                      units: 1
      unique values: 5                  missing .: 0/41554
      unique mv codes: 1                missing .*: 16948/41554

      tabulation: Freq.  Numeric  Label
                  20101     0 No relations 0
                  758       1 Uncle 1
                  1773      2 Cousin 2
                  821       3 Other 3

```

1153 9 Not permitted 9
16948 .a

mh11 EH24 17.11 Natal fam married husb fam

type: numeric (byte)
label: mh11f

range: [0,4] units: 1
unique values: 5 missing .: 0/41554
unique mv codes: 3 missing .*: 11356/41554

tabulation:	Freq.	Numeric	Label
	26857	0	None 0
	1919	1	Sister 1
	592	2	aunt 2
	140	3	Both 3
	690	4	Other 4
	11290	.a	
	43	.b	
	23	.c	

mh12 EH24 17.12 Natal fam married same vill

type: numeric (byte)
label: mh11f

range: [0,4] units: 1
unique values: 5 missing .: 0/41554
unique mv codes: 4 missing .*: 11161/41554

tabulation:	Freq.	Numeric	Label
	25709	0	None 0
	2406	1	Sister 1
	694	2	aunt 2
	283	3	Both 3
	1301	4	Other 4
	11089	.a	
	44	.b	
	27	.c	
	1	.e	

mh13 EH24 17.13 Econ stat husb fam

type: numeric (byte)
label: mh13f

range: [1,3] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 5 missing .*: 9663/41554

tabulation:	Freq.	Numeric	Label
	23143	1	Same 1
	6198	2	Better off 2
	2550	3	Worse off 3
	9285	.a	
	6	.b	
	21	.c	
	1	.e	
	350	.o	

mh14 EH24 17.14 Husband: N sisters

type: numeric (byte)
label: missing, but 17 nonmissing values are not labeled

range: [0,99] units: 1
 unique values: 17 missing .: 0/41554
 unique mv codes: 1 missing .*: 8608/41554

tabulation:	Freq.	Numeric	Label
	5078	0	
	9113	1	
	9357	2	
	5143	3	
	2689	4	
	1020	5	
	357	6	
	122	7	
	37	8	
	15	9	
	5	10	
	1	11	
	4	12	
	1	15	
	1	20	
	1	88	
	2	99	
	8608	.a	valid blank .a

 mh14a EH24 17.14a Husb sisters educ

type: numeric (byte)
 label: missing, but 18 nonmissing values are not labeled

range: [0,99] units: 1
 unique values: 18 missing .: 0/41554
 unique mv codes: 1 missing .*: 11098/41554

tabulation:	Freq.	Numeric	Label
	15494	0	
	79	1	
	270	2	
	433	3	
	659	4	
	2644	5	
	660	6	
	1264	7	
	1706	8	
	853	9	
	3038	10	
	195	11	
	1246	12	
	52	13	
	55	14	
	1704	15	
	60	88	
	44	99	
	11098	.a	valid blank .a

 mh15a EH25 17.15a Husb N brothers

type: numeric (byte)
 label: missing, but 16 nonmissing values are not labeled

range: [0,88] units: 1
 unique values: 16 missing .: 0/41554
 unique mv codes: 1 missing .*: 8338/41554

tabulation:	Freq.	Numeric	Label
	4539	0	
	8713	1	
	9052	2	
	5754	3	

3021	4
1353	5
516	6
181	7
46	8
13	9
9	10
6	11
6	12
2	13
1	37
4	88
8338	.a valid blank .a

mh15b EH25 17.15b Husb brothers educ

type: numeric (byte)
 label: missing, but 21 nonmissing values are not labeled

range: [0,99] units: 1
 unique values: 21 missing .: 0/41554
 unique mv codes: 1 missing .*: 10307/41554

tabulation:	Freq.	Numeric	Label
	8185	0	
	135	1	
	236	2	
	392	3	
	634	4	
	2561	5	
	677	6	
	1300	7	
	2374	8	
	1635	9	
	5099	10	
	511	11	
	2826	12	
	131	13	
	165	14	
	4283	15	
	1	19	
	69	88	
	1	90	
	1	98	
	31	99	
	10307	.a valid blank .a	

mh16 EH25 17.16 Husb Marriage 1+

type: numeric (byte)
 label: mh16f, but 5 nonmissing values are not labeled

range: [1,9] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 2 missing .*: 8253/41554

tabulation:	Freq.	Numeric	Label
	32140	1	Once 1
	1149	2	More than once 2
	6	3	
	2	4	
	1	5	
	2	8	
	1	9	
	8168	.a	
	85	.o	

mh17a EH25 17.17a R Marriage 1+

```

type:      numeric (byte)
label:     mh16af, but label does not exist

range:     [1,2]                      units: 1
unique values: 2                      missing .: 0/41554
unique mv codes: 5                    missing .*: 8388/41554

tabulation: Freq.  Value
            32786  1
            380   2
            8313  .a
             1   .b
             1   .c
             4   .e
            69   .o

```

mh17b EH25 17.17b R N marriages

```

type:      numeric (byte)
label:     missing, but 6 nonmissing values are not labeled

range:     [0,9]                                units: 1
unique values: 6                                missing .: 0/41554
unique mv codes: 1                              missing .*: 36479/41554

tabulation: Freq.    Numeric    Label
              2745         0
              1947         1
              374          2
               7           3
               1           5
               1           9
              36479        .a valid blank .a

```

mh18a EH25 17.18a 1st marriage Age

```

      type: numeric (byte)
      label: missing, but 29 nonmissing values are not labeled

      range: [0,30]
      unique values: 29
      unique mv codes: 1

      units: 1
      missing .: 0/41554
      missing .*: 40743/41554

      tabulation: Freq.   Numeric   Label
                  433       0
                  2        1
                  2        2
                  2        4
                  4        5
                  4        6
                  8        7
                  9        8
                 10        9
                 25       10
                 13       11
                 31       12
                 25       13
                 45       14
                 55       15
                 40       16
                 16       17
                 40       18
                 12       19
                 18       20
                  3       21
                  4       22
                  2       23

```

```

      2      24
      2      25
      1      26
      1      27
      1      29
      1      30
40743      .a valid blank .a

```

```
-----
mh18b                                     EH25 17.18b 1st marriage Date
-----
```

```

      type: string (str4)

unique values: 186                      missing "": 0/41554

examples: ".a"
           ".a"
           ".a"
           ".a"

warning: variable has leading blanks

```

```
-----
mh19a                                     EH25 17.19a 1st marriage Age gauna
-----
```

```

      type: numeric (byte)
      label: missing, but 28 nonmissing values are not labeled

      range: [0,99]                      units: 1
unique values: 28                      missing .: 0/41554
unique mv codes: 1                     missing .*: 40826/41554

```

```

tabulation: Freq.  Numeric  Label
           348      0
           2        7
           3        8
           5        9
          11       10
           9       11
          21       12
          32       13
          37       14
          69       15
          48       16
          19       17
          46       18
          15       19
          19       20
           4       21
           5       22
           2       23
           3       24
           3       25
           1       26
           1       27
           1       28
           1       29
           1       30
           3       88
           1       98
          18       99
40826      .a valid blank .a

```

```
-----
mh19b                                     EH25 17.19b 1st marriage Date gauna
-----
```

```

      type: string (str4)

unique values: 187                      missing "": 0/41554

```

examples: ".a"
 ".a"
 ".a"
 ".a"

warning: variable has leading blanks

 mh20 EH25 17.20 1st marriage Status

type: numeric (byte)
 label: mh20f
 range: [2,4] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 41185/41554

tabulation:	Freq.	Numeric	Label
	101	2	Widowed 2
	128	3	Separated 3
	140	4	Divorced 4
	40864	.a	
	1	.c	
	320	.o	

 fh1 EH26 18.1 N sons with R

type: numeric (byte)
 label: missing, but 9 nonmissing values are not labeled
 range: [0,8] units: 1
 unique values: 9 missing .: 0/41554
 unique mv codes: 1 missing .*: 8655/41554

tabulation:	Freq.	Numeric	Label
	7477	0	
	13241	1	
	9016	2	
	2338	3	
	599	4	
	169	5	
	44	6	
	11	7	
	4	8	
	8655	.a	valid blank .a

 fh2 EH26 18.2 N daughters with R

type: numeric (byte)
 label: missing, but 9 nonmissing values are not labeled
 range: [0,8] units: 1
 unique values: 9 missing .: 0/41554
 unique mv codes: 1 missing .*: 8735/41554

tabulation:	Freq.	Numeric	Label
	11265	0	
	12648	1	
	5890	2	
	2109	3	
	663	4	
	187	5	
	43	6	
	9	7	
	5	8	
	8735	.a	valid blank .a

fh3

EH26 18.3 N sons elsewhere

type: numeric (byte)
label: missing, but 7 nonmissing values are not labeled

range: [0,7] units: 1
unique values: 7 missing .: 0/41554
unique mv codes: 1 missing .*: 9052/41554

tabulation:	Freq.	Numeric	Label
	30340	0	
	1659	1	
	414	2	
	72	3	
	10	4	
	6	5	
	1	7	
	9052	.a	valid blank .a

fh4

EH26 18.4 N daughters elsewhere

type: numeric (byte)
label: missing, but 8 nonmissing values are not labeled

range: [0,7] units: 1
unique values: 8 missing .: 0/41554
unique mv codes: 1 missing .*: 9037/41554

tabulation:	Freq.	Numeric	Label
	27716	0	
	3317	1	
	1105	2	
	298	3	
	65	4	
	11	5	
	4	6	
	1	7	
	9037	.a	valid blank .a

fh5a

EH26 18.5a N sons died

type: numeric (byte)
label: missing, but 8 nonmissing values are not labeled

range: [0,7] units: 1
unique values: 8 missing .: 0/41554
unique mv codes: 1 missing .*: 9104/41554

tabulation:	Freq.	Numeric	Label
	29357	0	
	2507	1	
	446	2	
	109	3	
	22	4	
	5	5	
	2	6	
	2	7	
	9104	.a	valid blank .a

fh5b

EH26 18.5b N daughters died

type: numeric (byte)
label: missing, but 6 nonmissing values are not labeled

range: [0,5] units: 1
unique values: 6 missing .: 0/41554

unique mv codes: 1 missing .*: 9131/41554

tabulation:	Freq.	Numeric	Label
	29558	0	
	2305	1	
	430	2	
	98	3	
	28	4	
	4	5	
	9131	.a	valid blank .a

fh6 EH26 18.6 Total N children borne

type: numeric (byte)
label: missing, but 15 nonmissing values are not labeled

range: [0,15] units: 1
unique values: 15 missing .: 0/41554
unique mv codes: 1 missing .*: 8605/41554

tabulation:	Freq.	Numeric	Label
	1918	0	
	4775	1	
	9285	2	
	7584	3	
	4470	4	
	2364	5	
	1252	6	
	654	7	
	341	8	
	165	9	
	90	10	
	29	11	
	14	12	
	6	13	
	2	15	
	8605	.a	valid blank .a

fh7a EH26 18.7a N still births

type: numeric (byte)
label: missing, but 10 nonmissing values are not labeled

range: [0,99] units: 1
unique values: 10 missing .: 0/41554
unique mv codes: 1 missing .*: 9774/41554

tabulation:	Freq.	Numeric	Label
	30331	0	
	1126	1	
	231	2	
	58	3	
	13	4	
	7	5	
	11	6	
	1	7	
	1	8	
	1	99	
	9774	.a	valid blank .a

fh7b EH26 18.7b N miscarriages

type: numeric (byte)
label: missing, but 10 nonmissing values are not labeled

range: [0,10] units: 1
unique values: 10 missing .: 0/41554

unique mv codes: 1 missing .*: 9936/41554

tabulation:	Freq.	Numeric	Label
	27749	0	
	2793	1	
	746	2	
	212	3	
	80	4	
	22	5	
	9	6	
	4	7	
	2	9	
	1	10	
	9936	.a	valid blank .a

fh7c EH26 18.7c N spontaneous miscarr

type: numeric (byte)
label: missing, but 10 nonmissing values are not labeled

range: [0,10] units: 1
unique values: 10 missing .: 0/41554
unique mv codes: 1 missing .*: 10425/41554

tabulation:	Freq.	Numeric	Label
	28397	0	
	2030	1	
	488	2	
	146	3	
	40	4	
	15	5	
	7	6	
	4	7	
	1	9	
	1	10	
	10425	.a	valid blank .a

fh7d EH26 18.7d N abortions

type: numeric (byte)
label: missing, but 8 nonmissing values are not labeled

range: [0,9] units: 1
unique values: 8 missing .: 0/41554
unique mv codes: 1 missing .*: 10570/41554

tabulation:	Freq.	Numeric	Label
	30002	0	
	756	1	
	172	2	
	29	3	
	18	4	
	4	5	
	2	6	
	1	9	
	10570	.a	valid blank .a

fhchk EH26 18.chk One+ live births

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 9523/41554

tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

```

2775      0 No 0
29256     1 Yes 1
9446     .a valid blank .a
2         .b valid skip 9 .b
75       .e out of range .e

```

```
-----
fp1                                           EH28 20.1 Current pregnancy
-----
```

```

type: numeric (byte)
label: fp1f

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 4    missing .*: 9207/41554

```

```

tabulation: Freq.  Numeric  Label
30731      0 No 0
1616       1 Yes 1
9120      .a
3          .b
83        .c
1         .e

```

```
-----
fp2a                                         EH28 20.2a Contraceptive usage
-----
```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 3    missing .*: 11250/41554

```

```

tabulation: Freq.  Numeric  Label
13171      0 No 0
17133      1 Yes 1
11232      .a valid blank .a
10         .b valid skip 9 .b
8          .e out of range .e

```

```
-----
fp2b                                         EH28 20.2b Contraception Method1
-----
```

```

type: numeric (byte)
label: fp2bf, but 4 nonmissing values are not labeled

range: [1,90]         units: 1
unique values: 14      missing .: 0/41554
unique mv codes: 4     missing .*: 22937/41554

```

```

tabulation: Freq.  Numeric  Label
1503       1 Oral pill 01
858        2 Copper T/IUD 02
41         3 Diaphragm/ Jelly 03
546        4 Injectable Contraception 04
2166       5 Condom 05
11993      6 Female sterilization 06
371        7 Male sterilization 07
581        8 Periodic abstinence 08
344        9 Withdrawal 09
210       10 Other 10
1          11
1          65
1          88
1          90
20660     .a
453       .c
209       .d
1615     .o

```

fp2c EH28 20.2c Contraception Method2

type: numeric (byte)
label: fp2bf, but 4 nonmissing values are not labeled

range: [1,90] units: 1
unique values: 14 missing .: 0/41554
unique mv codes: 4 missing .*: 39991/41554

tabulation:	Freq.	Numeric	Label
	201	1	Oral pill 01
	81	2	Copper T/IUD 02
	12	3	Diaphragm/ Jelly 03
	173	4	Injectible Contraception 04
	299	5	Condom 05
	351	6	Female sterilization 06
	106	7	Male sterilization 07
	95	8	Periodic abstinence 08
	205	9	Withdrawal 09
	36	10	Other 10
	1	11	
	1	80	
	1	88	
	1	90	
	34254	.a	
	616	.c	
	193	.d	
	4928	.o	

fp3a EH28 20.3a More children desired

type: numeric (byte)
label: fp3af

range: [0,3] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 3 missing .*: 13676/41554

tabulation:	Freq.	Numeric	Label
	17498	0	No 0
	3977	1	No, sterilised (or husband) 1
	743	2	Not fertile anymore 2
	5660	3	Yes 3
	13371	.a	
	20	.b	
	285	.c	

fp3b EH28 20.3b N more desired

type: numeric (byte)
label: missing, but 13 nonmissing values are not labeled

range: [0,99] units: 1
unique values: 13 missing .: 0/41554
unique mv codes: 1 missing .*: 33022/41554

tabulation:	Freq.	Numeric	Label
	2938	0	
	3531	1	
	1734	2	
	237	3	
	66	4	
	10	5	
	2	6	
	1	7	
	2	8	

```

1      12
8      88
1      98
1      99
33022  .a valid blank .a

```

```
-----
fp3c                                     EH28 20.3c Time next childbirth
-----
```

```

type: numeric (byte)
label: fp3cf

range: [1,3]                units: 1
unique values: 3            missing .: 0/41554
unique mv codes: 5          missing .*: 35954/41554

```

```

tabulation: Freq.  Numeric  Label
1300        1  Within 2 years 1
2697        2  After 2 years 2
1603        3  Upto God/ No preference 3
33482       .a
1           .b
1           .c
1           .e
2469        .o

```

```
-----
fp4a                                     EH28 20.4a More ch desired Husb
-----
```

```

type: numeric (byte)
label: missing, but 7 nonmissing values are not labeled

range: [0,9]                units: 1
unique values: 7            missing .: 0/41554
unique mv codes: 1          missing .*: 18239/41554

```

```

tabulation: Freq.  Numeric  Label
17135       0
5607        1
4           2
17          3
2           6
469         8
81          9
18239       .a valid blank .a

```

```
-----
fp4b                                     EH28 20.4b N more desired Husb
-----
```

```

type: numeric (byte)
label: missing, but 17 nonmissing values are not labeled

range: [0,99]               units: 1
unique values: 17           missing .: 0/41554
unique mv codes: 1          missing .*: 33057/41554

```

```

tabulation: Freq.  Numeric  Label
2608        0
3577        1
1793        2
304         3
81          4
21          5
6           6
2           7
8           8
2           9
1          11
1          12
1          30

```

1	49
17	88
2	98
72	99
33057	.a valid blank .a

fp4c EH28 20.4c Time next birth Husb

type: numeric (byte)
label: missing, but 5 nonmissing values are not labeled

range: [0,4] units: 1
unique values: 5 missing .: 0/41554
unique mv codes: 3 missing .*: 32751/41554

tabulation:	Freq.	Numeric	Label
	2224	0	
	1438	1	
	3180	2	
	1960	3	
	1	4	
	32658	.a	valid blank .a
	84	.b	valid skip 9 .b
	9	.c	don't know 8 .c

fp5 EH28 20.5 N children ideally

type: numeric (byte)
label: missing, but 15 nonmissing values are not labeled

range: [0,99] units: 1
unique values: 15 missing .: 0/41554
unique mv codes: 1 missing .*: 9969/41554

tabulation:	Freq.	Numeric	Label
	571	0	
	1372	1	
	19124	2	
	6373	3	
	3194	4	
	302	5	
	204	6	
	19	7	
	19	8	
	2	9	
	4	10	
	2	12	
	375	88	
	14	98	
	10	99	
	9969	.a	valid blank .a

fp5a EH28 20.5a N sons ideally

type: numeric (byte)
label: missing, but 11 nonmissing values are not labeled

range: [0,99] units: 1
unique values: 11 missing .: 0/41554
unique mv codes: 1 missing .*: 10196/41554

tabulation:	Freq.	Numeric	Label
	569	0	
	17779	1	
	8611	2	
	909	3	
	163	4	

33	5
6	6
2	7
2	8
3283	98
1	99
10196	.a valid blank .a

fp5b EH28 20.5b N daughters ideally

type: numeric (byte)
label: missing, but 9 nonmissing values are not labeled

range:	[0,98]	units:	1
unique values:	9	missing .:	0/41554
unique mv codes:	1	missing .*:	10386/41554

tabulation:	Freq.	Numeric	Label
	1509	0	
	22795	1	
	3267	2	
	215	3	
	39	4	
	9	5	
	1	6	
	2	88	
	3331	98	
	10386	.a	valid blank .a

fpwho EH28 20 Others present

type: numeric (byte)
label: fpwhof

range:	[1,4]	units:	1
unique values:	4	missing .:	0/41554
unique mv codes:	5	missing .*:	10121/41554

tabulation:	Freq.	Numeric	Label
	16638	1	Nobody else 1
	7358	2	Adults only 2
	1996	3	Children only 3
	5441	4	Adults & children 4
	10035	.a	
	5	.b	
	2	.c	
	1	.e	
	78	.o	

lb0 EH29 21.0 Nbirths since Jan2000

type: numeric (byte)
label: missing, but 6 nonmissing values are not labeled

range:	[0,5]	units:	1
unique values:	6	missing .:	0/41554
unique mv codes:	1	missing .*:	27841/41554

tabulation:	Freq.	Numeric	Label
	1756	0	
	7660	1	
	3855	2	
	397	3	
	42	4	
	3	5	
	27841	.a	valid blank .a

 lb1a EH29 21.1a Birth ID: LB

type: numeric (byte)
 label: missing, but 13 nonmissing values are not labeled

range: [1,13] units: 1
 unique values: 13 missing .: 27/41554
 unique mv codes: 2 missing .*: 29574/41554

tabulation:	Freq.	Numeric	Label
	3213	1	
	3550	2	
	2254	3	
	1220	4	
	756	5	
	425	6	
	256	7	
	146	8	
	64	9	
	38	10	
	18	11	
	9	12	
	4	13	
	27	.	
	29574	.a	valid blank .a

 lb1b EH29 21.1b LB Survival

type: numeric (byte)
 label: lb1bf

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 29547/41554

tabulation:	Freq.	Numeric	Label
	284	0	Dead 0
	11723	1	Alive 1
	29543	.a	
	1	.c	
	3	.e	

 lb2a EH29 21.2a Birth ID: NLB

type: numeric (byte)
 label: missing, but 12 nonmissing values are not labeled

range: [1,12] units: 1
 unique values: 12 missing .: 30/41554
 unique mv codes: 2 missing .*: 37240/41554

tabulation:	Freq.	Numeric	Label
	1758	1	
	1111	2	
	570	3	
	360	4	
	201	5	
	128	6	
	85	7	
	34	8	
	24	9	
	8	10	
	2	11	
	3	12	
	30	.	
	37240	.a	valid blank .a

 lb2b EH29 21.2b NLB Survival

type: numeric (byte)
 label: lb1bf

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 36809/41554

tabulation:	Freq.	Numeric	Label
	623	0	Dead 0
	4122	1	Alive 1
	36782	.a	
	22	.b	
	5	.e	

 lb3a EH29 21.3a LB Antenatal checkup

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29689/41554

tabulation:	Freq.	Numeric	Label
	2525	0	No 0
	9340	1	Yes 1
	29686	.a	valid blank .a
	3	.e	out of range .e

 lb3b EH29 21.3b LB checkup Gov clinic

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 30565/41554

tabulation:	Freq.	Numeric	Label
	5773	0	No 0
	5216	1	Yes 1
	30565	.a	valid blank .a

 lb3c EH29 21.3c LB checkup Pvt clinic

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 30660/41554

tabulation:	Freq.	Numeric	Label
	6835	0	No 0
	4059	1	Yes 1
	30659	.a	valid blank .a
	1	.e	out of range .e

 lb3d EH29 21.3d LB checkup Gov as pvt

type: numeric (byte)

```

label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 30725/41554

tabulation: Freq.  Numeric  Label
            10332      0    No 0
              497      1    Yes 1
            30724      .a valid blank .a
              1        .e out of range .e

```

```

lb3e                                     EH29 21.3e LB  checkup Home

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 30729/41554

tabulation: Freq.  Numeric  Label
            10046      0    No 0
              779      1    Yes 1
            30728      .a valid blank .a
              1        .e out of range .e

```

```

lb3f                                     EH29 21.3f LB  checkup doctor

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 2    missing .*: 30498/41554

tabulation: Freq.  Numeric  Label
            4133      0    No 0
            6923      1    Yes 1
           30497      .a valid blank .a
              1        .e out of range .e

```

```

lb3g                                     EH29 21.3g LB  checkup Nurse/ANM

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 30588/41554

tabulation: Freq.  Numeric  Label
            6274      0    No 0
            4692      1    Yes 1
           30588      .a valid blank .a

```

```

lb3h                                     EH29 21.3h LB  checkup Midwife

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/41554
unique mv codes: 1    missing .*: 30650/41554

```

```

tabulation: Freq.  Numeric  Label
            10018      0    No 0
              886      1    Yes 1
            30650      .a valid blank .a

```

```

-----
lb3i                                     EH29 21.3i LB checkup By other
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]                units: 1
unique values: 2            missing .: 0/41554
unique mv codes: 2          missing .*: 30654/41554

```

```

tabulation: Freq.  Numeric  Label
            10673      0    No 0
              227      1    Yes 1
            30647      .a valid blank .a
               7      .e out of range .e

```

```

-----
lb4                                     EH29 21.4 LB Visit by pubhealth
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]                units: 1
unique values: 2            missing .: 0/41554
unique mv codes: 3          missing .*: 29810/41554

```

```

tabulation: Freq.  Numeric  Label
            8668      0    No 0
             3076      1    Yes 1
            29801      .a valid blank .a
               1      .c don't know 8 .c
               8      .e out of range .e

```

```

-----
lb5                                     EH29 21.5 LB checkup Months
-----

```

```

type: numeric (byte)
label: missing, but 10 nonmissing values are not labeled

range: [0,9]                units: 1
unique values: 10           missing .: 0/41554
unique mv codes: 1          missing .*: 30627/41554

```

```

tabulation: Freq.  Numeric  Label
            1504      0
             573      1
            2012      2
            3535      3
            1446      4
            1158      5
             282      6
             270      7
             101      8
              46      9
            30627      .a valid blank .a

```

```

-----
lb6                                     EH29 21.6 LB N checkups
-----

```

```

type: numeric (byte)
label: missing, but 28 nonmissing values are not labeled

range: [0,99]               units: 1
unique values: 28           missing .: 0/41554

```


unique mv codes: 1 missing .*: 30652/41554

tabulation:	Freq.	Numeric	Label
	1481	0	
	832	1	
	1859	2	
	1885	3	
	1130	4	
	935	5	
	965	6	
	539	7	
	473	8	
	409	9	
	225	10	
	8	11	
	84	12	
	7	13	
	13	14	
	18	15	
	5	16	
	8	18	
	10	20	
	2	21	
	2	22	
	3	24	
	1	25	
	2	30	
	1	31	
	1	32	
	2	88	
	2	99	
	30652	.a	valid blank .a

 lb7a EH29 21.7a LB checkup Weight

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29978/41554

tabulation:	Freq.	Numeric	Label
	4193	0	No 0
	7383	1	Yes 1
	29977	.a	valid blank .a
	1	.e	out of range .e

 lb7b EH29 21.7b LB checkup BP

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29972/41554

tabulation:	Freq.	Numeric	Label
	4647	0	No 0
	6935	1	Yes 1
	29971	.a	valid blank .a
	1	.e	out of range .e

 lb7c EH29 21.7c LB checkup Blood Test

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 29967/41554

tabulation:	Freq.	Numeric	Label
	4508	0	No 0
	7079	1	Yes 1
	29967	.a	valid blank .a

 lb7d EH29 21.7d LB checkup Urine Test

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 29971/41554

tabulation:	Freq.	Numeric	Label
	4639	0	No 0
	6944	1	Yes 1
	29971	.a	valid blank .a

 lb7e EH29 21.7e LB checkup Abdomen

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29954/41554

tabulation:	Freq.	Numeric	Label
	3890	0	No 0
	7710	1	Yes 1
	29953	.a	valid blank .a
	1	.b	valid skip 9 .b

 lb7f EH29 21.7f LB checkup Internal

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29965/41554

tabulation:	Freq.	Numeric	Label
	8608	0	No 0
	2981	1	Yes 1
	29964	.a	valid blank .a
	1	.b	valid skip 9 .b

 lb7g EH29 21.7g LB checkup Sonogram

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 30094/41554

tabulation:	Freq.	Numeric	Label
	8525	0	No 0

2935 1 Yes 1
30094 .a valid blank .a

lb7h EH29 21.7h LB checkup Amnio

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 30126/41554

tabulation:	Freq.	Numeric	Label
	10361	0	No 0
	1067	1	Yes 1
	30126	.a	valid blank .a

lb8 EH29 21.8 LB Sex determination

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 38432/41554

tabulation:	Freq.	Numeric	Label
	2624	0	No 0
	498	1	Yes 1
	38432	.a	valid blank .a

lb9a EH29 21.9a LB prob: Night blindness

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 29665/41554

tabulation:	Freq.	Numeric	Label
	11269	0	No 0
	620	1	Yes 1
	29665	.a	valid blank .a

lb9b EH29 21.9b LB prob: Blurred vision

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 29667/41554

tabulation:	Freq.	Numeric	Label
	10700	0	No 0
	1187	1	Yes 1
	29667	.a	valid blank .a

lb9c EH29 21.9c LB prob: Convulsions

type: numeric (byte)
label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29669/41554

tabulation:	Freq.	Numeric	Label
	10303	0	No 0
	1582	1	Yes 1
	29668	.a	valid blank .a
	1	.e	out of range .e

 lb9d EH29 21.9d LB prob: Fatigue

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 29669/41554

tabulation:	Freq.	Numeric	Label
	7595	0	No 0
	4290	1	Yes 1
	29669	.a	valid blank .a

 lb9e EH29 21.9e LB prob: Anaemia

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 29675/41554

tabulation:	Freq.	Numeric	Label
	9719	0	No 0
	2160	1	Yes 1
	29675	.a	valid blank .a

 lb9f EH29 21.9f LB prob: Bleeding

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 29700/41554

tabulation:	Freq.	Numeric	Label
	11509	0	No 0
	345	1	Yes 1
	29697	.a	valid blank .a
	3	.e	out of range .e

 lb10 EH29 21.10 LB Iron tablets

type: numeric (byte)
 label: lb10f

range: [0,2] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 4 missing .*: 30059/41554

tabulation:	Freq.	Numeric	Label
	3739	0	None 0

3543	1	< 3 months 1
4213	2	> 3 months 2
29657	.a	
3	.b	
377	.c	DK 8
22	.e	

 lb12 EH30 21.12 LB N TT injections

type: numeric (byte)
 label: missing, but 6 nonmissing values are not labeled

range:	[0,5]	units:	1
unique values:	6	missing .:	0/41554
unique mv codes:	3	missing .*:	29402/41554

tabulation:	Freq.	Numeric	Label
	1908	0	
	1075	1	
	6161	2	
	3005	3	
	2	4	
	1	5	
	29391	.a	valid blank .a
	5	.b	valid skip 9 .b
	6	.c	don't know 8 .c

 lb13 EH30 21.13 LB Pre-delivery home

type: numeric (byte)
 label: lb13f

range:	[1,3]	units:	1
unique values:	3	missing .:	0/41554
unique mv codes:	4	missing .*:	29583/41554

tabulation:	Freq.	Numeric	Label
	8978	1	current home 1
	2494	2	Natal home 2
	499	3	Other 3
	29545	.a	
	1	.b	
	1	.c	
	36	.o	

 lb14 EH30 21.14 LB Place of delivery

type: numeric (byte)
 label: lb14f

range:	[1,4]	units:	1
unique values:	4	missing .:	0/41554
unique mv codes:	4	missing .*:	29581/41554

tabulation:	Freq.	Numeric	Label
	2952	1	Govt clinic 1
	2659	2	Pvt nursing home 2
	6290	3	Home 3
	72	4	Other 4
	29547	.a	
	1	.b	
	1	.c	
	32	.o	

 lb15a EH30 21.15a LB delivery: doctor

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 29617/41554

      tabulation: Freq.  Numeric  Label
                   6634      0     No 0
                   5303      1     Yes 1
                   29616     .a  valid blank .a
                   1         .b  valid skip 9 .b

```

```

-----
lb15b                                     EH30 21.15b LB delivery: Nurse
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 29641/41554

      tabulation: Freq.  Numeric  Label
                   7097      0     No 0
                   4816      1     Yes 1
                   29640     .a  valid blank .a
                   1         .b  valid skip 9 .b

```

```

-----
lb15c                                     EH30 21.15c LB delivery: Midwife
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 29682/41554

      tabulation: Freq.  Numeric  Label
                   6934      0     No 0
                   4938      1     Yes 1
                   29681     .a  valid blank .a
                   1         .b  valid skip 9 .b

```

```

-----
lb15d                                     EH30 21.15d LB delivery: Friend
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 29701/41554

      tabulation: Freq.  Numeric  Label
                   8427      0     No 0
                   3426      1     Yes 1
                   29700     .a  valid blank .a
                   1         .b  valid skip 9 .b

```

```

-----
lb15e                                     EH30 21.15e LB delivery: Other
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1

```

```
unique values: 2          missing .: 0/41554
unique mv codes: 3       missing .*: 29741/41554
```

```

tabulation:  Freq.    Numeric  Label
              10386         0    No 0
              1427         1    Yes 1
              29739         .a valid blank .a
              1         .b valid skip 9 .b
              1         .e out of range .e

```

lb16	EH30 21.16 LB Size of child
------	-----------------------------

```
type: numeric (byte)
label: lb16f
```

```

      range: [1,4]          units: 1
unique values: 4          missing .: 0/41554
unique mv codes: 3        missing .*: 29640/41554

```

tabulation:	Freq.	Numeric	Label
	1629	1	Large 1
	8082	2	Average 2
	1885	3	Small 3
	318	4	Very small 4
	29600	.a	
	1	.b	
	39	.o	

1b17 EH30 21.17 LB Type of Delivery

```
type: numeric (byte)
label: lb17f
```

```

      range: [1,3]          units: 1
unique values: 3          missing .: 0/41554
unique mv codes: 4        missing .*: 29621/41554

```

tabulation:	Freq.	Numeric	Label
	10609	1	A normal delivery 1
	463	2	Forceps 2
	861	3	Cesarean 3
	29566	.a	
	1	.b	
	3	.c	
	51	.o	

1b18 EH30 21.18 LB Post-natal checkup

```
type: numeric (byte)
label: lb18f
```

```

      range: [0,3]          units: 1
unique values: 4           missing.: 0/41554
unique mv codes: 4        missing.*: 29626/41554

```

tabulation:	Freq.	Numeric	Label
	7933	0	No checkup 0
	659	1	Only mother 1
	1354	2	only baby 2
	1982	3	both 3
	29621	.a	
	2	.b	
	2	.c	
	1	.e	

1b18a	EH30 21.18a LB when post-checkup
-------	----------------------------------

```

-----
type: numeric (byte)
label: missing, but 57 nonmissing values are not labeled

range: [0,99] units: 1
unique values: 57 missing .: 0/41554
unique mv codes: 1 missing .*: 33925/41554

examples: .a valid blank .a
           .a valid blank .a
           .a valid blank .a
           .a valid blank .a

```

```

-----
lb19a EH30 21.19a LB Vaginal bleeding
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 29846/41554

tabulation: Freq. Numeric Label
            10867      0 No 0
              841      1 Yes 1
            29845      .a valid blank .a
               1      .b valid skip 9 .b

```

```

-----
lb19b EH30 21.19b LB Very high fever
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 29893/41554

tabulation: Freq. Numeric Label
            10452      0 No 0
             1209      1 Yes 1
            29892      .a valid blank .a
               1      .b valid skip 9 .b

```

```

-----
lb20 EH31 21.20 LB Immunization card
-----

```

```

type: numeric (byte)
label: lb20f

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 4 missing .*: 29738/41554

tabulation: Freq. Numeric Label
            5575      0 No 0
             3234      1 not seen 1
             3007      2 seen 2
            29733      .a
               2      .b
               1      .c
               2      .e

```

```

-----
lb21a EH31 21.21a LB Immun BCG date
-----

```

```

type: string (str6)

```


unique values: 1239 missing "": 0/41554

examples: ".a"
 ".a"
 ".a"
 ".a"

warning: variable has leading and embedded blanks

lb21b EH31 21.21b LB Immun Polio0 date

type: string (str6)

unique values: 812 missing "": 0/41554

examples: ".a"
 ".a"
 ".a"
 ".a"

lb21c EH31 21.21c LB Immun DPT1 date

type: string (str6)

unique values: 1207 missing "": 0/41554

examples: ".a"
 ".a"
 ".a"
 ".a"

warning: variable has leading and embedded blanks

lb21d EH31 21.21d LB Immun DPT2 date

type: string (str6)

unique values: 1175 missing "": 0/41554

examples: ".a"
 ".a"
 ".a"
 ".a"

warning: variable has leading blanks

lb21e EH31 21.21e LB Immun DPT3 date

type: string (str6)

unique values: 1109 missing "": 0/41554

examples: ".a"
 ".a"
 ".a"
 ".a"

warning: variable has leading blanks

lb21f EH31 21.21f LB Immun Polio1 date

type: string (str6)

unique values: 1157 missing "": 0/41554

examples: ".a"
 ".a"
 ".a"
 ".a"

warning: variable has leading and embedded blanks

lb21g EH31 21.21g LB Immun Polio2 date

type: string (str6)

unique values: 1129 missing "": 0/41554

examples: ".a"
 ".a"
 ".a"
 ".a"

warning: variable has leading blanks

lb21h EH31 21.21h LB Immun Polio3 date

type: string (str6)

unique values: 1066 missing "": 0/41554

examples: ".a"
 ".a"
 ".a"
 ".a"

warning: variable has leading blanks

lb21i EH31 21.21i LB Immun Measls date

type: string (str6)

unique values: 924 missing "": 0/41554

examples: ".a"
 ".a"
 ".a"
 ".a"

warning: variable has leading blanks

lb22 EH31 21.22 LB Vacc not recorded

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 35331/41554

tabulation:	Freq.	Numeric	Label
	4384	0	No 0
	1839	1	Yes 1
	35304	.a	valid blank .a
	25	.b	valid skip 9 .b
	2	.e	out of range .e

 lb23 EH31 21.23 LB Vacc No card

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 32419/41554

tabulation:	Freq.	Numeric	Label
	1462	0	No 0
	7673	1	Yes 1
	32409	.a	valid blank .a
	8	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e

 lb24 EH31 21.24 LB BCG given

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 32737/41554

tabulation:	Freq.	Numeric	Label
	1741	0	No 0
	7076	1	Yes 1
	32723	.a	valid blank .a
	6	.b	valid skip 9 .b
	5	.c	don't know 8 .c
	3	.e	out of range .e

 lb25 EH31 21.25 LB # DPT given

type: numeric (byte)
 label: missing, but 10 nonmissing values are not labeled

range: [0,9] units: 1
 unique values: 10 missing .: 0/41554
 unique mv codes: 1 missing .*: 32827/41554

tabulation:	Freq.	Numeric	Label
	1902	0	
	1131	1	
	1169	2	
	4255	3	
	130	4	
	64	5	
	37	6	
	5	7	
	26	8	
	8	9	
	32827	.a	valid blank .a

 lb26a EH31 21.26a LB Polio frequency

type: numeric (byte)
 label: missing, but 39 nonmissing values are not labeled

range: [0,99] units: 1
 unique values: 39 missing .: 0/41554
 unique mv codes: 1 missing .*: 32792/41554

examples: 9
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 lb26b EH31 21.26b LB First polio time

type: numeric (byte)
 label: lb26bf

range: [1,2] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 5 missing .*: 33631/41554

tabulation:	Freq.	Numeric	Label
	3201	1	Within a week of birth 1
	4722	2	Later 2
	32887	.a	
	10	.b	
	10	.c	
	6	.e	
	718	.o	

 lb27 EH31 21.27 LB Measles vaccine

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 32738/41554

tabulation:	Freq.	Numeric	Label
	3550	0	No 0
	5266	1	Yes 1
	32687	.a	valid blank .a
	15	.b	valid skip 9 .b
	35	.c	don't know 8 .c
	1	.e	out of range .e

 lb28 EH31 21.28 LB Vaccine Centre

type: numeric (byte)
 label: lb28f

range: [1,5] units: 1
 unique values: 5 missing .: 0/41554
 unique mv codes: 4 missing .*: 31174/41554

tabulation:	Freq.	Numeric	Label
	6376	1	Public clinic 1
	1783	2	Vaccination camp 2
	960	3	Pvt clinic 3
	1133	4	Nurse at home 4
	128	5	Govt in pvt 5
	30633	.a	
	78	.b	
	10	.c	
	453	.o	

 lb29 EH31 21.29 LB mos. Vitamin A

type: numeric (byte)
 label: lb29f, but 55 nonmissing values are not labeled

range: [0,69] units: 1
 unique values: 55 missing .: 0/41554
 unique mv codes: 2 missing .*: 37839/41554

examples: .a
 .a
 .a
 .a

 lb30 EH32 21.30 LB Breastfeeding

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 29499/41554

tabulation:	Freq.	Numeric	Label
	321	0	No 0
	11734	1	Yes 1
	29497	.a	valid blank .a
	1	.b	valid skip 9 .b
	1	.e	out of range .e

 lb31 EH32 21.31 LB 1st breastfeeding

type: numeric (byte)
 label: lb31f, but 63 nonmissing values are not labeled

range: [0,96] units: 1
 unique values: 64 missing .: 0/41554
 unique mv codes: 2 missing .*: 29931/41554

examples: 24
 .a
 .a
 .a

 lb32 EH32 21.32 LB Squeeze milk

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 29864/41554

tabulation:	Freq.	Numeric	Label
	5880	0	No 0
	5810	1	Yes 1
	29855	.a	valid blank .a
	4	.b	valid skip 9 .b
	4	.c	don't know 8 .c
	1	.e	out of range .e

 lb33 EH32 21.33 LB Breastfeeding dur

type: numeric (byte)
 label: lb33f, but 48 nonmissing values are not labeled

range: [0,66] units: 1
 unique values: 48 missing .: 0/41554
 unique mv codes: 2 missing .*: 36178/41554

examples: .a
.a
.a
.a

lb34a EH32 21.34a LB Age at diet supp

type: numeric (byte)
label: lb34f, but 40 nonmissing values are not labeled

range: [0,66] units: 1
unique values: 40 missing .: 0/41554
unique mv codes: 2 missing .*: 32218/41554

examples: 12
.a
.a
.a

lb34b EH32 21.34b LB Age at Solid food

type: numeric (byte)
label: lb34f, but 40 nonmissing values are not labeled

range: [0,66] units: 1
unique values: 40 missing .: 0/41554
unique mv codes: 2 missing .*: 32002/41554

examples: 12
.a
.a
.a

lb35 EH32 21.35 LB AWC beneficiary

type: numeric (byte)
label: lb35f

range: [0,3] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 3 missing .*: 30512/41554

tabulation:	Freq.	Numeric	Label
	8781	0	No 0
	904	1	While pregnant 1
	623	2	While lactating 2
	734	3	While preg & lact 3
	29815	.a	
	3	.b	
	694	.e	

lb36a EH32 21.36a LB AWC:Immunization

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 4 missing .*: 30630/41554

tabulation:	Freq.	Numeric	Label
	8057	0	No 0
	2867	1	Yes 1
	30612	.a	valid blank .a
	16	.b	valid skip 9 .b

1 .c don't know 8 .c
1 .e out of range .e

lb36a1 EH32 21.36a LB AWC:Immun freq

type: numeric (byte)
label: lb36f

range: [0,6] units: 1
unique values: 7 missing .: 0/41554
unique mv codes: 2 missing .*: 34968/41554

tabulation:	Freq.	Numeric	Label
	3707	0	Never 0
	117	1	Daily 1
	351	2	<= 1/week 2
	121	3	<= 1/fortnight 3
	1836	4	<= 1/month 4
	353	5	<= 1/quarter 5
	101	6	<= 1/year 6
	34954	.a	
	14	.b	

lb36b EH32 21.36b LB AWC:Health check

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 30723/41554

tabulation:	Freq.	Numeric	Label
	8687	0	No 0
	2144	1	Yes 1
	30707	.a	valid blank .a
	15	.b	valid skip 9 .b
	1	.c	don't know 8 .c

lb36b1 EH32 21.36b LB AWC:Checkup freq

type: numeric (byte)
label: lb36f

range: [0,6] units: 1
unique values: 7 missing .: 0/41554
unique mv codes: 2 missing .*: 35464/41554

tabulation:	Freq.	Numeric	Label
	3912	0	Never 0
	63	1	Daily 1
	162	2	<= 1/week 2
	180	3	<= 1/fortnight 3
	1476	4	<= 1/month 4
	229	5	<= 1/quarter 5
	68	6	<= 1/year 6
	35449	.a	
	15	.b	

lb36c EH32 21.36c LB AWC:Food

type: numeric (byte)
label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 30746/41554

tabulation:	Freq.	Numeric	Label
	8454	0	No 0
	2354	1	Yes 1
	30723	.a	valid blank .a
	20	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	2	.e	out of range .e

 lb36c1 EH32 21.36c LB AWC:Food freq

type: numeric (byte)
 label: lb36f

range: [0,6] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 3 missing .*: 35257/41554

tabulation:	Freq.	Numeric	Label
	3933	0	Never 0
	1178	1	Daily 1
	338	2	<= 1/week 2
	67	3	<= 1/fortnight 3
	584	4	<= 1/month 4
	72	5	<= 1/quarter 5
	125	6	<= 1/year 6
	35237	.a	
	19	.b	
	1	.c	

 lb36d EH32 21.36d LB AWC:Grow monitor

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 4 missing .*: 30760/41554

tabulation:	Freq.	Numeric	Label
	8452	0	No 0
	2342	1	Yes 1
	30740	.a	valid blank .a
	17	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	2	.e	out of range .e

 lb36d1 EH32 21.36d LB AWC:Growth freq

type: numeric (byte)
 label: lb36f

range: [0,6] units: 1
 unique values: 7 missing .: 0/41554
 unique mv codes: 2 missing .*: 35252/41554

tabulation:	Freq.	Numeric	Label
	3937	0	Never 0
	90	1	Daily 1
	173	2	<= 1/week 2
	162	3	<= 1/fortnight 3
	1561	4	<= 1/month 4
	299	5	<= 1/quarter 5
	80	6	<= 1/year 6
	35235	.a	

17 .b

lb36e EH32 21.36e LB AWC:Educ
-----type: numeric (byte)
label: yesnorange: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 4 missing .*: 30800/41554

tabulation:	Freq.	Numeric	Label
	9761	0	No 0
	993	1	Yes 1
	30775	.a	valid blank .a
	23	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e

lb36e1 EH32 21.36e LB AWC:Educ freq
-----type: numeric (byte)
label: lb36frange: [0,6] units: 1
unique values: 7 missing .: 0/41554
unique mv codes: 2 missing .*: 35749/41554

tabulation:	Freq.	Numeric	Label
	4771	0	Never 0
	728	1	Daily 1
	68	2	<= 1/week 2
	20	3	<= 1/fortnight 3
	113	4	<= 1/month 4
	22	5	<= 1/quarter 5
	83	6	<= 1/year 6
	35727	.a	
	22	.b	

nl1a EH33 22.1a NLB Birth ID
-----type: numeric (byte)
label: missing, but 12 nonmissing values are not labeledrange: [1,12] units: 1
unique values: 12 missing .: 25/41554
unique mv codes: 2 missing .*: 37265/41554

tabulation:	Freq.	Numeric	Label
	1751	1	
	1106	2	
	565	3	
	356	4	
	202	5	
	128	6	
	85	7	
	34	8	
	24	9	
	8	10	
	2	11	
	3	12	
	25	.	
	37265	.a	valid blank .a

nl1b EH33 22.1b NLB Survival

```

      type: numeric (byte)
      label: lb1bf

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 37264/41554

      tabulation: Freq.  Numeric  Label
                  245      0      Dead 0
                  4045     1      Alive 1
                  37261    .a
                  3        .e

```

```

-----
nl2a                                EH33 22.2a NLB Antenatal  checkup
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 3          missing .*: 37322/41554

      tabulation: Freq.  Numeric  Label
                  1298     0      No 0
                  2934     1      Yes 1
                  37317    .a      valid blank .a
                   2      .b      valid skip 9 .b
                   3      .e      out of range .e

```

```

-----
nl2b                                EH33 22.2b NLB  checkup Govt
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 37903/41554

      tabulation: Freq.  Numeric  Label
                  1897     0      No 0
                  1754     1      Yes 1
                  37903    .a      valid blank .a

```

```

-----
nl2c                                EH33 22.2c NLB  checkup Priv
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 37934/41554

      tabulation: Freq.  Numeric  Label
                  2521     0      No 0
                  1099     1      Yes 1
                  37934    .a      valid blank .a

```

```

-----
nl2d                                EH33 22.2d NLB  checkup Home
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554

```

```

unique mv codes: 1                                missing .*: 38471/41554

      tabulation: Freq.   Numeric   Label
                  2940         0   No 0
                  143         1   Yes 1
                  38471       .a   valid blank .a
-----
nl2e                                EH33 22.2e NLB  checkup Other
-----

      type: numeric (byte)
      label: yesno

      range: [0,1]                                units: 1
      unique values: 2                            missing .: 0/41554
      unique mv codes: 2                          missing .*: 38472/41554

      tabulation: Freq.   Numeric   Label
                  2826         0   No 0
                  256         1   Yes 1
                  38470       .a   valid blank .a
                   2         .e   out of range .e
-----
nl2f                                EH33 22.2f NLB  checkup doctor
-----

      type: numeric (byte)
      label: yesno

      range: [0,1]                                units: 1
      unique values: 2                            missing .: 0/41554
      unique mv codes: 1                          missing .*: 38184/41554

      tabulation: Freq.   Numeric   Label
                  1404         0   No 0
                  1966         1   Yes 1
                  38184       .a   valid blank .a
-----
nl2g                                EH33 22.2g NLB  checkup Nurse
-----

      type: numeric (byte)
      label: yesno

      range: [0,1]                                units: 1
      unique values: 2                            missing .: 0/41554
      unique mv codes: 1                          missing .*: 38271/41554

      tabulation: Freq.   Numeric   Label
                  1756         0   No 0
                  1527         1   Yes 1
                  38271       .a   valid blank .a
-----
nl2h                                EH33 22.2h NLB  checkup Midwife
-----

      type: numeric (byte)
      label: yesno

      range: [0,1]                                units: 1
      unique values: 2                            missing .: 0/41554
      unique mv codes: 1                          missing .*: 38436/41554

      tabulation: Freq.   Numeric   Label
                  2768         0   No 0
                   350         1   Yes 1
                  38436       .a   valid blank .a
-----

```

nl2i ----- EH33 22.2i NLB checkup See Other -----

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 1          missing .*: 38455/41554

      tabulation: Freq.  Numeric  Label
                  3025      0    No 0
                  74       1    Yes 1
                  38455     .a  valid blank .a

```

nl3 ----- EH33 22.3 NLB Health worker -----

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 37497/41554

      tabulation: Freq.  Numeric  Label
                  3085      0    No 0
                  972       1    Yes 1
                  37494     .a  valid blank .a
                  3         .e  out of range .e

```

nl4 ----- EH33 22.4 NLB checkup Months -----

```

      type: numeric (byte)
      label: missing, but 10 nonmissing values are not labeled

      range: [0,9]                units: 1
      unique values: 10            missing .: 0/41554
      unique mv codes: 1          missing .*: 37907/41554

      tabulation: Freq.  Numeric  Label
                  695      0
                  138      1
                  558      2
                  1113     3
                  530      4
                  415      5
                  119      6
                  49       7
                  26       8
                  4        9
                  37907     .a  valid blank .a

```

nl5 ----- EH33 22.5 NLB N checkups -----

```

      type: numeric (byte)
      label: missing, but 24 nonmissing values are not labeled

      range: [0,99]              units: 1
      unique values: 24            missing .: 0/41554
      unique mv codes: 1          missing .*: 37856/41554

      tabulation: Freq.  Numeric  Label
                  741      0
                  289      1
                  630      2
                  641      3
                  375      4

```

326	5
265	6
128	7
105	8
110	9
49	10
4	11
13	12
4	13
4	14
2	15
4	16
1	18
1	19
2	20
1	30
1	31
1	60
1	99
37856	.a valid blank .a

nl6a EH33 22.6a NLB checkup Weight

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 37563/41554

tabulation:	Freq.	Numeric	Label
	1726	0	No 0
	2265	1	Yes 1
	37563	.a	valid blank .a

nl6b EH33 22.6b NLB checkup BP

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 37571/41554

tabulation:	Freq.	Numeric	Label
	1940	0	No 0
	2043	1	Yes 1
	37571	.a	valid blank .a

nl6c EH33 22.6c NLB checkup Blood

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 1 missing .*: 37568/41554

tabulation:	Freq.	Numeric	Label
	1853	0	No 0
	2133	1	Yes 1
	37568	.a	valid blank .a

nl6d EH33 22.6d NLB checkup Urine

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 1    missing .*: 37567/41554

      tabulation: Freq.   Numeric   Label
                  1922      0   No 0
                  2065      1   Yes 1
                  37567     .a valid blank .a

```

```

nl6e                                     EH33 22.6e NLB  checkup Abdomen

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 1    missing .*: 37571/41554

      tabulation: Freq.   Numeric   Label
                  1755      0   No 0
                  2228      1   Yes 1
                  37571     .a valid blank .a

```

```

nl6f                                     EH33 22.6f NLB  checkup Internal

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 1    missing .*: 37573/41554

      tabulation: Freq.   Numeric   Label
                  2802      0   No 0
                  1179      1   Yes 1
                  37573     .a valid blank .a

```

```

nl6g                                     EH33 22.6g NLB  checkup Sonogram

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 1    missing .*: 37570/41554

      tabulation: Freq.   Numeric   Label
                  3289      0   No 0
                  695       1   Yes 1
                  37570     .a valid blank .a

```

```

nl6h                                     EH33 22.6h NLB  checkup Amnio

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 2    missing .*: 37621/41554

      tabulation: Freq.   Numeric   Label
                  3704      0   No 0

```

```

229      1 Yes 1
37619    .a valid blank .a
      2    .c don't know 8 .c

```

nl7 EH33 22.7 NLB Sex determine

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                      units: 1
      unique values: 2                  missing : 0/41554
      unique mv codes: 2                missing .*: 40748/41554

```

```

tabulation:  Freq.    Numeric  Label
              693         0    No 0
              113         1    Yes 1
            40735         .a valid blank .a
               13         .b valid skip 9 .b

```

nl8a EH33 22.8a NLB prob Night blind

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 1    missing .*: 37409/41554

```

```

tabulation:  Freq.    Numeric  Label
              3901         0    No 0
              244         1    Yes 1
              37409        .a valid blank .a

```

nl8b EH33 22.8b NLB probab Blurred

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
unique values: 2           missing .: 0/41554
unique mv codes: 2        missing .*: 37410/41554

```

```

tabulation:  Freq.    Numeric  Label
              3736         0    No 0
              408         1    Yes 1
              37409        .a valid blank .a
              1         .b valid skip 9 .b

```

nl8c EH33 22.8c NLB prob Convulsions

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                                units: 1
      unique values: 2                            missing.: 0/41554
      unique mv codes: 1                         missing.*: 37407/41554

```

```

tabulation:  Freq.   Numeric  Label
              3688         0    No 0
              459         1   Yes 1
              37407        .a valid blank .a

```

nl8d EH33 22.8d NLB prob Fatigue

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 37407/41554

      tabulation: Freq.  Numeric  Label
                  2721      0      No 0
                  1426      1      Yes 1
                  37406     .a      valid blank .a
                  1         .c      don't know 8 .c

```

```

-----
nl8e                                     EH33 22.8e NLB prob Anaemia
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 37406/41554

      tabulation: Freq.  Numeric  Label
                  3421      0      No 0
                  727       1      Yes 1
                  37405     .a      valid blank .a
                  1         .b      valid skip 9 .b

```

```

-----
nl8f                                     EH33 22.8f NLB prob Bleeding
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 0/41554
      unique mv codes: 2          missing .*: 37411/41554

      tabulation: Freq.  Numeric  Label
                  4030      0      No 0
                  113       1      Yes 1
                  37410     .a      valid blank .a
                  1         .e      out of range .e

```

```

-----
nl9                                      EH33 22.9 NLB Iron tablets
-----

```

```

      type: numeric (byte)
      label: lb10f

      range: [0,2]                units: 1
      unique values: 3            missing .: 0/41554
      unique mv codes: 3          missing .*: 37564/41554

      tabulation: Freq.  Numeric  Label
                  1483      0      None 0
                  1124      1      < 3 months 1
                  1383      2      > 3 months 2
                  37399     .a
                  161       .c      DK 8
                  4         .e

```

```

-----
nl12                                    EH34 22.12 NLB N TT injections
-----

```

```

      type: numeric (byte)
      label: missing, but 6 nonmissing values are not labeled

```


range: [0,7] units: 1
 unique values: 6 missing .: 0/41554
 unique mv codes: 3 missing .*: 37160/41554

tabulation:	Freq.	Numeric	Label
	1022	0	
	363	1	
	2059	2	
	938	3	
	11	5	
	1	7	
	37149	.a	valid blank .a
	8	.b	valid skip 9 .b
	3	.c	don't know 8 .c

 nl13 EH34 22.13 NLB Pre-delivery home

type: numeric (byte)
 label: nl13f, but label does not exist

range: [1,3] units: 1
 unique values: 3 missing .: 0/41554
 unique mv codes: 3 missing .*: 37377/41554

tabulation:	Freq.	Value
	3129	1
	909	2
	139	3
	37362	.a
	1	.c
	14	.o

 nl14 EH34 22.14 NLB Place of delivery

type: numeric (byte)
 label: nl14f, but label does not exist

range: [1,4] units: 1
 unique values: 4 missing .: 0/41554
 unique mv codes: 3 missing .*: 37381/41554

tabulation:	Freq.	Value
	922	1
	685	2
	2537	3
	29	4
	37366	.a
	1	.c
	14	.o

 nl15a EH34 22.15a NLB delivery doctor

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 1 missing .*: 37372/41554

tabulation:	Freq.	Numeric	Label
	2638	0	No 0
	1544	1	Yes 1
	37372	.a	valid blank .a

 nl15b EH34 22.15b NLB delivery Nurse

```

-----
                type: numeric (byte)
                label: yesno

                range: [0,1]                      units: 1
                unique values: 2                  missing .: 0/41554
                unique mv codes: 1                missing .*: 37382/41554

                tabulation: Freq.  Numeric  Label
                           2753      0    No 0
                           1419      1    Yes 1
                           37382     .a valid blank .a
-----

```

```

-----
nl15c                                     EH34 22.15c NLB delivery Midwife
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                      units: 1
                unique values: 2                  missing .: 0/41554
                unique mv codes: 1                missing .*: 37392/41554

                tabulation: Freq.  Numeric  Label
                           2212      0    No 0
                           1950      1    Yes 1
                           37392     .a valid blank .a
-----

```

```

-----
nl15d                                     EH34 22.15d NLB delivery Friend
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                      units: 1
                unique values: 2                  missing .: 0/41554
                unique mv codes: 1                missing .*: 37398/41554

                tabulation: Freq.  Numeric  Label
                           2838      0    No 0
                           1318      1    Yes 1
                           37398     .a valid blank .a
-----

```

```

-----
nl15e                                     EH34 22.15e NLB delivery Other
-----

```

```

                type: numeric (byte)
                label: yesno

                range: [0,1]                      units: 1
                unique values: 2                  missing .: 0/41554
                unique mv codes: 2                missing .*: 37412/41554

                tabulation: Freq.  Numeric  Label
                           3672      0    No 0
                           470       1    Yes 1
                           37411     .a valid blank .a
                           1         .e out of range .e
-----

```

```

-----
nl16                                     EH34 22.16 NLB Size of child
-----

```

```

                type: numeric (byte)
                label: nl16f, but label does not exist

                range: [1,4]                      units: 1
                unique values: 4                  missing .: 0/41554
                unique mv codes: 3                missing .*: 37395/41554
-----

```

```

tabulation: Freq. Value
              552  1
              2841  2
              663  3
              103  4
            37369  .a
               1  .c
              25  .o

```

```

-----
nl17                                     EH34 22.17 NLB Type of Delivery
-----

```

```

type: numeric (byte)
label: nl17f, but label does not exist

```

```

range: [1,3]           units: 1
unique values: 3       missing .: 0/41554
unique mv codes: 3     missing .*: 37394/41554

```

```

tabulation: Freq. Value
              3850  1
              127  2
              183  3
            37369  .a
               1  .c
              24  .o

```

```

-----
nl18                                     EH34 22.18 NLB Post checkup
-----

```

```

type: numeric (byte)
label: nl18f, but label does not exist

```

```

range: [0,3]           units: 1
unique values: 4       missing .: 0/41554
unique mv codes: 2     missing .*: 37401/41554

```

```

tabulation: Freq. Value
              3033  0
              186  1
              379  2
              555  3
            37400  .a
               1  .b

```

```

-----
nl18a                                    EH34 22.18a NLB post-check Days
-----

```

```

type: numeric (byte)
label: missing, but 45 nonmissing values are not labeled

```

```

range: [0,99]          units: 1
unique values: 45       missing .: 0/41554
unique mv codes: 1     missing .*: 39077/41554

```

```

examples: .a valid blank .a
          .a valid blank .a
          .a valid blank .a
          .a valid blank .a

```

```

-----
nl19a                                    EH34 22.19a NLB post bleeding
-----

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]           units: 1
unique values: 2       missing .: 0/41554

```

```

unique mv codes: 1                                missing .*: 37477/41554

      tabulation: Freq.   Numeric   Label
                   3820         0   No 0
                   257         1   Yes 1
                   37477       .a   valid blank .a
-----
nl19b                                EH34 22.19b NLB post high fever
-----

      type: numeric (byte)
      label: yesno

      range: [0,1]                                units: 1
      unique values: 2                            missing .: 0/41554
      unique mv codes: 1                          missing .*: 37497/41554

      tabulation: Freq.   Numeric   Label
                   3634         0   No 0
                   423         1   Yes 1
                   37497       .a   valid blank .a
-----
nl20                                EH35 22.20 NLB Immunization card
-----

      type: numeric (byte)
      label: lb20f

      range: [0,2]                                units: 1
      unique values: 3                            missing .: 0/41554
      unique mv codes: 4                          missing .*: 37261/41554

      tabulation: Freq.   Numeric   Label
                   2469         0   No 0
                   1130         1   not seen 1
                   694         2   seen 2
                   37253       .a
                   6           .b
                   1           .c
                   1           .e
-----
nl21a                                EH35 22.21a NLB Immun BCG
-----

      type: string (str6)

      unique values: 508                          missing "": 0/41554

      examples: ".a"
                 ".a"
                 ".a"
                 ".a"

      warning: variable has leading blanks
-----
nl21b                                EH35 22.21b NLB Immun Polio 0
-----

      type: string (str6)

      unique values: 236                          missing "": 0/41554

      examples: ".a"
                 ".a"
                 ".a"
                 ".a"

      warning: variable has leading blanks

```

nl21c EH35 22.21c NLB Immun DPT1

type: string (str6)

unique values: 508 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

nl21d EH35 22.21d NLB Immun DPT2

type: string (str6)

unique values: 505 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

nl21e EH35 22.21e NLB Immun DPT3

type: string (str6)

unique values: 484 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

nl21f EH35 22.21f NLB Immun Polio 1

type: string (str6)

unique values: 490 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

nl21g EH35 22.21g NLB Immun Polio 2

type: string (str6)

unique values: 488 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

nl21h EH35 22.21h NLB Immun Polio 3

type: string (str6)

unique values: 472 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

nl21i EH35 22.21i NLB Immun Measles

type: string (str6)

unique values: 441 missing "": 0/41554

examples: ".a"
".a"
".a"
".a"

warning: variable has leading blanks

nl22 EH35 22.22 NLB Vacc not rec

type: numeric (byte)

label: yesno

range: [0,1]

units: 1

unique values: 2 missing .: 0/41554
unique mv codes: 4 missing .*: 39566/41554

tabulation:	Freq.	Numeric	Label
	1379	0	No 0
	609	1	Yes 1
	39552	.a	valid blank .a
	12	.b	valid skip 9 .b
	1	.c	don't know 8 .c
	1	.e	out of range .e

nl23 EH35 22.23 NLB Vacc No card

type: numeric (byte)

label: yesno

range: [0,1]

units: 1

unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 38056/41554

tabulation:	Freq.	Numeric	Label
	599	0	No 0
	2899	1	Yes 1
	38055	.a	valid blank .a
	1	.b	valid skip 9 .b

nl24 EH35 22.24 NLB BCG given

type: numeric (byte)

label: yesno

range: [0,1]

units: 1

unique values: 2 missing .: 0/41554

unique mv codes: 3 missing .*: 38196/41554

tabulation:	Freq.	Numeric	Label
	723	0	No 0
	2635	1	Yes 1
	38192	.a	valid blank .a
	1	.b	valid skip 9 .b
	3	.e	out of range .e

nl25 EH35 22.25 NLB # DPT

type: numeric (byte)
label: missing, but 8 nonmissing values are not labeled

range: [0,7] units: 1
unique values: 8 missing .: 0/41554
unique mv codes: 3 missing .*: 38245/41554

tabulation:	Freq.	Numeric	Label
	744	0	
	305	1	
	400	2	
	1747	3	
	56	4	
	35	5	
	21	6	
	1	7	
	38233	.a	valid blank .a
	5	.b	valid skip 9 .b
	7	.c	don't know 8 .c

nl26a EH35 22.26a NLB # Polio

type: numeric (byte)
label: missing, but 32 nonmissing values are not labeled

range: [0,62] units: 1
unique values: 32 missing .: 0/41554
unique mv codes: 1 missing .*: 38232/41554

tabulation:	Freq.	Numeric	Label
	189	0	
	250	1	
	272	2	
	1036	3	
	229	4	
	237	5	
	255	6	
	74	7	
	218	8	
	203	9	
	183	10	
	10	11	
	66	12	
	7	13	
	6	14	
	47	15	
	2	16	
	4	18	
	3	20	
	1	22	
	4	24	
	1	25	
	1	29	
	5	31	
	6	32	
	2	36	
	3	41	
	2	48	

```

3      51
1      52
1      61
1      62
38232  .a valid blank .a

```

```
-----
nl26b                                     EH35 22.26b NLB First polio
-----
```

```

type: numeric (byte)
label: lb26bf, but 1 nonmissing value is not labeled

range: [0,2]                units: 1
unique values: 3            missing .: 0/41554
unique mv codes: 3          missing .*: 38264/41554

```

```

tabulation: Freq.  Numeric  Label
              292         0
              1076         1 Within a week of birth 1
              1922         2 Later 2
              38261        .a
                   1        .b
                   2        .c

```

```
-----
nl27                                     EH35 22.27  NLB Measles vacc
-----
```

```

type: numeric (byte)
label: yesno

range: [0,1]                units: 1
unique values: 2            missing .: 0/41554
unique mv codes: 4          missing .*: 38209/41554

```

```

tabulation: Freq.  Numeric  Label
              1204         0 No 0
              2141         1 Yes 1
              38192        .a valid blank .a
                   4        .b valid skip 9 .b
                   12        .c don't know 8 .c
                   1        .e out of range .e

```

```
-----
nl28                                     EH35 22.28  NLB Vaccine Cent
-----
```

```

type: numeric (byte)
label: lb28f

range: [1,5]                units: 1
unique values: 5            missing .: 0/41554
unique mv codes: 4          missing .*: 37978/41554

```

```

tabulation: Freq.  Numeric  Label
              2152         1 Public clinic 1
              663         2 Vaccination camp 2
              248         3 Pvt clinic 3
              463         4 Nurse at home 4
              50         5 Govt in pvt 5
              37723        .a
                   38        .b
                   6         .c
              211         .o

```

```
-----
nl29                                     EH35 22.29  NLB mos Vit A
-----
```

```

type: numeric (byte)
label: lb29f, but 54 nonmissing values are not labeled

```


range: [0,66] units: 1
 unique values: 54 missing .: 0/41554
 unique mv codes: 2 missing .*: 40244/41554

examples: .a
 .a
 .a
 .a

 nl30 EH36 22.30 NLB Breastfeeding

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 2 missing .*: 37227/41554

tabulation:	Freq.	Numeric	Label
	306	0	No 0
	4021	1	Yes 1
	37226	.a	valid blank .a
	1	.e	out of range .e

 nl31 EH36 22.31 NLB Brfeed start

type: numeric (byte)
 label: lb31f, but 46 nonmissing values are not labeled

range: [0,96] units: 1
 unique values: 47 missing .: 0/41554
 unique mv codes: 2 missing .*: 37564/41554

examples: .a
 .a
 .a
 .a

 nl32 EH36 22.32 NLB Squeeze milk

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/41554
 unique mv codes: 3 missing .*: 37542/41554

tabulation:	Freq.	Numeric	Label
	1925	0	No 0
	2087	1	Yes 1
	37538	.a	valid blank .a
	3	.c	don't know 8 .c
	1	.e	out of range .e

 nl33 EH36 22.33 NLB Brfeed duratn

type: numeric (byte)
 label: lb33f, but 46 nonmissing values are not labeled

range: [0,70] units: 1
 unique values: 46 missing .: 0/41554
 unique mv codes: 2 missing .*: 37981/41554

examples: .a
 .a

.a
.a

nl34a EH36 22.34a NLB Age other milk

type: numeric (byte)
label: nl34f, but label does not exist

range: [0,68] units: 1
unique values: 41 missing .: 0/41554
unique mv codes: 2 missing .*: 38005/41554

mean: 7.08284
std. dev: 6.65306

percentiles:	10%	25%	50%	75%	90%
	0	3	6	9	12

nl34b EH36 22.34b NLB Age solid food

type: numeric (byte)
label: nl34f, but label does not exist

range: [0,68] units: 1
unique values: 45 missing .: 0/41554
unique mv codes: 2 missing .*: 37811/41554

mean: 9.54448
std. dev: 6.06861

percentiles:	10%	25%	50%	75%	90%
	5	6	8	12	15

nl35 EH36 22.35 NLB AWC beneficiary

type: numeric (byte)
label: nl35f, but label does not exist

range: [0,3] units: 1
unique values: 4 missing .: 0/41554
unique mv codes: 3 missing .*: 37476/41554

tabulation:	Freq.	Value
	3111	0
	430	1
	190	2
	347	3
	37461	.a
	1	.b
	14	.e

nl36a EH36 22.36a NLB AWC:Immunization

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 3 missing .*: 37765/41554

tabulation:	Freq.	Numeric	Label
	2803	0	No 0
	986	1	Yes 1
	37763	.a	valid blank .a
	1	.b	valid skip 9 .b

1 .e out of range .e

nl36a1 EH36 22.36a NLB AWC:Immun freq

type: numeric (byte)
label: lb36f

range: [0,6] units: 1
unique values: 7 missing .: 0/41554
unique mv codes: 2 missing .*: 39236/41554

tabulation:	Freq.	Numeric	Label
	1331	0	Never 0
	42	1	Daily 1
	105	2	<= 1/week 2
	46	3	<= 1/fortnight 3
	656	4	<= 1/month 4
	94	5	<= 1/quarter 5
	44	6	<= 1/year 6
	39235	.a	
	1	.b	

nl36b EH36 22.36b NLB AWC:Checkup

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 37810/41554

tabulation:	Freq.	Numeric	Label
	3018	0	No 0
	726	1	Yes 1
	37808	.a	valid blank .a
	2	.b	valid skip 9 .b

nl36b1 EH36 22.36b NLB AWC:Checkup frq

type: numeric (byte)
label: lb36f

range: [0,6] units: 1
unique values: 7 missing .: 0/41554
unique mv codes: 2 missing .*: 39407/41554

tabulation:	Freq.	Numeric	Label
	1420	0	Never 0
	20	1	Daily 1
	52	2	<= 1/week 2
	54	3	<= 1/fortnight 3
	506	4	<= 1/month 4
	63	5	<= 1/quarter 5
	32	6	<= 1/year 6
	39406	.a	
	1	.e	

nl36c EH36 22.36c NLB AWC:Food

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/41554
unique mv codes: 2 missing .*: 37810/41554

nl36c1	EH36 22.36c NLB AWC:Food freq

type: numeric (byte)	
label: lb36f	
range: [0,6]	
unique values:	7
unique mv codes:	2
units: 1	
missing .: 0/41554	
missing .*: 39298/41554	
tabulation:	Freq. Numeric Label
	1399 0 Never 0
	458 1 Daily 1
	115 2 <= 1/week 2
	16 3 <= 1/fortnight 3
	211 4 <= 1/month 4
	21 5 <= 1/quarter 5
	36 6 <= 1/year 6
	39296 .a
	2 .b

nl36d	EH36 22.36d NLB AWC:Growth

type: numeric (byte)	
label: yesno	
range: [0,1]	
unique values:	2
unique mv codes:	3
units: 1	
missing .: 0/41554	
missing .*: 37819/41554	
tabulation:	Freq. Numeric Label
	2920 0 No 0
	815 1 Yes 1
	37816 .a valid blank .a
	1 .b valid skip 9 .b
	2 .e out of range .e

nl36d1	EH36 22.36d NLB AWC:Growth freq

type: numeric (byte)	
label: lb36f	
range: [0,6]	
unique values:	7
unique mv codes:	2
units: 1	
missing .: 0/41554	
missing .*: 39302/41554	
tabulation:	Freq. Numeric Label
	1433 0 Never 0
	34 1 Daily 1
	39 2 <= 1/week 2
	61 3 <= 1/fortnight 3
	539 4 <= 1/month 4
	98 5 <= 1/quarter 5
	48 6 <= 1/year 6
	39301 .a
	1 .b

nl36e	EH36 22.36e NLB AWC:Education

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 2    missing .*: 37833/41554

```

```

      tabulation: Freq.  Numeric  Label
                  3217      0     No 0
                  504       1     Yes 1
                  37831     .a   valid blank .a
                   2       .b   valid skip 9 .b

```

```

-----
nl36e1                                     EH36 22.36e NLB AWC:Educ freq
-----

```

```

      type: numeric (byte)
      label: lb36f

      range: [0,6]          units: 1
      unique values: 7      missing .: 0/41554
      unique mv codes: 2    missing .*: 39428/41554

```

```

      tabulation: Freq.  Numeric  Label
                  1612      0     Never 0
                   373      1     Daily 1
                    27      2     <= 1/week 2
                    12      3     <= 1/fortnight 3
                     57      4     <= 1/month 4
                     9      5     <= 1/quarter 5
                     36      6     <= 1/year 6
                  39426     .a
                   2       .b

```

```

-----
hq1                                     EH37 23.1 Obs: House Type
-----

```

```

      type: numeric (byte)
      label: hq1f

      range: [1,6]          units: 1
      unique values: 6      missing .: 0/41554
      unique mv codes: 5    missing .*: 507/41554

```

```

      tabulation: Freq.  Numeric  Label
                  7543      1     Bungalow 1
                 22148      2     Shared walls 2
                  1281      3     Flat 3
                  3635      4     Chawl 4
                  3926      5     Slum housing 5
                  2514      6     Other 6
                   331     .a
                   68     .b
                    5     .c
                    1     .e
                   102     .o

```

```

-----
hq2a                                     EH37 23.2a Obs: House Excrement
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 4    missing .*: 409/41554

```

```

      tabulation: Freq.  Numeric  Label
                  32111      0     No 0
                   9034      1     Yes 1

```

```
340      .a valid blank .a
    64      .b valid skip 9 .b
     4      .c don't know 8 .c
     1      .e out of range .e
```

hg2b EH37 23.2b Obs: Stagnant water

```

      type:  numeric (byte)
      label:  yesno

      range:  [0,1]
      units:  1
unique values: 2      missing.:  0/41554
unique mv codes: 4    missing. *: 441/41554

```

tabulation:	Freq.	Numeric	Label
	34363	0	No 0
	6750	1	Yes 1
	373	.a	valid blank .a
	63	.b	valid skip 9 .b
	4	.c	don't know 8 .c
	1	.e	out of range .e

hq3 EH37 23.3 Obs: Animals kept in

```

      type:  numeric (byte)
      label:  hq3f

      range:  [0,3]                      units:  1
unique values: 4                        missing.:  0/41554
unique mv codes: 4                    missing.*:  533/41554

```

tabulation:	Freq.	Numeric	Label
	27629	0	No animals 0
	3607	1	inside living area 1
	2710	2	Attached room 2
	7075	3	Outside 3
	453	.a	
	68	.b	
	11	.c	
	1	.e	

hg4 EH37 23.4 Obs: Wall type

```

      type:  numeric (byte)
      label:  hq4f

      range:  [1,9]                      units:  1
unique values: 9                      missing.:  0/41554
unique mv codes: 2                  missing.*: 390/41554

```

tabulation:	Freq.	Numeric	Label
	1944	1	Grass, thatch 1
	12222	2	Mud,Unburnt bricks 2
	160	3	Plastic 3
	391	4	Wood 4
	8061	5	Burnt bricks 5
	319	6	GI/metal sheets 6
	2355	7	Stone 7
	15146	8	Cement/ Concrete 8
	566	9	Other 9
	349	.d	
	41	.o	

```

type: numeric (byte)
label: hq5f

range: [1,10]          units: 1
unique values: 10      missing .: 0/41554
unique mv codes: 1     missing .*: 379/41554

```

tabulation:	Freq.	Numeric	Label
	8718	1	Grass, mud, wood 1
	8819	2	Tile 2
	2194	3	slate 3
	139	4	Plastic 4
	4271	5	GI,metal,Asbestos 5
	7025	6	Cement/ Concrete 6
	1681	7	Brick 7
	1646	8	Stone 8
	6564	9	Concrete 9
	118	10	Other 10
	379	.d	

hq6 EH37 23.6 Obs: Floor type

```

type: numeric (byte)
label: hq6f

range: [1,7]          units: 1
unique values: 7      missing .: 0/41554
unique mv codes: 4     missing .*: 385/41554

```

tabulation:	Freq.	Numeric	Label
	16795	1	Mud,Unburnt bricks 1
	505	2	Wood, bamboo 2
	745	3	Brick 3
	2643	4	Stone 4
	16183	5	Cement/ Concrete 5
	3945	6	Tiles, Mosaic 6
	353	7	Other 7
	7	.b	
	14	.c	
	355	.d	
	9	.o	

og1 EH37 24.1 Obs: Purpose

```

type: numeric (byte)
label: og1f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554
unique mv codes: 4     missing .*: 2485/41554

```

tabulation:	Freq.	Numeric	Label
	32804	0	No 0
	5359	1	Some difficulty 1
	906	2	Alot difficulty 2
	578	.a	
	1904	.b	
	2	.c	
	1	.e	

og2 EH37 24.2 Obs: Understanding

```

type: numeric (byte)
label: og1f

range: [0,2]          units: 1
unique values: 3      missing .: 0/41554

```

unique mv codes: 3 missing .*: 2704/41554

tabulation:	Freq.	Numeric	Label
	31519	0	No 0
	6282	1	Some difficulty 1
	1049	2	Alot difficulty 2
	570	.a	
	2131	.b	
	3	.c	

og3 EH37 24.3 Obs: Clarity

type: numeric (byte)
label: og3f

range: [0,2] units: 1
unique values: 3 missing .: 1/41554
unique mv codes: 4 missing .*: 7815/41554

tabulation:	Freq.	Numeric	Label
	1219	0	No 0
	10766	1	Sometimes 1
	21753	2	Usually 2
	1	.	
	587	.a	
	7226	.b	
	2	.c	

og4 EH37 24.4 Obs: Knows expenditure

type: numeric (byte)
label: og4f

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 4 missing .*: 7514/41554

tabulation:	Freq.	Numeric	Label
	2881	0	Very little 0
	13931	1	Somewhat 1
	17228	2	Very 2
	611	.a	
	6899	.b	
	2	.c	
	2	.e	

og5 EH37 24.5 Obs: Confidence

type: numeric (byte)
label: og5f

range: [0,2] units: 1
unique values: 3 missing .: 0/41554
unique mv codes: 3 missing .*: 7906/41554

tabulation:	Freq.	Numeric	Label
	629	0	No 0
	10600	1	Sometimes 1
	22419	2	Usually 2
	596	.a	
	7308	.b	
	2	.c	

og6 EH37 24.6 Interview end time


```
      type: numeric (byte)
      label: ampm

      range: [1,2]          units: 1
      unique values: 2      missing .: 20/41554
      unique mv codes: 4    missing .*: 41194/41554
```

```
tabulation: Freq.  Numeric  Label
              73       1     AM 1
              267       2     PM 2
              20        .
              431       .a
             40761       .e
               2        .o
```

og7

EH37 24.7 Completion status

```
      type: numeric (byte)
      label: complete

      range: [1,2]          units: 1
      unique values: 2      missing .: 0/41554
      unique mv codes: 3    missing .*: 304/41554
```

```
tabulation: Freq.  Numeric  Label
              39551       1   Complete 1
              1699       2   Incomplete 2
              299        .a
               2        .e
               3        .o
```

```
. codebook, tab(36)
```

```
-----
stateid                               State code
-----
```

```
type: numeric (byte)
label: stateid
```

```
range: [1,34]           units: 1
unique values: 33       missing .: 0/215754
```

```
tabulation: Freq.  Numeric  Label
              4230      1  Jammu & Kashmir 01
              7166      2  Himachal Pradesh 02
              9033      3  Punjab 03
               383      4  Chandigarh 04
              2493      5  Uttaranchal 05
              9403      6  Haryana 06
              4620      7  Delhi 07
             14468      8  Rajasthan 08
             21465      9  Uttar Pradesh 09
              8806     10  Bihar 10
               505     11  Sikkim 11
               832     12  Arunachal Pradesh 12
               564     13  Nagaland 13
               598     14  Manipur 14
               502     15  Mizoram 15
              1008     16  Tripura 16
               755     17  Meghalaya 17
              4690     18  Assam 18
             10958     19  West Bengal 19
              5008     20  Jharkhand 20
             10596     21  Orissa 21
              6210     22  Chhatisgarh 22
             15801     23  Madhya Pradesh 23
             10160     24  Gujarat 24
               281     25  Daman & Diu 25
               315     26  Dadra+Nagar Haveli 26
             16602     27  Maharashtra 27
             10661     28  Andhra Pradesh 28
             19859     29  Karnataka 29
               782     30  Goa 30
              7981     32  Kerala 32
             8546     33  Tamil Nadu 33
               473     34  Pondicherry 34
```

```
-----
distid                               District code
-----
```

```
type: numeric (byte)
```

```
range: [0,68]           units: 1
unique values: 61       missing .: 0/215754
```

```
mean: 15.08
std. dev: 13.0227
```

```
percentiles:      10%      25%      50%      75%      90%
                  2        6       12       20       30
```

```
-----
psuid                               PSU: village/neighborhood code
-----
```

```
type: numeric (byte)
```

```
range: [1,39]           units: 1
unique values: 39       missing .: 0/215754
```

```
mean: 5.55919
```

std. dev: 5.59595					
percentiles:	10%	25%	50%	75%	90%
	1	2	4	7	10

hhid			Household ID		

type: numeric (byte)					
range: [1,52]			units: 1		
unique values:	52		missing .: 0/215754		
mean: 9.22336					
std. dev: 5.87635					
percentiles:	10%	25%	50%	75%	90%
	2	4	9	13	17

hhsplitid			Split household ID		

type: numeric (byte)					
range: [0,7]			units: 1		
unique values:	8		missing .: 0/215754		
tabulation: Freq. Value					
	1.4e+05	0			
	66057	1			
	8052	2			
	2250	3			
	523	4			
	86	5			
	16	6			
	8	7			

personid			Person ID within household		

type: numeric (byte)					
range: [1,38]			units: 1		
unique values:	38		missing .: 0/215754		
mean: 3.70229					
std. dev: 2.57651					
percentiles:	10%	25%	50%	75%	90%
	1	2	3	5	7

caseid			HH & Personid: 11 byte string		

type: string (str11)					
unique values:	215754		missing "": 0/215754		
examples: "08120508006"					
"17000307008"					
"23120902106"					
"28130204203"					

idhh			HH id 9-digit unique		

type: numeric (long)					

range: [10201010,3.400e+08] units: 1
 unique values: 41554 missing .: 0/215754

mean: 1.8e+08
 std. dev: 9.8e+07

percentiles:	10%	25%	50%	75%	90%
	5.1e+07	9.0e+07	2.1e+08	2.7e+08	2.9e+08

 idpsu PSU id 6-digit unique

type: numeric (long)

range: [10201,340006] units: 1
 unique values: 2474 missing .: 0/215754

mean: 181680
 std. dev: 98358.8

percentiles:	10%	25%	50%	75%	90%
	50903	90402	210201	272504	292406

 stateid2 State codes, collapsed

type: numeric (int)
 label: state2f

range: [101,733] units: 1
 unique values: 22 missing .: 0/215754

tabulation:	Freq.	Numeric	Label
	4230	101	Jammu & Kashmir 01
	7166	102	Himachal Pradesh 02
	2493	105	Uttarakhand 05
	9416	203	Punjab 03
	9403	206	Haryana 06
	4620	207	Delhi 07
	21465	309	Uttar Pradesh 09
	8806	310	Bihar 10
	5008	320	Jharkhand 20
	14468	408	Rajasthan 08
	6210	422	Chhattisgarh 22
	15801	423	Madhya Pradesh 23
	4764	517	Northeast 17
	4690	518	Assam 18
	10958	519	West Bengal 19
	10596	521	Orissa 21
	10756	624	Gujarat 24
	17384	627	Maharashtra, Goa 27
	10661	728	Andhra Pradesh 28
	19859	729	Karnataka 29
	7981	732	Kerala 32
	9019	733	Tamil Nadu 33

 distname District codes with names

type: numeric (int)
 label: distname, but 1 nonmissing value is not labeled

range: [102,3400] units: 1
 unique values: 373 missing .: 0/215754

examples: 812 Jaipur
 1700 Meghalaya
 2312 Damoh
 2813 Visakhapatnam

 dist01 District ID Census 2001

type: numeric (byte)
 range: [0,68] units: 1
 unique values: 61 missing .: 0/215754
 mean: 15.0583
 std. dev: 13.0217
 percentiles: 10% 25% 50% 75% 90%
 2 6 12 20 30

 urban Census: 2001 village/town

type: numeric (byte)
 label: urban
 range: [0,1] units: 1
 unique values: 2 missing .: 0/215754
 tabulation: Freq. Numeric Label
 1.4e+05 0 rural 0
 72380 1 urban 1

 metro6 Largest 6 metro areas 1-6

type: numeric (byte)
 label: metro6f
 range: [1,6] units: 1
 unique values: 6 missing .: 196497/215754
 tabulation: Freq. Numeric Label
 2769 1 Mumbai 1
 6647 2 Delhi 2
 4754 3 Kolkata 3
 1282 4 Chennai 4
 1593 5 Bangalore 5
 2212 6 Hyderabad 6
 2.0e+05 .

 sweight Design Weights

type: numeric (float)
 range: [220.00238,308216.38] units: .00001
 unique values: 1526 missing .: 0/215754
 mean: 4623.63
 std. dev: 5180.42
 percentiles: 10% 25% 50% 75% 90%
 1385.21 2450.21 3619.17 5234.42 8129.46

 Npersons HH4 2.0 N in hh

type: numeric (byte)
 range: [1,38] units: 1
 unique values: 33 missing .: 0/215754
 tabulation: Freq. Value

801	1
6430	2
15684	3
35512	4
41800	5
35574	6
25207	7
16248	8
11358	9
7710	10
4983	11
4056	12
2990	13
1904	14
2175	15
656	16
578	17
612	18
285	19
300	20
273	21
198	22
23	23
48	24
25	25
26	26
81	27
56	28
29	29
30	30
31	31
33	33
38	38

Nchildren	HH4 2.5 N 0-14 in hh
-----------	----------------------

type: numeric (byte)

range: [0,17]	units: 1
unique values: 17	missing .: 0/215754

tabulation:	Freq.	Value
	43543	0
	39954	1
	51565	2
	37205	3
	21252	4
	11456	5
	5265	6
	2685	7
	1457	8
	482	9
	358	10
	240	11
	68	12
	71	13
	33	14
	21	15
	99	17

Nteens	HH4 2.5 N 15-21 in hh
--------	-----------------------

type: numeric (byte)

range: [0,8]	units: 1
unique values: 9	missing .: 0/215754

tabulation:	Freq.	Value
	1.0e+05	0

56482 1
36858 2
15148 3
3799 4
951 5
193 6
83 7
38 8

Nadults HH4 2.5 N 22+ in hh

type: numeric (byte)

range: [0,18] units: 1
unique values: 17 missing .: 0/215754

tabulation:	Freq.	Value
	263	0
	7797	1
	88383	2
	43255	3
	35604	4
	17178	5
	11994	6
	5323	7
	3175	8
	1104	9
	846	10
	316	11
	221	12
	174	13
	79	14
	15	15
	27	18

Nmarriedf HH4 2.6 N married women in hh

type: numeric (byte)

range: [0,8] units: 1
unique values: 9 missing .: 0/215754

tabulation:	Freq.	Value
	8830	0
	1.3e+05	1
	49487	2
	17617	3
	5044	4
	1113	5
	315	6
	43	7
	120	8

Nmarriedm HH4 2.6 N married men in hh

type: numeric (byte)

range: [0,8] units: 1
unique values: 9 missing .: 0/215754

tabulation:	Freq.	Value
	11556	0
	1.4e+05	1
	47181	2
	15890	3
	4471	4
	1013	5

212 6
91 7
87 8

copc HH19 12. Monthly consumption per capita

type: numeric (long)
label: missing, but 3841 nonmissing values are not labeled

range: [0,39273] units: 1
unique values: 3841 missing .: 0/215754

examples: 373
532
742
1129

groups8 HH3 1.13-15 Caste/religion 8cats

type: numeric (byte)
label: groups8f

range: [1,8] units: 1
unique values: 8 missing .: 0/215754

tabulation: Freq. Numeric Label
12108 1 Brahmin 1
35531 2 High caste 2
72900 3 OBC 3
43270 4 Dalit 4
17405 5 Adivasi 5
27661 6 Muslim 6
3672 7 Sikh, Jain 7
3207 8 Christian 8

hc9 HH1 9 Reinterview household

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/215754

tabulation: Freq. Numeric Label
1.4e+05 0 No 0
76992 1 Yes 1

hhassets HH22+EH 30 hh goods & housing

type: numeric (byte)
label: missing, but 31 nonmissing values are not labeled

range: [0,30] units: 1
unique values: 31 missing .: 0/215754

tabulation: Freq. Numeric Label
440 0
1263 1
3036 2
5760 3
9531 4
11717 5
12526 6
12575 7
12014 8

11910	9
12085	10
11643	11
11268	12
10919	13
10406	14
9910	15
9590	16
9150	17
8364	18
8399	19
7378	20
6798	21
5801	22
4454	23
3394	24
2362	25
1343	26
871	27
542	28
212	29
93	30

```
-----
hhed5adult                                HH17 ed5 Highest adult(21+) educ
-----
```

```

      type: numeric (byte)
      label: ed5f

      range: [0,15]                      units: 1
      unique values: 16                  missing .: 0/215754
      unique mv codes: 1                 missing .*: 246/215754

```

tabulation:	Freq.	Numeric	Label
	40407	0	none 0
	817	1	1
	3433	2	2
	4210	3	3
	6754	4	4
	14974	5	5th standard 5
	6588	6	6
	10974	7	7
	16498	8	8
	19877	9	9
	28146	10	matric 10
	5093	11	11
	21121	12	higher sec 12
	1195	13	13
	1756	14	14
	33665	15	graduate 15
	246	.d	Invalid skip .d

```
-----
hhed5f                                    HH17 ed5 Highest female 21+ ed
-----
```

```

      type: numeric (byte)
      label: ed5f

      range: [0,15]                      units: 1
      unique values: 16                  missing .: 0/215754
      unique mv codes: 2                 missing .*: 2173/215754

```

tabulation:	Freq.	Numeric	Label
	94372	0	none 0
	700	1	1
	3458	2	2
	4273	3	3
	6552	4	4
	16127	5	5th standard 5
	5329	6	6
	9990	7	7

13143	8	8
11523	9	9
18690	10	matric 10
2178	11	11
11151	12	higher sec 12
540	13	13
804	14	14
14751	15	graduate 15
1634	.a	Valid blank .a
539	.d	Invalid skip .d

hhed5m HH17 ed5 Highest male 21+ ed

type: numeric (byte)
label: ed5f

range:	[0,15]	units:	1
unique values:	16	missing .:	0/215754
unique mv codes:	2	missing .*:	6940/215754

tabulation:	Freq.	Numeric	Label
	42647	0	none 0
	942	1	1
	3913	2	2
	4714	3	3
	7301	4	4
	14905	5	5th standard 5
	6383	6	6
	10748	7	7
	16207	8	8
	19293	9	9
	27042	10	matric 10
	4720	11	11
	19038	12	higher sec 12
	1049	13	13
	1387	14	14
	28525	15	graduate 15
	6409	.a	Valid blank .a
	531	.d	Invalid skip .d

wkany HH 4-7 Any work

type: numeric (byte)
label: wk

range:	[0,1]	units:	1
unique values:	2	missing .:	0/215754

tabulation:	Freq.	Numeric	Label
	1.3e+05	0	< 240hrs 0
	90065	1	>= 240hrs 1

wkfarm HH9 4.28 Family farm work

type: numeric (byte)
label: wk

range:	[0,1]	units:	1
unique values:	2	missing .:	0/215754

tabulation:	Freq.	Numeric	Label
	1.8e+05	0	< 240hrs 0
	31363	1	>= 240hrs 1

wkanimal HH9 5.5 Animal care

```

        type: numeric (byte)
        label: wk

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/215754

        tabulation: Freq.  Numeric  Label
                   1.8e+05      0  < 240hrs 0
                   36000       1  >= 240hrs 1
-----
wkagwage                                     HH11 6.3 Ag wage labour
-----

        type: numeric (byte)
        label: wk

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/215754

        tabulation: Freq.  Numeric  Label
                   2.0e+05      0  < 240hrs 0
                   18956       1  >= 240hrs 1
-----
wknonag                                     HH11 6.3 Nonag wage labour
-----

        type: numeric (byte)
        label: wk

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/215754

        tabulation: Freq.  Numeric  Label
                   2.0e+05      0  < 240hrs 0
                   14457       1  >= 240hrs 1
-----
wksalary                                    HH11 6.,7 Salaried position
-----

        type: numeric (byte)
        label: wk

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/215754

        tabulation: Freq.  Numeric  Label
                   2.0e+05      0  < 240hrs 0
                   16034       1  >= 240hrs 1
-----
wkbusiness                                 HH12 7.7 Family business work
-----

        type: numeric (byte)
        label: wk

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/215754

        tabulation: Freq.  Numeric  Label
                   2.0e+05      0  < 240hrs 0
                   11462       1  >= 240hrs 1
-----
income                                     HH5-15 3-8 Total income
-----

        type: numeric (float)

```

range: [-108327.75,6520260.5] units: 1.000e-06
 unique values: 21111 missing .: 0/215754

mean: 60182.8
 std. dev: 94750.2

percentiles:	10%	25%	50%	75%	90%
	10575	19023.4	36000	72175.5	128902

 incfarm HH6-10 4-6 Family farm income

type: numeric (float)

range: [-228327.75,3935151.5] units: 1.000e-08
 unique values: 17102 missing .: 0/215754

mean: 13418.1
 std. dev: 59161.7

percentiles:	10%	25%	50%	75%	90%
	0	0	0	9487.24	32646.8

 incagwage HH11 6.8+ hh ag wages

type: numeric (float)

range: [0,155000] units: .1
 unique values: 1273 missing .: 0/215754

mean: 3474.4
 std. dev: 8885.69

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1050	12750

 incnonag HH11 6.8+ hh nonag wages

type: numeric (float)

range: [0,292000] units: .1
 unique values: 1372 missing .: 0/215754

mean: 6181.75
 std. dev: 14766.6

percentiles:	10%	25%	50%	75%	90%
	0	0	0	4050	22500

 incsalary HH11 6.8+ hh salaries

type: numeric (float)

range: [0,960000] units: 1.000e-06
 unique values: 2394 missing .: 0/215754

mean: 21011.2
 std. dev: 48470

percentiles:	10%	25%	50%	75%	90%
	0	0	0	18000	76500

 incbus HH12-14 7. Net business income

```

type: numeric (float)

range: [0,6190000]          units: 1
unique values: 844          missing .: 0/215754

mean: 11487.9
std. dev: 58401.6

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      35000
-----
incremitt          HH5 3.13 Sum hh remittances
-----

```

```

type: numeric (float)

range: [0,610000]          units: 1
unique values: 190         missing .: 0/215754

mean: 1470.43
std. dev: 9604.93

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
-----
incgovt           HH15 8.7-13 govt benefits
-----

```

```

type: numeric (float)

range: [0,200000]          units: 1
unique values: 394         missing .: 0/215754

mean: 234.889
std. dev: 1846.3

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      375
-----
incother          HH15 8.1+ property, pensions etc.
-----

```

```

type: numeric (float)

range: [0,500000]          units: 1
unique values: 564         missing .: 0/215754

mean: 2904.14
std. dev: 13835.4

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0     1520
-----
pcpl              Per capita poverty line
-----

```

```

type: numeric (float)

range: [292.95,665.9]      units: .01
unique values: 41          missing .: 0/215754

mean: 419.32
std. dev: 95.5645

percentiles:      10%      25%      50%      75%      90%
                  324.17  353.93  382.82  483.26  559.63
-----
poor              Below poverty line
-----

```

```

-----
      type: numeric (byte)
      label: poorf

      range: [0,1]                units: 1
unique values: 2                missing .: 0/215754

      tabulation: Freq.  Numeric  Label
                  1.7e+05      0  0 No
                  50486       1  1 Yes
-----
ro0                                     HH4 2.1 2005 ID
-----

```

```

-----
      type: numeric (byte)

      range: [1,38]              units: 1
unique values: 38              missing .: 0/215754

      mean: 3.70229
      std. dev: 2.57651

      percentiles:      10%      25%      50%      75%      90%
                       1         2         3         5         7
-----
ro1                                     HH4 2.1 1993ID
-----

```

```

-----
      type: numeric (byte)
      label: missing, but 31 nonmissing values are not labeled

      range: [0,30]              units: 1
unique values: 31              missing .: 0/215754
unique mv codes: 1             missing .*: 157020/215754

      tabulation: Freq.  Numeric  Label
                  8883      0
                  9377      1
                 10109      2
                  7293      3
                  6639      4
                  5246      5
                  3824      6
                  2501      7
                  1624      8
                  1040      9
                   615     10
                   445     11
                   318     12
                   228     13
                   168     14
                   129     15
                   98      16
                   55      17
                   37      18
                   31      19
                   17      20
                   11      21
                   10      22
                   10      23
                    8      24
                    6      25
                    4      26
                    2      27
                    3      28
                    2      29
                    1      30
                 1.6e+05    .a valid blank .a
-----

```

ro3 HH4 2.3 Sex

```

type: numeric (byte)
label: ro3f

range: [1,2]          units: 1
unique values: 2      missing .: 0/215754

tabulation: Freq.  Numeric  Label
             1.1e+05      1  Male 1
             1.1e+05      2  Female 2

```

ro4 HH4 2.4 Relationship to head

```

type: numeric (byte)
label: ro4f

range: [1,12]         units: 1
unique values: 12     missing .: 0/215754

tabulation: Freq.  Numeric  Label
             41554      1  Head 1
             35664      2  Wife/husband 2
             90539      3  Son/daughter 3
             11560      4  Child-in-law 4
             20407      5  Grandchild 5
             6692       6  Father/mother 6
             3517       7  Brother/sister 7
             459        8  Parent in-law 8
             2662       9  Nephew/niece 9
             1329      10  Sibling in-law 10
             1152      11  Other relative 11
             219       12  Servant/other 12

```

ro5 HH4 2.5 Age

```

type: numeric (int)
label: missing, but 108 nonmissing values are not labeled

range: [0,116]        units: 1
unique values: 108     missing .: 0/215754

examples: 10
           18
           30
           45

```

ro6 HH4 2.6 Marital Status

```

type: numeric (byte)
label: ro6f

range: [0,5]          units: 1
unique values: 6       missing .: 0/215754

tabulation: Freq.  Numeric  Label
             1805      0  Sp absent 0
             97623      1  Married 1
             1.0e+05     2  Single 2
             10544      3  Widowed 3
             813        4  Sep/div 4
             359        5  No gauna 5

```

ro7 HH4 2.7 Spouse's ID

```

      type: numeric (byte)
      label: missing, but 38 nonmissing values are not labeled

      range: [1,54]                units: 1
      unique values: 38             missing .: 108/215754
      unique mv codes: 2           missing .*: 117100/215754

```

```

      examples: 2
                4
                .a    valid blank .a
                .a    valid blank .a

```

```

-----
ro8                                     HH4 2.8 Father's ID
-----

```

```

      type: numeric (byte)
      label: ro8f, but 35 nonmissing values are not labeled

      range: [1,94]                units: 1
      unique values: 37             missing .: 96265/215754

```

```

      examples: 1
                2
                .
                .

```

```

-----
ro9                                     HH4 2.9 Mother's ID
-----

```

```

      type: numeric (byte)
      label: ro9f, but 34 nonmissing values are not labeled

      range: [1,94]                units: 1
      unique values: 36             missing .: 95992/215754

```

tabulation:	Freq.	Numeric	Label
	6830	1	
	81872	2	
	5165	3	
	11163	4	
	2363	5	
	2376	6	
	1844	7	
	1616	8	
	1141	9	
	701	10	
	382	11	
	366	12	
	258	13	
	171	14	
	84	15	
	70	16	
	61	17	
	41	18	
	23	19	
	14	20	
	13	21	
	15	22	
	11	23	
	8	24	
	3	25	
	10	26	
	9	27	
	3	28	
	4	31	
	2	35	
	133	50	
	77	51	
	11	52	
	3	53	

2823	93	Deceased
96	94	Separated
95992	.	

 fm28 HH9 4.28 Farm work ID

type: numeric (byte)

range: [1,36] units: 1
 unique values: 29 missing .: 175482/215754

tabulation: Freq. Value

12743	1
10448	2
6895	3
4002	4
1743	5
1234	6
1037	7
743	8
466	9
286	10
216	11
156	12
114	13
71	14
44	15
21	16
17	17
14	18
3	19
3	20
3	21
1	22
4	23
2	24
1	25
1	27
2	30
1	35
1	36
1.8e+05	.

 fm29 HH9 4.29 Farm work days/year

type: numeric (int)
 label: missing, but 206 nonmissing values are not labeled

range: [1,365] units: 1
 unique values: 206 missing .: 175480/215754
 unique mv codes: 3 missing .*: 2/215754

examples: .
 .
 .
 .

 fm30 HH9 4.30 Farm work hours/day

type: numeric (byte)
 label: missing, but 12 nonmissing values are not labeled

range: [1,12] units: 1
 unique values: 12 missing .: 175480/215754
 unique mv codes: 2 missing .*: 1/215754

tabulation: Freq. Numeric Label

1243	1
3609	2
3375	3
5667	4
4988	5
6648	6
2682	7
9279	8
1135	9
1293	10
28	11
326	12
1.8e+05	.
1	.a valid blank .a

 fm31 HH9 4.31 Farm work Primary

type: numeric (byte)

range:	[1,15]	units:	1
unique values:	13	missing .:	198361/215754

tabulation:	Freq.	Value
	15912	1
	616	2
	620	3
	58	4
	67	5
	34	6
	35	7
	14	8
	14	9
	12	10
	5	11
	5	12
	1	15
	2.0e+05	.

 an5 HH10 5.5 Animal care: ID

type: numeric (byte)

range:	[1,25]	units:	1
unique values:	24	missing .:	179086/215754

tabulation:	Freq.	Value
	10789	1
	11841	2
	5638	3
	3576	4
	1479	5
	997	6
	781	7
	561	8
	377	9
	181	10
	133	11
	97	12
	88	13
	51	14
	26	15
	17	16
	11	17
	12	18
	1	19
	3	20
	2	21
	3	22
	3	23

1 25
1.8e+05 .

an6 HH10 5.6 Animal care: Freq

type: numeric (byte)
label: an6af

range: [1,3] units: 1
unique values: 3 missing .: 179086/215754

tabulation:	Freq.	Numeric	Label
	668	1	Never 1
	15284	2	Sometimes 2
	20716	3	Usually 3
	1.8e+05	.	

an7 HH10 5.7 Animal care: Primary ID

type: numeric (byte)

range: [1,25] units: 1
unique values: 20 missing .: 199673/215754

tabulation:	Freq.	Value
	6398	1
	7083	2
	1243	3
	594	4
	198	5
	195	6
	140	7
	85	8
	58	9
	23	10
	15	11
	25	12
	10	13
	3	14
	2	15
	4	16
	2	17
	1	20
	1	23
	1	25
	2.0e+05	.

ws0N HH11 6.1 # of jobs

type: numeric (byte)

range: [0,7] units: 1
unique values: 8 missing .: 0/215754

tabulation:	Freq.	Value
	1.7e+05	0
	45357	1
	2875	2
	272	3
	34	4
	11	5
	8	6
	4	7

ws6year HH11 6.5-6 Work hrs/yr tot

```

        type: numeric (long)
        label: missing, but 970 nonmissing values are not labeled

        range: [0,8640]          units: 1
        unique values: 970          missing .: 167193/215754

        examples: 2745
                  .
                  .
                  .
-----
ws8annual                                HH11 6.8 Ann earnings tot
-----

        type: numeric (long)
        label: missing, but 3051 nonmissing values are not labeled

        range: [0,960000]        units: 1
        unique values: 3051        missing .: 167193/215754

        examples: 60500
                  .
                  .
                  .
-----
ws8hourly                                HH11 6.8 hourly wage tot
-----

        type: numeric (float)
        label: missing, but 6162 nonmissing values are not labeled

        range: [0,730]           units: 1.000e-08
        unique values: 6162        missing .: 167196/215754

        examples: 26.666666
                  .
                  .
                  .
-----
ws10                                     HH11 6.10 Bonus all jobs
-----

        type: numeric (long)
        label: missing, but 176 nonmissing values are not labeled

        range: [1,20000]         units: 1
        unique values: 176         missing .: 167193/215754
        unique mv codes: 2         missing .*: 45060/215754

        examples: .
                  .
                  .
                  .o    valid skip 0 .o
-----
ws1                                     HH11 6.1 personid
-----

        type: numeric (byte)
        label: missing, but 22 nonmissing values are not labeled

        range: [1,25]            units: 1
        unique values: 22         missing .: 167193/215754

        tabulation: Freq.   Numeric   Label
                   23529       1
                   9865       2
                   7636       3
                   2925       4

```

1393	5
1062	6
831	7
499	8
299	9
186	10
128	11
72	12
44	13
37	14
21	15
9	16
8	17
6	18
3	19
4	20
2	22
2	25
1.7e+05	.

ws2a	HH11 6.2 Job description job1
------	-------------------------------

```

type: string (str30)

unique values: 10957          missing "": 167244/215754

examples: ""
          ""
          ""
          "AGRI LAB"

warning: variable has leading and embedded blanks

```

ws3a	HH11 6.3 Occupation job1
------	--------------------------

```

type: numeric (byte)
label: occupf

range: [0,99]          units: 1
unique values: 86      missing .: 167198/215754
unique mv codes: 3     missing .*: 78/215754

examples: 98    Drivers 98
          .
          .
          .

```

ws4a	HH11 6.4 Industry job1
------	------------------------

```

type: numeric (byte)
label: indf, but 4 nonmissing values are not labeled

range: [0,99]          units: 1
unique values: 75      missing .: 167199/215754
unique mv codes: 2     missing .*: 2741/215754

examples: 96    Personal services 96
          .
          .
          .

```

ws5a	HH11 6.5 Working days job1
------	----------------------------

```

type: numeric (int)
label: missing, but 277 nonmissing values are not labeled

```

```

range: [1,365]           units: 1
unique values: 277       missing .: 167193/215754
unique mv codes: 3       missing .*: 3/215754

```

```
examples: 320
```

```
.
.
.
```

```
-----
ws6a                                     HH11 6.6 Work hrs/day job1
-----
```

```

type: numeric (byte)
label: missing, but 16 nonmissing values are not labeled

```

```

range: [1,16]           units: 1
unique values: 16       missing .: 167193/215754
unique mv codes: 2       missing .*: 2/215754

```

```

tabulation: Freq.   Numeric   Label
              102         1
              239         2
              263         3
             1005         4
             1145         5
             3399         6
             2282         7
            32163         8
             2259         9
             3688        10
              127        11
             1593        12
               44        13
               82        14
               57        15
              111        16
            1.7e+05        .
               2        .d invalid skip .d

```

```
-----
ws6yeara                               HH11 6.5-6 Work hrs/yr job 1
-----
```

```

type: numeric (int)
label: missing, but 752 nonmissing values are not labeled

```

```

range: [4,5840]         units: 1
unique values: 752       missing .: 167193/215754
unique mv codes: 3       missing .*: 3/215754

```

```
examples: 2720
```

```
.
.
.
```

```
-----
ws7a                                     HH11 6.7 Payment period job1
-----
```

```

type: numeric (byte)
label: ws7f

```

```

range: [1,3]           units: 1
unique values: 3       missing .: 167193/215754
unique mv codes: 3       missing .*: 9/215754

```

```

tabulation: Freq.   Numeric   Label
              32425         1   Per Day 1
              15617         2   Per Month 2
               510         3   Per Year 3
            1.7e+05        .

```

5 .d
4 .o

ws8a HH11 6.8 Cash /period job1

type: numeric (long)
label: missing, but 542 nonmissing values are not labeled

range: [0,96000] units: 1
unique values: 542 missing .: 167193/215754
unique mv codes: 2 missing .*: 6/215754

examples: 5000
.
.
.

ws8annuala HH11 6.8 Ann earnings job 1

type: numeric (float)
label: missing, but 2750 nonmissing values are not labeled

range: [0,960000] units: 1.000e-06
unique values: 2750 missing .: 167204/215754

examples: 60100
.
.
.

ws8hourlya HH11 6.8 hourly wage job 1

type: numeric (float)
label: missing, but 4950 nonmissing values are not labeled

range: [0,730] units: 1.000e-09
unique values: 4950 missing .: 167204/215754

examples: 26.666666
.
.
.

ws9a HH11 6.9 Meals/housing job1

type: numeric (byte)
label: ws9f

range: [0,3] units: 1
unique values: 4 missing .: 167193/215754
unique mv codes: 2 missing .*: 71/215754

tabulation: Freq. Numeric Label
43188 0 No 0
4617 1 Yes meal 1
545 2 Yes hse 2
140 3 Yes both 3
1.7e+05 .
71 .d

ws10a HH11 6.10 Bonus job 1

type: numeric (int)

```

label: missing, but 176 nonmissing values are not labeled

range: [0,20000]          units: 1
unique values: 176        missing .: 167194/215754
unique mv codes: 2        missing .*: 128/215754

examples: 0
.
.
.
-----
ws11a                                     HH11 6.11 Casual job1
-----

type: numeric (byte)
label: ws11f

range: [1,2]              units: 1
unique values: 2          missing .: 167193/215754
unique mv codes: 5        missing .*: 97/215754

tabulation: Freq.  Numeric  Label
            40251      1  Casual 1
            8213      2  Perm 2
            1.7e+05    .
              1      .b
              1      .c
              4      .d
              91      .o
-----
ws12a                                     HH11 6.12 Government job1
-----

type: numeric (byte)
label: ws12f

range: [0,4]              units: 1
unique values: 5          missing .: 167193/215754
unique mv codes: 3        missing .*: 178/215754

tabulation: Freq.  Numeric  Label
            41604      0  No 0
            6029      1  Regular govt 1
              161      2  SGRY 2
              107      3  Food for work 3
              482      4  Other govt 4
            1.7e+05    .
              1      .c
              177      .d
-----
nf7                                     HH12 7.7 Busns1
-----

type: numeric (byte)

range: [1,30]             units: 1
unique values: 22         missing .: 203972/215754

tabulation: Freq.  Value
            5926  1
            1819  2
            2086  3
             663  4
             412  5
             273  6
             243  7
             136  8
              84  9
              44 10
              37 11

```



```

22 12
12 13
5 14
10 15
1 17
3 18
2 19
1 21
1 23
1 26
1 30
2.0e+05 .

```

```

-----
nf8                                     HH12 7.8 Busns1: days/yr
-----

```

```

      type: numeric (int)
      label: missing, but 171 nonmissing values are not labeled

      range: [2,365]                units: 1
      unique values: 171            missing .: 203972/215754
      unique mv codes: 2            missing .*: 10/215754

```

```

      examples: .
                .
                .
                .

```

```

-----
nf9                                     HH12 7.9 Busns1: hours/day
-----

```

```

      type: numeric (byte)
      label: missing, but 20 nonmissing values are not labeled

      range: [1,24]                units: 1
      unique values: 20            missing .: 203972/215754
      unique mv codes: 2            missing .*: 11/215754

```

```

      tabulation: Freq.  Numeric  Label
                  179         1
                  661         2
                  601         3
                  1129        4
                  968         5
                  1547        6
                  624         7
                  2669        8
                  812         9
                  1613        10
                  119         11
                  654         12
                   34         13
                   86         14
                   46         15
                   17         16
                    1         17
                    9         18
                    1         19
                    1         24
                2.0e+05      .
                   11      .a valid blank .a

```

```

-----
nf16                                    HH13 7.16 Busns2
-----

```

```

      type: numeric (byte)

      range: [1,19]                units: 1
      unique values: 19            missing .: 214691/215754

```

tabulation:		Freq.	Value
		286	1
		200	2
		215	3
		98	4
		48	5
		57	6
		57	7
		31	8
		23	9
		12	10
		10	11
		11	12
		4	13
		5	14
		1	15
		1	16
		1	17
		2	18
		1	19
		2.1e+05	.

nf17	HH13 7.17 Busns2: days/yr		

	type:	numeric (int)	
	label:	missing, but 81 nonmissing values are not labeled	
	range:	[5,365]	units: 1
	unique values:	81	missing .: 214691/215754
	unique mv codes:	2	missing .*: 4/215754
	examples:	.	
		.	
		.	
		.	

nf18	HH13 7.18 Busns2: hours/day		

	type:	numeric (byte)	
	label:	missing, but 16 nonmissing values are not labeled	
	range:	[1,24]	units: 1
	unique values:	16	missing .: 214691/215754
	unique mv codes:	2	missing .*: 6/215754
	tabulation:	Freq.	Numeric Label
		24	1
		70	2
		97	3
		162	4
		102	5
		126	6
		49	7
		193	8
		57	9
		110	10
		9	11
		46	12
		3	13
		6	14
		2	15
		1	24
		2.1e+05	.
		6	.a valid blank .a

nf25	HH14 7.25 Busns3		

```

tabulation:  Freq.  Value
              26    1
              5    2
             11    3
              9    4
              6    5
              6    6
              4    7
              5    8
              2    9
              1   10
              3   11
              1   12
              1   13
              1   15
              1   17
2.2e+05

```

nf26 HH14 7.26 Busns3: days/yr

tabulation:	Freq.	Numeric	Label
	2	30	
	4	40	
	1	45	
	1	50	
	4	60	
	2	75	
	1	80	
	1	85	
	4	90	
	1	100	
	1	110	
	3	120	
	1	130	
	2	150	
	1	160	
	2	180	
	1	190	
	3	200	
	1	210	
	1	220	
	2	240	
	4	250	
	3	260	
	1	270	
	1	280	
	3	290	
	12	300	
	1	315	
	6	320	
	4	330	
	1	340	
	2	345	
	1	360	
	4	365	

nf27 HH14 7.27 Busns3: hours/day

```

type: numeric (byte)
label: missing, but 11 nonmissing values are not labeled

range: [1,12]          units: 1
unique values: 11      missing .: 215672/215754

```

```

tabulation: Freq.  Numeric  Label
              1           1
              3           2
              3           3
             12           4
              6           5
             12           6
              6           7
             12           8
              3           9
             12          10
             12          12
          2.2e+05         .

```

```

-----
in7                                     HH15 8.7 Old Age Pension ID
-----

```

```

type: numeric (byte)
label: missing, but 16 nonmissing values are not labeled

range: [1,16]          units: 1
unique values: 16      missing .: 214234/215754

```

```

tabulation: Freq.  Numeric  Label
              700         1
             260         2
              59         3
              69         4
             127         5
             123         6
              82         7
              43         8
              18         9
              11        10
               5        11
               6        12
               5        13
               6        14
               5        15
               1        16
          2.1e+05         .

```

```

-----
in7r                                    HH15 8.7 Old Age Pension Rs
-----

```

```

type: numeric (int)
label: missing, but 77 nonmissing values are not labeled

range: [30,9000]       units: 1
unique values: 77      missing .: 214234/215754

```

```

examples: .
          .
          .
          .

```

```

-----
in8                                     HH15 8.8 Widows Pension ID
-----

```

```

type: numeric (byte)
label: missing, but 16 nonmissing values are not labeled

range: [1,16]          units: 1

```

unique values: 16 missing .: 214982/215754

tabulation:	Freq.	Numeric	Label
	369	1	
	49	2	
	54	3	
	44	4	
	77	5	
	68	6	
	49	7	
	23	8	
	13	9	
	8	10	
	5	11	
	6	12	
	2	13	
	2	14	
	2	15	
	1	16	
	2.1e+05	.	

in8r HH15 8.8 Widows Pension Rs. yr

type: numeric (float)
label: missing, but 61 nonmissing values are not labeled

range: [47.5,9550] units: .1
unique values: 61 missing .: 214982/215754

examples: .
.
.
.

in9 HH15 8.9 Maternity Benefit ID

type: numeric (byte)
label: missing, but 10 nonmissing values are not labeled

range: [1,11] units: 1
unique values: 10 missing .: 215638/215754

tabulation:	Freq.	Numeric	Label
	1	1	
	77	2	
	6	3	
	24	4	
	2	5	
	1	6	
	1	7	
	2	9	
	1	10	
	1	11	
	2.2e+05	.	

in9r HH15 8.9 Maternity Benefit Rs

type: numeric (int)
label: missing, but 21 nonmissing values are not labeled

range: [50,4950] units: 1
unique values: 21 missing .: 215638/215754

tabulation:	Freq.	Numeric	Label
	5	50	
	1	100	
	1	110	

1	125
3	130
1	140
11	150
1	180
2	200
1	280
15	300
4	360
4	400
1	420
56	500
1	700
1	800
4	1000
1	1200
1	3000
1	4950
2.2e+05	.

in10 HH15 8.10 Disability Pension ID

type: numeric (byte)
label: missing, but 12 nonmissing values are not labeled

range: [1,16] units: 1
unique values: 12 missing .: 215589/215754

tabulation:	Freq.	Numeric	Label
	57	1	
	30	2	
	28	3	
	17	4	
	8	5	
	11	6	
	5	7	
	3	8	
	3	9	
	1	10	
	1	12	
	1	16	
	2.2e+05	.	

in10r HH15 8.10 Disability Pension Rs

type: numeric (int)
label: missing, but 33 nonmissing values are not labeled

range: [55,6200] units: 1
unique values: 33 missing .: 215589/215754

tabulation:	Freq.	Numeric	Label
	2	55	
	2	100	
	4	110	
	2	125	
	2	150	
	5	200	
	2	250	
	3	300	
	1	500	
	5	600	
	3	750	
	3	1000	
	29	1200	
	1	1250	
	2	1300	
	4	1320	
	1	1420	

3	1440
18	1500
1	1600
2	1650
1	1680
21	1800
1	1860
3	2000
2	2100
24	2400
3	2500
2	3000
9	3600
2	4800
1	6000
1	6200
2.2e+05	.

in11 HH15 8.11 Annapurna ID

type: numeric (byte)
label: missing, but 10 nonmissing values are not labeled

range: [1,10] units: 1
unique values: 10 missing .: 215297/215754

tabulation:

Freq.	Numeric	Label
351	1	
57	2	
11	3	
7	4	
10	5	
8	6	
6	7	
2	8	
2	9	
3	10	
2.2e+05	.	

in11r HH15 8.11 Annapurna Rs

type: numeric (float)
label: missing, but 144 nonmissing values are not labeled

range: [20,6000] units: .1
unique values: 144 missing .: 215297/215754

examples: .
.
.
.

in12 HH15 8.12 Other govt ID

type: numeric (byte)
label: missing, but 11 nonmissing values are not labeled

range: [1,14] units: 1
unique values: 11 missing .: 215502/215754

tabulation:

Freq.	Numeric	Label
160	1	
37	2	
13	3	
11	4	
15	5	
6	6	

4	7
3	8
1	9
1	12
1	14
2.2e+05	.

in12r HH15 8.12 Other govt Rs

type: numeric (float)
label: missing, but 69 nonmissing values are not labeled

range: [20,10000] units: .1
unique values: 69 missing .: 215503/215754

examples: .
.
.
.

in13 HH15 8.13 NGOs ID

type: numeric (byte)
label: missing, but 7 nonmissing values are not labeled

range: [1,8] units: 1
unique values: 7 missing .: 215711/215754

tabulation: Freq. Numeric Label

21	1	
7	2	
5	3	
3	4	
4	5	
2	7	
1	8	
2.2e+05	.	

in13r HH15 8.13 NGOs Rs

type: numeric (int)
label: missing, but 17 nonmissing values are not labeled

range: [0,7000] units: 1
unique values: 17 missing .: 215712/215754

tabulation: Freq. Numeric Label

6	0	
1	105	
2	200	
1	400	
1	450	
10	500	
2	600	
1	700	
1	900	
5	1000	
2	1200	
1	1400	
2	1800	
1	2000	
1	4000	
4	5000	
1	7000	
2.2e+05	.	

ed1 HH17 10.1 Educ: ID

```

type: numeric (byte)
label: missing, but 38 nonmissing values are not labeled

range: [1,38]          units: 1
unique values: 38      missing .: 3/215754

examples: 2
          3
          4
          5

```

ed2 HH17 10.2 Educ: Literacy

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/215754
unique mv codes: 2    missing .*: 957/215754

tabulation: Freq.  Numeric  Label
            77733      0     No 0
            1.4e+05    1     Yes 1
              954      .c don't know 8 .c
              3        .d invalid skip .d

```

ed3 HH17 10.3 Educ: Attended school

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/215754
unique mv codes: 3    missing .*: 1392/215754

tabulation: Freq.  Numeric  Label
            71566      0     No 0
            1.4e+05    1     Yes 1
              917      .c don't know 8 .c
              3        .d invalid skip .d
            472      .o valid skip 0 .o

```

ed4 HH17 10.4 Educ: Enrolled now

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/215754
unique mv codes: 2    missing .*: 72298/215754

tabulation: Freq.  Numeric  Label
            87462      0     No 0
            55994      1     Yes 1
            72295      .a valid blank .a
              3        .d invalid skip .d

```

ed5 HH17 10.5 Educ: Completed Years

```

type: numeric (byte)
label: ed5f

```

```

range: [0,15]          units: 1
unique values: 16      missing .: 0/215754
unique mv codes: 2     missing .*: 1355/215754

```

```

tabulation: Freq.  Numeric  Label
78799      0  none 0
7479       1  1
8150       2  2
8198       3  3
10068      4  4
15728      5  5th standard 5
8172       6  6
11039      7  7
12766      8  8
13372      9  9
15753     10  matric 10
3401      11  11
9586      12  higher sec 12
737       13  13
845       14  14
10306     15  graduate 15
1352      .a  Valid blank .a
3         .d  Invalid skip .d

```

```

-----
ed6                                     HH17 10.6 Educ: Ever repeated
-----

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]          units: 1
unique values: 2      missing .: 0/215754
unique mv codes: 2    missing .*: 72738/215754

```

```

tabulation: Freq.  Numeric  Label
1.2e+05    0  No 0
22857      1  Yes 1
72735      .a  valid blank .a
3         .d  invalid skip .d

```

```

-----
ed7                                     HH17 10.7 Educ: English ability
-----

```

```

type: numeric (byte)
label: ed7f

```

```

range: [0,2]          units: 1
unique values: 3      missing .: 5770/215754
unique mv codes: 2    missing .*: 3/215754

```

```

tabulation: Freq.  Numeric  Label
1.7e+05    0  No 0
30335      1  Yes, little 1
6667       2  Yes, fluent 2
5770       .
3         .d  Invalid skip .d

```

```

-----
ed8                                     HH17 10.8 Educ: NFEP ever
-----

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]          units: 1
unique values: 2      missing .: 149913/215754
unique mv codes: 2    missing .*: 3/215754

```

```

tabulation: Freq.  Numeric  Label
64224      0  No 0
1614       1  Yes 1

```

```

1.5e+05      .
      3      .d invalid skip .d

```

```

-----
ed9                                     HH17 10.9 Educ: 2ndary class
-----

```

```

type: numeric (byte)
label: ed9f

```

```

range: [1,3]          units: 1
unique values: 3      missing .: 0/215754
unique mv codes: 3    missing .*: 179099/215754

```

```

tabulation: Freq.  Numeric  Label
             8359      1    I 1
             21113     2    II 2
              7183     3    III 3
            1.8e+05     .a Valid blank .a
              3994     .d Invalid skip .d
               3      .o Zero skip .o

```

```

-----
ed10                                    HH17 10.10 Educ: Post 2nd subj
-----

```

```

type: numeric (byte)
label: ed10f

```

```

range: [1,5]          units: 1
unique values: 5      missing .: 0/215754
unique mv codes: 4    missing .*: 190053/215754

```

```

tabulation: Freq.  Numeric  Label
             5760      1 Science 1
            15214     2 Arts 2
            3560      3 Commerce 3
              623     4 Vocational 4
              544     5 Others 5
            1.8e+05     .a Valid blank .a
              1107     .c Don't know 8 .c
               3      .d Invalid skip .d
            5092     .o Zero skip .o

```

```

-----
ed11                                    HH17 10.11 Educ: College/voc
-----

```

```

type: numeric (byte)
label: ed11f

```

```

range: [0,2]          units: 1
unique values: 3      missing .: 0/215754
unique mv codes: 3    missing .*: 190650/215754

```

```

tabulation: Freq.  Numeric  Label
            10878     0 No 0
            12615     1 College 1
            1611     2 Technical 2
            1.9e+05     .a Valid blank .a
               58     .c Don't know 8 .c
               3      .d Invalid skip .d

```

```

-----
ed12                                    HH17 10.12 Educ: Highest degree
-----

```

```

type: numeric (byte)
label: ed12f

```

```

range: [0,5]          units: 1
unique values: 6      missing .: 0/215754
unique mv codes: 3    missing .*: 197845/215754

```

```

tabulation: Freq.  Numeric  Label
              7648      0  None 0
              6653      1  Bachelors 1
              1928      2  Master's 2
              815       3  Professional 3
              554       4  Vocational 4
              311       5  Others 5
              2.0e+05    .a  Valid blank .a
              499       .c  Don't know 8 .c
              3         .d  Invalid skip .d
-----
ed13                                             HH17 10.13 Educ: Degree class
-----

```

```

type: numeric (byte)
label: ed9f

range: [1,3]          units: 1
unique values: 3      missing .: 0/215754
unique mv codes: 4    missing .*: 207017/215754

tabulation: Freq.  Numeric  Label
              2470      1  I 1
              5048      2  II 2
              1219      3  III 3
              2.0e+05    .a  Valid blank .a
              3         .d  Invalid skip .d
              824       .e  Out of range .e
              5622      .o  Zero skip .o
-----

```

```

mm6                                             HH18 11.6 Knows computers
-----

```

```

type: numeric (byte)

range: [1,26]        units: 1
unique values: 20    missing .: 207027/215754

tabulation: Freq.  Value
              1513  1
              833  2
              3071  3
              1698  4
              788  5
              355  6
              214  7
              103  8
              51  9
              36  10
              25  11
              21  12
              8  13
              3  14
              1  15
              3  17
              1  18
              1  19
              1  20
              1  26
              2.1e+05 .
-----

```

```

cs2                                             EH4 2.2 ID Code
-----

```

```

type: numeric (byte)
label: missing, but 30 nonmissing values are not labeled

range: [1,37]        units: 1
unique values: 30    missing .: 163309/215754

```


.

.

.

cs5 EH4 2.5 Standard (yrs)

type: numeric (byte)

label: ed5f

range: [0,15] units: 1

unique values: 16 missing .: 163309/215754

unique mv codes: 4 missing .*: 3000/215754

tabulation:	Freq.	Numeric	Label
	1998	0	none 0
	6621	1	1
	5442	2	2
	4928	3	3
	4633	4	4
	4552	5	5th standard 5
	4177	6	6
	3749	7	7
	3749	8	8
	3143	9	9
	3226	10	matric 10
	1549	11	11
	1664	12	higher sec 12
	6	13	13
	4	14	14
	4	15	graduate 15
	1.6e+05	.	.
	2831	.a	Valid blank .a
	82	.d	Invalid skip .d
	87	.o	Zero skip .o

cs6 EH4 2.6 Medium of instruction

type: numeric (byte)

label: cs6f

range: [1,4] units: 1

unique values: 4 missing .: 163309/215754

unique mv codes: 5 missing .*: 3146/215754

tabulation:	Freq.	Numeric	Label
	22201	1	Hindi 1
	18063	2	State lang 2
	7156	3	English 3
	1879	4	Other 4
	1.6e+05	.	.
	2835	.a	Valid blank .a
	43	.c	Don't know 8 .c
	168	.d	Invalid skip .d
	100	.o	Zero skip .o

cs7 EH4 2.7 Year English taught

type: numeric (byte)

label: missing, but 14 nonmissing values are not labeled

range: [0,14] units: 1

unique values: 14 missing .: 163309/215754

unique mv codes: 6 missing .*: 3565/215754

tabulation:	Freq.	Numeric	Label
	6840	0	
	19094	1	

1898	2
7522	3
1679	4
7600	5
3847	6
57	7
210	8
54	9
4	10
72	11
2	12
1	14
1.6e+05	.
2783	.a valid blank .a
131	.b valid skip 9 .b
60	.c don't know 8 .c
289	.d invalid skip .d
302	.o valid skip 0 .o

 cs8 EH4 2.8 School Hrs/week

type: numeric (byte)

range:	[0,96]	units:	1
unique values:	66	missing .:	163309/215754
unique mv codes:	5	missing .*:	3990/215754

mean: 30.8876
 std. dev: 9.11061

percentiles:	10%	25%	50%	75%	90%
	20	29	34	36	36

 cs9 EH4 2.9 Homework Hrs/week

type: numeric (byte)
 label: missing, but 57 nonmissing values are not labeled

range:	[0,98]	units:	1
unique values:	57	missing .:	163309/215754
unique mv codes:	5	missing .*:	3911/215754

examples: 15
 .
 .
 .

 cs10 EH4 2.10 Pvt Tuition Hrs/week

type: numeric (byte)
 label: missing, but 40 nonmissing values are not labeled

range:	[0,80]	units:	1
unique values:	40	missing .:	163310/215754
unique mv codes:	4	missing .*:	4552/215754

examples: 7
 .
 .
 .

 cs11 EH4 2.11 Days/month absent

type: numeric (byte)

```

range: [0,30]
unique values: 31
unique mv codes: 4

units: 1
missing .: 163310/215754
missing .*: 3234/215754

```

```

tabulation: Freq. Value
25526 0
2993 1
4931 2
2736 3
2640 4
2741 5
1313 6
891 7
1199 8
339 9
1087 10
102 11
325 12
70 13
42 14
681 15
31 16
22 17
34 18
20 19
334 20
12 21
26 22
11 23
13 24
117 25
59 26
19 27
54 28
43 29
799 30
1.6e+05 .
2303 .a
33 .c
898 .d

```

```

-----
cs12                                     EH4 2.12 Mid-day meal
-----

```

```

type: numeric (byte)
label: cs12f

```

```

range: [0,4]
unique values: 4
unique mv codes: 2

units: 1
missing .: 163309/215754
missing .*: 2767/215754

```

```

tabulation: Freq. Numeric Label
32278      0 No 0
5314       1 Yes, Grain 1
1964       3 Yes, Dalia 3
10122      4 Yes, variety 4
1.6e+05    .
2767      .d Invalid skip .d

```

```

-----
cs14                                     EH4 2.14 Free books
-----

```

```

type: numeric (byte)
label: yesno

```

```

range: [0,1]
unique values: 2
unique mv codes: 3

units: 1
missing .: 163309/215754
missing .*: 1298/215754

```

```

tabulation: Freq. Numeric Label
29183      0 No 0

```



```

21964      1 Yes 1
1.6e+05    .
  424      .a valid blank .a
  874      .d invalid skip .d

```

```
-----
cs15                                             EH4 2.15 Free uniform
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                  missing .: 163309/215754
unique mv codes: 2                missing .*: 1771/215754

      tabulation: Freq.  Numeric  Label
                  44527      0 No 0
                  6147       1 Yes 1
                  1.6e+05    .
                  1771       .d invalid skip .d

```

```
-----
cs16                                             EH4 2.16 School fees by govt
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                  missing .: 163309/215754
unique mv codes: 2                missing .*: 2074/215754

      tabulation: Freq.  Numeric  Label
                  43113      0 No 0
                  7258       1 Yes 1
                  1.6e+05    .
                  2074       .d invalid skip .d

```

```
-----
cs17                                             EH4 2.17 Scholarship
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
unique values: 2                  missing .: 163309/215754
unique mv codes: 2                missing .*: 2105/215754

      tabulation: Freq.  Numeric  Label
                  44509      0 No 0
                  5831       1 Yes 1
                  1.6e+05    .
                  2105       .d invalid skip .d

```

```
-----
cs18                                             EH4 2.18 School fees
-----
```

```

      type: numeric (long)
      label: missing, but 1127 nonmissing values are not labeled

      range: [0,91635]            units: 1
unique values: 1127               missing .: 163317/215754
unique mv codes: 2                missing .*: 1079/215754

      examples: 1500
                  .
                  .
                  .

```

cs19 ----- EH4 2.19 Books uniform bus Rs

```

      type: numeric (float)
      label: missing, but 590 nonmissing values are not labeled

      range: [0,80000]          units: 1
      unique values: 590        missing .: 163311/215754
      unique mv codes: 2        missing .*: 832/215754

      examples: 1600
                .
                .
                .

```

cs20 ----- EH4 2.20 Pvt tuition Rs

```

      type: numeric (float)
      label: missing, but 266 nonmissing values are not labeled

      range: [0,55000]          units: 1
      unique values: 266        missing .: 163310/215754
      unique mv codes: 2        missing .*: 8811/215754

      examples: 5000
                .
                .
                .

```

sm1 ----- EH12 8.1a STMorb ID

```

      type: numeric (byte)
      label: missing, but 29 nonmissing values are not labeled

      range: [1,33]            units: 1
      unique values: 29        missing .: 190248/215754

      tabulation: Freq.  Numeric  Label
                  3534      1
                  5005      2
                  4389      3
                  4276      4
                  3357      5
                  2103      6
                  1153      7
                   598      8
                   405      9
                   248     10
                   155     11
                    88     12
                    65     13
                    46     14
                    28     15
                    16     16
                    13     17
                     8     18
                     6     19
                     1     20
                     3     21
                     1     22
                     1     23
                     2     24
                     1     25
                     1     26
                     1     30
                     1     32
                     1     33
                1.9e+05      .

```

----- EH12 8.2a STMorb Days ill -----

sm2

type: numeric (byte)
 label: missing, but 31 nonmissing values are not labeled
 range: [0,30] units: 1
 unique values: 31 missing .: 190248/215754
 unique mv codes: 2 missing .*: 25/215754

tabulation:	Freq.	Numeric	Label
	207	0	
	583	1	
	3067	2	
	3554	3	
	3463	4	
	3057	5	
	1361	6	
	2005	7	
	2373	8	
	373	9	
	1693	10	
	22	11	
	390	12	
	32	13	
	83	14	
	1620	15	
	37	16	
	20	17	
	41	18	
	6	19	
	394	20	
	10	21	
	22	22	
	3	23	
	6	24	
	150	25	
	4	26	
	4	27	
	22	28	
	2	29	
	877	30	
	1.9e+05	.	
	25	.a	valid blank .a

----- EH12 8.3a Fever -----

sm3

type: numeric (byte)
 label: yesno
 range: [0,1] units: 1
 unique values: 2 missing .: 190248/215754

tabulation:	Freq.	Numeric	Label
	3327	0	No 0
	22179	1	Yes 1
	1.9e+05	.	

----- EH12 8.4a Cough -----

sm4

type: numeric (byte)
 label: yesno
 range: [0,1] units: 1
 unique values: 2 missing .: 190248/215754

tabulation:	Freq.	Numeric	Label
	7820	0	No 0

17686 1 Yes 1
1.9e+05 .

sm5 EH12 8.5a Cough w short breaths

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 190248/215754
unique mv codes: 2 missing .*: 8188/215754

tabulation:	Freq.	Numeric	Label
	9334	0	No 0
	7984	1	Yes 1
	1.9e+05	.	
	8188	.a	valid blank .a

sm6 EH12 8.6a Diarrhoea

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 190248/215754

tabulation:	Freq.	Numeric	Label
	20344	0	No 0
	5162	1	Yes 1
	1.9e+05	.	

sm7 EH12 8.7a Diarrhoea with blood

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 190248/215754
unique mv codes: 2 missing .*: 20458/215754

tabulation:	Freq.	Numeric	Label
	4037	0	No 0
	1011	1	Yes 1
	1.9e+05	.	
	20458	.a	valid blank .a

sm8 EH12 8.8a Liquid intake if Diarrhoea

type: numeric (byte)
label: sm8f, but 1 nonmissing value is not labeled

range: [0,3] units: 1
unique values: 4 missing .: 190248/215754
unique mv codes: 2 missing .*: 20538/215754

tabulation:	Freq.	Numeric	Label
	419	0	
	1697	1	More 1
	1500	2	Same 2
	1352	3	Less 3
	1.9e+05	.	
	20538	.a	Valid blank .a

sm9 EH12 8.9a ORS given if Diarrhoea

```

-----
      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 190248/215754
      unique mv codes: 3          missing .*: 20515/215754

      tabulation: Freq.  Numeric  Label
                  3042      0      No 0
                  1949      1      Yes 1
                  1.9e+05    .
                  20514      .a valid blank .a
                  1          .e out of range .e

```

```

-----
sm10                                     EH12 8.10a STMorb Days Unable
-----

```

```

      type: numeric (byte)
      label: missing, but 30 nonmissing values are not labeled

      range: [0,30]              units: 1
      unique values: 30          missing .: 190248/215754
      unique mv codes: 2          missing .*: 895/215754

      tabulation: Freq.  Numeric  Label
                  6401      0
                  1103      1
                  3464      2
                  2855      3
                  2191      4
                  2111      5
                  907       6
                  1091      7
                  1273      8
                  163       9
                  1059     10
                  14        11
                  214       12
                  22        13
                  48        14
                  817       15
                  24        16
                  9         17
                  33        18
                  2         19
                  254       20
                  1         21
                  15        22
                  1         23
                  4         24
                  79        25
                  1         26
                  1         27
                  9         28
                  445       30
                  1.9e+05    .
                  895       .a valid blank .a

```

```

-----
sm11                                     EH12 8.11a STMorb Treatment
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 190248/215754
      unique mv codes: 2          missing .*: 65/215754

      tabulation: Freq.  Numeric  Label

```

```

1382      0 No 0
24059     1 Yes 1
1.9e+05   .
65        .a valid blank .a

```

```

-----
sm13a1                                     EH13 8.13a1 STMorb Who 1st treat
-----

```

```

type: numeric (byte)
label: sm13f

```

```

range: [1,5]          units: 1
unique values: 5      missing .: 190248/215754
unique mv codes: 3    missing .*: 1446/215754

```

```

tabulation: Freq.  Numeric  Label
              5046      1 Public Doctor/ Nurse 1
              1214      2 Public Dr./ Nurse in private 2
              15559      3 Private Dr/Nurse
              1752      4 Pharmacy 4
              489       5 Other (traditional healer) 5
1.9e+05       .
              1254      .a Valid blank .a
              192       .o Zero skip .o

```

```

-----
sm14a1                                     EH13 8.14a1 STMorb Where 1st treat
-----

```

```

type: numeric (byte)
label: sm14f

```

```

range: [1,4]          units: 1
unique values: 4      missing .: 190248/215754
unique mv codes: 4    missing .*: 1462/215754

```

```

tabulation: Freq.  Numeric  Label
              13765      1 Same village/neighbourhood 1
              5625      2 Another village/neighbourhood 2
              2779      3 Other town
              1875      4 District town 4
1.9e+05       .
              1270      .a Valid blank .a
              1        .e Out of range .e
              191       .o Zero skip .o

```

```

-----
sm13a2                                     EH13 8.13a2 STMorb Who 2nd treat
-----

```

```

type: numeric (byte)
label: sm13f

```

```

range: [1,5]          units: 1
unique values: 5      missing .: 190248/215754
unique mv codes: 3    missing .*: 22388/215754

```

```

tabulation: Freq.  Numeric  Label
              605      1 Public Doctor/ Nurse 1
              212      2 Public Dr./ Nurse in private 2
              2149      3 Private Dr/Nurse
              98       4 Pharmacy 4
              54       5 Other (traditional healer) 5
1.9e+05       .
              12979     .a Valid blank .a
              9409      .o Zero skip .o

```

```

-----
sm14a2                                     EH13 8.14a2 STMorb Where 2nd treat
-----

```

```

type: numeric (byte)

```

```

label: sm14f
range: [1,4]
unique values: 4
unique mv codes: 3
units: 1
missing .: 190248/215754
missing .*: 22408/215754

tabulation: Freq. Numeric Label
1306 1 Same village/neighbourhood 1
795 2 Another village/neighbourhood 2
564 3 Other town
433 4 District town 4
1.9e+05 .
12932 .a Valid blank .a
9476 .o Zero skip .o
-----
sm15 EH13 8.15a STMorb Days hosp
-----

type: numeric (byte)
label: missing, but 24 nonmissing values are not labeled
range: [0,30]
unique values: 24
unique mv codes: 2
units: 1
missing .: 190248/215754
missing .*: 3324/215754

tabulation: Freq. Numeric Label
21365 0
120 1
127 2
100 3
78 4
63 5
37 6
50 7
56 8
7 9
65 10
5 11
6 12
3 13
3 14
31 15
3 16
2 17
3 18
2 19
16 20
4 25
1 26
35 30
1.9e+05 .
3324 .a valid blank .a
-----
sm16 EH13 8.16a STMorb Dr/hosp Rs
-----

type: numeric (long)
label: missing, but 194 nonmissing values are not labeled
range: [0,50000]
unique values: 194
unique mv codes: 2
units: 1
missing .: 190263/215754
missing .*: 3078/215754

examples: .
.
.
.
-----
sm17 EH13 8.17a STMorb Meds in cost

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
      unique values: 2      missing .: 190248/215754
      unique mv codes: 3    missing .*: 2455/215754

      tabulation: Freq.  Numeric  Label
                  10242      0    No 0
                  12809      1    Yes 1
                  1.9e+05     .
                  2454       .a  valid blank .a
                  1          .e  out of range .e

```

```

-----
sm18                                     EH13 8.18a STMorb Medicine Rs
-----

```

```

      type: numeric (int)
      label: missing, but 226 nonmissing values are not labeled

      range: [0,20000]      units: 1
      unique values: 226    missing .: 190250/215754
      unique mv codes: 2    missing .*: 3615/215754

      examples: .
                .
                .
                .

```

```

-----
sm19                                     EH13 8.19a STMorb Travel Rs
-----

```

```

      type: numeric (int)
      label: missing, but 104 nonmissing values are not labeled

      range: [0,9000]      units: 1
      unique values: 104    missing .: 190248/215754
      unique mv codes: 2    missing .*: 4766/215754

      examples: .
                .
                .
                .

```

```

-----
mb1                                     EH14 9.1 MJmorb ID
-----

```

```

      type: numeric (byte)
      label: missing, but 26 nonmissing values are not labeled

      range: [1,28]        units: 1
      unique values: 26     missing .: 202736/215754

      tabulation: Freq.  Numeric  Label
                  5072      1
                  4256      2
                  1030      3
                   787      4
                   656      5
                   484      6
                   295      7
                   163      8
                   94       9
                   55      10
                   29      11
                   28      12
                   23      13
                   11      14
                   9       15

```


mb2 EH14 9.2 Cataract

mb3 EH14 9.3 Tuberculosis

mb4 EH14 9.4 High BP

mb5 EH14 9.5 Heart disease

```

      type: numeric (byte)
      label: mbf

      range: [0,2]          units: 1
      unique values: 3      missing .: 202736/215754
      unique mv codes: 3    missing .*: 2028/215754

      tabulation: Freq.  Numeric  Label
                  9869      0      No 0
                  1057      1      Yes 1
                   64      2      Cured 2
                2.0e+05      .
                  2025      .a Valid blank .a
                   3      .f Inconsistent .f

```

mb6 EH14 9.6 Diabetes

```

      type: numeric (byte)
      label: mbf

      range: [0,2]          units: 1
      unique values: 3      missing .: 202736/215754
      unique mv codes: 3    missing .*: 1986/215754

      tabulation: Freq.  Numeric  Label
                  9362      0      No 0
                  1632      1      Yes 1
                   38      2      Cured 2
                2.0e+05      .
                  1983      .a Valid blank .a
                   3      .f Inconsistent .f

```

mb7 EH14 9.7 Leprosy

```

      type: numeric (byte)
      label: mbf

      range: [0,2]          units: 1
      unique values: 3      missing .: 202736/215754
      unique mv codes: 3    missing .*: 2191/215754

      tabulation: Freq.  Numeric  Label
                  10700      0      No 0
                   121      1      Yes 1
                   6      2      Cured 2
                2.0e+05      .
                  2188      .a Valid blank .a
                   3      .f Inconsistent .f

```

mb8 EH14 9.8 Cancer

```

      type: numeric (byte)
      label: mbf

      range: [0,2]          units: 1
      unique values: 3      missing .: 202736/215754
      unique mv codes: 3    missing .*: 2204/215754

      tabulation: Freq.  Numeric  Label
                  10669      0      No 0
                   129      1      Yes 1
                   16      2      Cured 2
                2.0e+05      .
                  2201      .a Valid blank .a
                   3      .f Inconsistent .f

```

 mb9 EH14 9.9 Asthma

type: numeric (byte)
 label: mbf

 range: [0,2] units: 1
 unique values: 3 missing .: 202736/215754
 unique mv codes: 3 missing .*: 2062/215754

tabulation:	Freq.	Numeric	Label
	9718	0	No 0
	1197	1	Yes 1
	41	2	Cured 2
	2.0e+05	.	
	2059	.a	Valid blank .a
	3	.f	Inconsistent .f

 mb10 EH14 9.10 Polio

type: numeric (byte)
 label: mbf

 range: [0,2] units: 1
 unique values: 3 missing .: 202736/215754
 unique mv codes: 3 missing .*: 2208/215754

tabulation:	Freq.	Numeric	Label
	10553	0	No 0
	243	1	Yes 1
	14	2	Cured 2
	2.0e+05	.	
	2205	.a	Valid blank .a
	3	.f	Inconsistent .f

 mb11 EH14 9.11 Paralysis

type: numeric (byte)
 label: mbf

 range: [0,2] units: 1
 unique values: 3 missing .: 202736/215754
 unique mv codes: 3 missing .*: 2187/215754

tabulation:	Freq.	Numeric	Label
	10506	0	No 0
	298	1	Yes 1
	27	2	Cured 2
	2.0e+05	.	
	2184	.a	Valid blank .a
	3	.f	Inconsistent .f

 mb12 EH14 9.12 Epilepsy

type: numeric (byte)
 label: mbf

 range: [0,2] units: 1
 unique values: 3 missing .: 202736/215754
 unique mv codes: 3 missing .*: 2207/215754

tabulation:	Freq.	Numeric	Label
	10570	0	No 0
	229	1	Yes 1
	12	2	Cured 2
	2.0e+05	.	

```

2204      .a Valid blank .a
3         .f Inconsistent .f

```

```

-----
mb13                                           EH14 9.13 Mental illness
-----

```

```

type: numeric (byte)
label: mbf

range: [0,2]          units: 1
unique values: 3      missing .: 202736/215754
unique mv codes: 3    missing .*: 2177/215754

tabulation: Freq.  Numeric  Label
10519       0          No 0
300         1          Yes 1
22          2          Cured 2
2.0e+05     .
2174        .a Valid blank .a
3           .f Inconsistent .f

```

```

-----
mb14                                           EH14 9.14 STD or AIDS
-----

```

```

type: numeric (byte)
label: mbf

range: [0,2]          units: 1
unique values: 3      missing .: 202736/215754
unique mv codes: 3    missing .*: 2205/215754

tabulation: Freq.  Numeric  Label
10716       0          No 0
88          1          Yes 1
9           2          Cured 2
2.0e+05     .
2202        .a Valid blank .a
3           .f Inconsistent .f

```

```

-----
mb15                                           EH14 9.15 Other long term
-----

```

```

type: numeric (byte)
label: mbf

range: [0,2]          units: 1
unique values: 3      missing .: 202736/215754
unique mv codes: 3    missing .*: 1504/215754

tabulation: Freq.  Numeric  Label
7166       0          No 0
3990       1          Yes 1
358        2          Cured 2
2.0e+05     .
1501        .a Valid blank .a
3           .f Inconsistent .f

```

```

-----
mb16                                           EH14 9.16 MJmorb Days Unable
-----

```

```

type: numeric (int)
label: missing, but 139 nonmissing values are not labeled

range: [0,366]        units: 1
unique values: 139     missing .: 22/215754
unique mv codes: 2     missing .*: 203434/215754

examples: .a valid blank .a
          .a valid blank .a

```

```
.a valid blank .a
.a valid blank .a
```

```
-----
mb17                                     EH14 9.17 MJmorb Treatment
-----
```

```
type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/215754
unique mv codes: 1    missing .*: 202945/215754
```

```
tabulation: Freq.  Numeric  Label
              1033      0    No 0
              11776     1    Yes 1
              2.0e+05   .a valid blank .a
```

```
-----
mb19_1                                 EH15 9.19a1 MJmorb Who 1st
-----
```

```
type: numeric (byte)
label: mb19f

range: [1,5]          units: 1
unique values: 5      missing .: 0/215754
unique mv codes: 2    missing .*: 203980/215754
```

```
tabulation: Freq.  Numeric  Label
              3175      1    Public Doctor/ Nurse 1
              749       2    Public Dr./ Nurse in private 2
              7355      3    Private Dr./Nurse 3
              312       4    Pharmacy 4
              183       5    Other (traditional healer) 5
              2.0e+05   .a Valid blank .a
              169      .o    Zero skip .o
```

```
-----
mb20_1                                 EH15 9.20a1 MJmorb Where 1st
-----
```

```
type: numeric (byte)
label: mb20f

range: [1,4]          units: 1
unique values: 4      missing .: 0/215754
unique mv codes: 2    missing .*: 203989/215754
```

```
tabulation: Freq.  Numeric  Label
              4278      1    Same village/neighbourhood 1
              2266      2    Another village/neighbourhood 2
              2837      3    Other town 3
              2384      4    District town 4
              2.0e+05   .a Valid blank .a
              167      .o    Zero skip .o
```

```
-----
mb19_2                                 EH15 9.19a2 MJmorb Who 2nd
-----
```

```
type: numeric (byte)
label: mb19f

range: [1,5]          units: 1
unique values: 5      missing .: 0/215754
unique mv codes: 2    missing .*: 213335/215754
```

```
tabulation: Freq.  Numeric  Label
              623      1    Public Doctor/ Nurse 1
              139      2    Public Dr./ Nurse in private 2
              1530     3    Private Dr./Nurse 3
```

```

73      4 Pharmacy 4
54      5 Other (traditional healer) 5
2.1e+05 .a Valid blank .a
3971    .o Zero skip .o

```

```

-----
mb20_2                                     EH15 9.20a2 MJmorb Where 2nd
-----

```

```

type: numeric (byte)
label: mb20f

range: [1,4]          units: 1
unique values: 4      missing .: 0/215754
unique mv codes: 2    missing .*: 213344/215754

```

```

tabulation: Freq.  Numeric  Label
             553      1 Same village/neighbourhood 1
             407      2 Another village/neighbourhood 2
             708      3 Other town 3
             742      4 District town 4
2.1e+05      .a Valid blank .a
4019         .o Zero skip .o

```

```

-----
mb21                                     EH15 9.21 MJmorb Days hosp
-----

```

```

type: numeric (int)
label: missing, but 63 nonmissing values are not labeled

range: [0,365]        units: 1
unique values: 63     missing .: 0/215754
unique mv codes: 2    missing .*: 204658/215754

```

```

examples: .a valid blank .a
          .a valid blank .a
          .a valid blank .a
          .a valid blank .a

```

```

-----
mb22                                     EH15 9.22 MJmorb Cost Dr/hosp
-----

```

```

type: numeric (long)
label: missing, but 281 nonmissing values are not labeled

range: [0,700000]     units: 1
unique values: 281    missing .: 0/215754
unique mv codes: 2    missing .*: 204551/215754

```

```

examples: .a valid blank .a
          .a valid blank .a
          .a valid blank .a
          .a valid blank .a

```

```

-----
mb23                                     EH15 9.23 MJmorb Meds in cost
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 0/215754
unique mv codes: 2    missing .*: 204588/215754

```

```

tabulation: Freq.  Numeric  Label
             5442      0 No 0
             5724      1 Yes 1
2.0e+05      .a valid blank .a
612          .d invalid skip .d

```

mb24 EH15 9.24 MJmorb Cost Medicine

type: numeric (long)
 label: missing, but 355 nonmissing values are not labeled

range: [0,95000] units: 1
 unique values: 355 missing .: 0/215754
 unique mv codes: 2 missing .*: 204703/215754

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

mb25 EH15 9.25 MJmorb Cost Travel

type: numeric (long)
 label: missing, but 203 nonmissing values are not labeled

range: [0,35000] units: 1
 unique values: 203 missing .: 0/215754
 unique mv codes: 2 missing .*: 204663/215754

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

ad1 EH16 10.1 ID

type: numeric (byte)
 label: missing, but 22 nonmissing values are not labeled

range: [1,28] units: 1
 unique values: 22 missing .: 211183/215754

tabulation:	Freq.	Numeric	Label
	1684	1	
	1140	2	
	437	3	
	328	4	
	332	5	
	263	6	
	159	7	
	101	8	
	44	9	
	24	10	
	14	11	
	13	12	
	6	13	
	10	14	
	4	15	
	3	16	
	2	17	
	2	18	
	2	20	
	1	26	
	1	27	
	1	28	
	2.1e+05	.	

ad2 EH16 10.2 Difficulty Walking 1km

type: numeric (byte)
 label: adf

range: [0,2] units: 1
 unique values: 3 missing .: 211183/215754
 unique mv codes: 2 missing .*: 736/215754

tabulation:	Freq.	Numeric	Label
	1359	0	No difficulty 0
	1677	1	With difficulty 1
	799	2	Unable to do 2
	2.1e+05	.	
	736	.a	No difficulty .a

 ad3 EH16 10.3 Difficulty Toilet

type: numeric (byte)
 label: adf

range: [0,2] units: 1
 unique values: 3 missing .: 211183/215754
 unique mv codes: 2 missing .*: 1041/215754

tabulation:	Freq.	Numeric	Label
	1923	0	No difficulty 0
	944	1	With difficulty 1
	663	2	Unable to do 2
	2.1e+05	.	
	1041	.a	No difficulty .a

 ad4 EH16 10.4 Difficulty Dressing

type: numeric (byte)
 label: adf

range: [0,2] units: 1
 unique values: 3 missing .: 211183/215754
 unique mv codes: 2 missing .*: 1115/215754

tabulation:	Freq.	Numeric	Label
	2061	0	No difficulty 0
	741	1	With difficulty 1
	654	2	Unable to do 2
	2.1e+05	.	
	1115	.a	No difficulty .a

 ad5 EH16 10.5 Difficulty Hearing

type: numeric (byte)
 label: adf

range: [0,2] units: 1
 unique values: 3 missing .: 211183/215754
 unique mv codes: 2 missing .*: 1030/215754

tabulation:	Freq.	Numeric	Label
	1856	0	No difficulty 0
	1131	1	With difficulty 1
	554	2	Unable to do 2
	2.1e+05	.	
	1030	.a	No difficulty .a

 ad6 EH16 10.6 Difficulty Speaking

type: numeric (byte)
 label: adf


```

range: [0,2]          units: 1
unique values: 3      missing .: 211183/215754
unique mv codes: 2    missing .*: 1163/215754

```

```

tabulation: Freq.  Numeric  Label
            2134      0    No difficulty 0
            701       1    With difficulty 1
            573       2    Unable to do 2
2.1e+05     .
            1163     .a    No difficulty .a

```

```

-----
ad7                                     EH16 10.7 Difficulty Far sight
-----

```

```

type: numeric (byte)
label: adf

```

```

range: [0,2]          units: 1
unique values: 3      missing .: 211183/215754
unique mv codes: 2    missing .*: 733/215754

```

```

tabulation: Freq.  Numeric  Label
            996      0    No difficulty 0
            2164     1    With difficulty 1
            678      2    Unable to do 2
2.1e+05     .
            733     .a    No difficulty .a

```

```

-----
ad8                                     EH16 10.8 Difficulty Short sight
-----

```

```

type: numeric (byte)
label: adf

```

```

range: [0,2]          units: 1
unique values: 3      missing .: 211183/215754
unique mv codes: 2    missing .*: 952/215754

```

```

tabulation: Freq.  Numeric  Label
            1472     0    No difficulty 0
            1512     1    With difficulty 1
            635      2    Unable to do 2
2.1e+05     .
            952     .a    No difficulty .a

```

```

-----
to1                                     EH17 12.1 Tobacco & alcohol: ID
-----

```

```

type: numeric (byte)

```

```

range: [1,36]         units: 1
unique values: 25     missing .: 182638/215754

```

```

tabulation: Freq.  Value
            22188   1
            4467   2
            3022   3
            817    4
            737    5
            555    6
            493    7
            307    8
            191    9
            114   10
            65    11
            70    12
            42    13
            15    14
            8     15
            5     16

```

to2 EH17 12.2 Tobacco: smoke

tabulation:	Freq.	Numeric	Label
	10644	0	Never 0
	3655	1	Sometimes 1
	15627	2	Daily 2
	1.8e+05	.	
	3190	.a	

to3 EH17 12.3 Tobacco: chew

tabulation:	Freq.	Numeric	Label
	10281	0	Never 0
	2976	1	Sometimes 1
	16481	2	Daily 2
	1.8e+05	.	
	3373	.a	
	2	.b	
	2	.e	

to4 EH17 12.4 Alcohol: drink

tabulation:	Freq.	Numeric	Label
	17227	0	Never 0
	7474	1	Sometimes 1
	2820	2	Daily 2
	1.8e+05	.	
	5586	.a	
	7	.b	
	2	.e	

ap1 EH38 25.1 Anthropometry ID

```

type: numeric (byte)
label: missing, but 35 nonmissing values are not labeled

range: [1,38]          units: 1
unique values: 35      missing .: 147116/215754

```

```

tabulation: Freq.  Numeric  Label
            1730      1
            24266     2
            8221      3
            12092     4
            8401      5
            5492      6
            3142      7
            1898      8
            1208      9
            787       10
            490       11
            290       12
            202       13
            130       14
            77        15
            61        16
            37        17
            28        18
            25        19
            12        20
            10        21
            9         22
            2         23
            8         24
            3         25
            3         26
            1         27
            3         28
            3         29
            2         30
            1         31
            1         32
            1         33
            1         35
            1         38
            1.5e+05   .

```

```

-----
ap2                                     EH38 25.2 Anthropometry Height
-----

```

```

type: numeric (int)
label: missing, but 169 nonmissing values are not labeled

range: [1,197]          units: 1
unique values: 169      missing .: 0/215754
unique mv codes: 3      missing .*: 147410/215754

```

```

examples: 148
          .a  valid blank .a
          .a  valid blank .a
          .a  valid blank .a

```

```

-----
ap3                                     EH38 25.3 Anthropometry Position
-----

```

```

type: numeric (byte)
label: ap3f, but label does not exist

range: [1,2]          units: 1
unique values: 2      missing .: 0/215754
unique mv codes: 3      missing .*: 147118/215754

```

```

tabulation: Freq.  Value
            3124   1

```

```

65512 2
1.4e+05 .a
      2 .c
8612 .d

```

```

-----
ap4                                     EH38 25.4 Anthropometry Weight 1st
-----

```

```

      type: numeric (float)
      label: missing, but 996 nonmissing values are not labeled

      range: [.55,652]                units: .01
      unique values: 996                missing .: 0/215754
      unique mv codes: 4                missing .*: 147150/215754

      examples: 43
                 .a    valid blank .a
                 .a    valid blank .a
                 .a    valid blank .a

```

```

-----
ap5                                     EH38 25.5 Anthropometry Weight 2nd
-----

```

```

      type: numeric (float)
      label: missing, but 1010 nonmissing values are not labeled

      range: [.5,775]                units: .01
      unique values: 1010                missing .: 1/215754
      unique mv codes: 5                missing .*: 147151/215754

      examples: 43
                 .a    valid blank .a
                 .a    valid blank .a
                 .a    valid blank .a

```

```

-----
ta2                                     EH39 26.2 Test ID
-----

```

```

      type: numeric (byte)

      range: [1,28]                units: 1
      unique values: 24                missing .: 202841/215754

      tabulation: Freq. Value
                   9 1
                   140 2
                   2858 3
                   3342 4
                   2942 5
                   1670 6
                   802 7
                   435 8
                   263 9
                   162 10
                   102 11
                   63 12
                   35 13
                   27 14
                   18 15
                   12 16
                   11 17
                   7 18
                   5 19
                   3 20
                   4 21
                   1 22
                   1 24
                   1 28
2.0e+05 .

```

ta3	EH39 26.3 Test attended school
-----	--------------------------------

```

type: numeric (byte)
label: ta3f

range: [0,2]          units: 1
unique values: 3      missing .: 202836/215754
unique mv codes: 4    missing .*: 13/215754

```

tabulation:	Freq.	Numeric	Label
	236	0	No 0
	11231	1	Yes, currently 1
	1438	2	Yes, in the past 2
	2.0e+05	.	
	10	.a	
	1	.b	
	2	.e	

ta4	EH39 26.4 Test completed std
-----	------------------------------

```

type: numeric (byte)
label: missing, but 8 nonmissing values are not labeled

range: [0,7]          units: 1
unique values: 8      missing .: 202836/215754
unique mv codes: 2    missing .*: 189/215754

```

tabulation:	Freq.	Numeric	Label
	345	0	
	1567	1	
	2574	2	
	2989	3	
	2705	4	
	1819	5	
	676	6	
	54	7	
	2.0e+05	.	
	189	.a	valid blank .a

ta5	EH39 26.5 Test enjoy school
-----	-----------------------------

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 202836/215754
unique mv codes: 4    missing .*: 298/215754

```

tabulation:	Freq.	Numeric	Label
	471	0	No 0
	12149	1	Yes 1
	2.0e+05	.	
	292	.a	valid blank .a
	2	.c	don't know 8 .c
	4	.e	out of range .e

ta6	EH39 26.6 Test teacher not nice
-----	---------------------------------

```

type: numeric (byte)
label: nicely

range: [1,3]          units: 1
unique values: 3      missing .: 202836/215754
unique mv codes: 4    missing .*: 368/215754

```

```

tabulation: Freq.  Numeric  Label
              9037      1  Nicely 1
              3262      2  Somewhat nicely 2
              251       3  Not nicely 3
              2.0e+05    .
              341       .a
              7         .c
              20        .o
-----
ta7lang                                     EH39 26.7 Test reading language
-----

```

```

      type: numeric (byte)
      label: ta7af

      range: [1,13]                units: 1
unique values: 13                missing .: 202836/215754
unique mv codes: 4                missing .*: 399/215754

```

```

tabulation: Freq.  Numeric  Label
              6229      1  Hindi 1
              163       2  Assamese 2
              590       3  Bangla 3
              614       4  Gujarathi 4
              977       5  Marathi 5
              552       6  Oriya 6
              785       7  Kannad 7
              218       8  Malyalam 8
              300       9  Tamil Nadu 9
              408      10  Telegu 10
              1069     11  English 11
              451      12  Punjabi 12
              163      13  Urdu 13
              2.0e+05    .
              346       .a
              22        .e
              31        .o

```

```

-----
ta7lvl                                     EH39 26.7 Test reading score
-----

```

```

      type: numeric (byte)
      label: ta7bf

      range: [0,4]                units: 1
unique values: 5                missing .: 202836/215754
unique mv codes: 2                missing .*: 488/215754

```

```

tabulation: Freq.  Numeric  Label
              1134      0  Can not read 0
              1626      1  Letter 1
              2507      2  Word 2
              2716      3  Paragarph 3
              4447      4  Story 4
              2.0e+05    .
              488       .a

```

```

-----
ta8lang                                     EH39 26.8 Test math language
-----

```

```

      type: numeric (byte)
      label: ta7af

      range: [1,13]                units: 1
unique values: 13                missing .: 202836/215754
unique mv codes: 4                missing .*: 469/215754

```

```

tabulation: Freq.  Numeric  Label
              4407      1  Hindi 1
              178       2  Assamese 2

```

566	3	Bangla	3
591	4	Gujarathi	4
931	5	Marathi	5
546	6	Oriya	6
294	7	Kannad	7
185	8	Malyalam	8
273	9	Tamil Nadu	9
403	10	Telegu	10
3626	11	English	11
348	12	Punjabi	12
101	13	Urdu	13
2.0e+05	.		
398	.a		
22	.e		
49	.o		

 ta8lvl EH39 26.8 Test math score

type: numeric (byte)
 label: ta8bf

range:	[0,3]	units:	1
unique values:	4	missing .:	202836/215754
unique mv codes:	2	missing .*:	537/215754

tabulation:	Freq.	Numeric	Label
	2099	0	Can not 0
	3946	1	Number 1
	3417	2	Subtraction 2
	2919	3	Division 3
	2.0e+05	.	
	537	.a	

 ta9lang EH39 26.9 Test writing language

type: numeric (byte)
 label: ta7af

range:	[1,13]	units:	1
unique values:	13	missing .:	202836/215754
unique mv codes:	4	missing .*:	461/215754

tabulation:	Freq.	Numeric	Label
	6047	1	Hindi 1
	163	2	Assamese 2
	591	3	Bangla 3
	603	4	Gujarathi 4
	967	5	Marathi 5
	541	6	Oriya 6
	777	7	Kannad 7
	209	8	Malyalam 8
	298	9	Tamil Nadu 9
	403	10	Telegu 10
	1202	11	English 11
	464	12	Punjabi 12
	192	13	Urdu 13
	2.0e+05	.	
	391	.a	
	21	.e	
	49	.o	

 ta9lvl EH39 26.9 Test writing score

type: numeric (byte)
 label: ta9bf

range:	[0,1]	units:	1
--------	-------	--------	---

```
unique values: 2          missing .: 202836/215754
unique mv codes: 3        missing .*: 595/215754
```

```
tabulation: Freq.  Numeric  Label
              3785      0  Can not  0
              8538      1  Writes with 2 or less mistakes 1
              2.0e+05     .
              594      .a
               1      .e
```

stateid State code

type: numeric (byte)
label: stateid

range: [1,34] units: 1
unique values: 33 missing .: 0/215753

tabulation:	Freq.	Numeric	Label
	4230	1	Jammu & Kashmir 01
	7166	2	Himachal Pradesh 02
	9033	3	Punjab 03
	383	4	Chandigarh 04
	2493	5	Uttaranchal 05
	9403	6	Haryana 06
	4620	7	Delhi 07
	14468	8	Rajasthan 08
	21465	9	Uttar Pradesh 09
	8805	10	Bihar 10
	505	11	Sikkim 11
	832	12	Arunachal Pradesh 12
	564	13	Nagaland 13
	598	14	Manipur 14
	502	15	Mizoram 15
	1008	16	Tripura 16
	755	17	Meghalaya 17
	4690	18	Assam 18
	10958	19	West Bengal 19
	5008	20	Jharkhand 20
	10596	21	Orissa 21
	6210	22	Chhatishgarh 22
	15801	23	Madhya Pradesh 23
	10160	24	Gujarat 24
	281	25	Daman & Diu 25
	315	26	Dadra+Nagar Haveli 26
	16602	27	Maharashtra 27
	10661	28	Andhra Pradesh 28
	19859	29	Karnataka 29
	782	30	Goa 30
	7981	32	Kerala 32
	8546	33	Tamil Nadu 33
	473	34	Pondicherry 34

distid District code

type: numeric (byte)

range: [0,68] units: 1
unique values: 61 missing .: 0/215753

mean: 15.08
std. dev: 13.0227

percentiles: 10% 25% 50% 75% 90%
 2 6 12 20 30

psuid PSU: village/neighborhood code

type: numeric (byte)

range: [1,39] units: 1
unique values: 39 missing .: 0/215753

mean: 5.55918
std. dev: 5.59597

percentiles: 10% 25% 50% 75% 90%
 1 2 4 7 10

hhid Household ID

```

-----
type: numeric (byte)
range: [1,52] units: 1
unique values: 52 missing .: 0/215753
mean: 9.2234
std. dev: 5.87634
percentiles: 10% 25% 50% 75% 90%
              2 4 9 13 17

```

```

-----
hhsplitid Split household ID
-----

```

```

type: numeric (byte)
range: [0,7] units: 1
unique values: 8 missing .: 0/215753
tabulation: Freq. Value
             1.4e+05 0
             66057 1
             8052 2
             2250 3
             523 4
             86 5
             16 6
             8 7

```

```

-----
personid Person ID within household
-----

```

```

type: numeric (byte)
range: [1,38] units: 1
unique values: 38 missing .: 0/215753
mean: 3.70225
std. dev: 2.57647
percentiles: 10% 25% 50% 75% 90%
              1 2 3 5 7

```

```

-----
caseid HH & Personid: 11 byte string
-----

```

```

type: string (str11)
unique values: 215753 missing "": 0/215753
examples: "08120508006"
          "17000308001"
          "23120902106"
          "28130204203"

```

```

-----
idhh HH id 9-digit unique
-----

```

```

type: numeric (long)
range: [10201010,3.400e+08] units: 1
unique values: 41554 missing .: 0/215753
mean: 1.8e+08
std. dev: 9.8e+07
percentiles: 10% 25% 50% 75% 90%
              5.1e+07 9.0e+07 2.1e+08 2.7e+08 2.9e+08

```

```

-----
idpsu PSU id 6-digit unique
-----

```

```

-----
type: numeric (long)
range: [10201,340006]          units: 1
unique values: 2474             missing .: 0/215753

mean: 181680
std. dev: 98358.9

percentiles:    10%    25%    50%    75%    90%
                50903  90402  210201  272504  292406

```

```

-----
stateid2                                State codes, collapsed
-----

```

```

type: numeric (int)
label: state2f

range: [101,733]          units: 1
unique values: 22         missing .: 0/215753

```

```

tabulation: Freq.  Numeric  Label
             -----
             4230      101    Jammu & Kashmir 01
             7166      102    Himachal Pradesh 02
             2493      105    Uttarakhand 05
             9416      203    Punjab 03
             9403      206    Haryana 06
             4620      207    Delhi 07
             21465     309    Uttar Pradesh 09
             8805      310    Bihar 10
             5008      320    Jharkhand 20
             14468     408    Rajasthan 08
             6210      422    Chhattisgarh 22
             15801     423    Madhya Pradesh 23
             4764      517    Northeast 17
             4690      518    Assam 18
             10958     519    West Bengal 19
             10596     521    Orissa 21
             10756     624    Gujarat 24
             17384     627    Maharashtra, Goa 27
             10661     728    Andhra Pradesh 28
             19859     729    Karnataka 29
             7981      732    Kerala 32
             9019      733    Tamil Nadu 33

```

```

-----
distname                                District codes with names
-----

```

```

type: numeric (int)
label: distname, but 1 nonmissing value is not labeled

range: [102,3400]          units: 1
unique values: 373         missing .: 0/215753

examples: 812    Jaipur
           1700   Meghalaya
           2312   Damoh
           2813   Visakhapatnam

```

```

-----
dist01                                District ID Census 2001
-----

```

```

type: numeric (byte)

range: [0,68]              units: 1
unique values: 61          missing .: 0/215753

mean: 15.0584
std. dev: 13.0217

percentiles:    10%    25%    50%    75%    90%
                2      6      12      20      30

```

 urban Census: 2001 village/town

type: numeric (byte)
 label: urban
 range: [0,1] units: 1
 unique values: 2 missing .: 0/215753

tabulation:	Freq.	Numeric	Label
	1.4e+05	0	rural 0
	72380	1	urban 1

 metro6 Largest 6 metro areas 1-6

type: numeric (byte)
 label: metro6f
 range: [1,6] units: 1
 unique values: 6 missing .: 196496/215753

tabulation:	Freq.	Numeric	Label
	2769	1	Mumbai 1
	6647	2	Delhi 2
	4754	3	Kolkata 3
	1282	4	Chennai 4
	1593	5	Bangalore 5
	2212	6	Hyderabad 6
	2.0e+05	.	

 sweight Design Weights

type: numeric (float)
 range: [220.00238,308216.38] units: .00001
 unique values: 1526 missing .: 0/215753
 mean: 4623.61
 std. dev: 5180.42
 percentiles: 10% 25% 50% 75% 90%
 1385.21 2450.21 3619.17 5234.42 8129.46

 Npersons HH4 2.0 N in hh

type: numeric (byte)
 range: [1,38] units: 1
 unique values: 33 missing .: 0/215753

tabulation:	Freq.	Value
	801	1
	6430	2
	15684	3
	35512	4
	41800	5
	35574	6
	25207	7
	16248	8
	11358	9
	7720	10
	4972	11
	4056	12
	2990	13
	1904	14
	2175	15
	656	16
	578	17
	612	18
	285	19

300 20
 273 21
 198 22
 23 23
 48 24
 25 25
 26 26
 81 27
 56 28
 29 29
 30 30
 31 31
 33 33
 38 38

 Nchildren HH4 2.5 N 0-14 in hh

type: numeric (byte)
 range: [0,17] units: 1
 unique values: 17 missing .: 0/215753

tabulation: Freq. Value

43563	0
39992	1
51537	2
37214	3
21203	4
11479	5
5254	6
2696	7
1443	8
482	9
358	10
240	11
68	12
71	13
33	14
21	15
99	17

 Nteens HH4 2.5 N 15-21 in hh

type: numeric (byte)
 range: [0,8] units: 1
 unique values: 9 missing .: 0/215753

tabulation: Freq. Value

1.0e+05	0
56511	1
36921	2
15134	3
3798	4
950	5
193	6
83	7
38	8

 Nadults HH4 2.5 N 22+ in hh

type: numeric (byte)
 range: [0,18] units: 1
 unique values: 17 missing .: 0/215753

tabulation: Freq. Value

263	0
7821	1
88316	2
43298	3

35597 4
 17165 5
 12005 6
 5316 7
 3205 8
 1089 9
 846 10
 316 11
 221 12
 174 13
 79 14
 15 15
 27 18

 Nmarriedf HH4 2.6 N married women in hh

type: numeric (byte)
 range: [0,8] units: 1
 unique values: 9 missing .: 0/215753

tabulation: Freq. Value

8830	0
1.3e+05	1
49518	2
17593	3
5044	4
1113	5
315	6
43	7
120	8

 Nmarriedm HH4 2.6 N married men in hh

type: numeric (byte)
 range: [0,8] units: 1
 unique values: 9 missing .: 0/215753

tabulation: Freq. Value

11556	0
1.4e+05	1
47212	2
15885	3
4456	4
1028	5
212	6
91	7
87	8

 copc HH19 12. Monthly consumption per capita

type: numeric (long)
 label: missing, but 3841 nonmissing values are not labeled

range: [0,39273] units: 1
 unique values: 3841 missing .: 0/215753

examples: 373
 532
 742
 1129

 groups8 HH3 1.13-15 Caste/religion 8cats

type: numeric (byte)
 label: groups8f

range: [1,8] units: 1

unique values: 8 missing .: 0/215753

tabulation:	Freq.	Numeric	Label
	12108	1	Brahmin 1
	35531	2	High caste 2
	72899	3	OBC 3
	43270	4	Dalit 4
	17405	5	Adivasi 5
	27661	6	Muslim 6
	3672	7	Sikh, Jain 7
	3207	8	Christian 8

 hc9 HH1 9 Reinterview household

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/215753

tabulation:	Freq.	Numeric	Label
	1.4e+05	0	No 0
	76992	1	Yes 1

 hhassets HH22+EH 30 hh goods & housing

type: numeric (byte)
 label: missing, but 31 nonmissing values are not labeled

range: [0,30] units: 1
 unique values: 31 missing .: 0/215753

tabulation:	Freq.	Numeric	Label
	440	0	
	1263	1	
	3036	2	
	5766	3	
	9531	4	
	11711	5	
	12526	6	
	12575	7	
	12013	8	
	11910	9	
	12085	10	
	11648	11	
	11263	12	
	10919	13	
	10406	14	
	9910	15	
	9590	16	
	9150	17	
	8364	18	
	8399	19	
	7378	20	
	6798	21	
	5801	22	
	4454	23	
	3394	24	
	2362	25	
	1343	26	
	871	27	
	542	28	
	212	29	
	93	30	

 hhed5adult HH17 ed5 Highest adult(22+) educ

type: numeric (byte)
 label: ed5f

range: [0,15] units: 1

```
unique values: 16          missing .: 0/215753
unique mv codes: 1        missing .*: 246/215753
```

tabulation:	Freq.	Numeric	Label
	40398	0	none 0
	817	1	1
	3433	2	2
	4210	3	3
	6760	4	4
	14977	5	5th standard 5
	6588	6	6
	10968	7	7
	16497	8	8
	19856	9	9
	28170	10	matric 10
	5093	11	11
	21128	12	higher sec 12
	1195	13	13
	1756	14	14
	33661	15	graduate 15
	246	.d	Invalid skip .d

```
type: numeric (byte)
label: ed5f
```

```

      range: [0,15]           units: 1
unique values: 16           missing : 0/215753
unique mv codes: 2         missing .*: 300/215753

```

tabulation:	Freq.	Numeric	Label
	95093	0	none 0
	709	1	1
	3526	2	2
	4336	3	3
	6691	4	4
	16312	5	5th standard 5
	5395	6	6
	10075	7	7
	13254	8	8
	11578	9	9
	18874	10	matric 10
	2207	11	11
	11227	12	higher sec 12
	540	13	13
	812	14	14
	14824	15	graduate 15
	32	.a	Valid blank .a
	268	.d	Invalid skip .d

hhed5m HH17 ed5 Highest male 22+ ed

```
type: numeric (byte)
label: ed5f
```

```

      range: [0,15]           units: 1
unique values: 16             missing .: 0/215753
unique mv codes: 2           missing .*: 283/215753

```

tabulation:	Freq.	Numeric	Label
	46957	0	none 0
	979	1	1
	4028	2	2
	4855	3	3
	7487	4	4
	15357	5	5th standard 5
	6507	6	6
	10941	7	7
	16496	8	8
	19473	9	9
	27345	10	matric 10
	4748	11	11

19163	12	higher sec 12
1049	13	13
1396	14	14
28689	15	graduate 15
30	.a	Valid blank .a
253	.d	Invalid skip .d

 wkany HH 4-7 Any work

type: numeric (float)
 label: wk

range: [0,1] units: 1
 unique values: 2 missing .: 0/215753

tabulation:	Freq.	Numeric	Label
	1.3e+05	0	< 240hrs 0
	89696	1	>= 240hrs 1

 wkfarm HH9 4.28 Family farm work

type: numeric (byte)
 label: wk

range: [0,1] units: 1
 unique values: 2 missing .: 0/215753

tabulation:	Freq.	Numeric	Label
	1.8e+05	0	< 240hrs 0
	31340	1	>= 240hrs 1

 wkanimal HH9 5.5 Animal care

type: numeric (byte)
 label: wk

range: [0,1] units: 1
 unique values: 2 missing .: 0/215753

tabulation:	Freq.	Numeric	Label
	1.8e+05	0	< 240hrs 0
	35993	1	>= 240hrs 1

 wkagwage HH11 6.3 Ag wage labour

type: numeric (float)
 label: wk

range: [0,1] units: 1
 unique values: 2 missing .: 0/215753

tabulation:	Freq.	Numeric	Label
	2.0e+05	0	< 240hrs 0
	18953	1	>= 240hrs 1

 wknonag HH11 6.3 Nonag wage labour

type: numeric (float)
 label: wk

range: [0,1] units: 1
 unique values: 2 missing .: 0/215753

tabulation:	Freq.	Numeric	Label
	2.0e+05	0	< 240hrs 0
	14458	1	>= 240hrs 1

 wksalary HH11 6.,7 Salaried position

type: numeric (float)
 label: wk
 range: [0,1] units: 1
 unique values: 2 missing .: 0/215753
 tabulation: Freq. Numeric Label
 2.0e+05 0 < 240hrs 0
 16032 1 >= 240hrs 1

 wkbusiness HH12 7.7 Family business work

type: numeric (byte)
 label: wk
 range: [0,1] units: 1
 unique values: 2 missing .: 0/215753
 tabulation: Freq. Numeric Label
 2.0e+05 0 < 240hrs 0
 11144 1 >= 240hrs 1

 Nwork HH 4-7 Nhh any work

type: numeric (byte)
 range: [0,13] units: 1
 unique values: 14 missing .: 0/215753
 tabulation: Freq. Value
 6780 0
 56894 1
 62690 2
 37815 3
 27205 4
 13043 5
 6138 6
 2839 7
 1310 8
 585 9
 196 10
 138 11
 60 12
 60 13

 Nfarm HH9 4.28 Nhh family farm

type: numeric (byte)
 range: [0,13] units: 1
 unique values: 14 missing .: 0/215753
 tabulation: Freq. Value
 1.4e+05 0
 16886 1
 29524 2
 15797 3
 10064 4
 3961 5
 2023 6
 825 7
 345 8
 180 9
 66 10
 66 11
 20 12
 22 13

 Nanimal HH9 5.5 Nhh animal care

type: numeric (byte)
 range: [0,9] units: 1
 unique values: 10 missing .: 0/215753

tabulation: Freq. Value
 1.2e+05 0
 23069 1
 41436 2
 18604 3
 9077 4
 3439 5
 1271 6
 458 7
 361 8
 260 9

 Nagwage HH11 6.3 Nhh ag wage

type: numeric (byte)
 range: [0,10] units: 1
 unique values: 10 missing .: 0/215753

tabulation: Freq. Value
 1.6e+05 0
 22075 1
 18867 2
 6863 3
 3706 4
 1342 5
 500 6
 188 7
 43 8
 40 10

 Nnonag HH11 6.3 Nhh nonag wage

type: numeric (byte)
 range: [0,8] units: 1
 unique values: 9 missing .: 0/215753

tabulation: Freq. Value
 1.6e+05 0
 38238 1
 13368 2
 3948 3
 1177 4
 294 5
 131 6
 75 7
 15 8

 Nsalary HH11 6.7 Nhh salaried

type: numeric (byte)
 range: [0,6] units: 1
 unique values: 7 missing .: 0/215753

tabulation: Freq. Value
 1.5e+05 0
 51351 1
 11940 2
 2932 3

715 4
91 5
94 6

Nbusiness HH12 7.7 Nhh family business

type: numeric (byte)

range: [0,7] units: 1
unique values: 8 missing .: 0/215753

tabulation: Freq. Value
1.7e+05 0
26957 1
12161 2
3482 3
1106 4
189 5
74 6
31 7

income HH5-15 3-8 Total income

type: numeric (float)

range: [-107349.56,6520260.5] units: 1.000e-06
unique values: 21111 missing .: 0/215753

mean: 60339.7
std. dev: 96424.7

percentiles:	10%	25%	50%	75%	90%
	10575	19023.4	36000	72139	128700

incfarm HH6-10 4-6 Family farm income

type: numeric (float)

range: [-107349.56,4817151.5] units: 1.000e-08
unique values: 17098 missing .: 0/215753

mean: 13580.9
std. dev: 61906.3

percentiles:	10%	25%	50%	75%	90%
	0	0	0	9471.2	32553

incagwage HH11 6.8+ hh ag wages

type: numeric (float)

range: [0,155000] units: .1
unique values: 1273 missing .: 0/215753

mean: 3474.57
std. dev: 8885.65

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1050	12750

incnonag HH11 6.8+ hh nonag wages

type: numeric (float)

range: [0,292000] units: .1
unique values: 1372 missing .: 0/215753

```

      mean: 6182.63
      std. dev: 14767.1

      percentiles:      10%      25%      50%      75%      90%
                        0        0        0      4050      22500

```

```
-----
incsalary                                HH11 6.8+ hh salaries
-----
```

```

      type: numeric (float)

      range: [0,960000]      units: 1.000e-06
      unique values: 2394      missing .: 0/215753

      mean: 21005.7
      std. dev: 48466.1

      percentiles:      10%      25%      50%      75%      90%
                        0        0        0      18000      76440

```

```
-----
incbus                                HH11-14 7. Net business income
-----
```

```

      type: numeric (float)

      range: [0,6190000]      units: 1
      unique values: 844      missing .: 0/215753

      mean: 11487.9
      std. dev: 58401.7

      percentiles:      10%      25%      50%      75%      90%
                        0        0        0        0      35000

```

```
-----
incremit                                HH5 3.13 Sum hh remittances
-----
```

```

      type: numeric (float)

      range: [0,610000]      units: 1
      unique values: 188      missing .: 0/215753

      mean: 1468.56
      std. dev: 9299.6

      percentiles:      10%      25%      50%      75%      90%
                        0        0        0        0        0

```

```
-----
incgovt                                HH15 8.7-13 govt benefits
-----
```

```

      type: numeric (float)

      range: [0,200000]      units: 1
      unique values: 395      missing .: 0/215753

      mean: 235.212
      std. dev: 1847.61

      percentiles:      10%      25%      50%      75%      90%
                        0        0        0        0      375

```

```
-----
incother                                HH15 8.1+ property, pensions etc.
-----
```

```

      type: numeric (float)

      range: [0,500000]      units: 1
      unique values: 564      missing .: 0/215753

      mean: 2904.19
      std. dev: 13828

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      1600
-----
pcpl                                     Poverty line
-----

type: numeric (float)

range: [292.95,665.9]      units: .01
unique values: 41          missing .: 0/215753

mean: 419.32
std. dev: 95.5646

percentiles:      10%      25%      50%      75%      90%
                  324.17   353.93   382.82   483.26   559.63
-----
poor                                     HH19 12. HH below poverty line
-----

type: numeric (byte)
label: poor

range: [0,1]      units: 1
unique values: 2   missing .: 0/215753
unique mv codes: 2   missing .*: 242/215753

tabulation: Freq.  Numeric  Label
            1.7e+05      0  nonpoor 0
            50243       1  poor 1
            241        .d  invalid skip .d
            1         .e  out of range .e
-----
ro0                                     HH4 2.1 2005 ID
-----

type: numeric (byte)

range: [1,38]      units: 1
unique values: 38   missing .: 0/215753

mean: 3.70225
std. dev: 2.57647

percentiles:      10%      25%      50%      75%      90%
                  1        2        3        5        7
-----
rol                                     HH4 2.1 1993ID
-----

type: numeric (byte)
label: missing, but 31 nonmissing values are not labeled

range: [0,30]      units: 1
unique values: 31   missing .: 0/215753
unique mv codes: 1   missing .*: 157019/215753

tabulation: Freq.  Numeric  Label
            8883      0
            9377      1
            10109     2
            7293      3
            6639      4
            5246      5
            3824      6
            2501      7
            1624      8
            1040      9
            615       10
            445       11
            318       12
            228       13

```

168	14
129	15
98	16
55	17
37	18
31	19
17	20
11	21
10	22
10	23
8	24
6	25
4	26
2	27
3	28
2	29
1	30
1.6e+05	.a valid blank .a

ro3	HH4 2.3 Sex
-----	-------------

type: numeric (byte)
 label: ro3f

 range: [1,2] units: 1
 unique values: 2 missing .: 0/215753

 tabulation: Freq. Numeric Label
 1.1e+05 1 Male 1
 1.1e+05 2 Female 2

ro4	HH4 2.4 Relationship to head
-----	------------------------------

type: numeric (byte)
 label: ro4f

 range: [1,12] units: 1
 unique values: 12 missing .: 0/215753

 tabulation: Freq. Numeric Label
 41554 1 Head 1
 35663 2 Wife/husband 2
 90563 3 Son/daughter 3
 11560 4 Child-in-law 4
 20393 5 Grandchild 5
 6692 6 Father/mother 6
 3519 7 Brother/sister 7
 459 8 Parent in-law 8
 2649 9 Nephew/niece 9
 1329 10 Sibling in-law 10
 1152 11 Other relative 11
 220 12 Servant/other 12

ro5	HH4 2.5 Age
-----	-------------

type: numeric (int)
 label: missing, but 108 nonmissing values are not labeled

 range: [0,116] units: 1
 unique values: 108 missing .: 0/215753

 examples: 10
 18
 30
 45

ro6	HH4 2.6 Marital Status
-----	------------------------

type: numeric (byte)

```

label: ro6f

range: [0,5]          units: 1
unique values: 6      missing .: 0/215753

tabulation: Freq.   Numeric   Label
            1820      0   Sp absent 0
            97611     1   Married 1
            1.0e+05   2   Single 2
            10544     3   Widowed 3
             813     4   Sep/div 4
             360     5   No gauna 5

```

```

ro7                                     HH4 2.7 Spouse's ID

```

```

type: numeric (byte)
label: missing, but 38 nonmissing values are not labeled

range: [1,54]          units: 1
unique values: 38      missing .: 104/215753
unique mv codes: 2     missing .*: 117085/215753

examples: 2
          4
          .a   valid blank .a
          .a   valid blank .a

```

```

ro8                                     HH4 2.8 Father's ID

```

```

type: numeric (byte)
label: ro8f, but 36 nonmissing values are not labeled

range: [1,94]          units: 1
unique values: 38      missing .: 96238/215753

examples: 1
          2
          .
          .

```

```

ro9                                     HH4 2.9 Mother's ID

```

```

type: numeric (byte)
label: ro9f, but 34 nonmissing values are not labeled

range: [1,94]          units: 1
unique values: 36      missing .: 95985/215753

tabulation: Freq.   Numeric   Label
            6840      1
            81904     2
            5119      3
            11156     4
            2366      5
            2369      6
            1842      7
            1617      8
            1143      9
             701     10
             382     11
             365     12
             256     13
             171     14
              84     15
              70     16
              61     17
              41     18
              23     19
              14     20
              13     21
              15     22

```


11	23	
8	24	
3	25	
10	26	
9	27	
3	28	
4	31	
2	35	
156	50	
61	51	
10	52	
3	53	
2840	93	Deceased
96	94	Separated
95985	.	

fm28 HH9 4.28 Farm work ID

type: numeric (byte)

range: [1,36] units: 1
unique values: 29 missing .: 175507/215753

tabulation: Freq. Value

12733	1
10447	2
6884	3
4002	4
1741	5
1234	6
1037	7
743	8
465	9
286	10
216	11
156	12
113	13
70	14
45	15
21	16
17	17
14	18
3	19
3	20
3	21
1	22
4	23
2	24
1	25
1	27
2	30
1	35
1	36
1.8e+05	.

fm29 HH9 4.29 Farm work days/year

type: numeric (int)
label: missing, but 206 nonmissing values are not labeled

range: [1,365] units: 1
unique values: 206 missing .: 175506/215753
unique mv codes: 2 missing .*: 1/215753

examples: .
.
.
.

fm30 HH9 4.30 Farm work hours/day

```

type: numeric (byte)
label: missing, but 12 nonmissing values are not labeled

range: [1,12]          units: 1
unique values: 12      missing .: 175506/215753
unique mv codes: 2      missing .*: 1/215753

```

```

tabulation: Freq.  Numeric  Label
            1243      1
            3604      2
            3374      3
            5662      4
            4985      5
            6645      6
            2681      7
            9272      8
            1135      9
            1291     10
             28      11
             326     12
            1.8e+05   .
             1       .a valid blank .a

```

```

-----
an5                                     HH10 5.5 Animal care: ID
-----

```

```

type: numeric (byte)

range: [1,25]          units: 1
unique values: 24      missing .: 179099/215753

```

```

tabulation: Freq.  Value
            10785   1
            11835   2
             5636   3
             3574   4
             1478   5
              998   6
              781   7
              561   8
              377   9
              181  10
              133  11
               97  12
               88  13
               51  14
               26  15
               17  16
               11  17
               12  18
                1  19
                3  20
                2  21
                3  22
                3  23
                1  25
            1.8e+05 .

```

```

-----
an6                                     HH10 5.6 Animal care: Freq
-----

```

```

type: numeric (byte)
label: an6af

range: [1,3]          units: 1
unique values: 3      missing .: 179099/215753

```

```

tabulation: Freq.  Numeric  Label
            661      1  Never 1
            15274     2  Sometimes 2
            20719     3  Usually 3
            1.8e+05   .

```

```

-----
an7                                     HH10 5.7 Animal care: Primary ID
-----

```

```

-----
                type: numeric (byte)
                range: [1,25]                units: 1
unique values: 20                missing .: 199672/215753

                tabulation: Freq. Value
                        6398 1
                        7083 2
                        1243 3
                        594 4
                        198 5
                        195 6
                        140 7
                        85 8
                        58 9
                        23 10
                        15 11
                        25 12
                        10 13
                        3 14
                        2 15
                        4 16
                        2 17
                        1 20
                        1 23
                        1 25
                        2.0e+05 .

-----
ws0N                                                    HH11 6.1 # of jobs
-----

```

```

                type: numeric (byte)
                label: missing, but 8 nonmissing values are not labeled

                range: [0,7]                units: 1
unique values: 8                missing .: 0/215753

                tabulation: Freq. Numeric Label
                        1.7e+05 0
                        45345 1
                        2881 2
                        272 3
                        34 4
                        11 5
                        8 6
                        4 7

-----
ws6year                                                    HH11 6.5-6 Work hrs/yr tot
-----

```

```

                type: numeric (long)
                label: missing, but 969 nonmissing values are not labeled

                range: [0,8640]            units: 1
unique values: 969                missing .: 167198/215753

                examples: 2750
                        .
                        .
                        .

-----
ws8annual                                                    HH11 6.8 Ann earnings tot
-----

```

```

                type: numeric (long)
                label: missing, but 3052 nonmissing values are not labeled

                range: [0,960000]          units: 1
unique values: 3052                missing .: 167198/215753

                examples: 60500
                        .

```

```

.
.
-----
ws8hourly                                     HH11 6.8 hourly wage tot
-----

```

```

      type: numeric (float)
      label: missing, but 6163 nonmissing values are not labeled

      range: [0,730]                units: 1.000e-08
      unique values: 6163            missing .: 167201/215753

      examples: 26.666666
                .
                .
                .

```

```

-----
ws10                                           HH11 6.10 Bonus all jobs
-----

```

```

      type: numeric (long)
      label: missing, but 176 nonmissing values are not labeled

      range: [1,20000]              units: 1
      unique values: 176            missing .: 167198/215753
      unique mv codes: 2            missing .*: 45054/215753

      examples: .
                .
                .
                .o   valid skip 0 .o

```

```

-----
ws1                                           HH11 6.1 personid
-----

```

```

      type: numeric (byte)
      label: missing, but 22 nonmissing values are not labeled

      range: [1,25]                units: 1
      unique values: 22            missing .: 167198/215753

      tabulation: Freq.   Numeric   Label
                  23557       1
                  9864       2
                  7613       3
                  2923       4
                  1392       5
                  1061       6
                   828       7
                   495       8
                   300       9
                   186      10
                   128      11
                    72      12
                    44      13
                    37      14
                    21      15
                     9      16
                     8      17
                     6      18
                     3      19
                     4      20
                     2      22
                     2      25
                  1.7e+05     .

```

```

-----
ws2a                                           HH11 6.2 Job description job1
-----

```

```

      type: string (str30)

      unique values: 10955          missing "": 167249/215753

```

```
examples: ""
          ""
          ""
          "AGRI LAB"
```

warning: variable has leading and embedded blanks

```
-----
ws3a                                     HH11 6.3 Occupation job1
-----
```

```
type: numeric (byte)
label: occupf

range: [0,99]          units: 1
unique values: 86      missing .: 167198/215753
unique mv codes: 3     missing .*: 78/215753

examples: 98   Drivers 98
          .
          .
          .
```

```
-----
ws4a                                     HH11 6.4 Industry job1
-----
```

```
type: numeric (byte)
label: indf, but 4 nonmissing values are not labeled

range: [0,99]          units: 1
unique values: 74      missing .: 167198/215753
unique mv codes: 2     missing .*: 2745/215753

examples: 96   Personal services 96
          .
          .
          .
```

```
-----
ws5a                                     HH11 6.5 Working days job1
-----
```

```
type: numeric (int)
label: missing, but 277 nonmissing values are not labeled

range: [1,365]         units: 1
unique values: 277     missing .: 167198/215753
unique mv codes: 3     missing .*: 3/215753

examples: 320
          .
          .
          .
```

```
-----
ws6a                                     HH11 6.6 Work hrs/day job1
-----
```

```
type: numeric (byte)
label: missing, but 16 nonmissing values are not labeled

range: [1,16]          units: 1
unique values: 16      missing .: 167198/215753
unique mv codes: 2     missing .*: 2/215753

tabulation: Freq.   Numeric  Label
            101      1
            239      2
            262      3
            1006     4
            1145     5
            3401     6
            2282     7
            32159    8
            2259     9
            3685    10
```

```

127      11
1593     12
  44      13
  82      14
  57      15
 111      16
1.7e+05  .
  2      .d invalid skip .d

```

ws6years HH11 6.5-6 Work hrs/yr job 1

```

      type: numeric (int)
      label: missing, but 751 nonmissing values are not labeled

      range: [4,5840]                                units: 1
unique values: 751                                    missing .: 167198/215753
unique mv codes: 3                                    missing .*: 3/215753

      examples: 2720
      .
      .
      .

```

ws7a HH11 6.7 Payment period job1

```

type: numeric (byte)
label: ws7f

range: [1,3]                                units: 1
unique values: 3                            missing.: 167198/215753
unique mv codes: 3                         missing.*: 9/215753

tabulation: Freq.   Numeric   Label
            32421      1   Per Day 1
            15615      2   Per Month 2
             510       3   Per Year 3
            1.7e+05      .
              5         .d
              4         .o

```

ws8a HH11 6.8 Cash /period job1

```

      type: numeric (long)
      label: missing, but 542 nonmissing values are not labeled

      range: [0,96000]          units: 1
unique values: 542              missing .: 167198/215753
unique mv codes: 2              missing .*: 6/215753

      examples: 5000
      .
      .
      .

```

ws8annuala HH11 6.8 Ann earnings job 1

```

      type: numeric (float)
      label: missing, but 2751 nonmissing values are not labeled

      range: [0,960000]          units: 1.000e-06
unique values: 2751              missing .: 167209/215753

examples: 60500
.
.
.
```

ws8hourlya HH11 6.8 hourly wage job 1

```

-----
      type: numeric (float)
      label: missing, but 4950 nonmissing values are not labeled

      range: [0,730]          units: 1.000e-09
unique values: 4950          missing .: 167209/215753

      examples: 26.666666
                .
                .
                .

```

```

-----
ws9a                                     HH11 6.9 Meals/housing job1
-----

```

```

      type: numeric (byte)
      label: ws9f

      range: [0,3]          units: 1
unique values: 4          missing .: 167198/215753
unique mv codes: 2        missing .*: 72/215753

      tabulation: Freq.   Numeric   Label
                  43181      0      No 0
                  4618      1      Yes meal 1
                   545      2      Yes hse 2
                   139      3      Yes both 3
                  1.7e+05    .
                   72      .d

```

```

-----
ws10a                                    HH11 6.10 Bonus job 1
-----

```

```

      type: numeric (int)
      label: missing, but 176 nonmissing values are not labeled

      range: [0,20000]      units: 1
unique values: 176        missing .: 167199/215753
unique mv codes: 2        missing .*: 129/215753

      examples: 0
                .
                .
                .

```

```

-----
ws11a                                    HH11 6.11 Casual job1
-----

```

```

      type: numeric (byte)
      label: ws11f

      range: [1,2]          units: 1
unique values: 2          missing .: 167198/215753
unique mv codes: 5        missing .*: 97/215753

      tabulation: Freq.   Numeric   Label
                  40245      1      Casual 1
                   8213      2      Perm 2
                  1.7e+05    .
                   1      .b
                   1      .c
                   4      .d
                   91      .o

```

```

-----
ws12a                                    HH11 6.12 Government job1
-----

```

```

      type: numeric (byte)
      label: ws12f

      range: [0,4]          units: 1
unique values: 5          missing .: 167198/215753

```

```
unique mv codes: 3          missing .*: 178/215753
```

tabulation:	Freq.	Numeric	Label
	41598	0	No 0
	6030	1	Regular govt 1
	161	2	SGRY 2
	106	3	Food for work 3
	482	4	Other govt 4
	1.7e+05	.	
	1	.c	
	177	.d	

nf7 HH12 7.7 Busns1

```
type: numeric (byte)
```

```

      range: [1,30]          units: 1
unique values: 22          missing : 204275/215753

```

tabulation:	Freq.	Value
	5717	1
	1799	2
	2035	3
	660	4
	405	5
	268	6
	240	7
	134	8
	82	9
	43	10
	37	11
	21	12
	12	13
	5	14
	10	15
	1	17
	3	18
	2	19
	1	21
	1	23
	1	26
	1	30
	2.0e+05	.

nf8 HH12 7.8 Busns1: days/yr

```
type: numeric (int)
label: missing, but 171 nonmissing values are not labeled
```

```

      range: [2,365]           units: 1
unique values: 171           missing.: 204275/215753
unique mv codes: 2           missing.*: 9/215753

```

examples: .
.
.
.

nf9 HH12 7.9 Busns1: hours/day

```
type: numeric (byte)
label: missing, but 20 nonmissing values are not labeled
```

```

      range: [1,24]          units: 1
unique values: 20           missing.: 204275/215753
unique mv codes: 2         missing.*: 9/215753

```

tabulation:	Freq.	Numeric	Label
	179	1	
	660	2	
	600	3	

1124	4
960	5
1511	6
610	7
2529	8
812	9
1532	10
116	11
642	12
34	13
85	14
46	15
17	16
1	17
9	18
1	19
1	24
2.0e+05	.
9	.a valid blank .a

 nf16 HH13 7.16 Busns2

type: numeric (byte)

range: [1,19] units: 1
 unique values: 19 missing .: 214706/215753

tabulation: Freq. Value

279	1
200	2
211	3
98	4
46	5
56	6
56	7
30	8
23	9
12	10
10	11
11	12
4	13
5	14
1	15
1	16
1	17
2	18
1	19
2.1e+05	.

 nf17 HH13 7.17 Busns2: days/yr

type: numeric (int)
 label: missing, but 81 nonmissing values are not labeled

range: [5,365] units: 1
 unique values: 81 missing .: 214706/215753
 unique mv codes: 2 missing .*: 4/215753

examples: .
 .
 .
 .

 nf18 HH13 7.18 Busns2: hours/day

type: numeric (byte)
 label: missing, but 16 nonmissing values are not labeled

range: [1,24] units: 1
 unique values: 16 missing .: 214706/215753
 unique mv codes: 2 missing .*: 6/215753

tabulation:	Freq.	Numeric	Label
	24	1	
	70	2	
	97	3	
	162	4	
	101	5	
	124	6	
	49	7	
	188	8	
	56	9	
	105	10	
	9	11	
	44	12	
	3	13	
	6	14	
	2	15	
	1	24	
	2.1e+05	.	
	6	.a	valid blank .a

 nf25 HH14 7.25 Busns3

type: numeric (byte)
 range: [1,17] units: 1
 unique values: 15 missing .: 215671/215753

tabulation:	Freq.	Value
	26	1
	5	2
	11	3
	9	4
	6	5
	6	6
	4	7
	5	8
	2	9
	1	10
	3	11
	1	12
	1	13
	1	15
	1	17
	2.2e+05	.

 nf26 HH14 7.26 Busns3: days/yr

type: numeric (int)
 label: missing, but 34 nonmissing values are not labeled
 range: [30,365] units: 1
 unique values: 34 missing .: 215671/215753

tabulation:	Freq.	Numeric	Label
	2	30	
	4	40	
	1	45	
	1	50	
	4	60	
	2	75	
	1	80	
	1	85	
	4	90	
	1	100	
	1	110	
	3	120	
	1	130	
	2	150	
	1	160	
	2	180	
	1	190	
	3	200	

1	210
1	220
2	240
4	250
3	260
1	270
1	280
3	290
12	300
1	315
6	320
4	330
1	340
2	345
1	360
4	365
2.2e+05	.

 nf27 HH14 7.27 Busns3: hours/day

type: numeric (byte)
 label: missing, but 11 nonmissing values are not labeled

range: [1,12] units: 1
 unique values: 11 missing .: 215671/215753

tabulation:	Freq.	Numeric	Label
	1	1	
	3	2	
	3	3	
	12	4	
	6	5	
	12	6	
	6	7	
	12	8	
	3	9	
	12	10	
	12	12	
	2.2e+05	.	

 in7 HH15 8.7 Old Age Pension

type: numeric (byte)
 label: yesno

range: [1,1] units: 1
 unique values: 1 missing .: 214233/215753

tabulation:	Freq.	Numeric	Label
	1520	1	Yes 1
	2.1e+05	.	

 in7r HH15 8.7 Old Age Pension Rs

type: numeric (int)
 label: missing, but 76 nonmissing values are not labeled

range: [30,9000] units: 1
 unique values: 76 missing .: 214233/215753

examples: .
 .
 .
 .

 in8 HH15 8.8 Widows Pension

type: numeric (byte)
 label: yesno

range: [1,1] units: 1
 unique values: 1 missing .: 214981/215753

tabulation:	Freq.	Numeric	Label
	772	1	Yes 1
	2.1e+05	.	

 in8r HH15 8.8 Widows Pension Rs. yr

type: numeric (int)
 label: missing, but 59 nonmissing values are not labeled

range: [75,12000] units: 1
 unique values: 59 missing .: 214981/215753

examples: .
 .
 .
 .

 in9 HH15 8.9 Maternity Benefit

type: numeric (byte)
 label: yesno

range: [1,1] units: 1
 unique values: 1 missing .: 215637/215753

tabulation:	Freq.	Numeric	Label
	116	1	Yes 1
	2.2e+05	.	

 in9r HH15 8.9 Maternity Benefit Rs

type: numeric (int)
 label: missing, but 21 nonmissing values are not labeled

range: [50,4950] units: 1
 unique values: 21 missing .: 215637/215753

tabulation:	Freq.	Numeric	Label
	5	50	
	1	100	
	1	110	
	1	125	
	3	130	
	1	140	
	9	150	
	1	180	
	2	200	
	1	280	
	17	300	
	4	360	
	4	400	
	1	420	
	54	500	
	1	700	
	1	800	
	6	1000	
	1	1200	
	1	3000	
	1	4950	
	2.2e+05	.	

 in10 HH15 8.10 Disability Pension

type: numeric (byte)

range: [1,16] units: 1
 unique values: 12 missing .: 215588/215753

tabulation: Freq. Value
 57 1
 30 2
 28 3
 17 4
 8 5
 11 6
 5 7
 3 8
 3 9
 1 10
 1 12
 1 16
 2.2e+05 .

 in10r HH15 8.10 Disability Pension Rs

type: numeric (int)
 label: missing, but 34 nonmissing values are not labeled

range: [100,6200] units: 1
 unique values: 34 missing .: 215588/215753

tabulation: Freq. Numeric Label
 2 100
 6 110
 2 125
 2 150
 5 200
 2 250
 3 300
 1 500
 3 600
 1 750
 3 1000
 25 1200
 1 1250
 2 1320
 1 1420
 3 1440
 18 1500
 1 1600
 1 1680
 21 1800
 1 1860
 3 2000
 30 2400
 1 2500
 2 2600
 2 2640
 4 3000
 2 3300
 9 3600
 2 4200
 2 4800
 2 5000
 1 6000
 1 6200
 2.2e+05 .

 in11 HH15 8.11 Annapurna

type: numeric (byte)

range: [1,10] units: 1
 unique values: 10 missing .: 215296/215753

tabulation: Freq. Value
 351 1
 57 2

```

11 3
7 4
10 5
8 6
6 7
2 8
2 9
3 10
2.2e+05 .

```

```
-----
in11r                                     HH15 8.11 Annapurna Rs
-----
```

```

type: numeric (int)
label: missing, but 141 nonmissing values are not labeled

range: [20,6000]          units: 1
unique values: 141        missing .: 215296/215753

examples: .
          .
          .
          .

```

```
-----
in12                                     HH15 8.12 Other govt income
-----
```

```

type: numeric (byte)

range: [1,14]          units: 1
unique values: 11      missing .: 215502/215753

tabulation: Freq. Value
            159 1
            37 2
            13 3
            11 4
            15 5
             6 6
             4 7
             3 8
             1 9
             1 12
             1 14
2.2e+05 .

```

```
-----
in12r                                    HH15 8.12 Other govt Rs
-----
```

```

type: numeric (int)
label: missing, but 68 nonmissing values are not labeled

range: [20,10000]       units: 1
unique values: 68       missing .: 215502/215753

examples: .
          .
          .
          .

```

```
-----
in13                                     HH15 8.13 NGO income
-----
```

```

type: numeric (byte)

range: [1,8]          units: 1
unique values: 7      missing .: 215717/215753

tabulation: Freq. Value
            16 1
             6 2
             5 3
             3 4

```

```

      3 5
      2 7
      1 8
2.2e+05 .

```

```
-----
in13r                                     HH15 8.13 NGOs Rs
-----
```

```

      type: numeric (int)
      label: missing, but 17 nonmissing values are not labeled

      range: [0,7000]          units: 1
unique values: 17             missing .: 215711/215753

```

```

tabulation: Freq.  Numeric  Label
             6         0
             1        105
             2        200
             1        400
             1        450
            10        500
             2        600
             1        700
             1        900
             3       1000
             2       1200
             1       1400
             2       1800
             3       2000
             1       4000
             4       5000
             1       7000
2.2e+05      .

```

```
-----
ed1                                     HH17 10.1 Educ: ID
-----
```

```

      type: numeric (byte)
      label: missing, but 38 nonmissing values are not labeled

      range: [1,38]          units: 1
unique values: 38           missing .: 2/215753

```

```

examples: 2
           3
           4
           5

```

```
-----
ed2                                     HH17 10.2 Educ: Literacy
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
unique values: 2           missing .: 0/215753
unique mv codes: 2         missing .*: 956/215753

```

```

tabulation: Freq.  Numeric  Label
             77733      0    No 0
            1.4e+05      1    Yes 1
              954      .c don't know 8 .c
               2      .d invalid skip .d

```

```
-----
ed3                                     HH17 10.3 Educ: Attended school
-----
```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]          units: 1
unique values: 2           missing .: 0/215753
unique mv codes: 3         missing .*: 1391/215753

```

	tabulation:	Freq.	Numeric	Label
		71566	0	No 0
		1.4e+05	1	Yes 1
		917	.c	don't know 8 .c
		2	.d	invalid skip .d
		472	.o	valid skip 0 .o
<hr/>				
ed4	HH17 10.4 Educ: Enrolled now			
<hr/>				
	type:	numeric (byte)		
	label:	yesno		
	range:	[0,1]	units:	1
	unique values:	2	missing .:	0/215753
	unique mv codes:	2	missing .*:	72297/215753
	tabulation:	Freq.	Numeric	Label
		87462	0	No 0
		55994	1	Yes 1
		72295	.a	valid blank .a
		2	.d	invalid skip .d
<hr/>				
ed5	HH17 10.5 Educ: Completed Years			
<hr/>				
	type:	numeric (byte)		
	label:	ed5f		
	range:	[0,15]	units:	1
	unique values:	16	missing .:	0/215753
	unique mv codes:	2	missing .*:	1354/215753
	tabulation:	Freq.	Numeric	Label
		78799	0	none 0
		7479	1	1
		8150	2	2
		8198	3	3
		10068	4	4
		15728	5	5th standard 5
		8172	6	6
		11039	7	7
		12766	8	8
		13372	9	9
		15753	10	matric 10
		3401	11	11
		9586	12	higher sec 12
		737	13	13
		845	14	14
		10306	15	graduate 15
		1352	.a	Valid blank .a
		2	.d	Invalid skip .d
<hr/>				
ed6	HH17 10.6 Educ: Ever repeated			
<hr/>				
	type:	numeric (byte)		
	label:	yesno		
	range:	[0,1]	units:	1
	unique values:	2	missing .:	0/215753
	unique mv codes:	2	missing .*:	72737/215753
	tabulation:	Freq.	Numeric	Label
		1.2e+05	0	No 0
		22857	1	Yes 1
		72735	.a	valid blank .a
		2	.d	invalid skip .d
<hr/>				
ed7	HH17 10.7 Educ: English ability			


```

      type: numeric (byte)
      label: ed7f

      range: [0,2]                units: 1
      unique values: 3            missing .: 5770/215753
      unique mv codes: 2          missing .*: 2/215753

      tabulation: Freq.  Numeric  Label
                  1.7e+05      0    No 0
                  30335        1    Yes, little 1
                  6667         2    Yes, fluent 2
                  5770         .
                  2            .d    Invalid skip .d

```

```

ed8                                     HH17 10.8 Educ: NFEP ever

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 149913/215753
      unique mv codes: 2          missing .*: 2/215753

      tabulation: Freq.  Numeric  Label
                  64224      0    No 0
                  1614       1    Yes 1
                  1.5e+05    .
                  2          .d    invalid skip .d

```

```

ed9                                     HH17 10.9 Educ: 2ndary class

```

```

      type: numeric (byte)
      label: ed9f

      range: [1,3]                units: 1
      unique values: 3            missing .: 0/215753
      unique mv codes: 3          missing .*: 179098/215753

      tabulation: Freq.  Numeric  Label
                  8359       1    I 1
                  21113      2    II 2
                  7183       3    III 3
                  1.8e+05    .a    Valid blank .a
                  3993       .d    Invalid skip .d
                  3          .o    Zero skip .o

```

```

ed10                                    HH17 10.10 Educ: Post 2nd subj

```

```

      type: numeric (byte)
      label: ed10f

      range: [1,5]                units: 1
      unique values: 5            missing .: 0/215753
      unique mv codes: 4          missing .*: 190052/215753

      tabulation: Freq.  Numeric  Label
                  5760       1    Science 1
                  15214      2    Arts 2
                  3560       3    Commerce 3
                  623        4    Vocational 4
                  544        5    Others 5
                  1.8e+05    .a    Valid blank .a
                  1107      .c    Don't know 8 .c
                  2          .d    Invalid skip .d
                  5092      .o    Zero skip .o

```

```

ed11                                    HH17 10.11 Educ: College/voc

```

```

      type: numeric (byte)

```

```

label: ed11f

range: [0,2]          units: 1
unique values: 3      missing .: 0/215753
unique mv codes: 3    missing .*: 190649/215753

tabulation: Freq.  Numeric  Label
            10878      0    No 0
            12615      1    College 1
            1611       2    Technical 2
            1.9e+05     .a    Valid blank .a
              58       .c    Don't know 8 .c
              2       .d    Invalid skip .d

```

```

ed12                                     HH17 10.12 Educ: Highest degree

```

```

type: numeric (byte)
label: ed12f

range: [0,5]          units: 1
unique values: 6      missing .: 0/215753
unique mv codes: 3    missing .*: 197844/215753

tabulation: Freq.  Numeric  Label
            7648      0    None 0
            6653      1    Bachelors 1
            1928      2    Master's 2
            815       3    Professional 3
            554       4    Vocational 4
            311       5    Others 5
            2.0e+05     .a    Valid blank .a
              499     .c    Don't know 8 .c
              2       .d    Invalid skip .d

```

```

ed13                                     HH17 10.13 Educ: Degree class

```

```

type: numeric (byte)
label: ed9f

range: [1,3]          units: 1
unique values: 3      missing .: 0/215753
unique mv codes: 4    missing .*: 207016/215753

tabulation: Freq.  Numeric  Label
            2470      1    I 1
            5048      2    II 2
            1219      3    III 3
            2.0e+05     .a    Valid blank .a
              2       .d    Invalid skip .d
            824       .e    Out of range .e
            5622      .o    Zero skip .o

```

```

mm6                                     HH18 11.6 Knows computers

```

```

type: numeric (byte)

range: [1,26]          units: 1
unique values: 20      missing .: 207026/215753

tabulation: Freq.  Value
            1513    1
            833     2
            3071    3
            1698    4
            788     5
            355     6
            214     7
            103     8
            51      9
            36     10
            25     11

```

21 12
 8 13
 3 14
 1 15
 3 17
 1 18
 1 19
 1 20
 1 26
 2.1e+05 .

 cs2 EH4 2.2 ID Code

type: numeric (byte)
 label: missing, but 30 nonmissing values are not labeled

range: [1,37] units: 1
 unique values: 30 missing .: 163308/215753

tabulation:	Freq.	Numeric	Label
	11	1	
	870	2	
	13979	3	
	13751	4	
	10806	5	
	5835	6	
	2870	7	
	1517	8	
	963	9	
	625	10	
	424	11	
	264	12	
	168	13	
	113	14	
	81	15	
	50	16	
	36	17	
	23	18	
	16	19	
	14	20	
	11	21	
	4	22	
	3	23	
	1	24	
	1	25	
	2	26	
	4	27	
	1	28	
	1	29	
	1	37	
	1.6e+05	.	

 cs3 EH4 2.3 School type

type: numeric (byte)
 label: cs3f

range: [1,12] units: 1
 unique values: 12 missing .: 163308/215753
 unique mv codes: 2 missing .*: 2/215753

tabulation:	Freq.	Numeric	Label
	555	1	EGS 1
	30179	2	Government 2
	2377	3	Govt Aided
	13793	4	Private 4
	846	5	Convent 5
	277	6	Madrassa 6
	525	7	Other/ open 7
	964	8	Junior college 8
	2354	9	College 9
	259	10	Post graduate 10
	122	11	Tech voc <1yr 11

```

192      12 Tech voc long 12
1.6e+05 .
2      .d Invalid skip .d

```

cs4	EH4 2.4 School distance (Km)
-----	------------------------------

```

      type: numeric (byte)
      label: missing, but 62 nonmissing values are not labeled

      range: [1,95]                                units: 1
unique values: 62                                missing .: 163308/215753
unique mv codes: 2                             missing .*: 84/215753

examples: 3
      .
      .
      .

```

cs5	EH4 2.5 Standard (yrs)
-----	------------------------

```

type: numeric (byte)
label: ed5f

range: [0,15]                                units: 1
unique values: 16                            missing .: 163308/215753
unique mv codes: 4                          missing .*: 3000/215753

tabulation: Freq.    Numeric    Label
            1998      0         none 0
            6621      1         1
            5442      2         2
            4928      3         3
            4635      4         4
            4550      5         5th standard 5
            4177      6         6
            3749      7         7
            3749      8         8
            3143      9         9
            3226      10        matric 10
            1549      11        11
            1664      12        higher sec 12
             6        13        13
             4        14        14
             4        15        graduate 15
            1.6e+05    .
            2831      .a        Valid blank .a
             82      .d        Invalid skip .d
             87      .o        Zero skip .o

```

cs6	EH4 2.6 Medium of instruction
-----	-------------------------------

```

type: numeric (byte)
label: cs6f

range: [1,4]                                units: 1
unique values: 4                            missing .: 163308/215753
unique mv codes: 5                         missing .*: 3146/215753

tabulation: Freq.  Numeric  Label
22201          1  Hindi 1
18063          2  State lang 2
7156           3  English 3
1879           4  Other 4
1.6e+05        .
2835           .a  Valid blank .a
43             .c  Don't know 8 .c
168            .d  Invalid skip .d
100            .o  Zero skip .o

```

cs7 EH4 2.7 Year English taught

```

type: numeric (byte)
label: missing, but 14 nonmissing values are not labeled

range: [0,14]          units: 1
unique values: 14      missing .: 163308/215753
unique mv codes: 6     missing .*: 3565/215753

```

tabulation:	Freq.	Numeric	Label
	6840	0	
	19094	1	
	1898	2	
	7522	3	
	1679	4	
	7600	5	
	3847	6	
	57	7	
	210	8	
	54	9	
	4	10	
	72	11	
	2	12	
	1	14	
	1.6e+05	.	
	2783	.a	valid blank .a
	131	.b	valid skip 9 .b
	60	.c	don't know 8 .c
	289	.d	invalid skip .d
	302	.o	valid skip 0 .o

```

-----
cs8                                     EH4 2.8 School Hrs/week
-----

```

```

type: numeric (byte)
label: missing, but 66 nonmissing values are not labeled

range: [0,96]          units: 1
unique values: 66      missing .: 163308/215753
unique mv codes: 5     missing .*: 3990/215753

```

```

examples: 36
.
.
.

```

```

-----
cs9                                     EH4 2.9 Homework Hrs/week
-----

```

```

type: numeric (byte)
label: missing, but 57 nonmissing values are not labeled

range: [0,98]          units: 1
unique values: 57      missing .: 163308/215753
unique mv codes: 5     missing .*: 3911/215753

```

```

examples: 15
.
.
.

```

```

-----
cs10                                    EH4 2.10 Pvt Tuition Hrs/week
-----

```

```

type: numeric (byte)
label: missing, but 40 nonmissing values are not labeled

range: [0,80]          units: 1
unique values: 40      missing .: 163309/215753
unique mv codes: 4     missing .*: 4552/215753

```

```

examples: 7
.
.

```

 cs11 EH4 2.11 Days/month absent

type: numeric (byte)
 label: missing, but 31 nonmissing values are not labeled

range: [0,30] units: 1
 unique values: 31 missing .: 163309/215753
 unique mv codes: 4 missing .*: 3234/215753

tabulation:	Freq.	Numeric	Label
	25526	0	
	2993	1	
	4931	2	
	2736	3	
	2640	4	
	2741	5	
	1313	6	
	891	7	
	1199	8	
	339	9	
	1087	10	
	102	11	
	325	12	
	70	13	
	42	14	
	681	15	
	31	16	
	22	17	
	34	18	
	20	19	
	334	20	
	12	21	
	26	22	
	11	23	
	13	24	
	117	25	
	59	26	
	19	27	
	54	28	
	43	29	
	799	30	
	1.6e+05	.	
	2303	.a	valid blank .a
	33	.c	don't know 8 .c
	898	.d	invalid skip .d

 cs12 EH4 2.12 Mid-day meal

type: numeric (byte)
 label: cs12f

range: [0,4] units: 1
 unique values: 4 missing .: 163308/215753
 unique mv codes: 2 missing .*: 2767/215753

tabulation:	Freq.	Numeric	Label
	32278	0	No 0
	5314	1	Yes, Grain 1
	1964	3	Yes, Dalia 3
	10122	4	Yes, variety 4
	1.6e+05	.	
	2767	.d	Invalid skip .d

 cs14 EH4 2.14 Free books

type: numeric (byte)
 label: yesno

range: [0,1] units: 1

```
unique values: 2          missing ..: 163308/215753
unique mv codes: 3       missing .*: 1298/215753
```

```

tabulation:  Freq.    Numeric  Label
              29183         0    No 0
              21964         1   Yes 1
              1.6e+05         .
              424          .a  valid blank .a
              874          .d invalid skip .d

```

cs15 EH4 2.15 Free uniform

```
type: numeric (byte)
label: yesno
```

```

      range: [0,1]          units: 1
unique values: 2           missing.: 163308/215753
unique mv codes: 2        missing.*: 1771/215753

```

```

tabulation:  Freq.   Numeric  Label
              44527      0    No  0
              6147      1    Yes 1
              1.6e+05      .
              1771      .d invalid skip .d

```

cs16 EH4 2.16 School fees by govt

```
type: numeric (byte)
label: yesno
```

```

      range: [0,1]          units: 1
unique values: 2           missing.: 163308/215753
unique mv codes: 2        missing.*: 2074/215753

```

```

tabulation:  Freq.   Numeric  Label
              43113      0    No 0
              7258      1    Yes 1
              1.6e+05      .
              2074      .d invalid skip .d

```

cs17 EH4 2.17 Scholarship

```
type: numeric (byte)
label: yesno
```

```

      range: [0,1]          units: 1
unique values: 2          missing.: 163308/215753
unique mv codes: 2       missing.*: 2105/215753

```

```

tabulation:  Freq.    Numeric  Label
              44509      0      No 0
              5831      1      Yes 1
              1.6e+05      .
              2105      .d  invalid skip .d

```

cs18	EH4 2.18 School fees
------	----------------------

```
type: numeric (long)
label: missing, but 1127 nonmissing values are not labeled
```

```

      range: [0,91635]          units: 1
unique values: 1127             missing.: 163316/215753
unique mv codes: 2             missing *: 1079/215753

```

```
examples: 1500
          .
          .
          .
```

 cs19 EH4 2.19 Books uniform bus Rs

type: numeric (float)
 label: missing, but 590 nonmissing values are not labeled

range: [0,80000] units: 1
 unique values: 590 missing .: 163310/215753
 unique mv codes: 2 missing .*: 832/215753

examples: 1600
 .
 .
 .

 cs20 EH4 2.20 Pvt tuition Rs

type: numeric (float)
 label: missing, but 266 nonmissing values are not labeled

range: [0,55000] units: 1
 unique values: 266 missing .: 163309/215753
 unique mv codes: 2 missing .*: 8811/215753

examples: 5000
 .
 .
 .

 sm1 EH12 8.1a STMorb ID

type: numeric (byte)
 label: missing, but 29 nonmissing values are not labeled

range: [1,33] units: 1
 unique values: 29 missing .: 190247/215753

tabulation:	Freq.	Numeric	Label
	3534	1	
	5005	2	
	4389	3	
	4276	4	
	3357	5	
	2103	6	
	1153	7	
	598	8	
	405	9	
	248	10	
	155	11	
	88	12	
	65	13	
	46	14	
	28	15	
	16	16	
	13	17	
	8	18	
	6	19	
	1	20	
	3	21	
	1	22	
	1	23	
	2	24	
	1	25	
	1	26	
	1	30	
	1	32	
	1	33	
	1.9e+05	.	

 sm2 EH12 8.2a STMorb Days ill

```

type: numeric (byte)
label: missing, but 31 nonmissing values are not labeled

range: [0,30]
unique values: 31
unique mv codes: 2

units: 1
missing .: 190247/215753
missing .*: 25/215753

```

tabulation:	Freq.	Numeric	Label
	207	0	
	583	1	
	3067	2	
	3554	3	
	3463	4	
	3057	5	
	1361	6	
	2005	7	
	2373	8	
	373	9	
	1693	10	
	22	11	
	390	12	
	32	13	
	83	14	
	1620	15	
	37	16	
	20	17	
	41	18	
	6	19	
	394	20	
	10	21	
	22	22	
	3	23	
	6	24	
	150	25	
	4	26	
	4	27	
	22	28	
	2	29	
	877	30	
	1.9e+05	.	
	25	.a	valid blank .a

sm3 EH12 8.3a Fever

```

type: numeric (byte)
label: yesno

range: [0,1]
unique values: 2

units: 1
missing .: 190247/215753

```

tabulation:	Freq.	Numeric	Label
	3327	0	No 0
	22179	1	Yes 1
	1.9e+05	.	

sm4 EH12 8.4a Cough

```

type: numeric (byte)
label: yesno

range: [0,1]
unique values: 2

units: 1
missing .: 190247/215753

```

tabulation:	Freq.	Numeric	Label
	7820	0	No 0
	17686	1	Yes 1
	1.9e+05	.	

sm5 EH12 8.5a Cough w short breaths

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 190247/215753
      unique mv codes: 2          missing .*: 8188/215753

```

```

      tabulation: Freq.  Numeric  Label
                  9334      0      No 0
                  7984      1      Yes 1
                  1.9e+05    .
                  8188      .a  valid blank .a

```

```

-----
sm6                                     EH12 8.6a Diarrhoea
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 190247/215753

```

```

      tabulation: Freq.  Numeric  Label
                  20344      0      No 0
                  5162      1      Yes 1
                  1.9e+05    .

```

```

-----
sm7                                     EH12 8.7a Diarrhoea with blood
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 190247/215753
      unique mv codes: 2          missing .*: 20458/215753

```

```

      tabulation: Freq.  Numeric  Label
                  4037      0      No 0
                  1011      1      Yes 1
                  1.9e+05    .
                  20458      .a  valid blank .a

```

```

-----
sm8                                     EH12 8.8a Liquid intake if Diarrhoea
-----

```

```

      type: numeric (byte)
      label: sm8f, but 1 nonmissing value is not labeled

      range: [0,3]                units: 1
      unique values: 4            missing .: 190247/215753
      unique mv codes: 2          missing .*: 20538/215753

```

```

      tabulation: Freq.  Numeric  Label
                  419      0
                  1697      1  More 1
                  1500      2  Same 2
                  1352      3  Less 3
                  1.9e+05    .
                  20538      .a  Valid blank .a

```

```

-----
sm9                                     EH12 8.9a ORS given if Diarrhoea
-----

```

```

      type: numeric (byte)
      label: yesno

      range: [0,1]                units: 1
      unique values: 2            missing .: 190247/215753
      unique mv codes: 3          missing .*: 20515/215753

```

```

      tabulation: Freq.  Numeric  Label
                  3042      0      No 0

```

```

1949      1 Yes 1
1.9e+05   .
20514    .a valid blank .a
1         .e out of range .e

```

```
-----
sm10                                           EH12 8.10a STMorb Days Unable
-----
```

```

type: numeric (byte)
label: missing, but 30 nonmissing values are not labeled

range: [0,30]          units: 1
unique values: 30      missing .: 190247/215753
unique mv codes: 2     missing .*: 895/215753

```

```

tabulation: Freq.  Numeric  Label
6401        0
1103        1
3464        2
2855        3
2191        4
2111        5
907         6
1091        7
1273        8
163         9
1059       10
14         11
214        12
22         13
48         14
817        15
24         16
9          17
33         18
2          19
254        20
1          21
15         22
1          23
4          24
79         25
1          26
1          27
9          28
445        30
1.9e+05    .
895        .a valid blank .a

```

```
-----
sm11                                           EH12 8.11a STMorb Treatment
-----
```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 190247/215753
unique mv codes: 2     missing .*: 65/215753

```

```

tabulation: Freq.  Numeric  Label
1382        0 No 0
24059       1 Yes 1
1.9e+05    .
65         .a valid blank .a

```

```
-----
sm13a1                                         EH13 8.13a1 STMorb Who 1st treat
-----
```

```

type: numeric (byte)
label: sm13f

range: [1,5]          units: 1
unique values: 5      missing .: 190247/215753
unique mv codes: 3     missing .*: 1446/215753

```

tabulation:	Freq.	Numeric	Label
	5046	1	Public Doctor/ Nurse 1
	1214	2	Public Dr./ Nurse in private 2
	15559	3	Private Dr/Nurse
	1752	4	Pharmacy 4
	489	5	Other (traditional healer) 5
	1.9e+05	.	
	1254	.a	Valid blank .a
	192	.o	Zero skip .o

sm14a1 EH13 8.14a1 STMorb Where 1st treat

type: numeric (byte)
label: sm14f

range: [1,4] units: 1
unique values: 4 missing .: 190247/215753
unique mv codes: 4 missing .*: 1462/215753

tabulation:	Freq.	Numeric	Label
	13765	1	Same village/neighbourhood 1
	5625	2	Another village/neighbourhood 2
	2779	3	Other town
	1875	4	District town 4
	1.9e+05	.	
	1270	.a	Valid blank .a
	1	.e	Out of range .e
	191	.o	Zero skip .o

sm13a2 EH13 8.13a2 STMorb Who 2nd treat

type: numeric (byte)
label: sm13f

range: [1,5] units: 1
unique values: 5 missing .: 190247/215753
unique mv codes: 3 missing .*: 22388/215753

tabulation:	Freq.	Numeric	Label
	605	1	Public Doctor/ Nurse 1
	212	2	Public Dr./ Nurse in private 2
	2149	3	Private Dr/Nurse
	98	4	Pharmacy 4
	54	5	Other (traditional healer) 5
	1.9e+05	.	
	12979	.a	Valid blank .a
	9409	.o	Zero skip .o

sm14a2 EH13 8.14a2 STMorb Where 2nd treat

type: numeric (byte)
label: sm14f

range: [1,4] units: 1
unique values: 4 missing .: 190247/215753
unique mv codes: 3 missing .*: 22408/215753

tabulation:	Freq.	Numeric	Label
	1306	1	Same village/neighbourhood 1
	795	2	Another village/neighbourhood 2
	564	3	Other town
	433	4	District town 4
	1.9e+05	.	
	12932	.a	Valid blank .a
	9476	.o	Zero skip .o

sm15 EH13 8.15a STMorb Days hosp

```

type: numeric (byte)
label: missing, but 24 nonmissing values are not labeled

range: [0,30]          units: 1
unique values: 24      missing .: 190247/215753
unique mv codes: 2      missing .*: 3324/215753

```

tabulation:	Freq.	Numeric	Label
	21365	0	
	120	1	
	127	2	
	100	3	
	78	4	
	63	5	
	37	6	
	50	7	
	56	8	
	7	9	
	65	10	
	5	11	
	6	12	
	3	13	
	3	14	
	31	15	
	3	16	
	2	17	
	3	18	
	2	19	
	16	20	
	4	25	
	1	26	
	35	30	
	1.9e+05	.	
	3324	.a	valid blank .a

```

-----
sm16                                     EH13 8.16a STMorb Dr/hosp Rs
-----

```

```

type: numeric (long)
label: missing, but 194 nonmissing values are not labeled

range: [0,50000]      units: 1
unique values: 194    missing .: 190262/215753
unique mv codes: 2    missing .*: 3078/215753

```

```

examples: .
          .
          .
          .

```

```

-----
sm17                                     EH13 8.17a STMorb Meds in cost
-----

```

```

type: numeric (byte)
label: yesno

range: [0,1]          units: 1
unique values: 2      missing .: 190247/215753
unique mv codes: 3    missing .*: 2455/215753

```

tabulation:	Freq.	Numeric	Label
	10242	0	No 0
	12809	1	Yes 1
	1.9e+05	.	
	2454	.a	valid blank .a
	1	.e	out of range .e

```

-----
sm18                                     EH13 8.18a STMorb Medicine Rs
-----

```

```

type: numeric (int)
label: missing, but 226 nonmissing values are not labeled

range: [0,20000]      units: 1

```

unique values: 226 missing .: 190249/215753
 unique mv codes: 2 missing .*: 3615/215753

examples: .
 .
 .
 .

 sm19 EH13 8.19a STMorb Travel Rs

type: numeric (int)
 label: missing, but 104 nonmissing values are not labeled

range: [0,9000] units: 1
 unique values: 104 missing .: 190247/215753
 unique mv codes: 2 missing .*: 4766/215753

examples: .
 .
 .
 .

 mb1 EH14 9.1 MJmorb ID

type: numeric (byte)
 label: missing, but 26 nonmissing values are not labeled

range: [1,28] units: 1
 unique values: 26 missing .: 202735/215753

tabulation:	Freq.	Numeric	Label
	5072	1	
	4256	2	
	1030	3	
	787	4	
	656	5	
	484	6	
	295	7	
	163	8	
	94	9	
	55	10	
	29	11	
	28	12	
	23	13	
	11	14	
	9	15	
	5	16	
	6	17	
	1	18	
	6	19	
	1	20	
	1	21	
	1	22	
	1	24	
	1	26	
	1	27	
	2	28	
	2.0e+05	.	

 mb2 EH14 9.2 Cataract

type: numeric (byte)
 label: mbf

range: [0,2] units: 1
 unique values: 3 missing .: 202735/215753
 unique mv codes: 3 missing .*: 1900/215753

tabulation:	Freq.	Numeric	Label
	9806	0	No 0
	981	1	Yes 1

```

      331      2 Cured 2
2.0e+05      .
1897      .a Valid blank .a
      3      .f Inconsistent .f

```

mb3 EH14 9.3 Tuberculosis

```

      type: numeric (byte)
      label: mbf

      range: [0,2]          units: 1
unique values: 3          missing .: 202735/215753
unique mv codes: 3        missing .*: 2028/215753

      tabulation: Freq.  Numeric  Label
                  10343      0    No 0
                  514       1    Yes 1
                  133       2    Cured 2
2.0e+05          .
2025            .a Valid blank .a
      3          .f Inconsistent .f

```

mb4 EH14 9.4 High BP

```

      type: numeric (byte)
      label: mbf

      range: [0,2]          units: 1
unique values: 3          missing .: 202735/215753
unique mv codes: 3        missing .*: 1716/215753

      tabulation: Freq.  Numeric  Label
                  8215      0    No 0
                  3028      1    Yes 1
                   59       2    Cured 2
2.0e+05          .
1713            .a Valid blank .a
      3          .f Inconsistent .f

```

mb5 EH14 9.5 Heart disease

```

      type: numeric (byte)
      label: mbf

      range: [0,2]          units: 1
unique values: 3          missing .: 202735/215753
unique mv codes: 3        missing .*: 2028/215753

      tabulation: Freq.  Numeric  Label
                  9869      0    No 0
                  1057      1    Yes 1
                   64       2    Cured 2
2.0e+05          .
2025            .a Valid blank .a
      3          .f Inconsistent .f

```

mb6 EH14 9.6 Diabetes

```

      type: numeric (byte)
      label: mbf

      range: [0,2]          units: 1
unique values: 3          missing .: 202735/215753
unique mv codes: 3        missing .*: 1986/215753

      tabulation: Freq.  Numeric  Label
                  9362      0    No 0
                  1632      1    Yes 1
                   38       2    Cured 2

```

```

2.0e+05 .
1983 .a Valid blank .a
3 .f Inconsistent .f

```

```

-----
mb7 EH14 9.7 Leprosy
-----

```

```

type: numeric (byte)
label: mbf

range: [0,2] units: 1
unique values: 3 missing .: 202735/215753
unique mv codes: 3 missing .*: 2191/215753

```

```

tabulation: Freq. Numeric Label
10700 0 No 0
121 1 Yes 1
6 2 Cured 2
2.0e+05 .
2188 .a Valid blank .a
3 .f Inconsistent .f

```

```

-----
mb8 EH14 9.8 Cancer
-----

```

```

type: numeric (byte)
label: mbf

range: [0,2] units: 1
unique values: 3 missing .: 202735/215753
unique mv codes: 3 missing .*: 2204/215753

```

```

tabulation: Freq. Numeric Label
10669 0 No 0
129 1 Yes 1
16 2 Cured 2
2.0e+05 .
2201 .a Valid blank .a
3 .f Inconsistent .f

```

```

-----
mb9 EH14 9.9 Asthma
-----

```

```

type: numeric (byte)
label: mbf

range: [0,2] units: 1
unique values: 3 missing .: 202735/215753
unique mv codes: 3 missing .*: 2062/215753

```

```

tabulation: Freq. Numeric Label
9718 0 No 0
1197 1 Yes 1
41 2 Cured 2
2.0e+05 .
2059 .a Valid blank .a
3 .f Inconsistent .f

```

```

-----
mb10 EH14 9.10 Polio
-----

```

```

type: numeric (byte)
label: mbf

range: [0,2] units: 1
unique values: 3 missing .: 202735/215753
unique mv codes: 3 missing .*: 2208/215753

```

```

tabulation: Freq. Numeric Label
10553 0 No 0
243 1 Yes 1
14 2 Cured 2
2.0e+05 .

```


2205 .a Valid blank .a
3 .f Inconsistent .f

mb11 EH14 9.11 Paralysis

type: numeric (byte)
label: mbf

range: [0,2] units: 1
unique values: 3 missing .: 202735/215753
unique mv codes: 3 missing .*: 2187/215753

tabulation:	Freq.	Numeric	Label
	10506	0	No 0
	298	1	Yes 1
	27	2	Cured 2
	2.0e+05	.	
	2184	.a	Valid blank .a
	3	.f	Inconsistent .f

mb12 EH14 9.12 Epilepsy

type: numeric (byte)
label: mbf

range: [0,2] units: 1
unique values: 3 missing .: 202735/215753
unique mv codes: 3 missing .*: 2207/215753

tabulation:	Freq.	Numeric	Label
	10570	0	No 0
	229	1	Yes 1
	12	2	Cured 2
	2.0e+05	.	
	2204	.a	Valid blank .a
	3	.f	Inconsistent .f

mb13 EH14 9.13 Mental illness

type: numeric (byte)
label: mbf

range: [0,2] units: 1
unique values: 3 missing .: 202735/215753
unique mv codes: 3 missing .*: 2177/215753

tabulation:	Freq.	Numeric	Label
	10519	0	No 0
	300	1	Yes 1
	22	2	Cured 2
	2.0e+05	.	
	2174	.a	Valid blank .a
	3	.f	Inconsistent .f

mb14 EH14 9.14 STD or AIDS

type: numeric (byte)
label: mbf

range: [0,2] units: 1
unique values: 3 missing .: 202735/215753
unique mv codes: 3 missing .*: 2205/215753

tabulation:	Freq.	Numeric	Label
	10716	0	No 0
	88	1	Yes 1
	9	2	Cured 2
	2.0e+05	.	
	2202	.a	Valid blank .a

3 .f Inconsistent .f

mb15 EH14 9.15 Other long term

type: numeric (byte)
label: mbf

range: [0,2] units: 1
unique values: 3 missing .: 202735/215753
unique mv codes: 3 missing .*: 1504/215753

tabulation:	Freq.	Numeric	Label
	7166	0	No 0
	3990	1	Yes 1
	358	2	Cured 2
	2.0e+05	.	
	1501	.a	Valid blank .a
	3	.f	Inconsistent .f

mb16 EH14 9.16 MJmorb Days Unable

type: numeric (int)
label: missing, but 139 nonmissing values are not labeled

range: [0,366] units: 1
unique values: 139 missing .: 22/215753
unique mv codes: 2 missing .*: 203433/215753

examples: .a valid blank .a
.a valid blank .a
.a valid blank .a
.a valid blank .a

mb17 EH14 9.17 MJmorb Treatment

type: numeric (byte)
label: yesno

range: [0,1] units: 1
unique values: 2 missing .: 0/215753
unique mv codes: 1 missing .*: 202944/215753

tabulation:	Freq.	Numeric	Label
	1033	0	No 0
	11776	1	Yes 1
	2.0e+05	.a	valid blank .a

mb19_1 EH15 9.19a1 MJmorb Who 1st

type: numeric (byte)
label: mb19f

range: [1,5] units: 1
unique values: 5 missing .: 0/215753
unique mv codes: 2 missing .*: 203979/215753

tabulation:	Freq.	Numeric	Label
	3175	1	Public Doctor/ Nurse 1
	749	2	Public Dr./ Nurse in private 2
	7355	3	Private Dr./Nurse 3
	312	4	Pharmacy 4
	183	5	Other (traditional healer) 5
	2.0e+05	.a	Valid blank .a
	169	.o	Zero skip .o

mb20_1 EH15 9.20a1 MJmorb Where 1st

```

      type: numeric (byte)
      label: mb20f

      range: [1,4]          units: 1
      unique values: 4      missing .: 0/215753
      unique mv codes: 2    missing .*: 203988/215753

```

tabulation:	Freq.	Numeric	Label
	4278	1	Same village/neighbourhood 1
	2266	2	Another village/neighbourhood 2
	2837	3	Other town 3
	2384	4	District town 4
	2.0e+05	.a	Valid blank .a
	167	.o	Zero skip .o

```

-----
mb19_2                                     EH15 9.19a2 MJmorb Who 2nd
-----

```

```

      type: numeric (byte)
      label: mb19f

      range: [1,5]          units: 1
      unique values: 5      missing .: 0/215753
      unique mv codes: 2    missing .*: 213334/215753

```

tabulation:	Freq.	Numeric	Label
	623	1	Public Doctor/ Nurse 1
	139	2	Public Dr./ Nurse in private 2
	1530	3	Private Dr./Nurse 3
	73	4	Pharmacy 4
	54	5	Other (traditional healer) 5
	2.1e+05	.a	Valid blank .a
	3971	.o	Zero skip .o

```

-----
mb20_2                                     EH15 9.20a2 MJmorb Where 2nd
-----

```

```

      type: numeric (byte)
      label: mb20f

      range: [1,4]          units: 1
      unique values: 4      missing .: 0/215753
      unique mv codes: 2    missing .*: 213343/215753

```

tabulation:	Freq.	Numeric	Label
	553	1	Same village/neighbourhood 1
	407	2	Another village/neighbourhood 2
	708	3	Other town 3
	742	4	District town 4
	2.1e+05	.a	Valid blank .a
	4019	.o	Zero skip .o

```

-----
mb21                                     EH15 9.21 MJmorb Days hosp
-----

```

```

      type: numeric (int)
      label: missing, but 63 nonmissing values are not labeled

      range: [0,365]        units: 1
      unique values: 63      missing .: 0/215753
      unique mv codes: 2    missing .*: 204657/215753

```

```

      examples: .a  valid blank .a
                .a  valid blank .a
                .a  valid blank .a
                .a  valid blank .a

```

```

-----
mb22                                     EH15 9.22 MJmorb Cost Dr/hosp
-----

```

```

      type: numeric (long)
      label: missing, but 281 nonmissing values are not labeled

```

range: [0,700000] units: 1
 unique values: 281 missing .: 0/215753
 unique mv codes: 2 missing .*: 204550/215753

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 mb23 EH15 9.23 MJmorb Meds in cost

type: numeric (byte)
 label: yesno

range: [0,1] units: 1
 unique values: 2 missing .: 0/215753
 unique mv codes: 2 missing .*: 204587/215753

tabulation:	Freq.	Numeric	Label
	5442	0	No 0
	5724	1	Yes 1
	2.0e+05	.a	valid blank .a
	612	.d	invalid skip .d

 mb24 EH15 9.24 MJmorb Cost Medicine

type: numeric (long)
 label: missing, but 355 nonmissing values are not labeled

range: [0,95000] units: 1
 unique values: 355 missing .: 0/215753
 unique mv codes: 2 missing .*: 204702/215753

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 mb25 EH15 9.25 MJmorb Cost Travel

type: numeric (long)
 label: missing, but 203 nonmissing values are not labeled

range: [0,35000] units: 1
 unique values: 203 missing .: 0/215753
 unique mv codes: 2 missing .*: 204662/215753

examples: .a valid blank .a
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 ad1 EH16 10.1 ID

type: numeric (byte)
 label: missing, but 22 nonmissing values are not labeled

range: [1,28] units: 1
 unique values: 22 missing .: 211182/215753

tabulation:	Freq.	Numeric	Label
	1684	1	
	1140	2	
	437	3	
	328	4	
	332	5	
	263	6	
	159	7	
	101	8	

```

44      9
24     10
14     11
13     12
6      13
10     14
4      15
3      16
2      17
2      18
2      20
1      26
1      27
1      28
2.1e+05 .

```

```
-----
ad2                                     EH16 10.2 Difficulty Walking 1km
-----
```

```

      type: numeric (byte)
      label: adf

      range: [0,2]                units: 1
      unique values: 3            missing .: 211182/215753
      unique mv codes: 2          missing .*: 736/215753

```

```

      tabulation: Freq.  Numeric  Label
                  1359      0    No difficulty 0
                  1677      1    With difficulty 1
                   799      2    Unable to do 2
                  2.1e+05    .
                   736      .a    No difficulty .a

```

```
-----
ad3                                     EH16 10.3 Difficulty Toilet
-----
```

```

      type: numeric (byte)
      label: adf

      range: [0,2]                units: 1
      unique values: 3            missing .: 211182/215753
      unique mv codes: 2          missing .*: 1041/215753

```

```

      tabulation: Freq.  Numeric  Label
                  1923      0    No difficulty 0
                   944      1    With difficulty 1
                   663      2    Unable to do 2
                  2.1e+05    .
                  1041      .a    No difficulty .a

```

```
-----
ad4                                     EH16 10.4 Difficulty Dressing
-----
```

```

      type: numeric (byte)
      label: adf

      range: [0,2]                units: 1
      unique values: 3            missing .: 211182/215753
      unique mv codes: 2          missing .*: 1115/215753

```

```

      tabulation: Freq.  Numeric  Label
                  2061      0    No difficulty 0
                   741      1    With difficulty 1
                   654      2    Unable to do 2
                  2.1e+05    .
                   1115      .a    No difficulty .a

```

```
-----
ad5                                     EH16 10.5 Difficulty Hearing
-----
```

```

      type: numeric (byte)
      label: adf

```

range: [0,2] units: 1
 unique values: 3 missing .: 211182/215753
 unique mv codes: 2 missing .*: 1030/215753

tabulation:	Freq.	Numeric	Label
	1856	0	No difficulty 0
	1131	1	With difficulty 1
	554	2	Unable to do 2
	2.1e+05	.	
	1030	.a	No difficulty .a

 ad6 EH16 10.6 Difficulty Speaking

type: numeric (byte)
 label: adf

range: [0,2] units: 1
 unique values: 3 missing .: 211182/215753
 unique mv codes: 2 missing .*: 1163/215753

tabulation:	Freq.	Numeric	Label
	2134	0	No difficulty 0
	701	1	With difficulty 1
	573	2	Unable to do 2
	2.1e+05	.	
	1163	.a	No difficulty .a

 ad7 EH16 10.7 Difficulty Far sight

type: numeric (byte)
 label: adf

range: [0,2] units: 1
 unique values: 3 missing .: 211182/215753
 unique mv codes: 2 missing .*: 733/215753

tabulation:	Freq.	Numeric	Label
	996	0	No difficulty 0
	2164	1	With difficulty 1
	678	2	Unable to do 2
	2.1e+05	.	
	733	.a	No difficulty .a

 ad8 EH16 10.8 Difficulty Short sight

type: numeric (byte)
 label: adf

range: [0,2] units: 1
 unique values: 3 missing .: 211182/215753
 unique mv codes: 2 missing .*: 952/215753

tabulation:	Freq.	Numeric	Label
	1472	0	No difficulty 0
	1512	1	With difficulty 1
	635	2	Unable to do 2
	2.1e+05	.	
	952	.a	No difficulty .a

 to1 EH17 12.1 Tobacco & alcohol: ID

type: numeric (byte)

range: [1,36] units: 1
 unique values: 25 missing .: 182637/215753

tabulation:	Freq.	Value
	22188	1
	4467	2

```

3022 3
817 4
737 5
555 6
493 7
307 8
191 9
114 10
65 11
70 12
42 13
15 14
8 15
5 16
1 17
6 18
3 19
3 20
1 21
2 22
2 23
1 27
1 36
1.8e+05 .

```

```
-----
to2                                     EH17 12.2 Tobacco: smoke
-----
```

```

type: numeric (byte)
label: tof

range: [0,2]                units: 1
unique values: 3            missing .: 182637/215753
unique mv codes: 2          missing .*: 3190/215753

```

```

tabulation: Freq.  Numeric  Label
            10644      0    Never  0
            3654      1  Sometimes 1
            15628      2    Daily  2
            1.8e+05      .
            3190      .a

```

```
-----
to3                                     EH17 12.3 Tobacco: chew
-----
```

```

type: numeric (byte)
label: tof

range: [0,2]                units: 1
unique values: 3            missing .: 182638/215753
unique mv codes: 4          missing .*: 3377/215753

```

```

tabulation: Freq.  Numeric  Label
            10278      0    Never  0
            2978      1  Sometimes 1
            16482      2    Daily  2
            1.8e+05      .
            3373      .a
              2      .b
              2      .e

```

```
-----
to4                                     EH17 12.4 Alcohol: drink
-----
```

```

type: numeric (byte)
label: tof

range: [0,2]                units: 1
unique values: 3            missing .: 182637/215753
unique mv codes: 4          missing .*: 5595/215753

```

```

tabulation: Freq.  Numeric  Label
            17230      0    Never  0
            7473      1  Sometimes 1

```

```

2818      2 Daily 2
1.8e+05   .
5586     .a
7         .b
2         .e

```

```
-----
ap1                                             EH38 25.1 Anthropometry ID
-----
```

```

type: numeric (byte)
label: missing, but 35 nonmissing values are not labeled

range: [1,38]          units: 1
unique values: 35      missing .: 147115/215753

```

```

tabulation: Freq.  Numeric  Label
1730      1
24266     2
8221      3
12092     4
8401      5
5492      6
3142      7
1898      8
1208      9
787       10
490        11
290        12
202        13
130        14
77         15
61         16
37         17
28         18
25         19
12         20
10         21
9          22
2          23
8          24
3          25
3          26
1          27
3          28
3          29
2          30
1          31
1          32
1          33
1          35
1          38
1.5e+05   .

```

```
-----
ap2                                             EH38 25.2 Anthropometry Height
-----
```

```

type: numeric (int)
label: missing, but 169 nonmissing values are not labeled

range: [1,197]          units: 1
unique values: 169      missing .: 0/215753
unique mv codes: 3      missing .*: 147409/215753

```

```

examples: 148
.a      valid blank .a
.a      valid blank .a
.a      valid blank .a

```

```
-----
ap3                                             EH38 25.3 Anthropometry Position
-----
```

```

type: numeric (byte)
label: ap3f, but label does not exist

```


range: [1,2] units: 1
 unique values: 2 missing .: 0/215753
 unique mv codes: 3 missing .*: 147117/215753

tabulation: Freq. Value
 3124 1
 65512 2
 1.4e+05 .a
 2 .c
 8596 .d

 ap4 EH38 25.4 Anthropometry Weight 1st

type: numeric (float)
 label: missing, but 996 nonmissing values are not labeled

range: [.55,652] units: .01
 unique values: 996 missing .: 0/215753
 unique mv codes: 4 missing .*: 147149/215753

examples: 43
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 ap5 EH38 25.5 Anthropometry Weight 2nd

type: numeric (float)
 label: missing, but 1010 nonmissing values are not labeled

range: [.5,775] units: .01
 unique values: 1010 missing .: 1/215753
 unique mv codes: 5 missing .*: 147150/215753

examples: 43
 .a valid blank .a
 .a valid blank .a
 .a valid blank .a

 ta2 EH39 26.2 Test ID

type: numeric (byte)

range: [1,28] units: 1
 unique values: 24 missing .: 202840/215753

tabulation: Freq. Value
 9 1
 140 2
 2858 3
 3342 4
 2942 5
 1670 6
 802 7
 435 8
 263 9
 162 10
 102 11
 63 12
 35 13
 27 14
 18 15
 12 16
 11 17
 7 18
 5 19
 3 20
 4 21
 1 22
 1 24
 1 28

2.0e+05 .

ta3 EH39 26.3 Test attended school

type: numeric (byte)
 label: ta3f

 range: [0,2] units: 1
 unique values: 3 missing .: 202835/215753
 unique mv codes: 4 missing .*: 13/215753

tabulation:	Freq.	Numeric	Label
	236	0	No 0
	11231	1	Yes, currently 1
	1438	2	Yes, in the past 2
2.0e+05	.		
10	.a		
1	.b		
2	.e		

ta4 EH39 26.4 Test completed std

type: numeric (byte)
 label: missing, but 8 nonmissing values are not labeled

 range: [0,7] units: 1
 unique values: 8 missing .: 202835/215753
 unique mv codes: 2 missing .*: 189/215753

tabulation:	Freq.	Numeric	Label
	345	0	
	1567	1	
	2574	2	
	2989	3	
	2705	4	
	1819	5	
	676	6	
	54	7	
2.0e+05	.		
189	.a		valid blank .a

ta5 EH39 26.5 Test enjoy school

type: numeric (byte)
 label: yesno

 range: [0,1] units: 1
 unique values: 2 missing .: 202835/215753
 unique mv codes: 4 missing .*: 298/215753

tabulation:	Freq.	Numeric	Label
	471	0	No 0
	12149	1	Yes 1
2.0e+05	.		
292	.a		valid blank .a
2	.c		don't know 8 .c
4	.e		out of range .e

ta6 EH39 26.6 Test teacher not nice

type: numeric (byte)
 label: nicely

 range: [1,3] units: 1
 unique values: 3 missing .: 202835/215753
 unique mv codes: 4 missing .*: 368/215753

tabulation:	Freq.	Numeric	Label
	9037	1	Nicely 1

```

3262      2 Somewhat nicely 2
251       3 Not nicely 3
2.0e+05   .
341       .a
7         .c
20        .o

```

```
-----
ta7lang                                         EH39 26.7 Test reading language
-----
```

```

type: numeric (byte)
label: ta7af

range: [1,13]                                units: 1
unique values: 13                          missing .: 202835/215753
unique mv codes: 4                          missing .*: 399/215753

```

```

tabulation: Freq.  Numeric  Label
6229        1  Hindi 1
163         2  Assamese 2
590         3  Bangla 3
614         4  Gujarathi 4
977         5  Marathi 5
552         6  Oriya 6
785         7  Kannad 7
218         8  Malyalam 8
300         9  Tamil Nadu 9
408        10  Telegu 10
1069        11  English 11
451        12  Punjabi 12
163        13  Urdu 13
2.0e+05     .
346         .a
22         .e
31         .o

```

```
-----
ta7lvl                                         EH39 26.7 Test reading score
-----
```

```

type: numeric (byte)
label: ta7bf

range: [0,4]                                units: 1
unique values: 5                          missing .: 202835/215753
unique mv codes: 2                          missing .*: 488/215753

```

```

tabulation: Freq.  Numeric  Label
1134        0  Can not read 0
1626        1  Letter 1
2507        2  Word 2
2716        3  Paragarph 3
4447        4  Story 4
2.0e+05     .
488         .a

```

```
-----
ta8lang                                         EH39 26.8 Test math language
-----
```

```

type: numeric (byte)
label: ta7af

range: [1,13]                                units: 1
unique values: 13                          missing .: 202835/215753
unique mv codes: 4                          missing .*: 469/215753

```

```

tabulation: Freq.  Numeric  Label
4407        1  Hindi 1
178         2  Assamese 2
566         3  Bangla 3
591         4  Gujarathi 4
931         5  Marathi 5
546         6  Oriya 6
294         7  Kannad 7
185         8  Malyalam 8

```

273	9	Tamil Nadu 9
403	10	Telegu 10
3626	11	English 11
348	12	Punjabi 12
101	13	Urdu 13
2.0e+05	.	
398	.a	
22	.e	
49	.o	

ta8lvl EH39 26.8 Test math score

```

type: numeric (byte)
label: ta8bf

range: [0,3]          units: 1
unique values: 4      missing .: 202835/215753
unique mv codes: 2    missing .*: 537/215753

tabulation: Freq.  Numeric  Label
            2099      0      Can not 0
            3946      1      Number 1
            3417      2      Subtraction 2
            2919      3      Division 3
            2.0e+05    .
            537       .a

```

ta9lang EH39 26.9 Test writing language

```

type: numeric (byte)
label: ta7af

range: [1,13]        units: 1
unique values: 13     missing .: 202835/215753
unique mv codes: 4    missing .*: 461/215753

tabulation: Freq.  Numeric  Label
            6047      1      Hindi 1
            163       2      Assamese 2
            591       3      Bangla 3
            603       4      Gujarathi 4
            967       5      Marathi 5
            541       6      Oriya 6
            777       7      Kannad 7
            209       8      Malyalam 8
            298       9      Tamil Nadu 9
            403       10     Telegu 10
            1202      11     English 11
            464       12     Punjabi 12
            192       13     Urdu 13
            2.0e+05    .
            391       .a
            21        .e
            49        .o

```

ta9lvl EH39 26.9 Test writing score

```

type: numeric (byte)
label: ta9bf

range: [0,1]          units: 1
unique values: 2      missing .: 202835/215753
unique mv codes: 3    missing .*: 595/215753

tabulation: Freq.  Numeric  Label
            3785      0      Can not 0
            8538      1      Writes with 2 or less mistakes 1
            2.0e+05    .
            594       .a
            1         .e

```

fm31

HH9 4.31 Farm work Primary

type: numeric (byte)

label: yesno, but 12 nonmissing values are not labeled

range: [1,15]

units: 1

unique values: 13

missing .: 198360/215753

tabulation:	Freq.	Numeric	Label
	15912	1	Yes 1
	616	2	
	620	3	
	58	4	
	67	5	
	34	6	
	35	7	
	14	8	
	14	9	
	12	10	
	5	11	
	5	12	
	1	15	
	2.0e+05	.	