

ICPSR 22626

**India Human Development Survey
(IHDS), 2005**

Sonalde Desai

University of Maryland

Reeve Vanneman

University of Maryland

*National Council of Applied Economic
Research, New Delhi*

Household Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/22626/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
8.4% (79 of 945 variables)	have 0% Missing Values	
22.3% (211 of 945 variables)	have 0% - 1% Missing Values	
3.7% (35 of 945 variables)	have 1% - 3% Missing Values	
1.5% (14 of 945 variables)	have 3% - 5% Missing Values	
1.9% (18 of 945 variables)	have 5% - 10% Missing Values	
HHED5M	HH17 ed5 Highest male 21+ ed	5.5%
ID2	HH3 1.2 Listing Sheet Number	7.9%
ID19	HH3 1.19 Occ head's father/husb	8.6%
CO3A	HH19 12.3 Sugar: kg	5.5%
CO3B	HH19 12.3 Sugar: homegrown	5.5%
CO7B	HH19 12.7 Pulses: homegrown	6.0%
CG18	HH22 13.18 Own: Car	5.7%
CG19	HH22 13.19 Own: Air conditioner	5.7%
CG20	HH22 13.20 Own: Washing machine	5.8%
CG21	HH22 13.21 Own: Computer	5.8%
CG22	HH22 13.22 Own: Credit card	6.1%
CI5	HH26 19.5 Confidence: Newspapers	7.1%
HI2	EH3 1.2 Listing Sheet Number	6.3%
WA11B	EH9 5.11b Drinking water pouring	9.5%
SA2A	EH10 6.2a Vent in cooking place	9.7%
FU10	EH11 7.10 Coal/ charcoal use	7.3%
OG1	EH37 24.1 Obs: Purpose	6.0%
OG2	EH37 24.2 Obs: Understanding	6.5%
10.1% (95 of 945 variables)	have 10% - 20% Missing Values	
HC15	HH1 15 Data Entry ID	11.4%
IN1	HH15 8.1 Inc: renting property	17.6%
IN2	HH15 8.2 Inc: interest	18.1%
IN3A	HH15 8.3a Inc: Govt pension	18.0%
IN3B	HH15 8.3b Inc: Pvt pension	19.0%
IN4A	HH15 8.4a Inc: sale non-ag land	18.6%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
IN4B	HH15 8.4b Inc: sale ag land	18.9%
IN5	HH15 8.5 Inc: scholarship/gift	18.3%
IN6	HH15 8.6 Inc: IRDP/ insurance	19.3%
IN16	HH16 8.16 Inc: other source Rs	15.9%
RC1A	HH16 9.1a Ration card type	17.2%
RC1B	HH16 9.1b Ration card N listed	17.2%
RC1C	HH16 9.1c Ration card used	17.2%
MM4A	HH18 11.4 TV hrs/day Men	14.3%
MM5A	HH18 11.5 TV news regular Men	15.5%
MM4B	HH18 11.4 TV hrs/day Women	14.4%
MM5B	HH18 11.5 TV news regular Women	15.5%
CO1E	HH19 12.1 Rice: PDS price	10.6%
CO14T	HH19 12.14 Vegetables: Rs	13.4%
DB6	HH23 14.6 Credit due to the HH	18.7%
OH2A	HH28 22.2 Other resp 1 ID	12.1%
GE14	EH1 14 Data Entry ID	11.6%
HI1	EH3 1.1 Stratum Number	12.7%
FU1A	EH10 7.1a Electricity hours	19.1%
FU1B	EH10 7.1b Electricity Payment	19.5%
FU8B	EH11 7.8b Kerosene Rs	17.8%
QC1	EH17 11.1 Med treatment who	10.2%
QC2	EH17 11.2 Med treatment where	10.3%
QC3	EH17 11.3 Illness type	10.9%
QC4	EH17 11.4m Med treatment Month	13.5%
QC4B	EH17 11.4y Med treatment Year	10.6%
QC5	EH17 11.5 Med treatment sex	11.0%
QC6	EH17 11.6 Doctor's behaviour	10.7%
QC7	EH17 11.7 Med treat wait time	11.4%
QC8	EH17 11.8 Med treat accompanied	10.6%
QCCODE	EH17 clinicid clinic code	12.0%
EW3	EH19 13.3 EWoman: HH ID	19.4%
EW4	EH19 13.4 EWoman: Rel to HH head	19.4%
EW5	EH19 13.5 EWoman: Age	19.4%
EW8	EH19 13.8 EWoman: N children	19.6%
EW9	EH19 13.9 EWoman: general health	19.4%
GR1A	EH21 16.1a Cooking Respondent	19.3%
GR1B	EH21 16.1b Cooking Husband	19.3%
GR1C	EH21 16.1c Cooking Sr male	19.3%
GR1D	EH21 16.1d Cooking Sr female	19.3%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
GR1E	EH21 16.1e Cooking Other	19.3%
GR1F	EH21 16.1f Cooking No One	19.3%
GR2A	EH21 16.2a Purchase Respondent	19.3%
GR2B	EH21 16.2b Purchase Husband	19.3%
GR2C	EH21 16.2c Purchase Sr male	19.3%
GR2D	EH21 16.2d Purchase Sr female	19.3%
GR2E	EH21 16.2e Purchase Other	19.3%
GR2F	EH21 16.2f Purchase No One	19.3%
GR3A	EH21 16.3a N children Respondent	19.3%
GR3B	EH21 16.3b N children Husband	19.3%
GR3C	EH21 16.3c N children Sr male	19.3%
GR3D	EH21 16.3d N children Sr female	19.3%
GR3E	EH21 16.3e N children Other	19.3%
GR3F	EH21 16.3f N children No One	19.3%
GR6A	EH21 16.6a Permission health centre	19.4%
GR9	EH22 16.9 Purdah Practice	19.7%
GR10	EH22 16.10 Family outing	19.8%
GR11A	EH22 16.11s Shopping Respondent	19.9%
GR11B	EH22 16.11m Shopping Adult men	19.8%
GR13	EH22 16.13 Family meal taking	19.7%
GR14	EH22 16.14 Cash-in-hand	19.6%
GR15A	EH22 16.15a Family bank account	19.9%
GR21	EH23 16.21 Beat leaves no permit	19.7%
GR22	EH23 16.22 Beat if no dowry	19.7%
GR23	EH23 16.23 Beat if House neglect	19.7%
GR24	EH23 16.24 Beat if bad cooking	19.7%
GR25	EH23 16.25 Beat if extramarital	19.9%
MH1A	EH24 17.1a Age at marriage	19.5%
MH2A	EH24 17.2a Age at Gauna	19.5%
MH2C	EH24 17.2c Age at Menarche	19.6%
MH2D	EH24 17.2d Menarche after wed	19.7%
MH3	EH24 17.3 Marriage status	19.3%
MH4	EH24 17.4 Knew husb before wed	19.7%
MH5A	EH24 17.5a Marriage choice	19.6%
MH6	EH24 17.6 Husband same vill	19.7%
MH7	EH24 17.7 Husband same caste	19.7%
MH8	EH24 17.8 Live after marriage	19.8%
MH16	EH25 17.16 Husb Marriage 1+	19.9%
OG3	EH37 24.3 Obs: Clarity	18.8%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
OG4	EH37 24.4 Obs: Knows expenditure	18.1%
OG5	EH37 24.5 Obs: Confidence	19.0%
EW6C	Imputed date of birth (CMC)	19.4%
EW6F	Flag for data of birth	19.4%
EW5C	Imputed age	19.4%
MH1BC	Imputed date of marriage	19.4%
MH1BF	Flag for date of marriage	19.4%
MH1AC	Imputed age at marriage	19.4%
MH2BC	Imputed date of gauna	19.4%
MH2BF	Flag for date of gauna	19.4%
MH2AC	Imputed age at gauna	19.4%
10.8% (102 of 945 variables)	have 20% - 40% Missing Values	
ID5	HH3 1.5 Tehsil/taluka code	35.0%
AN1A	HH10 5.1a Milch cows	38.8%
IN14A	HH15 8.14a Land from govt	24.1%
IN14B	HH15 8.14b Land from govt Rs	39.6%
IN15A	HH16 8.15a Govt housing Built Rs	31.3%
IN15B	HH16 8.15b Govt housing Rs	31.2%
IN15C	HH16 8.15c Govt housing Materials Rs	31.6%
IN15D	HH16 8.15d Govt housing latrines Rs	31.4%
IN15E	HH16 8.15e Govt housing chulha Rs	31.4%
MM1C	HH18 11.1 Radio regular Kids	21.8%
MM2C	HH18 11.2 Newspaper regular Kids	23.1%
MM3C	HH18 11.3 TV regular Kids	23.5%
MM4C	HH18 11.4 TV hrs/day Kids	33.5%
MM5C	HH18 11.5 TV news regular Kids	34.0%
CO2A	HH19 12.2 Wheat: kg	21.3%
CO2B	HH19 12.2 Wheat: homegrown	21.3%
CO4A	HH19 12.4 Kerosene: Lts	24.0%
CO4B	HH19 12.4 Kerosene: Rs	24.0%
CO6B	HH19 12.6 Cereal products: homegr	35.8%
CO7A	HH19 12.7 Pulses: kg	34.2%
CO7T	HH19 12.7 Pulses: Rs	39.4%
CO10A	HH19 12.10 Edible oil: Its	21.7%
CO12A	HH19 12.12 Milk: Its	37.0%
CO12B	HH19 12.12 Milk: homegrown	22.7%
DB4	HH23 14.4 Outstanding HH debt	20.4%
DB5B	HH23 14.5b Rs debt shopkeeper	36.9%
HI5	EH3 1.5 Tehsil/Taluka Code	32.6%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
WA9A	EH9 5.9a Get Water women	39.7%
SA5	EH10 6.5 Access to public toilet	29.8%
FU1C	EH10 7.1c Electricity Rs	25.5%
FU5A	EH11 7.5a Firewood source	29.1%
FU8A	EH11 7.8a Kerosene source	26.3%
FU9B	EH11 7.9b LPG Rs	39.8%
EW7	EH19 13.7 EWoman: Education	20.4%
HB1	EH20 14.1 Belief Daily milk	23.6%
HB5	EH20 14.5 Belief Diarrhea	25.9%
AI1	EH20 15.1 AIDS Awareness	20.0%
GR1G	EH21 16.1g Cooking Most Say	20.5%
GR2G	EH21 16.2g Purchase Most Say	20.4%
GR3G	EH21 16.3g N children Most Say	21.8%
GR4A	EH21 16.4a Child ill Respondent	22.9%
GR4B	EH21 16.4b Child ill Husband	24.0%
GR4C	EH21 16.4c Child ill Sr male	33.4%
GR4D	EH21 16.4d Child ill Sr female	33.6%
GR4E	EH21 16.4e Child ill Other	35.2%
GR4F	EH21 16.4f Child ill No One	39.3%
GR4G	EH21 16.4g Child ill Most Say	22.8%
GR5A	EH21 16.5a Child's wed R	24.3%
GR5B	EH21 16.5b Child's wed Husband	23.1%
GR5C	EH21 16.5c Child's wed Sr male	32.9%
GR5D	EH21 16.5d Child's wed Sr female	33.4%
GR5E	EH21 16.5e Child's wed Other	35.1%
GR5F	EH21 16.5f Child's wed No One	39.2%
GR5G	EH21 16.5g Child's wed Most Say	23.4%
GR6B	EH21 16.6b Perm husband: health centre	32.8%
GR6F	EH21 16.6f Health centre alone	22.5%
GR7A	EH21 16.7a Permission Friend home	20.5%
GR7B	EH21 16.7b Perm husband Friend home	32.9%
GR7F	EH21 16.7f Visit Friend home alone	23.8%
GR8A	EH21 16.8a Permission Kirana shop	33.2%
GR8F	EH21 16.8f Visit Kirana shop alone	32.8%
GR11C	EH22 16.11w Shopping Adult women	20.3%
GR11D	EH22 16.11c Shopping Children	21.7%
GR12A	EH22 16.12s Homework Respondent	23.4%
GR12B	EH22 16.12m Homework Adult men	23.5%
GR12C	EH22 16.12w Homework Adult women	23.8%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
GR12D	EH22 16.12c Homework Children	24.9%
GR15B	EH22 16.15b Resp account holder	27.5%
GR16	EH22 16.16 House papers: Woman	23.1%
GR17	EH22 16.17 Girls educatn equal	20.0%
GR18A	EH22 16.18a Discuss: Work/farm	21.3%
GR18B	EH22 16.18b Discuss: Expenditure	21.0%
GR18C	EH22 16.18c Discuss: Politics	21.0%
GR19	EH22 16.19 Natal family visit	22.2%
GR20	EH22 16.20 Natal family nearby	22.6%
MH11	EH24 17.11 Natal fam married husb fam	27.3%
MH12	EH24 17.12 Natal fam married same vill	26.8%
MH13	EH24 17.13 Econ stat husb fam	23.3%
MH14	EH24 17.14 Husband: N sisters	20.7%
MH14A	EH24 17.14a Husb sisters educ	26.7%
MH15A	EH25 17.15a Husb N brothers	20.1%
MH15B	EH25 17.15b Husb brothers educ	24.8%
MH17A	EH25 17.17a R Marriage 1+	20.2%
FH1	EH26 18.1 N sons with R	20.8%
FH2	EH26 18.2 N daughters with R	21.0%
FH3	EH26 18.3 N sons elsewhere	21.8%
FH4	EH26 18.4 N daughters elsewhere	21.7%
FH5A	EH26 18.5a N sons died	21.9%
FH5B	EH26 18.5b N daughters died	22.0%
FH6	EH26 18.6 Total N children borne	20.7%
FH7A	EH26 18.7a N still births	23.5%
FH7B	EH26 18.7b N miscarriages	23.9%
FH7C	EH26 18.7c N spontaneous miscarr	25.1%
FH7D	EH26 18.7d N abortions	25.4%
FHCHK	EH26 18.chk One+ live births	22.9%
FP1	EH28 20.1 Current pregnancy	22.1%
FP2A	EH28 20.2a Contraceptive usage	27.1%
FP3A	EH28 20.3a More children desired	32.9%
FP5	EH28 20.5 N children ideally	24.0%
FP5A	EH28 20.5a N sons ideally	24.5%
FP5B	EH28 20.5b N daughters ideally	25.0%
FPWHO	EH28 20 Others present	24.4%
41.1% (388 of 945 variables)	have 40% - 99% Missing Values	
METRO6	Largest 6 metro areas 1-6	90.1%
HC9	HH1 9 Reinterview household	66.5%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
HC12	HH1 12 Additional booklet	99.5%
HC14	HH1 14 3+ learning sheets	99.9%
ID1	HH3 1.1 Stratum Number	66.5%
ID17	HH3 1.17 Place of Origin	71.4%
ID18	HH3 1.18 Type of origin place	71.4%
ID20	HH3 1.20 Educ head's father/husb	58.7%
FM2	HH6 4.2 Local units/acre	57.9%
FM4	HH6 4.4 Area owned	53.4%
FM5	HH6 4.5 Area owned & cultivated	55.1%
FM6A	HH6 4.6a Area rented out	64.1%
FM6B	HH6 4.6b Cash Crop rented out	94.9%
FM6C	HH6 4.6c Rs land rented out	88.9%
FM6D	HH6 4.6d Crop % land rented out	96.8%
FM6E	HH6 4.6e Crop Rs land rented out	87.2%
FM7	HH6 4.7 Orchards/Plantations	66.5%
FM8A	HH6 4.8a Rented in farmland	60.7%
FM8B	HH6 4.8b Cash Crop rented in	95.4%
FM8C	HH6 4.8c Rs paid land rented in	89.6%
FM9A	HH6 4.9a Irrigation	80.0%
FM9B	HH6 4.9b Irrigation type 1	80.0%
FM9C	HH6 4.9b Irrigation type 2	92.8%
FM9D	HH6 4.9c Land irrigated	76.1%
FM19A	HH7 4.19 Crop residue sold	72.7%
FM19B	HH7 4.19b Crop residue own use	67.0%
FM20A	HH8 4.20a Hired farm labour days	61.3%
FM20B	HH8 4.20b Hired farm labour Rs	63.5%
FM20C	HH8 4.20c Meals to workers	92.8%
FM21A	HH8 4.21 Seeds Rs	57.7%
FM21B	HH8 4.21b Seeds Homegrown	65.4%
FM22	HH8 4.22 Fertilizers Rs	58.3%
FM23	HH8 4.23 Pesticides Rs	59.9%
FM24	HH8 4.24 Irrigation water Rs	60.5%
FM25	HH8 4.25 Hired Equipt/Animals Rs	59.1%
FM26	HH8 4.26 Ag loan repayment Rs	61.8%
FM27	HH8 4.27 Farm miscellaneous Rs	61.0%
FMTOTAL	HH8 total expenses Editor Check	64.3%
FM31	HH9 4.31 ID farm decision-maker	58.1%
FM32A	HH9 4.32a Own: Tubewells	93.6%
FM32B	HH9 4.32b Own: Electric Pumps	94.1%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
FM32C	HH9 4.32c Own: Diesel pumps	96.3%
FM32D	HH9 4.32d Own: Bullock carts	94.5%
FM32E	HH9 4.32e Own: Tractors	98.2%
FM32F	HH9 4.32f Own: Threshers	98.5%
FM32G	HH9 4.32g Own: Bio-gas plants	99.6%
FM32H	HH9 4.32h New farm equipt Rs	65.1%
FM32I	HH9 4.32i Rent out equipt Rs	68.2%
AN1B	HH10 5.1b Milch buffalos	40.8%
AN1C	HH10 5.1c Draft animals	83.0%
AN1D	HH10 5.1d Goats	41.9%
AN1E	HH10 5.1e Sheep	42.5%
AN1F	HH10 5.1f Poultry	42.5%
AN1G	HH10 5.1g Other	83.1%
AN2A	HH10 5.2a Milk & eggs Rs	49.9%
AN2B	HH10 5.2b Chicken/Livestock Rs	51.6%
AN3	HH10 5.3 Buy livestock Rs	52.2%
AN4A	HH10 5.4 Feed Home grain	54.5%
AN4B	HH10 5.4b Feed Home residue	54.0%
AN4C	HH10 5.4c Feed Purchased	53.7%
AN7	HH10 5.7 Animal care: Primary ID	61.3%
NF1A	HH12 7.1a Busns1: Industry	79.1%
NF1B	HH12 7.1b Busns1: Occupation	79.3%
NF2	HH12 7.2 Busns1: Work place	79.4%
NF3	HH12 7.3 Busns1: Gross receipts	80.1%
NF4	HH12 7.4 Busns1: Paid workers	81.5%
NF5	HH12 7.5 Busns1: Other expenses	80.6%
NF6	HH12 7.6 Busns1: Net income	78.9%
NF10A	HH13 7.10a Busns2: Industry	97.5%
NF10B	HH13 7.10b Busns2: Occupation	97.7%
NF11	HH13 7.11 Busns2: Work place	98.1%
NF12	HH13 7.12 Busns2: Gross Receipts	97.5%
NF13	HH13 7.13 Busns2: Paid workers	97.6%
NF14	HH13 7.14 Busns2: Other expenses	97.6%
NF15	HH13 7.15 Busns2: Net income	97.4%
NF19A	HH14 7.19a Busns3: Industry	99.2%
NF19B	HH14 7.19b Busns3: Occupation	99.4%
NF20	HH14 7.20 Busns3: Work place	99.8%
NF21	HH14 7.21 Busns3: Gross receipts	99.1%
NF22	HH14 7.22 Busns3: Paid workers	99.1%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
NF23	HH14 7.23 Busns3: Other expenses	99.1%
NF24	HH14 7.24 Busns3: Net income	99.1%
RC1D	HH16 9.1d Ration card no use	87.5%
RC2	HH16 9.2 Ration card why none	82.8%
CO1D	HH19 12.1 Rice: PDS kg	76.0%
CO2D	HH19 12.2 Wheat: PDS kg	84.1%
CO3D	HH19 12.3 Sugar: PDS kg	82.3%
CO4D	HH19 12.4 Kerosene: PDS Its	40.1%
CO5A	HH19 12.5 Other cereals: kg	63.9%
CO5B	HH19 12.5 Other cereals: homegrown	63.9%
CO5D	HH19 12.5 Other cereals: PDS kg	100.0%
CO5E	HH19 12.5 Other cereals: PDS price	94.9%
CO6A	HH19 12.6 Cereal products: kg	74.6%
CO6T	HH19 12.6 Cereal products: Rs	45.6%
CO8A	HH19 12.8 Meat: kg	68.1%
CO8B	HH19 12.8 Meat: homegrown	40.9%
CO8T	HH19 12.8 Meat: Rs	55.1%
CO9A	HH19 12.9 Sweeteners: kg	64.1%
CO9B	HH19 12.9 Sweeteners: homegrown	42.6%
CO9T	HH19 12.9 Sweeteners: Rs	60.1%
CO10T	HH19 12.10 Edible oil: Rs	44.4%
CO11A	HH19 12.12 Eggs: dozens	76.7%
CO11B	HH19 12.12 Eggs: homegrown	59.1%
CO11T	HH19 12.12 Eggs: Rs	70.7%
CO12T	HH19 12.12 Milk: Rs	59.8%
CO13A	HH19 12.13 Milk products: Its	76.7%
CO13B	HH19 12.13 Milk products: homegr	55.0%
CO13T	HH19 12.13 Milk products: Rs	66.1%
CO14A	HH19 12.14 Vegetables: kg	61.4%
DB2	HH23 14.2a Yrs ago largest loan	59.3%
DB2B	HH23 14.2b Loan largest amount	59.3%
DB2C	HH23 14.2c Loan purpose	59.3%
DB2D	HH23 14.2d Loan source	59.3%
DB2E	HH23 14.2e Loan monthly rate	59.3%
DB2F	HH23 14.2f Loan repayment	59.2%
SN1B	HH24 15.1b Netwk Med type	68.3%
SN1C	HH24 15.1c Netwk Med Sex	68.3%
SN1D	HH24 15.1d Netwk Med Relation	66.1%
SN1E	HH24 15.1e Netwk Med Community	66.1%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
SN1F	HH24 15.1f Netwk Med Residence	65.6%
SN2B	HH24 15.2b Netwk School type	60.3%
SN2C	HH24 15.2c Netwk School Sex	60.3%
SN2D	HH24 15.2d Netwk School Relation	58.1%
SN2E	HH24 15.2e Netwk School Community	58.1%
SN2F	HH24 15.2f Netwk School Residence	57.7%
SN3B	HH24 15.3b Netwk Govt type	65.5%
SN3C	HH24 15.3c Netwk Govt Sex	65.5%
SN3D	HH24 15.3d Netwk Govt Relation	63.1%
SN3E	HH24 15.3e Netwk Govt Community	63.2%
SN3F	HH24 15.3f Netwk Govt Residence	63.2%
DE2A	HH26 20.2 Death 1: Rel to head	96.2%
DE3A	HH26 20.3 Death 1: Sex	96.2%
DE4A	HH26 20.4 Death 1: Age	96.2%
DE5A	HH26 20.5 Death 1: Cause	96.1%
DE6A	HH26 20.6 Death 1: Childbirth	99.4%
DE2B	HH26 20.2 Death 2: Rel to head	99.9%
DE3B	HH26 20.3 Death 2: Sex	99.9%
DE4B	HH26 20.4 Death 2: Age	99.9%
DE5B	HH26 20.5 Death 2: Cause	99.9%
DE6B	HH26 20.6 Death 2: Childbirth	100.0%
DE2C	HH26 20.2 Death 3: Rel to head	100.0%
DE3C	HH26 20.3 Death 3: Sex	100.0%
DE4C	HH26 20.4 Death 3: Age	100.0%
DE5C	HH26 20.5 Death 3: Cause	100.0%
DE6C	HH26 20.6 Death 3: Childbirth	100.0%
OH2B	HH28 22.2 Other resp 2 ID	56.6%
OH2C	HH28 22.2 Other resp 3 ID	63.0%
OH2D	HH28 22.2 Other resp 4: ID	64.2%
HI7A	EH3 1.7a Post-Office Code	100.0%
HI10	EH3 1.10 1993-94 Household ID	53.4%
CH1	EH6 3.1 Ch1: Code	71.8%
CH2	EH6 3.2 Ch1: School enrolment	71.8%
CH3	EH6 3.3 Ch1: Start Age in years	72.2%
CH4	EH6 3.4 Ch1: Faculty attendance	72.3%
CH5	EH6 3.5 Ch1: Teacher attendance	72.3%
CH6	EH6 3.6 Ch1: Local teacher	72.3%
CH7	EH6 3.7 Ch1: Fair Teacher	72.3%
CH8	EH6 3.8 Ch1: Good Teacher	72.4%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
CH9	EH6 3.9 Ch1: Biased Teacher	72.3%
CH10	EH6 3.10 Ch1: PTA participation	72.3%
CH12	EH6 3.12 Ch1: Average student	72.4%
CH13	EH6 3.13 Ch1: School enjoyment	72.3%
CH14	EH6 3.14 Ch1: # Repeats	72.6%
CH15A	EH6 3.15a Ch1: Ever praised	72.8%
CH15B	EH6 3.15b Ch1: Ever beaten	72.9%
CH1S	EH6 sch Ch1: School code	72.7%
CH18	EH7 3.18 Ch2: roster id	92.8%
CH19	EH7 3.19 Ch2: School enrolment	92.8%
CH20	EH7 3.20 Ch2: Start Age in years	92.9%
CH21	EH7 3.21 Ch2: Faculty attendance	93.0%
CH22	EH7 3.22 Ch2: Teacher attendance	93.0%
CH23	EH7 3.23 Ch2: Local teacher	93.0%
CH24	EH7 3.24 Ch2: Fair teacher	93.0%
CH25	EH7 3.25 Ch2: Good Teacher	93.0%
CH26	EH7 3.26 Ch2: Biased teacher	93.0%
CH27	EH7 3.27 Ch2: PTA participation	93.0%
CH28	EH7 3.28 Ch2: # teacher discuss	93.3%
CH29	EH7 3.29 Ch2: Average student	93.0%
CH30	EH7 3.30 Ch2: School enjoyment	93.0%
CH31	EH7 3.31 Ch2: # Repeats	93.0%
CH32A	EH7 3.32a Ch2: Ever praised	93.1%
CH32B	EH7 3.32b Ch2: Ever beaten	93.1%
CH2S	EH7 sch Ch2: School code	93.0%
WA2A	EH9 5.2a Walking time to water	52.6%
WA3	EH9 5.3 Water supply hours	54.0%
WA5	EH9 5.5 Water source summer	94.1%
WA6	EH9 5.6 Water in house summer	94.1%
WA6A	EH9 5.6a Time to summer water	94.7%
WA9B	EH9 5.9b Get Water men	47.5%
WA9C	EH9 5.9c Get Water girls	52.9%
WA9D	EH9 5.9d Get Water boys	52.9%
FU5B	EH11 7.5b Firewood Rs	43.2%
FU6A	EH11 7.6a Dung source	63.5%
FU6B	EH11 7.6b Dung Rs	58.6%
FU7A	EH11 7.7a Crop residue source	87.1%
FU7B	EH11 7.7b Crop residue Rs	65.4%
FU9A	EH11 7.9a LPG source	61.5%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
FU10A	EH11 7.10a Coal/ charcoal source	95.7%
FU10B	EH11 7.10b Coal/ charcoal Rs	64.0%
O5A	EH18 12.5a Obs: respondent ID	64.0%
O6	EH18 12.6 Obs: Other respondt 1	72.4%
O6A	EH18 12.6a Obs: Other respondt 2	83.3%
O6B	EH18 12.6b Obs: Other respondt 3	85.0%
O6C	EH18 12.6c Obs: Other respondt 4	85.3%
O7	EH18 12.7 Obs: Non-HH present	63.7%
HB2	EH20 14.2 Belief Male sterilistn	42.3%
HB6	EH20 14.6 Belief Pregnancy	46.6%
AI1A	EH20 15.1a AIDS Sex	54.8%
AI1B	EH20 15.1b AIDS Needle	55.8%
AI1C	EH20 15.1c AIDS Mosquito bite	60.4%
AI1D	EH20 15.1d AIDS Transfusion	56.0%
AI1E	EH20 15.1e AIDS Food sharing	58.6%
AI2	EH20 15.2 AIDS Known person	50.5%
GR6C	EH21 16.6c Perm Sr male: health centre	42.8%
GR6D	EH21 16.6d Perm Sr Female: health centre	42.5%
GR6E	EH21 16.6e Perm others health centre	44.4%
GR7C	EH21 16.7c Perm Sr male Friend home	43.5%
GR7D	EH21 16.7d Perm Sr Female Friend home	43.2%
GR7E	EH21 16.7e Perm others Friend home	45.1%
GR8B	EH21 16.8b Perm husband Kirana shop	47.4%
GR8C	EH21 16.8c Perm Sr male Kirana shop	55.9%
GR8D	EH21 16.8d Perm Sr Female Kirana shop	55.8%
GR8E	EH21 16.8e Perm others Kirana shop	56.9%
MH5B	EH24 17.5b Choice R say	44.7%
MH10	EH24 17.10 Husband blood rel	43.6%
MH17B	EH25 17.17b R N marriages	87.8%
MH18A	EH25 17.18a 1st marriage Age	98.1%
MH19A	EH25 17.19a 1st marriage Age gauna	98.3%
MH20	EH25 17.20 1st marriage Status	99.1%
FP2B	EH28 20.2b Contraception Method1	55.2%
FP2C	EH28 20.2c Contraception Method2	84.4%
FP3B	EH28 20.3b N more desired	79.5%
FP3C	EH28 20.3c Time next childbirth	86.5%
FP4A	EH28 20.4a More ch desired Husb	43.9%
FP4B	EH28 20.4b N more desired Husb	79.5%
FP4C	EH28 20.4c Time next birth Husb	84.2%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
LB0	EH29 21.0 Nbirths since Jan2000	67.0%
LB1A	EH29 21.1a Birth ID: LB	71.2%
LB1B	EH29 21.1b LB Survival	71.1%
LB2A	EH29 21.2a Birth ID: NLB	89.6%
LB2B	EH29 21.2b NLB Survival	88.5%
LB3A	EH29 21.3a LB Antenatal checkup	71.5%
LB3B	EH29 21.3b LB checkup Gov clinic	73.6%
LB3C	EH29 21.3c LB checkup Pvt clinic	73.9%
LB3D	EH29 21.3d LB checkup Gov as pvt	74.0%
LB3E	EH29 21.3e LB checkup Home	74.0%
LB3F	EH29 21.3f LB checkup doctor	73.5%
LB3G	EH29 21.3g LB checkup Nurse/ANM	73.7%
LB3H	EH29 21.3h LB checkup Midwife	73.9%
LB3I	EH29 21.3i LB checkup By other	73.9%
LB4	EH29 21.4 LB Visit by pubhealth	71.8%
LB5	EH29 21.5 LB checkup Months	73.8%
LB6	EH29 21.6 LB N checkups	73.9%
LB7A	EH29 21.7a LB checkup Weight	72.2%
LB7B	EH29 21.7b LB checkup BP	72.2%
LB7C	EH29 21.7c LB checkup Blood Test	72.2%
LB7D	EH29 21.7d LB checkup Urine Test	72.2%
LB7E	EH29 21.7e LB checkup Abdomen	72.2%
LB7F	EH29 21.7f LB checkup Internal	72.2%
LB7G	EH29 21.7g LB checkup Sonogram	72.5%
LB7H	EH29 21.7h LB checkup Amnio	72.6%
LB8	EH29 21.8 LB Sex determination	92.4%
LB9A	EH29 21.9a LB prob: Night blindness	71.5%
LB9B	EH29 21.9b LB prob: Blurred vision	71.5%
LB9C	EH29 21.9c LB prob: Convulsions	71.5%
LB9D	EH29 21.9d LB prob: Fatigue	71.5%
LB9E	EH29 21.9e LB prob: Anaemia	71.5%
LB9F	EH29 21.9f LB prob: Bleeding	71.6%
LB10	EH29 21.10 LB Iron tablets	72.4%
LB12	EH30 21.12 LB N TT injections	70.8%
LB13	EH30 21.13 LB Pre-delivery home	71.3%
LB14	EH30 21.14 LB Place of delivery	71.3%
LB15A	EH30 21.15a LB delivery: doctor	71.4%
LB15B	EH30 21.15b LB delivery: Nurse	71.4%
LB15C	EH30 21.15c LB delivery: Midwife	71.5%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
LB15D	EH30 21.15d LB delivery: Friend	71.6%
LB15E	EH30 21.15e LB delivery: Other	71.7%
LB16	EH30 21.16 LB Size of child	71.4%
LB17	EH30 21.17 LB Type of Delivery	71.4%
LB18	EH30 21.18 LB Post-natal checkup	71.4%
LB18A	EH30 21.18a LB when post-checkup	81.7%
LB19A	EH30 21.19a LB Vaginal bleeding	71.9%
LB19B	EH30 21.19b LB Very high fever	72.0%
LB20	EH31 21.20 LB Immunization card	71.6%
LB22	EH31 21.22 LB Vacc not recorded	85.1%
LB23	EH31 21.23 LB Vacc No card	78.1%
LB24	EH31 21.24 LB BCG given	78.9%
LB25	EH31 21.25 LB # DPT given	79.1%
LB26A	EH31 21.26a LB Polio frequency	79.0%
LB26B	EH31 21.26b LB First polio time	81.0%
LB27	EH31 21.27 LB Measles vaccine	78.9%
LB28	EH31 21.28 LB Vaccine Centre	75.1%
LB29	EH31 21.29 LB mos. Vitamin A	91.1%
LB30	EH32 21.30 LB Breastfeeding	71.1%
LB31	EH32 21.31 LB 1st breastfeeding	72.1%
LB32	EH32 21.32 LB Squeeze milk	72.0%
LB33	EH32 21.33 LB Breastfeeding dur	87.4%
LB34A	EH32 21.34a LB Age at diet supp	77.8%
LB34B	EH32 21.34b LB Age at Solid food	77.2%
LB35	EH32 21.35 LB AWC beneficiary	73.5%
LB36A	EH32 21.36a LB AWC:Immunization	73.8%
LB36A1	EH32 21.36a LB AWC:Immun freq	84.3%
LB36B	EH32 21.36b LB AWC:Health check	74.0%
LB36B1	EH32 21.36b LB AWC:Checkup freq	85.5%
LB36C	EH32 21.36c LB AWC:Food	74.1%
LB36C1	EH32 21.36c LB AWC:Food freq	84.9%
LB36D	EH32 21.36d LB AWC:Grow monitor	74.1%
LB36D1	EH32 21.36d LB AWC:Growth freq	84.9%
LB36E	EH32 21.36e LB AWC:Educ	74.2%
LB36E1	EH32 21.36e LB AWC:Educ freq	86.1%
NL1A	EH33 22.1a NLB Birth ID	89.6%
NL1B	EH33 22.1b NLB Survival	89.6%
NL2A	EH33 22.2a NLB Antenatal checkup	89.8%
NL2B	EH33 22.2b NLB checkup Govt	91.2%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
NL2C	EH33 22.2c NLB checkup Priv	91.2%
NL2D	EH33 22.2d NLB checkup Home	92.5%
NL2E	EH33 22.2e NLB checkup Other	92.5%
NL2F	EH33 22.2f NLB checkup doctor	91.8%
NL2G	EH33 22.2g NLB checkup Nurse	92.0%
NL2H	EH33 22.2h NLB checkup Midwife	92.4%
NL2I	EH33 22.2i NLB checkup See Other	92.5%
NL3	EH33 22.3 NLB Health worker	90.2%
NL4	EH33 22.4 NLB checkup Months	91.2%
NL5	EH33 22.5 NLB N checkups	91.1%
NL6A	EH33 22.6a NLB checkup Weight	90.3%
NL6B	EH33 22.6b NLB checkup BP	90.4%
NL6C	EH33 22.6c NLB checkup Blood	90.4%
NL6D	EH33 22.6d NLB checkup Urine	90.4%
NL6E	EH33 22.6e NLB checkup Abdomen	90.4%
NL6F	EH33 22.6f NLB checkup Internal	90.4%
NL6G	EH33 22.6g NLB checkup Sonogram	90.4%
NL6H	EH33 22.6h NLB checkup Amnio	90.5%
NL7	EH33 22.7 NLB Sex determine	97.9%
NL8A	EH33 22.8a NLB prob Night blind	90.0%
NL8B	EH33 22.8b NLB prob Blurred	90.0%
NL8C	EH33 22.8c NLB prob Convulsions	90.0%
NL8D	EH33 22.8d NLB prob Fatigue	90.0%
NL8E	EH33 22.8e NLB prob Anaemia	90.0%
NL8F	EH33 22.8f NLB prob Bleeding	90.0%
NL9	EH33 22.9 NLB Iron tablets	90.3%
NL12	EH34 22.12 NLB N TT injections	89.4%
NL13	EH34 22.13 NLB Pre-delivery home	89.9%
NL14	EH34 22.14 NLB Place of delivery	89.9%
NL15A	EH34 22.15a NLB delivery doctor	89.9%
NL15B	EH34 22.15b NLB delivery Nurse	89.9%
NL15C	EH34 22.15c NLB delivery Midwife	89.9%
NL15D	EH34 22.15d NLB delivery Friend	89.9%
NL15E	EH34 22.15e NLB delivery Other	90.0%
NL16	EH34 22.16 NLB Size of child	89.9%
NL17	EH34 22.17 NLB Type of Delivery	89.9%
NL18	EH34 22.18 NLB Post checkup	90.0%
NL18A	EH34 22.18a NLB post-check Days	94.0%
NL19A	EH34 22.19a NLB post bleeding	90.1%

Table 1: Distribution of Variables by Percentage of Missing Values--Household

Variable Name and Label (Total Cases = 41554)		Percent of Cases with Missing Values
NL19B	EH34 22.19b NLB post high fever	90.2%
NL20	EH35 22.20 NLB Immunization card	89.6%
NL22	EH35 22.22 NLB Vacc not rec	95.2%
NL23	EH35 22.23 NLB Vacc No card	91.5%
NL24	EH35 22.24 NLB BCG given	91.9%
NL25	EH35 22.25 NLB # DPT	92.0%
NL26A	EH35 22.26a NLB # Polio	92.0%
NL26B	EH35 22.26b NLB First polio	92.0%
NL27	EH35 22.27 NLB Measles vacc	91.9%
NL28	EH35 22.28 NLB Vaccine Cent	91.3%
NL29	EH35 22.29 NLB mos Vit A	96.8%
NL30	EH36 22.30 NLB Breastfeeding	89.5%
NL31	EH36 22.31 NLB Brfeed start	90.3%
NL32	EH36 22.32 NLB Squeeze milk	90.3%
NL33	EH36 22.33 NLB Brfeed duratn	91.2%
NL34A	EH36 22.34a NLB Age other milk	91.3%
NL34B	EH36 22.34b NLB Age solid food	90.8%
NL35	EH36 22.35 NLB AWC beneficiary	90.2%
NL36A	EH36 22.36a NLB AWC:Immunization	90.8%
NL36A1	EH36 22.36a NLB AWC:Immun freq	94.4%
NL36B	EH36 22.36b NLB AWC:Checkup	90.9%
NL36B1	EH36 22.36b NLB AWC:Checkup frq	94.8%
NL36C	EH36 22.36c NLB AWC:Food	90.9%
NL36C1	EH36 22.36c NLB AWC:Food freq	94.5%
NL36D	EH36 22.36d NLB AWC:Growth	91.0%
NL36D1	EH36 22.36d NLB AWC:Growth frq	94.6%
NL36E	EH36 22.36e NLB AWC:Education	91.0%
NL36E1	EH36 22.36e NLB AWC:Educ freq	94.9%
OG6	EH37 24.6 Interview end time	99.2%
MH18BC	Imputed date of first marriage	99.1%
MH18BF	Flag for date of first marriage	99.1%
MH18AC	Imputed age at first marriage	99.1%
MH19BC	Imputed date of first gauna	99.1%
MH19BF	Flag for date of first gauna	99.1%
MH19AC	Imputed age at first gauna	99.1%
0.3% (3 of 945 variables)	have 100% missing values	
ID7A	HH3 1.7 Post-office code	100.0%
ID8A	HH3 1.8 Mohalla/Hamlet code	100.0%
HI8A	EH3 1.8a Mohalla/Hamlet Code	100.0%

ICPSR 22626

India Human Development Survey (IHDS), 2005

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

India Human Development Survey (IHDS), 2005

Household

CASEID	HH ID: 11 byte string			
STATEID	State code			
Location:	1-9 (width: 9; decimal: 0)			
Variable Type:	character			
Based upon 41554 valid cases out of 41554 total cases.				
Value	Label	Unweighted Frequency	%	
1	Jammu & Kashmir	715	1.7 %	
2	Himachal Pradesh	1372	3.3 %	
3	Punjab	1593	3.8 %	
4	Chandigarh	90	0.2 %	
5	Uttaranchal	458	1.1 %	
6	Haryana	1618	3.9 %	
7	Delhi	960	2.3 %	
8	Rajasthan	2485	6.0 %	
9	Uttar Pradesh	3512	8.5 %	
10	Bihar	1430	3.4 %	
11	Sikkim	105	0.3 %	
12	Arunachal Pradesh	165	0.4 %	
13	Nagaland	130	0.3 %	
14	Manipur	105	0.3 %	
15	Mizoram	105	0.3 %	
16	Tripura	229	0.6 %	
17	Meghalaya	161	0.4 %	
18	Assam	1017	2.4 %	
19	West Bengal	2380	5.7 %	
20	Jharkhand	924	2.2 %	
21	Orissa	2064	5.0 %	
22	Chhattisgarh	1175	2.8 %	
23	Madhya Pradesh	2805	6.8 %	
24	Gujarat	2078	5.0 %	
25	Daman & Diu	60	0.1 %	
26	Dadra+Nagar Haveli	60	0.1 %	
27	Maharashtra	3203	7.7 %	
28	Andhra Pradesh	2435	5.9 %	

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	Karnataka	4021	9.7 %
30	Goa	165	0.4 %
31	Lakshadweep	0	0.0 %
32	Kerala	1731	4.2 %
33	Tamil Nadu	2098	5.0 %
34	Pondicherry	105	0.3 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 18.78
- Median: 21.00
- Mode: 29.00
- Minimum: 1.00
- Maximum: 34.00
- Standard Deviation: 9.84

DISTID	District code		
Location:	12-13 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1315	3.2 %
1	-	1363	3.3 %
2	-	2440	5.9 %
3	-	1136	2.7 %
4	-	1440	3.5 %
5	-	2123	5.1 %
6	-	1530	3.7 %
7	-	1565	3.8 %
8	-	1560	3.8 %
9	-	1894	4.6 %
10	-	2288	5.5 %
11	-	1426	3.4 %
12	-	1969	4.7 %
13	-	1483	3.6 %
14	-	1111	2.7 %
15	-	1327	3.2 %
16	-	1103	2.7 %
17	-	1343	3.2 %
18	-	1006	2.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	-	942	2.3 %
20	-	1120	2.7 %
21	-	896	2.2 %
22	-	495	1.2 %
23	-	1049	2.5 %
24	-	694	1.7 %
25	-	724	1.7 %
26	-	718	1.7 %
27	-	654	1.6 %
28	-	230	0.6 %
29	-	615	1.5 %
30	-	563	1.4 %
31	-	304	0.7 %
32	-	514	1.2 %
33	-	47	0.1 %
34	-	173	0.4 %
35	-	202	0.5 %
36	-	175	0.4 %
37	-	93	0.2 %
38	-	45	0.1 %
39	-	45	0.1 %
40	-	41	0.1 %
41	-	66	0.2 %
42	-	139	0.3 %
44	-	109	0.3 %
45	-	111	0.3 %
46	-	45	0.1 %
47	-	80	0.2 %
48	-	60	0.1 %
49	-	153	0.4 %
50	-	54	0.1 %
51	-	53	0.1 %
54	-	140	0.3 %
58	-	45	0.1 %
59	-	120	0.3 %
60	-	20	0.0 %
62	-	45	0.1 %
63	-	45	0.1 %
65	-	185	0.4 %
66	-	86	0.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
67	-	112	0.3 %
68	-	125	0.3 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 14.69
- Median: 12.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 12.32

PSUID	PSU: village/neighborhood code		
Location:	14-15 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	6215	15.0 %
2	-	5956	14.3 %
3	-	5469	13.2 %
4	-	3980	9.6 %
5	-	3408	8.2 %
6	-	3613	8.7 %
7	-	3278	7.9 %
8	-	2270	5.5 %
9	-	1749	4.2 %
10	-	1236	3.0 %
11	-	906	2.2 %
12	-	617	1.5 %
13	-	488	1.2 %
14	-	325	0.8 %
15	-	223	0.5 %
16	-	123	0.3 %
17	-	116	0.3 %
18	-	110	0.3 %
19	-	110	0.3 %
20	-	90	0.2 %
21	-	91	0.2 %
22	-	77	0.2 %
23	-	60	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	45	0.1 %
25	-	15	0.0 %
26	-	15	0.0 %
27	-	15	0.0 %
28	-	15	0.0 %
29	-	15	0.0 %
30	-	15	0.0 %
31	-	146	0.4 %
32	-	144	0.3 %
33	-	124	0.3 %
34	-	105	0.3 %
35	-	130	0.3 %
36	-	129	0.3 %
37	-	77	0.2 %
38	-	39	0.1 %
39	-	15	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 5.76
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 39.00
- Standard Deviation: 5.77

HHID	Household ID		
Location:	16-17 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	2689	6.5 %
2	-	2651	6.4 %
3	-	2617	6.3 %
4	-	2603	6.3 %
5	-	2540	6.1 %
6	-	2541	6.1 %
7	-	2471	5.9 %
8	-	2375	5.7 %
9	-	2370	5.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	2309	5.6 %
11	-	2259	5.4 %
12	-	2200	5.3 %
13	-	2125	5.1 %
14	-	2109	5.1 %
15	-	2031	4.9 %
16	-	1019	2.5 %
17	-	961	2.3 %
18	-	904	2.2 %
19	-	880	2.1 %
20	-	815	2.0 %
21	-	195	0.5 %
22	-	171	0.4 %
23	-	147	0.4 %
24	-	106	0.3 %
25	-	92	0.2 %
26	-	66	0.2 %
27	-	61	0.1 %
28	-	47	0.1 %
29	-	37	0.1 %
30	-	33	0.1 %
31	-	25	0.1 %
32	-	26	0.1 %
33	-	15	0.0 %
34	-	14	0.0 %
35	-	8	0.0 %
36	-	6	0.0 %
37	-	5	0.0 %
38	-	5	0.0 %
39	-	4	0.0 %
40	-	4	0.0 %
41	-	4	0.0 %
42	-	3	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
50	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 9.22
- Median: 9.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 52.00
- Standard Deviation: 5.82

HHSPLITID				Split household ID
Location:				18-19 (width: 2; decimal: 0)
Variable Type:				numeric
Range of Missing Values (M):				-7 , -6 , -5 , -4 , -3 , -2 , -1
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	
0	-	27654	66.5 %	
1	-	11517	27.7 %	
2	-	1713	4.1 %	
3	-	518	1.2 %	
4	-	121	0.3 %	
5	-	23	0.1 %	
6	-	6	0.0 %	
7	-	2	0.0 %	

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.67

IDHH		HH ID 9-digit unique
Location:	20-28 (width: 9; decimal: 0)	
Variable Type:	numeric	
Based upon 41554 valid cases out of 41554 total cases.		

- Study 22626 -

- Mean: 189288061.13
 - Minimum: 10201010.00
 - Maximum: 340006150.00
 - Standard Deviation: 98397494.52

IDPSU	PSU ID 6-digit unique
Location:	29-34 (width: 6; decimal: 0)
Variable Type:	numeric
Based upon 41554 valid cases out of 41554 total cases.	

- Mean: 189287.97
 - Minimum: 10201.00
 - Maximum: 340006.00
 - Standard Deviation: 98397.49

STATEID2	State codes, collapsed		
Location:	35-37 (width: 3; decimal: 0)		
Variable Type:	numeric		
Value	Label	Unweighted Frequency	%
101	Jammu & Kashmir	715	1.7 %
102	Himachal Pradesh	1372	3.3 %
105	Uttarakhand	458	1.1 %
203	Punjab	1683	4.1 %
206	Haryana	1618	3.9 %
207	Delhi	960	2.3 %
309	Uttar Pradesh	3512	8.5 %
310	Bihar	1430	3.4 %
320	Jharkhand	924	2.2 %
408	Rajasthan	2485	6.0 %
422	Chhattisgarh	1175	2.8 %
423	Madhya Pradesh	2805	6.8 %
517	Northeast	1000	2.4 %
518	Assam	1017	2.4 %
519	West Bengal	2380	5.7 %
521	Orissa	2064	5.0 %
624	Gujarat	2198	5.3 %
627	Maharashtra, Goa	3368	8.1 %
728	Andhra Pradesh	2435	5.9 %
729	Karnataka	4021	9.7 %
732	Kerala	1731	4.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
733	Tamil Nadu	2203	5.3 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 483.18
- Median: 518.00
- Mode: 729.00
- Minimum: 101.00
- Maximum: 733.00
- Standard Deviation: 199.68

DISTNAME	District codes with names
Location:	38-41 (width: 4; decimal: 0)
Variable Type:	numeric
<i>Value</i>	<i>Label</i>
102	Baramula
103	Srinagar
105	Pulwama
112	Rajauri
113	Jammu
201	Chamba
202	Kangra
204	Kullu
205	Mandi
206	Hamirpur
208	Bilaspur
209	Solan
210	Sirmaur
211	Shimla
301	Gurdaspur
302	Amritsar
303	Kapurthala
304	Jalandhar
305	Hoshiarpur
306	Nawanshahr
307	Rupnagar
308	Fatehgarh
309	Ludhiana
310	Moga
311	Firozpur
316	Sangrur

- Study 22626 -

<i>Value</i>	<i>Label</i>
317	Patiala
404	Chandigarh
505	Dehradun
508	Bageshwar
509	Almora
511	Nainital
512	Udham Singh Nagar
513	Hardwar
601	Panchkula
602	Ambala
603	Yamunanagar
604	Kurukshetra
605	Kaithal
606	Karnal
608	Sonipat
609	Jind
610	Fatehabad
612	Hissar
613	Bhiwani
617	Rewari
618	Gurgaon
619	Faridabad
701	North West
702	North
703	North East
704	East
707	West
708	South West
709	South
710	Delhi Municipal Corp
711	New Delhi Municipal C
712	Kirari Suleman Nagar
803	Bikaner
804	Churu
805	Jhunjhunu
806	Alwar
807	Bharatpur
808	Dhaulpur
809	Karauli
810	Sawai Madhopur
811	Dausa

- Study 22626 -

<i>Value</i>	<i>Label</i>
812	Jaipur
813	Sikar
814	Nagaur
815	Jodhpur
818	Jalor
820	Pali
821	Ajmer
824	Bhilwara
825	Rajsamand
826	Udaipur
829	Chittaurgarh
830	Kota
831	Baran
832	Jhalawar
901	Saharanpur
902	Muzaffarnagar
903	Bijnor
904	Moradabad
905	Rampur
906	Jyotiva Phule Nagar
907	Meerut
909	Ghaziabad
910	Gautam Buddha Nagar
913	Hathras
914	Mathura
915	Agra
919	Budaun
920	Bareilly
923	Kheri
924	Sitapur
928	Lucknow
929	Farrukabad
930	Kannauj
933	Kanpur Dehat
934	Kanpur Nagar
936	Jhansi
940	Banda
941	Chitrakoot
944	Kaushambi
945	Allahabad
946	Barabanki

- Study 22626 -

<i>Value</i>	<i>Label</i>
947	Faizabad
948	Ambedkar Nagar
949	Sultanpur
950	Bahraich
951	Sharawasti
954	Siddharathnagar
958	Gorakhpur
959	Kushinagar
960	Deoria
962	Mau
963	Baliya
965	Ghazipur
966	Chandauli
967	Varanasi
968	Sant Ravidas Nagar
1002	Purbi Champaran
1005	Madhubani
1006	Supaul
1009	Purnia
1012	Saharsa
1014	Muzaffar Pur
1016	Siwan
1017	Saran
1022	Bhagal Pur
1023	Banka
1026	Sheikhpura
1027	Nalanda
1028	Patna
1030	Buxar
1031	Kaimur (Bhabua)
1032	Rohtas
1035	Gaya
1104	East Sikkim
1204	Papujm Prae
1303	Mokochung
1305	Wokkha
1306	Dimapur
1307	Kohima
1405	Tamenglong
1406	Imphal West
1407	Imphal East

- Study 22626 -

<i>Value</i>	<i>Label</i>
1503	Aizawl
1601	West Tripura
1602	South Tripura
1705	RBHOI
1706	East Khasi Hills
1707	Jaintia Hills
1802	Dhubri
1803	Goalpara
1806	Kamrup
1809	Marigaon
1814	Tinsukia
1817	Jorhat
1819	Karbi Amlong
1821	Cachar
1901	Darjiling
1902	Jalapiguri
1904	Uttar Dinajpur
1906	Maldah
1907	Murshidabad
1908	Birbhum
1909	Barddhaman
1910	Nadia
1911	North 24 Parganas
1912	Hugli
1913	Bankura
1916	Haora
1917	Kolkata
1918	South 24 Parganas
2002	Palamu
2012	Dhanbad
2013	Bokaro
2014	Ranchi
2017	Pashchimi Singhbhum
2018	Purbi Singhbhum
2101	Bargarh
2102	Jharsuguda
2103	Sambalpur
2105	Sundargarh
2106	Kendujhar
2107	Mayurbhanj
2108	Baleshwar

- Study 22626 -

<i>Value</i>	<i>Label</i>
2109	Bhadrak
2112	Cuttack
2113	Jajapur
2114	Dhenkanal
2115	Anugul
2116	Nayagarh
2117	Khordha
2118	Puri
2119	Ganjam
2120	Gajapati
2121	Kandhamal
2122	Baudh
2123	Sonapur
2124	Balangir
2126	Kalahandi
2127	Rayagada
2128	Nabarangapur
2129	Koraput
2130	Malkangiri
2201	Koriya
2202	Sarguja
2203	Jashpur
2204	Raigarh
2205	Korba
2206	Janjgir
2207	Bilas Pur
2208	Kawardha
2209	Rajnandgaon
2210	Durg
2211	Raipur
2212	Mahasamund
2213	Dhamtari
2214	Kanker
2215	Bastar
2301	Sheopur
2302	Morena
2304	Gwalior
2305	Datia
2308	Tikamgarh
2309	Chhatarpur
2310	Panna

- Study 22626 -

<i>Value</i>	<i>Label</i>
2312	Damoh
2313	Satna
2315	Umaria
2316	Shahdol
2317	Sidhi
2320	Ratlam
2321	Ujjain
2322	Shajapur
2323	Dewas
2325	Dhar
2326	Indore
2327	West Nimar
2328	Barwani
2329	East Nimar
2330	Rajgarh
2332	Bhopal
2335	Betul
2336	Harda
2337	Hoshangabad
2338	Katni
2339	Jabalpur
2341	Dindori
2342	Mandla
2344	Seoni
2401	Kachchh
2403	Patan
2404	Mahesana
2406	Gandhinagar
2407	Ahmedabad
2408	Surendranagar
2409	Rajkot
2410	Jamnagar
2412	Junagadh
2413	Amreli
2414	Bhavnagar
2415	Anand
2416	Kheda
2419	Vadodara
2420	Narmada
2421	Bharuch
2422	Surat

- Study 22626 -

<i>Value</i>	<i>Label</i>
2501	Diu
2502	Daman
2601	Dadra & Nagar Haveli
2701	Nandurbar
2702	Dhule
2703	Jalgaon
2705	Akola
2706	Washim
2707	Amarawti
2708	Wardha
2709	Nagpur
2710	Bhandara
2711	Gondiya
2713	Chandrapur
2714	Yavatmal
2715	Nanded
2716	Hingoli
2717	Parbhani
2718	Jalna
2720	Nasik
2721	Thane
2723	Mumbai
2725	Pune
2726	Ahmadnagar
2727	Bid
2729	Osmanabad
2730	Solapur
2731	Satara
2732	Ratnagiri
2734	Kolhapur
2801	Adilabad
2802	Nizamabad
2803	Karimnagar
2804	Medak
2805	Hyderabad
2806	Rangareddi
2807	Mahbubnagar
2810	Khammam
2813	Visakhapatnam
2814	East Godavari
2815	West Godavari

- Study 22626 -

<i>Value</i>	<i>Label</i>
2816	Krishna
2817	Guntur
2818	Prakasam
2819	Nellore
2820	Cuddapah
2821	Kurnool
2822	Anantapur
2823	Chittoor
2901	Belgaum
2902	Bagalkot
2903	Bijapur
2905	Bidar
2906	Raichur
2907	Koppal
2908	Gadag
2909	Dharwad
2910	Uttar Kannad
2911	Haveri
2912	Bellary
2913	Chitradurga
2914	Davanagere
2915	Shimoga
2916	Udupi
2917	Chikmagalur
2918	Tumkur
2919	Kolar
2920	Bangalore
2921	Bangalore Rural
2922	Mandyā
2924	Dakshin Kannada
2925	Kodagu
2926	Mysore
2927	Chamarajanagar
3001	North Goa
3002	South Goa
3202	Kannur
3204	Kozhikode
3205	Malappuram
3206	Palakkad
3207	Thrissur
3208	Ernakulam

- Study 22626 -

<i>Value</i>	<i>Label</i>
3209	Idukki
3210	Kottayam
3211	Alappuzha
3212	Pathanamthitta
3213	Kollam
3214	Thiruvananthapuram
3301	Thiruvallur
3302	Chennai
3303	Kancheepuram
3304	Vellore
3305	Dharampuri
3306	Tiruvannamalai
3309	Namakkal
3310	Erode
3312	Coimbatore
3313	Dindigul
3314	Karur
3315	Tiruchchirappalli
3316	Perambalur
3317	Ariyalur
3323	Sivaganga
3324	Madurai
3325	Theni
3327	Ramanathapuram
3328	Thoothukkudi
3329	Tirunelveli
3330	Kanniyakumari
3402	Pondicherry
4902	Fatehpur

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 1892.91
- Minimum: 102.00
- Maximum: 3402.00
- Standard Deviation: 983.92

DIST01

H1sp: District ID Census 2001

Location:

42-43 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1315	3.2 %
1	1408	3.4 %
2	2440	5.9 %
3	1136	2.7 %
4	1440	3.5 %
5	2123	5.1 %
6	1550	3.7 %
7	1545	3.7 %
8	1560	3.8 %
9	1914	4.6 %
10	2268	5.5 %
11	1426	3.4 %
12	1924	4.6 %
13	1483	3.6 %
14	1116	2.7 %
15	1344	3.2 %
16	1063	2.6 %
17	1361	3.3 %
18	1006	2.4 %
19	908	2.2 %
20	1154	2.8 %
21	896	2.2 %
22	495	1.2 %
23	1049	2.5 %
24	793	1.9 %
25	724	1.7 %
26	718	1.7 %
27	638	1.5 %
28	246	0.6 %
29	516	1.2 %
30	563	1.4 %
31	304	0.7 %
32	514	1.2 %
33	47	0.1 %
34	173	0.4 %
35	202	0.5 %
36	175	0.4 %
37	93	0.2 %
38	45	0.1 %
39	45	0.1 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	41	0.1 %
41	66	0.2 %
42	139	0.3 %
44	109	0.3 %
45	111	0.3 %
46	45	0.1 %
47	80	0.2 %
48	60	0.1 %
49	153	0.4 %
50	54	0.1 %
51	53	0.1 %
54	140	0.3 %
58	45	0.1 %
59	120	0.3 %
60	20	0.0 %
62	45	0.1 %
63	45	0.1 %
65	185	0.4 %
66	86	0.2 %
67	112	0.3 %
68	125	0.3 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 14.67
- Median: 12.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 12.32

URBAN

Census: 2001 village/town

Location:

44-45 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rural	26734	64.3 %
1	Urban	14820	35.7 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 0.36

- Study 22626 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

METRO6

Largest 6 metro areas 1-6

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Mumbai	585	1.4 %
2	Delhi	1326	3.2 %
3	Kolkata	1114	2.7 %
4	Chennai	291	0.7 %
5	Bangalore	360	0.9 %
6	Hyderabad	457	1.1 %
. (M)	-	37421	90.1 %

Based upon 4133 valid cases out of 41554 total cases.

- Mean: 2.97
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.52

SWEIGHT

Design Weights using 2001 Districts

Location: 48-58 (width: 11; decimal: 2)

Variable Type: numeric

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 4623.48
- Minimum: 220.00
- Maximum: 308216.40
- Standard Deviation: 5057.27

COPC

HH19 12. Monthly consumption per capita

Location: 59-63 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much of these items have been consumed by this household in the past 30 days.

- Study 22626 -

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 955.09
- Minimum: 4.00
- Maximum: 39273.00
- Standard Deviation: 1024.56

GROUPS8

HH3 1.13-15 Caste/religion 8cats

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Question: Is it Brahmin, OBC, SC, ST, or Others. What is the religion of the head of the household. What is the principal source of income for the household.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Brahmin	2421	5.8 %
2	High caste	7151	17.2 %
3	OBC	14068	33.9 %
4	Dalit	8333	20.1 %
5	Adivasi	3439	8.3 %
6	Muslim	4708	11.3 %
7	Sikh, Jain	683	1.6 %
8	Christian	751	1.8 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 3.57
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.53

HHASSETS

HH22+EH 30 hh goods & housing

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

- Study 22626 -

Question:

Do you own your own home. Now, I would like to ask you about what things your household owns. How many of these things do you own. Items owned is sum of (CG2-CG4).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	101	0.2 %
1	293	0.7 %
2	685	1.6 %
3	1292	3.1 %
4	1953	4.7 %
5	2312	5.6 %
6	2440	5.9 %
7	2385	5.7 %
8	2303	5.5 %
9	2251	5.4 %
10	2250	5.4 %
11	2185	5.3 %
12	2096	5.0 %
13	2069	5.0 %
14	1961	4.7 %
15	1844	4.4 %
16	1801	4.3 %
17	1727	4.2 %
18	1594	3.8 %
19	1631	3.9 %
20	1419	3.4 %
21	1309	3.2 %
22	1100	2.6 %
23	851	2.0 %
24	659	1.6 %
25	438	1.1 %
26	263	0.6 %
27	179	0.4 %
28	97	0.2 %
29	43	0.1 %
30	23	0.1 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 12.25
- Median: 12.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.25

- Study 22626 -

HHED2
HH17 ed2 Any adult in hh literate

Location:

68-69 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8669	20.9 %
1	Yes	32783	78.9 %
. (M)	-	102	0.2 %

Based upon 41452 valid cases out of 41554 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

HHED5ADULT
HH17 ed5 Highest adult(21+) educ

Location:

70-71 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Now, I would like to ask you some questions about the education of each member of your family.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	8628	20.8 %
1	1	160	0.4 %
2	2	701	1.7 %
3	3	879	2.1 %
4	4	1361	3.3 %
5	5th standard	2929	7.0 %
6	6	1274	3.1 %
7	7	2117	5.1 %
8	8	3013	7.3 %
9	9	3609	8.7 %
10	Matric	5278	12.7 %
11	11	879	2.1 %
12	Higher sec	3817	9.2 %
13	13	205	0.5 %
14	14	326	0.8 %
15	Graduate	6323	15.2 %
-4 (M)	Invalid skip	55	0.1 %

- Study 22626 -

Based upon 41499 valid cases out of 41554 total cases.

- Mean: 7.56
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 5.09

HHED5F	HH17 ed5 Highest female 21+ ed		
Location:	72-73 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Now, I would like to ask you some questions about the education of each member of your family.		
Value	Label	Unweighted Frequency	%
0	None	18285	44.0 %
1	1	139	0.3 %
2	2	665	1.6 %
3	3	841	2.0 %
4	4	1297	3.1 %
5	5th standard	2989	7.2 %
6	6	1033	2.5 %
7	7	1886	4.5 %
8	8	2396	5.8 %
9	9	2145	5.2 %
10	Matric	3514	8.5 %
11	11	404	1.0 %
12	Higher sec	2037	4.9 %
13	13	100	0.2 %
14	14	153	0.4 %
15	Graduate	2886	6.9 %
-4 (M)	Invalid skip	113	0.3 %
-1 (M)	Valid blank	671	1.6 %

Based upon 40770 valid cases out of 41554 total cases.

- Mean: 4.73
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 5.05

- Study 22626 -

HHED5M	HH17 ed5 Highest male 21+ ed		
Location:	74-75 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Now, I would like to ask you some questions about the education of each member of your family.		
Value	Label	Unweighted Frequency	%
0	None	8494	20.4 %
1	1	180	0.4 %
2	2	780	1.9 %
3	3	950	2.3 %
4	4	1442	3.5 %
5	5th standard	2867	6.9 %
6	6	1210	2.9 %
7	7	2022	4.9 %
8	8	2925	7.0 %
9	9	3439	8.3 %
10	Matric	5035	12.1 %
11	11	803	1.9 %
12	Higher sec	3404	8.2 %
13	13	179	0.4 %
14	14	254	0.6 %
15	Graduate	5288	12.7 %
-4 (M)	Invalid skip	115	0.3 %
-1 (M)	Valid blank	2167	5.2 %

Based upon 39272 valid cases out of 41554 total cases.

- Mean: 7.27
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 5.04

NWORK	HouseHold question pg 4-7 NHouseHold question any work		
Location:	76-77 (width: 2; decimal: 0)		
Variable Type:	numeric		
Question:	Now (besides work on the household farm or in any of the household's businesses) what work for pay or goods did (name) do last year.		
Value	Unweighted Frequency	%	
0	1799	4.3 %	

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	13561	32.6 %
2	13089	31.5 %
3	6465	15.6 %
4	3976	9.6 %
5	1623	3.9 %
6	640	1.5 %
7	242	0.6 %
8	98	0.2 %
9	37	0.1 %
10	12	0.0 %
11	6	0.0 %
12	3	0.0 %
13	3	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.39

NFARM

HouseHold question. pg9 Q4.28 NHouseHold question family farm

Location:

78-79 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Now I would like to ask about people in your household who helped to work on the farm the last 12 months. Please remember to include women and children.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	28174	67.8 %
1	3316	8.0 %
2	5498	13.2 %
3	2446	5.9 %
4	1366	3.3 %
5	454	1.1 %
6	198	0.5 %
7	60	0.1 %
8	23	0.1 %
9	11	0.0 %
10	3	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	3	0.0 %
12	1	0.0 %
13	1	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 0.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.30

NANIMAL

HouseHold question. pg9 Q5.5 NHouseHold question animal care

Location: 80-80 (width: 1; decimal: 0)

Variable Type: numeric

Question: How often did (person) help take care of the animals.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	25168	60.6 %
1	4396	10.6 %
2	7288	17.5 %
3	2794	6.7 %
4	1258	3.0 %
5	432	1.0 %
6	132	0.3 %
7	43	0.1 %
8	26	0.1 %
9	17	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 0.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.28

NAGWAGE

HouseHold question. pg11 Q6.3 NHouseHold question agricultural wage

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

- Study 22626 -

Question:

Now besides work on the household farm or in any of the households, what work for pay or goods did (name) do last year (Occupation Code).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	31211	75.1 %
1	4720	11.4 %
2	3737	9.0 %
3	1126	2.7 %
4	527	1.3 %
5	156	0.4 %
6	53	0.1 %
7	18	0.0 %
8	4	0.0 %
10	2	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.94

NNONAG

HouseHold question. pg11 Q6.3 NHouseHold question nonagricultural wage

Location:

83-83 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Now, besides work on the household farm or in any of the household's businesses what work for pay or goods did (name) do last year.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	31052	74.7 %
1	7552	18.2 %
2	2217	5.3 %
3	537	1.3 %
4	149	0.4 %
5	26	0.1 %
6	14	0.0 %
7	6	0.0 %
8	1	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 0.35

- Study 22626 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.70

NSALARY	HouseHold question. pg11 Q6.7 NHouseHold question salaried		
	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0		28698	69.1 %
1		10304	24.8 %
2		2053	4.9 %
3		397	1.0 %
4		84	0.2 %
5		11	0.0 %
6		7	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.65

NBUSINESS	HouseHold question. pg12 Q7.7 NHouseHold question family business		
	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0		33538	80.7 %
1		5389	13.0 %
2		2011	4.8 %
3		459	1.1 %
4		125	0.3 %
5		21	0.1 %
6		8	0.0 %
7		3	0.0 %

- Study 22626 -

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.65

NPERSONS	HH4 2.0 N in HH		
Location:	86-87 (width: 2; decimal: 0)		
Variable Type:	numeric		
Question:	Number of persons who live under the same roof and share the same kitchen for 6+ months.		
Value		Unweighted Frequency	%
1		801	1.9 %
2		3215	7.7 %
3		5228	12.6 %
4		8878	21.4 %
5		8360	20.1 %
6		5929	14.3 %
7		3601	8.7 %
8		2031	4.9 %
9		1262	3.0 %
10		771	1.9 %
11		453	1.1 %
12		338	0.8 %
13		230	0.6 %
14		136	0.3 %
15		145	0.3 %
16		41	0.1 %
17		34	0.1 %
18		34	0.1 %
19		15	0.0 %
20		15	0.0 %
21		13	0.0 %
22		9	0.0 %
23		1	0.0 %
24		2	0.0 %
25		1	0.0 %
26		1	0.0 %
27		3	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	2	0.0 %
29	1	0.0 %
30	1	0.0 %
31	1	0.0 %
33	1	0.0 %
38	1	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 5.19
- Median: 5.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 38.00
- Standard Deviation: 2.49

NCHILD

HH4 2.5 N 0-14 in HH

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Question: Persons between the age of 0-14.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	12512	30.1 %
1	8692	20.9 %
2	9729	23.4 %
3	5816	14.0 %
4	2723	6.6 %
5	1232	3.0 %
6	472	1.1 %
7	212	0.5 %
8	95	0.2 %
9	30	0.1 %
10	19	0.0 %
11	11	0.0 %
12	3	0.0 %
13	3	0.0 %
14	1	0.0 %
15	1	0.0 %
17	3	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.65
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 1.57

NTEEN	HH4 2.5 N 15-21 in HH		
Value	Unweighted Frequency	%	
0	22309	53.7 %	
1	10666	25.7 %	
2	6003	14.4 %	
3	2066	5.0 %	
4	409	1.0 %	
5	81	0.2 %	
6	15	0.0 %	
7	4	0.0 %	
8	1	0.0 %	

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 0.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.97

NADULTS	HH4 2.5 N 22+ in HH		
Value	Unweighted Frequency	%	
0	110	0.3 %	
1	2891	7.0 %	
2	20322	48.9 %	
3	8298	20.0 %	
4	5585	13.4 %	

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	2222	5.3 %
6	1258	3.0 %
7	466	1.1 %
8	238	0.6 %
9	76	0.2 %
10	50	0.1 %
11	16	0.0 %
12	9	0.0 %
13	8	0.0 %
14	3	0.0 %
15	1	0.0 %
18	1	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 2.80
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 1.38

NMARRIEDF

HH4 2.6 N married women in HH

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

Question: Marital status (f).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3203	7.7 %
1	28929	69.6 %
2	7231	17.4 %
3	1744	4.2 %
4	366	0.9 %
5	59	0.1 %
6	16	0.0 %
7	2	0.0 %
8	4	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 1.22
- Median: 1.00

- Study 22626 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.70

NMARRIEDM	HH4 2.6 N married men in HH																														
Location:	96-97 (width: 2; decimal: 0)																														
Variable Type:	numeric																														
Question:	Marital status (m).																														
	<table border="1"> <thead> <tr> <th>Value</th><th>Unweighted Frequency</th><th>%</th></tr> </thead> <tbody> <tr><td>0</td><td>3801</td><td>9.1 %</td></tr> <tr><td>1</td><td>29034</td><td>69.9 %</td></tr> <tr><td>2</td><td>6778</td><td>16.3 %</td></tr> <tr><td>3</td><td>1548</td><td>3.7 %</td></tr> <tr><td>4</td><td>320</td><td>0.8 %</td></tr> <tr><td>5</td><td>56</td><td>0.1 %</td></tr> <tr><td>6</td><td>10</td><td>0.0 %</td></tr> <tr><td>7</td><td>4</td><td>0.0 %</td></tr> <tr><td>8</td><td>3</td><td>0.0 %</td></tr> </tbody> </table>	Value	Unweighted Frequency	%	0	3801	9.1 %	1	29034	69.9 %	2	6778	16.3 %	3	1548	3.7 %	4	320	0.8 %	5	56	0.1 %	6	10	0.0 %	7	4	0.0 %	8	3	0.0 %
Value	Unweighted Frequency	%																													
0	3801	9.1 %																													
1	29034	69.9 %																													
2	6778	16.3 %																													
3	1548	3.7 %																													
4	320	0.8 %																													
5	56	0.1 %																													
6	10	0.0 %																													
7	4	0.0 %																													
8	3	0.0 %																													

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.69

PCPL	Per capita poverty line																											
Location:	98-105 (width: 8; decimal: 2)																											
Variable Type:	numeric																											
	<table border="1"> <thead> <tr> <th>Value</th><th>Unweighted Frequency</th><th>%</th></tr> </thead> <tbody> <tr><td>292.95</td><td>1535</td><td>3.7 %</td></tr> <tr><td>322.41</td><td>905</td><td>2.2 %</td></tr> <tr><td>324.17</td><td>2852</td><td>6.9 %</td></tr> <tr><td>325.79</td><td>1464</td><td>3.5 %</td></tr> <tr><td>327.78</td><td>2177</td><td>5.2 %</td></tr> <tr><td>351.86</td><td>1050</td><td>2.5 %</td></tr> <tr><td>353.93</td><td>1177</td><td>2.8 %</td></tr> <tr><td>354.36</td><td>965</td><td>2.3 %</td></tr> </tbody> </table>	Value	Unweighted Frequency	%	292.95	1535	3.7 %	322.41	905	2.2 %	324.17	2852	6.9 %	325.79	1464	3.5 %	327.78	2177	5.2 %	351.86	1050	2.5 %	353.93	1177	2.8 %	354.36	965	2.3 %
Value	Unweighted Frequency	%																										
292.95	1535	3.7 %																										
322.41	905	2.2 %																										
324.17	2852	6.9 %																										
325.79	1464	3.5 %																										
327.78	2177	5.2 %																										
351.86	1050	2.5 %																										
353.93	1177	2.8 %																										
354.36	965	2.3 %																										

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
356.30	60	0.1 %
362.25	2259	5.4 %
365.84	2389	5.7 %
366.56	519	1.2 %
374.57	1593	3.8 %
378.84	615	1.5 %
382.82	1256	3.0 %
387.64	1402	3.4 %
391.26	400	1.0 %
394.28	1057	2.5 %
410.38	1173	2.8 %
414.76	1350	3.2 %
430.12	1104	2.7 %
435.00	465	1.1 %
449.32	1124	2.7 %
451.24	405	1.0 %
466.16	630	1.5 %
478.02	323	0.8 %
483.26	1123	2.7 %
504.49	583	1.4 %
528.49	600	1.4 %
541.16	901	2.2 %
542.89	900	2.2 %
547.42	1153	2.8 %
553.77	315	0.8 %
559.39	627	1.5 %
559.63	892	2.1 %
560.00	270	0.6 %
570.15	628	1.5 %
599.66	1169	2.8 %
612.91	840	2.0 %
637.67	135	0.3 %
665.90	1169	2.8 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 422.23
- Median: 382.82
- Mode: 324.17
- Minimum: 292.95
- Maximum: 665.90

- Study 22626 -

- Standard Deviation: 97.63

POOR	Below poverty line		
Location:	106-107 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-6 , -5 , -4		
Question:	Please tell me how much of these items have been consumed by this household in the past 30 days.		
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>
	0	No	33366
	1	Yes	8125
	-6 (M)	Out of range	1
	-4 (M)	Invalid skip	62
			0.1 %

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

HC3	HH1 3 Interviewer ID	
Location:	108-111 (width: 4; decimal: 0)	
Variable Type:	numeric	
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1	
	<i>Value</i>	<i>Label</i>
	-7 (M)	Inconsistent
	-6 (M)	Out of range
	-5 (M)	Valid skip
	-4 (M)	Invalid skip
	-3 (M)	Don't know
	-2 (M)	Valid skip
	-1 (M)	Valid blank

Based upon 40837 valid cases out of 41554 total cases.

- Mean: 1502.26
- Minimum: 0.00
- Maximum: 3413.00
- Standard Deviation: 889.31

HC6	HH1 6 Supervisor ID	
-----	---------------------	--

- Study 22626 -

Location: 112-115 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 40485 valid cases out of 41554 total cases.

- Mean: 1514.66
- Minimum: 0.00
- Maximum: 3316.00
- Standard Deviation: 895.13

HC9	HH1 9 Reinterview household		
Location:	116-117 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Is this a re-interview household.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	0	0.0 %
1	Yes	13900	33.5 %
-1 (M)	Valid blank	27654	66.5 %

Based upon 13900 valid cases out of 41554 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

HC10	HH1 10 Number of visits
Location:	118-119 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 22626 -

Question:

Number of visits to finish questionnaire.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	36001	86.6 %
2	-	3920	9.4 %
3	-	1283	3.1 %
4	-	309	0.7 %
5	-	34	0.1 %
6	-	7	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.52

HC11	HH1 11 Completion status
-------------	---------------------------------

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

Question: Completion status.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Complete	41192	99.1 %
2	Incomplete	362	0.9 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.09

HC12	HH1 12 Additional booklet
-------------	----------------------------------

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Whether additional booklet needed.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	0	0.0 %
1	Yes	193	0.5 %
-1 (M)	Valid blank	41361	99.5 %

Based upon 193 valid cases out of 41554 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

HC13

HH1 13 Learning completion

Location: 124-125 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Learning completion status.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not done	2984	7.2 %
2	Partially done	778	1.9 %
3	Fully done	10048	24.2 %
4	Not applicable	27744	66.8 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 3.51
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.85

HC14

HH1 14 3+ learning sheets

Location: 126-127 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Whether additional learning sheet attached.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	0	0.0 %
1	Yes	35	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	41519	99.9 %

Based upon 35 valid cases out of 41554 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

HC15

HH1 15 Data Entry ID

Location: 128-131 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	1356	3.3 %
2	-	2382	5.7 %
3	-	1271	3.1 %
4	-	482	1.2 %
5	-	2579	6.2 %
6	-	153	0.4 %
7	-	2092	5.0 %
8	-	3063	7.4 %
9	-	543	1.3 %
10	-	2522	6.1 %
11	-	300	0.7 %
12	-	515	1.2 %
13	-	1407	3.4 %
14	-	600	1.4 %
15	-	1147	2.8 %
16	-	49	0.1 %
17	-	3479	8.4 %
18	-	69	0.2 %
19	-	522	1.3 %
20	-	3	0.0 %
21	-	891	2.1 %
22	-	1060	2.6 %
23	-	2638	6.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	482	1.2 %
25	-	916	2.2 %
26	-	19	0.0 %
27	-	1413	3.4 %
28	-	455	1.1 %
29	-	267	0.6 %
30	-	507	1.2 %
31	-	64	0.2 %
32	-	280	0.7 %
33	-	1038	2.5 %
34	-	324	0.8 %
35	-	110	0.3 %
36	-	47	0.1 %
37	-	205	0.5 %
38	-	1228	3.0 %
39	-	307	0.7 %
110	-	1	0.0 %
113	-	1	0.0 %
131	-	1	0.0 %
132	-	2	0.0 %
133	-	1	0.0 %
210	-	2	0.0 %
232	-	4	0.0 %
233	-	1	0.0 %
236	-	1	0.0 %
320	-	1	0.0 %
2211	-	1	0.0 %
-1 (M)	Valid blank	4748	11.4 %
. (M)	-	4	0.0 %

Based upon 36802 valid cases out of 41554 total cases.

- Mean: 15.33
- Median: 13.00
- Mode: 17.00
- Minimum: 0.00
- Maximum: 2211.00
- Standard Deviation: 15.90

HS1

HH2 1 Agree to interview

Location:

132-133 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	41549	100.0 %
-1 (M)	Valid blank	4	0.0 %
. (M)	-	1	0.0 %

Based upon 41549 valid cases out of 41554 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

HS2

HH2 2 Date of interview

Location: 134-139 (width: 6; decimal: 0)

Variable Type: character

Based upon 41554 valid cases out of 41554 total cases.

HS3

HH2 3 Interview start time

Location: 140-143 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41550 valid cases out of 41554 total cases.

- Mean: 688.85
- Minimum: 100.00
- Maximum: 1258.00
- Standard Deviation: 399.64

HS3B

HH2 3 Interview start AM/PM

- Study 22626 -

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1, .

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	16628	40.0 %
2	PM	24723	59.5 %
-1 (M)	Valid blank	5	0.0 %
. (M)	-	198	0.5 %

Based upon 41351 valid cases out of 41554 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

ID1	HH3 1.1 Stratum Number
-----	------------------------

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1, .

Question: Stratum number.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	2345	5.6 %
2	-	1915	4.6 %
3	-	502	1.2 %
4	-	480	1.2 %
5	-	395	1.0 %
6	-	775	1.9 %
7	-	648	1.6 %
8	-	557	1.3 %
9	-	487	1.2 %
10	-	413	1.0 %
11	-	630	1.5 %
12	-	789	1.9 %
13	-	350	0.8 %
14	-	399	1.0 %
15	-	373	0.9 %
16	-	472	1.1 %
17	-	599	1.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	108	0.3 %
19	-	92	0.2 %
20	-	72	0.2 %
21	-	155	0.4 %
22	-	235	0.6 %
23	-	27	0.1 %
24	-	41	0.1 %
25	-	1	0.0 %
26	-	27	0.1 %
27	-	13	0.0 %
28	-	71	0.2 %
29	-	24	0.1 %
30	-	10	0.0 %
31	-	63	0.2 %
32	-	58	0.1 %
99	-	774	1.9 %
-1 (M)	Valid blank	22917	55.1 %
. (M)	-	4737	11.4 %

Based upon 13900 valid cases out of 41554 total cases.

- Mean: 13.18
- Median: 7.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 99.00
- Standard Deviation: 21.85

ID2	HH3 1.2 Listing Sheet Number																
Location:	148-150 (width: 3; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	Listing sheet number.																
<table border="1"> <thead> <tr> <th><i>Value</i></th><th><i>Label</i></th></tr> </thead> <tbody> <tr> <td>-7 (M)</td><td>Inconsistent</td></tr> <tr> <td>-6 (M)</td><td>Out of range</td></tr> <tr> <td>-5 (M)</td><td>Valid skip</td></tr> <tr> <td>-4 (M)</td><td>Invalid skip</td></tr> <tr> <td>-3 (M)</td><td>Don't know</td></tr> <tr> <td>-2 (M)</td><td>Valid skip</td></tr> <tr> <td>-1 (M)</td><td>Valid blank</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
<i>Value</i>	<i>Label</i>																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

- Study 22626 -

Based upon 38278 valid cases out of 41554 total cases.

- Mean: 59.67
- Minimum: 0.00
- Maximum: 453.00
- Standard Deviation: 65.85

ID3	HH3 1.3 State/UT code			
	Value	Label	Unweighted Frequency	%
	1	Jammu & Kashmir	715	1.7 %
	2	Himachal Pradesh	1372	3.3 %
	3	Punjab	1593	3.8 %
	4	Chandigarh	90	0.2 %
	5	Uttaranchal	458	1.1 %
	6	Haryana	1618	3.9 %
	7	Delhi	960	2.3 %
	8	Rajasthan	2485	6.0 %
	9	Uttar Pradesh	3512	8.5 %
	10	Bihar	1430	3.4 %
	11	Sikkim	105	0.3 %
	12	Arunachal Pradesh	165	0.4 %
	13	Nagaland	130	0.3 %
	14	Manipur	105	0.3 %
	15	Mizoram	105	0.3 %
	16	Tripura	229	0.6 %
	17	Meghalaya	161	0.4 %
	18	Assam	1017	2.4 %
	19	West Bengal	2380	5.7 %
	20	Jharkhand	924	2.2 %
	21	Orissa	2064	5.0 %
	22	Chhattisgarh	1175	2.8 %
	23	Madhya Pradesh	2805	6.8 %
	24	Gujarat	2078	5.0 %
	25	Daman & Diu	60	0.1 %
	26	Dadra+Nagar Haveli	60	0.1 %
	27	Maharashtra	3203	7.7 %
	28	Andhra Pradesh	2435	5.9 %
	29	Karnataka	4021	9.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	Goa	165	0.4 %
31	Lakshadweep	0	0.0 %
32	Kerala	1731	4.2 %
33	Tamil Nadu	2098	5.0 %
34	Pondicherry	105	0.3 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 18.78
- Median: 21.00
- Mode: 29.00
- Minimum: 1.00
- Maximum: 34.00
- Standard Deviation: 9.84

ID4	HH3 1.4 District code		
Location:	153-154 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	District code.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1632	3.9 %
2	-	2625	6.3 %
3	-	1261	3.0 %
4	-	1800	4.3 %
5	-	2183	5.3 %
6	-	1746	4.2 %
7	-	1665	4.0 %
8	-	1560	3.8 %
9	-	1894	4.6 %
10	-	2288	5.5 %
11	-	1426	3.4 %
12	-	1969	4.7 %
13	-	1483	3.6 %
14	-	1111	2.7 %
15	-	1327	3.2 %
16	-	1103	2.7 %
17	-	1343	3.2 %
18	-	1006	2.4 %
19	-	942	2.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	1120	2.7 %
21	-	896	2.2 %
22	-	495	1.2 %
23	-	1049	2.5 %
24	-	694	1.7 %
25	-	724	1.7 %
26	-	718	1.7 %
27	-	654	1.6 %
28	-	230	0.6 %
29	-	615	1.5 %
30	-	563	1.4 %
31	-	304	0.7 %
32	-	514	1.2 %
33	-	47	0.1 %
34	-	173	0.4 %
35	-	202	0.5 %
36	-	175	0.4 %
37	-	93	0.2 %
38	-	45	0.1 %
39	-	45	0.1 %
40	-	41	0.1 %
41	-	66	0.2 %
42	-	139	0.3 %
44	-	109	0.3 %
45	-	111	0.3 %
46	-	45	0.1 %
47	-	80	0.2 %
48	-	60	0.1 %
49	-	153	0.4 %
50	-	54	0.1 %
51	-	53	0.1 %
54	-	140	0.3 %
58	-	45	0.1 %
59	-	120	0.3 %
60	-	20	0.0 %
62	-	45	0.1 %
63	-	45	0.1 %
65	-	185	0.4 %
66	-	86	0.2 %
67	-	112	0.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
68	-	125	0.3 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 14.81
- Median: 12.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 68.00
- Standard Deviation: 12.20

ID5	HH3 1.5 Tehsil/taluka code		
Location:	155-156 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	CodeTehsil/Taluka.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	4303	10.4 %
2	-	4057	9.8 %
3	-	4035	9.7 %
4	-	3001	7.2 %
5	-	2463	5.9 %
6	-	1773	4.3 %
7	-	1543	3.7 %
8	-	1043	2.5 %
9	-	752	1.8 %
10	-	523	1.3 %
11	-	584	1.4 %
12	-	317	0.8 %
13	-	263	0.6 %
14	-	241	0.6 %
15	-	227	0.5 %
16	-	188	0.5 %
17	-	115	0.3 %
18	-	214	0.5 %
19	-	169	0.4 %
20	-	84	0.2 %
21	-	103	0.2 %
22	-	67	0.2 %
23	-	8	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	21	0.1 %
25	-	30	0.1 %
26	-	60	0.1 %
27	-	21	0.1 %
28	-	95	0.2 %
29	-	20	0.0 %
30	-	40	0.1 %
31	-	17	0.0 %
32	-	25	0.1 %
33	-	50	0.1 %
34	-	42	0.1 %
35	-	7	0.0 %
36	-	33	0.1 %
37	-	39	0.1 %
38	-	16	0.0 %
39	-	7	0.0 %
40	-	137	0.3 %
41	-	18	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	40	0.1 %
45	-	39	0.1 %
46	-	26	0.1 %
47	-	40	0.1 %
48	-	36	0.1 %
52	-	6	0.0 %
54	-	20	0.0 %
59	-	30	0.1 %
61	-	20	0.0 %
-1 (M)	Valid blank	779	1.9 %
. (M)	-	13765	33.1 %

Based upon 27010 valid cases out of 41554 total cases.

- Mean: 6.06
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 61.00
- Standard Deviation: 7.37

- Study 22626 -

ID6	HH3 1.6 Village/town code		
Location:	157-158 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Village town code.		
Value	Label	Unweighted Frequency	%
1	-	6335	15.2 %
2	-	6016	14.5 %
3	-	5489	13.2 %
4	-	3980	9.6 %
5	-	3388	8.2 %
6	-	3573	8.6 %
7	-	3238	7.8 %
8	-	2230	5.4 %
9	-	1709	4.1 %
10	-	1216	2.9 %
11	-	906	2.2 %
12	-	617	1.5 %
13	-	488	1.2 %
14	-	325	0.8 %
15	-	223	0.5 %
16	-	123	0.3 %
17	-	116	0.3 %
18	-	110	0.3 %
19	-	110	0.3 %
20	-	90	0.2 %
21	-	91	0.2 %
22	-	77	0.2 %
23	-	60	0.1 %
24	-	45	0.1 %
25	-	15	0.0 %
26	-	15	0.0 %
27	-	15	0.0 %
28	-	15	0.0 %
29	-	15	0.0 %
30	-	15	0.0 %
31	-	146	0.4 %
32	-	144	0.3 %
33	-	124	0.3 %
34	-	105	0.3 %
35	-	130	0.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	-	129	0.3 %
37	-	77	0.2 %
38	-	39	0.1 %
39	-	15	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 5.73
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 39.00
- Standard Deviation: 5.77

ID7A	HH3 1.7 Post-office code		
Location:	159-160 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Post office code.		
Value	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	41554	100.0 %

Based upon 0 valid cases out of 41554 total cases.

ID8A	HH3 1.8 Mohalla/Hamlet code		
Location:	161-162 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Mohalla/HAMLET code.		
Value	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	41554	100.0 %

Based upon 0 valid cases out of 41554 total cases.

ID9	HH3 1.9 Rural/Urban/slum
Location:	163-164 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	Rural/Urban/Slum.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rural	27011	65.0 %
2	Urban	13818	33.3 %
3	Urban Slum	725	1.7 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.52

ID13

HH3 1.13 Caste category

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

Question: Is it Brahmin, OBC, SC, ST or Others.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Brahmin	2422	5.8 %
2	OBC	16286	39.2 %
3	SC	8333	20.1 %
4	ST	3439	8.3 %
5	Other	11074	26.6 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 3.11
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.33

ID14

HH3 1.14 Religion

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

Question: What is the religion of the head of the household.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Hindu	33527	80.7 %
2	Muslim	4788	11.5 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Christian	1376	3.3 %
4	Sikh	990	2.4 %
5	Buddhist	281	0.7 %
6	Jain	138	0.3 %
7	Tribal	427	1.0 %
8	Others	24	0.1 %
9	None	3	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 1.36
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.96

ID15	HH3 1.15 Main income source		
Location:	169-170 (width: 2; decimal: 0)		
Variable Type:	numeric		
Question:	What is the principal source of income for the household.		
Value	<i>Label</i>		
	<i>Unweighted Frequency</i>		
1	Cultivation	9798	23.6 %
2	Allied agr	375	0.9 %
3	Ag labour	5653	13.6 %
4	Non-Ag labour	7305	17.6 %
5	Artisan	2476	6.0 %
6	Petty trade	1882	4.5 %
7	Business	2440	5.9 %
8	Salaried	8476	20.4 %
9	Profession	417	1.0 %
10	Pension/rent	1633	3.9 %
11	Others	1099	2.6 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 4.75
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 2.95

- Study 22626 -

ID16	HH3 1.16 Years in place		
Location:	171-172 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	How many years ago did your family first come to this village/town/city.		
Value	Label	Unweighted Frequency	%
1	-	498	1.2 %
2	-	384	0.9 %
3	-	334	0.8 %
4	-	271	0.7 %
5	-	378	0.9 %
6	-	236	0.6 %
7	-	224	0.5 %
8	-	313	0.8 %
9	-	156	0.4 %
10	-	697	1.7 %
11	-	76	0.2 %
12	-	359	0.9 %
13	-	128	0.3 %
14	-	141	0.3 %
15	-	678	1.6 %
16	-	122	0.3 %
17	-	91	0.2 %
18	-	171	0.4 %
19	-	58	0.1 %
20	-	979	2.4 %
21	-	64	0.2 %
22	-	197	0.5 %
23	-	67	0.2 %
24	-	53	0.1 %
25	-	561	1.4 %
26	-	69	0.2 %
27	-	56	0.1 %
28	-	86	0.2 %
29	-	44	0.1 %
30	-	814	2.0 %
31	-	24	0.1 %
32	-	102	0.2 %
33	-	34	0.1 %
34	-	40	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	-	459	1.1 %
36	-	43	0.1 %
37	-	26	0.1 %
38	-	56	0.1 %
39	-	22	0.1 %
40	-	802	1.9 %
41	-	19	0.0 %
42	-	42	0.1 %
43	-	18	0.0 %
44	-	18	0.0 %
45	-	210	0.5 %
46	-	11	0.0 %
47	-	24	0.1 %
48	-	19	0.0 %
49	-	6	0.0 %
50	-	597	1.4 %
51	-	6	0.0 %
52	-	26	0.1 %
53	-	11	0.0 %
54	-	9	0.0 %
55	-	76	0.2 %
56	-	34	0.1 %
57	-	48	0.1 %
58	-	27	0.1 %
59	-	3	0.0 %
60	-	355	0.9 %
61	-	10	0.0 %
62	-	4	0.0 %
63	-	5	0.0 %
64	-	3	0.0 %
65	-	55	0.1 %
66	-	2	0.0 %
67	-	2	0.0 %
68	-	6	0.0 %
69	-	1	0.0 %
70	-	173	0.4 %
71	-	4	0.0 %
72	-	2	0.0 %
73	-	3	0.0 %
75	-	17	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
78	-	2	0.0 %
79	-	1	0.0 %
80	-	72	0.2 %
81	-	1	0.0 %
82	-	1	0.0 %
83	-	1	0.0 %
84	-	1	0.0 %
85	-	4	0.0 %
86	-	1	0.0 %
87	-	1	0.0 %
90	-	29655	71.4 %
-1 (M)	Valid blank	53	0.1 %
. (M)	-	2	0.0 %

Based upon 41499 valid cases out of 41554 total cases.

- Mean: 71.22
- Median: 90.00
- Mode: 90.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 31.24

ID17	HH3 1.17 Place of Origin		
Location:	173-174 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	From where did the family come.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Same state	9287	22.3 %
2	Another state	2107	5.1 %
3	Another country	502	1.2 %
-6 (M)	Out of range	2	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	29655	71.4 %

Based upon 11896 valid cases out of 41554 total cases.

- Mean: 1.26
- Median: 1.00
- Mode: 1.00

- Study 22626 -

- Minimum: 1.00
 - Maximum: 3.00
 - Standard Deviation: 0.53

ID18	HH3 1.18 Type of origin place		
Location:	175-176 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Was this another village, a town or a city.		
Value	Label	Unweighted Frequency	%
1	Same	0	0.0 %
2	Another village	8304	20.0 %
3	Another town	2998	7.2 %
4	Another large city	588	1.4 %
-6 (M)	Out of range	8	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	29655	71.4 %

Based upon 11890 valid cases out of 41554 total cases.

- Mean: 2.35
 - Median: 2.00
 - Mode: 2.00
 - Minimum: 2.00
 - Maximum: 4.00
 - Standard Deviation: 0.57

ID19	HH3 1.19 Occ head's father/husb		
Location:	177-178 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	What was the occupation of the household head's father/husband for most of his life.		
Value	Label	Unweighted Frequency	%
0	-	14	0.0 %
1	-	281	0.7 %
2	-	47	0.1 %
3	-	90	0.2 %
4	-	27	0.1 %
5	-	12	0.0 %
6	-	9	0.0 %
7	-	90	0.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	-	92	0.2 %
9	-	93	0.2 %
10	-	9	0.0 %
11	-	5	0.0 %
12	-	76	0.2 %
13	-	7	0.0 %
14	-	34	0.1 %
15	-	651	1.6 %
16	-	15	0.0 %
17	-	49	0.1 %
18	-	36	0.1 %
19	-	267	0.6 %
20	-	39	0.1 %
21	-	155	0.4 %
22	-	35	0.1 %
23	-	22	0.1 %
24	-	31	0.1 %
25	-	25	0.1 %
26	-	44	0.1 %
28	-	2	0.0 %
29	-	41	0.1 %
30	-	288	0.7 %
31	-	132	0.3 %
32	-	36	0.1 %
33	-	50	0.1 %
34	-	15	0.0 %
35	-	593	1.4 %
36	-	69	0.2 %
37	-	84	0.2 %
38	-	60	0.1 %
39	-	30	0.1 %
40	-	1802	4.3 %
41	-	18	0.0 %
42	-	9	0.0 %
43	-	323	0.8 %
44	-	25	0.1 %
45	-	24	0.1 %
49	-	205	0.5 %
50	-	154	0.4 %
51	-	21	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	-	77	0.2 %
53	-	11	0.0 %
54	-	214	0.5 %
55	-	143	0.3 %
56	-	243	0.6 %
57	-	844	2.0 %
59	-	437	1.1 %
60	-	102	0.2 %
61	-	17045	41.0 %
62	-	345	0.8 %
63	-	7307	17.6 %
64	-	241	0.6 %
65	-	217	0.5 %
66	-	65	0.2 %
67	-	16	0.0 %
68	-	279	0.7 %
70	-	1	0.0 %
71	-	137	0.3 %
72	-	152	0.4 %
73	-	81	0.2 %
74	-	24	0.1 %
75	-	404	1.0 %
76	-	4	0.0 %
77	-	158	0.4 %
78	-	98	0.2 %
79	-	331	0.8 %
80	-	161	0.4 %
81	-	388	0.9 %
82	-	81	0.2 %
83	-	150	0.4 %
84	-	145	0.3 %
85	-	149	0.4 %
86	-	10	0.0 %
87	-	62	0.1 %
89	-	142	0.3 %
90	-	41	0.1 %
91	-	12	0.0 %
92	-	45	0.1 %
93	-	53	0.1 %
94	-	92	0.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
95	-	962	2.3 %
96	-	16	0.0 %
97	-	262	0.6 %
-3 (M)	Don't know	738	1.8 %
-2 (M)	Valid skip	2425	5.8 %
. (M)	-	408	1.0 %

Based upon 37983 valid cases out of 41554 total cases.

- Mean: 58.72
- Median: 61.00
- Mode: 61.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 16.16

ID19B
HH3 1.19 Occ name head's fa/husb

Location: 179-198 (width: 20; decimal: 0)

Variable Type: character

Question: Occupation description.

Based upon 41554 valid cases out of 41554 total cases.

ID20
HH3 1.20 Educ head's father/husb

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: And how many standards/years of education had he completed.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	280	0.7 %
2	-	1588	3.8 %
3	-	1473	3.5 %
4	-	1966	4.7 %
5	-	3589	8.6 %
6	-	686	1.7 %
7	-	1074	2.6 %
8	-	1433	3.4 %
9	-	518	1.2 %
10	-	2094	5.0 %
11	-	154	0.4 %
12	-	593	1.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	11	0.0 %
14	-	18	0.0 %
15	-	849	2.0 %
88	-	820	2.0 %
-1 (M)	Valid blank	24407	58.7 %
. (M)	-	1	0.0 %

Based upon 17146 valid cases out of 41554 total cases.

- Mean: 10.29
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 88.00
- Standard Deviation: 17.74

FM1
HH6 4.1 Local area unit name

Location: 201-220 (width: 20; decimal: 0)

Variable Type: character

Question: What is the name of the local unity of land.

Based upon 41554 valid cases out of 41554 total cases.

FM2
HH6 4.2 Local units/acre

Location: 221-229 (width: 9; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7.00 , -6.00 , -5.00 , -4.00 , -3.00 , -2.00 , -1.00 , .

Question: One acre equals.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.04	-	7	0.0 %
0.40	-	63	0.2 %
0.80	-	18	0.0 %
1.00	-	7535	18.1 %
1.03	-	8	0.0 %
1.10	-	1	0.0 %
1.12	-	153	0.4 %
1.15	-	35	0.1 %
1.18	-	42	0.1 %
1.20	-	2	0.0 %
1.32	-	1	0.0 %
1.50	-	539	1.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.52	-	4	0.0 %
1.60	-	230	0.6 %
1.62	-	100	0.2 %
1.70	-	2	0.0 %
1.75	-	703	1.7 %
1.80	-	9	0.0 %
2.00	-	154	0.4 %
2.05	-	2	0.0 %
2.17	-	64	0.2 %
2.25	-	52	0.1 %
2.38	-	8	0.0 %
2.39	-	2	0.0 %
2.50	-	909	2.2 %
2.52	-	69	0.2 %
3.00	-	778	1.9 %
3.33	-	20	0.0 %
3.50	-	315	0.8 %
3.75	-	18	0.0 %
4.00	-	366	0.9 %
5.00	-	1510	3.6 %
5.30	-	8	0.0 %
5.50	-	5	0.0 %
5.62	-	83	0.2 %
5.75	-	5	0.0 %
6.00	-	187	0.5 %
6.25	-	168	0.4 %
8.00	-	734	1.8 %
15.00	-	21	0.1 %
16.50	-	17	0.0 %
17.00	-	10	0.0 %
17.05	-	36	0.1 %
17.50	-	9	0.0 %
20.00	-	261	0.6 %
21.03	-	1	0.0 %
22.00	-	121	0.3 %
22.10	-	27	0.1 %
23.00	-	61	0.1 %
24.00	-	1	0.0 %
25.00	-	273	0.7 %
27.00	-	102	0.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27.50	-	2	0.0 %
28.00	-	1	0.0 %
30.00	-	36	0.1 %
30.30	-	1	0.0 %
32.00	-	143	0.3 %
38.00	-	31	0.1 %
40.00	-	367	0.9 %
47.62	-	1	0.0 %
55.00	-	13	0.0 %
60.00	-	49	0.1 %
66.07	-	4	0.0 %
66.67	-	1	0.0 %
80.00	-	1	0.0 %
100.00	-	955	2.3 %
112.00	-	1	0.0 %
4000.00	-	54	0.1 %
-1.00 (M)	Valid blank	24044	57.9 %
. (M)	-	1	0.0 %

Based upon 17509 valid cases out of 41554 total cases.

- Mean: 22.45
- Median: 1.75
- Mode: 1.00
- Minimum: 0.04
- Maximum: 4000.00
- Standard Deviation: 222.46

FM3

HH6 4.3 Any owned or cultivated

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Does this household own or cultivate any agricultural land.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24155	58.1 %
1	Yes	17398	41.9 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 0.42

- Study 22626 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

FM4	HH6 4.4 Area owned																
Location:	232-241 (width: 10; decimal: 2)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	Total agricultural land owned.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
<i>Value</i>	<i>Label</i>																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 19384 valid cases out of 41554 total cases.

- Mean: 30.63
- Minimum: 0.00
- Maximum: 20000.00
- Standard Deviation: 336.67

FM5	HH6 4.5 Area owned & cultivated																
Location:	242-251 (width: 10; decimal: 2)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	How much of your own land do you cultivate.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
<i>Value</i>	<i>Label</i>																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 18637 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 24.06
- Minimum: 0.00
- Maximum: 15000.00
- Standard Deviation: 268.34

FM6A
HH6 4.6a Area rented out

Location: 252-260 (width: 9; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Total agricultural land rented out or sharecropped.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 14912 valid cases out of 41554 total cases.

- Mean: 4.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8000.00
- Standard Deviation: 93.50

FM6B
HH6 4.6b Cash|Crop rented out

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you receive cash for this land or do you divide the crop between yourself and the tenant.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Cash	804	1.9 %
2	Crop	1219	2.9 %
3	Both	108	0.3 %
-6 (M)	Out of range	1	0.0 %
-1 (M)	Valid blank	3884	9.3 %
. (M)	-	35538	85.5 %

Based upon 2131 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.67
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.57

FM6C	HH6 4.6c Rs land rented out																
Location:	263-268 (width: 6; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7, -6, -5, -4, -3, -2, -1																
Question:	How much cash do you receive during a year for this land.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 4602 valid cases out of 41554 total cases.

- Mean: 3190.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180000.00
- Standard Deviation: 11742.39

FM6D	HH6 4.6d Crop % land rented out																												
Location:	269-270 (width: 2; decimal: 0)																												
Variable Type:	numeric																												
Range of Missing Values (M):	-7, -6, -5, -4, -3, -2, -1, .																												
Question:	What portion of the crop do you receive.																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: right; padding: 2px;">Unweighted Frequency</th><th style="text-align: right; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">5</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">6</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">8</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">10</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">8</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">12</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">2</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">15</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	5	-	1	0.0 %	6	-	1	0.0 %	8	-	1	0.0 %	10	-	8	0.0 %	12	-	2	0.0 %	15	-	1	0.0 %
Value	Label	Unweighted Frequency	%																										
5	-	1	0.0 %																										
6	-	1	0.0 %																										
8	-	1	0.0 %																										
10	-	8	0.0 %																										
12	-	2	0.0 %																										
15	-	1	0.0 %																										

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	2	0.0 %
20	-	13	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
25	-	43	0.1 %
26	-	1	0.0 %
28	-	1	0.0 %
30	-	16	0.0 %
32	-	1	0.0 %
33	-	25	0.1 %
35	-	7	0.0 %
40	-	34	0.1 %
44	-	1	0.0 %
50	-	1148	2.8 %
60	-	3	0.0 %
66	-	4	0.0 %
70	-	1	0.0 %
75	-	17	0.0 %
-1 (M)	Valid blank	3266	7.9 %
. (M)	-	36955	88.9 %

Based upon 1333 valid cases out of 41554 total cases.

- Mean: 47.85
- Median: 50.00
- Mode: 50.00
- Minimum: 5.00
- Maximum: 75.00
- Standard Deviation: 8.28

FM6E

HH6 4.6e Crop Rs land rented out

Location: 271-276 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: About how much was that worth last year.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know

- Study 22626 -

<i>Value</i>	<i>Label</i>
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 5330 valid cases out of 41554 total cases.

- Mean: 1981.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 125000.00
- Standard Deviation: 6522.38

FM7

HH6 4.7 Orchards/Plantations

Location: 277-285 (width: 9; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Land under orchards or plantations.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 13925 valid cases out of 41554 total cases.

- Mean: 5.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8000.00
- Standard Deviation: 117.69

FM8A

HH6 4.8a Rented in farmland

Location: 286-294 (width: 9; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Total agricultural land rented in or sharecropped.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range

- Study 22626 -

<i>Value</i>	<i>Label</i>
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 16329 valid cases out of 41554 total cases.

- Mean: 2.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 59.98

FM8B	HH6 4.8b Cash Crop rented in
-------------	-------------------------------------

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you pay cash for this land or do you divide the crop between you and the land owner.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Cash	503	1.2 %
2	Crop	1332	3.2 %
3	Both	76	0.2 %
-6 (M)	Out of range	11	0.0 %
-1 (M)	Valid blank	2677	6.4 %
. (M)	-	36955	88.9 %

Based upon 1911 valid cases out of 41554 total cases.

- Mean: 1.78
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.50

FM8C	HH6 4.8c Rs paid land rented in
-------------	--

Location: 297-302 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: About how much do you pay during a year for this land.

- Study 22626 -

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 4325 valid cases out of 41554 total cases.

- Mean: 1467.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 880000.00
- Standard Deviation: 15131.52

FM9A
HH6 4.9a Irrigation

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Of all the land you cultivate, including rented land, is any land irrigated at any time of the year.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	0	0.0 %
1	Yes	8315	20.0 %
-1 (M)	Valid blank	9969	24.0 %
. (M)	-	23270	56.0 %

Based upon 8315 valid cases out of 41554 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

FM9B
HH6 4.9b Irrigation type 1

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: What are the two most important modes of irrigation.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Tubewell	4412	10.6 %
2	Other well	1368	3.3 %
3	Government	840	2.0 %
4	Private canal	283	0.7 %
5	Tank/pond/nala	1012	2.4 %
6	Other	409	1.0 %
-6 (M)	Out of range	1	0.0 %
-1 (M)	Valid blank	387	0.9 %
. (M)	-	32842	79.0 %

Based upon 8324 valid cases out of 41554 total cases.

- Mean: 2.20
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.61

FM9C
HH6 4.9b Irrigation type 2

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Secondary irrigation method.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Tubewell	537	1.3 %
2	Other well	513	1.2 %
3	Government	455	1.1 %
4	Private canal	121	0.3 %
5	Tank/pond/nala	410	1.0 %
6	Other	954	2.3 %
-6 (M)	Out of range	198	0.5 %
-1 (M)	Valid blank	1633	3.9 %
. (M)	-	36733	88.4 %

Based upon 2990 valid cases out of 41554 total cases.

- Mean: 3.74
- Median: 3.00
- Mode: 6.00
- Minimum: 1.00

- Study 22626 -

- Maximum: 6.00
- Standard Deviation: 1.95

FM9D**HH6 4.9c Land irrigated**

Location: 309-317 (width: 9; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much of the land that you cultivate is irrigated by all sources.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 9930 valid cases out of 41554 total cases.

- Mean: 12.59
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 97.53

FM19A**HH7 4.19 Crop residue sold**

Location: 318-322 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: What is the value of the crop residue.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 11355 valid cases out of 41554 total cases.

- Mean: 839.97

- Study 22626 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 64000.00
- Standard Deviation: 3093.39

FM19B	HH7 4.19b Crop residue own use																
Location:	323-328 (width: 6; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	Value of the crop residue kept for own use.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
<i>Value</i>	<i>Label</i>																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 13699 valid cases out of 41554 total cases.

- Mean: 1822.98
- Minimum: 0.00
- Maximum: 200000.00
- Standard Deviation: 4499.41

FM20A	HH8 4.20a Hired farm labour days																
Location:	329-332 (width: 4; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	How many total mandays of labor did you hire.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
<i>Value</i>	<i>Label</i>																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 16086 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 37.71
- Minimum: 0.00
- Maximum: 6800.00
- Standard Deviation: 122.91

FM20B	HH8 4.20b Hired farm labour Rs																
Location:	333-338 (width: 6; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	How many rupees did you spend all last year on hired labor.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
<i>Value</i>	<i>Label</i>																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 15173 valid cases out of 41554 total cases.

- Mean: 2057.56
- Minimum: 0.00
- Maximum: 680000.00
- Standard Deviation: 7500.13

FM20C	HH8 4.20c Meals to workers																																
Location:	339-340 (width: 2; decimal: 0)																																
Variable Type:	numeric																																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																																
Question:	Did you also usually give these workers a meal. If yes, how many meals did you give.																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: left; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: left; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">1</td><td style="padding: 2px;">-</td><td style="padding: 2px;">2481</td><td style="padding: 2px;">6.0 %</td></tr> <tr> <td style="padding: 2px;">2</td><td style="padding: 2px;">-</td><td style="padding: 2px;">394</td><td style="padding: 2px;">0.9 %</td></tr> <tr> <td style="padding: 2px;">3</td><td style="padding: 2px;">-</td><td style="padding: 2px;">102</td><td style="padding: 2px;">0.2 %</td></tr> <tr> <td style="padding: 2px;">4</td><td style="padding: 2px;">-</td><td style="padding: 2px;">2</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">5</td><td style="padding: 2px;">-</td><td style="padding: 2px;">3</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td><td style="padding: 2px;">10422</td><td style="padding: 2px;">25.1 %</td></tr> <tr> <td style="padding: 2px;">. (M)</td><td style="padding: 2px;">-</td><td style="padding: 2px;">28150</td><td style="padding: 2px;">67.7 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	-	2481	6.0 %	2	-	394	0.9 %	3	-	102	0.2 %	4	-	2	0.0 %	5	-	3	0.0 %	-1 (M)	Valid blank	10422	25.1 %	. (M)	-	28150	67.7 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																														
1	-	2481	6.0 %																														
2	-	394	0.9 %																														
3	-	102	0.2 %																														
4	-	2	0.0 %																														
5	-	3	0.0 %																														
-1 (M)	Valid blank	10422	25.1 %																														
. (M)	-	28150	67.7 %																														

Based upon 2982 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.50

FM21A	HH8 4.21 Seeds Rs
Location:	341-346 (width: 6; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	What was the value of the seeds you used last year.
Value Label	
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 17564 valid cases out of 41554 total cases.

- Mean: 1533.75
- Minimum: 0.00
- Maximum: 180000.00
- Standard Deviation: 3829.67

FM21B	HH8 4.21b Seeds Homegrown
Location:	347-348 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	Seeds Homegrown.
Value Label	
1	Home grown
2	Purchased
3	Both
-6 (M)	Out of range
-1 (M)	Valid blank
. (M)	-

Based upon 14367 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.78

FM22	HH8 4.22 Fertilizers Rs																
Location:	349-354 (width: 6; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	How many rupees did you spend all last year on fertilizer and manures.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 17341 valid cases out of 41554 total cases.

- Mean: 2163.01
- Minimum: 0.00
- Maximum: 663840.00
- Standard Deviation: 7395.37

FM23	HH8 4.23 Pesticides Rs																
Location:	355-360 (width: 6; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	How many rupees did you spend all last year on pesticides and herbicides.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 16650 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 858.62
- Minimum: 0.00
- Maximum: 200000.00
- Standard Deviation: 4084.10

FM24

HH8 4.24 Irrigation water Rs

Location: 361-365 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Did your purchase any water for irrigation for your crops. How many rupees did you spend all last year on water.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 16403 valid cases out of 41554 total cases.

- Mean: 428.82
- Minimum: 0.00
- Maximum: 50000.00
- Standard Deviation: 1702.19

FM25

HH8 4.25 Hired Equip/Animals Rs

Location: 366-370 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Did you hire any tractors or equipments or hire animals for working on your farm.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 16991 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1166.34
- Minimum: 0.00
- Maximum: 87120.00
- Standard Deviation: 2842.03

FM26

HH8 4.26 Ag loan repayment Rs

Location: 371-376 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Did you make any agricultural loan installment payments last year. How many rupees did you spend all last year on loan repayments.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 15864 valid cases out of 41554 total cases.

- Mean: 1053.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400000.00
- Standard Deviation: 8231.53

FM27

HH8 4.27 Farm miscellaneous Rs

Location: 377-382 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Did you spend any other money for your farm last year. For instance, on maintaining your machines, transporting crops, on diesel, electricity, etc.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

- Study 22626 -

Based upon 16203 valid cases out of 41554 total cases.

- Mean: 1281.18
- Minimum: 0.00
- Maximum: 208000.00
- Standard Deviation: 5912.34

FMTOTAL	HH8 total expenses Editor Check	
Location:	383-389 (width: 7; decimal: 0)	
Variable Type:	numeric	
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1	
	Value	Label
	-7 (M)	Inconsistent
	-6 (M)	Out of range
	-5 (M)	Valid skip
	-4 (M)	Invalid skip
	-3 (M)	Don't know
	-2 (M)	Valid skip
	-1 (M)	Valid blank

Based upon 14842 valid cases out of 41554 total cases.

- Mean: 11648.94
- Minimum: 0.00
- Maximum: 1084639.00
- Standard Deviation: 26804.71

FM31	HH9 4.31 ID farm decision-maker		
Location:	390-391 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Who is the primary decision maker about farm matters in your house.		
	Value	Label	Unweighted Frequency
	1	-	15912 38.3 %
	2	-	617 1.5 %
	3	-	620 1.5 %
	4	-	58 0.1 %
	5	-	67 0.2 %
	6	-	34 0.1 %
	7	-	35 0.1 %
	8	-	14 0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	14	0.0 %
10	-	12	0.0 %
11	-	5	0.0 %
12	-	5	0.0 %
15	-	1	0.0 %
20	-	1	0.0 %
-6 (M)	Out of range	2	0.0 %
-1 (M)	Valid blank	24155	58.1 %
. (M)	-	2	0.0 %

Based upon 17395 valid cases out of 41554 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 0.78

FM32A
HH9 4.32a Own: Tubewells

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does this household own any Tubewells. If yes, record number of each type.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	2493	6.0 %
2	-	97	0.2 %
3	-	27	0.1 %
4	-	13	0.0 %
5	-	7	0.0 %
6	-	3	0.0 %
-1 (M)	Valid blank	12278	29.5 %
. (M)	-	26636	64.1 %

Based upon 2640 valid cases out of 41554 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.43

- Study 22626 -

FM32B

HH9 4.32b Own: Electric Pumps

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does this household own any Electric pumps. If yes, record number of each type.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	2325	5.6 %
2	-	105	0.3 %
3	-	18	0.0 %
4	-	8	0.0 %
5	-	7	0.0 %
6	-	1	0.0 %
10	-	1	0.0 %
-1 (M)	Valid blank	12114	29.2 %
. (M)	-	26975	64.9 %

Based upon 2465 valid cases out of 41554 total cases.

- Mean: 1.08
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 0.43

FM32C

HH9 4.32c Own: Diesel pumps

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does this household own any Diesel pumps. If yes, record number of each type.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1474	3.5 %
2	-	53	0.1 %
3	-	8	0.0 %
4	-	3	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
-1 (M)	Valid blank	13029	31.4 %
. (M)	-	26985	64.9 %

Based upon 1540 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.06
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.31

FM32D	HH9 4.32d Own: Bullock carts			
Location:	398-399 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	Does this household own any Bullock carts. If yes, record number of each type.			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	-	2260	5.4 %
	2	-	34	0.1 %
	3	-	1	0.0 %
	-1 (M)	Valid blank	12249	29.5 %
	. (M)	-	27010	65.0 %

Based upon 2295 valid cases out of 41554 total cases.

- Mean: 1.02
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.13

FM32E	HH9 4.32e Own: Tractors			
Location:	400-401 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	Does this household own any Tractors. If yes, record number of each type.			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	-	727	1.7 %
	2	-	11	0.0 %
	-1 (M)	Valid blank	13718	33.0 %
	. (M)	-	27098	65.2 %

Based upon 738 valid cases out of 41554 total cases.

- Mean: 1.01

- Study 22626 -

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.12

FM32F	HH9 4.32f Own: Threshers		
Location:	402-403 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Does this household own any Threshers. If yes, record number of each type.		
Value	Label	<i>Unweighted Frequency</i>	%
1	-	558	1.3 %
2	-	59	0.1 %
-1 (M)	Valid blank	13787	33.2 %
. (M)	-	27150	65.3 %

Based upon 617 valid cases out of 41554 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.29

FM32G	HH9 4.32g Own: Bio-gas plants		
Location:	404-405 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Does this household own any bio-gas plants. If yes, record number of each type.		
Value	Label	<i>Unweighted Frequency</i>	%
1	-	170	0.4 %
2	-	2	0.0 %
-1 (M)	Valid blank	14126	34.0 %
. (M)	-	27256	65.6 %

Based upon 172 valid cases out of 41554 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Study 22626 -

- Maximum: 2.00
- Standard Deviation: 0.11

FM32H**HH9 4.32h New farm equip Rs**

Location: 406-411 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend buying new equipment last year.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 14493 valid cases out of 41554 total cases.

- Mean: 808.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500000.00
- Standard Deviation: 11407.76

FM32I**HH9 4.32i Rent out equip Rs**

Location: 412-417 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you make renting out any equipment.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 13222 valid cases out of 41554 total cases.

- Mean: 530.85

- Study 22626 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 175000.00
- Standard Deviation: 4769.00

AN1A	HH10 5.1a Milch cows			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	-	17989	43.3 %
	1	-	4974	12.0 %
	2	-	1766	4.2 %
	3	-	373	0.9 %
	4	-	178	0.4 %
	5	-	62	0.1 %
	6	-	18	0.0 %
	7	-	16	0.0 %
	8	-	6	0.0 %
	9	-	1	0.0 %
	10	-	35	0.1 %
	11	-	2	0.0 %
	12	-	3	0.0 %
	13	-	1	0.0 %
	14	-	1	0.0 %
	15	-	4	0.0 %
	20	-	12	0.0 %
	22	-	1	0.0 %
	30	-	3	0.0 %
	36	-	1	0.0 %
	40	-	2	0.0 %
	50	-	1	0.0 %
	100	-	1	0.0 %
	-1 (M)	Valid blank	16101	38.7 %
	. (M)	-	3	0.0 %

Based upon 25450 valid cases out of 41554 total cases.

- Mean: 0.47
- Median: 0.00

- Study 22626 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 1.35

AN1B	HH10 5.1b Milch buffalos		
Value	Label	Unweighted Frequency	%
0	-	18493	44.5 %
1	-	3723	9.0 %
2	-	1613	3.9 %
3	-	369	0.9 %
4	-	203	0.5 %
5	-	74	0.2 %
6	-	38	0.1 %
7	-	21	0.1 %
8	-	23	0.1 %
9	-	5	0.0 %
10	-	18	0.0 %
11	-	2	0.0 %
12	-	6	0.0 %
15	-	5	0.0 %
20	-	11	0.0 %
25	-	1	0.0 %
30	-	4	0.0 %
40	-	1	0.0 %
-1 (M)	Valid blank	16942	40.8 %
. (M)	-	2	0.0 %

Based upon 24610 valid cases out of 41554 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 1.15

AN1C	HH10 5.1c Draft animals		
-------------	--------------------------------	--	--

- Study 22626 -

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does this household own any draft animals such as bullocks, donkeys, buffalo. If yes, record the number of animals of each type.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	1707	4.1 %
2	-	4480	10.8 %
3	-	374	0.9 %
4	-	324	0.8 %
5	-	64	0.2 %
6	-	54	0.1 %
7	-	18	0.0 %
8	-	11	0.0 %
9	-	4	0.0 %
10	-	8	0.0 %
12	-	2	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	2	0.0 %
17	-	1	0.0 %
20	-	1	0.0 %
30	-	1	0.0 %
-1 (M)	Valid blank	17278	41.6 %
. (M)	-	17222	41.4 %

Based upon 7054 valid cases out of 41554 total cases.

- Mean: 2.01
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 1.10

AN1D

HH10 5.1d Goats

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does this household own any goats. If yes, record the number of animals of each type.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	20071	48.3 %
1	-	1371	3.3 %
2	-	1138	2.7 %
3	-	555	1.3 %
4	-	377	0.9 %
5	-	200	0.5 %
6	-	110	0.3 %
7	-	57	0.1 %
8	-	57	0.1 %
9	-	14	0.0 %
10	-	80	0.2 %
11	-	8	0.0 %
12	-	20	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	25	0.1 %
16	-	3	0.0 %
17	-	1	0.0 %
18	-	3	0.0 %
19	-	1	0.0 %
20	-	23	0.1 %
22	-	1	0.0 %
23	-	2	0.0 %
25	-	7	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
30	-	13	0.0 %
32	-	1	0.0 %
35	-	3	0.0 %
40	-	4	0.0 %
50	-	5	0.0 %
60	-	1	0.0 %
-1 (M)	Valid blank	17398	41.9 %
. (M)	-	1	0.0 %

Based upon 24155 valid cases out of 41554 total cases.

- Mean: 0.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 60.00
- Standard Deviation: 2.06

AN1E

HH10 5.1e Sheep

Location: 427-429 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does this household own any sheep. If yes, record the number of animals of each type.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	23280	56.0 %
1	-	120	0.3 %
2	-	139	0.3 %
3	-	54	0.1 %
4	-	60	0.1 %
5	-	51	0.1 %
6	-	24	0.1 %
7	-	12	0.0 %
8	-	11	0.0 %
9	-	2	0.0 %
10	-	53	0.1 %
11	-	1	0.0 %
12	-	3	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	13	0.0 %
16	-	4	0.0 %
18	-	1	0.0 %
20	-	24	0.1 %
24	-	1	0.0 %
25	-	5	0.0 %
30	-	20	0.0 %
40	-	12	0.0 %
45	-	1	0.0 %
50	-	1	0.0 %
60	-	2	0.0 %
70	-	1	0.0 %
80	-	1	0.0 %
100	-	2	0.0 %
150	-	1	0.0 %
. (M)	-	17652	42.5 %

Based upon 23902 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 150.00
- Standard Deviation: 2.35

AN1F	HH10 5.1f Poultry			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	-	20755	49.9 %
	1	-	384	0.9 %
	2	-	560	1.3 %
	3	-	322	0.8 %
	4	-	359	0.9 %
	5	-	345	0.8 %
	6	-	219	0.5 %
	7	-	130	0.3 %
	8	-	160	0.4 %
	9	-	35	0.1 %
	10	-	255	0.6 %
	11	-	30	0.1 %
	12	-	73	0.2 %
	13	-	19	0.0 %
	14	-	10	0.0 %
	15	-	83	0.2 %
	16	-	13	0.0 %
	17	-	1	0.0 %
	18	-	10	0.0 %
	19	-	2	0.0 %
	20	-	58	0.1 %
	21	-	1	0.0 %
	22	-	4	0.0 %
	23	-	1	0.0 %
	24	-	1	0.0 %
	25	-	14	0.0 %
	26	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27	-	1	0.0 %
30	-	13	0.0 %
32	-	1	0.0 %
35	-	1	0.0 %
40	-	8	0.0 %
50	-	7	0.0 %
100	-	3	0.0 %
150	-	1	0.0 %
161	-	1	0.0 %
200	-	1	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	17669	42.5 %
. (M)	-	1	0.0 %

Based upon 23883 valid cases out of 41554 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 3.56

AN1G
HH10 5.1g Other

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does this household own any other livestock (calves, pigs, camels). If yes, record the number of animals of each type.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	4152	10.0 %
2	-	1867	4.5 %
3	-	482	1.2 %
4	-	260	0.6 %
5	-	119	0.3 %
6	-	59	0.1 %
7	-	28	0.1 %
8	-	9	0.0 %
9	-	4	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	23	0.1 %
11	-	5	0.0 %
12	-	10	0.0 %
15	-	4	0.0 %
16	-	1	0.0 %
19	-	1	0.0 %
20	-	7	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
40	-	2	0.0 %
-1 (M)	Valid blank	17431	41.9 %
. (M)	-	17087	41.1 %

Based upon 7036 valid cases out of 41554 total cases.

- Mean: 1.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 1.64

AN2A

HH10 5.2a Milk & eggs Rs

Location: 435-441 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you make selling milk & eggs in the last year.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 20805 valid cases out of 41554 total cases.

- Mean: 2244.21
- Minimum: 0.00
- Maximum: 1000000.00
- Standard Deviation: 12437.43

- Study 22626 -

AN2B
HH10 5.2b Chicken/Livestock Rs

Location: 442-447 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you make selling chicken & livestock in the last year.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 20122 valid cases out of 41554 total cases.

- Mean: 436.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 150000.00
- Standard Deviation: 2942.31

AN3
HH10 5.3 Buy livestock Rs

Location: 448-453 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend buying animals last year.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 19848 valid cases out of 41554 total cases.

- Mean: 1030.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 600000.00
- Standard Deviation: 6443.98

AN4A**HH10 5.4 Feed Home grain**

Location: 454-458 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much was the cost of feeding, maintaining, and grazing the animals.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 18927 valid cases out of 41554 total cases.

- Mean: 751.43
- Minimum: 0.00
- Maximum: 55000.00
- Standard Deviation: 2105.03

AN4B**HH10 5.4b Feed Home residue**

Location: 459-463 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much was the value of home grown crop residue.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 19128 valid cases out of 41554 total cases.

- Mean: 1429.45
- Minimum: 0.00
- Maximum: 99000.00

- Study 22626 -

- Standard Deviation: 3668.44

AN4C	HH10 5.4c Feed Purchased																
Location:	464-469 (width: 6; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	How much was the value of purchased residue/grains.																
<table border="1"> <thead> <tr> <th><i>Value</i></th><th><i>Label</i></th></tr> </thead> <tbody> <tr> <td>-7 (M)</td><td>Inconsistent</td></tr> <tr> <td>-6 (M)</td><td>Out of range</td></tr> <tr> <td>-5 (M)</td><td>Valid skip</td></tr> <tr> <td>-4 (M)</td><td>Invalid skip</td></tr> <tr> <td>-3 (M)</td><td>Don't know</td></tr> <tr> <td>-2 (M)</td><td>Valid skip</td></tr> <tr> <td>-1 (M)</td><td>Valid blank</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
<i>Value</i>	<i>Label</i>																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 19249 valid cases out of 41554 total cases.

- Mean: 1712.75
- Minimum: 0.00
- Maximum: 600000.00
- Standard Deviation: 7023.06

AN7	HH10 5.7 Animal care: Primary ID																																																				
Location:	470-471 (width: 2; decimal: 0)																																																				
Variable Type:	numeric																																																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																																																				
Question:	Who is the primary person responsible for taking care of the animals in your household.																																																				
<table border="1"> <thead> <tr> <th><i>Value</i></th><th><i>Label</i></th><th><i>Unweighted Frequency</i></th><th><i>%</i></th></tr> </thead> <tbody> <tr> <td>1</td><td>-</td><td>6398</td><td>15.4 %</td></tr> <tr> <td>2</td><td>-</td><td>7083</td><td>17.0 %</td></tr> <tr> <td>3</td><td>-</td><td>1243</td><td>3.0 %</td></tr> <tr> <td>4</td><td>-</td><td>594</td><td>1.4 %</td></tr> <tr> <td>5</td><td>-</td><td>198</td><td>0.5 %</td></tr> <tr> <td>6</td><td>-</td><td>195</td><td>0.5 %</td></tr> <tr> <td>7</td><td>-</td><td>140</td><td>0.3 %</td></tr> <tr> <td>8</td><td>-</td><td>85</td><td>0.2 %</td></tr> <tr> <td>9</td><td>-</td><td>58</td><td>0.1 %</td></tr> <tr> <td>10</td><td>-</td><td>23</td><td>0.1 %</td></tr> <tr> <td>11</td><td>-</td><td>15</td><td>0.0 %</td></tr> <tr> <td>12</td><td>-</td><td>25</td><td>0.1 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	-	6398	15.4 %	2	-	7083	17.0 %	3	-	1243	3.0 %	4	-	594	1.4 %	5	-	198	0.5 %	6	-	195	0.5 %	7	-	140	0.3 %	8	-	85	0.2 %	9	-	58	0.1 %	10	-	23	0.1 %	11	-	15	0.0 %	12	-	25	0.1 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																																																		
1	-	6398	15.4 %																																																		
2	-	7083	17.0 %																																																		
3	-	1243	3.0 %																																																		
4	-	594	1.4 %																																																		
5	-	198	0.5 %																																																		
6	-	195	0.5 %																																																		
7	-	140	0.3 %																																																		
8	-	85	0.2 %																																																		
9	-	58	0.1 %																																																		
10	-	23	0.1 %																																																		
11	-	15	0.0 %																																																		
12	-	25	0.1 %																																																		

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	10	0.0 %
14	-	3	0.0 %
15	-	2	0.0 %
16	-	4	0.0 %
17	-	2	0.0 %
20	-	1	0.0 %
23	-	1	0.0 %
25	-	1	0.0 %
-1 (M)	Valid blank	25470	61.3 %
. (M)	-	3	0.0 %

Based upon 16081 valid cases out of 41554 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 1.45

NF1
HH12 7.1a Busns1: type

Location: 472-511 (width: 40; decimal: 0)

Variable Type: character

Question: Please describe the activity of another business run by a member of this household.

Based upon 41554 valid cases out of 41554 total cases.

NF1A
HH12 7.1a Busns1: Industry

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Please describe this activity (industry code).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	253	0.6 %
1	-	12	0.0 %
2	-	76	0.2 %
3	-	5	0.0 %
5	-	244	0.6 %
6	-	88	0.2 %
10	-	7	0.0 %
11	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	1	0.0 %
15	-	2	0.0 %
19	-	4	0.0 %
20	-	258	0.6 %
22	-	55	0.1 %
23	-	44	0.1 %
24	-	91	0.2 %
25	-	14	0.0 %
26	-	75	0.2 %
27	-	180	0.4 %
28	-	47	0.1 %
29	-	40	0.1 %
30	-	13	0.0 %
31	-	7	0.0 %
32	-	78	0.2 %
33	-	15	0.0 %
34	-	89	0.2 %
35	-	16	0.0 %
37	-	6	0.0 %
38	-	64	0.2 %
39	-	43	0.1 %
40	-	12	0.0 %
41	-	4	0.0 %
42	-	4	0.0 %
50	-	134	0.3 %
51	-	43	0.1 %
56	-	1	0.0 %
60	-	185	0.4 %
61	-	135	0.3 %
62	-	46	0.1 %
63	-	42	0.1 %
64	-	134	0.3 %
65	-	2458	5.9 %
66	-	280	0.7 %
67	-	454	1.1 %
68	-	465	1.1 %
69	-	347	0.8 %
70	-	302	0.7 %
71	-	2	0.0 %
73	-	97	0.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
74	-	2	0.0 %
75	-	71	0.2 %
80	-	15	0.0 %
81	-	32	0.1 %
82	-	30	0.1 %
83	-	34	0.1 %
84	-	6	0.0 %
85	-	34	0.1 %
89	-	46	0.1 %
91	-	3	0.0 %
92	-	66	0.2 %
93	-	105	0.3 %
94	-	46	0.1 %
95	-	55	0.1 %
96	-	855	2.1 %
97	-	317	0.8 %
-3 (M)	Don't know	3	0.0 %
-2 (M)	Valid skip	10	0.0 %
-1 (M)	Valid blank	32796	78.9 %
. (M)	-	54	0.1 %

Based upon 8691 valid cases out of 41554 total cases.

- Mean: 60.88
- Median: 65.00
- Mode: 65.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 25.66

NF1B

HH12 7.1b Busns1: Occupation

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Please describe this activity (occupation code).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	136	0.3 %
1	-	1	0.0 %
2	-	4	0.0 %
3	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	2	0.0 %
5	-	1	0.0 %
6	-	2	0.0 %
7	-	55	0.1 %
8	-	23	0.1 %
9	-	13	0.0 %
12	-	8	0.0 %
13	-	1	0.0 %
14	-	34	0.1 %
15	-	29	0.1 %
16	-	1	0.0 %
17	-	58	0.1 %
18	-	16	0.0 %
19	-	47	0.1 %
20	-	3	0.0 %
21	-	2	0.0 %
22	-	16	0.0 %
23	-	6	0.0 %
24	-	625	1.5 %
25	-	465	1.1 %
26	-	1837	4.4 %
27	-	1	0.0 %
29	-	13	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
36	-	5	0.0 %
37	-	4	0.0 %
38	-	1	0.0 %
39	-	3	0.0 %
40	-	3775	9.1 %
41	-	35	0.1 %
42	-	8	0.0 %
43	-	807	1.9 %
44	-	81	0.2 %
45	-	14	0.0 %
49	-	72	0.2 %
50	-	2	0.0 %
54	-	1	0.0 %
55	-	50	0.1 %
56	-	60	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
60	-	16	0.0 %
62	-	133	0.3 %
64	-	1	0.0 %
65	-	20	0.0 %
66	-	39	0.1 %
67	-	1	0.0 %
68	-	83	0.2 %
74	-	1	0.0 %
77	-	3	0.0 %
92	-	1	0.0 %
95	-	1	0.0 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	32904	79.2 %
. (M)	-	30	0.1 %

Based upon 8619 valid cases out of 41554 total cases.

- Mean: 34.88
- Median: 40.00
- Mode: 40.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 11.17

NF2

HH12 7.2 Busns1: Work place

Location: 516-520 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Where does this work mainly take place.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Home	2506	6.0 %
2	Other fixed	4258	10.2 %
3	Moving	1792	4.3 %
43	-	1	0.0 %
240	-	1	0.0 %
-1 (M)	Valid blank	132	0.3 %
. (M)	-	32864	79.1 %

Based upon 8558 valid cases out of 41554 total cases.

- Mean: 1.95

- Study 22626 -

- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 240.00
- Standard Deviation: 2.70

NF3	HH12 7.3 Busns1: Gross receipts																
Location:	521-528 (width: 8; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	What was the gross receipt from this business over the last 12 months.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 8287 valid cases out of 41554 total cases.

- Mean: 107691.64
- Minimum: 0.00
- Maximum: 10800000.00
- Standard Deviation: 290361.81

NF4	HH12 7.4 Busns1: Paid workers																
Location:	529-534 (width: 6; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	Did you hire any workers last year.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 7684 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 8532.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 900000.00
- Standard Deviation: 36644.65

NF5	HH12 7.5 Busns1: Other expenses																
Location:	535-541 (width: 7; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	How much was paid in all other expenses such as the costs of materials, rent, interest on loans, etc.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 8076 valid cases out of 41554 total cases.

- Mean: 57459.48
- Minimum: 0.00
- Maximum: 8000000.00
- Standard Deviation: 223929.82

NF6	HH12 7.6 Busns1: Net income																
Location:	542-548 (width: 7; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	So, that means your household earned (amount) rupees last year. Does that sound right.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 8783 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 44271.88
- Minimum: 0.00
- Maximum: 2500000.00
- Standard Deviation: 74721.93

NF10	HH13 7.10a Busns2: type
-------------	--------------------------------

Location: 549-588 (width: 40; decimal: 0)
 Variable Type: character
 Question: Is there any other kind of business that this household runs. Please describe this activity.
 Based upon 41554 valid cases out of 41554 total cases.

NF10A	HH13 7.10a Busns2: Industry
--------------	------------------------------------

Location: 589-590 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Please describe this activity (industry code).

Value	Label	Unweighted Frequency	%
0	-	249	0.6 %
1	-	1	0.0 %
2	-	4	0.0 %
5	-	51	0.1 %
6	-	5	0.0 %
20	-	38	0.1 %
22	-	5	0.0 %
23	-	3	0.0 %
24	-	6	0.0 %
25	-	3	0.0 %
26	-	3	0.0 %
27	-	9	0.0 %
28	-	3	0.0 %
29	-	1	0.0 %
30	-	3	0.0 %
31	-	3	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	5	0.0 %
35	-	1	0.0 %
38	-	8	0.0 %
39	-	3	0.0 %
40	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	-	1	0.0 %
43	-	1	0.0 %
50	-	9	0.0 %
51	-	4	0.0 %
60	-	6	0.0 %
61	-	15	0.0 %
62	-	3	0.0 %
63	-	5	0.0 %
64	-	13	0.0 %
65	-	191	0.5 %
66	-	33	0.1 %
67	-	38	0.1 %
68	-	51	0.1 %
69	-	19	0.0 %
70	-	44	0.1 %
73	-	8	0.0 %
75	-	30	0.1 %
80	-	3	0.0 %
81	-	4	0.0 %
82	-	2	0.0 %
83	-	7	0.0 %
84	-	1	0.0 %
85	-	8	0.0 %
89	-	9	0.0 %
91	-	1	0.0 %
92	-	10	0.0 %
93	-	8	0.0 %
94	-	7	0.0 %
95	-	11	0.0 %
96	-	69	0.2 %
97	-	25	0.1 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	40504	97.5 %
. (M)	-	4	0.0 %

Based upon 1045 valid cases out of 41554 total cases.

- Mean: 47.30
- Median: 65.00
- Mode: 0.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 97.00
- Standard Deviation: 34.54

NF10B

HH13 7.10b Busns2: Occupation

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Please describe this activity (occupation code).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	139	0.3 %
1	-	1	0.0 %
3	-	1	0.0 %
7	-	6	0.0 %
9	-	2	0.0 %
14	-	5	0.0 %
15	-	6	0.0 %
17	-	3	0.0 %
18	-	3	0.0 %
19	-	5	0.0 %
21	-	1	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
24	-	39	0.1 %
25	-	70	0.2 %
26	-	180	0.4 %
36	-	2	0.0 %
38	-	1	0.0 %
39	-	3	0.0 %
40	-	289	0.7 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	114	0.3 %
44	-	14	0.0 %
45	-	2	0.0 %
49	-	9	0.0 %
50	-	2	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
56	-	4	0.0 %
59	-	1	0.0 %
60	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
62	-	9	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
68	-	5	0.0 %
70	-	1	0.0 %
74	-	1	0.0 %
77	-	4	0.0 %
79	-	3	0.0 %
85	-	1	0.0 %
89	-	1	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	40610	97.7 %
. (M)	-	3	0.0 %

Based upon 939 valid cases out of 41554 total cases.

- Mean: 30.16
- Median: 39.00
- Mode: 40.00
- Minimum: 0.00
- Maximum: 89.00
- Standard Deviation: 16.28

NF11
HH13 7.11 Busns2: Work place

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Where does this household work mainly take place.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Home	244	0.6 %
2	Other fixed	319	0.8 %
3	Moving	216	0.5 %
-5 (M)	Valid skip	112	0.3 %
-1 (M)	Valid blank	40663	97.9 %

Based upon 779 valid cases out of 41554 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 2.00

- Study 22626 -

- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.77

NF12

HH13 7.12 Busns2: Gross Receipts

Location: 595-602 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: What was the gross receipt from this business over the last 12 months.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 1039 valid cases out of 41554 total cases.

- Mean: 69576.78
- Median: 15000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10000000.00
- Standard Deviation: 374055.87

NF13

HH13 7.13 Busns2: Paid workers

Location: 603-608 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Did you hire any workers last year. How much total was paid to all these workers over all of last year.

Value	Label	Unweighted Frequency	%
0	-	818	2.0 %
1	-	1	0.0 %
11	-	1	0.0 %
50	-	1	0.0 %
150	-	1	0.0 %
200	-	1	0.0 %
250	-	1	0.0 %
500	-	4	0.0 %
600	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1000	-	7	0.0 %
1200	-	1	0.0 %
1500	-	2	0.0 %
2000	-	6	0.0 %
3000	-	7	0.0 %
3600	-	2	0.0 %
4000	-	4	0.0 %
5000	-	7	0.0 %
6000	-	5	0.0 %
7700	-	1	0.0 %
8000	-	3	0.0 %
8400	-	1	0.0 %
9000	-	4	0.0 %
9600	-	5	0.0 %
10000	-	13	0.0 %
12000	-	9	0.0 %
14000	-	1	0.0 %
15000	-	3	0.0 %
16000	-	1	0.0 %
17000	-	1	0.0 %
18000	-	4	0.0 %
20000	-	10	0.0 %
23000	-	1	0.0 %
24000	-	8	0.0 %
25000	-	3	0.0 %
25200	-	1	0.0 %
26000	-	1	0.0 %
30000	-	7	0.0 %
31000	-	1	0.0 %
32000	-	1	0.0 %
35000	-	1	0.0 %
36000	-	5	0.0 %
40000	-	1	0.0 %
42000	-	2	0.0 %
48000	-	1	0.0 %
50000	-	7	0.0 %
53000	-	1	0.0 %
60000	-	1	0.0 %
70000	-	1	0.0 %
91200	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
100000	-	3	0.0 %
108000	-	1	0.0 %
132000	-	1	0.0 %
180000	-	2	0.0 %
200000	-	1	0.0 %
-1 (M)	Valid blank	40575	97.6 %

Based upon 979 valid cases out of 41554 total cases.

- Mean: 3664.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200000.00
- Standard Deviation: 15354.46

NF14
HH13 7.14 Busns2: Other expenses

Location: 609-616 (width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much was paid in all other expenses such as the costs of materials, rent, interest on loans, etc.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 1009 valid cases out of 41554 total cases.

- Mean: 128787.56
- Median: 2000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 93868000.00
- Standard Deviation: 2959935.38

NF15
HH13 7.15 Busns2: Net income

Location: 617-623 (width: 7; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

So that means your household earned (amount) rupees last year. Does that sound right.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 1079 valid cases out of 41554 total cases.

- Mean: 27605.47
- Median: 10000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000000.00
- Standard Deviation: 187030.71

NF19

HH14 7.19a Busns3: type

Location: 624-662 (width: 39; decimal: 0)

Variable Type: character

Question: Is there any other kind of business that this household runs. However small, please describe this activity.

Value	Unweighted Frequency	%
	48	0.1 %
-1	41506	99.9 %

Based upon 41554 valid cases out of 41554 total cases.

NF19A

HH14 7.19a Busns3: Industry

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Please describe this activity (industry code).

Value	Label	Unweighted Frequency	%
0	-	250	0.6 %
15	-	1	0.0 %
20	-	5	0.0 %
24	-	1	0.0 %
28	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
38	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
64	-	3	0.0 %
65	-	21	0.1 %
67	-	4	0.0 %
68	-	1	0.0 %
69	-	3	0.0 %
70	-	3	0.0 %
73	-	1	0.0 %
75	-	2	0.0 %
84	-	1	0.0 %
92	-	1	0.0 %
93	-	2	0.0 %
94	-	1	0.0 %
96	-	6	0.0 %
97	-	5	0.0 %
-2 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	41229	99.2 %
. (M)	-	1	0.0 %

Based upon 322 valid cases out of 41554 total cases.

- Mean: 14.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 29.15

NF19B

HH14 7.19b Busns3: Occupation

Location: 665-666 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1

- Study 22626 -

Question:

Please describe this activity (occupation code).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	161	0.4 %
7	-	1	0.0 %
15	-	1	0.0 %
17	-	3	0.0 %
19	-	1	0.0 %
24	-	4	0.0 %
25	-	5	0.0 %
26	-	10	0.0 %
39	-	1	0.0 %
40	-	31	0.1 %
43	-	4	0.0 %
44	-	2	0.0 %
49	-	2	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %
75	-	1	0.0 %
77	-	1	0.0 %
85	-	1	0.0 %
87	-	1	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	41321	99.4 %

Based upon 232 valid cases out of 41554 total cases.

- Mean: 11.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 87.00
- Standard Deviation: 19.02

NF20

HH14 7.20 Busns3: Work place

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Where does this household work mainly take place.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Home	22	0.1 %
2	Other fixed	30	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Moving	20	0.0 %
-5 (M)	Valid skip	123	0.3 %
-1 (M)	Valid blank	41359	99.5 %

Based upon 72 valid cases out of 41554 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.77

NF21

HH14 7.21 Busns3: Gross receipts

Location: 669-675 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: What was the gross receipt from this business over the last 12 months.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	302	0.7 %
1400	-	1	0.0 %
3500	-	1	0.0 %
4000	-	2	0.0 %
6000	-	1	0.0 %
7000	-	2	0.0 %
7200	-	2	0.0 %
8500	-	1	0.0 %
10000	-	1	0.0 %
11500	-	1	0.0 %
12500	-	1	0.0 %
14000	-	3	0.0 %
14400	-	1	0.0 %
16000	-	1	0.0 %
16500	-	1	0.0 %
18000	-	3	0.0 %
19300	-	1	0.0 %
20400	-	1	0.0 %
21000	-	1	0.0 %
22000	-	1	0.0 %
25000	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30000	-	3	0.0 %
35000	-	2	0.0 %
36000	-	2	0.0 %
40000	-	5	0.0 %
53000	-	1	0.0 %
55000	-	1	0.0 %
60000	-	3	0.0 %
67000	-	1	0.0 %
70000	-	1	0.0 %
72000	-	2	0.0 %
77000	-	1	0.0 %
77400	-	1	0.0 %
78000	-	1	0.0 %
79000	-	1	0.0 %
88000	-	1	0.0 %
90000	-	2	0.0 %
95000	-	1	0.0 %
100000	-	2	0.0 %
120000	-	1	0.0 %
125000	-	1	0.0 %
127000	-	1	0.0 %
150000	-	1	0.0 %
224000	-	1	0.0 %
348000	-	1	0.0 %
350000	-	1	0.0 %
360000	-	1	0.0 %
600000	-	1	0.0 %
6000000	-	1	0.0 %
-1 (M)	Valid blank	41183	99.1 %

Based upon 371 valid cases out of 41554 total cases.

- Mean: 28692.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000000.00
- Standard Deviation: 314865.75

NF22

HH14 7.22 Busns3: Paid workers

Location:

676-680 (width: 5; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Did you hire any workers last year. How much total was paid to all of these workers over all last year.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	358	0.9 %
200	-	1	0.0 %
700	-	1	0.0 %
1200	-	1	0.0 %
2000	-	1	0.0 %
3000	-	2	0.0 %
5000	-	2	0.0 %
6000	-	2	0.0 %
8000	-	1	0.0 %
10000	-	1	0.0 %
11400	-	1	0.0 %
12000	-	1	0.0 %
15000	-	1	0.0 %
18000	-	1	0.0 %
20000	-	1	0.0 %
24000	-	3	0.0 %
40000	-	1	0.0 %
-1 (M)	Valid blank	41175	99.1 %

Based upon 379 valid cases out of 41554 total cases.

- Mean: 629.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40000.00
- Standard Deviation: 3530.23

NF23

HH14 7.23 Busns3: Other expenses

Location: 681-687 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much was paid in all other expenses, such as the costs of materials, rent, interest on loans, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	316	0.8 %
500	-	1	0.0 %
700	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
900	-	1	0.0 %
1000	-	1	0.0 %
1200	-	1	0.0 %
2000	-	2	0.0 %
2300	-	1	0.0 %
2400	-	1	0.0 %
3000	-	1	0.0 %
3600	-	1	0.0 %
4000	-	1	0.0 %
5000	-	3	0.0 %
5300	-	1	0.0 %
6000	-	3	0.0 %
7200	-	1	0.0 %
8000	-	2	0.0 %
10000	-	2	0.0 %
14300	-	1	0.0 %
15000	-	1	0.0 %
16000	-	1	0.0 %
20000	-	2	0.0 %
23000	-	1	0.0 %
24000	-	2	0.0 %
27000	-	1	0.0 %
38000	-	1	0.0 %
40000	-	4	0.0 %
41000	-	1	0.0 %
45000	-	1	0.0 %
50000	-	1	0.0 %
52000	-	1	0.0 %
54000	-	1	0.0 %
55000	-	1	0.0 %
64000	-	1	0.0 %
72000	-	1	0.0 %
77000	-	1	0.0 %
80000	-	1	0.0 %
85000	-	1	0.0 %
100000	-	1	0.0 %
200000	-	1	0.0 %
240000	-	1	0.0 %
250000	-	1	0.0 %
510000	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5784000	-	1	0.0 %
-1 (M)	Valid blank	41183	99.1 %

Based upon 371 valid cases out of 41554 total cases.

- Mean: 22224.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5784000.00
- Standard Deviation: 302054.59

NF24	HH14 7.24 Busns3: Net income
-------------	-------------------------------------

Location: 688-693 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: So, that means your household earned (amount) rupees last year. Does that sound right.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	304	0.7 %
1000	-	1	0.0 %
1100	-	1	0.0 %
1200	-	1	0.0 %
1500	-	1	0.0 %
1687	-	1	0.0 %
3600	-	1	0.0 %
4000	-	2	0.0 %
5000	-	1	0.0 %
6000	-	1	0.0 %
6100	-	1	0.0 %
6200	-	1	0.0 %
6500	-	1	0.0 %
7000	-	2	0.0 %
7200	-	1	0.0 %
8000	-	2	0.0 %
9000	-	1	0.0 %
10000	-	2	0.0 %
11000	-	2	0.0 %
12000	-	2	0.0 %
13200	-	2	0.0 %
13500	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14000	-	1	0.0 %
15000	-	3	0.0 %
16000	-	1	0.0 %
17000	-	1	0.0 %
17500	-	1	0.0 %
18000	-	2	0.0 %
19000	-	1	0.0 %
20000	-	1	0.0 %
21000	-	1	0.0 %
24000	-	3	0.0 %
25000	-	1	0.0 %
27000	-	2	0.0 %
28000	-	2	0.0 %
30000	-	6	0.0 %
31000	-	1	0.0 %
34000	-	1	0.0 %
36000	-	2	0.0 %
37000	-	1	0.0 %
40000	-	3	0.0 %
42000	-	1	0.0 %
48800	-	1	0.0 %
60000	-	1	0.0 %
72000	-	1	0.0 %
75000	-	1	0.0 %
82000	-	1	0.0 %
84000	-	1	0.0 %
100000	-	2	0.0 %
105000	-	1	0.0 %
120000	-	1	0.0 %
145000	-	1	0.0 %
210000	-	1	0.0 %
-1 (M)	Valid blank	41175	99.1 %

Based upon 379 valid cases out of 41554 total cases.

- Mean: 6148.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 210000.00
- Standard Deviation: 20291.40

- Study 22626 -

IN1

HH15 8.1 Inc: renting property

Location: 694-699 (width: 6; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Income from renting property.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 34257 valid cases out of 41554 total cases.

- Mean: 609.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500000.00
- Standard Deviation: 6039.15

IN2

HH15 8.2 Inc: interest

Location: 700-705 (width: 6; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Income from interest, dividends, or capital gains.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 34023 valid cases out of 41554 total cases.

- Mean: 309.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 500000.00
- Standard Deviation: 4643.43

IN3A**HH15 8.3a Inc: Govt pension**

Location: 706-711 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Income from pensions such as govt. work, including military.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 34069 valid cases out of 41554 total cases.

- Mean: 2423.05
- Minimum: 0.00
- Maximum: 400000.00
- Standard Deviation: 12137.69

IN3B**HH15 8.3b Inc: Pvt pension**

Location: 712-717 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Income from pensions including from any private work.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 33676 valid cases out of 41554 total cases.

- Mean: 164.21
- Median: 0.00
- Mode: 0.00

- Study 22626 -

- Minimum: 0.00
- Maximum: 200000.00
- Standard Deviation: 3305.94

IN4A	HH15 8.4a Inc: sale non-ag land			
	Value	Label	Unweighted Frequency	%
	0	-	33589	80.8 %
	1	-	1	0.0 %
	3	-	1	0.0 %
	30	-	1	0.0 %
	500	-	2	0.0 %
	700	-	1	0.0 %
	800	-	4	0.0 %
	1000	-	12	0.0 %
	1200	-	3	0.0 %
	1500	-	6	0.0 %
	2000	-	13	0.0 %
	2200	-	1	0.0 %
	2300	-	1	0.0 %
	2400	-	1	0.0 %
	2500	-	3	0.0 %
	2800	-	2	0.0 %
	3000	-	8	0.0 %
	3100	-	1	0.0 %
	3600	-	1	0.0 %
	3700	-	1	0.0 %
	4000	-	6	0.0 %
	4500	-	1	0.0 %
	4800	-	1	0.0 %
	5000	-	20	0.0 %
	5700	-	1	0.0 %
	6000	-	4	0.0 %
	7000	-	4	0.0 %
	8000	-	7	0.0 %
	9000	-	6	0.0 %
	10000	-	15	0.0 %
	10800	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12000	-	2	0.0 %
12800	-	1	0.0 %
13000	-	2	0.0 %
15000	-	6	0.0 %
20000	-	3	0.0 %
22000	-	1	0.0 %
24000	-	1	0.0 %
25000	-	1	0.0 %
27000	-	1	0.0 %
30000	-	5	0.0 %
31000	-	1	0.0 %
34000	-	2	0.0 %
35000	-	6	0.0 %
39000	-	1	0.0 %
40000	-	7	0.0 %
45000	-	1	0.0 %
50000	-	4	0.0 %
60000	-	4	0.0 %
70000	-	3	0.0 %
81000	-	1	0.0 %
90000	-	1	0.0 %
96000	-	1	0.0 %
100000	-	7	0.0 %
120000	-	2	0.0 %
130000	-	1	0.0 %
140000	-	3	0.0 %
150000	-	2	0.0 %
200000	-	9	0.0 %
225000	-	2	0.0 %
250000	-	4	0.0 %
300000	-	4	0.0 %
340000	-	1	0.0 %
400000	-	1	0.0 %
500000	-	2	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	7741	18.6 %
. (M)	-	1	0.0 %

Based upon 33811 valid cases out of 41554 total cases.

- Mean: 313.58

- Study 22626 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500000.00
- Standard Deviation: 8002.94

IN4B	HH15 8.4b Inc: sale ag land			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	-	33355	80.3 %
	2	-	1	0.0 %
	50	-	1	0.0 %
	140	-	1	0.0 %
	350	-	1	0.0 %
	400	-	3	0.0 %
	500	-	3	0.0 %
	600	-	1	0.0 %
	1000	-	16	0.0 %
	1400	-	1	0.0 %
	1500	-	3	0.0 %
	2000	-	13	0.0 %
	2400	-	1	0.0 %
	2700	-	1	0.0 %
	3000	-	13	0.0 %
	4000	-	11	0.0 %
	4500	-	1	0.0 %
	5000	-	11	0.0 %
	5200	-	1	0.0 %
	6000	-	4	0.0 %
	6600	-	1	0.0 %
	8000	-	10	0.0 %
	8500	-	1	0.0 %
	9000	-	3	0.0 %
	9500	-	1	0.0 %
	10000	-	17	0.0 %
	11950	-	1	0.0 %
	12000	-	5	0.0 %
	12500	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13000	-	4	0.0 %
14000	-	3	0.0 %
15000	-	8	0.0 %
15400	-	1	0.0 %
16000	-	3	0.0 %
17000	-	1	0.0 %
18000	-	5	0.0 %
20000	-	13	0.0 %
20500	-	1	0.0 %
21000	-	3	0.0 %
22896	-	1	0.0 %
23000	-	1	0.0 %
23100	-	1	0.0 %
24000	-	3	0.0 %
25000	-	7	0.0 %
27000	-	1	0.0 %
27500	-	1	0.0 %
30000	-	14	0.0 %
32000	-	3	0.0 %
35000	-	2	0.0 %
36000	-	3	0.0 %
37000	-	1	0.0 %
38000	-	2	0.0 %
40000	-	13	0.0 %
45000	-	7	0.0 %
50000	-	9	0.0 %
54000	-	1	0.0 %
55000	-	3	0.0 %
60000	-	10	0.0 %
61000	-	1	0.0 %
62000	-	1	0.0 %
65000	-	1	0.0 %
66000	-	1	0.0 %
70000	-	8	0.0 %
72000	-	1	0.0 %
76000	-	2	0.0 %
80000	-	4	0.0 %
84000	-	1	0.0 %
90000	-	4	0.0 %
92000	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
100000	-	9	0.0 %
110000	-	1	0.0 %
120000	-	3	0.0 %
129000	-	2	0.0 %
130000	-	2	0.0 %
136000	-	1	0.0 %
140000	-	2	0.0 %
150000	-	7	0.0 %
160000	-	1	0.0 %
180000	-	2	0.0 %
200000	-	6	0.0 %
250000	-	1	0.0 %
270000	-	1	0.0 %
300000	-	4	0.0 %
400000	-	3	0.0 %
500000	-	3	0.0 %
600000	-	1	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	7870	18.9 %
. (M)	-	1	0.0 %

Based upon 33682 valid cases out of 41554 total cases.

- Mean: 495.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 600000.00
- Standard Deviation: 9667.20

IN5	HH15 8.5 Inc: scholarship/gift
Location:	730-735 (width: 6; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Income from scholarships or gifts.
<i>Value</i>	
<i>Label</i>	
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know

- Study 22626 -

<i>Value</i>	<i>Label</i>
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 33959 valid cases out of 41554 total cases.

- Mean: 121.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200000.00
- Standard Deviation: 1917.90

IN6
HH15 8.6 Inc: IRDP/ insurance

Location: 736-741 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Income from any govt. sources, such as IRDP or insurance payout.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 33534 valid cases out of 41554 total cases.

- Mean: 171.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500000.00
- Standard Deviation: 5532.45

IN14A
HH15 8.14a Land from govt

Location: 742-744 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: In the last two years, has anyone in the household received land from the govt. How much land.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	31341	75.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	96	0.2 %
2	-	25	0.1 %
3	-	18	0.0 %
4	-	11	0.0 %
5	-	23	0.1 %
6	-	2	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
25	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
50	-	1	0.0 %
100	-	2	0.0 %
-1 (M)	Valid blank	10027	24.1 %

Based upon 31527 valid cases out of 41554 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 0.92

IN14B

HH15 8.14b Land from govt Rs

Location: 745-750 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: About how much was that land worth.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	24902	59.9 %
5	-	1	0.0 %
125	-	1	0.0 %
300	-	1	0.0 %
410	-	1	0.0 %
500	-	1	0.0 %
600	-	2	0.0 %
920	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1000	-	4	0.0 %
1200	-	1	0.0 %
2000	-	5	0.0 %
2500	-	2	0.0 %
2600	-	1	0.0 %
3000	-	4	0.0 %
4000	-	1	0.0 %
5000	-	11	0.0 %
6000	-	9	0.0 %
7000	-	1	0.0 %
7500	-	1	0.0 %
8000	-	5	0.0 %
9000	-	2	0.0 %
10000	-	23	0.1 %
15000	-	21	0.1 %
16000	-	3	0.0 %
20000	-	17	0.0 %
25000	-	11	0.0 %
30000	-	15	0.0 %
40000	-	6	0.0 %
45000	-	1	0.0 %
50000	-	4	0.0 %
60000	-	5	0.0 %
67000	-	1	0.0 %
70000	-	2	0.0 %
75000	-	2	0.0 %
80000	-	4	0.0 %
100000	-	7	0.0 %
105000	-	1	0.0 %
120000	-	1	0.0 %
150000	-	1	0.0 %
180000	-	1	0.0 %
200000	-	1	0.0 %
250000	-	1	0.0 %
350000	-	1	0.0 %
-1 (M)	Valid blank	16467	39.6 %
. (M)	-	1	0.0 %

Based upon 25086 valid cases out of 41554 total cases.

- Mean: 215.21

- Study 22626 -

- Median: 0.00
 - Mode: 0.00
 - Minimum: 0.00
 - Maximum: 350000.00
 - Standard Deviation: 4469.82

IN15	HH16 8.15 Govt housing		
Location:	751-752 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Did your household receive any support from the government for house construction, latrines, or chulha.		
Value	Label	Unweighted Frequency	%
0	No	37463	90.2 %
1	Yes	3481	8.4 %
36	-	1	0.0 %
-1 (M)	Valid blank	609	1.5 %

Based upon 40945 valid cases out of 41554 total cases.

- Mean: 0.09
 - Median: 0.00
 - Mode: 0.00
 - Minimum: 0.00
 - Maximum: 36.00
 - Standard Deviation: 0.33

IN15A	HH16 8.15a Govt housing Built Rs		
Location:	753-758 (width: 6; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Did you get a built house (value rupees).		
Value	Label	Unweighted Frequency	%
0	-	27754	66.8 %
1	-	13	0.0 %
10	-	1	0.0 %
22	-	1	0.0 %
400	-	1	0.0 %
1500	-	1	0.0 %
2000	-	5	0.0 %
2500	-	2	0.0 %
3000	-	6	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3400	-	1	0.0 %
3600	-	2	0.0 %
4000	-	7	0.0 %
4500	-	1	0.0 %
5000	-	18	0.0 %
6000	-	14	0.0 %
7000	-	8	0.0 %
7500	-	1	0.0 %
8000	-	11	0.0 %
8500	-	1	0.0 %
9000	-	10	0.0 %
10000	-	47	0.1 %
10800	-	1	0.0 %
12000	-	12	0.0 %
12500	-	3	0.0 %
13000	-	6	0.0 %
13200	-	1	0.0 %
14000	-	9	0.0 %
14500	-	4	0.0 %
15000	-	48	0.1 %
15800	-	1	0.0 %
16000	-	11	0.0 %
17000	-	2	0.0 %
17500	-	2	0.0 %
18000	-	15	0.0 %
18500	-	1	0.0 %
20000	-	154	0.4 %
21000	-	3	0.0 %
22000	-	23	0.1 %
22500	-	1	0.0 %
24000	-	2	0.0 %
25000	-	163	0.4 %
25500	-	1	0.0 %
26000	-	1	0.0 %
27000	-	1	0.0 %
28000	-	17	0.0 %
28500	-	4	0.0 %
30000	-	44	0.1 %
32000	-	6	0.0 %
35000	-	21	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36000	-	1	0.0 %
37000	-	1	0.0 %
38500	-	2	0.0 %
40000	-	27	0.1 %
42000	-	1	0.0 %
45000	-	4	0.0 %
47500	-	1	0.0 %
50000	-	30	0.1 %
51000	-	1	0.0 %
55000	-	1	0.0 %
60000	-	4	0.0 %
65000	-	2	0.0 %
70000	-	2	0.0 %
79000	-	1	0.0 %
82000	-	1	0.0 %
100000	-	2	0.0 %
-1 (M)	Valid blank	13010	31.3 %
. (M)	-	1	0.0 %

Based upon 28543 valid cases out of 41554 total cases.

- Mean: 609.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 4179.55

IN15B
HH16 8.15b Govt housing Rs

Location: 759-763 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Did you get money to build house.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

- Study 22626 -

Based upon 28606 valid cases out of 41554 total cases.

- Mean: 911.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 82000.00
- Standard Deviation: 4342.78

IN15C

HH16 8.15c Govt housing Materials Rs

Location: 764-768 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Did you get materials to build house (value rupees).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	28034	67.5 %
20	-	1	0.0 %
200	-	1	0.0 %
250	-	1	0.0 %
300	-	3	0.0 %
400	-	1	0.0 %
500	-	4	0.0 %
600	-	1	0.0 %
800	-	2	0.0 %
1000	-	10	0.0 %
1020	-	1	0.0 %
1200	-	6	0.0 %
1250	-	1	0.0 %
1500	-	9	0.0 %
1600	-	1	0.0 %
1700	-	6	0.0 %
1800	-	1	0.0 %
2000	-	13	0.0 %
2200	-	1	0.0 %
2240	-	1	0.0 %
2300	-	1	0.0 %
2500	-	5	0.0 %
2600	-	1	0.0 %
2750	-	2	0.0 %
2800	-	1	0.0 %
3000	-	14	0.0 %
3200	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3300	-	1	0.0 %
3400	-	2	0.0 %
3500	-	2	0.0 %
3600	-	1	0.0 %
4000	-	14	0.0 %
4200	-	3	0.0 %
4800	-	2	0.0 %
5000	-	31	0.1 %
5050	-	1	0.0 %
5200	-	1	0.0 %
5440	-	2	0.0 %
5610	-	1	0.0 %
6000	-	14	0.0 %
6750	-	1	0.0 %
7000	-	10	0.0 %
7200	-	1	0.0 %
7500	-	1	0.0 %
8000	-	19	0.0 %
8050	-	1	0.0 %
8100	-	1	0.0 %
8500	-	1	0.0 %
8700	-	1	0.0 %
9000	-	3	0.0 %
10000	-	38	0.1 %
11000	-	2	0.0 %
12000	-	32	0.1 %
12250	-	1	0.0 %
13000	-	2	0.0 %
13260	-	1	0.0 %
14000	-	1	0.0 %
14700	-	1	0.0 %
15000	-	19	0.0 %
17000	-	1	0.0 %
17200	-	1	0.0 %
17500	-	7	0.0 %
18000	-	5	0.0 %
19000	-	1	0.0 %
20000	-	36	0.1 %
22000	-	8	0.0 %
25000	-	8	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27000	-	1	0.0 %
28000	-	1	0.0 %
29000	-	1	0.0 %
30000	-	10	0.0 %
34200	-	1	0.0 %
35000	-	1	0.0 %
40000	-	3	0.0 %
44500	-	1	0.0 %
45000	-	1	0.0 %
50000	-	2	0.0 %
51000	-	1	0.0 %
60000	-	1	0.0 %
-1 (M)	Valid blank	13128	31.6 %

Based upon 28426 valid cases out of 41554 total cases.

- Mean: 148.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60000.00
- Standard Deviation: 1673.99

IN15D

HH16 8.15d Govt housing latrines Rs

Location: 769-772 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Did you get sanitary latrines (value rupees).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	27218	65.5 %
1	-	8	0.0 %
30	-	1	0.0 %
50	-	2	0.0 %
55	-	1	0.0 %
100	-	2	0.0 %
120	-	1	0.0 %
125	-	6	0.0 %
150	-	2	0.0 %
180	-	1	0.0 %
200	-	20	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
220	-	3	0.0 %
225	-	4	0.0 %
250	-	16	0.0 %
300	-	22	0.1 %
320	-	1	0.0 %
350	-	1	0.0 %
375	-	1	0.0 %
400	-	4	0.0 %
450	-	1	0.0 %
500	-	128	0.3 %
514	-	1	0.0 %
565	-	1	0.0 %
600	-	10	0.0 %
625	-	1	0.0 %
650	-	3	0.0 %
700	-	4	0.0 %
720	-	1	0.0 %
750	-	8	0.0 %
800	-	6	0.0 %
840	-	1	0.0 %
900	-	4	0.0 %
1000	-	63	0.2 %
1050	-	2	0.0 %
1100	-	2	0.0 %
1200	-	27	0.1 %
1250	-	26	0.1 %
1280	-	1	0.0 %
1300	-	4	0.0 %
1400	-	12	0.0 %
1450	-	2	0.0 %
1470	-	3	0.0 %
1476	-	1	0.0 %
1500	-	86	0.2 %
1550	-	1	0.0 %
1600	-	18	0.0 %
1650	-	5	0.0 %
1700	-	9	0.0 %
1750	-	14	0.0 %
1800	-	29	0.1 %
2000	-	279	0.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2100	-	3	0.0 %
2160	-	1	0.0 %
2200	-	33	0.1 %
2300	-	1	0.0 %
2400	-	2	0.0 %
2500	-	201	0.5 %
2600	-	3	0.0 %
2700	-	21	0.1 %
2710	-	1	0.0 %
2750	-	18	0.0 %
2800	-	3	0.0 %
2900	-	1	0.0 %
3000	-	112	0.3 %
3200	-	1	0.0 %
3500	-	1	0.0 %
4000	-	6	0.0 %
5000	-	30	0.1 %
-1 (M)	Valid blank	13048	31.4 %
. (M)	-	1	0.0 %

Based upon 28505 valid cases out of 41554 total cases.

- Mean: 81.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 429.98

IN15E

HH16 8.15e Govt housing chulha Rs

Location: 773-776 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Did you get smokeless/improved chulha (value rupees).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	28345	68.2 %
1	-	1	0.0 %
6	-	1	0.0 %
20	-	7	0.0 %
25	-	7	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	-	2	0.0 %
35	-	1	0.0 %
40	-	2	0.0 %
50	-	5	0.0 %
60	-	4	0.0 %
70	-	1	0.0 %
80	-	2	0.0 %
90	-	1	0.0 %
120	-	1	0.0 %
125	-	1	0.0 %
130	-	1	0.0 %
135	-	1	0.0 %
150	-	13	0.0 %
160	-	2	0.0 %
170	-	1	0.0 %
175	-	1	0.0 %
200	-	15	0.0 %
210	-	2	0.0 %
220	-	1	0.0 %
225	-	2	0.0 %
250	-	12	0.0 %
300	-	10	0.0 %
320	-	1	0.0 %
350	-	1	0.0 %
400	-	2	0.0 %
453	-	1	0.0 %
500	-	26	0.1 %
550	-	5	0.0 %
600	-	11	0.0 %
800	-	2	0.0 %
1000	-	4	0.0 %
1100	-	1	0.0 %
1200	-	3	0.0 %
1250	-	1	0.0 %
1500	-	5	0.0 %
1800	-	2	0.0 %
2000	-	10	0.0 %
2300	-	1	0.0 %
2800	-	1	0.0 %
4000	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	13034	31.4 %

Based upon 28520 valid cases out of 41554 total cases.

- Mean: 3.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4000.00
- Standard Deviation: 63.42

IN16	HH16 8.16 Inc: other source Rs
-------------	---------------------------------------

Location: 777-782 (width: 6; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Income from any other sources.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 34953 valid cases out of 41554 total cases.

- Mean: 106.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 1331.95

IN16A	HH16 8.16 Inc: other source name
--------------	---

Location: 783-802 (width: 20; decimal: 0)
 Variable Type: character
 Question: specify other source.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	623	1.5 %
-1	40930	98.5 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

IN17	HH16 8.17 Better off last 10 yrs
-------------	---

Location: 803-804 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Compared to 10 years ago, would you say your household is economically doing the same, better, or worse today.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Same	15280	36.8 %
2	Better	20366	49.0 %
3	Worse	5876	14.1 %
-5 (M)	Valid skip	1	0.0 %
-3 (M)	Don't know	24	0.1 %
-1 (M)	Valid blank	7	0.0 %

Based upon 41522 valid cases out of 41554 total cases.

- Mean: 1.77
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.68

RC1	HH16 9.1 Ration card
------------	-----------------------------

Location: 805-806 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Does the household have a ration card.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	7147	17.2 %
1	Yes	34405	82.8 %
2	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 0.83

- Study 22626 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.38

RC1A	HH16 9.1a Ration card type
Location:	807-808 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	What type of card is this.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	BPL	13137	31.6 %
2	Standard/APL	20301	48.9 %
3	Antodaya	968	2.3 %
-1 (M)	Valid blank	7148	17.2 %

Based upon 34406 valid cases out of 41554 total cases.

- Mean: 1.65
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.53

RC1B	HH16 9.1b Ration card N listed
Location:	809-810 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	How many household members are listed on it.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1182	2.8 %
2	-	3374	8.1 %
3	-	4696	11.3 %
4	-	8246	19.8 %
5	-	6944	16.7 %
6	-	4512	10.9 %
7	-	2285	5.5 %
8	-	1372	3.3 %
9	-	649	1.6 %
10	-	480	1.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	187	0.5 %
12	-	170	0.4 %
13	-	92	0.2 %
14	-	63	0.2 %
15	-	67	0.2 %
16	-	17	0.0 %
17	-	15	0.0 %
18	-	9	0.0 %
19	-	7	0.0 %
20	-	17	0.0 %
21	-	4	0.0 %
22	-	1	0.0 %
23	-	2	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	3	0.0 %
31	-	7	0.0 %
40	-	2	0.0 %
-1 (M)	Valid blank	7149	17.2 %

Based upon 34405 valid cases out of 41554 total cases.

- Mean: 4.75
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 2.28

RC1C

HH16 9.1c Ration card used

Location: 811-812 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Have you used it in the last six months.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5165	12.4 %
1	Yes	29229	70.3 %
3	-	1	0.0 %
-6 (M)	Out of range	10	0.0 %
-1 (M)	Valid blank	7149	17.2 %

- Study 22626 -

Based upon 34395 valid cases out of 41554 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.36

RC1D

HH16 9.1d Ration card no use

Location: 813-814 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: If you have not used it, why not.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Too far	227	0.5 %
2	No time	505	1.2 %
3	Financial	197	0.5 %
4	Irregular supply	1501	3.6 %
5	Poor quality	436	1.0 %
6	Other	2314	5.6 %
-5 (M)	Valid skip	931	2.2 %
-2 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	35441	85.3 %

Based upon 5180 valid cases out of 41554 total cases.

- Mean: 4.61
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.52

RC2

HH16 9.2 Ration card why none

Location: 815-816 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: What is the main reason for not having a ration card.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not needed	814	2.0 %
2	Lost	552	1.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Bureaucratic	2801	6.7 %
4	Moved	759	1.8 %
5	Other	2220	5.3 %
-5 (M)	Valid skip	1504	3.6 %
-1 (M)	Valid blank	32904	79.2 %

Based upon 7146 valid cases out of 41554 total cases.

- Mean: 3.42
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.31

RC3	HH16 9.3 Health insurance
------------	----------------------------------

Location: 817-818 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Does anybody in the household have health insurance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	40208	96.8 %
1	Yes	1245	3.0 %
-3 (M)	Don't know	14	0.0 %
-1 (M)	Valid blank	87	0.2 %

Based upon 41453 valid cases out of 41554 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

RC4	HH16 9.4 LIC/Life insurance
------------	------------------------------------

Location: 819-820 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Does anybody in the household have LIC/life insurance.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32094	77.2 %
1	Yes	9384	22.6 %
-3 (M)	Don't know	16	0.0 %
-1 (M)	Valid blank	60	0.1 %

Based upon 41478 valid cases out of 41554 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

RC5	HH16 9.5 KISAN credit card		
Location:	821-822 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Does anybody in the household have a KISAN credit card.		
Value	Label	Unweighted Frequency	%
0	No	39886	96.0 %
1	Yes	1581	3.8 %
-6 (M)	Out of range	2	0.0 %
-3 (M)	Don't know	6	0.0 %
-1 (M)	Valid blank	79	0.2 %

Based upon 41467 valid cases out of 41554 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

MM1A	HH18 11.1 Radio regular Men
Location:	823-824 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-1
Question:	How often do the men in your household listen to the radio.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	20908	50.3 %
1	Sometimes	13835	33.3 %
2	Regularly	5355	12.9 %
29	-	1	0.0 %
-1 (M)	Valid blank	1455	3.5 %

Based upon 40099 valid cases out of 41554 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 29.00
- Standard Deviation: 0.72

MM2A	HH18 11.2 Newspaper regular Men
-------------	--

Location: 825-826 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -1
 Question: How often do the men in your household read the newspaper.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	19624	47.2 %
1	Sometimes	11103	26.7 %
2	Regularly	9255	22.3 %
5	-	1	0.0 %
-1 (M)	Valid blank	1571	3.8 %

Based upon 39983 valid cases out of 41554 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.81

MM3A	HH18 11.3 TV regular Men
-------------	---------------------------------

Location: 827-828 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -1
 Question: How often do the men in your household watch TV.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	11387	27.4 %
1	Sometimes	13031	31.4 %
2	Regularly	15534	37.4 %
36	-	1	0.0 %
-1 (M)	Valid blank	1601	3.9 %

Based upon 39953 valid cases out of 41554 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 0.83

MM4A

HH18 11.4 TV hrs/day Men

Location: 829-830 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: On an average day, about how many hours per day do the men watch TV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	<half hour	12408	29.9 %
1	-	10823	26.0 %
2	-	9123	22.0 %
3	-	2264	5.4 %
4	-	718	1.7 %
5	-	167	0.4 %
6	-	69	0.2 %
7	-	5	0.0 %
8	-	10	0.0 %
9	-	4	0.0 %
10	-	16	0.0 %
11	-	4	0.0 %
12	-	6	0.0 %
-1 (M)	Valid blank	5937	14.3 %

Based upon 35617 valid cases out of 41554 total cases.

- Mean: 1.13
- Median: 1.00
- Mode: 0.00

- Study 22626 -

- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.11

MM5A

HH18 11.5 TV news regular Men

Location: 831-832 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How often do the men watch news, talk shows, educational or agricultural shows.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	16528	39.8 %
1	Sometimes	11848	28.5 %
2	Regularly	6743	16.2 %
-1 (M)	Valid blank	6435	15.5 %

Based upon 35119 valid cases out of 41554 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.76

MM1B

HH18 11.1 Radio regular Women

Location: 833-834 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How often do the women in your household listen to the radio.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	24555	59.1 %
1	Sometimes	11503	27.7 %
2	Regularly	4403	10.6 %
-1 (M)	Valid blank	1093	2.6 %

Based upon 40461 valid cases out of 41554 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.68

- Study 22626 -

MM2B
HH18 11.2 Newspaper regular Women

Location: 835-839 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How often do the women in your household read the newspaper.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	28173	67.8 %
1	Sometimes	6850	16.5 %
2	Regularly	5291	12.7 %
30000	-	1	0.0 %
-1 (M)	Valid blank	1239	3.0 %

Based upon 40315 valid cases out of 41554 total cases.

- Mean: 1.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30000.00
- Standard Deviation: 149.41

MM3B
HH18 11.3 TV regular Women

Location: 840-844 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How often do the women in your household watch TV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	12466	30.0 %
1	Sometimes	9500	22.9 %
2	Regularly	18442	44.4 %
40000	-	1	0.0 %
-1 (M)	Valid blank	1145	2.8 %

Based upon 40409 valid cases out of 41554 total cases.

- Mean: 2.14
- Median: 1.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 40000.00
- Standard Deviation: 198.98

- Study 22626 -

MM4B

HH18 11.4 TV hrs/day Women

Location: 845-849 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: On an average day, about how many hours per day do the women watch TV.

Value	Label	Unweighted Frequency	%
0	<half hour	11035	26.6 %
1	-	5916	14.2 %
2	-	9244	22.2 %
3	-	5414	13.0 %
4	-	2643	6.4 %
5	-	860	2.1 %
6	-	361	0.9 %
7	-	45	0.1 %
8	-	27	0.1 %
9	-	9	0.0 %
10	-	14	0.0 %
11	-	1	0.0 %
12	-	8	0.0 %
50000	-	1	0.0 %
-1 (M)	Valid blank	5976	14.4 %

Based upon 35578 valid cases out of 41554 total cases.

- Mean: 3.05
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50000.00
- Standard Deviation: 265.08

MM5B

HH18 11.5 TV news regular Women

Location: 850-854 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How often do the women watch news, talks shows, educational or agricultural shows.

Value	Label	Unweighted Frequency	%
0	Never	20734	49.9 %
1	Sometimes	10269	24.7 %
2	Regularly	4125	9.9 %
60000	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	6425	15.5 %

Based upon 35129 valid cases out of 41554 total cases.

- Mean: 2.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60000.00
- Standard Deviation: 320.12

MM1C
HH18 11.1 Radio regular Kids

Location: 855-856 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -1
 Question: How often do the children in your household listen to the radio.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	24034	57.8 %
1	Sometimes	6357	15.3 %
2	Regularly	2107	5.1 %
-1 (M)	Valid blank	9056	21.8 %

Based upon 32498 valid cases out of 41554 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.59

MM2C
HH18 11.2 Newspaper regular Kids

Location: 857-858 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -1
 Question: How often do the children in your household read the newspaper.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	26302	63.3 %
1	Sometimes	3814	9.2 %
2	Regularly	1828	4.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	9610	23.1 %

Based upon 31944 valid cases out of 41554 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.54

MM3C
HH18 11.3 TV regular Kids

Location: 859-860 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How often do the children in your household watch TV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	13825	33.3 %
1	Sometimes	7264	17.5 %
2	Regularly	10697	25.7 %
-1 (M)	Valid blank	9768	23.5 %

Based upon 31786 valid cases out of 41554 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.87

MM4C
HH18 11.4 TV hrs/day Kids

Location: 861-862 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: On an average day, about how many hours per day do the children watch TV.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	<half hour	12488	30.1 %
1	-	5123	12.3 %
2	-	5992	14.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	2538	6.1 %
4	-	1112	2.7 %
5	-	232	0.6 %
6	-	106	0.3 %
7	-	17	0.0 %
8	-	8	0.0 %
9	-	7	0.0 %
10	-	11	0.0 %
12	-	5	0.0 %
-1 (M)	Valid blank	13915	33.5 %

Based upon 27639 valid cases out of 41554 total cases.

- Mean: 1.14
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.31

MM5C	HH18 11.5 TV news regular Kids
-------------	---------------------------------------

Location: 863-864 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How often do the children watch news, talk shows, educational or agricultural shows.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	21242	51.1 %
1	Sometimes	4746	11.4 %
2	Regularly	1429	3.4 %
-1 (M)	Valid blank	14137	34.0 %

Based upon 27417 valid cases out of 41554 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.55

CO1X	HH19 12.1 Rice: Rs
-------------	---------------------------

- Study 22626 -

Location: 865-868 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much rice was consumed by this household in past 30 days (rupees).

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 300.16
- Minimum: 0.00
- Maximum: 7200.00
- Standard Deviation: 293.30

CO1A

HH19 12.1 Rice: kg

Location: 869-871 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much rice was consumed by this household in past 30 days (kg).

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 39597 valid cases out of 41554 total cases.

- Mean: 30.56
- Median: 25.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 450.00
- Standard Deviation: 27.26

CO1B

HH19 12.1 Rice: homegrown

- Study 22626 -

Location: 872-873 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How much of this rice was homegrown.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Home grown	4625	11.1 %
2	Purchased	32996	79.4 %
3	Both	1975	4.8 %
15	-	1	0.0 %
-1 (M)	Valid blank	1957	4.7 %

Based upon 39597 valid cases out of 41554 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 0.41

CO1C

HH19 12.1 Rice: market price

Location: 874-875 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days what was the average market price of one {kilo}.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	2	0.0 %
5	-	70	0.2 %
6	-	211	0.5 %
7	-	724	1.7 %
8	-	3286	7.9 %
9	-	2398	5.8 %
10	-	9750	23.5 %
11	-	2548	6.1 %
12	-	9457	22.8 %
13	-	2348	5.7 %
14	-	2635	6.3 %
15	-	4165	10.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	1263	3.0 %
17	-	247	0.6 %
18	-	939	2.3 %
19	-	54	0.1 %
20	-	742	1.8 %
21	-	24	0.1 %
22	-	166	0.4 %
23	-	12	0.0 %
24	-	52	0.1 %
25	-	179	0.4 %
26	-	21	0.1 %
27	-	10	0.0 %
28	-	40	0.1 %
29	-	4	0.0 %
30	-	93	0.2 %
32	-	24	0.1 %
34	-	2	0.0 %
35	-	36	0.1 %
36	-	8	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	22	0.1 %
41	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
50	-	14	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 12.03
- Median: 12.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 3.43

CO1D

HH19 12.1 Rice: PDS kg

Location: 876-878 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much did you buy from ration/PDS shop (kg).

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	30	0.1 %
2	-	134	0.3 %
3	-	333	0.8 %
4	-	123	0.3 %
5	-	676	1.6 %
6	-	77	0.2 %
7	-	74	0.2 %
8	-	204	0.5 %
9	-	6	0.0 %
10	-	1175	2.8 %
11	-	8	0.0 %
12	-	361	0.9 %
13	-	19	0.0 %
14	-	26	0.1 %
15	-	823	2.0 %
16	-	735	1.8 %
17	-	74	0.2 %
18	-	281	0.7 %
19	-	9	0.0 %
20	-	3175	7.6 %
21	-	4	0.0 %
22	-	8	0.0 %
23	-	2	0.0 %
24	-	28	0.1 %
25	-	354	0.9 %
26	-	4	0.0 %
27	-	3	0.0 %
28	-	96	0.2 %
29	-	1	0.0 %
30	-	290	0.7 %
31	-	1	0.0 %
32	-	9	0.0 %
33	-	4	0.0 %
34	-	4	0.0 %
35	-	326	0.8 %
36	-	6	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	110	0.3 %
41	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
44	-	1	0.0 %
45	-	28	0.1 %
48	-	3	0.0 %
50	-	138	0.3 %
51	-	1	0.0 %
54	-	2	0.0 %
55	-	8	0.0 %
60	-	51	0.1 %
62	-	2	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
70	-	17	0.0 %
74	-	1	0.0 %
75	-	8	0.0 %
80	-	16	0.0 %
90	-	9	0.0 %
100	-	65	0.2 %
104	-	1	0.0 %
120	-	2	0.0 %
125	-	1	0.0 %
150	-	4	0.0 %
200	-	5	0.0 %
-5 (M)	Valid skip	13384	32.2 %
-1 (M)	Valid blank	18208	43.8 %

Based upon 9962 valid cases out of 41554 total cases.

- Mean: 18.24
- Median: 18.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 200.00
- Standard Deviation: 13.47

CO1E

HH19 12.1 Rice: PDS price

Location: 879-880 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Over the past 30 days how much did you pay in the ration shop for {kilo} of rice.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	4	0.0 %
2	-	95	0.2 %
3	-	11750	28.3 %
4	-	3528	8.5 %
5	-	4141	10.0 %
6	-	9337	22.5 %
7	-	2157	5.2 %
8	-	2047	4.9 %
9	-	1779	4.3 %
10	-	567	1.4 %
11	-	1743	4.2 %
12	-	1	0.0 %
-5 (M)	Valid skip	1	0.0 %
. (M)	-	4403	10.6 %

Based upon 37150 valid cases out of 41554 total cases.

- Mean: 5.35
- Median: 5.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.25

CO2X

HH19 12.2 Wheat: Rs

Location: 881-884 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much wheat was consumed by this household in past 30 days.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 174.00
- Minimum: 0.00
- Maximum: 3150.00
- Standard Deviation: 202.12

CO2A	HH19 12.2 Wheat: kg																
Location:	885-887 (width: 3; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	Please tell me how much wheat was consumed in past 30 days (kilo).																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 32711 valid cases out of 41554 total cases.

- Mean: 27.91
- Median: 20.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 350.00
- Standard Deviation: 26.58

CO2B	HH19 12.2 Wheat: homegrown																												
Location:	888-889 (width: 2; decimal: 0)																												
Variable Type:	numeric																												
Range of Missing Values (M):	-1																												
Question:	How much of this wheat was homegrown.																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: right; padding: 2px;">Unweighted Frequency</th><th style="text-align: right; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">0</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">1</td><td style="padding: 2px;">Home grown</td><td style="text-align: right; padding: 2px;">4067</td><td style="text-align: right; padding: 2px;">9.8 %</td></tr> <tr> <td style="padding: 2px;">2</td><td style="padding: 2px;">Purchased</td><td style="text-align: right; padding: 2px;">27603</td><td style="text-align: right; padding: 2px;">66.4 %</td></tr> <tr> <td style="padding: 2px;">3</td><td style="padding: 2px;">Both</td><td style="text-align: right; padding: 2px;">1039</td><td style="text-align: right; padding: 2px;">2.5 %</td></tr> <tr> <td style="padding: 2px;">30</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">8843</td><td style="text-align: right; padding: 2px;">21.3 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	0	-	1	0.0 %	1	Home grown	4067	9.8 %	2	Purchased	27603	66.4 %	3	Both	1039	2.5 %	30	-	1	0.0 %	-1 (M)	Valid blank	8843	21.3 %
Value	Label	Unweighted Frequency	%																										
0	-	1	0.0 %																										
1	Home grown	4067	9.8 %																										
2	Purchased	27603	66.4 %																										
3	Both	1039	2.5 %																										
30	-	1	0.0 %																										
-1 (M)	Valid blank	8843	21.3 %																										

Based upon 32711 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.91
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 0.41

CO2C	HH19 12.2 Wheat: market price			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	-	1	0.0 %
	2	-	1	0.0 %
	3	-	1	0.0 %
	4	-	3	0.0 %
	5	-	308	0.7 %
	6	-	2100	5.1 %
	7	-	5729	13.8 %
	8	-	7719	18.6 %
	9	-	4532	10.9 %
	10	-	9456	22.8 %
	11	-	2882	6.9 %
	12	-	6307	15.2 %
	13	-	1322	3.2 %
	14	-	453	1.1 %
	15	-	292	0.7 %
	16	-	105	0.3 %
	17	-	25	0.1 %
	18	-	133	0.3 %
	19	-	32	0.1 %
	20	-	46	0.1 %
	21	-	2	0.0 %
	. (M)	-	105	0.3 %

Based upon 41449 valid cases out of 41554 total cases.

- Mean: 9.47
- Median: 10.00
- Mode: 10.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 21.00
- Standard Deviation: 2.16

CO2D

HH19 12.2 Wheat: PDS kg

Location: 892-894 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much did you buy from ration/PDS shop (kg).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	40	0.1 %
2	-	315	0.8 %
3	-	577	1.4 %
4	-	344	0.8 %
5	-	1759	4.2 %
6	-	123	0.3 %
7	-	161	0.4 %
8	-	102	0.2 %
9	-	74	0.2 %
10	-	784	1.9 %
11	-	4	0.0 %
12	-	67	0.2 %
13	-	9	0.0 %
14	-	19	0.0 %
15	-	537	1.3 %
16	-	14	0.0 %
17	-	13	0.0 %
18	-	8	0.0 %
19	-	1	0.0 %
20	-	665	1.6 %
21	-	3	0.0 %
22	-	5	0.0 %
23	-	32	0.1 %
24	-	3	0.0 %
25	-	257	0.6 %
26	-	2	0.0 %
27	-	4	0.0 %
28	-	10	0.0 %
29	-	1	0.0 %
30	-	266	0.6 %
31	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
32	-	3	0.0 %
33	-	2	0.0 %
34	-	4	0.0 %
35	-	199	0.5 %
40	-	83	0.2 %
45	-	11	0.0 %
50	-	59	0.1 %
55	-	1	0.0 %
60	-	19	0.0 %
70	-	28	0.1 %
72	-	1	0.0 %
75	-	3	0.0 %
80	-	4	0.0 %
100	-	5	0.0 %
120	-	1	0.0 %
200	-	1	0.0 %
-5 (M)	Valid skip	11048	26.6 %
-1 (M)	Valid blank	23881	57.5 %

Based upon 6625 valid cases out of 41554 total cases.

- Mean: 12.30
- Median: 7.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 11.81

CO2E

HH19 12.2 Wheat: PDS price

Location: 895-896 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Over the past 30 days how much did you pay in the RATION shop for one (kilo) of wheat.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
2	-	2503	6.0 %
3	-	9919	23.9 %
4	-	4951	11.9 %
5	-	9945	23.9 %
6	-	1553	3.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	3728	9.0 %
8	-	7587	18.3 %
9	-	189	0.5 %
10	-	304	0.7 %
11	-	8	0.0 %
12	-	107	0.3 %
13	-	1	0.0 %
16	-	1	0.0 %
-5 (M)	Valid skip	1	0.0 %
. (M)	-	756	1.8 %

Based upon 40797 valid cases out of 41554 total cases.

- Mean: 5.06
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 2.03

CO3X
HH19 12.3 Sugar: Rs

Location: 897-900 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much sugar has been consumed by this household in past 30 days.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 87.49
- Minimum: 0.00
- Maximum: 2200.00
- Standard Deviation: 89.66

CO3A
HH19 12.3 Sugar: kg

- Study 22626 -

Location: 901-903 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much sugar has been consumed by this household in past 30 days (kilo).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	4288	10.3 %
2	-	7953	19.1 %
3	-	6106	14.7 %
4	-	4843	11.7 %
5	-	5998	14.4 %
6	-	2183	5.3 %
7	-	1275	3.1 %
8	-	1667	4.0 %
9	-	253	0.6 %
10	-	2301	5.5 %
11	-	27	0.1 %
12	-	509	1.2 %
13	-	55	0.1 %
14	-	39	0.1 %
15	-	904	2.2 %
16	-	52	0.1 %
17	-	16	0.0 %
18	-	53	0.1 %
19	-	2	0.0 %
20	-	384	0.9 %
21	-	4	0.0 %
22	-	8	0.0 %
23	-	3	0.0 %
24	-	3	0.0 %
25	-	89	0.2 %
26	-	2	0.0 %
27	-	3	0.0 %
28	-	6	0.0 %
29	-	1	0.0 %
30	-	145	0.3 %
32	-	4	0.0 %
33	-	1	0.0 %
35	-	11	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	22	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	-	1	0.0 %
45	-	9	0.0 %
47	-	1	0.0 %
50	-	13	0.0 %
54	-	1	0.0 %
56	-	2	0.0 %
58	-	4	0.0 %
60	-	9	0.0 %
61	-	1	0.0 %
65	-	1	0.0 %
70	-	3	0.0 %
72	-	1	0.0 %
77	-	1	0.0 %
80	-	1	0.0 %
85	-	3	0.0 %
90	-	1	0.0 %
95	-	1	0.0 %
100	-	3	0.0 %
-1 (M)	Valid blank	2286	5.5 %

Based upon 39268 valid cases out of 41554 total cases.

- Mean: 4.88
- Median: 4.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 4.64

CO3B
HH19 12.3 Sugar: homegrown

Location: 904-905 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How much of this sugar was homegrown.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Home grown	119	0.3 %
2	Purchased	39094	94.1 %
3	Both	56	0.1 %
-1 (M)	Valid blank	2285	5.5 %

Based upon 39269 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.07

CO3C

HH19 12.3 Sugar: market price

Location: 906-907 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days what was the average market price of one (kilo).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
2	-	2	0.0 %
4	-	1	0.0 %
7	-	6	0.0 %
8	-	13	0.0 %
9	-	9	0.0 %
10	-	71	0.2 %
11	-	14	0.0 %
12	-	54	0.1 %
13	-	36	0.1 %
14	-	177	0.4 %
15	-	238	0.6 %
16	-	663	1.6 %
17	-	1685	4.1 %
18	-	6698	16.1 %
19	-	3181	7.7 %
20	-	20271	48.8 %
21	-	2048	4.9 %
22	-	5334	12.8 %
23	-	259	0.6 %
24	-	468	1.1 %
25	-	234	0.6 %
26	-	48	0.1 %
27	-	6	0.0 %
28	-	37	0.1 %

Based upon 41554 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 19.73
- Median: 20.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 28.00
- Standard Deviation: 1.75

CO3D	HH19 12.3 Sugar: PDS kg		
Location:	908-909 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	How much did you buy from ration/PDS shop (kg).		
Value	Label	Unweighted Frequency	%
1	-	1846	4.4 %
2	-	2842	6.8 %
3	-	1136	2.7 %
4	-	584	1.4 %
5	-	568	1.4 %
6	-	119	0.3 %
7	-	83	0.2 %
8	-	59	0.1 %
9	-	10	0.0 %
10	-	59	0.1 %
11	-	3	0.0 %
12	-	16	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	13	0.0 %
18	-	3	0.0 %
20	-	5	0.0 %
-5 (M)	Valid skip	13933	33.5 %
-1 (M)	Valid blank	20271	48.8 %
. (M)	-	1	0.0 %

Based upon 7349 valid cases out of 41554 total cases.

- Mean: 2.61
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.84

- Study 22626 -

CO3E

HH19 12.3 Sugar: PDS price

Location: 910-916 (width: 7; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7.0 , -6.0 , -5.0 , -4.0 , -3.0 , -2.0 , -1.0 , .

Question: Over the past 30 days how much did you pay in the ration shop for one (kilo) of sugar.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.0	-	8	0.0 %
2.0	-	3	0.0 %
3.0	-	6	0.0 %
4.0	-	21	0.1 %
5.0	-	7	0.0 %
6.0	-	9	0.0 %
7.0	-	14	0.0 %
8.0	-	45	0.1 %
9.0	-	214	0.5 %
10.0	-	150	0.4 %
11.0	-	1675	4.0 %
11.5	-	1483	3.6 %
12.0	-	2324	5.6 %
13.0	-	6059	14.6 %
13.5	-	1637	3.9 %
14.0	-	19495	46.9 %
15.0	-	7619	18.3 %
16.0	-	478	1.2 %
17.0	-	10	0.0 %
18.0	-	100	0.2 %
-5.0 (M)	Valid skip	1	0.0 %
-1.0 (M)	Valid blank	1	0.0 %
. (M)	-	195	0.5 %

Based upon 41357 valid cases out of 41554 total cases.

- Mean: 13.67
- Median: 14.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 1.23

CO4X

HH19 12.4 Kerosene: Rs

Location: 917-919 (width: 3; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Please tell me how much kerosene has been consumed by this household in past 30 days (rupees).

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 39.40
- Minimum: 0.00
- Maximum: 900.00
- Standard Deviation: 48.25

CO4A

HH19 12.4 Kerosene: Lts

Location:

920-921 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Please tell me how much kerosene has been consumed by this household in past 30 days (lts).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1562	3.8 %
2	-	7377	17.8 %
3	-	7467	18.0 %
4	-	4009	9.6 %
5	-	6583	15.8 %
6	-	900	2.2 %
7	-	428	1.0 %
8	-	728	1.8 %
9	-	368	0.9 %
10	-	1355	3.3 %
11	-	18	0.0 %
12	-	112	0.3 %
13	-	31	0.1 %
14	-	24	0.1 %
15	-	287	0.7 %
16	-	26	0.1 %
17	-	8	0.0 %
18	-	23	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	-	6	0.0 %
20	-	149	0.4 %
21	-	6	0.0 %
22	-	8	0.0 %
23	-	1	0.0 %
24	-	3	0.0 %
25	-	27	0.1 %
26	-	1	0.0 %
27	-	5	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	29	0.1 %
32	-	6	0.0 %
34	-	1	0.0 %
35	-	5	0.0 %
40	-	4	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
-1 (M)	Valid blank	9989	24.0 %

Based upon 31565 valid cases out of 41554 total cases.

- Mean: 4.19
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 3.07

CO4B
HH19 12.4 Kerosene: Rs

Location: 922-923 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How much of this kerosene was purchased (rupees).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Home grown	0	0.0 %
2	Purchased	31564	76.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Both	1	0.0 %
-1 (M)	Valid blank	9989	24.0 %

Based upon 31565 valid cases out of 41554 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 3.00
- Standard Deviation: 0.01

CO4C	HH19 12.4 Kerosene: market price
-------------	---

Location: 924-930 (width: 7; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7.0 , -6.0 , -5.0 , -4.0 , -3.0 , -2.0 , -1.0

Question: Over the past 30 days what was the average market price of one (liter) of kerosene.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.0	-	1	0.0 %
8.0	-	13	0.0 %
9.0	-	191	0.5 %
10.0	-	3208	7.7 %
11.0	-	3456	8.3 %
12.0	-	2109	5.1 %
13.0	-	2046	4.9 %
14.0	-	1985	4.8 %
15.0	-	7225	17.4 %
16.0	-	2477	6.0 %
17.0	-	512	1.2 %
17.5	-	752	1.8 %
18.0	-	3852	9.3 %
19.0	-	112	0.3 %
20.0	-	7906	19.0 %
21.0	-	97	0.2 %
22.0	-	2542	6.1 %
23.0	-	127	0.3 %
24.0	-	500	1.2 %
25.0	-	1691	4.1 %
26.0	-	100	0.2 %
27.0	-	55	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
28.0	-	202	0.5 %
29.0	-	2	0.0 %
30.0	-	391	0.9 %
35.0	-	1	0.0 %
-1.0 (M)	Valid blank	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 16.55
- Median: 16.00
- Mode: 20.00
- Minimum: 2.00
- Maximum: 35.00
- Standard Deviation: 4.40

CO4D	HH19 12.4 Kerosene: PDS Its
-------------	------------------------------------

Location: 931-932 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much did you buy from ration/PDS shop (lts).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1111	2.7 %
2	-	6423	15.5 %
3	-	6690	16.1 %
4	-	3065	7.4 %
5	-	5085	12.2 %
6	-	509	1.2 %
7	-	191	0.5 %
8	-	456	1.1 %
9	-	316	0.8 %
10	-	819	2.0 %
11	-	12	0.0 %
12	-	47	0.1 %
13	-	6	0.0 %
14	-	13	0.0 %
15	-	89	0.2 %
16	-	10	0.0 %
17	-	1	0.0 %
18	-	20	0.0 %
19	-	4	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	42	0.1 %
21	-	1	0.0 %
35	-	1	0.0 %
-5 (M)	Valid skip	2690	6.5 %
-1 (M)	Valid blank	13953	33.6 %

Based upon 24911 valid cases out of 41554 total cases.

- Mean: 3.80
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 35.00
- Standard Deviation: 2.28

CO4E

HH19 12.4 Kerosene: PDS price

Location: 933-934 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Over the past 30 days, how much did you pay in the ration shop for one (liter) of kerosene.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	14	0.0 %
2	-	22	0.1 %
3	-	13	0.0 %
4	-	13	0.0 %
5	-	17	0.0 %
6	-	13	0.0 %
7	-	22	0.1 %
8	-	86	0.2 %
9	-	5065	12.2 %
10	-	22789	54.8 %
11	-	9508	22.9 %
12	-	2581	6.2 %
13	-	647	1.6 %
14	-	157	0.4 %
15	-	409	1.0 %
16	-	3	0.0 %
. (M)	-	195	0.5 %

Based upon 41359 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 10.32
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 16.00
- Standard Deviation: 1.03

CO5X	HH19 12.5 Other cereals: Rs																
Location:	935-938 (width: 4; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	Please tell me how much other cereals have been consumed by this household in past 30 days.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 38.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7750.00
- Standard Deviation: 100.11

CO5A	HH19 12.5 Other cereals: kg																														
Location:	939-941 (width: 3; decimal: 0)																														
Variable Type:	numeric																														
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																														
Question:	Please tell me how much other cereal has been consumed by this household in past 30 days (kg).																														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: right; padding: 2px;">Unweighted Frequency</th><th style="text-align: right; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">1</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">898</td><td style="text-align: right; padding: 2px;">2.2 %</td></tr> <tr> <td style="padding: 2px;">2</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1865</td><td style="text-align: right; padding: 2px;">4.5 %</td></tr> <tr> <td style="padding: 2px;">3</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">928</td><td style="text-align: right; padding: 2px;">2.2 %</td></tr> <tr> <td style="padding: 2px;">4</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">687</td><td style="text-align: right; padding: 2px;">1.7 %</td></tr> <tr> <td style="padding: 2px;">5</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1716</td><td style="text-align: right; padding: 2px;">4.1 %</td></tr> <tr> <td style="padding: 2px;">6</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">293</td><td style="text-align: right; padding: 2px;">0.7 %</td></tr> </tbody> </table>				Value	Label	Unweighted Frequency	%	1	-	898	2.2 %	2	-	1865	4.5 %	3	-	928	2.2 %	4	-	687	1.7 %	5	-	1716	4.1 %	6	-	293	0.7 %
Value	Label	Unweighted Frequency	%																												
1	-	898	2.2 %																												
2	-	1865	4.5 %																												
3	-	928	2.2 %																												
4	-	687	1.7 %																												
5	-	1716	4.1 %																												
6	-	293	0.7 %																												

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	156	0.4 %
8	-	317	0.8 %
9	-	68	0.2 %
10	-	2448	5.9 %
11	-	4	0.0 %
12	-	113	0.3 %
13	-	7	0.0 %
14	-	9	0.0 %
15	-	1086	2.6 %
16	-	21	0.1 %
17	-	2	0.0 %
18	-	32	0.1 %
19	-	2	0.0 %
20	-	1565	3.8 %
21	-	1	0.0 %
22	-	11	0.0 %
23	-	1	0.0 %
24	-	6	0.0 %
25	-	533	1.3 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	11	0.0 %
30	-	794	1.9 %
32	-	7	0.0 %
33	-	2	0.0 %
35	-	128	0.3 %
36	-	6	0.0 %
40	-	417	1.0 %
45	-	18	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	393	0.9 %
55	-	6	0.0 %
56	-	2	0.0 %
58	-	2	0.0 %
60	-	114	0.3 %
63	-	1	0.0 %
64	-	1	0.0 %
65	-	6	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
70	-	66	0.2 %
75	-	20	0.0 %
80	-	50	0.1 %
84	-	1	0.0 %
85	-	1	0.0 %
90	-	19	0.0 %
95	-	1	0.0 %
100	-	121	0.3 %
102	-	2	0.0 %
110	-	2	0.0 %
120	-	7	0.0 %
125	-	1	0.0 %
130	-	1	0.0 %
140	-	1	0.0 %
150	-	19	0.0 %
160	-	3	0.0 %
170	-	1	0.0 %
180	-	2	0.0 %
200	-	11	0.0 %
300	-	1	0.0 %
310	-	1	0.0 %
320	-	1	0.0 %
500	-	1	0.0 %
-1 (M)	Valid blank	26538	63.9 %

Based upon 15016 valid cases out of 41554 total cases.

- Mean: 14.71
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 500.00
- Standard Deviation: 18.87

CO5B

HH19 12.5 Other cereals: homegrown

Location: 942-943 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How much of these other cereals were homegrown.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Home grown	2913	7.0 %
2	Purchased	11571	27.8 %
3	Both	531	1.3 %
-1 (M)	Valid blank	26538	63.9 %

Based upon 15016 valid cases out of 41554 total cases.

- Mean: 1.84
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.45

CO5C	HH19 12.5 Other cereals: price
-------------	---------------------------------------

Location: 944-950 (width: 7; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7.0 , -6.0 , -5.0 , -4.0 , -3.0 , -2.0 , -1.0 , .

Question: Over the past 30 days, what was the average market price of one (kilo) of other cereals.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	-	1	0.0 %
2.0	-	4	0.0 %
3.0	-	72	0.2 %
4.0	-	494	1.2 %
5.0	-	2529	6.1 %
6.0	-	7052	17.0 %
7.0	-	3440	8.3 %
8.0	-	7678	18.5 %
9.0	-	558	1.3 %
10.0	-	7568	18.2 %
11.0	-	1978	4.8 %
12.0	-	556	1.3 %
13.0	-	85	0.2 %
14.0	-	249	0.6 %
14.5	-	884	2.1 %
15.0	-	2117	5.1 %
16.0	-	87	0.2 %
17.0	-	1112	2.7 %
18.0	-	1138	2.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19.0	-	20	0.0 %
20.0	-	1066	2.6 %
21.0	-	5	0.0 %
22.0	-	1664	4.0 %
23.0	-	5	0.0 %
24.0	-	84	0.2 %
25.0	-	430	1.0 %
26.0	-	35	0.1 %
27.0	-	21	0.1 %
28.0	-	189	0.5 %
29.0	-	2	0.0 %
30.0	-	234	0.6 %
33.0	-	1	0.0 %
35.0	-	1	0.0 %
. (M)	-	195	0.5 %

Based upon 41359 valid cases out of 41554 total cases.

- Mean: 10.32
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 35.00
- Standard Deviation: 5.16

CO5D	HH19 12.5 Other cereals: PDS kg
-------------	--

Location: 951-952 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much did you buy from ration/PDS shop (kgs).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
10	-	2	0.0 %
18	-	1	0.0 %
-5 (M)	Valid skip	7013	16.9 %
-1 (M)	Valid blank	34537	83.1 %

Based upon 4 valid cases out of 41554 total cases.

- Mean: 9.50
- Median: 10.00

- Study 22626 -

- Mode: 10.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 7.37

CO5E

HH19 12.5 Other cereals: PDS price

Location: 953-954 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Over the past 30 days how much did you pay in the ration shop for one (kilo) of other cereals.

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
4	-	1	0.0 %
7	-	2096	5.0 %
10	-	1	0.0 %
-5 (M)	Valid skip	1	0.0 %
. (M)	-	39454	94.9 %

Based upon 2099 valid cases out of 41554 total cases.

- Mean: 7.00
- Median: 7.00
- Mode: 7.00
- Minimum: 2.00
- Maximum: 10.00
- Standard Deviation: 0.14

CO6X

HH19 12.6 Cereal products: Rs

Location: 955-958 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much of these cereal products have been consumed by this household in past 30 days.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 48.61
- Median: 24.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2000.00
- Standard Deviation: 78.89

CO6A	HH19 12.6 Cereal products: kg			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	-	3317	8.0 %
	2	-	3629	8.7 %
	3	-	1293	3.1 %
	4	-	649	1.6 %
	5	-	648	1.6 %
	6	-	185	0.4 %
	7	-	59	0.1 %
	8	-	124	0.3 %
	9	-	25	0.1 %
	10	-	280	0.7 %
	11	-	5	0.0 %
	12	-	39	0.1 %
	13	-	3	0.0 %
	14	-	5	0.0 %
	15	-	91	0.2 %
	16	-	7	0.0 %
	18	-	7	0.0 %
	20	-	71	0.2 %
	21	-	2	0.0 %
	22	-	2	0.0 %
	23	-	3	0.0 %
	24	-	4	0.0 %
	25	-	23	0.1 %
	28	-	1	0.0 %
	30	-	32	0.1 %
	35	-	1	0.0 %
	40	-	7	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
45	-	4	0.0 %
47	-	1	0.0 %
50	-	17	0.0 %
60	-	12	0.0 %
120	-	1	0.0 %
-1 (M)	Valid blank	31007	74.6 %

Based upon 10547 valid cases out of 41554 total cases.

- Mean: 3.18
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 120.00
- Standard Deviation: 4.67

CO6B
HH19 12.6 Cereal products: homegr

Location: 962-963 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How much of these cereal products were homegrown.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Home grown	447	1.1 %
2	Purchased	25917	62.4 %
3	Both	324	0.8 %
-1 (M)	Valid blank	14866	35.8 %

Based upon 26688 valid cases out of 41554 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.17

CO6C
HH19 12.6 Cereal products: price

Location: 964-971 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the average market price of one (kilo).

- Study 22626 -

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41239 valid cases out of 41554 total cases.

- Mean: 16.92
- Median: 15.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 7.34

CO6T

HH19 12.6 Cereal products: Rs

Location: 972-975 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much did you buy from ration/PDS shop (kg), how much did you pay in the ration shop for one (kg) of cereal products. Total value if price and quantity not possible.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 22613 valid cases out of 41554 total cases.

- Mean: 79.68
- Median: 50.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 2000.00
- Standard Deviation: 88.79

CO7X

HH19 12.7 Pulses: Rs

Location: 976-979 (width: 4; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much of these pulses have been consumed by this household in past 30 days.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 100.62
- Minimum: 0.00
- Maximum: 2500.00
- Standard Deviation: 97.66

CO7A

HH19 12.7 Pulses: kg

Location: 980-982 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much of these pulses have been consumed by this household in past 30 days (kg).

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	3157	7.6 %
2	-	7165	17.2 %
3	-	5188	12.5 %
4	-	3443	8.3 %
5	-	3405	8.2 %
6	-	1240	3.0 %
7	-	780	1.9 %
8	-	833	2.0 %
9	-	97	0.2 %
10	-	950	2.3 %
11	-	7	0.0 %
12	-	150	0.4 %
13	-	13	0.0 %
14	-	9	0.0 %
15	-	320	0.8 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	7	0.0 %
17	-	1	0.0 %
18	-	14	0.0 %
20	-	175	0.4 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
24	-	1	0.0 %
25	-	83	0.2 %
26	-	1	0.0 %
28	-	2	0.0 %
30	-	130	0.3 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	5	0.0 %
35	-	6	0.0 %
39	-	1	0.0 %
40	-	35	0.1 %
42	-	1	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
50	-	99	0.2 %
53	-	1	0.0 %
58	-	3	0.0 %
60	-	10	0.0 %
61	-	1	0.0 %
112	-	1	0.0 %
-1 (M)	Valid blank	14209	34.2 %

Based upon 27345 valid cases out of 41554 total cases.

- Mean: 4.35
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 112.00
- Standard Deviation: 5.00

CO7B

HH19 12.7 Pulses: homegrown

Location:

983-984 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 22626 -

Range of Missing Values (M): -1

Question:

How much of these pulses were homegrown.

Value	Label	Unweighted Frequency	%
1	Home grown	1505	3.6 %
2	Purchased	36656	88.2 %
3	Both	903	2.2 %
4	-	1	0.0 %
-1 (M)	Valid blank	2489	6.0 %

Based upon 39065 valid cases out of 41554 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.25

CO7C

HH19 12.7 Pulses: price

Location: 985-992 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the average marketprice of one kg of pulses.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41449 valid cases out of 41554 total cases.

- Mean: 28.20
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 325.00
- Standard Deviation: 7.41

CO7T

HH19 12.7 Pulses: Rs

Location: 993-996 (width: 4; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Total value of pulses in last 30 days if price and quantity of pulses in PDS/ration shops is not possible.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 25161 valid cases out of 41554 total cases.

- Mean: 97.15
- Median: 75.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 1200.00
- Standard Deviation: 88.96

CO8X

HH19 12.8 Meat: Rs

Location: 997-1000 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much meat was consumed by this household in past 30 days.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 123.01
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 197.97

CO8A

HH19 12.8 Meat: kg

- Study 22626 -

Location: 1001-1003 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much (meat, chicken, fish) was consumed by this household in past 30 days (kg).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	3860	9.3 %
2	-	3869	9.3 %
3	-	1528	3.7 %
4	-	1384	3.3 %
5	-	1001	2.4 %
6	-	349	0.8 %
7	-	142	0.3 %
8	-	264	0.6 %
9	-	33	0.1 %
10	-	400	1.0 %
11	-	5	0.0 %
12	-	64	0.2 %
13	-	7	0.0 %
14	-	9	0.0 %
15	-	162	0.4 %
16	-	8	0.0 %
17	-	4	0.0 %
18	-	14	0.0 %
19	-	1	0.0 %
20	-	65	0.2 %
21	-	2	0.0 %
22	-	4	0.0 %
24	-	3	0.0 %
25	-	11	0.0 %
30	-	28	0.1 %
32	-	1	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	3	0.0 %
40	-	12	0.0 %
42	-	2	0.0 %
45	-	1	0.0 %
50	-	6	0.0 %
60	-	4	0.0 %
120	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	28304	68.1 %

Based upon 13250 valid cases out of 41554 total cases.

- Mean: 3.34
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 120.00
- Standard Deviation: 3.96

CO8B
HH19 12.8 Meat: homegrown

Location: 1004-1005 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: How much of this (meat, chicken, and fish) was homegrown.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-7	Inconsistent	0	0.0 %
-6	Out of range	0	0.0 %
-5	Valid skip	0	0.0 %
-4	Invalid skip	0	0.0 %
-3	Don't know	0	0.0 %
-2	Valid skip	0	0.0 %
1	Home grown	410	1.0 %
2	Purchased	23782	57.2 %
3	Both	346	0.8 %
50	-	1	0.0 %
-1 (M)	Valid blank	17015	40.9 %

Based upon 24539 valid cases out of 41554 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 0.35

CO8C
HH19 12.8 Meat: price

Location: 1006-1014 (width: 9; decimal: 2)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Over the past 30 days, what was the average market price of one (kilo) of (meat, chicken, and fish).

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41220 valid cases out of 41554 total cases.

- Mean: 76.22
- Median: 70.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 1500.00
- Standard Deviation: 29.47

CO8T

HH19 12.8 Meat: Rs

Location:

1015-1018 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Total value of (Meat, chicken, fish) in the past 30 days if price and quantity from PDS/ration shops not possible.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 18666 valid cases out of 41554 total cases.

- Mean: 195.88
- Median: 150.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 4800.00
- Standard Deviation: 189.30

- Study 22626 -

CO9X	HH19 12.9 Sweeteners: Rs																
Location:	1019-1022 (width: 4; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	Please tell me how much gur and other sweeteners have been consumed by this household in past 30 days.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 30.35
- Median: 16.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2336.00
- Standard Deviation: 54.04

CO9A	HH19 12.9 Sweeteners: kg																																																
Location:	1023-1024 (width: 2; decimal: 0)																																																
Variable Type:	numeric																																																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																																																
Question:	Please tell me how much gur and other sweeteners have been consumed by this household in past 30 days (kg).																																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: right; padding: 2px;">Unweighted Frequency</th><th style="text-align: right; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">1</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">5658</td><td style="text-align: right; padding: 2px;">13.6 %</td></tr> <tr> <td style="padding: 2px;">2</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">4946</td><td style="text-align: right; padding: 2px;">11.9 %</td></tr> <tr> <td style="padding: 2px;">3</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1513</td><td style="text-align: right; padding: 2px;">3.6 %</td></tr> <tr> <td style="padding: 2px;">4</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">927</td><td style="text-align: right; padding: 2px;">2.2 %</td></tr> <tr> <td style="padding: 2px;">5</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1108</td><td style="text-align: right; padding: 2px;">2.7 %</td></tr> <tr> <td style="padding: 2px;">6</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">146</td><td style="text-align: right; padding: 2px;">0.4 %</td></tr> <tr> <td style="padding: 2px;">7</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">66</td><td style="text-align: right; padding: 2px;">0.2 %</td></tr> <tr> <td style="padding: 2px;">8</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">106</td><td style="text-align: right; padding: 2px;">0.3 %</td></tr> <tr> <td style="padding: 2px;">9</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">9</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">10</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">246</td><td style="text-align: right; padding: 2px;">0.6 %</td></tr> <tr> <td style="padding: 2px;">11</td><td style="padding: 2px;">-</td><td style="text-align: right; padding: 2px;">3</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	1	-	5658	13.6 %	2	-	4946	11.9 %	3	-	1513	3.6 %	4	-	927	2.2 %	5	-	1108	2.7 %	6	-	146	0.4 %	7	-	66	0.2 %	8	-	106	0.3 %	9	-	9	0.0 %	10	-	246	0.6 %	11	-	3	0.0 %
Value	Label	Unweighted Frequency	%																																														
1	-	5658	13.6 %																																														
2	-	4946	11.9 %																																														
3	-	1513	3.6 %																																														
4	-	927	2.2 %																																														
5	-	1108	2.7 %																																														
6	-	146	0.4 %																																														
7	-	66	0.2 %																																														
8	-	106	0.3 %																																														
9	-	9	0.0 %																																														
10	-	246	0.6 %																																														
11	-	3	0.0 %																																														

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	24	0.1 %
13	-	2	0.0 %
14	-	3	0.0 %
15	-	38	0.1 %
16	-	3	0.0 %
17	-	2	0.0 %
18	-	1	0.0 %
20	-	51	0.1 %
22	-	1	0.0 %
24	-	2	0.0 %
25	-	17	0.0 %
28	-	1	0.0 %
30	-	14	0.0 %
34	-	1	0.0 %
35	-	2	0.0 %
40	-	10	0.0 %
50	-	2	0.0 %
60	-	1	0.0 %
-5 (M)	Valid skip	26651	64.1 %

Based upon 14903 valid cases out of 41554 total cases.

- Mean: 2.53
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 60.00
- Standard Deviation: 2.79

CO9B
HH19 12.9 Sweeteners: homegrown

Location: 1025-1026 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -1

Question: Was this gur and other sweeteners homegrown.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-7	Inconsistent	0	0.0 %
-6	Out of range	0	0.0 %
-5	Valid skip	0	0.0 %
-4	Invalid skip	0	0.0 %
-3	Don't know	0	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	Valid skip	0	0.0 %
1	Home grown	140	0.3 %
2	Purchased	23704	57.0 %
3	Both	18	0.0 %
-1 (M)	Valid blank	17692	42.6 %

Based upon 23862 valid cases out of 41554 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.08

CO9C	HH19 12.9 Sweeteners: price
Location:	1027-1034 (width: 8; decimal: 2)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Over the past 30 days what was the average market price of one (kg) of gur and other sweeteners.
Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41449 valid cases out of 41554 total cases.

- Mean: 21.49
- Median: 20.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 700.00
- Standard Deviation: 13.07

CO9T	HH19 12.9 Sweeteners: Rs
Location:	1035-1038 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 22626 -

Question:

Total value of gur and other sweeteners in the past 30 days if price and quantity from PDS/ration shop is not possible.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 16589 valid cases out of 41554 total cases.

- Mean: 52.24
- Median: 36.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 1080.00
- Standard Deviation: 62.69

CO10X

HH19 12.10 Edible oil: Rs

Location:

1039-1042 (width: 4; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Please tell me how much edible oil and vanaspati have been consumed by this household in past 30 days.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41490 valid cases out of 41554 total cases.

- Mean: 157.72
- Minimum: 0.00
- Maximum: 1800.00
- Standard Deviation: 113.47

CO10A

HH19 12.10 Edible oil: Its

Location:

1043-1045 (width: 3; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much edible oil and vanaspati have been consumed by this household in past 30 days (lits).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	5227	12.6 %
2	-	9505	22.9 %
3	-	7204	17.3 %
4	-	4215	10.1 %
5	-	3630	8.7 %
6	-	984	2.4 %
7	-	560	1.3 %
8	-	453	1.1 %
9	-	58	0.1 %
10	-	356	0.9 %
11	-	6	0.0 %
12	-	82	0.2 %
13	-	18	0.0 %
14	-	4	0.0 %
15	-	189	0.5 %
16	-	8	0.0 %
17	-	1	0.0 %
18	-	3	0.0 %
20	-	13	0.0 %
21	-	1	0.0 %
30	-	7	0.0 %
216	-	1	0.0 %
-5 (M)	Valid skip	9028	21.7 %

Based upon 32526 valid cases out of 41554 total cases.

- Mean: 3.18
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 216.00
- Standard Deviation: 2.42

CO10B

HH19 12.10 Edible oil: homegrown

Location: 1046-1047 (width: 2; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M): -1

Question: Was this edible oil and vanaspati homegrown.

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	Home grown	495	1.2 %
2	Purchased	39713	95.6 %
3	Both	264	0.6 %
4	-	1	0.0 %
-1 (M)	Valid blank	1080	2.6 %

Based upon 40474 valid cases out of 41554 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.14

CO10C

HH19 12.10 Edible oil: price

Location: 1048-1055 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days what was the average market price of one (lt) of edible oil and vanaspati.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41324 valid cases out of 41554 total cases.

- Mean: 53.59
- Median: 52.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 412.50
- Standard Deviation: 8.17

CO10T

HH19 12.10 Edible oil: Rs

- Study 22626 -

Location: 1056-1059 (width: 4; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Total value of edible oil and vanaspati if price and quantity from PDS/ration shops is not possible.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 23111 valid cases out of 41554 total cases.

- Mean: 138.14
- Minimum: 0.00
- Maximum: 1500.00
- Standard Deviation: 110.50

CO11X

HH19 12.11 Eggs: Rs

Location: 1060-1063 (width: 4; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: Please tell me how many eggs have been consumed by this household in the past 30 days.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 18.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2280.00
- Standard Deviation: 47.53

CO11A

HH19 12.12 Eggs: dozens

- Study 22626 -

Location: 1064-1066 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how many eggs have been consumed by this household in the past 30 days (dozens).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	4609	11.1 %
2	-	3112	7.5 %
3	-	781	1.9 %
4	-	382	0.9 %
5	-	168	0.4 %
6	-	73	0.2 %
7	-	18	0.0 %
8	-	57	0.1 %
9	-	5	0.0 %
10	-	111	0.3 %
11	-	2	0.0 %
12	-	103	0.2 %
13	-	4	0.0 %
14	-	2	0.0 %
15	-	57	0.1 %
16	-	3	0.0 %
18	-	9	0.0 %
20	-	61	0.1 %
22	-	1	0.0 %
24	-	36	0.1 %
25	-	7	0.0 %
30	-	35	0.1 %
35	-	1	0.0 %
36	-	4	0.0 %
38	-	1	0.0 %
40	-	5	0.0 %
45	-	2	0.0 %
48	-	6	0.0 %
50	-	5	0.0 %
90	-	1	0.0 %
120	-	1	0.0 %
-5 (M)	Valid skip	31891	76.7 %

Based upon 9663 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 2.56
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 120.00
- Standard Deviation: 4.23

CO11B
HH19 12.12 Eggs: homegrown

Location: 1067-1068 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Were these eggs homegrown.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Home grown	891	2.1 %
2	Purchased	15959	38.4 %
3	Both	156	0.4 %
22	-	1	0.0 %
-5 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	24546	59.1 %

Based upon 17007 valid cases out of 41554 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 22.00
- Standard Deviation: 0.29

CO11C
HH19 12.12 Eggs: price

Location: 1069-1076 (width: 8; decimal: 2)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Over the past 30 days what was the average market price of one dozen of eggs.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

- Study 22626 -

Based upon 41324 valid cases out of 41554 total cases.

- Mean: 22.60
- Median: 24.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 5.19

CO11T

HH19 12.12 Eggs: Rs

Location: 1077-1079 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Total value of eggs in past 30 days if price and quantity from PDS/ration shops is not possible.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 12191 valid cases out of 41554 total cases.

- Mean: 40.30
- Median: 30.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 960.00
- Standard Deviation: 48.72

CO12X

HH19 12.12 Milk: Rs

Location: 1080-1083 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much milk has been consumed by this household in past 30 days.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know

- Study 22626 -

<i>Value</i>	<i>Label</i>
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 261.67
- Minimum: 0.00
- Maximum: 6750.00
- Standard Deviation: 338.03

CO12A
HH19 12.12 Milk: Its

Location: 1084-1086 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much milk has been consumed by this household in past 30 days (Its).

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 26181 valid cases out of 41554 total cases.

- Mean: 27.82
- Median: 20.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 640.00
- Standard Deviation: 26.32

CO12B
HH19 12.12 Milk: homegrown

Location: 1087-1088 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Was this milk homegrown.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Home grown	8056	19.4 %
2	Purchased	23747	57.1 %
3	Both	314	0.8 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	1	0.0 %
-5 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	9435	22.7 %

Based upon 32118 valid cases out of 41554 total cases.

- Mean: 1.76
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 0.50

CO12C
HH19 12.12 Milk: price

Location: 1089-1097 (width: 9; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days what was the average market price of one liter of milk.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 12.91
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 1700.00
- Standard Deviation: 10.91

CO12T
HH19 12.12 Milk: Rs

Location: 1098-1101 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Total value of milk in the past 30 days if price and quantity from PDS/ration shops is not possible.

- Study 22626 -

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 16693 valid cases out of 41554 total cases.

- Mean: 253.13
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 326.18

CO13X
HH19 12.13 Milk products: Rs

Location: 1102-1106 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much milk products have been consumed by this household in past 30 days.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 90.81
- Minimum: 0.00
- Maximum: 20000.00
- Standard Deviation: 301.52

CO13A
HH19 12.13 Milk products: Its

Location: 1107-1109 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much milk products have been consumed by this household in past 30 days (Its).

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2	0.0 %
1	-	3758	9.0 %
2	-	2361	5.7 %
3	-	632	1.5 %
4	-	448	1.1 %
5	-	835	2.0 %
6	-	329	0.8 %
7	-	191	0.5 %
8	-	156	0.4 %
9	-	23	0.1 %
10	-	392	0.9 %
11	-	11	0.0 %
12	-	26	0.1 %
13	-	3	0.0 %
14	-	2	0.0 %
15	-	148	0.4 %
16	-	5	0.0 %
17	-	3	0.0 %
18	-	5	0.0 %
20	-	105	0.3 %
25	-	21	0.1 %
30	-	89	0.2 %
31	-	3	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	44	0.1 %
45	-	5	0.0 %
50	-	9	0.0 %
56	-	1	0.0 %
60	-	50	0.1 %
62	-	2	0.0 %
70	-	1	0.0 %
75	-	3	0.0 %
78	-	1	0.0 %
79	-	1	0.0 %
80	-	1	0.0 %
90	-	7	0.0 %
93	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
100	-	3	0.0 %
120	-	1	0.0 %
150	-	2	0.0 %
180	-	1	0.0 %
-5 (M)	Valid skip	31869	76.7 %

Based upon 9685 valid cases out of 41554 total cases.

- Mean: 4.26
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 8.20

CO13B	HH19 12.13 Milk products: homegr
--------------	---

Location: 1110-1111 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Were these milk products homegrown.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Home grown	4372	10.5 %
2	Purchased	14031	33.8 %
3	Both	279	0.7 %
-5 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	22870	55.0 %

Based upon 18683 valid cases out of 41554 total cases.

- Mean: 1.78
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.45

CO13C	HH19 12.13 Milk products: price
--------------	--

Location: 1112-1119 (width: 8; decimal: 2)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 22626 -

Question:

Over the past 30 days, what was the average market price of one liter of milk products.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41219 valid cases out of 41554 total cases.

- Mean: 83.98
- Median: 60.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 900.00
- Standard Deviation: 57.38

CO13T	HH19 12.13 Milk products: Rs
Location:	1120-1123 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Total value of milk products in the past 30 days if price and quantity from PDS/ration shops is not possible.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 14102 valid cases out of 41554 total cases.

- Mean: 165.69
- Median: 100.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 4400.00
- Standard Deviation: 208.16

CO14X	HH19 12.14 Vegetables: Rs
-------	---------------------------

- Study 22626 -

Location: 1124-1127 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much vegetables have been consumed by this household in past 30 days.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 212.01
- Minimum: 0.00
- Maximum: 9000.00
- Standard Deviation: 214.78

CO14A

HH19 12.14 Vegetables: kg

Location: 1128-1130 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Please tell me how much vegetables have been consumed by this household in past 30 days (kg).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	47	0.1 %
2	-	147	0.4 %
3	-	147	0.4 %
4	-	232	0.6 %
5	-	690	1.7 %
6	-	280	0.7 %
7	-	208	0.5 %
8	-	728	1.8 %
9	-	158	0.4 %
10	-	2444	5.9 %
11	-	40	0.1 %
12	-	608	1.5 %
13	-	97	0.2 %
14	-	92	0.2 %
15	-	2190	5.3 %
16	-	147	0.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	58	0.1 %
18	-	311	0.7 %
19	-	59	0.1 %
20	-	1837	4.4 %
21	-	39	0.1 %
22	-	130	0.3 %
23	-	40	0.1 %
24	-	68	0.2 %
25	-	780	1.9 %
26	-	106	0.3 %
27	-	60	0.1 %
28	-	110	0.3 %
29	-	16	0.0 %
30	-	2005	4.8 %
31	-	7	0.0 %
32	-	59	0.1 %
33	-	4	0.0 %
34	-	4	0.0 %
35	-	330	0.8 %
36	-	29	0.1 %
37	-	4	0.0 %
38	-	28	0.1 %
39	-	2	0.0 %
40	-	525	1.3 %
41	-	3	0.0 %
42	-	36	0.1 %
43	-	2	0.0 %
45	-	242	0.6 %
46	-	5	0.0 %
47	-	2	0.0 %
48	-	10	0.0 %
49	-	1	0.0 %
50	-	242	0.6 %
51	-	1	0.0 %
52	-	8	0.0 %
53	-	5	0.0 %
54	-	3	0.0 %
55	-	18	0.0 %
56	-	4	0.0 %
57	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
58	-	2	0.0 %
60	-	386	0.9 %
62	-	8	0.0 %
63	-	1	0.0 %
65	-	12	0.0 %
70	-	56	0.1 %
72	-	3	0.0 %
75	-	11	0.0 %
80	-	24	0.1 %
85	-	1	0.0 %
90	-	29	0.1 %
100	-	28	0.1 %
105	-	1	0.0 %
110	-	1	0.0 %
120	-	9	0.0 %
130	-	1	0.0 %
150	-	5	0.0 %
170	-	1	0.0 %
180	-	3	0.0 %
280	-	1	0.0 %
300	-	1	0.0 %
-5 (M)	Valid skip	25521	61.4 %

Based upon 16033 valid cases out of 41554 total cases.

- Mean: 20.53
- Median: 15.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 300.00
- Standard Deviation: 14.96

CO14B
HH19 12.14 Vegetables: homegrown

Location: 1131-1132 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Were these vegetables homegrown.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Home grown	484	1.2 %
2	Purchased	37694	90.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Both	1735	4.2 %
6	-	1	0.0 %
35	-	1	0.0 %
-1 (M)	Valid blank	1639	3.9 %

Based upon 39915 valid cases out of 41554 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 35.00
- Standard Deviation: 0.29

CO14C	HH19 12.14 Vegetables: price
--------------	-------------------------------------

Location: 1133-1140 (width: 8; decimal: 2)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days what was the average market price of vegetables.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41055 valid cases out of 41554 total cases.

- Mean: 11.45
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 11.64

CO14T	HH19 12.14 Vegetables: Rs
--------------	----------------------------------

Location: 1141-1144 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Total value of vegetables in the past 30 days if price and quantity of PDs/ration shop is not possible.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent

- Study 22626 -

<i>Value</i>	<i>Label</i>
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 35976 valid cases out of 41554 total cases.

- Mean: 212.55
- Minimum: 0.00
- Maximum: 7000.00
- Standard Deviation: 175.41

CO15
HH20 12.15 Salt/spices Rs

Location: 1145-1148 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of salt and spices.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 89.23
- Median: 70.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 3500.00
- Standard Deviation: 83.27

CO16
HH20 12.16 Other Food Rs

Location: 1149-1152 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of other food items (coffee, biscuits, cakes).

- Study 22626 -

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 87.26
- Median: 60.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 103.97

CO17

HH20 12.17 Paan/tobac/intox Rs

Location: 1153-1156 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of Paan, tobacco, intoxicants.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 79.65
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8000.00
- Standard Deviation: 169.04

CO18

HH20 12.18 Fruits/nuts Rs

Location: 1157-1160 (width: 4; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of fruits and nuts.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 69.97
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 125.00

CO19

HH20 12.19 Eating out Rs

Location: 1161-1164 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of food at restaurants, eating out.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 48.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 158.97

CO20

HH20 12.20 Fuel/Light Rs

- Study 22626 -

Location: 1165-1168 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of fuel and lights.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 247.54
- Minimum: 0.00
- Maximum: 9300.00
- Standard Deviation: 312.99

CO21

HH20 12.21 Entertainment Rs

Location: 1169-1173 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of entertainment.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 22.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10000.00
- Standard Deviation: 114.50

CO22

HH20 12.22 Telephone Rs

- Study 22626 -

Location: 1174-1178 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of telephone, cable, Internet.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 110.34
- Minimum: 0.00
- Maximum: 12000.00
- Standard Deviation: 293.39

CO23

HH20 12.23 Personal care Rs

Location: 1179-1182 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of personal care.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 14.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 62.99

- Study 22626 -

CO24

HH20 12.24 Toiletries Rs

Location: 1183-1186 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of toilet articles.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 67.38
- Median: 50.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 6300.00
- Standard Deviation: 81.79

CO25

HH20 12.25 HH items Rs

Location: 1187-1190 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of household items.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 83.35
- Median: 50.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 4000.00

- Study 22626 -

- Standard Deviation: 94.80

CO26	HH20 12.26 Conveyance Rs
-------------	---------------------------------

Location: 1191-1195 (width: 5; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: over the past 30 days, what was the total rupee value of conveyance.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 220.22
- Minimum: 0.00
- Maximum: 29000.00
- Standard Deviation: 482.48

CO27	HH20 12.27 House/Other rent Rs
-------------	---------------------------------------

Location: 1196-1200 (width: 5; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Over the past 30 days, what was the total rupee value of House rent, rent.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 69.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 14400.00
- Standard Deviation: 354.83

CO28

HH20 12.28 Consumer tax/fees Rs

Location: 1201-1205 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of consumer taxes, cesses, and fees.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 29.48
- Minimum: 0.00
- Maximum: 30000.00
- Standard Deviation: 329.52

CO29

HH20 12.29 Services servants Rs

Location: 1206-1210 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of services (domestic servants).

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 32.33
- Median: 0.00
- Mode: 0.00

- Study 22626 -

- Minimum: 0.00
- Maximum: 16000.00
- Standard Deviation: 247.85

CO30

HH20 12.30 Medical out-patient Rs

Location: 1211-1215 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Over the past 30 days, what was the total rupee value of medical expenses.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 243.52
- Minimum: 0.00
- Maximum: 70000.00
- Standard Deviation: 781.29

CO31

HH21 12.31 Medical in-patient Rs

Location: 1216-1221 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much did you spend in the past 365 days on medical (in-patient).

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 2192.31
- Minimum: 0.00

- Study 22626 -

- Maximum: 800000.00
- Standard Deviation: 12363.70

CO32**HH21 12.32 School Rs**

Location: 1222-1227 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much did you spend in the past 365 days on school/private tuition fees.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 1583.45
- Minimum: 0.00
- Maximum: 300000.00
- Standard Deviation: 5426.96

CO33**HH21 12.33 School books Rs**

Location: 1228-1232 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much did you spend in the past 365 days on school books & other educational articles.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 986.68
- Minimum: 0.00
- Maximum: 85000.00

- Study 22626 -

- Standard Deviation: 2440.02

CO34	HH21 12.34 Clothing/bedding Rs
-------------	---------------------------------------

Location: 1233-1237 (width: 5; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: How much did you spend in the past 365 days on clothing and bedding.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 1965.57
- Minimum: 0.00
- Maximum: 80000.00
- Standard Deviation: 2476.09

CO35	HH21 12.35 Footwear Rs
-------------	-------------------------------

Location: 1238-1242 (width: 5; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
Question: How much did you spend in the past 365 days on footwear.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 552.16
- Minimum: 0.00
- Maximum: 50000.00
- Standard Deviation: 849.37

- Study 22626 -

CO36

HH21 12.36 Furniture/fixtures Rs

Location: 1243-1248 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on furniture and fixtures.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 151.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 1232.18

CO37

HH21 12.37 Crockery/utensils Rs

Location: 1249-1253 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on crockery and utensils.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 111.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 50000.00
- Standard Deviation: 471.59

CO38**HH21 12.38 HH appliances Rs**

Location: 1254-1258 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on cooking and household appliances.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 104.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90000.00
- Standard Deviation: 1055.11

CO39**HH21 12.39 Recreation goods Rs**

Location: 1259-1263 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on goods for recreation.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 185.99

- Study 22626 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90000.00
- Standard Deviation: 1390.12

CO40

HH21 12.40 Jewellery Rs

Location: 1264-1269 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on jewelry and ornaments.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 600.88
- Minimum: 0.00
- Maximum: 300000.00
- Standard Deviation: 4824.89

CO41

HH21 12.41 Transport equipt Rs

Location: 1270-1275 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on personal transport equipment.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 766.09
- Minimum: 0.00
- Maximum: 800000.00
- Standard Deviation: 10258.59

CO42**HH21 12.42 Therapeutic app Rs**

Location: 1276-1280 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on therapeutic.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 16.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25000.00
- Standard Deviation: 262.41

CO43**HH21 12.43 Other personal Rs**

Location: 1281-1285 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on Other personal goods.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 139.23
- Minimum: 0.00
- Maximum: 90000.00
- Standard Deviation: 1379.51

CO44

HH21 12.44 Repair/maintenance Rs

Location: 1286-1291 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on Repair and maintenance.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 1406.57
- Minimum: 0.00
- Maximum: 500000.00
- Standard Deviation: 12417.93

CO45

HH21 12.45 Insurance premiums Rs

Location: 1292-1297 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on insurance premiums.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1039.38
- Minimum: 0.00
- Maximum: 125000.00
- Standard Deviation: 3589.04

CO46

HH21 12.46 Vacations Rs

Location: 1298-1302 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on vacations.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41491 valid cases out of 41554 total cases.

- Mean: 219.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80000.00
- Standard Deviation: 1348.40

CO47

HH21 12.47 Social functions Rs

Location: 1303-1308 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much money did you spend in the past 365 days on social functions.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41490 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 2922.18
 - Minimum: 0.00
 - Maximum: 800000.00
 - Standard Deviation: 16767.71

CG1	HH22 13.1 House own/rent		
Location:	1309-1313 (width: 5; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-1 , .		
Question:	Do you own your own home. If not, do you have a rental agreement.		
Value	Label	Unweighted Frequency	%
1	Home grown	36992	89.0 %
2	Purchased	3829	9.2 %
3	Both	727	1.7 %
100	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	4	0.0 %

Based upon 41549 valid cases out of 41554 total cases.

- Mean: 1.13
 - Median: 1.00
 - Mode: 1.00
 - Minimum: 1.00
 - Maximum: 100.00
 - Standard Deviation: 0.62

CG2	HH22 13.2 Own: Cycle/bicycle		
Location:	1314-1315 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Do you own a cycle/bicycle.		
Value	Label	Unweighted Frequency	%
0	No	18620	44.8 %
1	Yes	22853	55.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	80	0.2 %

Based upon 41473 valid cases out of 41554 total cases.

- Mean: 0.55

- Study 22626 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

CG3	HH22 13.3 Own: Sewing machine
Location:	1316-1317 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	Do you own a sewing machine.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	30424	73.2 %
1	Yes	11040	26.6 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	89	0.2 %

Based upon 41464 valid cases out of 41554 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

CG4	HH22 13.4 Own: Generator set
Location:	1318-1319 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	Do you own a generator set.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	40883	98.4 %
1	Yes	569	1.4 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	101	0.2 %

Based upon 41452 valid cases out of 41554 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 1.00
- Standard Deviation: 0.12

CG5

HH22 13.5 Own: Mixer/grinder

Location: 1320-1321 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you own mixer/grinder.

Value	Label	Unweighted Frequency	%
0	No	30765	74.0 %
1	Yes	10699	25.7 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	89	0.2 %

Based upon 41464 valid cases out of 41554 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

CG6

HH22 13.6 Own: Motor cycle

Location: 1322-1323 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you own a motor cycle/scooter.

Value	Label	Unweighted Frequency	%
0	No	33680	81.1 %
1	Yes	7764	18.7 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	109	0.3 %

Based upon 41444 valid cases out of 41554 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

- Study 22626 -

CG7

HH22 13.7 Own: B/W TV

Location: 1324-1325 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Do you own a black & white television.

Value	Label	Unweighted Frequency	%
0	No	30638	73.7 %
1	Yes	10787	26.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	128	0.3 %

Based upon 41425 valid cases out of 41554 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

CG8

HH22 13.8 Own: Colour TV

Location: 1326-1327 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Do you own a color TV.

Value	Label	Unweighted Frequency	%
0	No	29090	70.0 %
1	Yes	12357	29.7 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	106	0.3 %

Based upon 41447 valid cases out of 41554 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

CG9

HH22 13.9 Own: Air cooler

Location: 1328-1329 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you own an air cooler.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	36081	86.8 %
1	Yes	5341	12.9 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	131	0.3 %

Based upon 41422 valid cases out of 41554 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

CG10

HH22 13.10 Own: Clock/watch

Location: 1330-1331 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you own a clock/watch.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5993	14.4 %
1	Yes	35466	85.3 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	94	0.2 %

Based upon 41459 valid cases out of 41554 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

CG11

HH22 13.11 Own: Electric fan

Location: 1332-1333 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

- Study 22626 -

Question:

Do you own an electric fan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	14867	35.8 %
1	Yes	26620	64.1 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	66	0.2 %

Based upon 41487 valid cases out of 41554 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

CG12

HH22 13.12 Own: Chair/table

Location:

1334-1335 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Do you own a chair or table.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	12953	31.2 %
1	Yes	28529	68.7 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	71	0.2 %

Based upon 41482 valid cases out of 41554 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

CG13

HH22 13.13 Own: Cot

Location:

1336-1337 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Do you own a cot.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	6251	15.0 %
1	Yes	35233	84.8 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	69	0.2 %

Based upon 41484 valid cases out of 41554 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

CG14
HH22 13.14 Own: Telephone

Location: 1338-1339 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Do you own a telephone.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	34343	82.6 %
1	Yes	7077	17.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	133	0.3 %

Based upon 41420 valid cases out of 41554 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

CG15
HH22 13.15 Own: Cell phone

Location: 1340-1341 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Do you own a cell phone.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	37783	90.9 %
1	Yes	3617	8.7 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	153	0.4 %

Based upon 41400 valid cases out of 41554 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

CG16	HH22 13.16 Own: Refrigerator
-------------	-------------------------------------

Location: 1342-1343 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Do you own a refrigerator.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	34058	82.0 %
1	Yes	7354	17.7 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	141	0.3 %

Based upon 41412 valid cases out of 41554 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

CG17	HH22 13.17 Own: Pressure cooker
-------------	--

Location: 1344-1345 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Do you own a pressure cooker.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	22804	54.9 %
1	Yes	18489	44.5 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	260	0.6 %

Based upon 41293 valid cases out of 41554 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

CG18

HH22 13.18 Own: Car

Location: 1346-1347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you own a car.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	38308	92.2 %
1	Yes	893	2.1 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	2352	5.7 %

Based upon 39201 valid cases out of 41554 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

CG19

HH22 13.19 Own: Air conditioner

Location: 1348-1349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you own an air conditioner.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	38925	93.7 %
1	Yes	248	0.6 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	2380	5.7 %

Based upon 39173 valid cases out of 41554 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

CG20

HH22 13.20 Own: Washing machine

Location: 1350-1351 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you own a washing machine.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	37316	89.8 %
1	Yes	1830	4.4 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	2407	5.8 %

Based upon 39146 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

CG21

HH22 13.21 Own: Computer

Location: 1352-1353 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you own a computer.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	38604	92.9 %
1	Yes	524	1.3 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	2425	5.8 %

Based upon 39128 valid cases out of 41554 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

CG22	HH22 13.22 Own: Credit card
-------------	------------------------------------

Location: 1354-1355 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Do you own a credit car.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	38390	92.4 %
1	Yes	639	1.5 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	2524	6.1 %

Based upon 39029 valid cases out of 41554 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

CG23	HH22 13.23 Own: 2 clothes
-------------	----------------------------------

Location: 1356-1357 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Does everyone in the household have at least two pairs of clothes.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1005	2.4 %
1	Yes	40398	97.2 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	150	0.4 %

Based upon 41403 valid cases out of 41554 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

CG24	HH22 13.24 Own: Footwear		
Location:	1358-1359 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Does everyone in the household have shoes or chappals.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2446	5.9 %
1	Yes	38956	93.7 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	151	0.4 %

Based upon 41402 valid cases out of 41554 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

DB1	HH23 14.1 N loans last 5 yrs
Location:	1360-1361 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Did you borrow or take any financial loan in the last 5 years. If yes, how many loans have you taken in the past 5 years.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	24643	59.3 %
1	-	6916	16.6 %
2	-	2896	7.0 %
3	-	2382	5.7 %
4	-	1512	3.6 %
5	-	1110	2.7 %
6	-	502	1.2 %
7	-	294	0.7 %
8	-	297	0.7 %
9	-	118	0.3 %
10	-	370	0.9 %
11	-	18	0.0 %
12	-	143	0.3 %
13	-	16	0.0 %
14	-	11	0.0 %
15	-	173	0.4 %
16	-	10	0.0 %
17	-	3	0.0 %
18	-	12	0.0 %
20	-	80	0.2 %
21	-	4	0.0 %
22	-	4	0.0 %
25	-	11	0.0 %
28	-	1	0.0 %
30	-	17	0.0 %
40	-	3	0.0 %
45	-	1	0.0 %
50	-	5	0.0 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41552 valid cases out of 41554 total cases.

- Mean: 1.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.58

- Study 22626 -

Location: 1362-1363 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: What is the largest loan you have ever taken. How many years ago did you obtain this loan.

Value	Label	Unweighted Frequency	%
0	-	562	1.4 %
1	-	7665	18.4 %
2	-	4443	10.7 %
3	-	2187	5.3 %
4	-	1465	3.5 %
5	-	609	1.5 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	24622	59.3 %

Based upon 16931 valid cases out of 41554 total cases.

- Mean: 1.89
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.17

DB2B	HH23 14.2b Loan largest amount																
Location:	1364-1371 (width: 8; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	How much did you borrow.																
	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> </tr> </thead> <tbody> <tr> <td>-7 (M)</td> <td>Inconsistent</td> </tr> <tr> <td>-6 (M)</td> <td>Out of range</td> </tr> <tr> <td>-5 (M)</td> <td>Valid skip</td> </tr> <tr> <td>-4 (M)</td> <td>Invalid skip</td> </tr> <tr> <td>-3 (M)</td> <td>Don't know</td> </tr> <tr> <td>-2 (M)</td> <td>Valid skip</td> </tr> <tr> <td>-1 (M)</td> <td>Valid blank</td> </tr> </tbody> </table>	Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 16909 valid cases out of 41554 total cases.

- Mean: 44381.67
- Minimum: 0.00
- Maximum: 20000000.00
- Standard Deviation: 212311.38

- Study 22626 -

DB2C

HH23 14.2c Loan purpose

Location: 1372-1373 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: For what purpose was this loan taken.

Value	Label	Unweighted Frequency	%
1	House	2758	6.6 %
2	Land	171	0.4 %
3	Marriage	2604	6.3 %
4	Ag/business	5196	12.5 %
5	Consumption	2078	5.0 %
6	Car/appliance	244	0.6 %
7	Education	409	1.0 %
8	Medical	2393	5.8 %
9	Other	1053	2.5 %
-5 (M)	Valid skip	5	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	24642	59.3 %

Based upon 16906 valid cases out of 41554 total cases.

- Mean: 4.44
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.39

DB2D

HH23 14.2d Loan source

Location: 1374-1375 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: From where did you obtain the loan.

Value	Label	Unweighted Frequency	%
1	Employer	306	0.7 %
2	Money lender	5357	12.9 %
3	Friend	1622	3.9 %
4	Relative	3151	7.6 %
5	Bank	4632	11.1 %
6	NGO	27	0.1 %
7	Credit group	386	0.9 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	Govt. program	185	0.4 %
9	Other	1239	3.0 %
-5 (M)	Valid skip	3	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	24645	59.3 %

Based upon 16905 valid cases out of 41554 total cases.

- Mean: 3.97
- Median: 4.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.00

DB2E	HH23 14.2e Loan monthly rate
Location:	1376-1382 (width: 7; decimal: 2)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	What was the monthly interest rate on this loan.
Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 16905 valid cases out of 41554 total cases.

- Mean: 2.04
- Median: 1.50
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.00

DB2F	HH23 14.2f Loan repayment
Location:	1383-1384 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

- Study 22626 -

Question:

Has the loan been paid off as yet.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	12284	29.6 %
1	Yes	4650	11.2 %
-1 (M)	Valid blank	2	0.0 %
. (M)	-	24618	59.2 %

Based upon 16934 valid cases out of 41554 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

DB3A

HH23 14.3a Land sold to pay

Location:

1385-1386 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

In the last five years have you sold land to pay off expenses or pay off a loan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	40915	98.5 %
1	Yes	571	1.4 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	65	0.2 %

Based upon 41486 valid cases out of 41554 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

DB3B

HH23 14.3b Jewelery sold to pay

Location:

1387-1388 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

- Study 22626 -

Question:

In the last five years have you sold jewelry to pay off expenses or pay off a loan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	40544	97.6 %
1	Yes	938	2.3 %
-6 (M)	Out of range	2	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	66	0.2 %

Based upon 41482 valid cases out of 41554 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

DB4

HH23 14.4 Outstanding HH debt

Location: 1389-1395 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much in total does your household currently owe others (include all types of loans currently outstanding).

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 33088 valid cases out of 41554 total cases.

- Mean: 23628.65
- Minimum: 0.00
- Maximum: 6500000.00
- Standard Deviation: 94407.82

DB5A

HH23 14.5a Debt with shopkeeper

Location: 1396-1397 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you have an outstanding balance for longer than a month's purchases with any shopkeeper.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31092	74.8 %
1	Yes	10425	25.1 %
-6 (M)	Out of range	2	0.0 %
-3 (M)	Don't know	2	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	32	0.1 %

Based upon 41517 valid cases out of 41554 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

DB5B

HH23 14.5b Rs debt shopkeeper

Location: 1398-1403 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: If yes how much.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 26231 valid cases out of 41554 total cases.

- Mean: 700.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400000.00
- Standard Deviation: 4956.05

- Study 22626 -

DB6	HH23 14.6 Credit due to the HH																
Location:	1404-1410 (width: 7; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	How much in total is owed by others to your household.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">-7 (M)</td><td style="padding: 2px;">Inconsistent</td></tr> <tr> <td style="padding: 2px;">-6 (M)</td><td style="padding: 2px;">Out of range</td></tr> <tr> <td style="padding: 2px;">-5 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-4 (M)</td><td style="padding: 2px;">Invalid skip</td></tr> <tr> <td style="padding: 2px;">-3 (M)</td><td style="padding: 2px;">Don't know</td></tr> <tr> <td style="padding: 2px;">-2 (M)</td><td style="padding: 2px;">Valid skip</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 33788 valid cases out of 41554 total cases.

- Mean: 1830.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3000000.00
- Standard Deviation: 28707.31

SN1A	HH24 15.1a Netwk Medical																				
Location:	1411-1412 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																				
Question:	Among your acquaintances and relatives, are there any who are doctors or nurses or who work in hospitals and clinics.																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: left; padding: 2px;">Unweighted Frequency</th><th style="text-align: left; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">0</td><td style="padding: 2px;">No</td><td style="padding: 2px;">27925</td><td style="padding: 2px;">67.2 %</td></tr> <tr> <td style="padding: 2px;">1</td><td style="padding: 2px;">Yes</td><td style="padding: 2px;">13174</td><td style="padding: 2px;">31.7 %</td></tr> <tr> <td style="padding: 2px;">-1 (M)</td><td style="padding: 2px;">Valid blank</td><td style="padding: 2px;">1</td><td style="padding: 2px;">0.0 %</td></tr> <tr> <td style="padding: 2px;">. (M)</td><td style="padding: 2px;">-</td><td style="padding: 2px;">454</td><td style="padding: 2px;">1.1 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	0	No	27925	67.2 %	1	Yes	13174	31.7 %	-1 (M)	Valid blank	1	0.0 %	. (M)	-	454	1.1 %
Value	Label	Unweighted Frequency	%																		
0	No	27925	67.2 %																		
1	Yes	13174	31.7 %																		
-1 (M)	Valid blank	1	0.0 %																		
. (M)	-	454	1.1 %																		

Based upon 41099 valid cases out of 41554 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

- Study 22626 -

SN1B
HH24 15.1b Netwk Med type

Location: 1413-1414 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: What does he/she do.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Doctors	10099	24.3 %
2	Nurses	2296	5.5 %
3	Technician	354	0.9 %
4	Other	434	1.0 %
-5 (M)	Valid skip	1119	2.7 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	27251	65.6 %

Based upon 13183 valid cases out of 41554 total cases.

- Mean: 1.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.69

SN1C
HH24 15.1c Netwk Med Sex

Location: 1415-1416 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Is this person male or female.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	10487	25.2 %
2	Female	2697	6.5 %
-5 (M)	Valid skip	945	2.3 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	27424	66.0 %

Based upon 13184 valid cases out of 41554 total cases.

- Mean: 1.20
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00

- Study 22626 -

- Standard Deviation: 0.40

SN1D	HH24 15.1d Netwk Med Relation		
Location:	1417-1418 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Is he/she related to you.		
Value	Label	Unweighted Frequency	%
0	Not family	11677	28.1 %
1	Family, not hh	2157	5.2 %
2	In household	257	0.6 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	27462	66.1 %

Based upon 14091 valid cases out of 41554 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.44

SN1E	HH24 15.1e Netwk Med Community		
Location:	1419-1420 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Is his/her community/jati the same as yours.		
Value	Label	Unweighted Frequency	%
0	Different jati	8924	21.5 %
1	Same jati	5175	12.5 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	27454	66.1 %

Based upon 14099 valid cases out of 41554 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

- Study 22626 -

SN1F

HH24 15.1f Netwk Med Residence

Location: 1421-1422 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does the person live in the same village or neighborhood as you.

Value	Label	Unweighted Frequency	%
0	Other place	8623	20.8 %
1	Same	5653	13.6 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	27277	65.6 %

Based upon 14276 valid cases out of 41554 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

SN2A

HH24 15.2a Netwk School

Location: 1423-1424 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Among your acquaintances and relatives are there any who are teachers, school officials, or anybody who works in a school.

Value	Label	Unweighted Frequency	%
0	No	24538	59.1 %
1	Yes	16500	39.7 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	515	1.2 %

Based upon 41038 valid cases out of 41554 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

SN2B

HH24 15.2b Netwk School type

- Study 22626 -

Location: 1425-1426 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: What does he/she do.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Teacher	14565	35.1 %
2	Clerk	1345	3.2 %
3	Other	595	1.4 %
-5 (M)	Valid skip	1157	2.8 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	23891	57.5 %

Based upon 16505 valid cases out of 41554 total cases.

- Mean: 1.15
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.45

SN2C

HH24 15.2c Netwk School Sex

Location: 1427-1428 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Is this person male or female.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	13950	33.6 %
2	Female	2558	6.2 %
-5 (M)	Valid skip	943	2.3 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	24102	58.0 %

Based upon 16508 valid cases out of 41554 total cases.

- Mean: 1.15
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.36

SN2D

HH24 15.2d Netwk School Relation

- Study 22626 -

Location: 1429-1430 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Is he/she related to you.

Value	Label	Unweighted Frequency	%
0	Not family	13196	31.8 %
1	Family, not hh	3527	8.5 %
2	In household	698	1.7 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	24132	58.1 %

Based upon 17421 valid cases out of 41554 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.53

SN2E

HH24 15.2e Netwk School Community

Location: 1431-1432 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Is his/her community/jati the same as yours.

Value	Label	Unweighted Frequency	%
0	Different jati	8974	21.6 %
1	Same jati	8451	20.3 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	24128	58.1 %

Based upon 17425 valid cases out of 41554 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

SN2F

HH24 15.2f Netwk School Residence

Location: 1433-1434 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does the person live in the same village or neighborhood as you.

Value	Label	Unweighted Frequency	%
0	Other place	9220	22.2 %
1	Same	8341	20.1 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	23992	57.7 %

Based upon 17561 valid cases out of 41554 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

SN3A	HH24 15.3a Netwk Govt service
-------------	--------------------------------------

Location: 1435-1436 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Among your acquaintances and relatives, are there any who are in government service.

Value	Label	Unweighted Frequency	%
0	No	26584	64.0 %
1	Yes	14285	34.4 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	684	1.6 %

Based upon 40869 valid cases out of 41554 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

SN3B	HH24 15.3b Netwk Govt type
-------------	-----------------------------------

Location: 1437-1438 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

- Study 22626 -

Question:

What does he/she do.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Officer	6591	15.9 %
2	Clerk	4639	11.2 %
3	Other	3087	7.4 %
-5 (M)	Valid skip	1299	3.1 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	25936	62.4 %

Based upon 14318 valid cases out of 41554 total cases.

- Mean: 1.76
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

SN3C

HH24 15.3c Netwk Govt Sex

Location: 1439-1440 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Is this person male or female.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	13397	32.2 %
2	Female	919	2.2 %
-5 (M)	Valid skip	1035	2.5 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	26202	63.1 %

Based upon 14316 valid cases out of 41554 total cases.

- Mean: 1.06
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.25

SN3D

HH24 15.3d Netwk Govt Relation

Location: 1441-1442 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Is he/she related to you.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not family	10157	24.4 %
1	Family, not hh	4049	9.7 %
2	In household	1112	2.7 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	26235	63.1 %

Based upon 15318 valid cases out of 41554 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.62

SN3E

HH24 15.3e Netwk Govt Community

Location: 1443-1444 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Is his/her community/jati the same as yours.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Different jati	6269	15.1 %
1	Same jati	9042	21.8 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	26242	63.2 %

Based upon 15311 valid cases out of 41554 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

SN3F

HH24 15.3f Netwk Govt Residence

Location: 1445-1446 (width: 2; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Does the person live in the same village or neighborhood as you.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Other place	8895	21.4 %
1	Same	6401	15.4 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	26257	63.2 %

Based upon 15296 valid cases out of 41554 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

ME1

HH25 16.1 Member Mahila mandal

Location:

1447-1448 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Does anybody in the household belong to a Mahila mandal.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	38426	92.5 %
1	Yes	3051	7.3 %
-3 (M)	Don't know	2	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	74	0.2 %

Based upon 41477 valid cases out of 41554 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

ME2

HH25 16.2 Member Youth/Sports/Read

Location:

1449-1450 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

- Study 22626 -

Question:

Does anybody in the household belong to a youth club, sports group, or reading room.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	39322	94.6 %
1	Yes	2166	5.2 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	65	0.2 %

Based upon 41488 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

ME3

HH25 16.3 Member Union/Busns

Location:

1451-1452 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Does anybody in the household belong to a trade union, business or professional group.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	39386	94.8 %
1	Yes	2099	5.1 %
-3 (M)	Don't know	2	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	66	0.2 %

Based upon 41485 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

ME4

HH25 16.4 Member Self Help

Location:

1453-1454 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Does anybody in the household belong to a self help group.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	37543	90.3 %
1	Yes	3944	9.5 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	65	0.2 %

Based upon 41487 valid cases out of 41554 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

ME5	HH25 16.5 Member Credit/Savings
------------	--

Location: 1455-1456 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does anybody in the household belong to a credit or savings groups.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	38637	93.0 %
1	Yes	2843	6.8 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	72	0.2 %

Based upon 41480 valid cases out of 41554 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

ME6	HH25 16.6 Member Relig/Social
------------	--------------------------------------

Location: 1457-1458 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does anybody in the household belong to a religious or social group or festival society.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	35485	85.4 %
1	Yes	6001	14.4 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	67	0.2 %

Based upon 41486 valid cases out of 41554 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

ME7	HH25 16.7 Member Caste Assoc
------------	-------------------------------------

Location: 1459-1460 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does anybody in the household belong to a caste association.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	35963	86.5 %
1	Yes	5519	13.3 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	70	0.2 %

Based upon 41482 valid cases out of 41554 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

ME8	HH25 16.8 Member Development/NGO
------------	---

Location: 1461-1462 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does anybody in the household belong to a development group or NGO.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	40700	97.9 %
1	Yes	778	1.9 %
-3 (M)	Don't know	3	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	72	0.2 %

Based upon 41478 valid cases out of 41554 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

ME9	HH25 16.9 Member Cooperative
------------	-------------------------------------

Location: 1463-1464 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Does anybody in the household belong to an agricultural, milk, or other co-operative.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	40013	96.3 %
1	Yes	1445	3.5 %
-3 (M)	Don't know	5	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	90	0.2 %

Based upon 41458 valid cases out of 41554 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

ME10	HH25 16.10 Voted 2004 election
-------------	---------------------------------------

Location: 1465-1466 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: In the most recent national elections, did you vote yourself.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4139	10.0 %
1	Yes	37338	89.9 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	76	0.2 %

Based upon 41477 valid cases out of 41554 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

ME11	HH25 16.11 Attend public meeting		
Location:	1467-1468 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Have you or anyone in the household attended a public meeting called by the village panchayat/nagarpalika/ward committee in the last year.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	29651	71.4 %
1	Yes	11802	28.4 %
-3 (M)	Don't know	5	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	95	0.2 %

Based upon 41453 valid cases out of 41554 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

ME12	HH25 16.12 Official in panchayat
Location:	1469-1470 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	Is anyone in the household an official of the village panchayat/nagarpalika/ward committee. Is there someone close to the household, who is a member.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Nobody close	37135	89.4 %
1	Somebody close	3663	8.8 %
2	In household	563	1.4 %
-3 (M)	Don't know	5	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	187	0.5 %

Based upon 41361 valid cases out of 41554 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.36

TR1

HH25 17.1 Conflict in village

Location: 1471-1472 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: In this village/neighborhood, do people generally get along with each other or is there some conflict or a lot of conflict.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Alot	5831	14.0 %
2	Some	12877	31.0 %
3	Get along	22591	54.4 %
-5 (M)	Valid skip	111	0.3 %
-3 (M)	Don't know	21	0.1 %
-2 (M)	Valid skip	46	0.1 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	75	0.2 %

Based upon 41300 valid cases out of 41554 total cases.

- Mean: 2.41
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.72

- Study 22626 -

TR2	HH25 17.2 Solve local problems		
Location:	1473-1474 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	In some communities, when there is a water supply problem, people bond together to solve the problem. In other communities, people take care of their own families individually. What is your community like.		
Value	Label	Unweighted Frequency	%
1	Bond together	23836	57.4 %
2	Each family individually	17535	42.2 %
-5 (M)	Valid skip	66	0.2 %
-3 (M)	Don't know	25	0.1 %
-2 (M)	Valid skip	8	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	83	0.2 %

Based upon 41371 valid cases out of 41554 total cases.

- Mean: 1.42
 - Median: 1.00
 - Mode: 1.00
 - Minimum: 1.00
 - Maximum: 2.00
 - Standard Deviation: 0.49

TR3	HH25 17.3 Conflict among jatis		
Location:	1475-1476 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	In this village/neighborhood, how much conflict would you say there is among the communities/jatis that live here.		
Value	Label	Unweighted Frequency	%
1	Alot	1764	4.2 %
2	Some	10103	24.3 %
3	Not much	29444	70.9 %
-5 (M)	Valid skip	89	0.2 %
-3 (M)	Don't know	24	0.1 %
-2 (M)	Valid skip	53	0.1 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	76	0.2 %

Based upon 41311 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 2.67
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.55

LC1	HH25 18.1 Theft		
	Value	Label	Unweighted Frequency
Location:	1477-1478	(width: 2; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	During the last twelve months, was anything stolen that belonged to you or to somebody in your household.		
			%
	0	No	39854 95.9 %
	1	Yes	1601 3.9 %
	3	-	1 0.0 %
	-3 (M)	Don't know	2 0.0 %
	-1 (M)	Valid blank	1 0.0 %
	. (M)	-	95 0.2 %

Based upon 41456 valid cases out of 41554 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.19

LC2	HH25 18.2 Breaking in		
	Value	Label	Unweighted Frequency
Location:	1479-1480	(width: 2; decimal: 0)	
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	During the last twelve months, did anyone break into your home or illegally get into your home.		
			%
	0	No	41042 98.8 %
	1	Yes	416 1.0 %
	-3 (M)	Don't know	3 0.0 %
	-1 (M)	Valid blank	1 0.0 %
	. (M)	-	92 0.2 %

- Study 22626 -

Based upon 41458 valid cases out of 41554 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

LC3

HH25 18.3 Attack/threat

Location:	1481-1482 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	During the last twelve months, did anyone attack or threaten you or someone in your household.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	40416	97.3 %
1	Yes	1038	2.5 %
-3 (M)	Don't know	3	0.0 %
-2 (M)	Valid skip	3	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	93	0.2 %

Based upon 41454 valid cases out of 41554 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

LC4

HH25 18.4 Harassment of girls

Location:	1483-1484 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	How often are unmarried girls harassed in your village/neighborhood.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/Never	36252	87.2 %
1	Sometimes	4570	11.0 %
2	Often	426	1.0 %
-3 (M)	Don't know	12	0.0 %
-2 (M)	Valid skip	12	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	1	0.0 %
. (M)	-	281	0.7 %

Based upon 41248 valid cases out of 41554 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.37

CI1	HH26 19.1 Confidence: Pols
------------	-----------------------------------

Location: 1485-1486 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Confidence in politicians to fulfill promises.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	A great deal	4496	10.8 %
2	Only some	13190	31.7 %
3	Hardly any	23554	56.7 %
-5 (M)	Valid skip	5	0.0 %
-3 (M)	Don't know	218	0.5 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	89	0.2 %

Based upon 41241 valid cases out of 41554 total cases.

- Mean: 2.46
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.68

CI2	HH26 19.2 Confidence: Military
------------	---------------------------------------

Location: 1487-1488 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Confidence in the military to defend the country.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A great deal	35345	85.1 %
2	Only some	4667	11.2 %
3	Hardly any	1024	2.5 %
-5 (M)	Valid skip	1	0.0 %
-3 (M)	Don't know	428	1.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	88	0.2 %

Based upon 41036 valid cases out of 41554 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.43

CI3	HH26 19.3 Confidence: Police		
Location:	1489-1490 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Confidence in the police to enforce the law.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A great deal	9609	23.1 %
2	Only some	19899	47.9 %
3	Hardly any	11683	28.1 %
-5 (M)	Valid skip	4	0.0 %
-3 (M)	Don't know	268	0.6 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	90	0.2 %

Based upon 41191 valid cases out of 41554 total cases.

- Mean: 2.05
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.72

CI4	HH26 19.4 Confidence: State govt
------------	---

- Study 22626 -

Location: 1491-1492 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Confidence in the state government to look after the people.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A great deal	10649	25.6 %
2	Only some	21096	50.8 %
3	Hardly any	9232	22.2 %
-5 (M)	Valid skip	7	0.0 %
-3 (M)	Don't know	478	1.2 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	91	0.2 %

Based upon 40977 valid cases out of 41554 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.70

CI5

HH26 19.5 Confidence: Newspapers

Location: 1493-1494 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Confidence in newspapers to print the truth.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A great deal	14782	35.6 %
2	Only some	20485	49.3 %
3	Hardly any	3322	8.0 %
-5 (M)	Valid skip	40	0.1 %
-3 (M)	Don't know	2820	6.8 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	104	0.3 %

Based upon 38589 valid cases out of 41554 total cases.

- Mean: 1.70
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00

- Study 22626 -

- Standard Deviation: 0.62

CI6	HH26 19.6 Confidence: Panchayats
------------	---

Location: 1495-1496 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Confidence in village panchayats/nagarpalika to implement public projects.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A great deal	13754	33.1 %
2	Only some	19315	46.5 %
3	Hardly any	7768	18.7 %
-5 (M)	Valid skip	24	0.1 %
-3 (M)	Don't know	600	1.4 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	92	0.2 %

Based upon 40837 valid cases out of 41554 total cases.

- Mean: 1.85
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.71

CI7	HH26 19.7 Confidence: Schools
------------	--------------------------------------

Location: 1497-1498 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Confidence in schools to provide good education.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A great deal	28320	68.2 %
2	Only some	10292	24.8 %
3	Hardly any	2462	5.9 %
-5 (M)	Valid skip	12	0.0 %
-3 (M)	Don't know	377	0.9 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	90	0.2 %

Based upon 41074 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.59

CI8	HH26 19.8 Confidence: Medical		
Location:	1499-1500 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Confidence in hospitals and doctors to provide good treatment.		
Value	Label	Unweighted Frequency	%
1	A great deal	26613	64.0 %
2	Only some	11427	27.5 %
3	Hardly any	3215	7.7 %
-5 (M)	Valid skip	5	0.0 %
-3 (M)	Don't know	201	0.5 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	92	0.2 %

Based upon 41255 valid cases out of 41554 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.63

CI9	HH26 19.9 Confidence: Courts		
Location:	1501-1502 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Confidence in courts to meet out justice.		
Value	Label	Unweighted Frequency	%
1	A great deal	22152	53.3 %
2	Only some	13394	32.2 %
3	Hardly any	4043	9.7 %
-5 (M)	Valid skip	31	0.1 %
-3 (M)	Don't know	1835	4.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	1	0.0 %
. (M)	-	98	0.2 %

Based upon 39589 valid cases out of 41554 total cases.

- Mean: 1.54
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.67

CI10	HH26 19.10 Confidence: Banks
-------------	-------------------------------------

Location: 1503-1504 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Confidence in banks to keep money safe.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A great deal	36372	87.5 %
2	Only some	3877	9.3 %
3	Hardly any	673	1.6 %
-5 (M)	Valid skip	45	0.1 %
-3 (M)	Don't know	494	1.2 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	92	0.2 %

Based upon 40922 valid cases out of 41554 total cases.

- Mean: 1.13
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.38

DE1	HH26 20.1 Any deaths
------------	-----------------------------

Location: 1505-1506 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Has anyone died in the household in the last one year.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	38744	93.2 %
1	Yes	1675	4.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	1134	2.7 %

Based upon 40419 valid cases out of 41554 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

DE2A

HH26 20.2 Death 1: Rel to head

Location: 1507-1508 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: If yes, relation to current household head.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
2	Wife/husband	293	0.7 %
3	Son/daughter	267	0.6 %
4	Daughter-in-law/son-in-law	34	0.1 %
5	Grandchild	66	0.2 %
6	Father/mother	670	1.6 %
7	Brother/sister	84	0.2 %
8	Father-in-law/mother-in-law	66	0.2 %
9	Nephew/niece	16	0.0 %
10	Brother-in-law/sister-in-law	16	0.0 %
11	Other relatives	65	0.2 %
12	Servant/other	5	0.0 %
-5 (M)	Valid skip	128	0.3 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	39842	95.9 %

Based upon 1583 valid cases out of 41554 total cases.

- Mean: 5.10
- Median: 6.00
- Mode: 6.00

- Study 22626 -

- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.33

DE3A
HH26 20.3 Death 1: Sex

Location: 1509-1510 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Was (name) a male or female.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	955	2.3 %
2	Female	640	1.5 %
-5 (M)	Valid skip	20	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	39938	96.1 %

Based upon 1595 valid cases out of 41554 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

DE4A
HH26 20.4 Death 1: Age

Location: 1511-1512 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: How old was he/she when died.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 1566 valid cases out of 41554 total cases.

- Mean: 51.75
- Median: 60.00

- Study 22626 -

- Mode: 70.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 28.06

DE5A	HH26 20.5 Death 1: Cause			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	Accident	87	0.2 %
	2	Childbirth	43	0.1 %
	3	Fever	252	0.6 %
	4	Diarrhea	48	0.1 %
	5	Cancer	101	0.2 %
	6	Heart attack	228	0.5 %
	7	TB	77	0.2 %
	8	HIV-AIDS	10	0.0 %
	9	Other	789	1.9 %
	-5 (M)	Valid skip	13	0.0 %
	-1 (M)	Valid blank	1	0.0 %
	. (M)	-	39905	96.0 %

Based upon 1635 valid cases out of 41554 total cases.

- Mean: 6.55
- Median: 7.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.73

DE6A	HH26 20.6 Death 1: Childbirth			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1515-1516	(width: 2; decimal: 0)		
Location:				
Variable Type:		numeric		
Range of Missing Values (M):		-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:		Was she pregnant or did she die within 6 weeks of childbirth (ask only if person was a woman between 12-49).		
	0	No	248	0.6 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, pregnant	5	0.0 %
2	Yes, during delivery	7	0.0 %
3	Yes, within 6 weeks	6	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	41287	99.4 %

Based upon 266 valid cases out of 41554 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.56

DE2B	HH26 20.2 Death 2: Rel to head
-------------	---------------------------------------

Location: 1517-1518 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Relation to current household head (Death 2).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Wife/husband	2	0.0 %
3	Son/daughter	6	0.0 %
4	Daughter-in-law/son-in-law	1	0.0 %
5	Grandchild	5	0.0 %
6	Father/mother	15	0.0 %
7	Brother/sister	9	0.0 %
8	Father-in-law/mother-in-law	5	0.0 %
9	Nephew/niece	2	0.0 %
10	Brother-in-law/sister-in-law	2	0.0 %
11	Other relatives	3	0.0 %
12	Servant/other	0	0.0 %
-5 (M)	Valid skip	7	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	41496	99.9 %

Based upon 50 valid cases out of 41554 total cases.

- Mean: 6.30
- Median: 6.00
- Mode: 6.00

- Study 22626 -

- Minimum: 2.00
- Maximum: 11.00
- Standard Deviation: 2.23

DE3B
HH26 20.3 Death 2: Sex

Location: 1519-1520 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Was (name) a male or female (Death 2).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	25	0.1 %
2	Female	26	0.1 %
-5 (M)	Valid skip	6	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	41496	99.9 %

Based upon 51 valid cases out of 41554 total cases.

- Mean: 1.51
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

DE4B
HH26 20.4 Death 2: Age

Location: 1521-1522 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: How old was he/she when died (Death 2).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	8	0.0 %
1	-	2	0.0 %
3	-	2	0.0 %
4	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
18	-	2	0.0 %
30	-	2	0.0 %
34	-	1	0.0 %
35	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	2	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
50	-	3	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
57	-	2	0.0 %
58	-	1	0.0 %
60	-	6	0.0 %
65	-	7	0.0 %
70	-	1	0.0 %
75	-	1	0.0 %
77	-	1	0.0 %
80	-	1	0.0 %
85	-	1	0.0 %
87	-	1	0.0 %
90	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	41498	99.9 %

Based upon 55 valid cases out of 41554 total cases.

- Mean: 40.95
- Median: 50.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 28.33

DE5B
HH26 20.5 Death 2: Cause

Location: 1523-1524 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: What was the cause of death. TB, HIV, Heart attack, Cancer, diarrhea, Fever, Accident, Childbirth, Other.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Accident	3	0.0 %
2	Childbirth	1	0.0 %
3	Fever	9	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Diarrhea	3	0.0 %
5	Cancer	4	0.0 %
6	Heart attack	3	0.0 %
7	TB	4	0.0 %
8	HIV-AIDS	0	0.0 %
9	Other	24	0.1 %
-5 (M)	Valid skip	5	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	41497	99.9 %

Based upon 51 valid cases out of 41554 total cases.

- Mean: 6.39
- Median: 7.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.83

DE6B

HH26 20.6 Death 2: Childbirth

Location: 1525-1526 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Was she pregnant or did she die within 6 weeks of childbirth (ask only if person was a woman between 12-49).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	18	0.0 %
1	Yes, pregnant	0	0.0 %
2	Yes, during delivery	1	0.0 %
3	Yes, within 6 weeks	0	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	41533	99.9 %

Based upon 19 valid cases out of 41554 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.46

- Study 22626 -

DE2C
HH26 20.2 Death 3: Rel to head

Location: 1527-1528 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Relation to current household head (Death 3).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Wife/husband	0	0.0 %
3	Son/daughter	0	0.0 %
4	Daughter-in-law/son-in-law	0	0.0 %
5	Grandchild	0	0.0 %
6	Father/mother	0	0.0 %
7	Brother/sister	0	0.0 %
8	Father-in-law/mother-in-law	0	0.0 %
9	Nephew/niece	1	0.0 %
10	Brother-in-law/sister-in-law	0	0.0 %
11	Other relatives	1	0.0 %
12	Servant/other	0	0.0 %
-5 (M)	Valid skip	6	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	41545	100.0 %

Based upon 2 valid cases out of 41554 total cases.

- Mean: 10.00
- Median: 10.00
- Minimum: 9.00
- Maximum: 11.00
- Standard Deviation: 1.41

DE3C
HH26 20.3 Death 3: Sex

Location: 1529-1530 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Was (name) a male or female (Death 3).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	0	0.0 %
2	Female	2	0.0 %
-5 (M)	Valid skip	3	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	41548	100.0 %

- Study 22626 -

Based upon 2 valid cases out of 41554 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

DE4C**HH26 20.4 Death 3: Age**

Location: 1531-1532 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question: How old was he/she when died (Death 3).

Value	Label	Unweighted Frequency	%
0	-	4	0.0 %
12	-	1	0.0 %
95	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	41547	100.0 %

Based upon 6 valid cases out of 41554 total cases.

- Mean: 17.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 38.11

DE5C**HH26 20.5 Death 3: Cause**

Location: 1533-1534 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question: What was the cause of death. TB, HIV, Heart attack, Cancer, diarrhea, Fever, Accident, Childbirth, Other.

Value	Label	Unweighted Frequency	%
1	Accident	0	0.0 %
2	Childbirth	0	0.0 %
3	Fever	0	0.0 %
4	Diarrhea	0	0.0 %
5	Cancer	0	0.0 %

- Study 22626 -

Value	Label	Unweighted Frequency	%
6	Heart attack	0	0.0 %
7	TB	0	0.0 %
8	HIV-AIDS	0	0.0 %
9	Other	2	0.0 %
-5 (M)	Valid skip	5	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	41546	100.0 %

Based upon 2 valid cases out of 41554 total cases.

- Mean: 9.00
- Median: 9.00
- Mode: 9.00
- Minimum: 9.00
- Maximum: 9.00
- Standard Deviation: 0.00

DE6C	HH26 20.6 Death 3: Childbirth
Location:	1535-1536 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	Was she pregnant or did she die within 6 weeks of childbirth (ask only if person was a woman between 12-49).

Value	Label	Unweighted Frequency	%
0	No	9	0.0 %
1	Yes, pregnant	0	0.0 %
2	Yes, during delivery	0	0.0 %
3	Yes, within 6 weeks	0	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	41543	100.0 %

Based upon 9 valid cases out of 41554 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

OH1A	HH28 22.1 ID Primary resp
------	---------------------------

- Study 22626 -

Location: 1537-1538 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Who was the primary respondent who answered most of the questions (Id code).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	25	0.1 %
1	-	27999	67.4 %
2	-	8308	20.0 %
3	-	2982	7.2 %
4	-	793	1.9 %
5	-	430	1.0 %
6	-	267	0.6 %
7	-	234	0.6 %
8	-	125	0.3 %
9	-	77	0.2 %
10	-	35	0.1 %
11	-	27	0.1 %
12	-	17	0.0 %
13	-	13	0.0 %
14	-	5	0.0 %
15	-	8	0.0 %
16	-	3	0.0 %
17	-	4	0.0 %
18	-	2	0.0 %
21	-	1	0.0 %
26	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	197	0.5 %

Based upon 41356 valid cases out of 41554 total cases.

- Mean: 1.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 26.00
- Standard Deviation: 1.22

OH2A

HH28 22.2 Other resp 1 ID

Location: 1539-1540 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

- Study 22626 -

Question:

Who else from the household answered some questions or offered advice (Id code).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	19382	46.6 %
1	-	2287	5.5 %
2	-	9502	22.9 %
3	-	2745	6.6 %
4	-	1216	2.9 %
5	-	508	1.2 %
6	-	314	0.8 %
7	-	229	0.6 %
8	-	128	0.3 %
9	-	86	0.2 %
10	-	41	0.1 %
11	-	36	0.1 %
12	-	19	0.0 %
13	-	17	0.0 %
14	-	8	0.0 %
15	-	2	0.0 %
16	-	2	0.0 %
17	-	3	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	5026	12.1 %

Based upon 36527 valid cases out of 41554 total cases.

- Mean: 1.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 19.00
- Standard Deviation: 1.66

OH2B

HH28 22.2 Other resp 2 ID

Location: 1541-1542 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1, .

Question: Other respondent ID code.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	14831	35.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	159	0.4 %
2	-	526	1.3 %
3	-	1099	2.6 %
4	-	691	1.7 %
5	-	286	0.7 %
6	-	165	0.4 %
7	-	95	0.2 %
8	-	71	0.2 %
9	-	41	0.1 %
10	-	26	0.1 %
11	-	13	0.0 %
12	-	10	0.0 %
13	-	9	0.0 %
14	-	3	0.0 %
15	-	5	0.0 %
16	-	2	0.0 %
18	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	23520	56.6 %

Based upon 18033 valid cases out of 41554 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 1.67

OH2C

HH28 22.2 Other resp 3 ID

Location: 1543-1544 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1, .

Question: Other respondent ID code.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	14685	35.3 %
1	-	84	0.2 %
2	-	31	0.1 %
3	-	62	0.1 %
4	-	256	0.6 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	95	0.2 %
6	-	65	0.2 %
7	-	29	0.1 %
8	-	30	0.1 %
9	-	12	0.0 %
10	-	13	0.0 %
11	-	8	0.0 %
12	-	6	0.0 %
13	-	4	0.0 %
14	-	5	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	26165	63.0 %

Based upon 15388 valid cases out of 41554 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 1.10

OH2D
HH28 22.2 Other resp 4: ID

Location: 1545-1546 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1, .
 Question: Other respondent ID code.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	14657	35.3 %
1	-	76	0.2 %
2	-	9	0.0 %
3	-	10	0.0 %
4	-	16	0.0 %
5	-	56	0.1 %
6	-	22	0.1 %
7	-	7	0.0 %
8	-	6	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	12	0.0 %
10	-	3	0.0 %
11	-	1	0.0 %
12	-	6	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	4	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	26663	64.2 %

Based upon 14890 valid cases out of 41554 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 0.72

OH3

HH28 22.3 Non-HH at interview

Location: 1547-1548 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Were there non-household members present at the interview at any time.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	26217	63.1 %
1	Yes	13817	33.3 %
-6 (M)	Out of range	5	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	1514	3.6 %

Based upon 40034 valid cases out of 41554 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

- Study 22626 -

OH4	HH28 22.4 Obs: Purpose		
Location:	1549-1550 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Did you have difficulty in the begining conveying the purpose of this interview to the respondent.		
Value	Label	Unweighted Frequency	%
0	No	33188	79.9 %
1	Some difficulty	6950	16.7 %
2	Alot of difficulty	1033	2.5 %
-6 (M)	Out of range	2	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	380	0.9 %

Based upon 41171 valid cases out of 41554 total cases.

- Mean: 0.22
 - Median: 0.00
 - Mode: 0.00
 - Minimum: 0.00
 - Maximum: 2.00
 - Standard Deviation: 0.47

OH5	HH28 22.5 Obs: Understanding		
Location:	1551-1552 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Did the respondent have any difficulty understanding the questions.		
Value	Label	Unweighted Frequency	%
0	No	32248	77.6 %
1	Some difficulty	7819	18.8 %
2	Alot of difficulty	1125	2.7 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	360	0.9 %

Based upon 41192 valid cases out of 41554 total cases.

- Mean: 0.24
 - Median: 0.00
 - Mode: 0.00
 - Minimum: 0.00
 - Maximum: 2.00

- Study 22626 -

- Standard Deviation: 0.49

OH6	HH28 22.6 Obs: Response clarity		
Location:	1553-1554 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Did the respondent look at you and clearly respond to the questions.		
Value	Label	Unweighted Frequency	%
0	No	2239	5.4 %
1	Sometimes	12873	31.0 %
2	Usually	26094	62.8 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	346	0.8 %

Based upon 41206 valid cases out of 41554 total cases.

- Mean: 1.58
 - Median: 2.00
 - Mode: 2.00
 - Minimum: 0.00
 - Maximum: 2.00
 - Standard Deviation: 0.59

OH7	HH28 22.7 Obs: Knows expenditure		
Location:	1555-1556 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Was the respondent knowledgeable about consumption expenditure questions.		
Value	Label	Unweighted Frequency	%
0	Very little knowledge	2248	5.4 %
1	Somewhat	13825	33.3 %
2	Very knowledgeable	25127	60.5 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	352	0.8 %

Based upon 41200 valid cases out of 41554 total cases.

- Mean: 1.56
 - Median: 2.00
 - Mode: 2.00

- Study 22626 -

- Minimum: 0.00
 - Maximum: 2.00
 - Standard Deviation: 0.60

OH8	HH28 22.8 Obs: Confidence		
Location:	1557-1558 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Was the respondent confident.		
Value	Label	Unweighted Frequency	%
0	No	1407	3.4 %
1	Sometimes	11218	27.0 %
2	Usually	28561	68.7 %
-6 (M)	Out of range	4	0.0 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	1	0.0 %
. (M)	-	362	0.9 %

Based upon 41186 valid cases out of 41554 total cases.

- Mean: 1.66
 - Median: 2.00
 - Mode: 2.00
 - Minimum: 0.00
 - Maximum: 2.00
 - Standard Deviation: 0.54

OH9	HH28 22.9 Interview end time
Location:	1559-1562 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Interview end time.
Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41085 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 645.90
- Minimum: 0.00
- Maximum: 3000.00
- Standard Deviation: 399.05

OH9B	HH28 22.9 Interview end (AM/PM)			
Location:	1563-1567 (width: 5; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	AM/PM.			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	AM	10640	25.6 %
	2	PM	30229	72.7 %
	330	-	1	0.0 %
	-6 (M)	Out of range	1	0.0 %
	-5 (M)	Valid skip	66	0.2 %
	-1 (M)	Valid blank	1	0.0 %
	. (M)	-	616	1.5 %

Based upon 40870 valid cases out of 41554 total cases.

- Mean: 1.75
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 330.00
- Standard Deviation: 1.68

APD	HH29 23.dt Anthropometry date						
Location:	1568-1573 (width: 6; decimal: 0)						
Variable Type:	character						
Question:	Date measurements taken.						
Based upon 41554 valid cases out of 41554 total cases.							

GE1	Study Code			
Location:	1574-1575 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	22	-	41552	100.0 %
	-1 (M)	Valid blank	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 41552 valid cases out of 41554 total cases.

- Mean: 22.00
- Median: 22.00
- Mode: 22.00
- Minimum: 22.00
- Maximum: 22.00
- Standard Deviation: 0.00

GE3

EH1 3 Interviewer ID

Location: 1576-1579 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 40687 valid cases out of 41554 total cases.

- Mean: 1499.07
- Minimum: 0.00
- Maximum: 8150.00
- Standard Deviation: 891.86

GE6

EH1 6 Supervisor ID

Location: 1580-1583 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know

- Study 22626 -

<i>Value</i>	<i>Label</i>
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 40134 valid cases out of 41554 total cases.

- Mean: 1508.24
- Minimum: 0.00
- Maximum: 3660.00
- Standard Deviation: 894.81

GE9

EH1 9 Reinterview Household

Location: 1584-1585 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Is this a re-interview household.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	27653	66.5 %
1	Yes	13899	33.4 %
-1 (M)	Valid blank	2	0.0 %

Based upon 41552 valid cases out of 41554 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

GE10A

EH1 10a 1st Part Completion

Location: 1586-1587 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: First part.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Complete	41405	99.6 %
2	Incomplete	147	0.4 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.06

GE10B	EH1 10b Elig Wom Completion																
Location:	1588-1589 (width: 2; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	Eligible women.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Complete</td><td style="text-align: right; padding: 2px;">38530</td><td style="text-align: right; padding: 2px;">92.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">Incomplete</td><td style="text-align: right; padding: 2px;">3023</td><td style="text-align: right; padding: 2px;">7.3 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	Complete	38530	92.7 %	2	Incomplete	3023	7.3 %	-1 (M)	Valid blank	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>														
1	Complete	38530	92.7 %														
2	Incomplete	3023	7.3 %														
-1 (M)	Valid blank	1	0.0 %														

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.26

GE11	EH1 11 Anthro Completion																												
Location:	1590-1591 (width: 2; decimal: 0)																												
Variable Type:	numeric																												
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																												
Question:	Anthropometry completion status.																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Not Done</td><td style="text-align: right; padding: 2px;">1661</td><td style="text-align: right; padding: 2px;">4.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">Partially</td><td style="text-align: right; padding: 2px;">3288</td><td style="text-align: right; padding: 2px;">7.9 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">Fully</td><td style="text-align: right; padding: 2px;">30828</td><td style="text-align: right; padding: 2px;">74.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">4</td><td style="text-align: left; padding: 2px;">NA</td><td style="text-align: right; padding: 2px;">5775</td><td style="text-align: right; padding: 2px;">13.9 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-5 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	Not Done	1661	4.0 %	2	Partially	3288	7.9 %	3	Fully	30828	74.2 %	4	NA	5775	13.9 %	-5 (M)	Valid skip	1	0.0 %	-1 (M)	Valid blank	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																										
1	Not Done	1661	4.0 %																										
2	Partially	3288	7.9 %																										
3	Fully	30828	74.2 %																										
4	NA	5775	13.9 %																										
-5 (M)	Valid skip	1	0.0 %																										
-1 (M)	Valid blank	1	0.0 %																										

Based upon 41552 valid cases out of 41554 total cases.

- Mean: 2.98

- Study 22626 -

- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.61

GE12	EH1 12 Learning Completion		
Location:	1592-1593 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Learning completion status.		
Value	Label	Unweighted Frequency	%
1	Not Done	4231	10.2 %
2	Partially	654	1.6 %
3	Fully	8147	19.6 %
4	NA	28521	68.6 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 3.47
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.94

GE13	EH1 13 Additional Learning Sheet		
Location:	1594-1595 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Whether additional learning sheet attached.		
Value	Label	Unweighted Frequency	%
0	No	41548	100.0 %
1	Yes	4	0.0 %
3	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00

- Study 22626 -

- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.02

GE14

EH1 14 Data Entry ID

Location: 1596-1599 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	11	0.0 %
1	-	1352	3.3 %
2	-	2358	5.7 %
3	-	1269	3.1 %
4	-	478	1.2 %
5	-	2566	6.2 %
6	-	154	0.4 %
7	-	2093	5.0 %
8	-	3068	7.4 %
9	-	532	1.3 %
10	-	2520	6.1 %
11	-	298	0.7 %
12	-	512	1.2 %
13	-	1424	3.4 %
14	-	601	1.4 %
15	-	1139	2.7 %
16	-	50	0.1 %
17	-	3475	8.4 %
18	-	72	0.2 %
19	-	516	1.2 %
20	-	4	0.0 %
21	-	889	2.1 %
22	-	1059	2.5 %
23	-	2633	6.3 %
24	-	480	1.2 %
25	-	918	2.2 %
26	-	19	0.0 %
27	-	1414	3.4 %
28	-	448	1.1 %
29	-	271	0.7 %
30	-	509	1.2 %
31	-	64	0.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
32	-	280	0.7 %
33	-	1014	2.4 %
34	-	325	0.8 %
35	-	109	0.3 %
36	-	50	0.1 %
37	-	206	0.5 %
38	-	1221	2.9 %
39	-	307	0.7 %
103	-	1	0.0 %
111	-	1	0.0 %
113	-	1	0.0 %
120	-	1	0.0 %
125	-	1	0.0 %
131	-	1	0.0 %
132	-	4	0.0 %
141	-	1	0.0 %
232	-	6	0.0 %
236	-	1	0.0 %
1525	-	1	0.0 %
2501	-	1	0.0 %
-1 (M)	Valid blank	4826	11.6 %

Based upon 36728 valid cases out of 41554 total cases.

- Mean: 15.37
- Median: 13.00
- Mode: 17.00
- Minimum: 0.00
- Maximum: 2501.00
- Standard Deviation: 18.72

CD1

EH2 cg1 Agree to interview

Location: 1600-1601 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	0	0.0 %
1	Yes	41552	100.0 %
27	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %

- Study 22626 -

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 0.13

CD2	EH2 cg2 Date of interview
Location:	1602-1607 (width: 6; decimal: 0)
Variable Type:	character Based upon 41554 valid cases out of 41554 total cases.

CD3	EH2 cg3 Interview start time																
Location:	1608-1612 (width: 5; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">-7 (M)</td><td style="text-align: left; padding: 2px;">Inconsistent</td></tr> <tr> <td style="text-align: left; padding: 2px;">-6 (M)</td><td style="text-align: left; padding: 2px;">Out of range</td></tr> <tr> <td style="text-align: left; padding: 2px;">-5 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td></tr> <tr> <td style="text-align: left; padding: 2px;">-4 (M)</td><td style="text-align: left; padding: 2px;">Invalid skip</td></tr> <tr> <td style="text-align: left; padding: 2px;">-3 (M)</td><td style="text-align: left; padding: 2px;">Don't know</td></tr> <tr> <td style="text-align: left; padding: 2px;">-2 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
<i>Value</i>	<i>Label</i>																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 41332 valid cases out of 41554 total cases.

- Mean: 685.27
- Minimum: 0.00
- Maximum: 90805.00
- Standard Deviation: 599.30

CD3B	EH2 cg3b AM/PM Int. time																
Location:	1613-1617 (width: 5; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">AM</td><td style="text-align: right; padding: 2px;">15661</td><td style="text-align: right; padding: 2px;">37.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">PM</td><td style="text-align: right; padding: 2px;">25634</td><td style="text-align: right; padding: 2px;">61.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">215</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	AM	15661	37.7 %	2	PM	25634	61.7 %	215	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>														
1	AM	15661	37.7 %														
2	PM	25634	61.7 %														
215	-	1	0.0 %														

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-5 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	256	0.6 %

Based upon 41296 valid cases out of 41554 total cases.

- Mean: 1.63
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 215.00
- Standard Deviation: 1.16

HI1	EH3 1.1 Stratum Number		
Location:	1618-1619 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	23134	55.7 %
1	-	2345	5.6 %
2	-	1916	4.6 %
3	-	502	1.2 %
4	-	480	1.2 %
5	-	395	1.0 %
6	-	775	1.9 %
7	-	648	1.6 %
8	-	557	1.3 %
9	-	487	1.2 %
10	-	413	1.0 %
11	-	630	1.5 %
12	-	789	1.9 %
13	-	350	0.8 %
14	-	399	1.0 %
15	-	373	0.9 %
16	-	472	1.1 %
17	-	599	1.4 %
18	-	108	0.3 %
19	-	93	0.2 %
20	-	72	0.2 %
21	-	155	0.4 %
22	-	235	0.6 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	-	27	0.1 %
24	-	41	0.1 %
25	-	1	0.0 %
26	-	27	0.1 %
27	-	13	0.0 %
28	-	71	0.2 %
29	-	24	0.1 %
30	-	10	0.0 %
31	-	63	0.2 %
32	-	58	0.1 %
-2 (M)	Valid skip	772	1.9 %
-1 (M)	Valid blank	4520	10.9 %

Based upon 36262 valid cases out of 41554 total cases.

- Mean: 2.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 32.00
- Standard Deviation: 5.63

HI2

EH3 1.2 Listing Sheet Number

Location: 1620-1622 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 38940 valid cases out of 41554 total cases.

- Mean: 58.65
- Minimum: 0.00
- Maximum: 453.00
- Standard Deviation: 65.74

- Study 22626 -

HI3	EH3 1.3 State/UT Code		
Location:	1623-1627 (width: 5; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Name and code of state or union territory		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	715	1.7 %
2	-	1372	3.3 %
3	-	1593	3.8 %
4	-	90	0.2 %
5	-	458	1.1 %
6	-	1618	3.9 %
7	-	960	2.3 %
8	-	2485	6.0 %
9	-	3512	8.5 %
10	-	1429	3.4 %
11	-	105	0.3 %
12	-	165	0.4 %
13	-	130	0.3 %
14	-	105	0.3 %
15	-	105	0.3 %
16	-	229	0.6 %
17	-	161	0.4 %
18	-	1017	2.4 %
19	-	2380	5.7 %
20	-	924	2.2 %
21	-	2064	5.0 %
22	-	1175	2.8 %
23	-	2805	6.8 %
24	-	2078	5.0 %
25	-	60	0.1 %
26	-	60	0.1 %
27	-	3204	7.7 %
28	-	2435	5.9 %
29	-	4019	9.7 %
30	-	165	0.4 %
32	-	1731	4.2 %
33	-	2098	5.0 %
34	-	105	0.3 %
101	-	1	0.0 %
-1 (M)	Valid blank	1	0.0 %

- Study 22626 -

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 18.78
- Median: 21.00
- Mode: 29.00
- Minimum: 1.00
- Maximum: 101.00
- Standard Deviation: 9.85

HI4	EH3 1.4 District Code		
Location:	1628-1629 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Name of district.		
Value	Label	Unweighted Frequency	%
1	-	1632	3.9 %
2	-	2625	6.3 %
3	-	1261	3.0 %
4	-	1800	4.3 %
5	-	2181	5.2 %
6	-	1746	4.2 %
7	-	1665	4.0 %
8	-	1560	3.8 %
9	-	1894	4.6 %
10	-	2289	5.5 %
11	-	1426	3.4 %
12	-	1969	4.7 %
13	-	1483	3.6 %
14	-	1111	2.7 %
15	-	1327	3.2 %
16	-	1103	2.7 %
17	-	1343	3.2 %
18	-	1006	2.4 %
19	-	942	2.3 %
20	-	1120	2.7 %
21	-	896	2.2 %
22	-	495	1.2 %
23	-	1049	2.5 %
24	-	694	1.7 %
25	-	724	1.7 %
26	-	718	1.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27	-	654	1.6 %
28	-	230	0.6 %
29	-	615	1.5 %
30	-	563	1.4 %
31	-	304	0.7 %
32	-	514	1.2 %
33	-	47	0.1 %
34	-	173	0.4 %
35	-	201	0.5 %
36	-	175	0.4 %
37	-	93	0.2 %
38	-	45	0.1 %
39	-	45	0.1 %
40	-	42	0.1 %
41	-	66	0.2 %
42	-	139	0.3 %
44	-	109	0.3 %
45	-	111	0.3 %
46	-	45	0.1 %
47	-	80	0.2 %
48	-	60	0.1 %
49	-	153	0.4 %
50	-	54	0.1 %
51	-	53	0.1 %
54	-	140	0.3 %
58	-	45	0.1 %
59	-	120	0.3 %
60	-	20	0.0 %
62	-	45	0.1 %
63	-	45	0.1 %
65	-	185	0.4 %
66	-	86	0.2 %
67	-	112	0.3 %
68	-	125	0.3 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 14.81
- Median: 12.00
- Mode: 2.00

- Study 22626 -

- Minimum: 1.00
- Maximum: 68.00
- Standard Deviation: 12.20

HI5	EH3 1.5 Tehsil/Taluka Code		
Location:	1630-1631 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Name of tehsil/taluka.		
Value	<i>Label</i>	<i>Unweighted Frequency</i>	%
0	-	998	2.4 %
1	-	4315	10.4 %
2	-	4049	9.7 %
3	-	4038	9.7 %
4	-	2995	7.2 %
5	-	2465	5.9 %
6	-	1767	4.3 %
7	-	1547	3.7 %
8	-	1043	2.5 %
9	-	778	1.9 %
10	-	521	1.3 %
11	-	560	1.3 %
12	-	317	0.8 %
13	-	263	0.6 %
14	-	241	0.6 %
15	-	227	0.5 %
16	-	188	0.5 %
17	-	115	0.3 %
18	-	214	0.5 %
19	-	169	0.4 %
20	-	84	0.2 %
21	-	103	0.2 %
22	-	67	0.2 %
23	-	8	0.0 %
24	-	21	0.1 %
25	-	29	0.1 %
26	-	60	0.1 %
27	-	21	0.1 %
28	-	95	0.2 %
29	-	20	0.0 %
30	-	40	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	-	17	0.0 %
32	-	25	0.1 %
33	-	50	0.1 %
34	-	42	0.1 %
35	-	8	0.0 %
36	-	33	0.1 %
37	-	39	0.1 %
38	-	16	0.0 %
39	-	7	0.0 %
40	-	137	0.3 %
41	-	18	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	40	0.1 %
45	-	39	0.1 %
46	-	26	0.1 %
47	-	40	0.1 %
48	-	36	0.1 %
52	-	6	0.0 %
54	-	20	0.0 %
59	-	30	0.1 %
61	-	20	0.0 %
-1 (M)	Valid blank	13545	32.6 %

Based upon 28009 valid cases out of 41554 total cases.

- Mean: 5.84
- Median: 4.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 61.00
- Standard Deviation: 7.33

HI6	EH3 1.6 Village/Town Code		
Location:	1632-1633 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Name of village/town.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	6334	15.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	6017	14.5 %
3	-	5489	13.2 %
4	-	3980	9.6 %
5	-	3388	8.2 %
6	-	3573	8.6 %
7	-	3237	7.8 %
8	-	2230	5.4 %
9	-	1709	4.1 %
10	-	1216	2.9 %
11	-	906	2.2 %
12	-	617	1.5 %
13	-	488	1.2 %
14	-	325	0.8 %
15	-	223	0.5 %
16	-	123	0.3 %
17	-	116	0.3 %
18	-	110	0.3 %
19	-	110	0.3 %
20	-	90	0.2 %
21	-	91	0.2 %
22	-	77	0.2 %
23	-	60	0.1 %
24	-	45	0.1 %
25	-	15	0.0 %
26	-	15	0.0 %
27	-	15	0.0 %
28	-	15	0.0 %
29	-	15	0.0 %
30	-	15	0.0 %
31	-	146	0.4 %
32	-	144	0.3 %
33	-	124	0.3 %
34	-	105	0.3 %
35	-	130	0.3 %
36	-	128	0.3 %
37	-	77	0.2 %
38	-	39	0.1 %
39	-	15	0.0 %
-1 (M)	Valid blank	2	0.0 %

Based upon 41552 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 5.73
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 39.00
- Standard Deviation: 5.77

HI7A	EH3 1.7a Post-Office Code															
Location:	1634-1635 (width: 2; decimal: 0)															
Variable Type:	numeric															
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1															
Question:	Name of post office.															
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td><td style="text-align: center;">-</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">-1 (M)</td><td style="text-align: center;">Valid blank</td><td style="text-align: right;">41553</td><td style="text-align: right;">100.0 %</td></tr> </tbody> </table>					<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	-	1	0.0 %	-1 (M)	Valid blank	41553	100.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>													
1	-	1	0.0 %													
-1 (M)	Valid blank	41553	100.0 %													
Based upon 1 valid cases out of 41554 total cases.																
<ul style="list-style-type: none"> • Mean: 1.00 • Median: 1.00 • Mode: 1.00 • Minimum: 1.00 • Maximum: 1.00 • Standard Deviation: 0.00 																
HI8A	EH3 1.8a Mohalla/Hamlet Code															
Location:	1636-1637 (width: 2; decimal: 0)															
Variable Type:	numeric															
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1															
Question:	Name of Mohalla															
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">-1 (M)</td><td style="text-align: center;">Valid blank</td><td style="text-align: right;">41554</td><td style="text-align: right;">100.0 %</td></tr> </tbody> </table>					<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	-1 (M)	Valid blank	41554	100.0 %				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>													
-1 (M)	Valid blank	41554	100.0 %													
Based upon 0 valid cases out of 41554 total cases.																
HI9	EH3 1.9 Rural/Urban/Slum															
Location:	1638-1639 (width: 2; decimal: 0)															
Variable Type:	numeric															
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1															
Question:	Rural/Urban/Slum.															

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rural	27010	65.0 %
2	Urban	13714	33.0 %
3	Slum	828	2.0 %
-1 (M)	Valid blank	2	0.0 %

Based upon 41552 valid cases out of 41554 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.52

HI10	EH3 1.10 1993-94 Household ID
-------------	--------------------------------------

Location: 1640-1643 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: 1933-1994 Household ID.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 19363 valid cases out of 41554 total cases.

- Mean: 894.57
- Minimum: 0.00
- Maximum: 8888.00
- Standard Deviation: 1052.05

HI12	EH3 1.12 Intvw Language Code
-------------	-------------------------------------

Location: 1644-1645 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Language of interview.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Hindi	17888	43.0 %
2	Assamese	948	2.3 %
3	Bangla	2565	6.2 %
4	Gujarathi	2134	5.1 %
5	Marathi	2926	7.0 %
6	Oriya	2012	4.8 %
7	Kannad	4001	9.6 %
8	Malyalam	1726	4.2 %
9	Tamil	2210	5.3 %
10	Telegu	2365	5.7 %
11	English	209	0.5 %
12	-	1997	4.8 %
13	-	3	0.0 %
14	-	568	1.4 %
-1 (M)	Valid blank	2	0.0 %

Based upon 41552 valid cases out of 41554 total cases.

- Mean: 4.39
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 14.00
- Standard Deviation: 3.71

CH1	EH6 3.1 Ch1: Code		
Location:	1646-1647 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Id code from above.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1	0.0 %
2	-	151	0.4 %
3	-	3233	7.8 %
4	-	2887	6.9 %
5	-	2668	6.4 %
6	-	1360	3.3 %
7	-	652	1.6 %
8	-	313	0.8 %
9	-	176	0.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	124	0.3 %
11	-	59	0.1 %
12	-	31	0.1 %
13	-	18	0.0 %
14	-	12	0.0 %
15	-	10	0.0 %
16	-	6	0.0 %
17	-	5	0.0 %
18	-	3	0.0 %
19	-	5	0.0 %
20	-	2	0.0 %
-1 (M)	Valid blank	29821	71.8 %
. (M)	-	17	0.0 %

Based upon 11716 valid cases out of 41554 total cases.

- Mean: 4.68
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.82

CH2

EH6 3.2 Ch1: School enrolment

Location: 1648-1649 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Has (name) ever been enrolled in school.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	166	0.4 %
1	Yes, past	2125	5.1 %
2	Yes, now	9424	22.7 %
4	-	1	0.0 %
-1 (M)	Valid blank	29838	71.8 %

Based upon 11716 valid cases out of 41554 total cases.

- Mean: 1.79
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 4.00
- Standard Deviation: 0.44

CH3

EH6 3.3 Ch1: Start Age in years

Location: 1650-1651 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: At what age did (name) start school.

Value	Label	Unweighted Frequency	%
0	-	4	0.0 %
1	-	15	0.0 %
2	-	67	0.2 %
3	-	875	2.1 %
4	-	1461	3.5 %
5	-	4799	11.5 %
6	-	3359	8.1 %
7	-	608	1.5 %
8	-	233	0.6 %
9	-	86	0.2 %
10	-	34	0.1 %
11	-	10	0.0 %
21	-	1	0.0 %
26	-	1	0.0 %
51	-	1	0.0 %
-1 (M)	Valid blank	30000	72.2 %

Based upon 11554 valid cases out of 41554 total cases.

- Mean: 5.21
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 51.00
- Standard Deviation: 1.27

CH4

EH6 3.4 Ch1: Faculty attendance

Location: 1652-1653 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Are most of the teachers at (name) school present regularly.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	337	0.8 %
1	Yes	11173	26.9 %
5	-	1	0.0 %
-3 (M)	Don't know	7	0.0 %
-1 (M)	Valid blank	30036	72.3 %

Based upon 11511 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.17

CH5	EH6 3.5 Ch1: Teacher attendance
------------	--

Location: 1654-1655 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Is/was (name's) class teacher present regularly.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	362	0.9 %
1	Yes	11145	26.8 %
-3 (M)	Don't know	11	0.0 %
-1 (M)	Valid blank	30036	72.3 %

Based upon 11507 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

CH6	EH6 3.6 Ch1: Local teacher
------------	-----------------------------------

Location: 1656-1657 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Does/did (name's) class teacher live in the village/area where the school is.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4948	11.9 %
1	Yes	6548	15.8 %
-3 (M)	Don't know	12	0.0 %
-1 (M)	Valid blank	30046	72.3 %

Based upon 11496 valid cases out of 41554 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

CH7	EH6 3.7 Ch1: Fair Teacher
Location:	1658-1659 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Do you think that the class teacher treats/treated your child in a fair manner.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	300	0.7 %
1	Yes	11198	26.9 %
-3 (M)	Don't know	10	0.0 %
-1 (M)	Valid blank	30046	72.3 %

Based upon 11498 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

CH8	EH6 3.8 Ch1: Good Teacher
Location:	1660-1661 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Do you think that the teacher is/was a good teacher.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	327	0.8 %
1	Yes	11162	26.9 %
-3 (M)	Don't know	14	0.0 %
-1 (M)	Valid blank	30051	72.3 %

Based upon 11489 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

CH9	EH6 3.9 Ch1: Biased Teacher		
Location:	1662-1663 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Do you think that the class teacher favors/favored certain communities/jatis over others.		
Value	Label	Unweighted Frequency	%
0	No	10390	25.0 %
1	Yes	1105	2.7 %
-3 (M)	Don't know	11	0.0 %
-1 (M)	Valid blank	30048	72.3 %

Based upon 11495 valid cases out of 41554 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

CH10	EH6 3.10 Ch1: PTA participation
Location:	1664-1665 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Do you participate in any school committee like the Parent Teacher Assn.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5765	13.9 %
1	Yes	5736	13.8 %
-3 (M)	Don't know	2	0.0 %
-1 (M)	Valid blank	30051	72.3 %

Based upon 11501 valid cases out of 41554 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

CH11	EH6 3.11 Ch1: # teacher discuss
Location:	1666-1667 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	During the year, how many time does/did someone from the family discuss (name's) school work with the teacher.
<i>Value</i>	<i>Unweighted Frequency</i>
-1	30519
0	3665
1	1023
2	2667
3	1171
4	760
5	443
6	324
7	112
8	223
9	119
10	211
11	8
12	173
13	2
14	8
15	37
16	3
18	2
19	1

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	22	0.1 %
21	2	0.0 %
22	2	0.0 %
24	27	0.1 %
25	1	0.0 %
26	2	0.0 %
30	4	0.0 %
35	1	0.0 %
36	3	0.0 %
40	2	0.0 %
48	2	0.0 %
60	3	0.0 %
64	1	0.0 %
84	1	0.0 %
94	4	0.0 %
99	6	0.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: -0.04
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 99.00
- Standard Deviation: 2.85

CH12

EH6 3.12 Ch1: Average student

Location: 1668-1669 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Is/was (name) an average student, better than average or below average.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Below Average	1328	3.2 %
1	Average	8594	20.7 %
2	Better than Average	1549	3.7 %
3	-	1	0.0 %
-3 (M)	Don't know	2	0.0 %
-1 (M)	Valid blank	30080	72.4 %

Based upon 11472 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.02
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.50

CH13	EH6 3.13 Ch1: School enjoyment																				
Location:	1670-1671 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																				
Question:	Does/did (name) enjoy school.																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: right; padding: 2px;">Unweighted Frequency</th><th style="text-align: right; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">796</td><td style="text-align: right; padding: 2px;">1.9 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">10694</td><td style="text-align: right; padding: 2px;">25.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-3 (M)</td><td style="text-align: left; padding: 2px;">Don't know</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">30063</td><td style="text-align: right; padding: 2px;">72.3 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	0	No	796	1.9 %	1	Yes	10694	25.7 %	-3 (M)	Don't know	1	0.0 %	-1 (M)	Valid blank	30063	72.3 %
Value	Label	Unweighted Frequency	%																		
0	No	796	1.9 %																		
1	Yes	10694	25.7 %																		
-3 (M)	Don't know	1	0.0 %																		
-1 (M)	Valid blank	30063	72.3 %																		

Based upon 11490 valid cases out of 41554 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

CH14	EH6 3.14 Ch1: # Repeats																																
Location:	1672-1673 (width: 2; decimal: 0)																																
Variable Type:	numeric																																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																																
Question:	Did (name) ever repeat a grade. If so, how many times.																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: right; padding: 2px;">Unweighted Frequency</th><th style="text-align: right; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">10129</td><td style="text-align: right; padding: 2px;">24.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">774</td><td style="text-align: right; padding: 2px;">1.9 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">380</td><td style="text-align: right; padding: 2px;">0.9 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">98</td><td style="text-align: right; padding: 2px;">0.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">4</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">13</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">5</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">4</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">30156</td><td style="text-align: right; padding: 2px;">72.6 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	0	-	10129	24.4 %	1	-	774	1.9 %	2	-	380	0.9 %	3	-	98	0.2 %	4	-	13	0.0 %	5	-	4	0.0 %	-1 (M)	Valid blank	30156	72.6 %
Value	Label	Unweighted Frequency	%																														
0	-	10129	24.4 %																														
1	-	774	1.9 %																														
2	-	380	0.9 %																														
3	-	98	0.2 %																														
4	-	13	0.0 %																														
5	-	4	0.0 %																														
-1 (M)	Valid blank	30156	72.6 %																														

Based upon 11398 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.53

CH15A
EH6 3.15a Ch1: Ever praised

Location: 1674-1675 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: In the last month, in school has your child been praised.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	7599	18.3 %
1	Yes	3720	9.0 %
-3 (M)	Don't know	5	0.0 %
-1 (M)	Valid blank	30230	72.7 %

Based upon 11319 valid cases out of 41554 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

CH15B
EH6 3.15b Ch1: Ever beaten

Location: 1676-1677 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: In the last month, in school has your child been physically beaten/pinched.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8708	21.0 %
1	Yes	2542	6.1 %
-3 (M)	Don't know	4	0.0 %
-1 (M)	Valid blank	30300	72.9 %

Based upon 11250 valid cases out of 41554 total cases.

- Mean: 0.23

- Study 22626 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

CH1SS	EH6 state Ch1: School state			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1	-	716	1.7 %
	2	-	1372	3.3 %
	3	-	1593	3.8 %
	4	-	90	0.2 %
	5	-	458	1.1 %
	6	-	1618	3.9 %
	7	-	960	2.3 %
	8	-	2485	6.0 %
	9	-	3512	8.5 %
	10	-	1429	3.4 %
	11	-	105	0.3 %
	12	-	165	0.4 %
	13	-	130	0.3 %
	14	-	105	0.3 %
	15	-	105	0.3 %
	16	-	229	0.6 %
	17	-	161	0.4 %
	18	-	1017	2.4 %
	19	-	2380	5.7 %
	20	-	924	2.2 %
	21	-	2064	5.0 %
	22	-	1175	2.8 %
	23	-	2805	6.8 %
	24	-	2078	5.0 %
	25	-	60	0.1 %
	26	-	60	0.1 %
	27	-	3203	7.7 %
	28	-	2435	5.9 %
	29	-	4020	9.7 %
	30	-	165	0.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
32	-	1731	4.2 %
33	-	2098	5.0 %
34	-	105	0.3 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 18.78
- Median: 21.00
- Mode: 29.00
- Minimum: 1.00
- Maximum: 34.00
- Standard Deviation: 9.84

CH1SD	EH6 dist Ch1: School district		
Location:	1680-1681 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1632	3.9 %
2	-	2625	6.3 %
3	-	1261	3.0 %
4	-	1800	4.3 %
5	-	2182	5.3 %
6	-	1746	4.2 %
7	-	1665	4.0 %
8	-	1560	3.8 %
9	-	1894	4.6 %
10	-	2289	5.5 %
11	-	1426	3.4 %
12	-	1969	4.7 %
13	-	1483	3.6 %
14	-	1111	2.7 %
15	-	1327	3.2 %
16	-	1103	2.7 %
17	-	1343	3.2 %
18	-	1006	2.4 %
19	-	942	2.3 %
20	-	1120	2.7 %
21	-	896	2.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	-	495	1.2 %
23	-	1049	2.5 %
24	-	694	1.7 %
25	-	724	1.7 %
26	-	718	1.7 %
27	-	654	1.6 %
28	-	230	0.6 %
29	-	615	1.5 %
30	-	563	1.4 %
31	-	304	0.7 %
32	-	514	1.2 %
33	-	47	0.1 %
34	-	173	0.4 %
35	-	201	0.5 %
36	-	175	0.4 %
37	-	93	0.2 %
38	-	45	0.1 %
39	-	45	0.1 %
40	-	41	0.1 %
41	-	66	0.2 %
42	-	139	0.3 %
44	-	109	0.3 %
45	-	111	0.3 %
46	-	45	0.1 %
47	-	80	0.2 %
48	-	60	0.1 %
49	-	153	0.4 %
50	-	54	0.1 %
51	-	53	0.1 %
54	-	140	0.3 %
58	-	45	0.1 %
59	-	120	0.3 %
60	-	20	0.0 %
62	-	45	0.1 %
63	-	45	0.1 %
65	-	185	0.4 %
66	-	86	0.2 %
67	-	112	0.3 %
68	-	125	0.3 %
-1 (M)	Valid blank	1	0.0 %

- Study 22626 -

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 14.81
- Median: 12.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 68.00
- Standard Deviation: 12.20

CH1SP	EH6 psu Ch1: School PSU	Unweighted Frequency	%
Location:	1682-1683 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Value	Label	Unweighted Frequency	%
1	-	6334	15.2 %
2	-	6016	14.5 %
3	-	5489	13.2 %
4	-	3980	9.6 %
5	-	3388	8.2 %
6	-	3573	8.6 %
7	-	3238	7.8 %
8	-	2230	5.4 %
9	-	1709	4.1 %
10	-	1216	2.9 %
11	-	906	2.2 %
12	-	617	1.5 %
13	-	488	1.2 %
14	-	325	0.8 %
15	-	223	0.5 %
16	-	123	0.3 %
17	-	116	0.3 %
18	-	110	0.3 %
19	-	110	0.3 %
20	-	90	0.2 %
21	-	91	0.2 %
22	-	77	0.2 %
23	-	60	0.1 %
24	-	45	0.1 %
25	-	15	0.0 %
26	-	15	0.0 %
27	-	15	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	-	15	0.0 %
29	-	15	0.0 %
30	-	15	0.0 %
31	-	146	0.4 %
32	-	144	0.3 %
33	-	124	0.3 %
34	-	105	0.3 %
35	-	131	0.3 %
36	-	128	0.3 %
37	-	77	0.2 %
38	-	39	0.1 %
39	-	15	0.0 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 5.73
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 39.00
- Standard Deviation: 5.77

CH1S
EH6 sch Ch1: School code

Location: 1684-1685 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	28	0.1 %
1	-	7592	18.3 %
2	-	3703	8.9 %
3	-	1	0.0 %
4	-	9	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
82	-	1	0.0 %
-3 (M)	Don't know	9	0.0 %
-1 (M)	Valid blank	30206	72.7 %

- Study 22626 -

Based upon 11339 valid cases out of 41554 total cases.

- Mean: 1.34
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 82.00
- Standard Deviation: 0.91

CH18

EH7 3.18 Ch2: roster id

Location: 1686-1687 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	6	0.0 %
3	-	107	0.3 %
4	-	869	2.1 %
5	-	720	1.7 %
6	-	574	1.4 %
7	-	274	0.7 %
8	-	160	0.4 %
9	-	105	0.3 %
10	-	55	0.1 %
11	-	43	0.1 %
12	-	35	0.1 %
13	-	20	0.0 %
14	-	10	0.0 %
15	-	8	0.0 %
16	-	3	0.0 %
17	-	3	0.0 %
18	-	2	0.0 %
20	-	2	0.0 %
21	-	3	0.0 %
22	-	2	0.0 %
24	-	1	0.0 %
-1 (M)	Valid blank	38530	92.7 %
. (M)	-	21	0.1 %

Based upon 3003 valid cases out of 41554 total cases.

- Mean: 5.75

- Study 22626 -

- Median: 5.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 2.26

CH19	EH7 3.19 Ch2: School enrolment
Location:	1688-1689 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Has (name) ever been enrolled in school.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	69	0.2 %
1	Yes, past	549	1.3 %
2	Yes, now	2380	5.7 %
-1 (M)	Valid blank	38556	92.8 %

Based upon 2998 valid cases out of 41554 total cases.

- Mean: 1.77
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.47

CH20	EH7 3.20 Ch2: Start Age in years
Location:	1690-1691 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	At what age did (name) start school.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2	0.0 %
1	-	2	0.0 %
2	-	15	0.0 %
3	-	199	0.5 %
4	-	383	0.9 %
5	-	1220	2.9 %
6	-	869	2.1 %
7	-	174	0.4 %
8	-	48	0.1 %
9	-	12	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	4	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	38623	92.9 %

Based upon 2930 valid cases out of 41554 total cases.

- Mean: 5.20
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.12

CH21	EH7 3.21 Ch2: Faculty attendance
-------------	---

Location: 1692-1693 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Are/were most of the teachers at (name's) school present regularly.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	86	0.2 %
1	Yes	2831	6.8 %
-3 (M)	Don't know	3	0.0 %
-1 (M)	Valid blank	38634	93.0 %

Based upon 2917 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

CH22	EH7 3.22 Ch2: Teacher attendance
-------------	---

Location: 1694-1695 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Is/was (name's) class teacher present regularly.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	97	0.2 %
1	Yes	2821	6.8 %
-3 (M)	Don't know	3	0.0 %
-1 (M)	Valid blank	38633	93.0 %

Based upon 2918 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

CH23	EH7 3.23 Ch2: Local teacher
-------------	------------------------------------

Location: 1696-1697 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Does/did (name's) class teacher live in the village/area where the school is.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1270	3.1 %
1	Yes	1645	4.0 %
-3 (M)	Don't know	4	0.0 %
-1 (M)	Valid blank	38635	93.0 %

Based upon 2915 valid cases out of 41554 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

CH24	EH7 3.24 Ch2: Fair teacher
-------------	-----------------------------------

Location: 1698-1699 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Do you think that the class teacher treats/treated your child in a fair manner.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	88	0.2 %
1	Yes	2832	6.8 %
-3 (M)	Don't know	2	0.0 %
-1 (M)	Valid blank	38632	93.0 %

Based upon 2920 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

CH25

EH7 3.25 Ch2: Good Teacher

Location: 1700-1701 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Do you think that the teacher is/was a good teacher.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	89	0.2 %
1	Yes	2830	6.8 %
-3 (M)	Don't know	2	0.0 %
-1 (M)	Valid blank	38633	93.0 %

Based upon 2919 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

CH26

EH7 3.26 Ch2: Biased teacher

Location: 1702-1703 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Do you think that the class teacher favors/favored certain communities/jatis over others.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2645	6.4 %
1	Yes	274	0.7 %
-3 (M)	Don't know	3	0.0 %
-1 (M)	Valid blank	38632	93.0 %

Based upon 2919 valid cases out of 41554 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

CH27	EH7 3.27 Ch2: PTA participation
Location:	1704-1705 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Do you participate in any school committee like the Parent Teacher Assn.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1512	3.6 %
1	Yes	1403	3.4 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	38638	93.0 %

Based upon 2915 valid cases out of 41554 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

CH28	EH7 3.28 Ch2: # teacher discuss
Location:	1706-1707 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	During the year how many times does/did someone from the family discuss (name's) school work with the teacher.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	983	2.4 %
1	-	233	0.6 %
2	-	669	1.6 %
3	-	303	0.7 %
4	-	161	0.4 %
5	-	97	0.2 %
6	-	86	0.2 %
7	-	27	0.1 %
8	-	47	0.1 %
9	-	36	0.1 %
10	-	60	0.1 %
11	-	1	0.0 %
12	-	43	0.1 %
14	-	3	0.0 %
15	-	16	0.0 %
18	-	1	0.0 %
20	-	7	0.0 %
22	-	3	0.0 %
24	-	6	0.0 %
25	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
40	-	1	0.0 %
64	-	1	0.0 %
94	-	2	0.0 %
-2 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	38760	93.3 %

Based upon 2792 valid cases out of 41554 total cases.

- Mean: 2.61
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 94.00
- Standard Deviation: 4.49

CH29

EH7 3.29 Ch2: Average student

Location:

1708-1709 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Is/was (name) an average student, better than average or below average.

Value	Label	Unweighted Frequency	%
0	Below Average	391	0.9 %
1	Average	2183	5.3 %
2	Better than Average	332	0.8 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	38647	93.0 %

Based upon 2906 valid cases out of 41554 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.50

CH30

EH7 3.30 Ch2: School enjoyment

Location: 1710-1711 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Does/did (name) enjoy school.

Value	Label	Unweighted Frequency	%
0	No	224	0.5 %
1	Yes	2691	6.5 %
-1 (M)	Valid blank	38639	93.0 %

Based upon 2915 valid cases out of 41554 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

CH31

EH7 3.31 Ch2: # Repeats

Location: 1712-1713 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 22626 -

Question:

Did (name) ever repeat a grade. If yes, how many times.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2624	6.3 %
1	-	180	0.4 %
2	-	69	0.2 %
3	-	13	0.0 %
4	-	5	0.0 %
5	-	1	0.0 %
-1 (M)	Valid blank	38662	93.0 %

Based upon 2892 valid cases out of 41554 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.47

CH32A

EH7 3.32a Ch2: Ever praised

Location: 1714-1715 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: In the last month, in school has your child been praised.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2041	4.9 %
1	Yes	838	2.0 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	38674	93.1 %

Based upon 2879 valid cases out of 41554 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

CH32B

EH7 3.32b Ch2: Ever beaten

Location: 1716-1717 (width: 2; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

In the last month, in school has your child been physically beaten/pinched.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2181	5.2 %
1	Yes	678	1.6 %
-3 (M)	Don't know	3	0.0 %
-1 (M)	Valid blank	38692	93.1 %

Based upon 2859 valid cases out of 41554 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

CH2SS

EH7 state Ch2: School state

Location:

1718-1719 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	715	1.7 %
2	-	1372	3.3 %
3	-	1593	3.8 %
4	-	90	0.2 %
5	-	458	1.1 %
6	-	1618	3.9 %
7	-	960	2.3 %
8	-	2485	6.0 %
9	-	3512	8.5 %
10	-	1429	3.4 %
11	-	105	0.3 %
12	-	165	0.4 %
13	-	130	0.3 %
14	-	105	0.3 %
15	-	105	0.3 %
16	-	229	0.6 %
17	-	161	0.4 %
18	-	1017	2.4 %
19	-	2380	5.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	924	2.2 %
21	-	2064	5.0 %
22	-	1175	2.8 %
23	-	2805	6.8 %
24	-	2078	5.0 %
25	-	60	0.1 %
26	-	60	0.1 %
27	-	3203	7.7 %
28	-	2435	5.9 %
29	-	4020	9.7 %
30	-	165	0.4 %
32	-	1731	4.2 %
33	-	2098	5.0 %
34	-	105	0.3 %
-1 (M)	Valid blank	2	0.0 %

Based upon 41552 valid cases out of 41554 total cases.

- Mean: 18.78
- Median: 21.00
- Mode: 29.00
- Minimum: 1.00
- Maximum: 34.00
- Standard Deviation: 9.84

CH2SD	EH7 dist Ch2: School district		
Location:	1720-1721 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1632	3.9 %
2	-	2625	6.3 %
3	-	1261	3.0 %
4	-	1800	4.3 %
5	-	2182	5.3 %
6	-	1746	4.2 %
7	-	1665	4.0 %
8	-	1560	3.8 %
9	-	1894	4.6 %
10	-	2289	5.5 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	1426	3.4 %
12	-	1969	4.7 %
13	-	1483	3.6 %
14	-	1111	2.7 %
15	-	1327	3.2 %
16	-	1103	2.7 %
17	-	1343	3.2 %
18	-	1006	2.4 %
19	-	942	2.3 %
20	-	1120	2.7 %
21	-	896	2.2 %
22	-	495	1.2 %
23	-	1049	2.5 %
24	-	694	1.7 %
25	-	724	1.7 %
26	-	718	1.7 %
27	-	654	1.6 %
28	-	230	0.6 %
29	-	615	1.5 %
30	-	563	1.4 %
31	-	304	0.7 %
32	-	514	1.2 %
33	-	47	0.1 %
34	-	173	0.4 %
35	-	201	0.5 %
36	-	175	0.4 %
37	-	93	0.2 %
38	-	45	0.1 %
39	-	45	0.1 %
40	-	41	0.1 %
41	-	66	0.2 %
42	-	139	0.3 %
44	-	109	0.3 %
45	-	111	0.3 %
46	-	45	0.1 %
47	-	80	0.2 %
48	-	60	0.1 %
49	-	153	0.4 %
50	-	54	0.1 %
51	-	53	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
54	-	140	0.3 %
58	-	45	0.1 %
59	-	120	0.3 %
60	-	20	0.0 %
62	-	45	0.1 %
63	-	45	0.1 %
65	-	185	0.4 %
66	-	86	0.2 %
67	-	112	0.3 %
68	-	125	0.3 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 14.81
- Median: 12.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 68.00
- Standard Deviation: 12.20

CH2SP
EH7 psu Ch2: School PSU

Location: 1722-1723 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	6334	15.2 %
2	-	6016	14.5 %
3	-	5489	13.2 %
4	-	3980	9.6 %
5	-	3388	8.2 %
6	-	3573	8.6 %
7	-	3238	7.8 %
8	-	2230	5.4 %
9	-	1709	4.1 %
10	-	1216	2.9 %
11	-	906	2.2 %
12	-	617	1.5 %
13	-	488	1.2 %
14	-	325	0.8 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	223	0.5 %
16	-	123	0.3 %
17	-	116	0.3 %
18	-	110	0.3 %
19	-	110	0.3 %
20	-	90	0.2 %
21	-	91	0.2 %
22	-	77	0.2 %
23	-	60	0.1 %
24	-	45	0.1 %
25	-	15	0.0 %
26	-	15	0.0 %
27	-	15	0.0 %
28	-	15	0.0 %
29	-	15	0.0 %
30	-	15	0.0 %
31	-	146	0.4 %
32	-	144	0.3 %
33	-	124	0.3 %
34	-	105	0.3 %
35	-	131	0.3 %
36	-	128	0.3 %
37	-	77	0.2 %
38	-	39	0.1 %
39	-	15	0.0 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 5.73
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 39.00
- Standard Deviation: 5.77

CH2S
EH7 sch Ch2: School code

Location: 1724-1725 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	6	0.0 %
1	-	1985	4.8 %
2	-	900	2.2 %
3	-	1	0.0 %
4	-	2	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
-3 (M)	Don't know	3	0.0 %
-1 (M)	Valid blank	38655	93.0 %

Based upon 2896 valid cases out of 41554 total cases.

- Mean: 1.32
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.50

MP1
EH8 4.1 Marry daughter natal vill

Location: 1726-1727 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Do people marry a daughter in her natal village.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	21491	51.7 %
1	Yes	19861	47.8 %
-1 (M)	Valid blank	202	0.5 %

Based upon 41352 valid cases out of 41554 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

MP2
EH8 4.2 Marry daughter cousin

Location: 1728-1729 (width: 2; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Do people marry a daughter to her cousin.

Value	Label	Unweighted Frequency	%
0	No	26633	64.1 %
1	Yes	14714	35.4 %
-1 (M)	Valid blank	207	0.5 %

Based upon 41347 valid cases out of 41554 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

MP3A

EH8 4.3a Boy's wed exp-lower

Location:

1730-1736 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

At the time of the marriage, how much money is usually spent by the boys family, lower estimate.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41257 valid cases out of 41554 total cases.

- Mean: 59397.61
- Median: 50000.00
- Mode: 50000.00
- Minimum: 0.00
- Maximum: 2000000.00
- Standard Deviation: 71915.36

MP3B

EH8 4.3b Boy's wed exp-upper

Location:

1737-1743 (width: 7; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 22626 -

Question:

At the time of the marriage, how much money is usually spent by the boys family, upper estimate.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41282 valid cases out of 41554 total cases.

- Mean: 76434.38
- Median: 50000.00
- Mode: 50000.00
- Minimum: 0.00
- Maximum: 2005000.00
- Standard Deviation: 94834.82

MP4A

EH8 4.4a Girl's wed exp-lower

Location: 1744-1750 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

At the time of the marriage, how much money is usually spent by the girl's family, lower estimate.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41252 valid cases out of 41554 total cases.

- Mean: 91402.60
- Median: 70000.00
- Mode: 100000.00
- Minimum: 0.00
- Maximum: 2005000.00
- Standard Deviation: 99401.90

MP4B

EH8 4.4b Girl's wed exp-upper

Location: 1751-1757 (width: 7; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: At the time of the marriage, how much money is usually spent by the girl's family, upper estimate.

Value	Label
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 41286 valid cases out of 41554 total cases.

- Mean: 118872.57
- Minimum: 0.00
- Maximum: 2050000.00
- Standard Deviation: 132495.13

MP5A

EH8 4.5a Wed Gift: gold

Location: 1758-1764 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Generally in your community for a family like yours, is gold given as a gift at the time of the daughter's marriage.

Value	Label	Unweighted Frequency	%
0	Rarely/Never	2830	6.8 %
1	Sometimes	7545	18.2 %
2	Usually	30957	74.5 %
60000	-	1	0.0 %
-3 (M)	Don't know	3	0.0 %
-1 (M)	Valid blank	218	0.5 %

Based upon 41333 valid cases out of 41554 total cases.

- Mean: 3.13
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60000.00
- Standard Deviation: 295.12

MP5B

EH8 4.5b Wed Gift: silver

- Study 22626 -

Location: 1765-1766 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Generally in your community for a family like yours, is silver given as a gift at the time of the daughter's marriage.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/Never	6061	14.6 %
1	Sometimes	8579	20.6 %
2	Usually	26703	64.3 %
-3 (M)	Don't know	2	0.0 %
-1 (M)	Valid blank	209	0.5 %

Based upon 41343 valid cases out of 41554 total cases.

- Mean: 1.50
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.74

MP5C	EH8 4.5c Wed Gift: land		
Location:	1767-1768 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Generally in your community for a family like yours, is land given as a gift at the time of the daughter's marriage.		
Value	Label	Unweighted Frequency	%
0	Rarely/Never	39059	94.0 %
1	Sometimes	1877	4.5 %
2	Usually	401	1.0 %
-3 (M)	Don't know	2	0.0 %
-1 (M)	Valid blank	215	0.5 %

Based upon 41337 valid cases out of 41554 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.28

- Study 22626 -

MP5D	EH8 4.5d Wed Gift: car			
	Value	Label	Unweighted Frequency	%
Location:	1769-1770 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1			
Question:	Generally in your community for a family like yours, is a car given as a gift at the time of the daughter's marriage.			

Based upon 41329 valid cases out of 41554 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.29

MP5E	EH8 4.5e Wed Gift: scooter			
	Value	Label	Unweighted Frequency	%
Location:	1771-1772 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1			
Question:	Generally in your community for a family like yours, is a scooter given as a gift at the time of the daughter's marriage.			

Based upon 41332 valid cases out of 41554 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 2.00
- Standard Deviation: 0.68

MP5F

EH8 4.5f Wed Gift: TV

Location:	1773-1774 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Generally in your community for a family like yours, is a TV given as a gift at the time of the daughter's marriage.

Value	Label	Unweighted Frequency	%
0	Rarely/Never	20422	49.1 %
1	Sometimes	10764	25.9 %
2	Usually	10124	24.4 %
-3 (M)	Don't know	3	0.0 %
-2 (M)	Valid skip	19	0.0 %
-1 (M)	Valid blank	222	0.5 %

Based upon 41310 valid cases out of 41554 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.82

MP5G

EH8 4.5g Wed Gift: Fridge

Location:	1775-1776 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Generally in your community for a family like yours, is a fridge given as a gift at the time of the daughter's marriage.

Value	Label	Unweighted Frequency	%
0	Rarely/Never	26764	64.4 %
1	Sometimes	8672	20.9 %
2	Usually	5867	14.1 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	19	0.0 %
-1 (M)	Valid blank	230	0.6 %

Based upon 41303 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 0.49
 - Median: 0.00
 - Mode: 0.00
 - Minimum: 0.00
 - Maximum: 2.00
 - Standard Deviation: 0.73

MP5H	EH8 4.5h Wed Gift: Furniture		
Location:	1777-1778 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Generally in your community for a family like yours, is furniture given as a gift at the time of the daughter's marriage.		
Value	Label	Unweighted Frequency	%
0	Rarely/Never	11471	27.6 %
1	Sometimes	8030	19.3 %
2	Usually	21806	52.5 %
-3 (M)	Don't know	3	0.0 %
-2 (M)	Valid skip	18	0.0 %
-1 (M)	Valid blank	226	0.5 %

Based upon 41307 valid cases out of 41554 total cases.

- Mean: 1.25
 - Median: 2.00
 - Mode: 2.00
 - Minimum: 0.00
 - Maximum: 2.00
 - Standard Deviation: 0.86

MP5I	EH8 4.5i Wed Gift: Pressure cook		
Location:	1779-1780 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Generally in your community for a family like yours, is a pressure cooker given as a gift at the time of the daughter's marriage.		
Value	Label	Unweighted Frequency	%
0	Rarely/Never	16568	39.9 %
1	Sometimes	8072	19.4 %
2	Usually	16671	40.1 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	240	0.6 %

Based upon 41311 valid cases out of 41554 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.90

MP5J
EH8 4.5j Wed Gift: Utensils

Location: 1781-1782 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Generally in your community for a family like yours, are utensils given as a gift at the time of the daughter's marriage.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/Never	3841	9.2 %
1	Sometimes	3870	9.3 %
2	Usually	33587	80.8 %
-3 (M)	Don't know	3	0.0 %
-1 (M)	Valid blank	253	0.6 %

Based upon 41298 valid cases out of 41554 total cases.

- Mean: 1.72
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.62

MP5K
EH8 4.5k Wed Gift: Mixer/Grinder

Location: 1783-1784 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Generally in your community for a family like yours, is a mixer or grinder given as a gift at the time of the daughter's marriage.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/Never	24265	58.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sometimes	8157	19.6 %
2	Usually	8839	21.3 %
-3 (M)	Don't know	4	0.0 %
-1 (M)	Valid blank	289	0.7 %

Based upon 41261 valid cases out of 41554 total cases.

- Mean: 0.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.81

MP5L	EH8 4.5l Wed Gift: Bedding		
Location:	1785-1786 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Generally in your community for a family like yours, is a bedding mattress given as a gift at the time of the daughter's marriage.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/Never	5563	13.4 %
1	Sometimes	5572	13.4 %
2	Usually	30166	72.6 %
-3 (M)	Don't know	4	0.0 %
-1 (M)	Valid blank	249	0.6 %

Based upon 41301 valid cases out of 41554 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.71

MP5M	EH8 4.5m Wed Gift: Watch
Location:	1787-1788 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Generally in your community for a family like yours, are watches given as a gift at the time of the daughter's marriage.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/Never	6562	15.8 %
1	Sometimes	8468	20.4 %
2	Usually	26269	63.2 %
-3 (M)	Don't know	4	0.0 %
-2 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	249	0.6 %

Based upon 41299 valid cases out of 41554 total cases.

- Mean: 1.48
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.75

MP5N
EH8 4.5n Wed Gift: Bicycle

Location: 1789-1790 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Generally in your community for a family like yours, is a bicycle given as a gift at the time of the daughter's marriage.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/Never	28632	68.9 %
1	Sometimes	7055	17.0 %
2	Usually	5603	13.5 %
-3 (M)	Don't know	4	0.0 %
-1 (M)	Valid blank	260	0.6 %

Based upon 41290 valid cases out of 41554 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.72

MP5O
EH8 4.5o Wed Gift: Sewing m/c

Location: 1791-1792 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 22626 -

Question:

Generally in your community for a family like yours, is a sewing machine given as a gift at the time of the daughter's marriage.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/Never	23651	56.9 %
1	Sometimes	8270	19.9 %
2	Usually	9357	22.5 %
-3 (M)	Don't know	4	0.0 %
-1 (M)	Valid blank	272	0.7 %

Based upon 41278 valid cases out of 41554 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.82

MP5P

EH8 4.5p Wed Gift: Livestock

Location:

1793-1794 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Generally in your community for a family like yours, is livestock given as a gift at the time of the daughter's marriage.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/Never	32294	77.7 %
1	Sometimes	6350	15.3 %
2	Usually	2628	6.3 %
-3 (M)	Don't know	4	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	277	0.7 %

Based upon 41272 valid cases out of 41554 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.57

MP5Q

EH8 4.5q Wed Gift: Tractor

Location:

1795-1796 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Generally in your community for a family like yours, is a tractor given as a gift at the time of the daughter's marriage.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/Never	40886	98.4 %
1	Sometimes	202	0.5 %
2	Usually	132	0.3 %
-3 (M)	Don't know	4	0.0 %
-1 (M)	Valid blank	330	0.8 %

Based upon 41220 valid cases out of 41554 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.13

MP5R	EH8 4.5r Wed Gift: Cash		
Location:	1797-1798 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Generally in your community for a family like yours, is cash given as a gift at the time of the daughter's marriage.		
Value	Label	Unweighted Frequency	%
0	Rarely/Never	15764	37.9 %
1	Sometimes	8974	21.6 %
2	Usually	16313	39.3 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	500	1.2 %

Based upon 41051 valid cases out of 41554 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.88

- Study 22626 -

MP5S

EH8 4.5s Wed Gift: Cash amount

Location: 1799-1805 (width: 7; decimal: 0)

Variable Type: numeric

Question: How much cash.

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 22083.82
- Median: 5000.00
- Mode: 0.00
- Minimum: -3.00
- Maximum: 2500000.00
- Standard Deviation: 56132.16

WA1

EH9 5.1 Water source: usual

Location: 1806-1810 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: What is the main source of water for drinking.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Piped	19114	46.0 %
2	Tube well	4293	10.3 %
3	Hand pump	11226	27.0 %
4	Open well	4893	11.8 %
5	Covered well	824	2.0 %
6	River	323	0.8 %
7	Pond	155	0.4 %
8	Truck	371	0.9 %
9	Rainwater	28	0.1 %
10	Bottled	42	0.1 %
11	Other	223	0.5 %
80000	-	1	0.0 %
-1 (M)	Valid blank	61	0.1 %

Based upon 41493 valid cases out of 41554 total cases.

- Mean: 4.20
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 80000.00
- Standard Deviation: 392.73

WA2

EH9 5.2 Water within house

- Study 22626 -

Location: 1811-1812 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Is this inside the house or compound.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	19714	47.4 %
1	Yes	21778	52.4 %
3	-	1	0.0 %
-1 (M)	Valid blank	61	0.1 %

Based upon 41493 valid cases out of 41554 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.50

WA2A

EH9 5.2a Walking time to water

Location: 1813-1815 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: How long would it take to walk to this source of water.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	461	1.1 %
2	-	1665	4.0 %
3	-	928	2.2 %
4	-	219	0.5 %
5	-	6563	15.8 %
6	-	60	0.1 %
7	-	90	0.2 %
8	-	74	0.2 %
9	-	8	0.0 %
10	-	4943	11.9 %
11	-	3	0.0 %
12	-	16	0.0 %
13	-	3	0.0 %
15	-	1958	4.7 %
16	-	3	0.0 %
17	-	3	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	3	0.0 %
20	-	1096	2.6 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	130	0.3 %
30	-	1054	2.5 %
31	-	1	0.0 %
35	-	27	0.1 %
40	-	42	0.1 %
45	-	14	0.0 %
50	-	32	0.1 %
52	-	1	0.0 %
54	-	1	0.0 %
58	-	1	0.0 %
60	-	231	0.6 %
70	-	1	0.0 %
80	-	4	0.0 %
90	-	13	0.0 %
100	-	8	0.0 %
101	-	3	0.0 %
110	-	2	0.0 %
115	-	1	0.0 %
120	-	29	0.1 %
-1 (M)	Valid blank	21857	52.6 %

Based upon 19697 valid cases out of 41554 total cases.

- Mean: 10.33
- Median: 6.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 120.00
- Standard Deviation: 10.70

WA3

EH9 5.3 Water supply hours

Location: 1816-1817 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How many hours per day do you normally get water.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< 1 hour	6615	15.9 %
2	-	4553	11.0 %
3	-	1669	4.0 %
4	-	1490	3.6 %
5	-	711	1.7 %
6	-	879	2.1 %
7	-	198	0.5 %
8	-	657	1.6 %
9	-	111	0.3 %
10	-	303	0.7 %
11	-	29	0.1 %
12	-	230	0.6 %
13	-	11	0.0 %
14	-	20	0.0 %
15	-	65	0.2 %
16	-	26	0.1 %
17	-	2	0.0 %
18	-	21	0.1 %
19	-	3	0.0 %
20	-	80	0.2 %
21	-	5	0.0 %
22	-	32	0.1 %
23	-	58	0.1 %
24	-	1343	3.2 %
-5 (M)	Valid skip	30	0.1 %
-1 (M)	Valid blank	22413	53.9 %

Based upon 19111 valid cases out of 41554 total cases.

- Mean: 4.58
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 6.18

WA4

EH9 5.4 Same water source summer

Location: 1818-1819 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Is the main water source the same in the summer.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2458	5.9 %
1	Yes	39034	93.9 %
-1 (M)	Valid blank	62	0.1 %

Based upon 41492 valid cases out of 41554 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

WA5

EH9 5.5 Water source summer

Location: 1820-1821 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: What is the main source of water for drinking in summer.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Piped	152	0.4 %
2	Tube well	220	0.5 %
3	Hand pump	571	1.4 %
4	Open well	732	1.8 %
5	Covered well	96	0.2 %
6	River	219	0.5 %
7	Pond	47	0.1 %
8	Truck	181	0.4 %
9	Rainwater	125	0.3 %
10	Bottled	4	0.0 %
11	Other	112	0.3 %
-1 (M)	Valid blank	39095	94.1 %

Based upon 2459 valid cases out of 41554 total cases.

- Mean: 4.56
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 2.48

WA6

EH9 5.6 Water in house summer

- Study 22626 -

Location: 1822-1823 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Is this inside the house or compound.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2184	5.3 %
1	Yes	274	0.7 %
-1 (M)	Valid blank	39096	94.1 %

Based upon 2458 valid cases out of 41554 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

WA6A	EH9 5.6a Time to summer water		
Location:	1824-1826 (width: 3; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	How long would it take to walk to this source of water.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	19	0.0 %
2	-	64	0.2 %
3	-	36	0.1 %
4	-	3	0.0 %
5	-	312	0.8 %
6	-	7	0.0 %
7	-	5	0.0 %
8	-	3	0.0 %
9	-	2	0.0 %
10	-	480	1.2 %
12	-	1	0.0 %
15	-	359	0.9 %
17	-	1	0.0 %
20	-	269	0.6 %
22	-	2	0.0 %
24	-	2	0.0 %
25	-	57	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	-	329	0.8 %
31	-	1	0.0 %
35	-	16	0.0 %
40	-	30	0.1 %
45	-	13	0.0 %
48	-	1	0.0 %
50	-	4	0.0 %
51	-	1	0.0 %
60	-	118	0.3 %
70	-	2	0.0 %
75	-	5	0.0 %
90	-	16	0.0 %
100	-	1	0.0 %
101	-	2	0.0 %
120	-	23	0.1 %
-1 (M)	Valid blank	39370	94.7 %

Based upon 2184 valid cases out of 41554 total cases.

- Mean: 20.01
- Median: 15.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 120.00
- Standard Deviation: 18.77

WA7

EH9 5.7 Water Avail: usual

Location: 1827-1828 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Is the availability of drinking water normally adequate.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3072	7.4 %
1	Yes	37244	89.6 %
-1 (M)	Valid blank	1238	3.0 %

Based upon 40316 valid cases out of 41554 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00

- Study 22626 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

WA8	EH9 5.8 Water Avail: Summer																
Location:	1829-1830 (width: 2; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	Is the availability of drinking water adequate in summer months.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">6291</td><td style="text-align: right; padding: 2px;">15.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">34631</td><td style="text-align: right; padding: 2px;">83.3 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">632</td><td style="text-align: right; padding: 2px;">1.5 %</td></tr> </tbody> </table>		Value	Label	<i>Unweighted Frequency</i>	%	0	No	6291	15.1 %	1	Yes	34631	83.3 %	-1 (M)	Valid blank	632	1.5 %
Value	Label	<i>Unweighted Frequency</i>	%														
0	No	6291	15.1 %														
1	Yes	34631	83.3 %														
-1 (M)	Valid blank	632	1.5 %														

Based upon 40922 valid cases out of 41554 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

WA9A	EH9 5.9a Get Water women																
Location:	1831-1833 (width: 3; decimal: 0)																
Variable Type:	numeric																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																
Question:	In the current season, how much total time daily do adult women spend fetching and collecting water, including waiting in line.																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">-7 (M)</td><td style="text-align: left; padding: 2px;">Inconsistent</td></tr> <tr> <td style="text-align: left; padding: 2px;">-6 (M)</td><td style="text-align: left; padding: 2px;">Out of range</td></tr> <tr> <td style="text-align: left; padding: 2px;">-5 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td></tr> <tr> <td style="text-align: left; padding: 2px;">-4 (M)</td><td style="text-align: left; padding: 2px;">Invalid skip</td></tr> <tr> <td style="text-align: left; padding: 2px;">-3 (M)</td><td style="text-align: left; padding: 2px;">Don't know</td></tr> <tr> <td style="text-align: left; padding: 2px;">-2 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td></tr> </tbody> </table>		Value	Label	-7 (M)	Inconsistent	-6 (M)	Out of range	-5 (M)	Valid skip	-4 (M)	Invalid skip	-3 (M)	Don't know	-2 (M)	Valid skip	-1 (M)	Valid blank
Value	Label																
-7 (M)	Inconsistent																
-6 (M)	Out of range																
-5 (M)	Valid skip																
-4 (M)	Invalid skip																
-3 (M)	Don't know																
-2 (M)	Valid skip																
-1 (M)	Valid blank																

Based upon 25038 valid cases out of 41554 total cases.

- Mean: 54.48
- Median: 30.00
- Mode: 0.00

- Study 22626 -

- Minimum: 0.00
- Maximum: 720.00
- Standard Deviation: 66.58

WA9B
EH9 5.9b Get Water men

Location: 1834-1836 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: In the current season, how much total time daily do adult men spend fetching and collecting water, including waiting in line.

<i>Value</i>	<i>Label</i>
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 21835 valid cases out of 41554 total cases.

- Mean: 23.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 540.00
- Standard Deviation: 47.09

WA9C
EH9 5.9c Get Water girls

Location: 1837-1839 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: In the current season, how much total time daily do girls under 15 spend fetching and collecting water, including waiting in line.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	16288	39.2 %
1	-	8	0.0 %
2	-	13	0.0 %
3	-	11	0.0 %
4	-	8	0.0 %
5	-	121	0.3 %
6	-	4	0.0 %
7	-	6	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	-	11	0.0 %
9	-	26	0.1 %
10	-	289	0.7 %
12	-	6	0.0 %
14	-	2	0.0 %
15	-	202	0.5 %
16	-	1	0.0 %
18	-	1	0.0 %
20	-	326	0.8 %
21	-	2	0.0 %
25	-	74	0.2 %
28	-	1	0.0 %
30	-	598	1.4 %
32	-	1	0.0 %
35	-	38	0.1 %
36	-	1	0.0 %
40	-	144	0.3 %
45	-	34	0.1 %
50	-	120	0.3 %
55	-	1	0.0 %
60	-	467	1.1 %
65	-	1	0.0 %
66	-	1	0.0 %
68	-	1	0.0 %
70	-	23	0.1 %
75	-	6	0.0 %
80	-	55	0.1 %
90	-	87	0.2 %
95	-	1	0.0 %
98	-	1	0.0 %
99	-	5	0.0 %
100	-	52	0.1 %
105	-	1	0.0 %
110	-	8	0.0 %
120	-	167	0.4 %
125	-	2	0.0 %
130	-	15	0.0 %
135	-	1	0.0 %
140	-	23	0.1 %
150	-	25	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
160	-	35	0.1 %
162	-	1	0.0 %
170	-	2	0.0 %
180	-	56	0.1 %
190	-	2	0.0 %
200	-	24	0.1 %
210	-	1	0.0 %
220	-	5	0.0 %
230	-	1	0.0 %
240	-	34	0.1 %
250	-	41	0.1 %
260	-	4	0.0 %
280	-	39	0.1 %
290	-	4	0.0 %
300	-	12	0.0 %
310	-	1	0.0 %
320	-	1	0.0 %
350	-	1	0.0 %
360	-	7	0.0 %
400	-	1	0.0 %
420	-	1	0.0 %
440	-	1	0.0 %
-1 (M)	Valid blank	22000	52.9 %
. (M)	-	1	0.0 %

Based upon 19553 valid cases out of 41554 total cases.

- Mean: 9.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 440.00
- Standard Deviation: 33.63

WA9D
EH9 5.9d Get Water boys

Location:	1840-1842 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	In the current season, how much total time daily do boys under 15 spend fetching and collecting water, including waiting in line.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	17512	42.1 %
1	-	6	0.0 %
2	-	12	0.0 %
3	-	9	0.0 %
4	-	4	0.0 %
5	-	117	0.3 %
6	-	3	0.0 %
7	-	9	0.0 %
8	-	7	0.0 %
9	-	20	0.0 %
10	-	182	0.4 %
11	-	2	0.0 %
12	-	4	0.0 %
13	-	3	0.0 %
15	-	157	0.4 %
16	-	1	0.0 %
18	-	2	0.0 %
20	-	244	0.6 %
24	-	1	0.0 %
25	-	72	0.2 %
28	-	1	0.0 %
30	-	376	0.9 %
35	-	43	0.1 %
40	-	102	0.2 %
45	-	20	0.0 %
50	-	83	0.2 %
55	-	2	0.0 %
60	-	266	0.6 %
65	-	2	0.0 %
68	-	1	0.0 %
70	-	10	0.0 %
75	-	2	0.0 %
80	-	28	0.1 %
88	-	1	0.0 %
90	-	30	0.1 %
98	-	1	0.0 %
99	-	5	0.0 %
100	-	32	0.1 %
110	-	5	0.0 %
120	-	71	0.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
130	-	7	0.0 %
140	-	12	0.0 %
150	-	9	0.0 %
155	-	1	0.0 %
160	-	11	0.0 %
170	-	2	0.0 %
180	-	27	0.1 %
190	-	2	0.0 %
200	-	17	0.0 %
210	-	1	0.0 %
220	-	2	0.0 %
230	-	1	0.0 %
240	-	16	0.0 %
250	-	7	0.0 %
260	-	1	0.0 %
280	-	2	0.0 %
290	-	3	0.0 %
300	-	2	0.0 %
360	-	2	0.0 %
-1 (M)	Valid blank	21981	52.9 %

Based upon 19573 valid cases out of 41554 total cases.

- Mean: 4.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 360.00
- Standard Deviation: 20.85

WA10
EH9 5.10 Purify water

Location: 1843-1844 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: During a normal week, do you ever treat or purify your drinking water by boiling the water OR by filtering the water with a purchased filter Or by using aquaguard OR by adding chemicals.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Rarely/Never	26768	64.4 %
1	Sometimes	5190	12.5 %
2	Usually	5301	12.8 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Always	3898	9.4 %
-1 (M)	Valid blank	397	1.0 %

Based upon 41157 valid cases out of 41554 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.02

WA11A	EH9 5.11a Drinking water storage
--------------	---

Location: 1845-1846 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Do you store your drinking water in a vessel at home. Does the vessel have a lid or cover.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No vessel	3653	8.8 %
1	Has lid	34750	83.6 %
2	No lid	2838	6.8 %
-1 (M)	Valid blank	313	0.8 %

Based upon 41241 valid cases out of 41554 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.40

WA11B	EH9 5.11b Drinking water pouring
--------------	---

Location: 1847-1848 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How do you pour drinking water.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Poured from vessel	6005	14.5 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Long ladle	15216	36.6 %
3	Cup, utensil	14378	34.6 %
4	Tap in vessel	1989	4.8 %
-5 (M)	Valid skip	25	0.1 %
-1 (M)	Valid blank	3940	9.5 %

Based upon 37589 valid cases out of 41554 total cases.

- Mean: 2.33
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.80

SA1	EH10 6.1 Number of rooms
------------	---------------------------------

Location: 1849-1850 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: How many rooms are in this house.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	31	0.1 %
1	-	9571	23.0 %
2	-	14057	33.8 %
3	-	8350	20.1 %
4	-	4614	11.1 %
5	-	1933	4.7 %
6	-	996	2.4 %
7	-	381	0.9 %
8	-	329	0.8 %
9	-	103	0.2 %
10	-	110	0.3 %
11	-	26	0.1 %
12	-	46	0.1 %
13	-	17	0.0 %
14	-	7	0.0 %
15	-	10	0.0 %
16	-	4	0.0 %
17	-	5	0.0 %
18	-	4	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	-	1	0.0 %
20	-	3	0.0 %
27	-	1	0.0 %
-7 (M)	Inconsistent	796	1.9 %
-1 (M)	Valid blank	159	0.4 %

Based upon 40599 valid cases out of 41554 total cases.

- Mean: 2.61
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 27.00
- Standard Deviation: 1.61

SA2	EH10 6.2 Cooking place
------------	-------------------------------

Location: 1851-1852 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Where is the cooking, generally done for this household.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Outdoors	7759	18.7 %
2	Separate kitchen	25220	60.7 %
3	In living area	8426	20.3 %
-5 (M)	Valid skip	22	0.1 %
-4 (M)	Invalid skip	126	0.3 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41405 valid cases out of 41554 total cases.

- Mean: 2.02
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.63

SA2A	EH10 6.2a Vent in cooking place
-------------	--

Location: 1853-1854 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 22626 -

Question:

Is there a window or vent in the cooking area.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	10259	24.7 %
1	Yes	21982	52.9 %
8	-	1	0.0 %
9	Cooking is outdoors	5302	12.8 %
-1 (M)	Valid blank	4010	9.7 %

Based upon 37544 valid cases out of 41554 total cases.

- Mean: 1.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.93

SA3

EH10 6.3 Household servant

Location: 1855-1856 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Do you employ any household help or servant.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	39137	94.2 %
1	Yes	1909	4.6 %
-1 (M)	Valid blank	508	1.2 %

Based upon 41046 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

SA4

EH10 6.4 Household Toilet

Location: 1857-1858 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Does the household have a toilet of its own.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None,open fields	21997	52.9 %
1	Traditional latrine	5603	13.5 %
2	VIP latrine	2999	7.2 %
3	Flush toilet	10649	25.6 %
-4 (M)	Invalid skip	305	0.7 %
-1 (M)	Valid blank	1	0.0 %

Based upon 41248 valid cases out of 41554 total cases.

- Mean: 1.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.28

SA5
EH10 6.5 Access to public toilet

Location: 1859-1860 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Does the household have access to a public or shared toilet.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	25513	61.4 %
1	Shared toilet in bldg	899	2.2 %
2	Shared toilet outside bldg	1361	3.3 %
3	Public Govt toilet	1395	3.4 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	12385	29.8 %

Based upon 29168 valid cases out of 41554 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.76

SA6
EH10 6.6 Handwash aft defecation

Location: 1861-1862 (width: 2; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Do you wash your hands after defecating.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	309	0.7 %
1	Yes	41086	98.9 %
-1 (M)	Valid blank	159	0.4 %

Based upon 41395 valid cases out of 41554 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

SA6A

EH10 6.6a Use in handwash

Location:

1863-1864 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

What do you use to wash your hands.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Water alone	7498	18.0 %
2	Mud, ash etc.	12268	29.5 %
3	Soap	21320	51.3 %
-5 (M)	Valid skip	131	0.3 %
-1 (M)	Valid blank	337	0.8 %

Based upon 41086 valid cases out of 41554 total cases.

- Mean: 2.34
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.77

FU1

EH10 7.1 HH electricity

Location:

1865-1866 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1

Question:

Does this house have electricity.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8943	21.5 %
1	Yes	32305	77.7 %
-1 (M)	Valid blank	306	0.7 %

Based upon 41248 valid cases out of 41554 total cases.

- Mean: 0.78
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

FU1A

EH10 7.1a Electricity hours

Location: 1867-1868 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How many hours per day do you generally have power.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1310	3.2 %
1	Yes	133	0.3 %
2	-	252	0.6 %
3	-	248	0.6 %
4	-	722	1.7 %
5	-	757	1.8 %
6	-	1615	3.9 %
7	-	621	1.5 %
8	-	2001	4.8 %
9	-	686	1.7 %
10	-	1463	3.5 %
11	-	226	0.5 %
12	-	2064	5.0 %
13	-	206	0.5 %
14	-	702	1.7 %
15	-	1037	2.5 %
16	-	1071	2.6 %
17	-	338	0.8 %
18	-	2689	6.5 %
19	-	409	1.0 %
20	-	3708	8.9 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	-	614	1.5 %
22	-	2585	6.2 %
23	-	2515	6.1 %
24	-	5643	13.6 %
-1 (M)	Valid blank	7939	19.1 %

Based upon 33615 valid cases out of 41554 total cases.

- Mean: 15.78
- Median: 18.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 7.29

FU1B	EH10 7.1b Electricity Payment		
Location:	1869-1870 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-1		
Question:	How do you pay for the electricity you use.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No bill	4350	10.5 %
1	Bill from SEB	26449	63.6 %
2	Neighbour	981	2.4 %
3	In rent	1062	2.6 %
4	Own generator	26	0.1 %
5	Other means	590	1.4 %
-1 (M)	-	8096	19.5 %

Based upon 33458 valid cases out of 41554 total cases.

- Mean: 1.04
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.76

FU1C	EH10 7.1c Electricity Rs
Location:	1871-1874 (width: 4; decimal: 0)
Variable Type:	numeric

- Study 22626 -

Question:

How much did you pay for it last month.

<i>Value</i>	<i>Label</i>
0	No bill
1	Bill from SEB
2	Neighbour
3	In rent
4	Own generator
5	Other means

Based upon 30966 valid cases out of 41554 total cases.

- Mean: 191.68
- Minimum: 0.00
- Maximum: 9000.00
- Standard Deviation: 256.62

FU2

EH10 7.2 Meals per day

Location: 1875-1879 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How many meals, including breakfast is taken per day in your family.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	168	0.4 %
1	-	197	0.5 %
2	-	10601	25.5 %
3	-	25691	61.8 %
4	-	3939	9.5 %
5	-	616	1.5 %
6	-	4	0.0 %
100	-	1	0.0 %
-1 (M)	Valid blank	337	0.8 %

Based upon 41217 valid cases out of 41554 total cases.

- Mean: 2.85
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 0.82

FU3

EH10 7.3 Hours burning stove

Location: 1880-1881 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Approximately how many hours is the stove burning in your household, including cooking, heating water, making tea.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	106	0.3 %
1	-	4275	10.3 %
2	-	11301	27.2 %
3	-	10846	26.1 %
4	-	7689	18.5 %
5	-	3810	9.2 %
6	-	1985	4.8 %
7	-	510	1.2 %
8	-	434	1.0 %
9	-	146	0.4 %
10	-	192	0.5 %
11	-	2	0.0 %
12	-	2	0.0 %
-1 (M)	Valid blank	256	0.6 %

Based upon 41298 valid cases out of 41554 total cases.

- Mean: 3.18
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.58

FU4

EH10 7.4 HH chulha type

Location: 1882-1883 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: What type of chulha does the household use.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No biomass stove	10961	26.4 %
1	Open fire	9237	22.2 %
2	Traditional chulha	18460	44.4 %
3	Improved chulha	2038	4.9 %
-1 (M)	Valid blank	858	2.1 %

Based upon 40696 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.28
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.92

FU5	EH11 7.5 Firewood use																												
Location:	1884-1885 (width: 2; decimal: 0)																												
Variable Type:	numeric																												
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																												
Question:	For what purpose is firewood used.																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">Fuel not used</td><td style="text-align: right; padding: 2px;">11673</td><td style="text-align: right; padding: 2px;">28.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Mainly cooking</td><td style="text-align: right; padding: 2px;">18986</td><td style="text-align: right; padding: 2px;">45.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">Mainly lighting</td><td style="text-align: right; padding: 2px;">95</td><td style="text-align: right; padding: 2px;">0.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">Mainly heating</td><td style="text-align: right; padding: 2px;">986</td><td style="text-align: right; padding: 2px;">2.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">4</td><td style="text-align: left; padding: 2px;">Combination</td><td style="text-align: right; padding: 2px;">9375</td><td style="text-align: right; padding: 2px;">22.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">439</td><td style="text-align: right; padding: 2px;">1.1 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	Fuel not used	11673	28.1 %	1	Mainly cooking	18986	45.7 %	2	Mainly lighting	95	0.2 %	3	Mainly heating	986	2.4 %	4	Combination	9375	22.6 %	-1 (M)	Valid blank	439	1.1 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																										
0	Fuel not used	11673	28.1 %																										
1	Mainly cooking	18986	45.7 %																										
2	Mainly lighting	95	0.2 %																										
3	Mainly heating	986	2.4 %																										
4	Combination	9375	22.6 %																										
-1 (M)	Valid blank	439	1.1 %																										

Based upon 41115 valid cases out of 41554 total cases.

- Mean: 1.45
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.49

FU5A	EH11 7.5a Firewood source																												
Location:	1886-1887 (width: 2; decimal: 0)																												
Variable Type:	numeric																												
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																												
Question:	Where do you get most of the firewood.																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Purchase</td><td style="text-align: right; padding: 2px;">8653</td><td style="text-align: right; padding: 2px;">20.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">Collect from own land</td><td style="text-align: right; padding: 2px;">8616</td><td style="text-align: right; padding: 2px;">20.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">Collect from village</td><td style="text-align: right; padding: 2px;">10405</td><td style="text-align: right; padding: 2px;">25.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">4</td><td style="text-align: left; padding: 2px;">Both</td><td style="text-align: right; padding: 2px;">1788</td><td style="text-align: right; padding: 2px;">4.3 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-5 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td><td style="text-align: right; padding: 2px;">4390</td><td style="text-align: right; padding: 2px;">10.6 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	-	1	0.0 %	1	Purchase	8653	20.8 %	2	Collect from own land	8616	20.7 %	3	Collect from village	10405	25.0 %	4	Both	1788	4.3 %	-5 (M)	Valid skip	4390	10.6 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																										
0	-	1	0.0 %																										
1	Purchase	8653	20.8 %																										
2	Collect from own land	8616	20.7 %																										
3	Collect from village	10405	25.0 %																										
4	Both	1788	4.3 %																										
-5 (M)	Valid skip	4390	10.6 %																										

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	7701	18.5 %

Based upon 29463 valid cases out of 41554 total cases.

- Mean: 2.18
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.93

FU5B	EH11 7.5b Firewood Rs
------	-----------------------

Location: 1888-1891 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much did you pay for the firewood you used last month (rupees).

<i>Value</i>	<i>Label</i>
1	Purchase
2	Collect from own land
3	Collect from village
4	Both
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 23622 valid cases out of 41554 total cases.

- Mean: 81.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2500.00
- Standard Deviation: 134.81

FU6	EH11 7.6 Dung use
-----	-------------------

Location: 1892-1893 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 22626 -

Question:

For what purpose is dung mainly used.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Fuel not used	25415	61.2 %
1	Mainly cooking	10255	24.7 %
2	Mainly lighting	98	0.2 %
3	Mainly heating	780	1.9 %
4	Combination	4013	9.7 %
-1 (M)	Valid blank	993	2.4 %

Based upon 40561 valid cases out of 41554 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.23

FU6A

EH11 7.6a Dung source

Location: 1894-1895 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Where do you get most of the dung.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Purchase	2405	5.8 %
2	Collect from own land	8733	21.0 %
3	Collect from village	3517	8.5 %
4	Both	518	1.2 %
-5 (M)	Valid skip	10310	24.8 %
-1 (M)	Valid blank	16071	38.7 %

Based upon 15173 valid cases out of 41554 total cases.

- Mean: 2.14
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.71

FU6B

EH11 7.6b Dung Rs

Location: 1896-1898 (width: 3; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -1

Question: How much did you pay for the dung you used last month (rupees).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	14273	34.3 %
1	14	0.0 %
2	21	0.1 %
3	4	0.0 %
5	3	0.0 %
6	1	0.0 %
10	56	0.1 %
12	6	0.0 %
14	2	0.0 %
15	26	0.1 %
16	2	0.0 %
18	3	0.0 %
20	185	0.4 %
21	1	0.0 %
22	1	0.0 %
24	13	0.0 %
25	60	0.1 %
26	1	0.0 %
28	2	0.0 %
30	201	0.5 %
33	2	0.0 %
34	1	0.0 %
35	10	0.0 %
36	1	0.0 %
40	159	0.4 %
45	13	0.0 %
48	2	0.0 %
50	493	1.2 %
55	1	0.0 %
56	1	0.0 %
60	145	0.3 %
65	7	0.0 %
70	25	0.1 %
75	21	0.1 %
80	56	0.1 %
85	2	0.0 %
90	17	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
100	484	1.2 %
105	1	0.0 %
110	3	0.0 %
120	22	0.1 %
125	8	0.0 %
130	2	0.0 %
140	3	0.0 %
150	215	0.5 %
160	5	0.0 %
175	5	0.0 %
180	5	0.0 %
200	231	0.6 %
215	1	0.0 %
220	2	0.0 %
225	3	0.0 %
240	2	0.0 %
250	83	0.2 %
260	1	0.0 %
280	1	0.0 %
290	1	0.0 %
300	118	0.3 %
301	1	0.0 %
320	1	0.0 %
325	1	0.0 %
350	22	0.1 %
360	3	0.0 %
375	1	0.0 %
380	1	0.0 %
390	1	0.0 %
400	43	0.1 %
401	1	0.0 %
420	1	0.0 %
450	15	0.0 %
480	1	0.0 %
500	41	0.1 %
520	1	0.0 %
530	1	0.0 %
540	1	0.0 %
550	1	0.0 %
560	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
580	1	0.0 %
600	21	0.1 %
650	1	0.0 %
700	3	0.0 %
800	1	0.0 %
-1 (M)	24362	58.6 %

Based upon 17192 valid cases out of 41554 total cases.

- Mean: 19.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 800.00
- Standard Deviation: 63.61

FU7

EH11 7.7 Crop residue use

Location: 1899-1900 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: For what purpose is crop residue use mainly used.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Fuel not used	34242	82.4 %
1	Mainly cooking	2969	7.1 %
2	Mainly lighting	57	0.1 %
3	Mainly heating	536	1.3 %
4	Combination	1761	4.2 %
30	-	1	0.0 %
-1 (M)	Valid blank	1988	4.8 %

Based upon 39566 valid cases out of 41554 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 0.92

FU7A

EH11 7.7a Crop residue source

Location: 1901-1902 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Where do you get most of the crop residue.

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	Purchase	263	0.6 %
2	Collect from own land	3275	7.9 %
3	Collect from village	1727	4.2 %
4	Both	83	0.2 %
-5 (M)	Valid skip	14270	34.3 %
-1 (M)	Valid blank	21935	52.8 %

Based upon 5349 valid cases out of 41554 total cases.

- Mean: 2.30
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.59

FU7B

EH11 7.7b Crop residue Rs

Location: 1903-1905 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: How much did you pay for the crop residue you used last month (rupees).

Value	Label	Unweighted Frequency	%
0	-	14041	33.8 %
1	Purchase	2	0.0 %
2	Collect from own land	2	0.0 %
3	Collect from village	0	0.0 %
4	Both	0	0.0 %
5	-	1	0.0 %
10	-	9	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
20	-	25	0.1 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	5	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	-	19	0.0 %
33	-	1	0.0 %
35	-	2	0.0 %
40	-	16	0.0 %
50	-	71	0.2 %
60	-	16	0.0 %
66	-	2	0.0 %
70	-	3	0.0 %
75	-	1	0.0 %
80	-	5	0.0 %
90	-	2	0.0 %
100	-	65	0.2 %
104	-	1	0.0 %
120	-	2	0.0 %
130	-	1	0.0 %
150	-	9	0.0 %
160	-	2	0.0 %
170	-	1	0.0 %
190	-	3	0.0 %
200	-	30	0.1 %
250	-	8	0.0 %
300	-	16	0.0 %
400	-	7	0.0 %
500	-	9	0.0 %
600	-	1	0.0 %
750	-	1	0.0 %
-1 (M)	Valid blank	27170	65.4 %

Based upon 14384 valid cases out of 41554 total cases.

- Mean: 2.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 750.00
- Standard Deviation: 24.74

FU8
EH11 7.8 Kerosene use

Location: 1906-1907 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 22626 -

Question:

For what purpose is kerosene mainly used.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Fuel not used	10459	25.2 %
1	Mainly cooking	6458	15.5 %
2	Mainly lighting	18535	44.6 %
3	Mainly heating	742	1.8 %
4	Combination	4855	11.7 %
-1 (M)	Valid blank	505	1.2 %

Based upon 41049 valid cases out of 41554 total cases.

- Mean: 1.59
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.22

FU8A	EH11 7.8a Kerosene source
-------------	----------------------------------

Location: 1908-1909 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Where do you get most of the kerosene.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Ration shop	23398	56.3 %
2	Market	4765	11.5 %
3	Both	2479	6.0 %
-5 (M)	Valid skip	3923	9.4 %
-1 (M)	Valid blank	6989	16.8 %

Based upon 30642 valid cases out of 41554 total cases.

- Mean: 1.32
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.62

FU8B	EH11 7.8b Kerosene Rs
-------------	------------------------------

Location: 1910-1912 (width: 3; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

How much did you pay for the kerosene you used last month (rupees).

Value	Label
1	Ration shop
2	Market
3	Both
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 34144 valid cases out of 41554 total cases.

- Mean: 44.12
 - Minimum: 0.00
 - Maximum: 875.00
 - Standard Deviation: 49.12

FU9 **EH11 7.9 LPG use**

Location: 1913-1914 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: For what purpose is LPG mainly used.

Value	Label	Unweighted Frequency	%
0	Fuel not used	23793	57.3 %
1	Mainly cooking	12730	30.6 %
2	Mainly lighting	143	0.3 %
3	Mainly heating	44	0.1 %
4	Combination	3058	7.4 %
36	-	1	0.0 %
-4 (M)	Invalid skip	1784	4.3 %
-1 (M)	Valid blank	1	0.0 %

Based upon 39769 valid cases out of 41554 total cases.

- Mean: 0.64
 - Median: 0.00
 - Mode: 0.00
 - Minimum: 0.00
 - Maximum: 36.00

- Study 22626 -

- Standard Deviation: 1.09

FU9A	EH11 7.9a LPG source		
Location:	1915-1916 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Where do you get most of your LPG.		
Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	Subsidized govt	3675	8.8 %
2	Gas company	11733	28.2 %
3	Black market	605	1.5 %
-5 (M)	Valid skip	10685	25.7 %
-1 (M)	Valid blank	14855	35.7 %

Based upon 16014 valid cases out of 41554 total cases.

- Mean: 1.81
 - Median: 2.00
 - Mode: 2.00
 - Minimum: 0.00
 - Maximum: 3.00
 - Standard Deviation: 0.48

FU9B	EH11 7.9b LPG Rs
Location:	1917-1920 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7, -6, -5, -4, -3, -2, -1
Question:	How much did you pay for the LPG you used last month (rupees).
Value	Label
1	Subsidized govt
2	Gas company
3	Black market
-7 (M)	Inconsistent
-6 (M)	Out of range
-5 (M)	Valid skip
-4 (M)	Invalid skip
-3 (M)	Don't know
-2 (M)	Valid skip
-1 (M)	Valid blank

Based upon 25002 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 168.23
- Minimum: 0.00
- Maximum: 1000.00
- Standard Deviation: 146.55

FU10	EH11 7.10 Coal/ charcoal use			
	Value	Label	Unweighted Frequency	%
Location:	0	Fuel not used	36755	88.5 %
Variable Type:	1	Mainly cooking	1341	3.2 %
Range of Missing Values (M):	2	Mainly lighting	13	0.0 %
Question:	3	Mainly heating	213	0.5 %
	4	Combination	213	0.5 %
	-1 (M)	Valid blank	3019	7.3 %

Based upon 38535 valid cases out of 41554 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.41

FU10A	EH11 7.10a Coal/ charcoal source			
	Value	Label	Unweighted Frequency	%
Location:	1	Purchase	1489	3.6 %
Variable Type:	2	Collect	278	0.7 %
Range of Missing Values (M):	3	Both	30	0.1 %
Question:	-5 (M)	Valid skip	15502	37.3 %
	-1 (M)	Valid blank	24255	58.4 %

Based upon 1797 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.19
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.43

FU10B

EH11 7.10b Coal/ charcoal Rs

Location: 1925-1927 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How much did you pay for the coal/charcoal you used last month (rupees).

Value	Label	Unweighted Frequency	%
0	-	13459	32.4 %
1	Purchase	1	0.0 %
2	Collect	1	0.0 %
3	Both	2	0.0 %
5	-	4	0.0 %
6	-	2	0.0 %
9	-	2	0.0 %
10	-	4	0.0 %
11	-	1	0.0 %
14	-	1	0.0 %
15	-	3	0.0 %
20	-	15	0.0 %
24	-	2	0.0 %
25	-	7	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
30	-	38	0.1 %
34	-	1	0.0 %
35	-	4	0.0 %
36	-	2	0.0 %
40	-	31	0.1 %
45	-	6	0.0 %
48	-	1	0.0 %
50	-	99	0.2 %
55	-	2	0.0 %
56	-	2	0.0 %
60	-	58	0.1 %
62	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
65	-	2	0.0 %
70	-	25	0.1 %
75	-	22	0.1 %
80	-	47	0.1 %
83	-	1	0.0 %
85	-	1	0.0 %
90	-	25	0.1 %
95	-	1	0.0 %
100	-	243	0.6 %
105	-	1	0.0 %
106	-	1	0.0 %
110	-	4	0.0 %
115	-	1	0.0 %
120	-	70	0.2 %
125	-	11	0.0 %
130	-	8	0.0 %
135	-	3	0.0 %
140	-	8	0.0 %
144	-	1	0.0 %
145	-	1	0.0 %
150	-	186	0.4 %
159	-	1	0.0 %
160	-	33	0.1 %
165	-	3	0.0 %
170	-	5	0.0 %
175	-	7	0.0 %
180	-	22	0.1 %
192	-	1	0.0 %
200	-	203	0.5 %
210	-	8	0.0 %
212	-	2	0.0 %
220	-	7	0.0 %
225	-	3	0.0 %
230	-	2	0.0 %
240	-	17	0.0 %
250	-	36	0.1 %
260	-	11	0.0 %
270	-	4	0.0 %
275	-	2	0.0 %
280	-	4	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
290	-	1	0.0 %
300	-	78	0.2 %
303	-	1	0.0 %
310	-	1	0.0 %
320	-	15	0.0 %
330	-	1	0.0 %
340	-	2	0.0 %
350	-	10	0.0 %
360	-	9	0.0 %
380	-	1	0.0 %
390	-	2	0.0 %
400	-	29	0.1 %
450	-	2	0.0 %
460	-	1	0.0 %
480	-	6	0.0 %
500	-	13	0.0 %
540	-	1	0.0 %
550	-	1	0.0 %
600	-	6	0.0 %
700	-	1	0.0 %
800	-	1	0.0 %
850	-	1	0.0 %
-1 (M)	Valid blank	26585	64.0 %
. (M)	-	1	0.0 %

Based upon 14968 valid cases out of 41554 total cases.

- Mean: 15.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 850.00
- Standard Deviation: 56.93

FU11A
EH11 7.11a Fuel distance

Location:

1928-1930 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

How many minutes does it typically take one way to the area where you collect fuel.

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	16455	39.6 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	5364	12.9 %
1	70	0.2 %
2	222	0.5 %
3	60	0.1 %
4	9	0.0 %
5	1101	2.6 %
6	53	0.1 %
7	53	0.1 %
8	52	0.1 %
9	29	0.1 %
10	1988	4.8 %
11	5	0.0 %
12	16	0.0 %
14	1	0.0 %
15	1245	3.0 %
16	3	0.0 %
17	1	0.0 %
18	5	0.0 %
20	1895	4.6 %
21	1	0.0 %
22	2	0.0 %
23	1	0.0 %
24	1	0.0 %
25	273	0.7 %
26	2	0.0 %
30	4727	11.4 %
32	1	0.0 %
33	1	0.0 %
35	149	0.4 %
36	6	0.0 %
39	1	0.0 %
40	791	1.9 %
42	2	0.0 %
45	257	0.6 %
48	1	0.0 %
50	119	0.3 %
51	1	0.0 %
53	1	0.0 %
55	4	0.0 %
58	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
60	4489	10.8 %
65	4	0.0 %
66	5	0.0 %
68	2	0.0 %
70	95	0.2 %
75	16	0.0 %
80	95	0.2 %
85	4	0.0 %
90	246	0.6 %
95	3	0.0 %
99	3	0.0 %
100	21	0.1 %
101	1	0.0 %
110	4	0.0 %
115	1	0.0 %
120	1245	3.0 %
124	1	0.0 %
130	3	0.0 %
135	1	0.0 %
140	4	0.0 %
150	27	0.1 %
160	32	0.1 %
170	3	0.0 %
180	274	0.7 %
200	1	0.0 %
240	2	0.0 %
320	1	0.0 %
. (M)	2	0.0 %

Based upon 41552 valid cases out of 41554 total cases.

- Mean: 19.11
- Median: 0.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 320.00
- Standard Deviation: 31.54

FU11B

EH11 7.11b Fuel Coll women

Location:

1931-1934 (width: 4; decimal: 0)

Variable Type:

numeric

- Study 22626 -

Question: How much total time weekly do adult women older than 15 years of age spend collecting fuel.
Based upon 41553 valid cases out of 41554 total cases.

- Mean: 115.45
- Median: 0.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 3600.00
- Standard Deviation: 220.97

FU11C EH11 7.11c Fuel Coll men

Location: 1935-1938 (width: 4; decimal: 0)
Variable Type: numeric
Question: How much total time weekly do adult men older than 15 years of age spend collecting fuel.
Based upon 41552 valid cases out of 41554 total cases.

- Mean: 53.53
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 2100.00
- Standard Deviation: 143.93

FU11D EH11 7.11d Fuel Coll girls

Location: 1939-1942 (width: 4; decimal: 0)
Variable Type: numeric
Question: How much total time weekly do girls younger than 15 years of age spend collecting fuel.
Based upon 41553 valid cases out of 41554 total cases.

- Mean: 7.08
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 1340.00
- Standard Deviation: 54.66

FU11E EH11 7.11e Fuel Coll boys

Location: 1943-1946 (width: 4; decimal: 0)
Variable Type: numeric
Question: How much total time weekly do boys younger than 15 years of age spend collecting fuel.

Value	Unweighted Frequency	%
-1	24579	59.1 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	15665	37.7 %
2	1	0.0 %
3	3	0.0 %
4	3	0.0 %
5	8	0.0 %
6	1	0.0 %
7	1	0.0 %
8	1	0.0 %
9	5	0.0 %
10	11	0.0 %
11	1	0.0 %
15	1	0.0 %
18	1	0.0 %
20	23	0.1 %
25	3	0.0 %
30	112	0.3 %
35	7	0.0 %
40	54	0.1 %
45	5	0.0 %
48	1	0.0 %
50	46	0.1 %
60	245	0.6 %
65	2	0.0 %
70	13	0.0 %
75	2	0.0 %
80	27	0.1 %
90	42	0.1 %
95	1	0.0 %
99	25	0.1 %
100	42	0.1 %
105	1	0.0 %
110	10	0.0 %
111	1	0.0 %
120	155	0.4 %
125	2	0.0 %
130	6	0.0 %
140	15	0.0 %
150	12	0.0 %
155	1	0.0 %
160	22	0.1 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
170	5	0.0 %
175	1	0.0 %
180	105	0.3 %
185	1	0.0 %
190	4	0.0 %
200	6	0.0 %
210	20	0.0 %
220	13	0.0 %
225	1	0.0 %
230	5	0.0 %
240	61	0.1 %
250	6	0.0 %
260	3	0.0 %
270	2	0.0 %
280	7	0.0 %
285	1	0.0 %
290	2	0.0 %
300	21	0.1 %
310	1	0.0 %
320	2	0.0 %
340	3	0.0 %
350	2	0.0 %
360	37	0.1 %
380	2	0.0 %
400	1	0.0 %
420	12	0.0 %
450	1	0.0 %
460	2	0.0 %
480	13	0.0 %
490	2	0.0 %
500	2	0.0 %
520	2	0.0 %
540	5	0.0 %
560	1	0.0 %
600	7	0.0 %
630	1	0.0 %
660	1	0.0 %
700	1	0.0 %
720	8	0.0 %
810	3	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
840	14	0.0 %
900	6	0.0 %
1200	2	0.0 %
1300	1	0.0 %
1440	1	0.0 %
. (M)	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 4.13
- Median: -1.00
- Mode: -1.00
- Minimum: -1.00
- Maximum: 1440.00
- Standard Deviation: 39.47

QC1

EH17 11.1 Med treatment who

Location: 1947-1948 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: The last time you (the respondent) had to visit a clinic, a hospital, a healer for a minor illness such as a fever cough/cold or diarrhea, for yourself or your children, who did you see.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Govt Dr/Nurse	11267	27.1 %
2	Govt Dr/Nurse in pvt	1933	4.7 %
3	Pvt Dr/nurse	22114	53.2 %
4	Pharmacy	1467	3.5 %
5	Other	538	1.3 %
-5 (M)	Valid skip	87	0.2 %
-3 (M)	Don't know	246	0.6 %
-1 (M)	Valid blank	3902	9.4 %

Based upon 37319 valid cases out of 41554 total cases.

- Mean: 2.41
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.01

QC2

EH17 11.2 Med treatment where

- Study 22626 -

Location: 1949-1950 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Where was it located.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Village	19767	47.6 %
2	Another village	8401	20.2 %
3	Other town	5214	12.5 %
4	District town	3872	9.3 %
-5 (M)	Valid skip	50	0.1 %
-2 (M)	Valid skip	10	0.0 %
-1 (M)	Valid blank	4240	10.2 %

Based upon 37254 valid cases out of 41554 total cases.

- Mean: 1.82
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.03

QC3

EH17 11.3 Illness type

Location: 1951-1952 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Why did you go then.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Fever	19876	47.8 %
2	Cough Cold	4117	9.9 %
3	Diarrhea	1843	4.4 %
4	Other	11201	27.0 %
-5 (M)	Valid skip	91	0.2 %
-1 (M)	Valid blank	4426	10.7 %

Based upon 37037 valid cases out of 41554 total cases.

- Mean: 2.12
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00

- Study 22626 -

- Standard Deviation: 1.34

QC4	EH17 11.4m Med treatment Month
------------	---------------------------------------

Location: 1953-1954 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1
 Question: When did you go (month).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	262	0.6 %
1	-	5660	13.6 %
2	-	4258	10.2 %
3	-	3700	8.9 %
4	-	3446	8.3 %
5	-	2491	6.0 %
6	-	2072	5.0 %
7	-	1413	3.4 %
8	-	1754	4.2 %
9	-	1808	4.4 %
10	-	2225	5.4 %
11	-	2782	6.7 %
12	-	4081	9.8 %
-6 (M)	Out of range	6	0.0 %
-3 (M)	Don't know	938	2.3 %
-2 (M)	Valid skip	7	0.0 %
-1 (M)	Valid blank	4651	11.2 %

Based upon 35952 valid cases out of 41554 total cases.

- Mean: 5.73
- Median: 5.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 3.89

QC4B	EH17 11.4y Med treatment Year
-------------	--------------------------------------

Location: 1955-1956 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1
 Question: When did you go (year).

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	169	0.4 %
1	-	209	0.5 %
2	-	534	1.3 %
3	-	979	2.4 %
4	-	14854	35.7 %
5	-	19870	47.8 %
6	-	114	0.3 %
7	-	41	0.1 %
8	-	18	0.0 %
9	-	25	0.1 %
10	-	4	0.0 %
11	-	7	0.0 %
12	-	9	0.0 %
15	-	1	0.0 %
18	-	215	0.5 %
28	-	1	0.0 %
31	-	2	0.0 %
64	-	2	0.0 %
84	-	1	0.0 %
86	-	1	0.0 %
87	-	1	0.0 %
89	-	3	0.0 %
90	-	6	0.0 %
92	-	6	0.0 %
93	-	4	0.0 %
94	-	15	0.0 %
95	-	11	0.0 %
96	-	9	0.0 %
97	-	25	0.1 %
-3 (M)	Don't know	70	0.2 %
-2 (M)	Valid skip	50	0.1 %
-1 (M)	Valid blank	4298	10.3 %

Based upon 37136 valid cases out of 41554 total cases.

- Mean: 4.75
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 4.43

- Study 22626 -

QC5	EH17 11.5 Med treatment sex			
	Value	Label	Unweighted Frequency	%
Location:	1957-1958 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1			
Question:	Did you see a female or male doctor.			

Based upon 36999 valid cases out of 41554 total cases.

- Mean: 1.92
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.45

QC6	EH17 11.6 Doctor's behaviour			
	Value	Label	Unweighted Frequency	%
Location:	1959-1960 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1			
Question:	Do doctors and other health workers treat you.			

Based upon 37120 valid cases out of 41554 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00

- Study 22626 -

- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.46

QC7	EH17 11.7 Med treat wait time			
	Value	Label	Unweighted Frequency	%
	0	-	3669	8.8 %
	1	-	128	0.3 %
	2	-	314	0.8 %
	3	-	111	0.3 %
	4	-	36	0.1 %
	5	-	5347	12.9 %
	6	-	97	0.2 %
	7	-	76	0.2 %
	8	-	43	0.1 %
	9	-	14	0.0 %
	10	-	7836	18.9 %
	11	-	3	0.0 %
	12	-	14	0.0 %
	13	-	6	0.0 %
	14	-	1	0.0 %
	15	-	3836	9.2 %
	16	-	2	0.0 %
	17	-	4	0.0 %
	18	-	2	0.0 %
	19	-	1	0.0 %
	20	-	3481	8.4 %
	21	-	1	0.0 %
	24	-	3	0.0 %
	25	-	508	1.2 %
	26	-	3	0.0 %
	30	-	6540	15.7 %
	31	-	1	0.0 %
	32	-	1	0.0 %
	35	-	136	0.3 %
	36	-	6	0.0 %
	37	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	403	1.0 %
45	-	321	0.8 %
48	-	2	0.0 %
50	-	59	0.1 %
51	-	7	0.0 %
52	-	3	0.0 %
55	-	5	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
60	-	2706	6.5 %
61	-	3	0.0 %
62	-	1	0.0 %
65	-	11	0.0 %
66	-	1	0.0 %
70	-	36	0.1 %
72	-	2	0.0 %
75	-	4	0.0 %
80	-	37	0.1 %
90	-	168	0.4 %
95	-	1	0.0 %
98	-	1	0.0 %
100	-	11	0.0 %
101	-	5	0.0 %
102	-	2	0.0 %
104	-	1	0.0 %
105	-	2	0.0 %
108	-	1	0.0 %
110	-	12	0.0 %
115	-	2	0.0 %
120	-	529	1.3 %
125	-	2	0.0 %
130	-	13	0.0 %
140	-	2	0.0 %
150	-	7	0.0 %
151	-	3	0.0 %
152	-	1	0.0 %
160	-	20	0.0 %
180	-	126	0.3 %
181	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
204	-	1	0.0 %
230	-	1	0.0 %
240	-	51	0.1 %
300	-	7	0.0 %
301	-	1	0.0 %
340	-	1	0.0 %
350	-	1	0.0 %
360	-	20	0.0 %
420	-	2	0.0 %
480	-	1	0.0 %
-1 (M)	Valid blank	4732	11.4 %

Based upon 36822 valid cases out of 41554 total cases.

- Mean: 21.46
- Median: 15.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 480.00
- Standard Deviation: 26.62

QC8

EH17 11.8 Med treat accompanied

Location: 1964-1965 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Did you go alone (with sick child) or were you accompanied by someone.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Alone	14060	33.8 %
2	W husband	14355	34.5 %
3	W older men	1085	2.6 %
4	W older women	1677	4.0 %
5	W younger women	1749	4.2 %
6	W adolescent/ younger men	1876	4.5 %
7	Other	2361	5.7 %
10	-	1	0.0 %
-5 (M)	Valid skip	68	0.2 %
-2 (M)	Valid skip	16	0.0 %
-1 (M)	Valid blank	4306	10.4 %

Based upon 37164 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 2.40
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.80

QCSTATE	EH17 clinicid state		
Location:	1966-1967 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Jammu & Kashmir	633	1.5 %
2	Himachal Pradesh	1332	3.2 %
3	Punjab	1553	3.7 %
4	Chandigarh	97	0.2 %
5	Uttaranchal	460	1.1 %
6	Haryana	1562	3.8 %
7	Delhi	948	2.3 %
8	Rajasthan	2320	5.6 %
9	Uttar Pradesh	3397	8.2 %
10	Bihar	1307	3.1 %
11	Sikkim	106	0.3 %
12	Arunachal Pradesh	154	0.4 %
13	Nagaland	96	0.2 %
14	Manipur	86	0.2 %
15	Mizoram	98	0.2 %
16	Tripura	208	0.5 %
17	Meghalaya	150	0.4 %
18	Assam	953	2.3 %
19	West Bengal	2272	5.5 %
20	Jharkhand	901	2.2 %
21	Orissa	1997	4.8 %
22	Chhattisgarh	1138	2.7 %
23	Madhya Pradesh	2719	6.5 %
24	Gujarat	2015	4.8 %
25	Daman & Diu	66	0.2 %
26	Dadra+Nagar Haveli	60	0.1 %
27	Maharashtra	2790	6.7 %
28	Andhra Pradesh	2361	5.7 %
29	Karnataka	3939	9.5 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	Goa	165	0.4 %
31	Lakshadweep	4	0.0 %
32	Kerala	1632	3.9 %
33	Tamil Nadu	2050	4.9 %
34	Pondicherry	103	0.2 %
-6 (M)	Out of range	11	0.0 %
-1 (M)	Valid blank	1858	4.5 %
. (M)	-	13	0.0 %

Based upon 39672 valid cases out of 41554 total cases.

- Mean: 18.78
- Median: 21.00
- Mode: 29.00
- Minimum: 1.00
- Maximum: 34.00
- Standard Deviation: 9.85

QCDIST

EH17 clinicid district

Location: 1968-1969 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1558	3.7 %
2	-	2518	6.1 %
3	-	1214	2.9 %
4	-	1660	4.0 %
5	-	2138	5.1 %
6	-	1651	4.0 %
7	-	1636	3.9 %
8	-	1528	3.7 %
9	-	1860	4.5 %
10	-	2240	5.4 %
11	-	1342	3.2 %
12	-	1873	4.5 %
13	-	1357	3.3 %
14	-	1059	2.5 %
15	-	1232	3.0 %
16	-	1034	2.5 %
17	-	1302	3.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	974	2.3 %
19	-	876	2.1 %
20	-	1062	2.6 %
21	-	835	2.0 %
22	-	458	1.1 %
23	-	935	2.3 %
24	-	663	1.6 %
25	-	657	1.6 %
26	-	683	1.6 %
27	-	636	1.5 %
28	-	225	0.5 %
29	-	609	1.5 %
30	-	532	1.3 %
31	-	293	0.7 %
32	-	472	1.1 %
33	-	54	0.1 %
34	-	142	0.3 %
35	-	194	0.5 %
36	-	170	0.4 %
37	-	91	0.2 %
38	-	45	0.1 %
39	-	44	0.1 %
40	-	42	0.1 %
41	-	53	0.1 %
42	-	134	0.3 %
44	-	105	0.3 %
45	-	108	0.3 %
46	-	44	0.1 %
47	-	82	0.2 %
48	-	61	0.1 %
49	-	138	0.3 %
50	-	56	0.1 %
51	-	52	0.1 %
54	-	137	0.3 %
56	-	1	0.0 %
57	-	2	0.0 %
58	-	43	0.1 %
59	-	105	0.3 %
60	-	24	0.1 %
62	-	47	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
63	-	44	0.1 %
65	-	180	0.4 %
66	-	84	0.2 %
67	-	110	0.3 %
68	-	121	0.3 %
-6 (M)	Out of range	7	0.0 %
-1 (M)	Valid blank	1909	4.6 %
. (M)	-	13	0.0 %

Based upon 39625 valid cases out of 41554 total cases.

- Mean: 14.78
- Median: 12.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 68.00
- Standard Deviation: 12.26

QCPSU

EH17 clinidc PSU

Location: 1970-1971 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	6137	14.8 %
2	-	5814	14.0 %
3	-	5187	12.5 %
4	-	3673	8.8 %
5	-	3164	7.6 %
6	-	3452	8.3 %
7	-	3109	7.5 %
8	-	2228	5.4 %
9	-	1609	3.9 %
10	-	1174	2.8 %
11	-	834	2.0 %
12	-	549	1.3 %
13	-	464	1.1 %
14	-	318	0.8 %
15	-	185	0.4 %
16	-	98	0.2 %
17	-	121	0.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	83	0.2 %
19	-	92	0.2 %
20	-	91	0.2 %
21	-	84	0.2 %
22	-	72	0.2 %
23	-	56	0.1 %
24	-	45	0.1 %
25	-	15	0.0 %
26	-	18	0.0 %
27	-	14	0.0 %
28	-	16	0.0 %
29	-	17	0.0 %
30	-	15	0.0 %
31	-	145	0.3 %
32	-	138	0.3 %
33	-	125	0.3 %
34	-	109	0.3 %
35	-	131	0.3 %
36	-	127	0.3 %
37	-	79	0.2 %
38	-	39	0.1 %
39	-	13	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
50	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
80	-	1	0.0 %
90	-	1	0.0 %
-1 (M)	Valid blank	1893	4.6 %
. (M)	-	13	0.0 %

Based upon 39648 valid cases out of 41554 total cases.

- Mean: 5.74
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 5.89

- Study 22626 -

QCCODE	EH17 clinicid clinic code		
Location:	1972-1973 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Value	Label	Unweighted Frequency	%
0	-	241	0.6 %
1	-	11452	27.6 %
2	-	24541	59.1 %
3	-	205	0.5 %
4	-	10	0.0 %
5	-	4	0.0 %
6	-	2	0.0 %
7	-	11	0.0 %
8	-	80	0.2 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	3	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
32	-	1	0.0 %
40	-	2	0.0 %
92	-	1	0.0 %
-1 (M)	Valid blank	4992	12.0 %

Based upon 36562 valid cases out of 41554 total cases.

- Mean: 1.70
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 92.00
- Standard Deviation: 0.87

O5A	EH18 12.5a Obs: respondent ID		
Location:	1974-1975 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Who was the primary respondent who answered most of the questions.		

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	3807	9.2 %
2	-	8781	21.1 %
3	-	888	2.1 %
4	-	882	2.1 %
5	-	236	0.6 %
6	-	127	0.3 %
7	-	105	0.3 %
8	-	63	0.2 %
9	-	34	0.1 %
10	-	8	0.0 %
11	-	13	0.0 %
12	-	8	0.0 %
13	-	5	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
-1 (M)	Valid blank	26574	64.0 %
. (M)	-	19	0.0 %

Based upon 14961 valid cases out of 41554 total cases.

- Mean: 2.11
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 1.23

O6

EH18 12.6 Obs: Other respondt 1

Location: 1976-1977 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who else from the household answered some questions or offered advice.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	6519	15.7 %
1	-	2204	5.3 %
2	-	978	2.4 %
3	-	829	2.0 %
4	-	462	1.1 %
5	-	192	0.5 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	130	0.3 %
7	-	72	0.2 %
8	-	36	0.1 %
9	-	18	0.0 %
10	-	7	0.0 %
11	-	6	0.0 %
12	-	4	0.0 %
13	-	1	0.0 %
14	-	3	0.0 %
16	-	2	0.0 %
21	-	1	0.0 %
-1 (M)	Valid blank	30090	72.4 %

Based upon 11464 valid cases out of 41554 total cases.

- Mean: 1.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 1.62

O6A

EH18 12.6a Obs: Other respondt 2

Location: 1978-1979 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Other respondent ID.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	5911	14.2 %
1	-	112	0.3 %
2	-	150	0.4 %
3	-	272	0.7 %
4	-	215	0.5 %
5	-	125	0.3 %
6	-	49	0.1 %
7	-	42	0.1 %
8	-	24	0.1 %
9	-	13	0.0 %
10	-	8	0.0 %
11	-	5	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	3	0.0 %
13	-	3	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
-1 (M)	Valid blank	34620	83.3 %

Based upon 6934 valid cases out of 41554 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.56

O6B	EH18 12.6b Obs: Other respondt 3
------------	---

Location: 1980-1981 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Other respondent ID.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	5997	14.4 %
1	-	15	0.0 %
2	-	8	0.0 %
3	-	54	0.1 %
4	-	63	0.2 %
5	-	32	0.1 %
6	-	19	0.0 %
7	-	12	0.0 %
8	-	8	0.0 %
9	-	4	0.0 %
10	-	4	0.0 %
11	-	4	0.0 %
13	-	2	0.0 %
14	-	2	0.0 %
15	-	1	0.0 %
-1 (M)	Valid blank	35329	85.0 %

Based upon 6225 valid cases out of 41554 total cases.

- Mean: 0.17

- Study 22626 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 0.99

O6C	EH18 12.6c Obs: Other respondt 4		
Location:	1982-1983 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Other respondent ID.		
Value	Label	Unweighted Frequency	%
0	-	6044	14.5 %
1	-	11	0.0 %
2	-	5	0.0 %
3	-	11	0.0 %
4	-	12	0.0 %
5	-	9	0.0 %
6	-	5	0.0 %
7	-	6	0.0 %
8	-	1	0.0 %
9	-	2	0.0 %
10	-	2	0.0 %
13	-	1	0.0 %
15	-	2	0.0 %
-1 (M)	Valid blank	35443	85.3 %

Based upon 6111 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 0.58

O7	EH18 12.7 Obs: Non-HH present		
Location:	1984-1985 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Were there non-household members present at the interview at any time.		

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	9823	23.6 %
1	Yes	5268	12.7 %
-1 (M)	Valid blank	26463	63.7 %

Based upon 15091 valid cases out of 41554 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

EW3

EH19 13.3 EWoman: HH ID

Location: 1986-1987 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: ID code of respondent.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1486	3.6 %
2	-	24222	58.3 %
3	-	1910	4.6 %
4	-	4301	10.4 %
5	-	364	0.9 %
6	-	302	0.7 %
7	-	252	0.6 %
8	-	255	0.6 %
9	-	164	0.4 %
10	-	91	0.2 %
11	-	43	0.1 %
12	-	33	0.1 %
13	-	20	0.0 %
14	-	11	0.0 %
15	-	6	0.0 %
16	-	9	0.0 %
17	-	5	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	1	0.0 %
28	-	1	0.0 %
-1 (M)	Valid blank	8057	19.4 %
. (M)	-	15	0.0 %

Based upon 33482 valid cases out of 41554 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 28.00
- Standard Deviation: 1.41

EW4

EH19 13.4 EWoman: Rel to HH head

Location: 1988-1989 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Relationship to head of household.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Head	1515	3.6 %
2	Wife	23989	57.7 %
3	Son/Daughter	451	1.1 %
4	Daughter- Son-inlaw	6904	16.6 %
5	Grandchild	2	0.0 %
6	Parent	70	0.2 %
7	Sibling	56	0.1 %
8	Father- Mother-inlaw	1	0.0 %
9	Nephew/Niece	5	0.0 %
10	Brother/Sister in law	371	0.9 %
11	Other relatives	126	0.3 %
-6 (M)	Out of range	2	0.0 %
-5 (M)	Valid skip	3	0.0 %
-1 (M)	Valid blank	8059	19.4 %

Based upon 33490 valid cases out of 41554 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00

- Study 22626 -

- Maximum: 11.00
- Standard Deviation: 1.31

EW5

EH19 13.5 EWoman: Age

Location: 1990-1991 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Age of eligible woman.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Very Good	0	0.0 %
2	Good	0	0.0 %
3	OK	0	0.0 %
4	Poor	1	0.0 %
5	Very Poor	0	0.0 %
15	-	24	0.1 %
16	-	68	0.2 %
17	-	88	0.2 %
18	-	359	0.9 %
19	-	388	0.9 %
20	-	986	2.4 %
21	-	581	1.4 %
22	-	1146	2.8 %
23	-	901	2.2 %
24	-	1009	2.4 %
25	-	1738	4.2 %
26	-	1109	2.7 %
27	-	908	2.2 %
28	-	1625	3.9 %
29	-	850	2.0 %
30	-	2335	5.6 %
31	-	703	1.7 %
32	-	1595	3.8 %
33	-	947	2.3 %
34	-	956	2.3 %
35	-	2340	5.6 %
36	-	1171	2.8 %
37	-	873	2.1 %
38	-	1557	3.7 %
39	-	694	1.7 %
40	-	2158	5.2 %
41	-	486	1.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	-	1148	2.8 %
43	-	671	1.6 %
44	-	496	1.2 %
45	-	1550	3.7 %
46	-	605	1.5 %
47	-	468	1.1 %
48	-	692	1.7 %
49	-	256	0.6 %
50	-	1	0.0 %
-1 (M)	Valid blank	8071	19.4 %

Based upon 33483 valid cases out of 41554 total cases.

- Mean: 33.02
- Median: 33.00
- Mode: 35.00
- Minimum: 4.00
- Maximum: 50.00
- Standard Deviation: 8.00

EW6
EH19 13.6 EWoman: Date of birth

Location: 1992-1997 (width: 6; decimal: 0)

Variable Type: character

Question: Date of birth.

Based upon 41554 valid cases out of 41554 total cases.

EW7
EH19 13.7 EWoman: Education

Location: 1998-2003 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Years of education completed.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	14356	34.5 %
1	-	112	0.3 %
2	-	528	1.3 %
3	-	714	1.7 %
4	-	1077	2.6 %
5	-	3071	7.4 %
6	-	871	2.1 %
7	-	1704	4.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	-	2113	5.1 %
9	-	1664	4.0 %
10	-	3199	7.7 %
11	-	283	0.7 %
12	-	1484	3.6 %
13	-	63	0.2 %
14	-	81	0.2 %
15	-	1736	4.2 %
888874	-	1	0.0 %
-1 (M)	Valid blank	8497	20.4 %

Based upon 33057 valid cases out of 41554 total cases.

- Mean: 31.51
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 888874.00
- Standard Deviation: 4888.85

EW8	EH19 13.8 EWoman: N children		
Location:	2004-2005 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Number of children.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2514	6.0 %
1	-	5210	12.5 %
2	-	9962	24.0 %
3	-	7996	19.2 %
4	-	4172	10.0 %
5	-	1954	4.7 %
6	-	937	2.3 %
7	-	403	1.0 %
8	-	166	0.4 %
9	-	57	0.1 %
10	-	21	0.1 %
11	-	4	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	8154	19.6 %

Based upon 33400 valid cases out of 41554 total cases.

- Mean: 2.58
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.57

EW9
EH19 13.9 EWoman: general health

Location: 2006-2007 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: In general, would you say your own health is.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	5714	13.8 %
2	-	16352	39.4 %
3	-	9647	23.2 %
4	-	1685	4.1 %
5	-	110	0.3 %
-5 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	8045	19.4 %

Based upon 33508 valid cases out of 41554 total cases.

- Mean: 2.23
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.80

HB1
EH20 14.1 Belief Daily milk

Location: 2008-2009 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Is it harmful to drink 1-2 glasses of milk everyday during pregnancy.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24714	59.5 %
1	Yes	7041	16.9 %
2	-	1	0.0 %
-4 (M)	Invalid skip	116	0.3 %
-3 (M)	Don't know	1658	4.0 %
-1 (M)	Valid blank	8024	19.3 %

Based upon 31756 valid cases out of 41554 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.42

HB2

EH20 14.2 Belief Male sterilisn

Location: 2010-2011 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Do men become physically weak even months after sterilization.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	10329	24.9 %
1	Yes	13668	32.9 %
-4 (M)	Invalid skip	115	0.3 %
-3 (M)	Don't know	9413	22.7 %
-1 (M)	Valid blank	8029	19.3 %

Based upon 23997 valid cases out of 41554 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

HB3

EH20 14.3 Belief 1st thin milk

Location: 2012-2013 (width: 2; decimal: 0)

Variable Type: numeric

Question: Do you think that the first thin milk that comes out after a baby is born is good for the baby, harmful for the baby, or it doesn't matter.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-7	Inconsistent	0	0.0 %
-6	Out of range	0	0.0 %
-5	Valid skip	2	0.0 %
-4	Invalid skip	137	0.3 %
-3	Don't know	306	0.7 %
-2	Valid skip	0	0.0 %
-1	Valid blank	8028	19.3 %
0	-	1	0.0 %
1	Good	25014	60.2 %
2	Harmful	5893	14.2 %
3	Doesnt Matter	2173	5.2 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 0.81
- Median: 1.00
- Mode: 1.00
- Minimum: -5.00
- Maximum: 3.00
- Standard Deviation: 1.14

HB4

EH20 14.4 Belief Chulha smoke

Location: 2014-2015 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Is smoke from a wood/dung burning traditional chulha good for the health, harmful for health or do you think it doesn't really matter.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-7	Inconsistent	0	0.0 %
-6	Out of range	0	0.0 %
-5	Valid skip	1	0.0 %
-4	Invalid skip	167	0.4 %
-3	Don't know	105	0.3 %
-2	Valid skip	0	0.0 %
-1	Valid blank	8030	19.3 %
1	Good	1426	3.4 %
2	Harmful	27255	65.6 %
3	Doesnt Matter	4570	11.0 %

Based upon 41554 valid cases out of 41554 total cases.

- Mean: 1.46

- Study 22626 -

- Median: 2.00
- Mode: 2.00
- Minimum: -5.00
- Maximum: 3.00
- Standard Deviation: 1.34

HB5	EH20 14.5 Belief Diarrhea		
Location:	2016-2017 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , 8		
Question:	When children have diarrhea, do you think that they should be given less to drink than usually more to drink, about the same, or it doesn't matter.		
Value	<i>Label</i>	<i>Unweighted Frequency</i>	%
1	< usual	4828	11.6 %
2	> usual	19611	47.2 %
3	About the same	5643	13.6 %
4	Doesn't matter	726	1.7 %
-5 (M)	Valid skip	1	0.0 %
-4 (M)	Invalid skip	108	0.3 %
-3 (M)	Don't know	2607	6.3 %
-1 (M)	Valid blank	8030	19.3 %

Based upon 30808 valid cases out of 41554 total cases.

- Mean: 2.07
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.65

HB6	EH20 14.6 Belief Pregnancy		
Location:	2018-2019 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , 8		
Question:	In which part of the menstrual cycle is a women least like to get pregnant.		
Value	<i>Label</i>	<i>Unweighted Frequency</i>	%
1	Immediately after	4785	11.5 %
2	Just before	6749	16.2 %
3	In the middle	5591	13.5 %
4	Just before and after	3917	9.4 %
5	No difference	1132	2.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-5 (M)	Valid skip	1	0.0 %
-4 (M)	Invalid skip	186	0.4 %
-3 (M)	Don't know	11163	26.9 %
-1 (M)	Valid blank	8030	19.3 %

Based upon 22174 valid cases out of 41554 total cases.

- Mean: 2.54
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.16

AI1

EH20 15.1 AIDS Awareness

Location: 2020-2021 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Have you ever heard of an illness called AIDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	13707	33.0 %
1	Yes	19518	47.0 %
2	-	1	0.0 %
-4 (M)	Invalid skip	286	0.7 %
-3 (M)	Don't know	16	0.0 %
-1 (M)	Valid blank	8026	19.3 %

Based upon 33226 valid cases out of 41554 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.49

AI1A

EH20 15.1a AIDS Sex

Location: 2022-2023 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Do you think people can get AIDS by having sex with a person infected with AIDS.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	328	0.8 %
1	Yes	18472	44.5 %
-3 (M)	Don't know	1311	3.2 %
-2 (M)	Valid skip	56	0.1 %
-1 (M)	Valid blank	21387	51.5 %

Based upon 18800 valid cases out of 41554 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

AI1B	EH20 15.1b AIDS Needle		
Location:	2024-2025 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Do you think people can get AIDS by injection with a needle that has been used by a person with AIDS.		
Value	Label	Unweighted Frequency	%
0	No	481	1.2 %
1	Yes	17879	43.0 %
-3 (M)	Don't know	1676	4.0 %
-2 (M)	Valid skip	56	0.1 %
-1 (M)	Valid blank	21462	51.6 %

Based upon 18360 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

AI1C	EH20 15.1c AIDS Mosquito bite
Location:	2026-2027 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Do you think people can get AIDS by being bitten by a mosquito infected with AIDS.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8806	21.2 %
1	Yes	7656	18.4 %
-3 (M)	Don't know	3562	8.6 %
-2 (M)	Valid skip	56	0.1 %
-1 (M)	Valid blank	21474	51.7 %

Based upon 16462 valid cases out of 41554 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

AI1D	EH20 15.1d AIDS Transfusion		
Location:	2028-2029 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1		
Question:	Do you think people can get AIDS by getting a blood transfusion with blood that is infected with AIDS.		
Value	Label	Unweighted Frequency	%
0	No	544	1.3 %
1	Yes	17725	42.7 %
-3 (M)	Don't know	1756	4.2 %
-2 (M)	Valid skip	56	0.1 %
-1 (M)	Valid blank	21473	51.7 %

Based upon 18269 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

AI1E	EH20 15.1e AIDS Food sharing
Location:	2030-2031 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Do you think people can get AIDS by sharing food or utensils with a person infected with AIDS.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	12688	30.5 %
1	Yes	4535	10.9 %
-3 (M)	Don't know	2799	6.7 %
-2 (M)	Valid skip	56	0.1 %
-1 (M)	Valid blank	21476	51.7 %

Based upon 17223 valid cases out of 41554 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

AI2	EH20 15.2 AIDS Known person
------------	------------------------------------

Location: 2032-2033 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Do you know anyone who has gotten AIDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	18835	45.3 %
1	Yes	1724	4.1 %
-3 (M)	Don't know	205	0.5 %
-2 (M)	Valid skip	53	0.1 %
-1 (M)	Valid blank	20737	49.9 %

Based upon 20559 valid cases out of 41554 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

GR1A	EH21 16.1a Cooking Respondent
-------------	--------------------------------------

Location: 2034-2035 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question: Who has the most say in what to cook on a daily basis (respondent).

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1958	4.7 %
1	Yes	31573	76.0 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	8021	19.3 %

Based upon 33531 valid cases out of 41554 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

GR1B	EH21 16.1b Cooking Husband
-------------	-----------------------------------

Location: 2036-2037 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say in what to cook on a daily basis (Husband).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	19814	47.7 %
1	Yes	13711	33.0 %
-6 (M)	Out of range	4	0.0 %
-1 (M)	Valid blank	8025	19.3 %

Based upon 33525 valid cases out of 41554 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

GR1C	EH21 16.1c Cooking Sr male
-------------	-----------------------------------

Location: 2038-2039 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say in what to cook on a daily basis (Senior male).

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	29960	72.1 %
1	Yes	3566	8.6 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	8027	19.3 %

Based upon 33526 valid cases out of 41554 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

GR1D	EH21 16.1d Cooking Sr female
Location:	2040-2041 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Who has the most say in what to cook on a daily basis (Senior female).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	26251	63.2 %
1	Yes	7274	17.5 %
-6 (M)	Out of range	2	0.0 %
-1 (M)	Valid blank	8027	19.3 %

Based upon 33525 valid cases out of 41554 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

GR1E	EH21 16.1e Cooking Other
Location:	2042-2043 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Who has the most say in what to cook on a daily basis (Other).

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	30424	73.2 %
1	Yes	3104	7.5 %
-1 (M)	Valid blank	8026	19.3 %

Based upon 33528 valid cases out of 41554 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

GR1F

EH21 16.1f Cooking No One

Location: 2044-2045 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question:

Who has the most say in what to cook on a daily basis (Not applicable/no one).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	33127	79.7 %
1	Yes	400	1.0 %
-1 (M)	Valid blank	8027	19.3 %

Based upon 33527 valid cases out of 41554 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

GR1G

EH21 16.1g Cooking Most Say

Location: 2046-2047 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1
 Question:

Most say.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Respondent	24636	59.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Husband	3558	8.6 %
3	Senior Male	631	1.5 %
4	Senior Female	3795	9.1 %
5	Other	402	1.0 %
-6 (M)	Out of range	1	0.0 %
-4 (M)	Invalid skip	491	1.2 %
-3 (M)	Don't know	11	0.0 %
-1 (M)	Valid blank	8028	19.3 %

Based upon 33023 valid cases out of 41554 total cases.

- Mean: 1.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.06

GR2A
EH21 16.2a Purchase Respondent

Location: 2048-2049 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say in whether to buy an expensive item such as TV or fridge (Respondent).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	9536	22.9 %
1	Yes	23990	57.7 %
-6 (M)	Out of range	3	0.0 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	8024	19.3 %

Based upon 33526 valid cases out of 41554 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

GR2B
EH21 16.2b Purchase Husband

Location: 2050-2051 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say in whether to buy an expensive item such as TV or fridge (Husband).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3838	9.2 %
1	Yes	29690	71.4 %
-6 (M)	Out of range	2	0.0 %
-1 (M)	Valid blank	8024	19.3 %

Based upon 33528 valid cases out of 41554 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

GR2C

EH21 16.2c Purchase Sr male

Location: 2052-2053 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say in whether to buy an expensive item such as TV or fridge (Sr male).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	27160	65.4 %
1	Yes	6368	15.3 %
-1 (M)	Valid blank	8026	19.3 %

Based upon 33528 valid cases out of 41554 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

GR2D

EH21 16.2d Purchase Sr female

Location: 2054-2055 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say in whether to buy an expensive item such as TV or fridge (Sr. female).

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	27884	67.1 %
1	Yes	5643	13.6 %
-6 (M)	Out of range	1	0.0 %
-1 (M)	Valid blank	8026	19.3 %

Based upon 33527 valid cases out of 41554 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

GR2E	EH21 16.2e Purchase Other
Location:	2056-2057 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Who has the most say in whether to buy an expensive item such as TV or fridge (Other).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	30953	74.5 %
1	Yes	2572	6.2 %
7	-	1	0.0 %
-6 (M)	Out of range	3	0.0 %
-1 (M)	Valid blank	8025	19.3 %

Based upon 33526 valid cases out of 41554 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.27

GR2F	EH21 16.2f Purchase No One
Location:	2058-2059 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1
Question:	Who has the most say in whether to buy an expensive item such as TV or fridge (No one).

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	33229	80.0 %
1	Yes	294	0.7 %
5	-	1	0.0 %
-6 (M)	Out of range	4	0.0 %
-1 (M)	Valid blank	8026	19.3 %

Based upon 33524 valid cases out of 41554 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.10

GR2G

EH21 16.2g Purchase Most Say

Location: 2060-2061 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Most say.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Respondent	3643	8.8 %
2	Husband	24279	58.4 %
3	Senior Male	3770	9.1 %
4	Senior Female	1015	2.4 %
5	Other	366	0.9 %
-4 (M)	Invalid skip	437	1.1 %
-3 (M)	Don't know	16	0.0 %
-1 (M)	Valid blank	8027	19.3 %

Based upon 33074 valid cases out of 41554 total cases.

- Mean: 2.10
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.66

GR3A

EH21 16.3a N children Respondent

- Study 22626 -

Location: 2062-2063 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say in how many children you have (Respondent).

Value	Label	Unweighted Frequency	%
0	No	6383	15.4 %
1	Yes	27139	65.3 %
2	-	1	0.0 %
-6 (M)	Out of range	3	0.0 %
-3 (M)	Don't know	3	0.0 %
-1 (M)	Valid blank	8025	19.3 %

Based upon 33523 valid cases out of 41554 total cases.

- Mean: 0.81
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.39

GR3B

EH21 16.3b N children Husband

Location: 2064-2065 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say in how many children you have (Husband).

Value	Label	Unweighted Frequency	%
0	No	3486	8.4 %
1	Yes	30039	72.3 %
-6 (M)	Out of range	2	0.0 %
-3 (M)	Don't know	2	0.0 %
-1 (M)	Valid blank	8025	19.3 %

Based upon 33525 valid cases out of 41554 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

GR3C

EH21 16.3c N children Sr male

- Study 22626 -

Location: 2066-2067 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say in how many children you have (Sr male).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31035	74.7 %
1	Yes	2492	6.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	8026	19.3 %

Based upon 33527 valid cases out of 41554 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

GR3D

EH21 16.3d N children Sr female

Location: 2068-2069 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say in how many children you have (Sr female).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	29893	71.9 %
1	Yes	3635	8.7 %
-1 (M)	Valid blank	8026	19.3 %

Based upon 33528 valid cases out of 41554 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

GR3E

EH21 16.3e N children Other

Location: 2070-2071 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

- Study 22626 -

Question:

Who has the most say in how many children you have (Other).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	33134	79.7 %
1	Yes	392	0.9 %
-6 (M)	Out of range	1	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	8026	19.3 %

Based upon 33526 valid cases out of 41554 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

GR3F

EH21 16.3f N children No One

Location: 2072-2073 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say in how many children you have (No one).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	33028	79.5 %
1	Yes	494	1.2 %
-6 (M)	Out of range	6	0.0 %
-1 (M)	Valid blank	8026	19.3 %

Based upon 33522 valid cases out of 41554 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

GR3G

EH21 16.3g N children Most Say

Location: 2074-2075 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Most say.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Respondent	6380	15.4 %
2	Husband	24521	59.0 %
3	Senior Male	537	1.3 %
4	Senior Female	999	2.4 %
5	Other	53	0.1 %
-4 (M)	Invalid skip	1001	2.4 %
-3 (M)	Don't know	35	0.1 %
-1 (M)	Valid blank	8027	19.3 %

Based upon 32491 valid cases out of 41554 total cases.

- Mean: 1.89
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.58

GR4A
EH21 16.4a Child ill Respondent

Location: 2076-2080 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say on what to do if a child falls sick (Respondent).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4490	10.8 %
1	Yes	27534	66.3 %
2	-	1	0.0 %
9525	-	1	0.0 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	91	0.2 %
-1 (M)	Valid blank	9435	22.7 %

Based upon 32026 valid cases out of 41554 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9525.00
- Standard Deviation: 53.22

- Study 22626 -

GR4B
EH21 16.4b Child ill Husband

Location: 2081-2082 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say on what to do if a child falls sick (Husband).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4818	11.6 %
1	Yes	26778	64.4 %
-6 (M)	Out of range	4	0.0 %
-2 (M)	Valid skip	57	0.1 %
-1 (M)	Valid blank	9897	23.8 %

Based upon 31596 valid cases out of 41554 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

GR4C
EH21 16.4c Child ill Sr male

Location: 2083-2084 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say on what to do if a child falls sick (Sr. male).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	23222	55.9 %
1	Yes	4436	10.7 %
-6 (M)	Out of range	2	0.0 %
-2 (M)	Valid skip	44	0.1 %
-1 (M)	Valid blank	13850	33.3 %

Based upon 27658 valid cases out of 41554 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

- Study 22626 -

GR4D

EH21 16.4d Child ill Sr female

Location: 2085-2086 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say on what to do if a child falls sick (Senior female).

Value	Label	Unweighted Frequency	%
0	No	22534	54.2 %
1	Yes	5078	12.2 %
-6 (M)	Out of range	1	0.0 %
-2 (M)	Valid skip	43	0.1 %
-1 (M)	Valid blank	13898	33.4 %

Based upon 27612 valid cases out of 41554 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

GR4E

EH21 16.4e Child ill Other

Location: 2087-2088 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say on what to do if a child falls sick (Other).

Value	Label	Unweighted Frequency	%
0	No	25444	61.2 %
1	Yes	1496	3.6 %
-2 (M)	Valid skip	43	0.1 %
-1 (M)	Valid blank	14571	35.1 %

Based upon 26940 valid cases out of 41554 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

GR4F

EH21 16.4f Child ill No One

- Study 22626 -

Location: 2089-2093 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most say on what to do if a child falls sick (No one).

Value	Label	Unweighted Frequency	%
0	No	24592	59.2 %
1	Yes	612	1.5 %
5000	-	1	0.0 %
-6 (M)	Out of range	4	0.0 %
-2 (M)	Valid skip	44	0.1 %
-1 (M)	Valid blank	16301	39.2 %

Based upon 25205 valid cases out of 41554 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 31.49

GR4G

EH21 16.4g Child ill Most Say

Location: 2094-2098 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Most say.

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	Respondent	9813	23.6 %
2	Husband	19064	45.9 %
3	Senior Male	1703	4.1 %
4	Senior Female	1262	3.0 %
5	Other	231	0.6 %
4525	-	1	0.0 %
-5 (M)	Valid skip	488	1.2 %
-3 (M)	Don't know	29	0.1 %
-2 (M)	Valid skip	90	0.2 %
-1 (M)	Valid blank	8872	21.4 %

Based upon 32075 valid cases out of 41554 total cases.

- Mean: 1.99

- Study 22626 -

- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 4525.00
- Standard Deviation: 25.27

GR5A

EH21 16.5a Child's wed R

Location: 2099-2100 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most to say in the decision to whom your children should marry (Respondent).

Value	Label	Unweighted Frequency	%
0	No	6456	15.5 %
1	Yes	24997	60.2 %
3	-	1	0.0 %
-3 (M)	Don't know	7	0.0 %
-2 (M)	Valid skip	92	0.2 %
-1 (M)	Valid blank	10001	24.1 %

Based upon 31454 valid cases out of 41554 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.40

GR5B

EH21 16.5b Child's wed Husband

Location: 2101-2105 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most to say in the decision to whom your children should marry (Husband).

Value	Label	Unweighted Frequency	%
-5475	-	1	0.0 %
0	No	3051	7.3 %
1	Yes	28894	69.5 %
-6 (M)	Out of range	19	0.0 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	59	0.1 %
-1 (M)	Valid blank	9528	22.9 %

- Study 22626 -

Based upon 31946 valid cases out of 41554 total cases.

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: -5475.00
- Maximum: 1.00
- Standard Deviation: 30.64

GR5C

EH21 16.5c Child's wed Sr male

Location: 2106-2110 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most to say in the decision to whom your children should marry (Senior male).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	20882	50.3 %
1	Yes	6995	16.8 %
10000	-	1	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	45	0.1 %
-1 (M)	Valid blank	13630	32.8 %

Based upon 27878 valid cases out of 41554 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10000.00
- Standard Deviation: 59.89

GR5D

EH21 16.5d Child's wed Sr female

Location: 2111-2112 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most to say in the decision to whom your children should marry (Senior female).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	20975	50.5 %
1	Yes	6700	16.1 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	43	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	13834	33.3 %

Based upon 27675 valid cases out of 41554 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

GR5E
EH21 16.5e Child's wed Other

Location: 2113-2114 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most to say in the decision to whom your children should marry (Other).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24065	57.9 %
1	Yes	2924	7.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	44	0.1 %
-1 (M)	Valid blank	14520	34.9 %

Based upon 26989 valid cases out of 41554 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

GR5F
EH21 16.5f Child's wed No One

Location: 2115-2116 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Who has the most to say in the decision to whom your children should marry (No one).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24318	58.5 %
1	Yes	961	2.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-6 (M)	Out of range	5	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	44	0.1 %
-1 (M)	Valid blank	16225	39.0 %

Based upon 25279 valid cases out of 41554 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

GR5G

EH21 16.5g Child's wed Most Say

Location: 2117-2118 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Most say.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Respondent	3294	7.9 %
2	Husband	22471	54.1 %
3	Senior Male	4284	10.3 %
4	Senior Female	1112	2.7 %
5	Other	689	1.7 %
-5 (M)	Valid skip	558	1.3 %
-3 (M)	Don't know	46	0.1 %
-2 (M)	Valid skip	111	0.3 %
-1 (M)	Valid blank	8988	21.6 %

Based upon 31851 valid cases out of 41554 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.74

GR6A

EH21 16.6a Permission health centre

- Study 22626 -

Location: 2119-2120 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Do you have to ask permission of your husband or a senior family member to go to the local health center.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8633	20.8 %
1	Yes	24875	59.9 %
3	-	1	0.0 %
-2 (M)	Valid skip	20	0.0 %
-1 (M)	Valid blank	8025	19.3 %

Based upon 33509 valid cases out of 41554 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.44

GR6B

EH21 16.6b Perm husband: health centre

Location: 2121-2122 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Permission from Husband to go to the local health center.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	4966	12.0 %
1	Yes	22975	55.3 %
-2 (M)	Valid skip	6	0.0 %
-1 (M)	Valid blank	13606	32.7 %
. (M)	-	1	0.0 %

Based upon 27941 valid cases out of 41554 total cases.

- Mean: 0.82
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

GR6C

EH21 16.6c Perm Sr male: health centre

- Study 22626 -

Location: 2123-2127 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

Question: Permission from the senior male to go to the local health center.

Value	Label	Unweighted Frequency	%
0	No	19992	48.1 %
1	Yes	3764	9.1 %
1267	-	1	0.0 %
-2 (M)	Valid skip	3	0.0 %
-1 (M)	Valid blank	17794	42.8 %

Based upon 23757 valid cases out of 41554 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1267.00
- Standard Deviation: 8.23

GR6D

EH21 16.6d Perm Sr Female: health centre

Location: 2128-2129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Permission from senior female to go to the local health center.

Value	Label	Unweighted Frequency	%
0	No	18157	43.7 %
1	Yes	5747	13.8 %
-6 (M)	Out of range	1	0.0 %
-2 (M)	Valid skip	4	0.0 %
-1 (M)	Valid blank	17644	42.5 %
. (M)	-	1	0.0 %

Based upon 23904 valid cases out of 41554 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

GR6E

EH21 16.6e Perm others health centre

- Study 22626 -

Location: 2130-2131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Permission from other to go to the local health center.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	22012	53.0 %
1	Yes	1108	2.7 %
-2 (M)	Valid skip	4	0.0 %
-1 (M)	Valid blank	18429	44.3 %
. (M)	-	1	0.0 %

Based upon 23120 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

GR6F

EH21 16.6f Health centre alone

Location: 2132-2133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Can you go alone.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	9640	23.2 %
1	Yes	22545	54.3 %
-1 (M)	Valid blank	9368	22.5 %
. (M)	-	1	0.0 %

Based upon 32185 valid cases out of 41554 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

GR7A

EH21 16.7a Permission Friend home

Location: 2134-2135 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Do you have to ask permission of your husband or a senior family member to go to the home of relatives or friends in the village/neighborhood.

Value	Label	Unweighted Frequency	%
0	No	8184	19.7 %
1	Yes	24864	59.8 %
-6 (M)	Out of range	1	0.0 %
-2 (M)	Valid skip	479	1.2 %
-1 (M)	Valid blank	8025	19.3 %
. (M)	-	1	0.0 %

Based upon 33048 valid cases out of 41554 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

GR7B	EH21 16.7b Perm husband Friend home
Location:	2136-2137 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	Permission from husband to go to the home of relatives or friends in the village/neighborhood.

Value	Label	Unweighted Frequency	%
0	No	4848	11.7 %
1	Yes	23044	55.5 %
-6 (M)	Out of range	1	0.0 %
-2 (M)	Valid skip	5	0.0 %
-1 (M)	Valid blank	13655	32.9 %
. (M)	-	1	0.0 %

Based upon 27892 valid cases out of 41554 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

- Study 22626 -

GR7C	EH21 16.7c Perm Sr male Friend home																								
Location:	2138-2139 (width: 2; decimal: 0)																								
Variable Type:	numeric																								
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																								
Question:	Permission from senior male friend to go to the home of relatives or friends in the village/neighborhood.																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: right; padding: 2px;">Unweighted Frequency</th><th style="text-align: right; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">19713</td><td style="text-align: right; padding: 2px;">47.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">3750</td><td style="text-align: right; padding: 2px;">9.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-2 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td><td style="text-align: right; padding: 2px;">2</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">18088</td><td style="text-align: right; padding: 2px;">43.5 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	0	No	19713	47.4 %	1	Yes	3750	9.0 %	-2 (M)	Valid skip	2	0.0 %	-1 (M)	Valid blank	18088	43.5 %	. (M)	-	1	0.0 %
Value	Label	Unweighted Frequency	%																						
0	No	19713	47.4 %																						
1	Yes	3750	9.0 %																						
-2 (M)	Valid skip	2	0.0 %																						
-1 (M)	Valid blank	18088	43.5 %																						
. (M)	-	1	0.0 %																						

Based upon 23463 valid cases out of 41554 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

GR7D	EH21 16.7d Perm Sr Female Friend home																								
Location:	2140-2141 (width: 2; decimal: 0)																								
Variable Type:	numeric																								
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																								
Question:	Permission from senior female to go to the home of relatives or friends in the village/neighborhood.																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: right; padding: 2px;">Unweighted Frequency</th><th style="text-align: right; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">17766</td><td style="text-align: right; padding: 2px;">42.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">5824</td><td style="text-align: right; padding: 2px;">14.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-2 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td><td style="text-align: right; padding: 2px;">2</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">17961</td><td style="text-align: right; padding: 2px;">43.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	0	No	17766	42.8 %	1	Yes	5824	14.0 %	-2 (M)	Valid skip	2	0.0 %	-1 (M)	Valid blank	17961	43.2 %	. (M)	-	1	0.0 %
Value	Label	Unweighted Frequency	%																						
0	No	17766	42.8 %																						
1	Yes	5824	14.0 %																						
-2 (M)	Valid skip	2	0.0 %																						
-1 (M)	Valid blank	17961	43.2 %																						
. (M)	-	1	0.0 %																						

Based upon 23590 valid cases out of 41554 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

- Study 22626 -

GR7E

EH21 16.7e Perm others Friend home

Location:	2142-2143 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Permission from others to go to the home of relatives or friends in the village/neighborhood.		
Value	Label	Unweighted Frequency	%
0	No	21689	52.2 %
1	Yes	1110	2.7 %
-6 (M)	Out of range	1	0.0 %
-2 (M)	Valid skip	3	0.0 %
-1 (M)	Valid blank	18750	45.1 %
. (M)	-	1	0.0 %

Based upon 22799 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

GR7F

EH21 16.7f Visit Friend home alone

Location:	2144-2145 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Can you go alone.		
Value	Label	Unweighted Frequency	%
0	No	8906	21.4 %
1	Yes	22749	54.7 %
-1 (M)	Valid blank	9898	23.8 %
. (M)	-	1	0.0 %

Based upon 31655 valid cases out of 41554 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

- Study 22626 -

GR8A

EH21 16.8a Permission Kirana shop

Location: 2146-2147 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1, .
 Question: Do you have to ask permission of your husband or a senior family member to go to the Kirana shop.

Value	Label	Unweighted Frequency	%
0	No	12747	30.7 %
1	Yes	15021	36.1 %
-6 (M)	Out of range	2	0.0 %
-2 (M)	Valid skip	5759	13.9 %
-1 (M)	Valid blank	8024	19.3 %
. (M)	-	1	0.0 %

Based upon 27768 valid cases out of 41554 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

GR8B

EH21 16.8b Perm husband Kirana shop

Location: 2148-2149 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1, .
 Question: Permission from husband to go to the Kirana shop.

Value	Label	Unweighted Frequency	%
0	No	7858	18.9 %
1	Yes	13980	33.6 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	62	0.1 %
-1 (M)	Valid blank	19650	47.3 %
. (M)	-	1	0.0 %

Based upon 21838 valid cases out of 41554 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 1.00
- Standard Deviation: 0.48

GR8C
EH21 16.8c Perm Sr male Kirana shop

Location: 2150-2151 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Permission from senior male to go to the Kirana shop.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	16122	38.8 %
1	Yes	2216	5.3 %
-6 (M)	Out of range	1	0.0 %
-2 (M)	Valid skip	49	0.1 %
-1 (M)	Valid blank	23165	55.7 %
. (M)	-	1	0.0 %

Based upon 18338 valid cases out of 41554 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

GR8D
EH21 16.8d Perm Sr Female Kirana shop

Location: 2152-2153 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Permission from senior female to go to the Kirana shop.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	15125	36.4 %
1	Yes	3251	7.8 %
-2 (M)	Valid skip	50	0.1 %
-1 (M)	Valid blank	23127	55.7 %
. (M)	-	1	0.0 %

Based upon 18376 valid cases out of 41554 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00

- Study 22626 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

GR8E

EH21 16.8e Perm others Kirana shop

Location: 2154-2155 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Permission from Others to go to the Kirana shop.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	16995	40.9 %
1	Yes	928	2.2 %
-2 (M)	Valid skip	50	0.1 %
-1 (M)	Valid blank	23580	56.7 %
. (M)	-	1	0.0 %

Based upon 17923 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

GR8F

EH21 16.8f Visit Kirana shop alone

Location: 2156-2157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Can you go alone.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	6759	16.3 %
1	Yes	21171	50.9 %
-2 (M)	Valid skip	5	0.0 %
-1 (M)	Valid blank	13618	32.8 %
. (M)	-	1	0.0 %

Based upon 27930 valid cases out of 41554 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00

- Study 22626 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

GR9	EH22 16.9 Purdah Practice																				
Location:	2158-2159 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1																				
Question:	Do you practice ghungat/purdah/pallu.																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">15629</td><td style="text-align: right; padding: 2px;">37.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">17754</td><td style="text-align: right; padding: 2px;">42.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">8170</td><td style="text-align: right; padding: 2px;">19.7 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	15629	37.6 %	1	Yes	17754	42.7 %	3	-	1	0.0 %	-1 (M)	Valid blank	8170	19.7 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																		
0	No	15629	37.6 %																		
1	Yes	17754	42.7 %																		
3	-	1	0.0 %																		
-1 (M)	Valid blank	8170	19.7 %																		

Based upon 33384 valid cases out of 41554 total cases.

- Mean: 0.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.50

GR10	EH22 16.10 Family outing																								
Location:	2160-2161 (width: 2; decimal: 0)																								
Variable Type:	numeric																								
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																								
Question:	Do you and your husband sometimes go out by yourselves (or with your children) to cinema's, mela, or restaurant.																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">15954</td><td style="text-align: right; padding: 2px;">38.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">17355</td><td style="text-align: right; padding: 2px;">41.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-2 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td><td style="text-align: right; padding: 2px;">28</td><td style="text-align: right; padding: 2px;">0.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">8216</td><td style="text-align: right; padding: 2px;">19.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	15954	38.4 %	1	Yes	17355	41.8 %	-2 (M)	Valid skip	28	0.1 %	-1 (M)	Valid blank	8216	19.8 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																						
0	No	15954	38.4 %																						
1	Yes	17355	41.8 %																						
-2 (M)	Valid skip	28	0.1 %																						
-1 (M)	Valid blank	8216	19.8 %																						
. (M)	-	1	0.0 %																						

Based upon 33309 valid cases out of 41554 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 1.00
- Standard Deviation: 0.50

GR11A
EH22 16.11s Shopping Respondent

Location: 2162-2163 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Who does the food and vegetable shopping in your household (Respondent).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	13948	33.6 %
1	Yes	19350	46.6 %
-1 (M)	Valid blank	8255	19.9 %
. (M)	-	1	0.0 %

Based upon 33298 valid cases out of 41554 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

GR11B
EH22 16.11m Shopping Adult men

Location: 2164-2165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Who does the food and vegetable shopping in your household (Adult men).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	6397	15.4 %
1	Yes	26925	64.8 %
-2 (M)	Valid skip	5	0.0 %
-1 (M)	Valid blank	8226	19.8 %
. (M)	-	1	0.0 %

Based upon 33322 valid cases out of 41554 total cases.

- Mean: 0.81
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

- Study 22626 -

GR11C

EH22 16.11w Shopping Adult women

Location: 2166-2167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Who does the food and vegetable shopping in your household (Adult women).

Value	Label	Unweighted Frequency	%
0	No	27438	66.0 %
1	Yes	5674	13.7 %
-2 (M)	Valid skip	7	0.0 %
-1 (M)	Valid blank	8434	20.3 %
. (M)	-	1	0.0 %

Based upon 33112 valid cases out of 41554 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

GR11D

EH22 16.11c Shopping Children

Location: 2168-2169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Who does the food and vegetable shopping in your household (Children).

Value	Label	Unweighted Frequency	%
0	No	26930	64.8 %
1	Yes	5621	13.5 %
-2 (M)	Valid skip	8	0.0 %
-1 (M)	Valid blank	8994	21.6 %
. (M)	-	1	0.0 %

Based upon 32551 valid cases out of 41554 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

- Study 22626 -

GR12A
EH22 16.12s Homework Respondent

Location: 2170-2171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Who supervises the children's homework (Respondent).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	21346	51.4 %
1	Yes	10473	25.2 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	901	2.2 %
-1 (M)	Valid blank	8831	21.3 %
. (M)	-	1	0.0 %

Based upon 31819 valid cases out of 41554 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

GR12B
EH22 16.12m Homework Adult men

Location: 2172-2173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Who supervises the children's homework (Adult men).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	21236	51.1 %
1	Yes	10537	25.4 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	884	2.1 %
-1 (M)	Valid blank	8894	21.4 %
. (M)	-	1	0.0 %

Based upon 31773 valid cases out of 41554 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 22626 -

- Standard Deviation: 0.47

GR12C	EH22 16.12w Homework Adult women		
Location:	2174-2175 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Who supervises the children's homework (Adult women).		
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>
	0	No	30027
	1	Yes	1642
	-3 (M)	Don't know	2
	-2 (M)	Valid skip	884
	-1 (M)	Valid blank	8998
	. (M)	-	1
			72.3 %
			4.0 %
			0.0 %
			2.1 %
			21.7 %
			0.0 %

Based upon 31669 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

GR12D	EH22 16.12c Homework Children		
Location:	2176-2177 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Who supervises the children's homework (Other Children).		
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>
	0	No	22332
	1	Yes	8894
	-3 (M)	Don't know	2
	-2 (M)	Valid skip	884
	-1 (M)	Valid blank	9441
	. (M)	-	1
			53.7 %
			21.4 %
			0.0 %
			2.1 %
			22.7 %
			0.0 %

Based upon 31226 valid cases out of 41554 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00

- Study 22626 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

GR13

EH22 16.13 Family meal taking

Location: 2178-2179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When your family takes the main meal, do women usually eat with the men, do women eat first by themselves or do men eat first.

Value	Label	Unweighted Frequency	%
1	Eat together	17221	41.4 %
2	Women first	620	1.5 %
3	Men first	10268	24.7 %
4	Varies, Other	5272	12.7 %
-5 (M)	Valid skip	16	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	7	0.0 %
-1 (M)	Valid blank	8148	19.6 %
. (M)	-	1	0.0 %

Based upon 33381 valid cases out of 41554 total cases.

- Mean: 2.11
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.20

GR14

EH22 16.14 Cash-in-hand

Location: 2180-2181 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you yourself have any cash in hand to spend on household expenditures.

Value	Label	Unweighted Frequency	%
0	No	5687	13.7 %
1	Yes	27705	66.7 %
3	-	1	0.0 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	8159	19.6 %
. (M)	-	1	0.0 %

- Study 22626 -

Based upon 33393 valid cases out of 41554 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.38

GR15A

EH22 16.15a Family bank account

Location: 2182-2183 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1, .

Question: Does anybody in your family have a bank account.

Value	Label	Unweighted Frequency	%
0	No	20350	49.0 %
1	Yes	12948	31.2 %
-3 (M)	Don't know	47	0.1 %
-2 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	8206	19.7 %
. (M)	-	1	0.0 %

Based upon 33298 valid cases out of 41554 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

GR15B

EH22 16.15b Resp account holder

Location: 2184-2185 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1, .

Question: Is your name on any bank account.

Value	Label	Unweighted Frequency	%
0	No	24013	57.8 %
1	Yes	6128	14.7 %
-3 (M)	Don't know	39	0.1 %
-2 (M)	Valid skip	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	11372	27.4 %
. (M)	-	1	0.0 %

Based upon 30141 valid cases out of 41554 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

GR16

EH22 16.16 House papers: Woman

Location: 2186-2187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , 8 , .

Question: Is your name on the ownership or rental papers for your home.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	26825	64.6 %
1	Yes	5144	12.4 %
-6 (M)	Out of range	2	0.0 %
-1 (M)	Valid blank	8246	19.8 %
8 (M)	No house/papers	1336	3.2 %
. (M)	-	1	0.0 %

Based upon 31969 valid cases out of 41554 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

GR17

EH22 16.17 Girls educatn equal

Location: 2188-2189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you think girls should be educated as much as boys or does it make more sense to educate boys more.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Same	28608	68.8 %
2	Boys more	3625	8.7 %
3	Girls more	1009	2.4 %
-5 (M)	Valid skip	69	0.2 %
-3 (M)	Don't know	18	0.0 %
-2 (M)	Valid skip	16	0.0 %
-1 (M)	Valid blank	8207	19.8 %
. (M)	-	1	0.0 %

Based upon 33243 valid cases out of 41554 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.45

GR18A

EH22 16.18a Discuss: Work/farm

Location: 2190-2191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you and your husband talk about things that happen (at work/on the farm) often, sometimes, never.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	6788	16.3 %
1	sometimes	14114	34.0 %
2	Often	11811	28.4 %
-3 (M)	Don't know	4	0.0 %
-2 (M)	Valid skip	298	0.7 %
-1 (M)	Valid blank	8538	20.5 %
. (M)	-	1	0.0 %

Based upon 32713 valid cases out of 41554 total cases.

- Mean: 1.15
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.74

- Study 22626 -

GR18B

EH22 16.18b Discuss: Expenditure

Location: 2192-2193 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you and your husband talk about what to spend money on.

Value	Label	Unweighted Frequency	%
0	Never	3956	9.5 %
1	sometimes	12802	30.8 %
2	Often	16076	38.7 %
-3 (M)	Don't know	4	0.0 %
-2 (M)	Valid skip	169	0.4 %
-1 (M)	Valid blank	8546	20.6 %
. (M)	-	1	0.0 %

Based upon 32834 valid cases out of 41554 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.69

GR18C

EH22 16.18c Discuss: Politics

Location: 2194-2195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you and your husband talk about things that happen in the community such as elections or politics.

Value	Label	Unweighted Frequency	%
0	Never	11257	27.1 %
1	sometimes	15007	36.1 %
2	Often	6547	15.8 %
-6 (M)	Out of range	2	0.0 %
-3 (M)	Don't know	5	0.0 %
-2 (M)	Valid skip	168	0.4 %
-1 (M)	Valid blank	8567	20.6 %
. (M)	-	1	0.0 %

Based upon 32811 valid cases out of 41554 total cases.

- Mean: 0.86

- Study 22626 -

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.72

GR19	EH22 16.19 Natal family visit		
Location:	2196-2197 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , 9 , .		
Question:	How often do you visit your natal family.		
Value	Label	Unweighted Frequency	%
1	Daily/Weekly	2443	5.9 %
2	Monthly	4764	11.5 %
3	2-3 times a year	16191	39.0 %
4	Once a year	7379	17.8 %
5	< once a year	1560	3.8 %
-5 (M)	Valid skip	101	0.2 %
-3 (M)	Don't know	7	0.0 %
-2 (M)	Valid skip	761	1.8 %
-1 (M)	Valid blank	8347	20.1 %
. (M)	-	1	0.0 %

Based upon 32337 valid cases out of 41554 total cases.

- Mean: 3.03
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.93

GR20	EH22 16.20 Natal family nearby		
Location:	2198-2199 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , 9 , .		
Question:	Do any members of your natal family live close enough for you to visit them and come home in the same day.		
Value	Label	Unweighted Frequency	%
0	No	13240	31.9 %
1	Yes	18933	45.6 %
4	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-3 (M)	Don't know	3	0.0 %
-2 (M)	Valid skip	948	2.3 %
-1 (M)	Valid blank	8428	20.3 %
. (M)	-	1	0.0 %

Based upon 32174 valid cases out of 41554 total cases.

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.49

GR21

EH23 16.21 Beat leaves no permit

Location: 2200-2201 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: In your community is it usual for husbands to beat their wives if she goes out without telling him.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	21273	51.2 %
1	Yes	12082	29.1 %
-3 (M)	Don't know	49	0.1 %
-2 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	8147	19.6 %
. (M)	-	1	0.0 %

Based upon 33355 valid cases out of 41554 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

GR22

EH23 16.22 Beat if no dowry

Location: 2202-2203 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: In your community is it usual for husbands to beat their wives if her natal family does not give expected money, jewelry or other items.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24692	59.4 %
1	Yes	8665	20.9 %
-3 (M)	Don't know	48	0.1 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	8147	19.6 %
. (M)	-	1	0.0 %

Based upon 33357 valid cases out of 41554 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

GR23
EH23 16.23 Beat if House neglect

Location: 2204-2205 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: In your community is it usual for husbands to beat their wives if she neglects the house or the children.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	22698	54.6 %
1	Yes	10677	25.7 %
-3 (M)	Don't know	28	0.1 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	8149	19.6 %
. (M)	-	1	0.0 %

Based upon 33375 valid cases out of 41554 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

GR24
EH23 16.24 Beat if bad cooking

Location: 2206-2207 (width: 2; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

In your community is it usual for husbands to beat their wives if she doesn't cook food properly.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24529	59.0 %
1	Yes	8852	21.3 %
-3 (M)	Don't know	26	0.1 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	8145	19.6 %
. (M)	-	1	0.0 %

Based upon 33381 valid cases out of 41554 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

GR25

EH23 16.25 Beat if extramarital

Location:

2208-2209 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

In your community is it usual for husbands to beat their wives if he suspects her of having relations with other men.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	5584	13.4 %
1	Yes	27711	66.7 %
-3 (M)	Don't know	94	0.2 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	8163	19.6 %
. (M)	-	1	0.0 %

Based upon 33295 valid cases out of 41554 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

GR26

EH23 16.26 Widow support

- Study 22626 -

Location: 2210-2211 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): .

Question: In your community, do widows get more help from their natal families (including brothers and uncles) or from their husband's families.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-7	Inconsistent	0	0.0 %
-6	Out of range	0	0.0 %
-5	Valid skip	34	0.1 %
-4	Invalid skip	0	0.0 %
-3	Don't know	47	0.1 %
-2	Valid skip	1	0.0 %
-1	Valid blank	8182	19.7 %
1	Natal Families	8167	19.7 %
2	Husbands Families	10842	26.1 %
3	Both	12475	30.0 %
4	Neither	1805	4.3 %
. (M)	-	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 1.59
- Median: 2.00
- Mode: 3.00
- Minimum: -5.00
- Maximum: 4.00
- Standard Deviation: 1.53

GR27

EH23 16.27 Live with in old age

Location: 2212-2213 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): .

Question: Who do you expect to live with when you get old.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-7	Inconsistent	0	0.0 %
-6	Out of range	0	0.0 %
-5	Valid skip	53	0.1 %
-4	Invalid skip	0	0.0 %
-3	Don't know	93	0.2 %
-2	Valid skip	163	0.4 %
-1	Valid blank	8263	19.9 %
1	Son	26920	64.8 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Daughter	1781	4.3 %
3	Both	1317	3.2 %
4	Other/ No one	2963	7.1 %
. (M)	-	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: -5.00
- Maximum: 4.00
- Standard Deviation: 1.31

GR28

EH23 16.28 Would live w daughter

Location: 2214-2215 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9 , .

Question: Would you consider living with your daughter when you get old.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-7	Inconsistent	0	0.0 %
-6	Out of range	0	0.0 %
-5	Valid skip	0	0.0 %
-4	Invalid skip	0	0.0 %
-3	Don't know	64	0.2 %
-2	Valid skip	5035	12.1 %
-1	Valid blank	10274	24.7 %
0	No	20473	49.3 %
1	Yes	5707	13.7 %
. (M)	-	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: -0.36
- Median: 0.00
- Mode: 0.00
- Minimum: -3.00
- Maximum: 1.00
- Standard Deviation: 0.87

GR29

EH23 16.29 Financial support

- Study 22626 -

Location: 2216-2217 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): .

Question: Who do you expect will support you financially when you get older.

Value	Label	Unweighted Frequency	%
-7	Inconsistent	0	0.0 %
-6	Out of range	0	0.0 %
-5	Valid skip	83	0.2 %
-4	Invalid skip	0	0.0 %
-3	Don't know	109	0.3 %
-2	Valid skip	176	0.4 %
-1	Valid blank	8371	20.1 %
1	Son	26054	62.7 %
2	Daughter	1846	4.4 %
3	Both	2017	4.9 %
4	Other/ No one	2897	7.0 %
. (M)	-	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: -5.00
- Maximum: 4.00
- Standard Deviation: 1.35

GR30

EH23 16.30 Support: daughter

Location: 2218-2219 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9, .

Question: Would you consider being financially supported by your daughter.

Value	Label	Unweighted Frequency	%
-7	Inconsistent	0	0.0 %
-6	Out of range	0	0.0 %
-5	Valid skip	0	0.0 %
-4	Invalid skip	0	0.0 %
-3	Don't know	88	0.2 %
-2	Valid skip	5055	12.2 %
-1	Valid blank	10361	24.9 %
0	No	19012	45.8 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	7037	16.9 %
. (M)	-	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: -0.33
- Median: 0.00
- Mode: 0.00
- Minimum: -3.00
- Maximum: 1.00
- Standard Deviation: 0.90

GR31	EH23 16.31 Harassment of girls
-------------	---------------------------------------

Location: 2220-2221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): .

Question: How frequently are unmarried girls harassed in your village/neighborhood, rarely, sometimes or often.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-7	Inconsistent	0	0.0 %
-6	Out of range	0	0.0 %
-5	Valid skip	594	1.4 %
-4	Invalid skip	0	0.0 %
-3	Don't know	61	0.1 %
-2	Valid skip	16	0.0 %
-1	Valid blank	8200	19.7 %
1	Rarely	26663	64.2 %
2	Sometimes	4751	11.4 %
3	Often	1268	3.1 %
. (M)	-	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: -5.00
- Maximum: 3.00
- Standard Deviation: 1.21

GRWHO	EH23 16 who else present
--------------	---------------------------------

Location: 2222-2223 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): .

Question: Interviewer records who else is present when asking questions.

Value	Label	Unweighted Frequency	%
-7	Inconsistent	0	0.0 %
-6	Out of range	0	0.0 %
-5	Valid skip	75	0.2 %
-4	Invalid skip	0	0.0 %
-3	Don't know	3	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	8301	20.0 %
1	Nobody else	16576	39.9 %
2	Adults only	8139	19.6 %
3	Children only	2505	6.0 %
4	Adults & Children	5954	14.3 %
. (M)	-	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 1.34
- Median: 1.00
- Mode: 1.00
- Minimum: -5.00
- Maximum: 4.00
- Standard Deviation: 1.57

MH1A

EH24 17.1a Age at marriage

Location: 2224-2225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How old were you when you got married.

Value	Label	Unweighted Frequency	%
0	-	4	0.0 %
1	-	11	0.0 %
2	-	11	0.0 %
3	-	13	0.0 %
4	-	9	0.0 %
5	-	86	0.2 %
6	-	38	0.1 %
7	-	94	0.2 %
8	-	124	0.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	124	0.3 %
10	-	390	0.9 %
11	-	251	0.6 %
12	-	838	2.0 %
13	-	1065	2.6 %
14	-	2075	5.0 %
15	-	3784	9.1 %
16	-	4127	9.9 %
17	-	3647	8.8 %
18	-	5410	13.0 %
19	-	2676	6.4 %
20	-	3209	7.7 %
21	-	1392	3.3 %
22	-	1266	3.0 %
23	-	840	2.0 %
24	-	607	1.5 %
25	-	539	1.3 %
26	-	247	0.6 %
27	-	182	0.4 %
28	-	139	0.3 %
29	-	78	0.2 %
30	-	74	0.2 %
31	-	26	0.1 %
32	-	22	0.1 %
33	-	7	0.0 %
34	-	5	0.0 %
35	-	14	0.0 %
36	-	5	0.0 %
37	-	4	0.0 %
38	-	4	0.0 %
39	-	4	0.0 %
40	-	2	0.0 %
45	-	1	0.0 %
88	-	9	0.0 %
-1 (M)	Valid blank	8100	19.5 %
. (M)	-	1	0.0 %

Based upon 33453 valid cases out of 41554 total cases.

- Mean: 17.59
- Median: 18.00

- Study 22626 -

- Mode: 18.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 3.83

MH1B	EH24 17.1b Date of marriage
Location:	2226-2229 (width: 4; decimal: 0)
Variable Type:	character
Question:	Which month and year was this. Based upon 41554 valid cases out of 41554 total cases.

MH2A	EH24 17.2a Age at Gauna
Location:	2230-2235 (width: 6; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	And how old were you when you first started living with your husband (had gauna).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	1	0.0 %
5	-	2	0.0 %
7	-	4	0.0 %
8	-	8	0.0 %
9	-	8	0.0 %
10	-	56	0.1 %
11	-	87	0.2 %
12	-	454	1.1 %
13	-	868	2.1 %
14	-	1926	4.6 %
15	-	3703	8.9 %
16	-	4590	11.0 %
17	-	4102	9.9 %
18	-	5811	14.0 %
19	-	2933	7.1 %
20	-	3291	7.9 %
21	-	1466	3.5 %
22	-	1299	3.1 %
23	-	855	2.1 %
24	-	612	1.5 %
25	-	548	1.3 %
26	-	249	0.6 %
27	-	184	0.4 %
28	-	144	0.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	-	78	0.2 %
30	-	75	0.2 %
31	-	26	0.1 %
32	-	22	0.1 %
33	-	7	0.0 %
34	-	5	0.0 %
35	-	14	0.0 %
36	-	4	0.0 %
37	-	6	0.0 %
38	-	4	0.0 %
39	-	4	0.0 %
40	-	2	0.0 %
45	-	1	0.0 %
88	-	9	0.0 %
99	-	1	0.0 %
291	-	1	0.0 %
-1 (M)	Valid blank	8093	19.5 %
. (M)	-	1	0.0 %

Based upon 33460 valid cases out of 41554 total cases.

- Mean: 17.99
- Median: 18.00
- Mode: 18.00
- Minimum: 2.00
- Maximum: 291.00
- Standard Deviation: 3.75

MH2B
EH24 17.2b Date of Gauna

Location: 2236-2239 (width: 4; decimal: 0)

Variable Type: character

Question: Which month and year was this.

Based upon 41554 valid cases out of 41554 total cases.

MH2C
EH24 17.2c Age at Menarche

Location: 2240-2245 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1, .

Question: How old were you when you first started having your periods.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2	0.0 %
1	Before marriage	0	0.0 %
2	After marriage before gauna	0	0.0 %
3	After marriage and gauna	0	0.0 %
8	-	1	0.0 %
9	-	14	0.0 %
10	-	180	0.4 %
11	-	609	1.5 %
12	-	4431	10.7 %
13	-	9445	22.7 %
14	-	10639	25.6 %
15	-	5357	12.9 %
16	-	1963	4.7 %
17	-	410	1.0 %
18	-	258	0.6 %
19	-	66	0.2 %
20	-	31	0.1 %
21	-	1	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
25	-	3	0.0 %
291	-	1	0.0 %
-3 (M)	Don't know	3	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	8134	19.6 %
. (M)	-	1	0.0 %

Based upon 33415 valid cases out of 41554 total cases.

- Mean: 13.74
- Median: 14.00
- Mode: 14.00
- Minimum: 0.00
- Maximum: 291.00
- Standard Deviation: 2.01

MH2D

EH24 17.2d Menarche after wed

Location: 2246-2247 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Was this before/after first marriage or after your first marriage and gauna.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Before marriage	29185	70.2 %
2	After marriage before gauna	2620	6.3 %
3	After marriage and gauna	1566	3.8 %
15	-	1	0.0 %
-6 (M)	Out of range	1	0.0 %
-5 (M)	Valid skip	11	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	4	0.0 %
-1 (M)	Valid blank	8164	19.6 %
. (M)	-	1	0.0 %

Based upon 33372 valid cases out of 41554 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 0.49

MH3	EH24 17.3 Marriage status
------------	----------------------------------

Location: 2248-2249 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: What is the status of your marriage.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4	0.0 %
1	Still married	32155	77.4 %
2	Widowed	1126	2.7 %
3	Separated	149	0.4 %
4	Divorced	94	0.2 %
-1 (M)	Valid blank	8025	19.3 %
. (M)	-	1	0.0 %

Based upon 33528 valid cases out of 41554 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.27

- Study 22626 -

MH4	EH24 17.4 Knew husb before wed		
Location:	2250-2251 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	How long had you known your husband before you married him.		
Value	Label	Unweighted Frequency	%
1	wedding day	21982	52.9 %
2	< 1 month	3313	8.0 %
3	< 1 year	4161	10.0 %
4	> 1 year	1600	3.9 %
5	Since childhood	2319	5.6 %
-5 (M)	Valid skip	34	0.1 %
-3 (M)	Don't know	3	0.0 %
-1 (M)	Valid blank	8141	19.6 %
. (M)	-	1	0.0 %

Based upon 33375 valid cases out of 41554 total cases.

- Mean: 1.77
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.24

MH5A	EH24 17.5a Marriage choice		
Location:	2252-2253 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Who chose your husband.		
Value	Label	Unweighted Frequency	%
1	R herself	1675	4.0 %
2	R & parents together	12431	29.9 %
3	Parents alone	19120	46.0 %
4	Other	197	0.5 %
-6 (M)	Out of range	2	0.0 %
-5 (M)	Valid skip	10	0.0 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	8117	19.5 %
. (M)	-	1	0.0 %

- Study 22626 -

Based upon 33423 valid cases out of 41554 total cases.

- Mean: 2.53
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.60

MH5B

EH24 17.5b Choice R say

Location: 2254-2255 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Did Respondent have any say in choosing husband.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	15364	37.0 %
1	Yes	7631	18.4 %
3	-	1	0.0 %
-6 (M)	Out of range	2	0.0 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	18554	44.7 %
. (M)	-	1	0.0 %

Based upon 22996 valid cases out of 41554 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.47

MH6

EH24 17.6 Husband same vill

Location: 2256-2257 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Did you grow up in the same village/town as your husband.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	28729	69.1 %
1	Yes	4634	11.2 %
-6 (M)	Out of range	4	0.0 %
-1 (M)	Valid blank	8186	19.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 33363 valid cases out of 41554 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

MH7
EH24 17.7 Husband same caste

Location: 2258-2259 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Is your husband's family the same caste as your natal family.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1843	4.4 %
1	Yes	31531	75.9 %
-6 (M)	Out of range	5	0.0 %
-1 (M)	Valid blank	8174	19.7 %
. (M)	-	1	0.0 %

Based upon 33374 valid cases out of 41554 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

MH8
EH24 17.8 Live after marriage

Location: 2260-2261 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When you and your (first) husband usually started living together did you live with his parents, your parents, or alone.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	His parents	30189	72.7 %
2	Woman's parents	932	2.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Alone	2210	5.3 %
-6 (M)	Out of range	2	0.0 %
-5 (M)	Valid skip	28	0.1 %
-1 (M)	Valid blank	8192	19.7 %
. (M)	-	1	0.0 %

Based upon 33331 valid cases out of 41554 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.52

MH9	EH24 17.9 Distance natal family
------------	--

Location: 2262-2263 (width: 2; decimal: 0)

Variable Type: numeric

Question: At that time, how long did it take you to go to your natal home.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	-	8421	20.3 %
0	-	933	2.2 %
1	1 or <	10160	24.5 %
2	-	8497	20.4 %
3	-	5135	12.4 %
4	-	2735	6.6 %
5	-	1592	3.8 %
6	-	1089	2.6 %
7	-	395	1.0 %
8	-	776	1.9 %
9	-	252	0.6 %
10	-	263	0.6 %
11	-	38	0.1 %
12	-	372	0.9 %
13	-	28	0.1 %
14	-	37	0.1 %
15	-	63	0.2 %
16	-	30	0.1 %
17	-	8	0.0 %
18	-	33	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	-	5	0.0 %
20	-	44	0.1 %
21	-	4	0.0 %
22	-	8	0.0 %
23	-	3	0.0 %
24	-	214	0.5 %
25	-	4	0.0 %
26	-	5	0.0 %
28	-	10	0.0 %
29	-	1	0.0 %
30	-	137	0.3 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	38	0.1 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	14	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	7	0.0 %
48	-	59	0.1 %
50	-	6	0.0 %
60	-	33	0.1 %
64	-	1	0.0 %
65	-	1	0.0 %
70	-	2	0.0 %
72	-	37	0.1 %
75	-	1	0.0 %
80	-	2	0.0 %
82	-	1	0.0 %
86	-	1	0.0 %
88	-	4	0.0 %
90	-	8	0.0 %
92	-	1	0.0 %
96	-	7	0.0 %
99	-	28	0.1 %
. (M)	-	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 2.60
 - Median: 2.00
 - Mode: 1.00
 - Minimum: -1.00
 - Maximum: 99.00
 - Standard Deviation: 6.01

MH10	EH24 17.10 Husband blood rel		
Location:	2264-2265 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , 9 , .		
Question:	Are you related to your husband by blood.		
Value	Label	Unweighted Frequency	%
0	No relations	20103	48.4 %
1	Uncle	758	1.8 %
2	Cousin	1774	4.3 %
3	Other	821	2.0 %
5	-	1	0.0 %
-1 (M)	Valid blank	16943	40.8 %
9 (M)	Not permitted	1153	2.8 %
. (M)	-	1	0.0 %

Based upon 23457 valid cases out of 41554 total cases.

- Mean: 0.29
 - Median: 0.00
 - Mode: 0.00
 - Minimum: 0.00
 - Maximum: 5.00
 - Standard Deviation: 0.75

MH11	EH24 17.11 Natal fam married husb fam		
Location:	2266-2267 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Are any women from your natal family married into this family.		
Value	Label	Unweighted Frequency	%
0	None	26861	64.6 %
1	Sister	1919	4.6 %
2	Aunt	592	1.4 %
3	Both	140	0.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Other	690	1.7 %
-3 (M)	Don't know	23	0.1 %
-2 (M)	Valid skip	43	0.1 %
-1 (M)	Valid blank	11285	27.2 %
. (M)	-	1	0.0 %

Based upon 30202 valid cases out of 41554 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.71

MH12

EH24 17.12 Natal fam married same vill

Location: 2268-2269 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Are any women from your natal family married into this village/town.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	25711	61.9 %
1	Sister	2408	5.8 %
2	Aunt	694	1.7 %
3	Both	283	0.7 %
4	Other	1301	3.1 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	27	0.1 %
-2 (M)	Valid skip	44	0.1 %
-1 (M)	Valid blank	11084	26.7 %
. (M)	-	1	0.0 %

Based upon 30397 valid cases out of 41554 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.91

MH13

EH24 17.13 Econ stat husb fam

- Study 22626 -

Location: 2270-2271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: At the time of your marriage if you compared the economic status of your natal family with your husband's family would you say your natal family was same, better off, worse off.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Same	23141	55.7 %
2	Better off	6198	14.9 %
3	Worse off	2548	6.1 %
-6 (M)	Out of range	1	0.0 %
-5 (M)	Valid skip	350	0.8 %
-3 (M)	Don't know	21	0.1 %
-2 (M)	Valid skip	6	0.0 %
-1 (M)	Valid blank	9287	22.3 %
. (M)	-	1	0.0 %

Based upon 31888 valid cases out of 41554 total cases.

- Mean: 1.35
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.62

MH14

EH24 17.14 Husband: N sisters

Location: 2272-2273 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How many sisters does your husband have.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	5078	12.2 %
1	-	9115	21.9 %
2	-	9357	22.5 %
3	-	5144	12.4 %
4	-	2689	6.5 %
5	-	1021	2.5 %
6	-	357	0.9 %
7	-	122	0.3 %
8	-	37	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	15	0.0 %
10	-	5	0.0 %
11	-	1	0.0 %
12	-	4	0.0 %
15	-	1	0.0 %
20	-	1	0.0 %
88	-	1	0.0 %
99	-	2	0.0 %
-1 (M)	Valid blank	8603	20.7 %
. (M)	-	1	0.0 %

Based upon 32950 valid cases out of 41554 total cases.

- Mean: 1.91
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 1.68

MH14A
EH24 17.14a Hub sisters educ

Location: 2274-2275 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1, .

Question: Thinking of all his sisters, what is the most number of years of education any of his sisters have completed.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	15496	37.3 %
1	-	79	0.2 %
2	-	270	0.6 %
3	-	433	1.0 %
4	-	659	1.6 %
5	-	2645	6.4 %
6	-	660	1.6 %
7	-	1264	3.0 %
8	-	1706	4.1 %
9	-	853	2.1 %
10	-	3039	7.3 %
11	-	195	0.5 %
12	-	1246	3.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	52	0.1 %
14	-	55	0.1 %
15	-	1704	4.1 %
88	-	60	0.1 %
99	-	44	0.1 %
-1 (M)	Valid blank	11093	26.7 %
. (M)	-	1	0.0 %

Based upon 30460 valid cases out of 41554 total cases.

- Mean: 4.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 7.12

MH15A	EH25 17.15a Husb N brothers		
Location:	2276-2277 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	How many brothers does your husband have.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4540	10.9 %
1	-	8713	21.0 %
2	-	9054	21.8 %
3	-	5754	13.8 %
4	-	3021	7.3 %
5	-	1354	3.3 %
6	-	516	1.2 %
7	-	181	0.4 %
8	-	46	0.1 %
9	-	13	0.0 %
10	-	9	0.0 %
11	-	6	0.0 %
12	-	6	0.0 %
13	-	2	0.0 %
37	-	1	0.0 %
88	-	4	0.0 %
-1 (M)	Valid blank	8333	20.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 33220 valid cases out of 41554 total cases.

- Mean: 2.06
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 1.77

MH15B
EH25 17.15b Husb brothers educ

Location: 2278-2279 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Thinking of all his brothers, what is the most number of years of education any of his brothers have completed.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	8187	19.7 %
1	-	135	0.3 %
2	-	237	0.6 %
3	-	392	0.9 %
4	-	634	1.5 %
5	-	2561	6.2 %
6	-	676	1.6 %
7	-	1300	3.1 %
8	-	2374	5.7 %
9	-	1635	3.9 %
10	-	5100	12.3 %
11	-	511	1.2 %
12	-	2826	6.8 %
13	-	132	0.3 %
14	-	165	0.4 %
15	-	4283	10.3 %
19	-	1	0.0 %
88	-	69	0.2 %
90	-	1	0.0 %
98	-	1	0.0 %
99	-	31	0.1 %
-1 (M)	Valid blank	10302	24.8 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 31251 valid cases out of 41554 total cases.

- Mean: 7.43
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 7.11

MH16
EH25 17.16 Husb Marriage 1+

Location: 2280-2281 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has your husband been married once or more than once.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Once	32136	77.3 %
2	More than once	1150	2.8 %
3	-	5	0.0 %
4	-	2	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
-5 (M)	Valid skip	85	0.2 %
-1 (M)	Valid blank	8170	19.7 %
. (M)	-	1	0.0 %

Based upon 33298 valid cases out of 41554 total cases.

- Mean: 1.04
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.20

MH17A
EH25 17.17a R Marriage 1+

Location: 2282-2283 (width: 2; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Have you been married once or more than once.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Once	32791	78.9 %
2	More than once	372	0.9 %
-6 (M)	Out of range	4	0.0 %
-5 (M)	Valid skip	69	0.2 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	8315	20.0 %
. (M)	-	1	0.0 %

Based upon 33163 valid cases out of 41554 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.11

MH17B

EH25 17.17b R N marriages

Location:

2284-2285 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

How many times have you been married.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2745	6.6 %
1	Once	1948	4.7 %
2	More than once	366	0.9 %
3	-	7	0.0 %
5	-	1	0.0 %
9	-	1	0.0 %
-1 (M)	Valid blank	36485	87.8 %
. (M)	-	1	0.0 %

Based upon 5068 valid cases out of 41554 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00

- Study 22626 -

- Standard Deviation: 0.65

MH18A	EH25 17.18a 1st marriage Age		
Value	Label	Unweighted Frequency	%
0	-	433	1.0 %
1	Once	2	0.0 %
2	More than once	2	0.0 %
4	-	2	0.0 %
5	-	4	0.0 %
6	-	4	0.0 %
7	-	8	0.0 %
8	-	5	0.0 %
9	-	10	0.0 %
10	-	24	0.1 %
11	-	13	0.0 %
12	-	31	0.1 %
13	-	26	0.1 %
14	-	43	0.1 %
15	-	54	0.1 %
16	-	41	0.1 %
17	-	16	0.0 %
18	-	41	0.1 %
19	-	12	0.0 %
20	-	15	0.0 %
21	-	3	0.0 %
22	-	4	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	2	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
-1 (M)	Valid blank	40751	98.1 %
. (M)	-	1	0.0 %

Based upon 802 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 6.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.73

MH18B	EH25 17.18b 1st marriage Date
Location:	2288-2291 (width: 4; decimal: 0)
Variable Type:	character
Question:	Which month and year was this (1st marriage). Based upon 41554 valid cases out of 41554 total cases.

MH19A	EH25 17.19a 1st marriage Age gauna
Location:	2292-2293 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	And how old were you when you first started living with your husband (had gauna, 1st marriage).

Value	Label	Unweighted Frequency	%
0	-	348	0.8 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	5	0.0 %
10	-	11	0.0 %
11	-	8	0.0 %
12	-	21	0.1 %
13	-	32	0.1 %
14	-	38	0.1 %
15	-	67	0.2 %
16	-	49	0.1 %
17	-	18	0.0 %
18	-	48	0.1 %
19	-	14	0.0 %
20	-	16	0.0 %
21	-	3	0.0 %
22	-	4	0.0 %
23	-	1	0.0 %
24	-	3	0.0 %
25	-	3	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	-	1	0.0 %
30	-	1	0.0 %
88	-	3	0.0 %
98	-	1	0.0 %
99	-	14	0.0 %
-1 (M)	Valid blank	40838	98.3 %
. (M)	-	1	0.0 %

Based upon 715 valid cases out of 41554 total cases.

- Mean: 10.07
- Median: 10.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 16.16

MH19B	EH25 17.19b 1st marriage Date gauna
--------------	--

Location: 2294-2297 (width: 4; decimal: 0)

Variable Type: character

Question: Which month and year was this (1st marriage Date gauna).

Based upon 41554 valid cases out of 41554 total cases.

MH20	EH25 17.20 1st marriage Status
-------------	---------------------------------------

Location: 2298-2299 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: What is the status of your first marriage.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Widowed	102	0.2 %
3	Separated	123	0.3 %
4	Divorced	137	0.3 %
-5 (M)	Valid skip	320	0.8 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	40870	98.4 %
. (M)	-	1	0.0 %

Based upon 362 valid cases out of 41554 total cases.

- Mean: 3.10
- Median: 3.00

- Study 22626 -

- Mode: 4.00
- Minimum: 2.00
- Maximum: 4.00
- Standard Deviation: 0.81

FH1	EH26 18.1 N sons with R			
	Value	Label	Unweighted Frequency	%
	0	-	7476	18.0 %
	1	-	13251	31.9 %
	2	-	9011	21.7 %
	3	-	2337	5.6 %
	4	-	598	1.4 %
	5	-	170	0.4 %
	6	-	45	0.1 %
	7	-	11	0.0 %
	8	-	4	0.0 %
	-1 (M)	Valid blank	8650	20.8 %
	. (M)	-	1	0.0 %

Based upon 32903 valid cases out of 41554 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.00

FH2	EH26 18.2 N daughters with R			
	Value	Label	Unweighted Frequency	%
	0	-	11276	27.1 %
	1	-	12647	30.4 %
	2	-	5888	14.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	2109	5.1 %
4	-	658	1.6 %
5	-	189	0.5 %
6	-	43	0.1 %
7	-	9	0.0 %
8	-	5	0.0 %
-1 (M)	Valid blank	8729	21.0 %
. (M)	-	1	0.0 %

Based upon 32824 valid cases out of 41554 total cases.

- Mean: 1.06
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.05

FH3

EH26 18.3 N sons elsewhere

Location: 2304-2305 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How many sons are alive but do not live with you now.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	30337	73.0 %
1	-	1665	4.0 %
2	-	413	1.0 %
3	-	72	0.2 %
4	-	11	0.0 %
5	-	6	0.0 %
7	-	1	0.0 %
-1 (M)	Valid blank	9048	21.8 %
. (M)	-	1	0.0 %

Based upon 32505 valid cases out of 41554 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.36

- Study 22626 -

FH4	EH26 18.4 N daughters elsewhere		
Location:	2306-2307 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	How many daughters are alive but do not live with you now.		
Value	Label	Unweighted Frequency	%
0	-	27722	66.7 %
1	-	3312	8.0 %
2	-	1105	2.7 %
3	-	299	0.7 %
4	-	65	0.2 %
5	-	11	0.0 %
6	-	4	0.0 %
7	-	1	0.0 %
-1 (M)	Valid blank	9034	21.7 %
. (M)	-	1	0.0 %

Based upon 32519 valid cases out of 41554 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.57

FH5A	EH26 18.5a N sons died		
Location:	2308-2309 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	How many boys have died.		
Value	Label	Unweighted Frequency	%
0	-	29362	70.7 %
1	-	2505	6.0 %
2	-	446	1.1 %
3	-	109	0.3 %
4	-	22	0.1 %
5	-	5	0.0 %
6	-	2	0.0 %
7	-	2	0.0 %
-1 (M)	Valid blank	9100	21.9 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 32453 valid cases out of 41554 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.41

FH5B	EH26 18.5b N daughters died
-------------	------------------------------------

Location: 2310-2311 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How many girls have died.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	29562	71.1 %
1	-	2304	5.5 %
2	-	429	1.0 %
3	-	99	0.2 %
4	-	28	0.1 %
5	-	4	0.0 %
-1 (M)	Valid blank	9127	22.0 %
. (M)	-	1	0.0 %

Based upon 32426 valid cases out of 41554 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.40

FH6	EH26 18.6 Total N children borne
------------	---

Location: 2312-2313 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Just to make sure I have this right, you have had (total) children during your life.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1919	4.6 %
1	-	4778	11.5 %
2	-	9286	22.3 %
3	-	7583	18.2 %
4	-	4470	10.8 %
5	-	2363	5.7 %
6	-	1252	3.0 %
7	-	652	1.6 %
8	-	342	0.8 %
9	-	165	0.4 %
10	-	90	0.2 %
11	-	29	0.1 %
12	-	14	0.0 %
13	-	6	0.0 %
15	-	2	0.0 %
-1 (M)	Valid blank	8602	20.7 %
. (M)	-	1	0.0 %

Based upon 32951 valid cases out of 41554 total cases.

- Mean: 2.84
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.77

FH7A
EH26 18.7a N still births

Location: 2314-2315 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Have you ever had a still birth, miscarriage, wasted pregnancy or abortion.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	30333	73.0 %
1	-	1126	2.7 %
2	-	231	0.6 %
3	-	58	0.1 %
4	-	14	0.0 %
5	-	7	0.0 %
6	-	11	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	1	0.0 %
8	-	1	0.0 %
99	-	1	0.0 %
-1 (M)	Valid blank	9770	23.5 %
. (M)	-	1	0.0 %

Based upon 31783 valid cases out of 41554 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 0.64

FH7B	EH26 18.7b N miscarriages		
Location:	2316-2317 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Any children dead at birth.		
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	27752	66.8 %
1	-	2793	6.7 %
2	-	746	1.8 %
3	-	212	0.5 %
4	-	80	0.2 %
5	-	22	0.1 %
6	-	9	0.0 %
7	-	4	0.0 %
9	-	2	0.0 %
10	-	1	0.0 %
-1 (M)	Valid blank	9932	23.9 %
. (M)	-	1	0.0 %

Based upon 31621 valid cases out of 41554 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.54

- Study 22626 -

FH7C

EH26 18.7c N spontaneous miscarr

Location: 2318-2319 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How many miscarriages or wasted pregnancies.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	28399	68.3 %
1	-	2030	4.9 %
2	-	488	1.2 %
3	-	146	0.4 %
4	-	40	0.1 %
5	-	15	0.0 %
6	-	7	0.0 %
7	-	4	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
-1 (M)	Valid blank	10422	25.1 %
. (M)	-	1	0.0 %

Based upon 31131 valid cases out of 41554 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.46

FH7D

EH26 18.7d N abortions

Location: 2320-2321 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How many of these were induced abortions or DNC.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	30004	72.2 %
1	-	756	1.8 %
2	-	172	0.4 %
3	-	29	0.1 %
4	-	18	0.0 %
5	-	4	0.0 %
6	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	1	0.0 %
-1 (M)	Valid blank	10567	25.4 %
. (M)	-	1	0.0 %

Based upon 30986 valid cases out of 41554 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.27

FHCHK
EH26 18.chk One+ live births

Location: 2322-2323 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Respondent had one or more live births.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2776	6.7 %
1	Yes	29258	70.4 %
-6 (M)	Out of range	75	0.2 %
-2 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	9442	22.7 %
. (M)	-	1	0.0 %

Based upon 32034 valid cases out of 41554 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

FP1
EH28 20.1 Current pregnancy

Location: 2324-2325 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Are you pregnant now.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	30732	74.0 %
1	Yes	1618	3.9 %
2	-	1	0.0 %
8	Unsure	0	0.0 %
-3 (M)	Don't know	83	0.2 %
-2 (M)	Valid skip	3	0.0 %
-1 (M)	Valid blank	9116	21.9 %
. (M)	-	1	0.0 %

Based upon 32351 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.22

FP2A
EH28 20.2a Contraceptive usage

Location: 2326-2327 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Are you and your husband currently using any methods to delay or prevent pregnancy.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	13173	31.7 %
1	Yes	17134	41.2 %
-6 (M)	Out of range	8	0.0 %
-2 (M)	Valid skip	10	0.0 %
-1 (M)	Valid blank	11228	27.0 %
. (M)	-	1	0.0 %

Based upon 30307 valid cases out of 41554 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

FP2B
EH28 20.2b Contraception Method1

- Study 22626 -

Location: 2328-2329 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Which method are you using.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Oral pill	1503	3.6 %
2	Copper T/IUD	858	2.1 %
3	Diaphragm/ Jelly3	41	0.1 %
4	Injectible Contraception	546	1.3 %
5	Condom	2166	5.2 %
6	Female sterilization	11994	28.9 %
7	Male sterilization	371	0.9 %
8	Periodic abstinence	581	1.4 %
9	Withdrawal	344	0.8 %
10	Other	210	0.5 %
98	Method used but no answer	0	0.0 %
99	Refused	0	0.0 %
-6 (M)	Out of range	666	1.6 %
-5 (M)	Valid skip	1615	3.9 %
-1 (M)	Valid blank	20657	49.7 %
. (M)	-	1	0.0 %

Based upon 18615 valid cases out of 41554 total cases.

- Mean: 5.41
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.78

FP2C

EH28 20.2c Contraception Method2

Location: 2330-2331 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Second method of contraception.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4928	11.9 %
1	Oral pill	201	0.5 %
2	Copper T/IUD	81	0.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Diaphragm/ Jelly3	12	0.0 %
4	Injectible Contraception	173	0.4 %
5	Condom	299	0.7 %
6	Female sterilization	351	0.8 %
7	Male sterilization	106	0.3 %
8	Periodic abstinence	95	0.2 %
9	Withdrawal	205	0.5 %
10	Other	36	0.1 %
11	-	1	0.0 %
80	-	1	0.0 %
88	-	1	0.0 %
90	-	1	0.0 %
98	Method used but no answer	0	0.0 %
99	Refused	0	0.0 %
-4 (M)	Invalid skip	193	0.5 %
-3 (M)	Don't know	616	1.5 %
-1 (M)	Valid blank	34253	82.4 %
. (M)	-	1	0.0 %

Based upon 6491 valid cases out of 41554 total cases.

- Mean: 1.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 3.18

FP3A
EH28 20.3a More children desired

Location: 2332-2333 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you want to have any more children (in addition to the child you are now carrying).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	17500	42.1 %
1	No, sterilised (or husband)	3977	9.6 %
2	Not fertile anymore	743	1.8 %
3	Yes	5659	13.6 %
8	Unsure	0	0.0 %
-3 (M)	Don't know	285	0.7 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	Valid skip	20	0.0 %
-1 (M)	Valid blank	13369	32.2 %
. (M)	-	1	0.0 %

Based upon 27879 valid cases out of 41554 total cases.

- Mean: 0.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.20

FP3B

EH28 20.3b N more desired

Location: 2334-2335 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How many more children do you want to have (in addition to the child you are now carrying).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2939	7.1 %
1	-	3530	8.5 %
2	-	1734	4.2 %
3	-	238	0.6 %
4	-	66	0.2 %
5	-	10	0.0 %
6	-	2	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %
12	-	1	0.0 %
88	-	8	0.0 %
98	-	1	0.0 %
99	-	1	0.0 %
-1 (M)	Valid blank	33020	79.5 %
. (M)	-	1	0.0 %

Based upon 8533 valid cases out of 41554 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 99.00
- Standard Deviation: 3.18

FP3C

EH28 20.3c Time next childbirth

Location: 2336-2337 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When would you want your next child to be born, within 2 years, after 2 years, or do you not have a preference.

Value	Label	Unweighted Frequency	%
1	Within 2 years	1301	3.1 %
2	After 2 years	2697	6.5 %
3	Upto God/ No preference	1602	3.9 %
-6 (M)	Out of range	1	0.0 %
-5 (M)	Valid skip	2469	5.9 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	33481	80.6 %
. (M)	-	1	0.0 %

Based upon 5600 valid cases out of 41554 total cases.

- Mean: 2.05
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.72

FP4A

EH28 20.4a More ch desired Husb

Location: 2338-2339 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Now, I would like to ask you about the number of children your husband wants to have (aside from the child you are now carrying). Does your husband want to have more children.

Value	Label	Unweighted Frequency	%
0	-	17137	41.2 %
1	-	5607	13.5 %
2	-	4	0.0 %
3	-	18	0.0 %
6	-	2	0.0 %
8	-	469	1.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	81	0.2 %
-1 (M)	Valid blank	18235	43.9 %
. (M)	-	1	0.0 %

Based upon 23318 valid cases out of 41554 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.28

FP4B

EH28 20.4b N more desired Husb

Location: 2340-2341 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How many more Children does your husband want.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2609	6.3 %
1	-	3578	8.6 %
2	-	1793	4.3 %
3	-	304	0.7 %
4	-	81	0.2 %
5	-	21	0.1 %
6	-	6	0.0 %
7	-	2	0.0 %
8	-	8	0.0 %
9	-	2	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
30	-	1	0.0 %
49	-	1	0.0 %
88	-	17	0.0 %
98	-	2	0.0 %
99	-	72	0.2 %
-1 (M)	Valid blank	33054	79.5 %
. (M)	-	1	0.0 %

Based upon 8499 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 2.07
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.94

FP4C	EH28 20.4c Time next birth Husb																																								
Location:	2342-2343 (width: 2; decimal: 0)																																								
Variable Type:	numeric																																								
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																																								
Question:	When would your husband want your child to be born, within two years, after 2 years or does he not have a preference.																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1439</td><td style="text-align: right; padding: 2px;">3.5 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">3180</td><td style="text-align: right; padding: 2px;">7.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1959</td><td style="text-align: right; padding: 2px;">4.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-6 (M)</td><td style="text-align: left; padding: 2px;">Out of range</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-5 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td><td style="text-align: right; padding: 2px;">2224</td><td style="text-align: right; padding: 2px;">5.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-3 (M)</td><td style="text-align: left; padding: 2px;">Don't know</td><td style="text-align: right; padding: 2px;">9</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-2 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td><td style="text-align: right; padding: 2px;">84</td><td style="text-align: right; padding: 2px;">0.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">32657</td><td style="text-align: right; padding: 2px;">78.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	-	1439	3.5 %	2	-	3180	7.7 %	3	-	1959	4.7 %	-6 (M)	Out of range	1	0.0 %	-5 (M)	Valid skip	2224	5.4 %	-3 (M)	Don't know	9	0.0 %	-2 (M)	Valid skip	84	0.2 %	-1 (M)	Valid blank	32657	78.6 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																																						
1	-	1439	3.5 %																																						
2	-	3180	7.7 %																																						
3	-	1959	4.7 %																																						
-6 (M)	Out of range	1	0.0 %																																						
-5 (M)	Valid skip	2224	5.4 %																																						
-3 (M)	Don't know	9	0.0 %																																						
-2 (M)	Valid skip	84	0.2 %																																						
-1 (M)	Valid blank	32657	78.6 %																																						
. (M)	-	1	0.0 %																																						

Based upon 6578 valid cases out of 41554 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.71

FP5	EH28 20.5 N children ideally												
Location:	2344-2345 (width: 2; decimal: 0)												
Variable Type:	numeric												
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .												
Question:	If you could go back to the time you did not have any children and could choose the number of children to have in your life, how many would that be.												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">571</td><td style="text-align: right; padding: 2px;">1.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1372</td><td style="text-align: right; padding: 2px;">3.3 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	-	571	1.4 %	1	-	1372	3.3 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>										
0	-	571	1.4 %										
1	-	1372	3.3 %										

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	19124	46.0 %
3	-	6375	15.3 %
4	-	3195	7.7 %
5	-	302	0.7 %
6	-	204	0.5 %
7	-	19	0.0 %
8	-	19	0.0 %
9	-	2	0.0 %
10	-	4	0.0 %
12	-	2	0.0 %
88	-	375	0.9 %
98	-	14	0.0 %
99	-	10	0.0 %
-1 (M)	Valid blank	9965	24.0 %
. (M)	-	1	0.0 %

Based upon 31588 valid cases out of 41554 total cases.

- Mean: 3.48
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 9.68

FP5A
EH28 20.5a N sons ideally

Location: 2346-2347 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How many sons.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	569	1.4 %
1	-	17779	42.8 %
2	-	8613	20.7 %
3	-	909	2.2 %
4	-	163	0.4 %
5	-	33	0.1 %
6	-	6	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
98	-	3284	7.9 %
99	-	1	0.0 %
-1 (M)	Valid blank	10192	24.5 %
. (M)	-	1	0.0 %

Based upon 31361 valid cases out of 41554 total cases.

- Mean: 11.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 29.60

FP5B	EH28 20.5b N daughters ideally
-------------	---------------------------------------

Location: 2348-2349 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How many daughters.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1509	3.6 %
1	-	22796	54.9 %
2	-	3268	7.9 %
3	-	215	0.5 %
4	-	39	0.1 %
5	-	9	0.0 %
6	-	1	0.0 %
88	-	2	0.0 %
98	-	3332	8.0 %
-1 (M)	Valid blank	10382	25.0 %
. (M)	-	1	0.0 %

Based upon 31171 valid cases out of 41554 total cases.

- Mean: 11.45
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 29.95

FPWHO	EH28 20 Others present
--------------	-------------------------------

- Study 22626 -

Location: 2350-2351 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Interviewer notes persons present in the room.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Nobody else	16638	40.0 %
2	Adults only	7356	17.7 %
3	Children only	1996	4.8 %
4	Adults & children	5440	13.1 %
-6 (M)	Out of range	1	0.0 %
-5 (M)	Valid skip	78	0.2 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	5	0.0 %
-1 (M)	Valid blank	10037	24.2 %
. (M)	-	1	0.0 %

Based upon 31430 valid cases out of 41554 total cases.

- Mean: 1.88
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.13

LB0

EH29 21.0 Nbirths since Jan2000

Location: 2352-2353 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Number of births since 2000.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1756	4.2 %
1	-	7614	18.3 %
2	-	3884	9.3 %
3	-	421	1.0 %
4	-	40	0.1 %
5	-	3	0.0 %
-1 (M)	Valid blank	27835	67.0 %
. (M)	-	1	0.0 %

Based upon 13718 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.23
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.72

LB1A	EH29 21.1a Birth ID: LB		
Location:	2354-2355 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Last birth from 19.1 (baby birth ID).		
Value	Label	Unweighted Frequency	%
1	-	3025	7.3 %
2	-	3618	8.7 %
3	-	2302	5.5 %
4	-	1257	3.0 %
5	-	759	1.8 %
6	-	440	1.1 %
7	-	260	0.6 %
8	-	150	0.4 %
9	-	73	0.2 %
10	-	40	0.1 %
11	-	19	0.0 %
12	-	10	0.0 %
13	-	5	0.0 %
-1 (M)	Valid blank	29568	71.2 %
. (M)	-	28	0.1 %

Based upon 11958 valid cases out of 41554 total cases.

- Mean: 2.77
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 1.79

LB1B	EH29 21.1b LB Survival		
Location:	2356-2357 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		

- Study 22626 -

Question:

Survival ID (baby birth ID) from 19.1.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Dead	325	0.8 %
1	Alive	11683	28.1 %
4	-	1	0.0 %
-6 (M)	Out of range	6	0.0 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	29537	71.1 %
. (M)	-	1	0.0 %

Based upon 12009 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.16

LB2A

EH29 21.2a Birth ID: NLB

Location: 2358-2359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Next to last birth from 19.2 ID (second most recent birth ID).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1848	4.4 %
2	-	1068	2.6 %
3	-	578	1.4 %
4	-	351	0.8 %
5	-	207	0.5 %
6	-	123	0.3 %
7	-	84	0.2 %
8	-	36	0.1 %
9	-	24	0.1 %
10	-	8	0.0 %
11	-	3	0.0 %
12	-	4	0.0 %
-1 (M)	Valid blank	37189	89.5 %
. (M)	-	31	0.1 %

Based upon 4334 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 2.34
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.72

LB2B	EH29 21.2b NLB Survival																																	
Location:	2360-2361 (width: 2; decimal: 0)																																	
Variable Type:	numeric																																	
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																																	
Question:	Next to last birth survival.																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">0</td><td>Dead</td><td style="text-align: right;">642</td><td style="text-align: right;">1.5 %</td></tr> <tr> <td style="text-align: center;">1</td><td>Alive</td><td style="text-align: right;">4144</td><td style="text-align: right;">10.0 %</td></tr> <tr> <td style="text-align: center;">3</td><td>-</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">-6 (M)</td><td>Out of range</td><td style="text-align: right;">6</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">-2 (M)</td><td>Valid skip</td><td style="text-align: right;">21</td><td style="text-align: right;">0.1 %</td></tr> <tr> <td style="text-align: center;">-1 (M)</td><td>Valid blank</td><td style="text-align: right;">36739</td><td style="text-align: right;">88.4 %</td></tr> <tr> <td style="text-align: center;">. (M)</td><td>-</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> </tbody> </table>			<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	Dead	642	1.5 %	1	Alive	4144	10.0 %	3	-	1	0.0 %	-6 (M)	Out of range	6	0.0 %	-2 (M)	Valid skip	21	0.1 %	-1 (M)	Valid blank	36739	88.4 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																															
0	Dead	642	1.5 %																															
1	Alive	4144	10.0 %																															
3	-	1	0.0 %																															
-6 (M)	Out of range	6	0.0 %																															
-2 (M)	Valid skip	21	0.1 %																															
-1 (M)	Valid blank	36739	88.4 %																															
. (M)	-	1	0.0 %																															

Based upon 4787 valid cases out of 41554 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.34

LB3A	EH29 21.3a LB Antenatal checkup																									
Location:	2362-2363 (width: 2; decimal: 0)																									
Variable Type:	numeric																									
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																									
Question:	When you were pregnant with (name) did you have an antenatal checkup.																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">0</td><td>No</td><td style="text-align: right;">2517</td><td style="text-align: right;">6.1 %</td></tr> <tr> <td style="text-align: center;">1</td><td>Yes</td><td style="text-align: right;">9311</td><td style="text-align: right;">22.4 %</td></tr> <tr> <td style="text-align: center;">-6 (M)</td><td>Out of range</td><td style="text-align: right;">3</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">-1 (M)</td><td>Valid blank</td><td style="text-align: right;">29722</td><td style="text-align: right;">71.5 %</td></tr> <tr> <td style="text-align: center;">. (M)</td><td>-</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> </tbody> </table>			<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	2517	6.1 %	1	Yes	9311	22.4 %	-6 (M)	Out of range	3	0.0 %	-1 (M)	Valid blank	29722	71.5 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																							
0	No	2517	6.1 %																							
1	Yes	9311	22.4 %																							
-6 (M)	Out of range	3	0.0 %																							
-1 (M)	Valid blank	29722	71.5 %																							
. (M)	-	1	0.0 %																							

- Study 22626 -

Based upon 11828 valid cases out of 41554 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

LB3B	EH29 21.3b LB checkup Gov clinic		
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>
			<i>%</i>
Location:	2364-2365 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Did you get your checkups at a govt. clinic.		

Based upon 10951 valid cases out of 41554 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

LB3C	EH29 21.3c LB checkup Pvt clinic		
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>
			<i>%</i>
Location:	2366-2367 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Did you get your checkups at a private clinic.		

Based upon 10855 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

LB3D	EH29 21.3d LB checkup Gov as pvt																									
Location:	2368-2369 (width: 2; decimal: 0)																									
Variable Type:	numeric																									
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																									
Question:	Did you get your checkups at a govt worker in private.																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">0</td><td>No</td><td style="text-align: right;">10296</td><td style="text-align: right;">24.8 %</td></tr> <tr> <td style="text-align: center;">1</td><td>Yes</td><td style="text-align: right;">494</td><td style="text-align: right;">1.2 %</td></tr> <tr> <td style="text-align: center;">-6 (M)</td><td>Out of range</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">-1 (M)</td><td>Valid blank</td><td style="text-align: right;">30762</td><td style="text-align: right;">74.0 %</td></tr> <tr> <td style="text-align: center;">. (M)</td><td>-</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> </tbody> </table>			<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	10296	24.8 %	1	Yes	494	1.2 %	-6 (M)	Out of range	1	0.0 %	-1 (M)	Valid blank	30762	74.0 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																							
0	No	10296	24.8 %																							
1	Yes	494	1.2 %																							
-6 (M)	Out of range	1	0.0 %																							
-1 (M)	Valid blank	30762	74.0 %																							
. (M)	-	1	0.0 %																							

Based upon 10790 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

LB3E	EH29 21.3e LB checkup Home																									
Location:	2370-2371 (width: 2; decimal: 0)																									
Variable Type:	numeric																									
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																									
Question:	Did you get your checkups at home.																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">0</td><td>No</td><td style="text-align: right;">10007</td><td style="text-align: right;">24.1 %</td></tr> <tr> <td style="text-align: center;">1</td><td>Yes</td><td style="text-align: right;">778</td><td style="text-align: right;">1.9 %</td></tr> <tr> <td style="text-align: center;">-6 (M)</td><td>Out of range</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">-1 (M)</td><td>Valid blank</td><td style="text-align: right;">30767</td><td style="text-align: right;">74.0 %</td></tr> <tr> <td style="text-align: center;">. (M)</td><td>-</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> </tbody> </table>			<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	10007	24.1 %	1	Yes	778	1.9 %	-6 (M)	Out of range	1	0.0 %	-1 (M)	Valid blank	30767	74.0 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																							
0	No	10007	24.1 %																							
1	Yes	778	1.9 %																							
-6 (M)	Out of range	1	0.0 %																							
-1 (M)	Valid blank	30767	74.0 %																							
. (M)	-	1	0.0 %																							

Based upon 10785 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 0.07
 - Median: 0.00
 - Mode: 0.00
 - Minimum: 0.00
 - Maximum: 1.00
 - Standard Deviation: 0.26

LB3F	EH29 21.3f LB checkup doctor		
Location:	2372-2373 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Whom did you see, a doctor.		
Value	Label	Unweighted Frequency	%
0	No	4113	9.9 %
1	Yes	6903	16.6 %
-6 (M)	Out of range	1	0.0 %
-1 (M)	Valid blank	30536	73.5 %
. (M)	-	1	0.0 %

Based upon 11016 valid cases out of 41554 total cases.

- Mean: 0.63
 - Median: 1.00
 - Mode: 1.00
 - Minimum: 0.00
 - Maximum: 1.00
 - Standard Deviation: 0.48

LB3G	EH29 21.3g LB checkup Nurse/ANM		
Location:	2374-2375 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7, -6, -5, -4, -3, -2, -1, .		
Question:	Whom did you see a nurse.		
Value	Label	Unweighted Frequency	%
0	No	6254	15.1 %
1	Yes	4674	11.2 %
-1 (M)	Valid blank	30625	73.7 %
. (M)	-	1	0.0 %

Based upon 10928 valid cases out of 41554 total cases.

- Mean: 0.43

- Study 22626 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

LB3H	EH29 21.3h LB checkup Midwife
Location:	2376-2377 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	Whom did you see, a traditional midwife.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	9983	24.0 %
1	Yes	881	2.1 %
-1 (M)	Valid blank	30689	73.9 %
. (M)	-	1	0.0 %

Based upon 10864 valid cases out of 41554 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

LB3I	EH29 21.3i LB checkup By other
Location:	2378-2379 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	Whom did you see, other.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	10636	25.6 %
1	Yes	225	0.5 %
-6 (M)	Out of range	7	0.0 %
-1 (M)	Valid blank	30685	73.8 %
. (M)	-	1	0.0 %

Based upon 10861 valid cases out of 41554 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00

- Study 22626 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

LB4	EH29 21.4 LB Visit by pubhealth																												
Location:	2380-2381 (width: 2; decimal: 0)																												
Variable Type:	numeric																												
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																												
Question:	When you were pregnant with (name) did any public health worker visit you at home for an antenatal check up.																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">8639</td><td style="text-align: right; padding: 2px;">20.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">3062</td><td style="text-align: right; padding: 2px;">7.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-6 (M)</td><td style="text-align: left; padding: 2px;">Out of range</td><td style="text-align: right; padding: 2px;">8</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-3 (M)</td><td style="text-align: left; padding: 2px;">Don't know</td><td style="text-align: right; padding: 2px;">2</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">29842</td><td style="text-align: right; padding: 2px;">71.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	8639	20.8 %	1	Yes	3062	7.4 %	-6 (M)	Out of range	8	0.0 %	-3 (M)	Don't know	2	0.0 %	-1 (M)	Valid blank	29842	71.8 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																										
0	No	8639	20.8 %																										
1	Yes	3062	7.4 %																										
-6 (M)	Out of range	8	0.0 %																										
-3 (M)	Don't know	2	0.0 %																										
-1 (M)	Valid blank	29842	71.8 %																										
. (M)	-	1	0.0 %																										

Based upon 11701 valid cases out of 41554 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

LB5	EH29 21.5 LB checkup Months																																								
Location:	2382-2383 (width: 2; decimal: 0)																																								
Variable Type:	numeric																																								
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																																								
Question:	How many months pregnant were you when you first received an antenatal check-up.																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1497</td><td style="text-align: right; padding: 2px;">3.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">573</td><td style="text-align: right; padding: 2px;">1.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">2006</td><td style="text-align: right; padding: 2px;">4.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">3535</td><td style="text-align: right; padding: 2px;">8.5 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">4</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1438</td><td style="text-align: right; padding: 2px;">3.5 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">5</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1147</td><td style="text-align: right; padding: 2px;">2.8 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">6</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">280</td><td style="text-align: right; padding: 2px;">0.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">7</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">267</td><td style="text-align: right; padding: 2px;">0.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">8</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">100</td><td style="text-align: right; padding: 2px;">0.2 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	-	1497	3.6 %	1	-	573	1.4 %	2	-	2006	4.8 %	3	-	3535	8.5 %	4	-	1438	3.5 %	5	-	1147	2.8 %	6	-	280	0.7 %	7	-	267	0.6 %	8	-	100	0.2 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																																						
0	-	1497	3.6 %																																						
1	-	573	1.4 %																																						
2	-	2006	4.8 %																																						
3	-	3535	8.5 %																																						
4	-	1438	3.5 %																																						
5	-	1147	2.8 %																																						
6	-	280	0.7 %																																						
7	-	267	0.6 %																																						
8	-	100	0.2 %																																						

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	43	0.1 %
-1 (M)	Valid blank	30667	73.8 %
. (M)	-	1	0.0 %

Based upon 10886 valid cases out of 41554 total cases.

- Mean: 2.89
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.78

LB6

EH29 21.6 LB N checkups

Location: 2384-2385 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How many times did you receive antenatal check-ups during this pregnancy.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1474	3.5 %
1	-	821	2.0 %
2	-	1853	4.5 %
3	-	1878	4.5 %
4	-	1132	2.7 %
5	-	931	2.2 %
6	-	962	2.3 %
7	-	538	1.3 %
8	-	473	1.1 %
9	-	407	1.0 %
10	-	225	0.5 %
11	-	7	0.0 %
12	-	84	0.2 %
13	-	7	0.0 %
14	-	13	0.0 %
15	-	18	0.0 %
16	-	5	0.0 %
18	-	8	0.0 %
20	-	10	0.0 %
21	-	2	0.0 %
22	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	3	0.0 %
25	-	1	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
88	-	1	0.0 %
99	-	2	0.0 %
-1 (M)	Valid blank	30692	73.9 %
. (M)	-	1	0.0 %

Based upon 10861 valid cases out of 41554 total cases.

- Mean: 3.80
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 3.33

LB7A
EH29 21.7a LB checkup Weight

Location: 2386-2387 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Did you have the following performed at least once during any of your antenatal check-ups for this pregnancy.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4174	10.0 %
1	-	7361	17.7 %
-6 (M)	Out of range	1	0.0 %
-1 (M)	Valid blank	30017	72.2 %
. (M)	-	1	0.0 %

Based upon 11535 valid cases out of 41554 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

LB7B
EH29 21.7b LB checkup BP

- Study 22626 -

Location: 2388-2389 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Weight check.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4623	11.1 %
1	-	6918	16.6 %
-6 (M)	Out of range	1	0.0 %
-1 (M)	Valid blank	30011	72.2 %
. (M)	-	1	0.0 %

Based upon 11541 valid cases out of 41554 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

LB7C

EH29 21.7c LB checkup Blood Test

Location: 2390-2391 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Blood test.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4487	10.8 %
1	-	7059	17.0 %
-1 (M)	Valid blank	30007	72.2 %
. (M)	-	1	0.0 %

Based upon 11546 valid cases out of 41554 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

LB7D

EH29 21.7d LB checkup Urine Test

Location: 2392-2393 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Urine test.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	4620	11.1 %
1	-	6923	16.7 %
-1 (M)	Valid blank	30010	72.2 %
. (M)	-	1	0.0 %

Based upon 11543 valid cases out of 41554 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

LB7E

EH29 21.7e LB checkup Abdomen

Location: 2394-2395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Abdomen exam.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3883	9.3 %
1	-	7678	18.5 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29991	72.2 %
. (M)	-	1	0.0 %

Based upon 11561 valid cases out of 41554 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

LB7F

EH29 21.7f LB checkup Internal

Location: 2396-2397 (width: 2; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Internal exam.

Value	Label	Unweighted Frequency	%
0	-	8569	20.6 %
1	-	2980	7.2 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	30003	72.2 %
. (M)	-	1	0.0 %

Based upon 11549 valid cases out of 41554 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

LB7G

EH29 21.7g LB checkup Sonogram

Location: 2398-2399 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Sonogram/Ultrasound exam.

Value	Label	Unweighted Frequency	%
0	-	8499	20.5 %
1	-	2926	7.0 %
-1 (M)	Valid blank	30128	72.5 %
. (M)	-	1	0.0 %

Based upon 11425 valid cases out of 41554 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

LB7H

EH29 21.7h LB checkup Amnio

Location: 2400-2401 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

- Study 22626 -

Question:

Amniocentesis exam.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	10326	24.8 %
1	-	1066	2.6 %
-1 (M)	Valid blank	30161	72.6 %
. (M)	-	1	0.0 %

Based upon 11392 valid cases out of 41554 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

LB8

EH29 21.8 LB Sex determination

Location:

2402-2403 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

If you had a sonogram or amniocentesis did you come to know whether the child was a girl or boy.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	2663	6.4 %
1	-	498	1.2 %
-1 (M)	Valid blank	38392	92.4 %
. (M)	-	1	0.0 %

Based upon 3161 valid cases out of 41554 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

LB9A

EH29 21.9a LB prob: Night blindness

Location:

2404-2405 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

When you were pregnant with (name) did you experience any of the following problems.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	11229	27.0 %
1	-	619	1.5 %
-1 (M)	Valid blank	29705	71.5 %
. (M)	-	1	0.0 %

Based upon 11848 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

LB9B	EH29 21.9b LB prob: Blurred vision
-------------	---

Location: 2406-2407 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Blurred vision.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	10664	25.7 %
1	-	1183	2.8 %
-1 (M)	Valid blank	29706	71.5 %
. (M)	-	1	0.0 %

Based upon 11847 valid cases out of 41554 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

LB9C	EH29 21.9c LB prob: Convulsions
-------------	--

Location: 2408-2409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Convulsions not from fevers.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	10271	24.7 %
1	-	1574	3.8 %
-6 (M)	Out of range	1	0.0 %
-1 (M)	Valid blank	29707	71.5 %
. (M)	-	1	0.0 %

Based upon 11845 valid cases out of 41554 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

LB9D	EH29 21.9d LB prob: Fatigue
-------------	------------------------------------

Location: 2410-2411 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: excessive fatigue.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	7566	18.2 %
1	-	4280	10.3 %
-1 (M)	Valid blank	29707	71.5 %
. (M)	-	1	0.0 %

Based upon 11846 valid cases out of 41554 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

LB9E	EH29 21.9e LB prob: Anaemia
-------------	------------------------------------

Location: 2412-2413 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Anaemia.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	9683	23.3 %
1	-	2156	5.2 %
-1 (M)	Valid blank	29714	71.5 %
. (M)	-	1	0.0 %

Based upon 11839 valid cases out of 41554 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

LB9F	EH29 21.9f LB prob: Bleeding
Location:	2414-2415 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	Vaginal bleeding.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	11471	27.6 %
1	-	345	0.8 %
-6 (M)	Out of range	3	0.0 %
-1 (M)	Valid blank	29734	71.6 %
. (M)	-	1	0.0 %

Based upon 11816 valid cases out of 41554 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

LB10	EH29 21.10 LB Iron tablets
Location:	2416-2417 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	When you were pregnant with (name) did you receive any iron folic tablets or syrup.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	3725	9.0 %
1	< 3 months	3529	8.5 %
2	> 3 months	4205	10.1 %
-6 (M)	Out of range	22	0.1 %
-3 (M)	Don't know	376	0.9 %
-2 (M)	Valid skip	3	0.0 %
-1 (M)	Valid blank	29693	71.5 %
. (M)	-	1	0.0 %

Based upon 11459 valid cases out of 41554 total cases.

- Mean: 1.04
- Median: 1.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.83

LB12

EH30 21.12 LB N TT injections

Location: 2418-2419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When you were pregnant with (name) were you given tetanus (tt injection). If yes, how many times did you receive it during this pregnancy.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1906	4.6 %
1	-	1072	2.6 %
2	-	6142	14.8 %
3	-	2989	7.2 %
4	-	2	0.0 %
5	-	1	0.0 %
7	-	1	0.0 %
-3 (M)	Don't know	6	0.0 %
-2 (M)	Valid skip	5	0.0 %
-1 (M)	Valid blank	29429	70.8 %
. (M)	-	1	0.0 %

Based upon 12113 valid cases out of 41554 total cases.

- Mean: 1.84
- Median: 2.00

- Study 22626 -

- Mode: 2.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.97

LB13	EH30 21.13 LB Pre-delivery home		
Location:	2420-2421 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Where were you staying just prior to the delivery of (name).		
Value	Label	Unweighted Frequency	%
1	Current home	8951	21.5 %
2	Natal home	2477	6.0 %
3	Other	502	1.2 %
-5 (M)	Valid skip	36	0.1 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29585	71.2 %
. (M)	-	1	0.0 %

Based upon 11930 valid cases out of 41554 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.54

LB14	EH30 21.14 LB Place of delivery		
Location:	2422-2423 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	When (name) was born, at what kind of place, did you deliver him/her.		
Value	Label	Unweighted Frequency	%
1	Govt clinic	2951	7.1 %
2	Pvt nursing home	2650	6.4 %
3	Home	6256	15.1 %
4	Other	74	0.2 %
-5 (M)	Valid skip	34	0.1 %
-3 (M)	Don't know	1	0.0 %

- Study 22626 -

Value	Label	Unweighted Frequency	%
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29586	71.2 %
. (M)	-	1	0.0 %

Based upon 11931 valid cases out of 41554 total cases.

- Mean: 2.29
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.84

LB15A
EH30 21.15a LB delivery: doctor

Location: 2424-2425 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Who assisted with the delivery of (name). Was (name's) delivery assisted by a doctor.

Value	Label	Unweighted Frequency	%
0	No	6604	15.9 %
1	Yes	5294	12.7 %
3	-	1	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29653	71.4 %
. (M)	-	1	0.0 %

Based upon 11899 valid cases out of 41554 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.50

LB15B
EH30 21.15b LB delivery: Nurse

Location: 2426-2427 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Was (name's) delivery assisted by a nurse.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	7065	17.0 %
1	Yes	4810	11.6 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29677	71.4 %
. (M)	-	1	0.0 %

Based upon 11875 valid cases out of 41554 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

LB15C	EH30 21.15c LB delivery: Midwife
--------------	---

Location: 2428-2429 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Was (name's) delivery assisted by a midwife.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	6911	16.6 %
1	Yes	4923	11.8 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29718	71.5 %
. (M)	-	1	0.0 %

Based upon 11834 valid cases out of 41554 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

LB15D	EH30 21.15d LB delivery: Friend
--------------	--

Location: 2430-2431 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Was (name's) delivery assisted by a friend.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8409	20.2 %
1	Yes	3405	8.2 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29738	71.6 %
. (M)	-	1	0.0 %

Based upon 11814 valid cases out of 41554 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

LB15E	EH30 21.15e LB delivery: Other
--------------	---------------------------------------

Location: 2432-2433 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Was (name's) delivery assisted by other.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	10349	24.9 %
1	Yes	1424	3.4 %
-6 (M)	Out of range	2	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29777	71.7 %
. (M)	-	1	0.0 %

Based upon 11773 valid cases out of 41554 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

LB16	EH30 21.16 LB Size of child
-------------	------------------------------------

Location: 2434-2435 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

- Study 22626 -

Question:

When (name) was born, was he/she large, average, small or very small.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Large	1624	3.9 %
2	Average	8055	19.4 %
3	Small	1872	4.5 %
4	Very small	323	0.8 %
-5 (M)	Valid skip	40	0.1 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29637	71.3 %
. (M)	-	1	0.0 %

Based upon 11875 valid cases out of 41554 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.63

LB17

EH30 21.17 LB Type of Delivery

Location: 2436-2437 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: What kind of delivery was this, was it a normal delivery, forceps, or cesarean.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A normal delivery	10566	25.4 %
2	Forceps	463	1.1 %
3	Cesarean	860	2.1 %
-5 (M)	Valid skip	54	0.1 %
-3 (M)	Don't know	3	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29606	71.2 %
. (M)	-	1	0.0 %

Based upon 11889 valid cases out of 41554 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00

- Study 22626 -

- Standard Deviation: 0.54

LB18	EH30 21.18 LB Post-natal checkup		
Location:	2438-2439 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	During the 2 month period after delivery did a doctor or other health professional check your health or the health of your baby.		
Value	Label	Unweighted Frequency	%
0	No checkup	7898	19.0 %
1	Only mother	659	1.6 %
2	Only baby	1348	3.2 %
3	Both	1979	4.8 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	29664	71.4 %
. (M)	-	1	0.0 %

Based upon 11884 valid cases out of 41554 total cases.

- Mean: 0.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.18

LB18A	EH30 21.18a LB when post-checkup		
Location:	2440-2441 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	How soon after the birth of (name) did you first get a check up.		
Value	Label	Unweighted Frequency	%
0	-	3439	8.3 %
1	-	1403	3.4 %
2	-	423	1.0 %
3	-	150	0.4 %
4	-	76	0.2 %
5	-	84	0.2 %
6	-	48	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	123	0.3 %
8	-	109	0.3 %
9	-	29	0.1 %
10	-	128	0.3 %
11	-	8	0.0 %
12	-	24	0.1 %
13	-	7	0.0 %
14	-	5	0.0 %
15	-	327	0.8 %
16	-	3	0.0 %
17	-	6	0.0 %
18	-	9	0.0 %
19	-	2	0.0 %
20	-	140	0.3 %
21	-	15	0.0 %
22	-	5	0.0 %
23	-	8	0.0 %
24	-	13	0.0 %
25	-	41	0.1 %
26	-	5	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	607	1.5 %
31	-	9	0.0 %
32	-	5	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	15	0.0 %
36	-	3	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	43	0.1 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
45	-	86	0.2 %
46	-	1	0.0 %
50	-	7	0.0 %
59	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
60	-	120	0.3 %
62	-	3	0.0 %
63	-	1	0.0 %
64	-	4	0.0 %
65	-	1	0.0 %
70	-	3	0.0 %
80	-	2	0.0 %
88	-	3	0.0 %
90	-	27	0.1 %
99	-	12	0.0 %
-1 (M)	Valid blank	33958	81.7 %
. (M)	-	1	0.0 %

Based upon 7595 valid cases out of 41554 total cases.

- Mean: 7.30
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 14.26

LB19A
EH30 21.19a LB Vaginal bleeding

Location: 2442-2443 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: At any time during the two months after the delivery of (name) did you have any vaginal bleeding.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	10823	26.0 %
1	Yes	843	2.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29886	71.9 %
. (M)	-	1	0.0 %

Based upon 11666 valid cases out of 41554 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

- Study 22626 -

LB19B

EH30 21.19b LB Very high fever

Location: 2444-2445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: At any time during the two months after the delivery of (name) did you have a very high fever.

Value	Label	Unweighted Frequency	%
0	No	10416	25.1 %
1	Yes	1205	2.9 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29931	72.0 %
. (M)	-	1	0.0 %

Based upon 11621 valid cases out of 41554 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

LB20

EH31 21.20 LB Immunization card

Location: 2446-2447 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Do you have a card where (name's) vaccinations are written down. Is card seen or unseen.

Value	Label	Unweighted Frequency	%
0	No	5571	13.4 %
1	Not seen	3211	7.7 %
2	Seen	2999	7.2 %
-6 (M)	Out of range	2	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	29767	71.6 %
. (M)	-	1	0.0 %

Based upon 11781 valid cases out of 41554 total cases.

- Mean: 0.78
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 2.00
- Standard Deviation: 0.82

LB21A	EH31 21.21a LB Immun BCG date
Location:	2448-2453 (width: 6; decimal: 0)
Variable Type:	character
Question:	This is a copy of the immunization records. Based upon 41554 valid cases out of 41554 total cases.
LB21B	EH31 21.21b LB Immun Polio0 date
Location:	2454-2459 (width: 6; decimal: 0)
Variable Type:	character
	Based upon 41554 valid cases out of 41554 total cases.
LB21C	EH31 21.21c LB Immun DPT1 date
Location:	2460-2465 (width: 6; decimal: 0)
Variable Type:	character
	Based upon 41554 valid cases out of 41554 total cases.
LB21D	EH31 21.21d LB Immun DPT2 date
Location:	2466-2471 (width: 6; decimal: 0)
Variable Type:	character
	Based upon 41554 valid cases out of 41554 total cases.
LB21E	EH31 21.21e LB Immun DPT3 date
Location:	2472-2477 (width: 6; decimal: 0)
Variable Type:	character
	Based upon 41554 valid cases out of 41554 total cases.
LB21F	EH31 21.21f LB Immun Polio1 date
Location:	2478-2483 (width: 6; decimal: 0)
Variable Type:	character
	Based upon 41554 valid cases out of 41554 total cases.
LB21G	EH31 21.21g LB Immun Polio2 date
Location:	2484-2489 (width: 6; decimal: 0)
Variable Type:	character
	Based upon 41554 valid cases out of 41554 total cases.
LB21H	EH31 21.21h LB Immun Polio3 date

- Study 22626 -

Location: 2490-2495 (width: 6; decimal: 0)
 Variable Type: character
 Based upon 41554 valid cases out of 41554 total cases.

LB21I	EH31 21.21i LB Immun Measls date
--------------	---

Location: 2496-2501 (width: 6; decimal: 0)
 Variable Type: character
 Based upon 41554 valid cases out of 41554 total cases.

LB22	EH31 21.22 LB Vacc not recorded
-------------	--

Location: 2502-2503 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Has (name) received any vaccinations that are not recorded on this card.

Value	Label	Unweighted Frequency	%
0	No	4367	10.5 %
1	Yes	1830	4.4 %
-6 (M)	Out of range	2	0.0 %
-2 (M)	Valid skip	25	0.1 %
-1 (M)	Valid blank	35329	85.0 %
. (M)	-	1	0.0 %

Based upon 6197 valid cases out of 41554 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

LB23	EH31 21.23 LB Vacc No card
-------------	-----------------------------------

Location: 2504-2505 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Did (name) receive any vaccinations to prevent him/her from getting diseases.

Value	Label	Unweighted Frequency	%
0	No	1460	3.5 %
1	Yes	7635	18.4 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	Valid skip	8	0.0 %
-1 (M)	Valid blank	32448	78.1 %
. (M)	-	1	0.0 %

Based upon 9095 valid cases out of 41554 total cases.

- Mean: 0.84
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

LB24

EH31 21.24 LB BCG given

Location: 2506-2507 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has (name) received a BCG vaccination against tuberculosis, that is an injection on the left shoulder that left a scar.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1734	4.2 %
1	Yes	7038	16.9 %
-6 (M)	Out of range	4	0.0 %
-3 (M)	Don't know	5	0.0 %
-2 (M)	Valid skip	6	0.0 %
-1 (M)	Valid blank	32766	78.9 %
. (M)	-	1	0.0 %

Based upon 8772 valid cases out of 41554 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

LB25

EH31 21.25 LB # DPT given

Location: 2508-2509 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

- Study 22626 -

Question:

Has (name) received a DPT vaccination against diphtheria, whooping cough, tetanus, given as an injection. If yes, how many times.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1898	4.6 %
1	-	1132	2.7 %
2	-	1166	2.8 %
3	-	4217	10.1 %
4	-	130	0.3 %
5	-	64	0.2 %
6	-	37	0.1 %
7	-	5	0.0 %
8	-	26	0.1 %
9	-	8	0.0 %
-1 (M)	Valid blank	32870	79.1 %
. (M)	-	1	0.0 %

Based upon 8683 valid cases out of 41554 total cases.

- Mean: 2.01
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.36

LB26A

EH31 21.26a LB Polio frequency

Location: 2510-2511 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has (name) received a polio vaccine, that is, drops in the mouth. If yes, how many times.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	469	1.1 %
1	-	854	2.1 %
2	-	1075	2.6 %
3	-	2956	7.1 %
4	-	778	1.9 %
5	-	655	1.6 %
6	-	644	1.5 %
7	-	163	0.4 %
8	-	396	1.0 %
9	-	326	0.8 %
10	-	193	0.5 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	19	0.0 %
12	-	104	0.3 %
13	-	13	0.0 %
14	-	5	0.0 %
15	-	24	0.1 %
16	-	5	0.0 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	6	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	4	0.0 %
25	-	1	0.0 %
28	-	1	0.0 %
30	-	2	0.0 %
31	-	8	0.0 %
32	-	3	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
66	-	1	0.0 %
88	-	3	0.0 %
99	-	2	0.0 %
-1 (M)	Valid blank	32830	79.0 %
. (M)	-	1	0.0 %

Based upon 8723 valid cases out of 41554 total cases.

- Mean: 4.03
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 3.95

- Study 22626 -

Location: 2512-2513 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: When was the first polio vaccine given.

Value	Label	Unweighted Frequency	%
1	Within a week of birth	3186	7.7 %
2	Later	4698	11.3 %
-6 (M)	Out of range	6	0.0 %
-5 (M)	Valid skip	714	1.7 %
-3 (M)	Don't know	10	0.0 %
-2 (M)	Valid skip	10	0.0 %
-1 (M)	Valid blank	32929	79.2 %
. (M)	-	1	0.0 %

Based upon 7884 valid cases out of 41554 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

LB27	EH31 21.27 LB Measles vaccine		
Location:	2514-2515 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Was (name) given an injection against measles.		
Value	Label	Unweighted Frequency	%
0	No	3556	8.6 %
1	Yes	5218	12.6 %
-6 (M)	Out of range	1	0.0 %
-5 (M)	Valid skip	1	0.0 %
-3 (M)	Don't know	35	0.1 %
-2 (M)	Valid skip	14	0.0 %
-1 (M)	Valid blank	32728	78.8 %
. (M)	-	1	0.0 %

Based upon 8774 valid cases out of 41554 total cases.

- Mean: 0.59
- Median: 1.00

- Study 22626 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

LB28	EH31 21.28 LB Vaccine Centre			
Location:	2516-2517 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	Where did (name) receive most of his/her vaccinations.			
Value	Label	Unweighted Frequency	%	
0	-	1	0.0 %	
1	Public clinic	6351	15.3 %	
2	Vaccination camp	1772	4.3 %	
3	Pvt clinic	960	2.3 %	
4	Nurse at home	1120	2.7 %	
5	Govt in pvt	126	0.3 %	
-5 (M)	Valid skip	449	1.1 %	
-3 (M)	Don't know	10	0.0 %	
-2 (M)	Valid skip	77	0.2 %	
-1 (M)	Valid blank	30687	73.8 %	
. (M)	-	1	0.0 %	

Based upon 10330 valid cases out of 41554 total cases.

- Mean: 1.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.09

LB29	EH31 21.29 LB mos. Vitamin A			
Location:	2518-2519 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	How many months ago did (name) receive the last dose of vitamin A.			
Value	Label	Unweighted Frequency	%	
0	-	857	2.1 %	
1	-	462	1.1 %	
2	-	299	0.7 %	

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	207	0.5 %
4	-	147	0.4 %
5	-	100	0.2 %
6	-	225	0.5 %
7	-	74	0.2 %
8	-	193	0.5 %
9	-	190	0.5 %
10	-	67	0.2 %
11	-	104	0.3 %
12	-	162	0.4 %
13	-	16	0.0 %
14	-	36	0.1 %
15	-	21	0.1 %
16	-	33	0.1 %
17	-	20	0.0 %
18	-	52	0.1 %
19	-	31	0.1 %
20	-	18	0.0 %
21	-	10	0.0 %
22	-	10	0.0 %
23	-	8	0.0 %
24	-	118	0.3 %
25	-	14	0.0 %
26	-	14	0.0 %
27	-	15	0.0 %
28	-	14	0.0 %
29	-	9	0.0 %
30	-	25	0.1 %
31	-	4	0.0 %
32	-	6	0.0 %
33	-	3	0.0 %
34	-	10	0.0 %
35	-	3	0.0 %
36	-	44	0.1 %
37	-	4	0.0 %
38	-	7	0.0 %
39	-	6	0.0 %
40	-	3	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	-	3	0.0 %
44	-	3	0.0 %
45	-	4	0.0 %
47	-	1	0.0 %
48	-	11	0.0 %
49	-	3	0.0 %
50	-	3	0.0 %
59	-	1	0.0 %
60	-	3	0.0 %
61	-	1	0.0 %
66	-	10	0.0 %
69	-	1	0.0 %
99	No	0	0.0 %
-6 (M)	Out of range	7370	17.7 %
-1 (M)	Valid blank	30493	73.4 %
. (M)	-	1	0.0 %

Based upon 3690 valid cases out of 41554 total cases.

- Mean: 7.36
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 69.00
- Standard Deviation: 9.85

LB30

EH32 21.30 LB Breastfeeding

Location: 2520-2521 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Did you ever breast feed (name).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	322	0.8 %
1	Yes	11691	28.1 %
-6 (M)	Out of range	2	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	29537	71.1 %
. (M)	-	1	0.0 %

Based upon 12013 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

LB31	EH32 21.31 LB 1st breastfeeding		
Location:	2522-2523 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	How long after birth did you first put (name) to the breast.		
Value	Label	Unweighted Frequency	%
0	-	3059	7.4 %
1	-	1564	3.8 %
2	-	1303	3.1 %
3	-	635	1.5 %
4	-	387	0.9 %
5	-	257	0.6 %
6	-	188	0.5 %
7	-	62	0.1 %
8	-	141	0.3 %
9	-	83	0.2 %
10	-	29	0.1 %
11	-	3	0.0 %
12	-	236	0.6 %
13	-	10	0.0 %
14	-	14	0.0 %
15	-	8	0.0 %
16	-	19	0.0 %
17	-	3	0.0 %
18	-	24	0.1 %
19	-	3	0.0 %
20	-	24	0.1 %
21	-	4	0.0 %
22	-	14	0.0 %
24	-	1048	2.5 %
25	-	5	0.0 %
26	-	23	0.1 %
27	-	14	0.0 %
28	-	10	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	-	19	0.0 %
32	-	3	0.0 %
34	-	2	0.0 %
35	-	1	0.0 %
36	-	253	0.6 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	5	0.0 %
42	-	6	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
48	-	526	1.3 %
50	-	2	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
60	-	28	0.1 %
62	-	6	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
68	-	1	0.0 %
70	-	1	0.0 %
72	-	638	1.5 %
73	-	2	0.0 %
74	-	2	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
80	-	1	0.0 %
86	-	2	0.0 %
88	-	5	0.0 %
90	-	4	0.0 %
92	-	1	0.0 %
93	-	2	0.0 %
94	-	1	0.0 %
96	4 days+	885	2.1 %
-6 (M)	Out of range	86	0.2 %
-1 (M)	Valid blank	29886	71.9 %
. (M)	-	1	0.0 %

Based upon 11581 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 18.61
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 29.58

LB32	EH32 21.32 LB Squeeze milk																																
Location:	2524-2525 (width: 2; decimal: 0)																																
Variable Type:	numeric																																
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																																
Question:	Did you squeeze out the milk from the breast before you put (name) to the breast.																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">5858</td><td style="text-align: right; padding: 2px;">14.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">5789</td><td style="text-align: right; padding: 2px;">13.9 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-6 (M)</td><td style="text-align: left; padding: 2px;">Out of range</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-3 (M)</td><td style="text-align: left; padding: 2px;">Don't know</td><td style="text-align: right; padding: 2px;">4</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-2 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td><td style="text-align: right; padding: 2px;">4</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">29897</td><td style="text-align: right; padding: 2px;">71.9 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	5858	14.1 %	1	Yes	5789	13.9 %	-6 (M)	Out of range	1	0.0 %	-3 (M)	Don't know	4	0.0 %	-2 (M)	Valid skip	4	0.0 %	-1 (M)	Valid blank	29897	71.9 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																														
0	No	5858	14.1 %																														
1	Yes	5789	13.9 %																														
-6 (M)	Out of range	1	0.0 %																														
-3 (M)	Don't know	4	0.0 %																														
-2 (M)	Valid skip	4	0.0 %																														
-1 (M)	Valid blank	29897	71.9 %																														
. (M)	-	1	0.0 %																														

Based upon 11647 valid cases out of 41554 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

LB33	EH32 21.33 LB Breastfeeding dur																								
Location:	2526-2527 (width: 2; decimal: 0)																								
Variable Type:	numeric																								
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																								
Question:	Are you still breastfeeding (name). For how many month's did you breastfeed (name).																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">191</td><td style="text-align: right; padding: 2px;">0.5 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">71</td><td style="text-align: right; padding: 2px;">0.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">61</td><td style="text-align: right; padding: 2px;">0.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">95</td><td style="text-align: right; padding: 2px;">0.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">4</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">104</td><td style="text-align: right; padding: 2px;">0.3 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	-	191	0.5 %	1	-	71	0.2 %	2	-	61	0.1 %	3	-	95	0.2 %	4	-	104	0.3 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																						
0	-	191	0.5 %																						
1	-	71	0.2 %																						
2	-	61	0.1 %																						
3	-	95	0.2 %																						
4	-	104	0.3 %																						

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	100	0.2 %
6	-	150	0.4 %
7	-	45	0.1 %
8	-	109	0.3 %
9	-	229	0.6 %
10	-	147	0.4 %
11	-	77	0.2 %
12	-	996	2.4 %
13	-	57	0.1 %
14	-	80	0.2 %
15	-	194	0.5 %
16	-	80	0.2 %
17	-	23	0.1 %
18	-	579	1.4 %
19	-	28	0.1 %
20	-	50	0.1 %
21	-	18	0.0 %
22	-	36	0.1 %
23	-	11	0.0 %
24	-	1025	2.5 %
25	-	14	0.0 %
26	-	38	0.1 %
27	-	6	0.0 %
28	-	52	0.1 %
29	-	6	0.0 %
30	-	157	0.4 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	4	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	338	0.8 %
37	-	1	0.0 %
38	-	3	0.0 %
39	-	1	0.0 %
40	-	6	0.0 %
42	-	6	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
46	-	1	0.0 %

- Study 22626 -

Value	Label	Unweighted Frequency	%
47	-	1	0.0 %
48	-	54	0.1 %
66	-	2	0.0 %
99	Still breastfeeding	0	0.0 %
-6 (M)	Out of range	6335	15.2 %
-1 (M)	Valid blank	29964	72.1 %
. (M)	-	1	0.0 %

Based upon 5254 valid cases out of 41554 total cases.

- Mean: 16.78
- Median: 15.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 9.81

LB34A	EH32 21.34a LB Age at diet supp
Location:	2528-2529 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .
Question:	At what age did you start supplementing (name's) diet.
Value	Label
0	-
1	-
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-
13	-
14	-
15	-
16	-

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	5	0.0 %
18	-	124	0.3 %
19	-	7	0.0 %
20	-	18	0.0 %
21	-	5	0.0 %
22	-	3	0.0 %
24	-	144	0.3 %
25	-	10	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
30	-	12	0.0 %
32	-	3	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
36	-	31	0.1 %
37	-	1	0.0 %
38	-	2	0.0 %
40	-	7	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
66	-	1	0.0 %
99	Not yet started	0	0.0 %
-6 (M)	Out of range	1919	4.6 %
-1 (M)	Valid blank	30390	73.1 %
. (M)	-	1	0.0 %

Based upon 9244 valid cases out of 41554 total cases.

- Mean: 6.16
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 5.46

LB34B
EH32 21.34b LB Age at Solid food

Location: 2530-2531 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7, -6, -5, -4, -3, -2, -1, .

- Study 22626 -

Question:

At what age did you start supplementing (name's) diet with canned or other milk, with solid foods.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	666	1.6 %
1	-	36	0.1 %
2	-	39	0.1 %
3	-	129	0.3 %
4	-	337	0.8 %
5	-	521	1.3 %
6	-	1890	4.5 %
7	-	930	2.2 %
8	-	1288	3.1 %
9	-	766	1.8 %
10	-	517	1.2 %
11	-	198	0.5 %
12	-	1248	3.0 %
13	-	70	0.2 %
14	-	94	0.2 %
15	-	90	0.2 %
16	-	107	0.3 %
17	-	10	0.0 %
18	-	187	0.5 %
19	-	8	0.0 %
20	-	32	0.1 %
21	-	3	0.0 %
22	-	4	0.0 %
23	-	1	0.0 %
24	-	168	0.4 %
25	-	19	0.0 %
26	-	5	0.0 %
28	-	5	0.0 %
30	-	31	0.1 %
32	-	4	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
36	-	28	0.1 %
37	-	6	0.0 %
38	-	2	0.0 %
40	-	8	0.0 %
44	-	2	0.0 %
48	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
66	-	2	0.0 %
99	Not yet started	0	0.0 %
-6 (M)	Out of range	1831	4.4 %
-1 (M)	Valid blank	30265	72.8 %
. (M)	-	1	0.0 %

Based upon 9457 valid cases out of 41554 total cases.

- Mean: 8.41
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 5.19

LB35	EH32 21.35 LB AWC beneficiary
-------------	--------------------------------------

Location: 2532-2533 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When you were pregnant and lactating with (name) did you receive benefits from the Anganwadi center (ICDS program) such as immunization, supplementary foods, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8756	21.1 %
1	While pregnant	901	2.2 %
2	While lactating	626	1.5 %
3	While preg & lact	731	1.8 %
6	-	1	0.0 %
-6 (M)	Out of range	676	1.6 %
-2 (M)	Valid skip	3	0.0 %
-1 (M)	Valid blank	29859	71.9 %
. (M)	-	1	0.0 %

Based upon 11015 valid cases out of 41554 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.87

LB36A	EH32 21.36a LB AWC:Immunization
--------------	--

- Study 22626 -

Location: 2534-2535 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has (name) received Immunization from the Anganwadi center (ICDS).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8033	19.3 %
1	Yes	2846	6.8 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	16	0.0 %
-1 (M)	Valid blank	30656	73.8 %
. (M)	-	1	0.0 %

Based upon 10879 valid cases out of 41554 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

LB36A1

EH32 21.36a LB AWC:Immun freq

Location: 2536-2537 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How often.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	3685	8.9 %
1	Daily	119	0.3 %
2	<= 1/week	343	0.8 %
3	<= 1/fortnight	122	0.3 %
4	<= 1/month	1823	4.4 %
5	<= 1/quarter	350	0.8 %
6	<= 1/year	101	0.2 %
-2 (M)	Valid skip	14	0.0 %
-1 (M)	Valid blank	34996	84.2 %
. (M)	-	1	0.0 %

Based upon 6543 valid cases out of 41554 total cases.

- Mean: 1.65

- Study 22626 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.00

LB36B	EH32 21.36b LB AWC:Health check		
Location:	2538-2539 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Has (name) received a health check-up from the (ICDS).		
Value	Label	Unweighted Frequency	%
0	No	8660	20.8 %
1	Yes	2125	5.1 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	15	0.0 %
-1 (M)	Valid blank	30752	74.0 %
. (M)	-	1	0.0 %

Based upon 10785 valid cases out of 41554 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

LB36B1	EH32 21.36b LB AWC:Checkup freq		
Location:	2540-2541 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	How often.		
Value	Label	Unweighted Frequency	%
0	Never	3885	9.3 %
1	Daily	63	0.2 %
2	<= 1/week	165	0.4 %
3	<= 1/fortnight	178	0.4 %
4	<= 1/month	1461	3.5 %
5	<= 1/quarter	226	0.5 %
6	<= 1/year	66	0.2 %
-2 (M)	Valid skip	15	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	35494	85.4 %
. (M)	-	1	0.0 %

Based upon 6044 valid cases out of 41554 total cases.

- Mean: 1.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.92

LB36C	EH32 21.36c LB AWC:Food
--------------	--------------------------------

Location: 2542-2543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has (name) received Food/meals from the (ICDS).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8426	20.3 %
1	Yes	2336	5.6 %
-6 (M)	Out of range	2	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	20	0.0 %
-1 (M)	Valid blank	30768	74.0 %
. (M)	-	1	0.0 %

Based upon 10762 valid cases out of 41554 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

LB36C1	EH32 21.36c LB AWC:Food freq
---------------	-------------------------------------

Location: 2544-2545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How often.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	3907	9.4 %
1	Daily	1171	2.8 %
2	<= 1/week	338	0.8 %
3	<= 1/fortnight	67	0.2 %
4	<= 1/month	580	1.4 %
5	<= 1/quarter	72	0.2 %
6	<= 1/year	119	0.3 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	19	0.0 %
-1 (M)	Valid blank	35279	84.9 %
. (M)	-	1	0.0 %

Based upon 6254 valid cases out of 41554 total cases.

- Mean: 0.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.48

LB36D

EH32 21.36d LB AWC:Grow monitor

Location: 2546-2547 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has (name) received Growth monitoring from (ICDS).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	8428	20.3 %
1	Yes	2320	5.6 %
-6 (M)	Out of range	2	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	17	0.0 %
-1 (M)	Valid blank	30785	74.1 %
. (M)	-	1	0.0 %

Based upon 10748 valid cases out of 41554 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 1.00
- Standard Deviation: 0.41

LB36D1

EH32 21.36d LB AWC:Growth freq

Location: 2548-2549 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How often.

Value	Label	Unweighted Frequency	%
0	Never	3913	9.4 %
1	Daily	89	0.2 %
2	<= 1/week	171	0.4 %
3	<= 1/fortnight	160	0.4 %
4	<= 1/month	1547	3.7 %
5	<= 1/quarter	298	0.7 %
6	<= 1/year	77	0.2 %
-6 (M)	Out of range	1	0.0 %
-2 (M)	Valid skip	17	0.0 %
-1 (M)	Valid blank	35280	84.9 %
. (M)	-	1	0.0 %

Based upon 6255 valid cases out of 41554 total cases.

- Mean: 1.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.96

LB36E

EH32 21.36e LB AWC:Educ

Location: 2550-2551 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has (name) received Early childhood/pre-school education from the (ICDS).

Value	Label	Unweighted Frequency	%
0	No	9720	23.4 %
1	Yes	986	2.4 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	23	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	30822	74.2 %
. (M)	-	1	0.0 %

Based upon 10706 valid cases out of 41554 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

LB36E1	EH32 21.36e LB AWC:Educ freq
---------------	-------------------------------------

Location: 2552-2553 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How often.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	4736	11.4 %
1	Daily	722	1.7 %
2	<= 1/week	67	0.2 %
3	<= 1/fortnight	20	0.0 %
4	<= 1/month	113	0.3 %
5	<= 1/quarter	22	0.1 %
6	<= 1/year	83	0.2 %
-2 (M)	Valid skip	22	0.1 %
-1 (M)	Valid blank	35768	86.1 %
. (M)	-	1	0.0 %

Based upon 5763 valid cases out of 41554 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.01

NL1A	EH33 22.1a NLB Birth ID
-------------	--------------------------------

Location: 2554-2555 (width: 2; decimal: 0)

Variable Type: numeric

- Study 22626 -

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Next to last birth from 19.1.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	1838	4.4 %
2	-	1071	2.6 %
3	-	568	1.4 %
4	-	347	0.8 %
5	-	208	0.5 %
6	-	123	0.3 %
7	-	85	0.2 %
8	-	34	0.1 %
9	-	25	0.1 %
10	-	9	0.0 %
11	-	3	0.0 %
12	-	3	0.0 %
-1 (M)	Valid blank	37213	89.6 %
. (M)	-	26	0.1 %

Based upon 4315 valid cases out of 41554 total cases.

- Mean: 2.34
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.72

NL1B

EH33 22.1b NLB Survival

Location: 2556-2557 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Next to last birth survival from 19.6.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Dead	267	0.6 %
1	Alive	4072	9.8 %
3	-	1	0.0 %
-6 (M)	Out of range	3	0.0 %
-1 (M)	Valid blank	37210	89.5 %
. (M)	-	1	0.0 %

Based upon 4340 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.24

NL2A	EH33 22.2a NLB Antenatal checkup																												
Location:	2558-2559 (width: 2; decimal: 0)																												
Variable Type:	numeric																												
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																												
Question:	When you were pregnant with (name) did you have an antenatal checkup.																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">1301</td><td style="text-align: right; padding: 2px;">3.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">2956</td><td style="text-align: right; padding: 2px;">7.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-6 (M)</td><td style="text-align: left; padding: 2px;">Out of range</td><td style="text-align: right; padding: 2px;">2</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-2 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td><td style="text-align: right; padding: 2px;">2</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">37292</td><td style="text-align: right; padding: 2px;">89.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	1301	3.1 %	1	Yes	2956	7.1 %	-6 (M)	Out of range	2	0.0 %	-2 (M)	Valid skip	2	0.0 %	-1 (M)	Valid blank	37292	89.7 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																										
0	No	1301	3.1 %																										
1	Yes	2956	7.1 %																										
-6 (M)	Out of range	2	0.0 %																										
-2 (M)	Valid skip	2	0.0 %																										
-1 (M)	Valid blank	37292	89.7 %																										
. (M)	-	1	0.0 %																										

Based upon 4257 valid cases out of 41554 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

NL2B	EH33 22.2b NLB checkup Govt																				
Location:	2560-2561 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																				
Question:	Did you get the check-up at a govt hospital/clinic.																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">1908</td><td style="text-align: right; padding: 2px;">4.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">1767</td><td style="text-align: right; padding: 2px;">4.3 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">37878</td><td style="text-align: right; padding: 2px;">91.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	1908	4.6 %	1	Yes	1767	4.3 %	-1 (M)	Valid blank	37878	91.2 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																		
0	No	1908	4.6 %																		
1	Yes	1767	4.3 %																		
-1 (M)	Valid blank	37878	91.2 %																		
. (M)	-	1	0.0 %																		

Based upon 3675 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

NL2C	EH33 22.2c NLB checkup Priv																				
Location:	2562-2563 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																				
Question:	Did you get the check-up at a private hospital or clinic.																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: right; padding: 2px;">Unweighted Frequency</th><th style="text-align: right; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">2534</td><td style="text-align: right; padding: 2px;">6.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">1109</td><td style="text-align: right; padding: 2px;">2.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">37910</td><td style="text-align: right; padding: 2px;">91.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	0	No	2534	6.1 %	1	Yes	1109	2.7 %	-1 (M)	Valid blank	37910	91.2 %	. (M)	-	1	0.0 %
Value	Label	Unweighted Frequency	%																		
0	No	2534	6.1 %																		
1	Yes	1109	2.7 %																		
-1 (M)	Valid blank	37910	91.2 %																		
. (M)	-	1	0.0 %																		

Based upon 3643 valid cases out of 41554 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

NL2D	EH33 22.2d NLB checkup Home																				
Location:	2564-2565 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																				
Question:	Did you get the check-up at home.																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Value</th><th style="text-align: left; padding: 2px;">Label</th><th style="text-align: right; padding: 2px;">Unweighted Frequency</th><th style="text-align: right; padding: 2px;">%</th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">2972</td><td style="text-align: right; padding: 2px;">7.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">149</td><td style="text-align: right; padding: 2px;">0.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">38432</td><td style="text-align: right; padding: 2px;">92.5 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	0	No	2972	7.2 %	1	Yes	149	0.4 %	-1 (M)	Valid blank	38432	92.5 %	. (M)	-	1	0.0 %
Value	Label	Unweighted Frequency	%																		
0	No	2972	7.2 %																		
1	Yes	149	0.4 %																		
-1 (M)	Valid blank	38432	92.5 %																		
. (M)	-	1	0.0 %																		

Based upon 3121 valid cases out of 41554 total cases.

- Mean: 0.05
- Median: 0.00

- Study 22626 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

NL2E	EH33 22.2e NLB checkup Other																								
Location:	2566-2567 (width: 2; decimal: 0)																								
Variable Type:	numeric																								
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																								
Question:	Did you get the check up, Other.																								
<table border="1"> <thead> <tr> <th>Value</th><th>Label</th><th>Unweighted Frequency</th><th>%</th></tr> </thead> <tbody> <tr> <td>0</td><td>No</td><td>2865</td><td>6.9 %</td></tr> <tr> <td>1</td><td>Yes</td><td>257</td><td>0.6 %</td></tr> <tr> <td>-6 (M)</td><td>Out of range</td><td>2</td><td>0.0 %</td></tr> <tr> <td>-1 (M)</td><td>Valid blank</td><td>38429</td><td>92.5 %</td></tr> <tr> <td>. (M)</td><td>-</td><td>1</td><td>0.0 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	0	No	2865	6.9 %	1	Yes	257	0.6 %	-6 (M)	Out of range	2	0.0 %	-1 (M)	Valid blank	38429	92.5 %	. (M)	-	1	0.0 %
Value	Label	Unweighted Frequency	%																						
0	No	2865	6.9 %																						
1	Yes	257	0.6 %																						
-6 (M)	Out of range	2	0.0 %																						
-1 (M)	Valid blank	38429	92.5 %																						
. (M)	-	1	0.0 %																						

Based upon 3122 valid cases out of 41554 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

NL2F	EH33 22.2f NLB checkup doctor																				
Location:	2568-2569 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																				
Question:	Whom did you see, did you see a doctor.																				
<table border="1"> <thead> <tr> <th>Value</th><th>Label</th><th>Unweighted Frequency</th><th>%</th></tr> </thead> <tbody> <tr> <td>0</td><td>No</td><td>1423</td><td>3.4 %</td></tr> <tr> <td>1</td><td>Yes</td><td>1980</td><td>4.8 %</td></tr> <tr> <td>-1 (M)</td><td>Valid blank</td><td>38150</td><td>91.8 %</td></tr> <tr> <td>. (M)</td><td>-</td><td>1</td><td>0.0 %</td></tr> </tbody> </table>		Value	Label	Unweighted Frequency	%	0	No	1423	3.4 %	1	Yes	1980	4.8 %	-1 (M)	Valid blank	38150	91.8 %	. (M)	-	1	0.0 %
Value	Label	Unweighted Frequency	%																		
0	No	1423	3.4 %																		
1	Yes	1980	4.8 %																		
-1 (M)	Valid blank	38150	91.8 %																		
. (M)	-	1	0.0 %																		

Based upon 3403 valid cases out of 41554 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 1.00
- Standard Deviation: 0.49

NL2G

EH33 22.2g NLB checkup Nurse

Location: 2570-2571 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Whom did you see, did you see a Nurse/ANM

Value	Label	Unweighted Frequency	%
0	No	1782	4.3 %
1	Yes	1539	3.7 %
-1 (M)	Valid blank	38232	92.0 %
. (M)	-	1	0.0 %

Based upon 3321 valid cases out of 41554 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

NL2H

EH33 22.2h NLB checkup Midwife

Location: 2572-2573 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Whom did you see, did you see a traditional midwife/DAI.

Value	Label	Unweighted Frequency	%
0	No	2804	6.7 %
1	Yes	353	0.8 %
-1 (M)	Valid blank	38396	92.4 %
. (M)	-	1	0.0 %

Based upon 3157 valid cases out of 41554 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

- Study 22626 -

NL2I	EH33 22.2i NLB checkup See Other			
	Value	Label	Unweighted Frequency	%
Location:	2574-2575	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	Whom did you see, Other.			

Based upon 3137 valid cases out of 41554 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

NL3	EH33 22.3 NLB Health worker			
	Value	Label	Unweighted Frequency	%
Location:	2576-2577	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	When you were pregnant with (name), did a public health worker visit you at home for an antenatal check up.			

Based upon 4077 valid cases out of 41554 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

- Study 22626 -

NL4	EH33 22.4 NLB checkup Months			
	Value	Label	Unweighted Frequency	%
Location:	2578-2579 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	How many months pregnant were you when you first received an antenatal check-up.			
	0	-	702	1.7 %
	1	-	139	0.3 %
	2	-	563	1.4 %
	3	-	1106	2.7 %
	4	-	541	1.3 %
	5	-	419	1.0 %
	6	-	116	0.3 %
	7	-	52	0.1 %
	8	-	27	0.1 %
	9	-	6	0.0 %
	-1 (M)	Valid blank	37882	91.2 %
	. (M)	-	1	0.0 %

Based upon 3671 valid cases out of 41554 total cases.

- Mean: 2.77
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.83

NL5	EH33 22.5 NLB N checkups			
	Value	Label	Unweighted Frequency	%
Location:	2580-2581 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	How many times did you receive antenatal check-ups during this pregnancy.			
	0	-	740	1.8 %
	1	-	297	0.7 %
	2	-	634	1.5 %
	3	-	644	1.5 %
	4	-	375	0.9 %
	5	-	329	0.8 %
	6	-	264	0.6 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	127	0.3 %
8	-	106	0.3 %
9	-	113	0.3 %
10	-	49	0.1 %
11	-	4	0.0 %
12	-	13	0.0 %
13	-	4	0.0 %
14	-	4	0.0 %
15	-	2	0.0 %
16	-	4	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	2	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
60	-	1	0.0 %
99	-	1	0.0 %
-1 (M)	Valid blank	37836	91.1 %
. (M)	-	1	0.0 %

Based upon 3717 valid cases out of 41554 total cases.

- Mean: 3.27
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 3.35

NL6A
EH33 22.6a NLB checkup Weight

Location: 2582-2583 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Did you have a weight check at least once during any of your antenatal check-ups for this pregnancy.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1728	4.2 %
1	Yes	2284	5.5 %
-1 (M)	Valid blank	37541	90.3 %
. (M)	-	1	0.0 %

Based upon 4012 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

NL6B	EH33 22.6b NLB checkup BP																				
Location:	2584-2585 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																				
Question:	Did you have a blood pressure at least once during any of your antenatal check-ups for this pregnancy.																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">1948</td><td style="text-align: right; padding: 2px;">4.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">2057</td><td style="text-align: right; padding: 2px;">5.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">37548</td><td style="text-align: right; padding: 2px;">90.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	1948	4.7 %	1	Yes	2057	5.0 %	-1 (M)	Valid blank	37548	90.4 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																		
0	No	1948	4.7 %																		
1	Yes	2057	5.0 %																		
-1 (M)	Valid blank	37548	90.4 %																		
. (M)	-	1	0.0 %																		

Based upon 4005 valid cases out of 41554 total cases.

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

NL6C	EH33 22.6c NLB checkup Blood																				
Location:	2586-2587 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																				
Question:	Did you have a blood check at least once during any of your antenatal check-ups for this pregnancy.																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">1860</td><td style="text-align: right; padding: 2px;">4.5 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">2148</td><td style="text-align: right; padding: 2px;">5.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">37545</td><td style="text-align: right; padding: 2px;">90.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	1860	4.5 %	1	Yes	2148	5.2 %	-1 (M)	Valid blank	37545	90.4 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																		
0	No	1860	4.5 %																		
1	Yes	2148	5.2 %																		
-1 (M)	Valid blank	37545	90.4 %																		
. (M)	-	1	0.0 %																		

Based upon 4008 valid cases out of 41554 total cases.

- Mean: 0.54
- Median: 1.00

- Study 22626 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

NL6D	EH33 22.6d NLB checkup Urine																				
Location:	2588-2589 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																				
Question:	Did you have a urine test at least once during any of your antenatal check-ups for this pregnancy.																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">1926</td><td style="text-align: right; padding: 2px;">4.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">2082</td><td style="text-align: right; padding: 2px;">5.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">37545</td><td style="text-align: right; padding: 2px;">90.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	1926	4.6 %	1	Yes	2082	5.0 %	-1 (M)	Valid blank	37545	90.4 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																		
0	No	1926	4.6 %																		
1	Yes	2082	5.0 %																		
-1 (M)	Valid blank	37545	90.4 %																		
. (M)	-	1	0.0 %																		

Based upon 4008 valid cases out of 41554 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

NL6E	EH33 22.6e NLB checkup Abdomen																				
Location:	2590-2591 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																				
Question:	Did you have a abdomen exam at least once during any of your antenatal check-ups for this pregnancy.																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">1749</td><td style="text-align: right; padding: 2px;">4.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">2254</td><td style="text-align: right; padding: 2px;">5.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">37550</td><td style="text-align: right; padding: 2px;">90.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	1749	4.2 %	1	Yes	2254	5.4 %	-1 (M)	Valid blank	37550	90.4 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																		
0	No	1749	4.2 %																		
1	Yes	2254	5.4 %																		
-1 (M)	Valid blank	37550	90.4 %																		
. (M)	-	1	0.0 %																		

Based upon 4003 valid cases out of 41554 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00

- Study 22626 -

- Standard Deviation: 0.50

NL6F	EH33 22.6f NLB checkup Internal			
Location:	2592-2593 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	Did you have a internal exam at least once during any of your antenatal check-ups for this pregnancy.			
Value	Label	Unweighted Frequency	%	
0	No	2812	6.8 %	
1	Yes	1190	2.9 %	
-1 (M)	Valid blank	37551	90.4 %	
. (M)	-	1	0.0 %	

Based upon 4002 valid cases out of 41554 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

NL6G	EH33 22.6g NLB checkup Sonogram			
Location:	2594-2595 (width: 2; decimal: 0)			
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	Did you have a sonogram/ultrasound at least once during any of your antenatal check-ups for this pregnancy.			
Value	Label	Unweighted Frequency	%	
0	No	3302	7.9 %	
1	Yes	702	1.7 %	
-1 (M)	Valid blank	37549	90.4 %	
. (M)	-	1	0.0 %	

Based upon 4004 valid cases out of 41554 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

- Study 22626 -

NL6H

EH33 22.6h NLB checkup Amnio

Location: 2596-2597 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Did you have a amniocentesis at least once during any of your antenatal check-ups for this pregnancy.

Value	Label	Unweighted Frequency	%
0	No	3727	9.0 %
1	Yes	227	0.5 %
-3 (M)	Don't know	2	0.0 %
-1 (M)	Valid blank	37597	90.5 %
. (M)	-	1	0.0 %

Based upon 3954 valid cases out of 41554 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

NL7

EH33 22.7 NLB Sex determine

Location: 2598-2599 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: If you had a sonogram or amniocentesis, did you come to know whether the child was a girl or boy.

Value	Label	Unweighted Frequency	%
0	No	739	1.8 %
1	Yes	113	0.3 %
-2 (M)	Valid skip	13	0.0 %
-1 (M)	Valid blank	40688	97.9 %
. (M)	-	1	0.0 %

Based upon 852 valid cases out of 41554 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

- Study 22626 -

NL8A

EH33 22.8a NLB prob Night blind

Location: 2600-2601 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When you were pregnant with (name) did you experience any night blindness.

Value	Label	Unweighted Frequency	%
0	No	3921	9.4 %
1	Yes	246	0.6 %
-1 (M)	Valid blank	37386	90.0 %
. (M)	-	1	0.0 %

Based upon 4167 valid cases out of 41554 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

NL8B

EH33 22.8b NLB prob Blurred

Location: 2602-2603 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When you were pregnant with (name) did you experience any blurred vision.

Value	Label	Unweighted Frequency	%
0	No	3756	9.0 %
1	Yes	413	1.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	37383	90.0 %
. (M)	-	1	0.0 %

Based upon 4169 valid cases out of 41554 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

NL8C

EH33 22.8c NLB prob Convulsions

- Study 22626 -

Location: 2604-2605 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When you were pregnant with (name) did you experience any convulsions not from fever.

Value	Label	Unweighted Frequency	%
0	No	3699	8.9 %
1	Yes	473	1.1 %
-1 (M)	Valid blank	37381	90.0 %
. (M)	-	1	0.0 %

Based upon 4172 valid cases out of 41554 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

NL8D

EH33 22.8d NLB prob Fatigue

Location: 2606-2607 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When you were pregnant with (name) did you experience any excessive fatigue.

Value	Label	Unweighted Frequency	%
0	No	2738	6.6 %
1	Yes	1434	3.5 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	37380	90.0 %
. (M)	-	1	0.0 %

Based upon 4172 valid cases out of 41554 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

NL8E

EH33 22.8e NLB prob Anaemia

Location: 2608-2609 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When you were pregnant with (name) did you experience any anaemia.

Value	Label	Unweighted Frequency	%
0	No	3444	8.3 %
1	Yes	729	1.8 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	37379	90.0 %
. (M)	-	1	0.0 %

Based upon 4173 valid cases out of 41554 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

NL8F

EH33 22.8f NLB prob Bleeding

Location: 2610-2611 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When you were pregnant with (name) did you experience any vaginal bleeding.

Value	Label	Unweighted Frequency	%
0	No	4051	9.7 %
1	Yes	115	0.3 %
-6 (M)	Out of range	1	0.0 %
-1 (M)	Valid blank	37386	90.0 %
. (M)	-	1	0.0 %

Based upon 4166 valid cases out of 41554 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

NL9

EH33 22.9 NLB Iron tablets

Location: 2612-2613 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When you were pregnant with (name) did you receive any iron folic tablets or syrup.

Value	Label	Unweighted Frequency	%
0	None	1492	3.6 %
1	< 3 months	1132	2.7 %
2	> 3 months	1388	3.3 %
8	DK	0	0.0 %
-6 (M)	Out of range	4	0.0 %
-3 (M)	Don't know	164	0.4 %
-1 (M)	Valid blank	37373	89.9 %
. (M)	-	1	0.0 %

Based upon 4012 valid cases out of 41554 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.85

NL12

EH34 22.12 NLB N TT injections

Location: 2614-2615 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: When you were pregnant with (name) were you given tetanus (tt injections). How many times did you receive it during this pregnancy.

Value	Label	Unweighted Frequency	%
0	-	1020	2.5 %
1	-	368	0.9 %
2	-	2070	5.0 %
3	-	945	2.3 %
5	-	12	0.0 %
7	-	1	0.0 %
-3 (M)	Don't know	3	0.0 %
-2 (M)	Valid skip	8	0.0 %
-1 (M)	Valid blank	37126	89.3 %
. (M)	-	1	0.0 %

Based upon 4416 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.68
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.07

NL13	EH34 22.13 NLB Pre-delivery home																																		
Location:	2616-2617 (width: 2; decimal: 0)																																		
Variable Type:	numeric																																		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																																		
Question:	Where were you staying just prior to the delivery of (name).																																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Current home</td><td style="text-align: right; padding: 2px;">3143</td><td style="text-align: right; padding: 2px;">7.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">Natal home</td><td style="text-align: right; padding: 2px;">918</td><td style="text-align: right; padding: 2px;">2.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">Other</td><td style="text-align: right; padding: 2px;">140</td><td style="text-align: right; padding: 2px;">0.3 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-5 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td><td style="text-align: right; padding: 2px;">14</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-3 (M)</td><td style="text-align: left; padding: 2px;">Don't know</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">37337</td><td style="text-align: right; padding: 2px;">89.9 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	Current home	3143	7.6 %	2	Natal home	918	2.2 %	3	Other	140	0.3 %	-5 (M)	Valid skip	14	0.0 %	-3 (M)	Don't know	1	0.0 %	-1 (M)	Valid blank	37337	89.9 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																																
1	Current home	3143	7.6 %																																
2	Natal home	918	2.2 %																																
3	Other	140	0.3 %																																
-5 (M)	Valid skip	14	0.0 %																																
-3 (M)	Don't know	1	0.0 %																																
-1 (M)	Valid blank	37337	89.9 %																																
. (M)	-	1	0.0 %																																

Based upon 4201 valid cases out of 41554 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.52

NL14	EH34 22.14 NLB Place of delivery																										
Location:	2618-2619 (width: 2; decimal: 0)																										
Variable Type:	numeric																										
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																										
Question:	When (name) was born, at what kind of place, did you deliver him/her.																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Govt clinic</td><td style="text-align: right; padding: 2px;">927</td><td style="text-align: right; padding: 2px;">2.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;">Pvt nursing home</td><td style="text-align: right; padding: 2px;">691</td><td style="text-align: right; padding: 2px;">1.7 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;">Home</td><td style="text-align: right; padding: 2px;">2550</td><td style="text-align: right; padding: 2px;">6.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">4</td><td style="text-align: left; padding: 2px;">Other</td><td style="text-align: right; padding: 2px;">28</td><td style="text-align: right; padding: 2px;">0.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-5 (M)</td><td style="text-align: left; padding: 2px;">Valid skip</td><td style="text-align: right; padding: 2px;">14</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	Govt clinic	927	2.2 %	2	Pvt nursing home	691	1.7 %	3	Home	2550	6.1 %	4	Other	28	0.1 %	-5 (M)	Valid skip	14	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																								
1	Govt clinic	927	2.2 %																								
2	Pvt nursing home	691	1.7 %																								
3	Home	2550	6.1 %																								
4	Other	28	0.1 %																								
-5 (M)	Valid skip	14	0.0 %																								

- Study 22626 -

Value	Label	Unweighted Frequency	%
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	37342	89.9 %
. (M)	-	1	0.0 %

Based upon 4196 valid cases out of 41554 total cases.

- Mean: 2.40
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.83

NL15A
EH34 22.15a NLB delivery doctor

Location: 2620-2621 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Was (name's) delivery assisted by a doctor.

Value	Label	Unweighted Frequency	%
0	No	2655	6.4 %
1	Yes	1547	3.7 %
3	-	1	0.0 %
-6 (M)	Out of range	2	0.0 %
-1 (M)	Valid blank	37348	89.9 %
. (M)	-	1	0.0 %

Based upon 4203 valid cases out of 41554 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

NL15B
EH34 22.15b NLB delivery Nurse

Location: 2622-2623 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Was (name's) delivery assisted by a nurse/ANM.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2772	6.7 %
1	Yes	1424	3.4 %
-1 (M)	Valid blank	37357	89.9 %
. (M)	-	1	0.0 %

Based upon 4196 valid cases out of 41554 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

NL15C
EH34 22.15c NLB delivery Midwife

Location: 2624-2625 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Was (name's) delivery assisted by a traditional midwife/DAI.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2231	5.4 %
1	Yes	1954	4.7 %
-1 (M)	Valid blank	37368	89.9 %
. (M)	-	1	0.0 %

Based upon 4185 valid cases out of 41554 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

NL15D
EH34 22.15d NLB delivery Friend

Location: 2626-2627 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Was (name's) delivery assisted by a friend/relative.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2844	6.8 %
1	Yes	1336	3.2 %
-1 (M)	Valid blank	37373	89.9 %
. (M)	-	1	0.0 %

Based upon 4180 valid cases out of 41554 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

NL15E	EH34 22.15e NLB delivery Other
--------------	---------------------------------------

Location: 2628-2629 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Was (name's) delivery assisted by Other.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3692	8.9 %
1	Yes	471	1.1 %
-6 (M)	Out of range	3	0.0 %
-1 (M)	Valid blank	37387	90.0 %
. (M)	-	1	0.0 %

Based upon 4163 valid cases out of 41554 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

NL16	EH34 22.16 NLB Size of child
-------------	-------------------------------------

Location: 2630-2631 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: When (name) was born, was he/she large, average, small or very small.

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Large	560	1.3 %
2	Average	2856	6.9 %
3	Small	669	1.6 %
4	Very small	97	0.2 %
-5 (M)	Valid skip	24	0.1 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	37345	89.9 %
. (M)	-	1	0.0 %

Based upon 4183 valid cases out of 41554 total cases.

- Mean: 2.07
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.62

NL17

EH34 22.17 NLB Type of Delivery

Location: 2632-2633 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: What kind of delivery was this.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A normal delivery	3868	9.3 %
2	Forceps	127	0.3 %
3	Cesarean	188	0.5 %
-5 (M)	Valid skip	25	0.1 %
-3 (M)	Don't know	1	0.0 %
-1 (M)	Valid blank	37344	89.9 %
. (M)	-	1	0.0 %

Based upon 4183 valid cases out of 41554 total cases.

- Mean: 1.12
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.44

- Study 22626 -

NL18

EH34 22.18 NLB Post checkup

Location: 2634-2635 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: During the 2 month period after pregnancy did a doctor or other health professional check your health or the health of your baby.

Value	Label	Unweighted Frequency	%
0	No checkup	3051	7.3 %
1	Only mother	187	0.5 %
2	Only baby	381	0.9 %
3	Both	557	1.3 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	37376	89.9 %
. (M)	-	1	0.0 %

Based upon 4176 valid cases out of 41554 total cases.

- Mean: 0.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.10

NL18A

EH34 22.18a NLB post-check Days

Location: 2636-2637 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How soon after the birth of (name) did you first get a check up.

Value	Label	Unweighted Frequency	%
0	No checkup	1296	3.1 %
1	Only mother	406	1.0 %
2	Only baby	100	0.2 %
3	Both	39	0.1 %
4	-	25	0.1 %
5	-	20	0.0 %
6	-	19	0.0 %
7	-	32	0.1 %
8	-	26	0.1 %
9	-	9	0.0 %
10	-	38	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	2	0.0 %
12	-	9	0.0 %
13	-	1	0.0 %
14	-	2	0.0 %
15	-	104	0.3 %
16	-	2	0.0 %
17	-	1	0.0 %
18	-	5	0.0 %
20	-	47	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	5	0.0 %
25	-	14	0.0 %
26	-	1	0.0 %
30	-	178	0.4 %
32	-	1	0.0 %
33	-	2	0.0 %
35	-	8	0.0 %
38	-	1	0.0 %
40	-	14	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
45	-	35	0.1 %
50	-	3	0.0 %
60	-	18	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
64	-	1	0.0 %
70	-	2	0.0 %
88	-	1	0.0 %
90	-	5	0.0 %
99	-	3	0.0 %
-1 (M)	Valid blank	39072	94.0 %
. (M)	-	1	0.0 %

Based upon 2481 valid cases out of 41554 total cases.

- Mean: 6.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 99.00
- Standard Deviation: 12.93

NL19A

EH34 22.19a NLB post bleeding

Location: 2638-2639 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: At any time during the two months after the delivery of (name) did you have any excessive vaginal bleeding.

Value	Label	Unweighted Frequency	%
0	No	3848	9.3 %
1	Yes	254	0.6 %
-1 (M)	Valid blank	37451	90.1 %
. (M)	-	1	0.0 %

Based upon 4102 valid cases out of 41554 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

NL19B

EH34 22.19b NLB post high fever

Location: 2640-2641 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: At any time during the two months after the delivery of (name) did you have a very high fever.

Value	Label	Unweighted Frequency	%
0	No	3657	8.8 %
1	Yes	425	1.0 %
-1 (M)	Valid blank	37471	90.2 %
. (M)	-	1	0.0 %

Based upon 4082 valid cases out of 41554 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

- Study 22626 -

NL20	EH35 22.20 NLB Immunization card																																				
Location:	2642-2643 (width: 2; decimal: 0)																																				
Variable Type:	numeric																																				
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																																				
Question:	Do you have a card where (name's) vaccinations are written down. Is card seen or unseen.																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><i>Value</i></th><th style="text-align: left;"><i>Label</i></th><th style="text-align: right;"><i>Unweighted Frequency</i></th><th style="text-align: right;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: center;">0</td><td>No</td><td style="text-align: right;">2474</td><td style="text-align: right;">6.0 %</td></tr> <tr> <td style="text-align: center;">1</td><td>Not seen</td><td style="text-align: right;">1145</td><td style="text-align: right;">2.8 %</td></tr> <tr> <td style="text-align: center;">2</td><td>Seen</td><td style="text-align: right;">698</td><td style="text-align: right;">1.7 %</td></tr> <tr> <td style="text-align: center;">-6 (M)</td><td>Out of range</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">-3 (M)</td><td>Don't know</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">-2 (M)</td><td>Valid skip</td><td style="text-align: right;">6</td><td style="text-align: right;">0.0 %</td></tr> <tr> <td style="text-align: center;">-1 (M)</td><td>Valid blank</td><td style="text-align: right;">37228</td><td style="text-align: right;">89.6 %</td></tr> <tr> <td style="text-align: center;">. (M)</td><td>-</td><td style="text-align: right;">1</td><td style="text-align: right;">0.0 %</td></tr> </tbody> </table>		<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	2474	6.0 %	1	Not seen	1145	2.8 %	2	Seen	698	1.7 %	-6 (M)	Out of range	1	0.0 %	-3 (M)	Don't know	1	0.0 %	-2 (M)	Valid skip	6	0.0 %	-1 (M)	Valid blank	37228	89.6 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																																		
0	No	2474	6.0 %																																		
1	Not seen	1145	2.8 %																																		
2	Seen	698	1.7 %																																		
-6 (M)	Out of range	1	0.0 %																																		
-3 (M)	Don't know	1	0.0 %																																		
-2 (M)	Valid skip	6	0.0 %																																		
-1 (M)	Valid blank	37228	89.6 %																																		
. (M)	-	1	0.0 %																																		

Based upon 4317 valid cases out of 41554 total cases.

- Mean: 0.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.75

NL21A	EH35 22.21a NLB Immun BCG
Location:	2644-2649 (width: 6; decimal: 0)
Variable Type:	character
Based upon 41554 valid cases out of 41554 total cases.	
NL21B	EH35 22.21b NLB Immun Polio 0
Location:	2650-2655 (width: 6; decimal: 0)
Variable Type:	character
Based upon 41554 valid cases out of 41554 total cases.	
NL21C	EH35 22.21c NLB Immun DPT1
Location:	2656-2661 (width: 6; decimal: 0)
Variable Type:	character
Based upon 41554 valid cases out of 41554 total cases.	
NL21D	EH35 22.21d NLB Immun DPT2
Location:	2662-2667 (width: 6; decimal: 0)

- Study 22626 -

Variable Type: character
 Based upon 41554 valid cases out of 41554 total cases.

NL21E	EH35 22.21e NLB Immun DPT3
--------------	-----------------------------------

Location: 2668-2673 (width: 6; decimal: 0)
 Variable Type: character
 Based upon 41554 valid cases out of 41554 total cases.

NL21F	EH35 22.21f NLB Immun Polio 1
--------------	--------------------------------------

Location: 2674-2679 (width: 6; decimal: 0)
 Variable Type: character
 Based upon 41554 valid cases out of 41554 total cases.

NL21G	EH35 22.21g NLB Immun Polio 2
--------------	--------------------------------------

Location: 2680-2685 (width: 6; decimal: 0)
 Variable Type: character
 Based upon 41554 valid cases out of 41554 total cases.

NL21H	EH35 22.21h NLB Immun Polio 3
--------------	--------------------------------------

Location: 2686-2691 (width: 6; decimal: 0)
 Variable Type: character
 Based upon 41554 valid cases out of 41554 total cases.

NL21I	EH35 22.21i NLB Immun Measles
--------------	--------------------------------------

Location: 2692-2697 (width: 6; decimal: 0)
 Variable Type: character
 Based upon 41554 valid cases out of 41554 total cases.

NL22	EH35 22.22 NLB Vacc not rec
-------------	------------------------------------

Location: 2698-2699 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Has (name) received any vaccinations that are not recorded on this card.

Value	Label	Unweighted Frequency	%
0	No	1384	3.3 %
1	Yes	615	1.5 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	1	0.0 %
-2 (M)	Valid skip	12	0.0 %
-1 (M)	Valid blank	39540	95.2 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

Based upon 1999 valid cases out of 41554 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

NL23
EH35 22.23 NLB Vacc No card

Location: 2700-2701 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Did (name) receive any vaccinations to prevent him/her from getting diseases.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	598	1.4 %
1	Yes	2920	7.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	38034	91.5 %
. (M)	-	1	0.0 %

Based upon 3518 valid cases out of 41554 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

NL24
EH35 22.24 NLB BCG given

Location: 2702-2703 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has (name) received a BCG vaccination against tuberculosis, that is an injection on the left shoulder that left a scar.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	721	1.7 %
1	Yes	2654	6.4 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-6 (M)	Out of range	3	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	38174	91.9 %
. (M)	-	1	0.0 %

Based upon 3375 valid cases out of 41554 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

NL25

EH35 22.25 NLB # DPT

Location: 2704-2705 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has (name) received a DPT vaccination against diphtheria, whooping cough, tetanus, given as an injection.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	739	1.8 %
1	-	301	0.7 %
2	-	399	1.0 %
3	-	1776	4.3 %
4	-	56	0.1 %
5	-	35	0.1 %
6	-	21	0.1 %
7	-	1	0.0 %
-3 (M)	Don't know	7	0.0 %
-2 (M)	Valid skip	5	0.0 %
-1 (M)	Valid blank	38213	92.0 %
. (M)	-	1	0.0 %

Based upon 3328 valid cases out of 41554 total cases.

- Mean: 2.09
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.33

- Study 22626 -

NL26A

EH35 22.26a NLB # Polio

Location: 2706-2707 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has (name) received a polio vaccine that is drops in the mouth. How many times.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	186	0.4 %
1	-	245	0.6 %
2	-	267	0.6 %
3	-	1056	2.5 %
4	-	236	0.6 %
5	-	248	0.6 %
6	-	258	0.6 %
7	-	74	0.2 %
8	-	217	0.5 %
9	-	201	0.5 %
10	-	182	0.4 %
11	-	10	0.0 %
12	-	64	0.2 %
13	-	7	0.0 %
14	-	6	0.0 %
15	-	47	0.1 %
16	-	2	0.0 %
18	-	4	0.0 %
20	-	3	0.0 %
22	-	1	0.0 %
24	-	4	0.0 %
25	-	1	0.0 %
29	-	1	0.0 %
31	-	5	0.0 %
32	-	5	0.0 %
36	-	2	0.0 %
41	-	3	0.0 %
48	-	2	0.0 %
51	-	3	0.0 %
52	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
-1 (M)	Valid blank	38210	92.0 %
. (M)	-	1	0.0 %

- Study 22626 -

Based upon 3343 valid cases out of 41554 total cases.

- Mean: 4.96
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 62.00
- Standard Deviation: 4.60

NL26B

EH35 22.26b NLB First polio

Location: 2708-2709 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: When was the first polio vaccine given.

Value	Label	Unweighted Frequency	%
0	-	288	0.7 %
1	Within a week of birth	1083	2.6 %
2	Later	1936	4.7 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	38243	92.0 %
. (M)	-	1	0.0 %

Based upon 3307 valid cases out of 41554 total cases.

- Mean: 1.50
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.65

NL27

EH35 22.27 NLB Measles vacc

Location: 2710-2711 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Has (name) received an injection against measles.

Value	Label	Unweighted Frequency	%
0	No	1185	2.9 %
1	Yes	2173	5.2 %
-6 (M)	Out of range	2	0.0 %
-3 (M)	Don't know	13	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	Valid skip	4	0.0 %
-1 (M)	Valid blank	38176	91.9 %
. (M)	-	1	0.0 %

Based upon 3358 valid cases out of 41554 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

NL28
EH35 22.28 NLB Vaccine Cent

Location: 2712-2713 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Where did (name) received most of his/her vaccinations.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Public clinic	2157	5.2 %
2	Vaccination camp	667	1.6 %
3	Pvt clinic	249	0.6 %
4	Nurse at home	471	1.1 %
5	Govt in pvt	52	0.1 %
-5 (M)	Valid skip	208	0.5 %
-3 (M)	Don't know	5	0.0 %
-2 (M)	Valid skip	38	0.1 %
-1 (M)	Valid blank	37705	90.7 %
. (M)	-	1	0.0 %

Based upon 3597 valid cases out of 41554 total cases.

- Mean: 1.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.13

NL29
EH35 22.29 NLB mos Vit A

- Study 22626 -

Location: 2714-2715 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Was a dose of vitamin A liquid or capsule ever given to (name) to protect him from night blindness.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	262	0.6 %
1	-	123	0.3 %
2	-	86	0.2 %
3	-	55	0.1 %
4	-	36	0.1 %
5	-	23	0.1 %
6	-	55	0.1 %
7	-	26	0.1 %
8	-	62	0.1 %
9	-	82	0.2 %
10	-	28	0.1 %
11	-	44	0.1 %
12	-	89	0.2 %
13	-	6	0.0 %
14	-	11	0.0 %
15	-	17	0.0 %
16	-	17	0.0 %
17	-	3	0.0 %
18	-	29	0.1 %
19	-	20	0.0 %
20	-	14	0.0 %
21	-	9	0.0 %
22	-	8	0.0 %
23	-	5	0.0 %
24	-	61	0.1 %
25	-	6	0.0 %
26	-	21	0.1 %
27	-	6	0.0 %
28	-	10	0.0 %
29	-	9	0.0 %
30	-	20	0.0 %
31	-	2	0.0 %
32	-	4	0.0 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	-	22	0.1 %
37	-	2	0.0 %
38	-	4	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	3	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	6	0.0 %
49	-	1	0.0 %
51	-	2	0.0 %
52	-	2	0.0 %
54	-	1	0.0 %
60	-	1	0.0 %
66	-	1	0.0 %
99	No	0	0.0 %
-6 (M)	Out of range	2619	6.3 %
-1 (M)	Valid blank	37622	90.5 %
. (M)	-	1	0.0 %

Based upon 1312 valid cases out of 41554 total cases.

- Mean: 9.92
- Median: 7.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 11.02

NL30

EH36 22.30 NLB Breastfeeding

Location: 2716-2717 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Did you ever breastfeed (name).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	308	0.7 %
1	Yes	4042	9.7 %
-6 (M)	Out of range	2	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1 (M)	Valid blank	37201	89.5 %
. (M)	-	1	0.0 %

Based upon 4350 valid cases out of 41554 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

NL31	EH36 22.31 NLB Brfeed start
-------------	------------------------------------

Location: 2718-2719 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How long after birth did you first put (name) to the breast.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1023	2.5 %
1	-	526	1.3 %
2	-	433	1.0 %
3	-	242	0.6 %
4	-	124	0.3 %
5	-	72	0.2 %
6	-	86	0.2 %
7	-	18	0.0 %
8	-	53	0.1 %
9	-	28	0.1 %
10	-	12	0.0 %
11	-	1	0.0 %
12	-	62	0.1 %
13	-	2	0.0 %
14	-	5	0.0 %
15	-	6	0.0 %
16	-	4	0.0 %
18	-	10	0.0 %
19	-	4	0.0 %
20	-	11	0.0 %
21	-	1	0.0 %
22	-	7	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	-	1	0.0 %
24	-	380	0.9 %
25	-	1	0.0 %
26	-	10	0.0 %
27	-	3	0.0 %
28	-	3	0.0 %
30	-	3	0.0 %
32	-	3	0.0 %
35	-	1	0.0 %
36	-	98	0.2 %
38	-	1	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
45	-	2	0.0 %
48	-	170	0.4 %
50	-	2	0.0 %
51	-	1	0.0 %
55	-	1	0.0 %
60	-	12	0.0 %
62	-	2	0.0 %
72	-	279	0.7 %
88	-	2	0.0 %
93	-	1	0.0 %
96	4 days+	304	0.7 %
-6 (M)	Out of range	32	0.1 %
-1 (M)	Valid blank	37507	90.3 %
. (M)	-	1	0.0 %

Based upon 4014 valid cases out of 41554 total cases.

- Mean: 19.55
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 30.01

NL32

EH36 22.32 NLB Squeeze milk

Location:

2720-2721 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 22626 -

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Did you squeeze out the milk from the breast before you put (name) to the breast.

Value	Label	Unweighted Frequency	%
0	No	1936	4.7 %
1	Yes	2102	5.1 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	3	0.0 %
-1 (M)	Valid blank	37511	90.3 %
. (M)	-	1	0.0 %

Based upon 4038 valid cases out of 41554 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

NL33

EH36 22.33 NLB Brfeed duratn

Location:

2722-2723 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question:

Are you still breastfeeding (name). For how many months did you breastfeed (name).

Value	Label	Unweighted Frequency	%
0	-	84	0.2 %
1	-	25	0.1 %
2	-	31	0.1 %
3	-	43	0.1 %
4	-	38	0.1 %
5	-	77	0.2 %
6	-	83	0.2 %
7	-	54	0.1 %
8	-	84	0.2 %
9	-	142	0.3 %
10	-	93	0.2 %
11	-	37	0.1 %
12	-	770	1.9 %
13	-	41	0.1 %
14	-	67	0.2 %
15	-	128	0.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	70	0.2 %
17	-	16	0.0 %
18	-	529	1.3 %
19	-	16	0.0 %
20	-	41	0.1 %
21	-	3	0.0 %
22	-	21	0.1 %
23	-	8	0.0 %
24	-	811	2.0 %
25	-	8	0.0 %
26	-	20	0.0 %
27	-	7	0.0 %
28	-	30	0.1 %
29	-	7	0.0 %
30	-	88	0.2 %
32	-	3	0.0 %
36	-	156	0.4 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
42	-	1	0.0 %
48	-	17	0.0 %
50	-	3	0.0 %
51	-	1	0.0 %
58	-	1	0.0 %
60	-	3	0.0 %
64	-	1	0.0 %
66	-	3	0.0 %
68	-	2	0.0 %
70	-	1	0.0 %
99	Still breastfeeding	0	0.0 %
-6 (M)	Out of range	338	0.8 %
-1 (M)	Valid blank	37542	90.3 %
. (M)	-	1	0.0 %

Based upon 3673 valid cases out of 41554 total cases.

- Mean: 16.93
- Median: 16.00
- Mode: 24.00
- Minimum: 0.00

- Study 22626 -

- Maximum: 70.00
- Standard Deviation: 8.93

NL34A

EH36 22.34a NLB Age other milk

Location: 2724-2725 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: At what age did you start supplementing (name's) diet with canned or other milk.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	558	1.3 %
1	-	84	0.2 %
2	-	80	0.2 %
3	-	170	0.4 %
4	-	244	0.6 %
5	-	251	0.6 %
6	-	689	1.7 %
7	-	193	0.5 %
8	-	272	0.7 %
9	-	204	0.5 %
10	-	177	0.4 %
11	-	26	0.1 %
12	-	320	0.8 %
13	-	41	0.1 %
14	-	42	0.1 %
15	-	33	0.1 %
16	-	24	0.1 %
17	-	8	0.0 %
18	-	55	0.1 %
19	-	6	0.0 %
20	-	10	0.0 %
23	-	1	0.0 %
24	-	56	0.1 %
25	-	6	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
30	-	7	0.0 %
32	-	1	0.0 %
34	-	5	0.0 %
36	-	29	0.1 %
38	-	2	0.0 %
39	-	1	0.0 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	5	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	3	0.0 %
48	-	4	0.0 %
50	-	1	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
68	-	2	0.0 %
-6 (M)	Out of range	256	0.6 %
-1 (M)	Valid blank	37679	90.7 %
. (M)	-	1	0.0 %

Based upon 3618 valid cases out of 41554 total cases.

- Mean: 7.18
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 6.62

NL34B

EH36 22.34b NLB Age solid food

Location: 2726-2727 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: At what age did you start supplementing (name's) diet with solid foods.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	82	0.2 %
1	-	18	0.0 %
2	-	6	0.0 %
3	-	46	0.1 %
4	-	119	0.3 %
5	-	189	0.5 %
6	-	705	1.7 %
7	-	363	0.9 %
8	-	552	1.3 %
9	-	304	0.7 %
10	-	234	0.6 %
11	-	107	0.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	586	1.4 %
13	-	31	0.1 %
14	-	63	0.2 %
15	-	58	0.1 %
16	-	59	0.1 %
17	-	6	0.0 %
18	-	90	0.2 %
19	-	4	0.0 %
20	-	9	0.0 %
22	-	4	0.0 %
24	-	71	0.2 %
25	-	25	0.1 %
26	-	1	0.0 %
27	-	3	0.0 %
28	-	4	0.0 %
29	-	1	0.0 %
30	-	18	0.0 %
32	-	7	0.0 %
34	-	6	0.0 %
35	-	1	0.0 %
36	-	23	0.1 %
37	-	1	0.0 %
38	-	4	0.0 %
40	-	4	0.0 %
42	-	1	0.0 %
44	-	2	0.0 %
46	-	1	0.0 %
48	-	4	0.0 %
50	-	1	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
66	-	1	0.0 %
68	-	2	0.0 %
-6 (M)	Out of range	142	0.3 %
-1 (M)	Valid blank	37593	90.5 %
. (M)	-	1	0.0 %

Based upon 3818 valid cases out of 41554 total cases.

- Mean: 9.62
- Median: 8.00

- Study 22626 -

- Mode: 6.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 6.06

NL35	EH36 22.35 NLB AWC beneficiary			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	-	3123	7.5 %
	1	-	420	1.0 %
	2	-	188	0.5 %
	3	-	351	0.8 %
	8	-	1	0.0 %
	-6 (M)	Out of range	31	0.1 %
	-2 (M)	Valid skip	1	0.0 %
	-1 (M)	Valid blank	37438	90.1 %
	. (M)	-	1	0.0 %

Based upon 4083 valid cases out of 41554 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.93

NL36A	EH36 22.36a NLB AWC:Immunization			
	<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	0	No	2810	6.8 %
	1	Yes	997	2.4 %
	-6 (M)	Out of range	1	0.0 %
	-1 (M)	Valid blank	37745	90.8 %
	. (M)	-	1	0.0 %

- Study 22626 -

Based upon 3807 valid cases out of 41554 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

NL36A1
EH36 22.36a NLB AWC:Immun freq

Location: 2732-2733 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How often.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1325	3.2 %
1	Daily	40	0.1 %
2	<= 1/week	111	0.3 %
3	<= 1/fortnight	45	0.1 %
4	<= 1/month	661	1.6 %
5	<= 1/quarter	97	0.2 %
6	<= 1/year	44	0.1 %
-1 (M)	Valid blank	39230	94.4 %
. (M)	-	1	0.0 %

Based upon 2323 valid cases out of 41554 total cases.

- Mean: 1.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.00

NL36B
EH36 22.36b NLB AWC:Checkup

Location: 2734-2735 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has (name) received health check-up from the Anganwadi Center (ICDS).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3024	7.3 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	738	1.8 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	37790	90.9 %
. (M)	-	1	0.0 %

Based upon 3762 valid cases out of 41554 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

NL36B1
EH36 22.36b NLB AWC:Checkup frq

Location: 2736-2737 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How often.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never	1417	3.4 %
1	Daily	21	0.1 %
2	<= 1/week	49	0.1 %
3	<= 1/fortnight	56	0.1 %
4	<= 1/month	512	1.2 %
5	<= 1/quarter	67	0.2 %
6	<= 1/year	34	0.1 %
-1 (M)	Valid blank	39397	94.8 %
. (M)	-	1	0.0 %

Based upon 2156 valid cases out of 41554 total cases.

- Mean: 1.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.92

NL36C
EH36 22.36c NLB AWC:Food

Location: 2738-2739 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Has (name) received food/meals from the Anganwadi Center (ICDS).

Value	Label	Unweighted Frequency	%
0	No	2891	7.0 %
1	Yes	871	2.1 %
-6 (M)	Out of range	1	0.0 %
-1 (M)	Valid blank	37790	90.9 %
. (M)	-	1	0.0 %

Based upon 3762 valid cases out of 41554 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

NL36C1

EH36 22.36c NLB AWC:Food freq

Location: 2740-2741 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: How often.

Value	Label	Unweighted Frequency	%
0	Never	1398	3.4 %
1	Daily	465	1.1 %
2	<= 1/week	113	0.3 %
3	<= 1/fortnight	16	0.0 %
4	<= 1/month	213	0.5 %
5	<= 1/quarter	21	0.1 %
6	<= 1/year	41	0.1 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	39285	94.5 %
. (M)	-	1	0.0 %

Based upon 2267 valid cases out of 41554 total cases.

- Mean: 0.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00

- Study 22626 -

- Standard Deviation: 1.46

NL36D	EH36 22.36d NLB AWC:Growth																										
Location:	2742-2743 (width: 2; decimal: 0)																										
Variable Type:	numeric																										
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																										
Question:	Has (name) received Growth monitoring from the Anganwadi Center (ICDS).																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">No</td><td style="text-align: right; padding: 2px;">2924</td><td style="text-align: right; padding: 2px;">7.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Yes</td><td style="text-align: right; padding: 2px;">830</td><td style="text-align: right; padding: 2px;">2.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-6 (M)</td><td style="text-align: left; padding: 2px;">Out of range</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">37798</td><td style="text-align: right; padding: 2px;">91.0 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	No	2924	7.0 %	1	Yes	830	2.0 %	-6 (M)	Out of range	1	0.0 %	-1 (M)	Valid blank	37798	91.0 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																								
0	No	2924	7.0 %																								
1	Yes	830	2.0 %																								
-6 (M)	Out of range	1	0.0 %																								
-1 (M)	Valid blank	37798	91.0 %																								
. (M)	-	1	0.0 %																								

Based upon 3754 valid cases out of 41554 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

NL36D1	EH36 22.36d NLB AWC:Growth frq																																										
Location:	2744-2745 (width: 2; decimal: 0)																																										
Variable Type:	numeric																																										
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .																																										
Question:	How often.																																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><i>Value</i></th><th style="text-align: left; padding: 2px;"><i>Label</i></th><th style="text-align: right; padding: 2px;"><i>Unweighted Frequency</i></th><th style="text-align: right; padding: 2px;"><i>%</i></th></tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">0</td><td style="text-align: left; padding: 2px;">Never</td><td style="text-align: right; padding: 2px;">1427</td><td style="text-align: right; padding: 2px;">3.4 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">1</td><td style="text-align: left; padding: 2px;">Daily</td><td style="text-align: right; padding: 2px;">36</td><td style="text-align: right; padding: 2px;">0.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">2</td><td style="text-align: left; padding: 2px;"><= 1/week</td><td style="text-align: right; padding: 2px;">38</td><td style="text-align: right; padding: 2px;">0.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">3</td><td style="text-align: left; padding: 2px;"><= 1/fortnight</td><td style="text-align: right; padding: 2px;">61</td><td style="text-align: right; padding: 2px;">0.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">4</td><td style="text-align: left; padding: 2px;"><= 1/month</td><td style="text-align: right; padding: 2px;">549</td><td style="text-align: right; padding: 2px;">1.3 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">5</td><td style="text-align: left; padding: 2px;"><= 1/quarter</td><td style="text-align: right; padding: 2px;">99</td><td style="text-align: right; padding: 2px;">0.2 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">6</td><td style="text-align: left; padding: 2px;"><= 1/year</td><td style="text-align: right; padding: 2px;">51</td><td style="text-align: right; padding: 2px;">0.1 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">-1 (M)</td><td style="text-align: left; padding: 2px;">Valid blank</td><td style="text-align: right; padding: 2px;">39292</td><td style="text-align: right; padding: 2px;">94.6 %</td></tr> <tr> <td style="text-align: left; padding: 2px;">. (M)</td><td style="text-align: left; padding: 2px;">-</td><td style="text-align: right; padding: 2px;">1</td><td style="text-align: right; padding: 2px;">0.0 %</td></tr> </tbody> </table>				<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	0	Never	1427	3.4 %	1	Daily	36	0.1 %	2	<= 1/week	38	0.1 %	3	<= 1/fortnight	61	0.1 %	4	<= 1/month	549	1.3 %	5	<= 1/quarter	99	0.2 %	6	<= 1/year	51	0.1 %	-1 (M)	Valid blank	39292	94.6 %	. (M)	-	1	0.0 %
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>																																								
0	Never	1427	3.4 %																																								
1	Daily	36	0.1 %																																								
2	<= 1/week	38	0.1 %																																								
3	<= 1/fortnight	61	0.1 %																																								
4	<= 1/month	549	1.3 %																																								
5	<= 1/quarter	99	0.2 %																																								
6	<= 1/year	51	0.1 %																																								
-1 (M)	Valid blank	39292	94.6 %																																								
. (M)	-	1	0.0 %																																								

Based upon 2261 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.00

NL36E	EH36 22.36e NLB AWC:Education		
Location:	2746-2747 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Has (name) received Early childhood/pre-school education from the Anganwadi Center (ICDS).		
Value	Label	Unweighted Frequency	%
0	No	3235	7.8 %
1	Yes	507	1.2 %
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	37810	91.0 %
. (M)	-	1	0.0 %

Based upon 3742 valid cases out of 41554 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

NL36E1	EH36 22.36e NLB AWC:Educ freq		
Location:	2748-2749 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	How often.		
Value	Label	Unweighted Frequency	%
0	Never	1619	3.9 %
1	Daily	378	0.9 %
2	<= 1/week	26	0.1 %
3	<= 1/fortnight	12	0.0 %
4	<= 1/month	56	0.1 %
5	<= 1/quarter	9	0.0 %
6	<= 1/year	36	0.1 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2 (M)	Valid skip	1	0.0 %
-1 (M)	Valid blank	39416	94.9 %
. (M)	-	1	0.0 %

Based upon 2136 valid cases out of 41554 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.10

HQ1

EH37 23.1 Obs: House Type

Location: 2750-2751 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: House/building type.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	Bungalow	7542	18.1 %
2	Shared walls	22149	53.3 %
3	Flat	1281	3.1 %
4	Chawl	3634	8.7 %
5	Slum housing	3926	9.4 %
6	Other	2514	6.0 %
-6 (M)	Out of range	1	0.0 %
-5 (M)	Valid skip	102	0.2 %
-3 (M)	Don't know	5	0.0 %
-2 (M)	Valid skip	68	0.2 %
-1 (M)	Valid blank	330	0.8 %
. (M)	-	1	0.0 %

Based upon 41047 valid cases out of 41554 total cases.

- Mean: 2.56
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.45

- Study 22626 -

HQ2A

EH37 23.2a Obs: House Excrement

Location: 2752-2753 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Surroundings of the house, Human and Animal excrement.

Value	Label	Unweighted Frequency	%
0	No	32111	77.3 %
1	Yes	9034	21.7 %
4	-	1	0.0 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	4	0.0 %
-2 (M)	Valid skip	64	0.2 %
-1 (M)	Valid blank	338	0.8 %
. (M)	-	1	0.0 %

Based upon 41146 valid cases out of 41554 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.41

HQ2B

EH37 23.2b Obs: Stagnant water

Location: 2754-2755 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Surroundings of the house, Stagnant water.

Value	Label	Unweighted Frequency	%
0	No	34364	82.7 %
1	Yes	6750	16.2 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	4	0.0 %
-2 (M)	Valid skip	63	0.2 %
-1 (M)	Valid blank	371	0.9 %
. (M)	-	1	0.0 %

Based upon 41114 valid cases out of 41554 total cases.

- Mean: 0.16
- Median: 0.00

- Study 22626 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

HQ3	EH37 23.3 Obs: Animals kept in			
	Value	Label	Unweighted Frequency	%
Location:	2756-2757	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	Animals (not pets) are kept.			
	0	No animals	27629	66.5 %
	1	Inside living area	3607	8.7 %
	2	Attached room	2710	6.5 %
	3	Outside	7076	17.0 %
	-6 (M)	Out of range	1	0.0 %
	-3 (M)	Don't know	11	0.0 %
	-2 (M)	Valid skip	68	0.2 %
	-1 (M)	Valid blank	451	1.1 %
	. (M)	-	1	0.0 %

Based upon 41022 valid cases out of 41554 total cases.

- Mean: 0.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.17

HQ4	EH37 23.4 Obs: Wall type			
	Value	Label	Unweighted Frequency	%
Location:	2758-2759	(width: 2; decimal: 0)		
Variable Type:	numeric			
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .			
Question:	Predominant wall type.			
	0	-	1	0.0 %
	1	Grass, thatch	1944	4.7 %
	2	Mud,Unburnt bricks	12222	29.4 %
	3	Plastic	160	0.4 %
	4	Wood	391	0.9 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Burnt bricks	8061	19.4 %
6	GI/metal sheets	319	0.8 %
7	Stone	2355	5.7 %
8	Cement/ Concrete	15145	36.4 %
9	Other	566	1.4 %
-5 (M)	Valid skip	41	0.1 %
-4 (M)	Invalid skip	348	0.8 %
. (M)	-	1	0.0 %

Based upon 41164 valid cases out of 41554 total cases.

- Mean: 5.18
- Median: 5.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.68

HQ5

EH37 23.5 Obs: Roof type

Location: 2760-2761 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Predominant roof type.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Grass, mud, wood	8718	21.0 %
2	Tile	8819	21.2 %
3	Slate	2194	5.3 %
4	Plastic	139	0.3 %
5	GI,metal,Asbestos	4271	10.3 %
6	Cement/ Concrete	7024	16.9 %
7	Brick	1682	4.0 %
8	Stone	1647	4.0 %
9	Concrete	6564	15.8 %
10	Other	118	0.3 %
-4 (M)	Invalid skip	377	0.9 %
. (M)	-	1	0.0 %

Based upon 41176 valid cases out of 41554 total cases.

- Mean: 4.42
- Median: 5.00

- Study 22626 -

- Mode: 2.00
 - Minimum: 1.00
 - Maximum: 10.00
 - Standard Deviation: 2.92

HQ6	EH37 23.6 Obs: Floor type		
Location:	2762-2763 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Predominant floor type.		
Value	Label	Unweighted Frequency	%
1	Mud,Unburnt bricks	16794	40.4 %
2	Wood, bamboo	505	1.2 %
3	Brick	745	1.8 %
4	Stone	2643	6.4 %
5	Cement/ Concrete	16183	38.9 %
6	Tiles, Mosaic	3946	9.5 %
7	Other	353	0.8 %
-5 (M)	Valid skip	9	0.0 %
-4 (M)	Invalid skip	354	0.9 %
-3 (M)	Don't know	14	0.0 %
-2 (M)	Valid skip	7	0.0 %
. (M)	-	1	0.0 %

Based upon 41169 valid cases out of 41554 total cases.

- Mean: 3.34
 - Median: 4.00
 - Mode: 1.00
 - Minimum: 1.00
 - Maximum: 7.00
 - Standard Deviation: 2.04

OG1	EH37 24.1 Obs: Purpose		
Location:	2764-2765 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Did you have any difficulty in the beginning conveying the purpose of this interview to the respondent.		
Value	Label	Unweighted Frequency	%
0	No	32804	78.9 %
1	Some difficulty	5360	12.9 %

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Alot difficulty	906	2.2 %
-6 (M)	Out of range	1	0.0 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	1904	4.6 %
-1 (M)	Valid blank	576	1.4 %
. (M)	-	1	0.0 %

Based upon 39070 valid cases out of 41554 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.44

OG2

EH37 24.2 Obs: Understanding

Location: 2766-2767 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Did the respondent have any difficulty understanding the questions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31520	75.9 %
1	Some difficulty	6282	15.1 %
2	Alot difficulty	1049	2.5 %
-3 (M)	Don't know	3	0.0 %
-2 (M)	Valid skip	2131	5.1 %
-1 (M)	Valid blank	568	1.4 %
. (M)	-	1	0.0 %

Based upon 38851 valid cases out of 41554 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.47

OG3

EH37 24.3 Obs: Clarity

Location: 2768-2769 (width: 2; decimal: 0)

- Study 22626 -

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Did the respondent look at you and clearly respond to the questions.

Value	Label	Unweighted Frequency	%
0	No	1220	2.9 %
1	Sometimes	10767	25.9 %
2	Usually	21753	52.3 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	7225	17.4 %
-1 (M)	Valid blank	585	1.4 %
. (M)	-	2	0.0 %

Based upon 33740 valid cases out of 41554 total cases.

- Mean: 1.61
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.56

OG4

EH37 24.4 Obs: Knows expenditure

Location: 2770-2771 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

Question: Was the respondent knowledgeable about health and education expenditure questions.

Value	Label	Unweighted Frequency	%
0	Very little	2880	6.9 %
1	Somewhat	13932	33.5 %
2	Very	17229	41.5 %
-6 (M)	Out of range	2	0.0 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	6899	16.6 %
-1 (M)	Valid blank	609	1.5 %
. (M)	-	1	0.0 %

Based upon 34041 valid cases out of 41554 total cases.

- Mean: 1.42
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00

- Study 22626 -

- Standard Deviation: 0.64

OG5	EH37 24.5 Obs: Confidence
------------	----------------------------------

Location: 2772-2773 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: Was the respondent confident.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	629	1.5 %
1	Sometimes	10601	25.5 %
2	Usually	22420	54.0 %
-3 (M)	Don't know	2	0.0 %
-2 (M)	Valid skip	7307	17.6 %
-1 (M)	Valid blank	594	1.4 %
. (M)	-	1	0.0 %

Based upon 33650 valid cases out of 41554 total cases.

- Mean: 1.65
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.52

OG6	EH37 24.6 Interview end time
------------	-------------------------------------

Location: 2774-2775 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1 , .
 Question: AM/PM.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	AM	74	0.2 %
2	PM	266	0.6 %
-6 (M)	Out of range	40761	98.1 %
-5 (M)	Valid skip	2	0.0 %
-1 (M)	Valid blank	430	1.0 %
. (M)	-	21	0.1 %

Based upon 340 valid cases out of 41554 total cases.

- Mean: 1.78
- Median: 2.00

- Study 22626 -

- Mode: 2.00
 - Minimum: 1.00
 - Maximum: 2.00
 - Standard Deviation: 0.41

OG7	EH37 24.7 Completion status		
Location:	2776-2777 (width: 2; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-7 , -6 , -5 , -4 , -3 , -2 , -1 , .		
Question:	Completion Status.		
Value	Label	Unweighted Frequency	%
1	Complete	39551	95.2 %
2	Incomplete	1698	4.1 %
-6 (M)	Out of range	3	0.0 %
-5 (M)	Valid skip	3	0.0 %
-1 (M)	Valid blank	298	0.7 %
. (M)	-	1	0.0 %

Based upon 41249 valid cases out of 41554 total cases.

- Mean: 1.04
 - Median: 1.00
 - Mode: 1.00
 - Minimum: 1.00
 - Maximum: 2.00
 - Standard Deviation: 0.20

INCOME	HH Total income
Location:	2778-2790 (width: 13; decimal: 2)
Variable Type:	numeric
Question:	Has anyone in the household received any income from any other source last year. Did your household receive any support from the government for house construction, latrines, or chula. Based upon 41553 valid cases out of 41554 total cases.

- Mean: 53922.23
 - Minimum: -108327.80
 - Maximum: 6520261.00
 - Standard Deviation: 83278.41

INCWAGE	HH11_6.8+ HH wage & salary
Location:	2791-2801 (width: 11; decimal: 2)
Variable Type:	numeric
	Based upon 41553 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 29412.48
- Minimum: 0.00
- Maximum: 960000.00
- Standard Deviation: 46889.74

INCSALARY	HH11 6.8+ HH salaries
Location:	2802-2812 (width: 11; decimal: 2)
Variable Type:	numeric
Question:	How much was (name) paid in cash for this work. Based upon 41553 valid cases out of 41554 total cases.
	<ul style="list-style-type: none">• Mean: 20616.97• Minimum: 0.00• Maximum: 960000.00• Standard Deviation: 47750.33
INCAGWAGE	HH11 6.8+ HH ag wages
Location:	2813-2823 (width: 11; decimal: 2)
Variable Type:	numeric
Question:	How much was (name) paid in cash for this (agricultural) work. Based upon 41553 valid cases out of 41554 total cases.
	<ul style="list-style-type: none">• Mean: 3242.54• Minimum: 0.00• Maximum: 155000.00• Standard Deviation: 8155.70
INCNONAGWAGE	HH11 6.8+ HH nonagwages
Location:	2824-2834 (width: 11; decimal: 2)
Variable Type:	numeric
Question:	Based upon 41553 valid cases out of 41554 total cases.
	<ul style="list-style-type: none">• Mean: 5552.24• Minimum: 0.00• Maximum: 292000.00• Standard Deviation: 13516.56
INCBUS	HH12-4 7. Net business inc hh
Location:	2835-2841 (width: 7; decimal: 0)
Variable Type:	numeric
Question:	What was the gross receipt from this business over the last 12 months.

- Study 22626 -

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 10127.29
- Minimum: 0.00
- Maximum: 6190000.00
- Standard Deviation: 50731.66

INCFARM	HH6+ crop net income
Location:	2842-2854 (width: 13; decimal: 2)
Variable Type:	numeric
	Based upon 41553 valid cases out of 41554 total cases.
	<ul style="list-style-type: none">• Mean: 8142.81• Minimum: -211270.00• Maximum: 3929000.00• Standard Deviation: 47732.21
INCANIMALS	HH10,19 animal net inc
Location:	2855-2866 (width: 12; decimal: 2)
Variable Type:	numeric
	Based upon 41553 valid cases out of 41554 total cases.
	<ul style="list-style-type: none">• Mean: 1635.20• Minimum: -85511.05• Maximum: 517774.00• Standard Deviation: 8500.31
INCAGPROP	HH6-9 net ag rental income
Location:	2867-2873 (width: 7; decimal: 0)
Variable Type:	numeric
	Based upon 41553 valid cases out of 41554 total cases.
	<ul style="list-style-type: none">• Mean: 410.84• Minimum: -880000.00• Maximum: 220000.00• Standard Deviation: 7951.79
INCREMIT	HH5 3.13 total HH remittances
Location:	2874-2879 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	How much money has (name) sent/received the hh in the past 12 months.
	Based upon 41553 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 1008.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 610000.00
- Standard Deviation: 7833.64

INCPROP	HH15 8.1-16 property inc, pensions etc.
Location:	2880-2885 (width: 6; decimal: 0)
Variable Type:	numeric Based upon 41553 valid cases out of 41554 total cases.
	<ul style="list-style-type: none">• Mean: 2965.54• Minimum: 0.00• Maximum: 500000.00• Standard Deviation: 13936.44
INCBENEFITS	HH15 8.7-13 govt benefits
Location:	2886-2891 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	How much did the household (combining all benefits) receive in the last 12 months. Based upon 41553 valid cases out of 41554 total cases.
	<ul style="list-style-type: none">• Mean: 220.30• Minimum: 0.00• Maximum: 200000.00• Standard Deviation: 1832.11
INCOTHER	HouseHold question pg15 8.1+ property, pensions etc.
Location:	2892-2897 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	Has anyone in the household received any income from any other source last year. Based upon 41554 valid cases out of 41554 total cases.
	<ul style="list-style-type: none">• Mean: 2965.47• Minimum: 0.00• Maximum: 500000.00• Standard Deviation: 13936.28
INCOME5	HH tot income quint 0=neg
Location:	2898-2899 (width: 2; decimal: 0)
Variable Type:	numeric

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	838	2.0 %
1	Poorest	7256	17.5 %
2	2nd	7139	17.2 %
3	Middle	7802	18.8 %
4	4th	8715	21.0 %
5	Affluent	9803	23.6 %
. (M)	-	1	0.0 %

Based upon 41553 valid cases out of 41554 total cases.

- Mean: 3.10
- Median: 3.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.48

CD2C	Imputed date of interview (CMC)		
Location:	2900-2903 (width: 4; decimal: 0)		
Variable Type:	numeric		
	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1258	8	0.0 %
	1259	1064	2.6 %
	1260	3497	8.4 %
	1261	7060	17.0 %
	1262	6259	15.1 %
	1263	5217	12.6 %
	1264	4912	11.8 %
	1265	4805	11.6 %
	1266	3167	7.6 %
	1267	1968	4.7 %
	1268	1493	3.6 %
	1269	1566	3.8 %
	1270	406	1.0 %
	1271	130	0.3 %
	. (M)	2	0.0 %

Based upon 41552 valid cases out of 41554 total cases.

- Mean: 1263.42
- Median: 1263.00

- Study 22626 -

- Mode: 1261.00
- Minimum: 1258.00
- Maximum: 1271.00
- Standard Deviation: 2.60

EW6C	Imputed date of birth (CMC)
Location:	2904-2907 (width: 4; decimal: 0)
Variable Type:	numeric
	Based upon 33483 valid cases out of 41554 total cases.
	<ul style="list-style-type: none"> • Mean: 861.28 • Minimum: 661.00 • Maximum: 1268.00 • Standard Deviation: 95.83

EW6F	Flag for data of birth																								
Location:	2908-2913 (width: 6; decimal: 0)																								
Variable Type:	numeric																								
	<table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Unweighted Frequency</i></th> <th><i>%</i></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>880</td> <td>2.1 %</td> </tr> <tr> <td>2</td> <td>12258</td> <td>29.5 %</td> </tr> <tr> <td>3</td> <td>957</td> <td>2.3 %</td> </tr> <tr> <td>6</td> <td>19386</td> <td>46.7 %</td> </tr> <tr> <td>8</td> <td>1</td> <td>0.0 %</td> </tr> <tr> <td>900</td> <td>1</td> <td>0.0 %</td> </tr> <tr> <td>. (M)</td> <td>8071</td> <td>19.4 %</td> </tr> </tbody> </table>	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	1	880	2.1 %	2	12258	29.5 %	3	957	2.3 %	6	19386	46.7 %	8	1	0.0 %	900	1	0.0 %	. (M)	8071	19.4 %
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>																							
1	880	2.1 %																							
2	12258	29.5 %																							
3	957	2.3 %																							
6	19386	46.7 %																							
8	1	0.0 %																							
900	1	0.0 %																							
. (M)	8071	19.4 %																							

Based upon 33483 valid cases out of 41554 total cases.

- Mean: 4.35
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 900.00
- Standard Deviation: 5.28

EW5C	Imputed age						
Location:	2914-2915 (width: 2; decimal: 0)						
Variable Type:	numeric						
	<table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Unweighted Frequency</i></th> <th><i>%</i></th> </tr> </thead> <tbody> <tr> <td>6</td> <td>1</td> <td>0.0 %</td> </tr> </tbody> </table>	<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	6	1	0.0 %
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>					
6	1	0.0 %					

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	24	0.1 %
16	68	0.2 %
17	88	0.2 %
18	359	0.9 %
19	388	0.9 %
20	985	2.4 %
21	581	1.4 %
22	1146	2.8 %
23	901	2.2 %
24	1009	2.4 %
25	1738	4.2 %
26	1109	2.7 %
27	908	2.2 %
28	1625	3.9 %
29	850	2.0 %
30	2335	5.6 %
31	703	1.7 %
32	1594	3.8 %
33	947	2.3 %
34	956	2.3 %
35	2340	5.6 %
36	1170	2.8 %
37	873	2.1 %
38	1557	3.7 %
39	694	1.7 %
40	2158	5.2 %
41	486	1.2 %
42	1148	2.8 %
43	671	1.6 %
44	498	1.2 %
45	1584	3.8 %
46	608	1.5 %
47	482	1.2 %
48	655	1.6 %
49	244	0.6 %
. (M)	8071	19.4 %

Based upon 33483 valid cases out of 41554 total cases.

- Mean: 33.02
- Median: 33.00

- Study 22626 -

- Mode: 35.00
- Minimum: 6.00
- Maximum: 49.00
- Standard Deviation: 7.99

MH1BC	Imputed date of marriage
Location:	2916-2919 (width: 4; decimal: 0)
Variable Type:	numeric
	Based upon 33483 valid cases out of 41554 total cases.

- Mean: 1074.10
- Minimum: 30.00
- Maximum: 1268.00
- Standard Deviation: 103.70

MH1BF	Flag for date of marriage		
Location:	2920-2925 (width: 6; decimal: 0)		
Variable Type:	numeric		

Value	Unweighted Frequency	%
1	18229	43.9 %
2	1657	4.0 %
3	4024	9.7 %
4	3864	9.3 %
6	5660	13.6 %
7	2	0.0 %
8	46	0.1 %
1094	1	0.0 %
. (M)	8071	19.4 %

Based upon 33483 valid cases out of 41554 total cases.

- Mean: 2.52
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1094.00
- Standard Deviation: 6.26

MH1AC	Imputed age at marriage
Location:	2926-2927 (width: 2; decimal: 0)
Variable Type:	numeric

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2	0.0 %
2	3	0.0 %
3	3	0.0 %
4	5	0.0 %
5	23	0.1 %
6	23	0.1 %
7	35	0.1 %
8	54	0.1 %
9	55	0.1 %
10	468	1.1 %
11	535	1.3 %
12	931	2.2 %
13	1433	3.4 %
14	2724	6.6 %
15	3863	9.3 %
16	4013	9.7 %
17	4327	10.4 %
18	4400	10.6 %
19	2874	6.9 %
20	2600	6.3 %
21	1400	3.4 %
22	1137	2.7 %
23	771	1.9 %
24	602	1.4 %
25	451	1.1 %
26	237	0.6 %
27	156	0.4 %
28	127	0.3 %
29	80	0.2 %
30	60	0.1 %
31	28	0.1 %
32	16	0.0 %
33	6	0.0 %
34	8	0.0 %
35	13	0.0 %
36	5	0.0 %
37	5	0.0 %
38	2	0.0 %
39	3	0.0 %
40	3	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
45	1	0.0 %
47	1	0.0 %
. (M)	8071	19.4 %

Based upon 33483 valid cases out of 41554 total cases.

- Mean: 17.34
- Median: 17.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 47.00
- Standard Deviation: 3.56

MH2BC

Imputed date of gauna

Location: 2928-2931 (width: 4; decimal: 0)

Variable Type: numeric

Based upon 33483 valid cases out of 41554 total cases.

- Mean: 1080.89
- Minimum: 16.00
- Maximum: 1269.00
- Standard Deviation: 101.39

MH2BF

Flag for date of gauna

Location: 2932-2937 (width: 6; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	18070	43.5 %
2	1678	4.0 %
3	4038	9.7 %
4	3716	8.9 %
6	5931	14.3 %
7	2	0.0 %
8	47	0.1 %
1094	1	0.0 %
. (M)	8071	19.4 %

Based upon 33483 valid cases out of 41554 total cases.

- Mean: 2.55
- Median: 1.00

- Study 22626 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 1094.00
- Standard Deviation: 6.27

MH2AC	Imputed age at gauna		
	Value	Unweighted Frequency	%
	1	1	0.0 %
	2	1	0.0 %
	5	1	0.0 %
	7	3	0.0 %
	8	4	0.0 %
	9	15	0.0 %
	10	61	0.1 %
	11	132	0.3 %
	12	455	1.1 %
	13	1041	2.5 %
	14	2153	5.2 %
	15	3636	8.8 %
	16	4426	10.7 %
	17	4573	11.0 %
	18	5021	12.1 %
	19	3437	8.3 %
	20	2916	7.0 %
	21	1652	4.0 %
	22	1228	3.0 %
	23	848	2.0 %
	24	597	1.4 %
	25	481	1.2 %
	26	262	0.6 %
	27	162	0.4 %
	28	136	0.3 %
	29	82	0.2 %
	30	59	0.1 %
	31	34	0.1 %
	32	16	0.0 %
	33	7	0.0 %
	34	9	0.0 %
	35	12	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	3	0.0 %
37	7	0.0 %
38	4	0.0 %
39	3	0.0 %
40	2	0.0 %
43	1	0.0 %
45	1	0.0 %
46	1	0.0 %
. (M)	8071	19.4 %

Based upon 33483 valid cases out of 41554 total cases.

- Mean: 17.88
- Median: 18.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 46.00
- Standard Deviation: 3.22

MH18BC	Imputed date of first marriage
---------------	---------------------------------------

Location: 2940-2943 (width: 4; decimal: 0)

Variable Type: numeric

Based upon 370 valid cases out of 41554 total cases.

- Mean: 1009.68
- Median: 1014.00
- Mode: 928.00
- Minimum: 16.00
- Maximum: 1226.00
- Standard Deviation: 108.74

MH18BF	Flag for date of first marriage
---------------	--

Location: 2944-2945 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	109	0.3 %
2	20	0.0 %
3	56	0.1 %
4	51	0.1 %
6	129	0.3 %
8	4	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	41185	99.1 %

Based upon 369 valid cases out of 41554 total cases.

- Mean: 3.60
- Median: 3.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.11

MH18AC

Imputed age at first marriage

Location: 2946-2947 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	1	0.0 %
6	1	0.0 %
7	2	0.0 %
8	2	0.0 %
9	2	0.0 %
10	25	0.1 %
11	31	0.1 %
12	36	0.1 %
13	37	0.1 %
14	46	0.1 %
15	47	0.1 %
16	41	0.1 %
17	27	0.1 %
18	29	0.1 %
19	13	0.0 %
20	13	0.0 %
21	3	0.0 %
22	4	0.0 %
23	3	0.0 %
24	2	0.0 %
25	1	0.0 %
26	1	0.0 %
29	2	0.0 %
. (M)	41185	99.1 %

Based upon 369 valid cases out of 41554 total cases.

- Study 22626 -

- Mean: 14.72
- Median: 15.00
- Mode: 15.00
- Minimum: 5.00
- Maximum: 29.00
- Standard Deviation: 3.42

MH19BC **Imputed date of first gauna**

Location: 2948-2951 (width: 4; decimal: 0)

Variable Type: numeric

Based upon 369 valid cases out of 41554 total cases.

- Mean: 1025.59
- Median: 1023.00
- Mode: 1018.00
- Minimum: 815.00
- Maximum: 1253.00
- Standard Deviation: 93.62

MH19BF **Flag for date of first gauna**

Location: 2952-2953 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	108	0.3 %
2	19	0.0 %
3	48	0.1 %
4	28	0.1 %
5	4	0.0 %
6	115	0.3 %
7	3	0.0 %
8	44	0.1 %
. (M)	41185	99.1 %

Based upon 369 valid cases out of 41554 total cases.

- Mean: 4.02
- Median: 4.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.49

- Study 22626 -

MH19AC

Imputed age at first gauna

Location:

2954-2955 (width: 2; decimal: 0)

Variable Type:

numeric

Value	Unweighted Frequency	%
8	1	0.0 %
9	2	0.0 %
10	10	0.0 %
11	17	0.0 %
12	20	0.0 %
13	33	0.1 %
14	42	0.1 %
15	70	0.2 %
16	44	0.1 %
17	38	0.1 %
18	26	0.1 %
19	19	0.0 %
20	20	0.0 %
21	8	0.0 %
22	5	0.0 %
23	5	0.0 %
24	3	0.0 %
25	2	0.0 %
26	1	0.0 %
27	1	0.0 %
29	2	0.0 %
. (M)	41185	99.1 %

Based upon 369 valid cases out of 41554 total cases.

- Mean: 15.79
- Median: 15.00
- Mode: 15.00
- Minimum: 8.00
- Maximum: 29.00
- Standard Deviation: 3.28