

Dozzle Setup and Authentication Guide

Overview

This document explains how to configure and run Dozzle with authentication using Docker Compose and a user configuration file.

Dozzle is a lightweight log viewer for Docker containers that provides a web-based interface to monitor logs in real-time.

1. Docker Compose Configuration

version: "3.8"

services:

dozzle:

image: amir20/dozzle:latest

container_name: dozzle

ports:

- "9999:8080"

volumes:

- /var/run/docker.sock:/var/run/docker.sock

- ./users.yml:/data/users.yml

environment:

- DOZZLE_ENABLE_ACTIONS=true

- DOZZLE_FILTER=label=dozzle.enable=true

- DOZZLE_AUTH_PROVIDER=simple

restart: unless-stopped

Key Configurations Explained

- **Port Mapping:** Maps container port 8080 to host port 9999
- **Docker Socket:** Allows Dozzle to access Docker logs
- **Users File:** Mounts authentication config
- **Authentication Provider:** Enables simple username/password auth
- **Filter:** Only shows containers with label `dozzle.enable=true`
- **Actions Enabled:** Allows container actions like restart/stop

2. Users Configuration File (users.yml)

```
users:
  admin:
    email: ""
    name: "admin"
    password: ""
    filter: ""
    roles: ""
```

Fields Explanation

- **email:** Optional user email
- **name:** Display name
- **password:** Hashed password (NOT plain text)
- **filter:** Restrict visible containers
- **roles:** Define permissions (optional)

3. Generate Secure Password

Dozzle does not accept plain text passwords. You must generate a hashed password.

Run the following command:

```
docker run --rm amir20/dozzle generate admin --password "password"
```

Output Example

```
admin:$2a$10$xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

4. Update users.yml

Replace the password field with the generated hash:

```
users:
  admin:
```

```
email: ""
name: "admin"
password: "$2a$10$xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx"
filter: ""
roles: ""
```

5. Start Dozzle

```
docker-compose up -d
```

6. Access Dozzle UI

Open browser:

`http://<your-server-ip>:9999`

Login credentials:

- Username: admin
 - Password: password (the one you used during generation)
-

7. Enable Containers for Logging

Since filtering is enabled, only containers with the label below will appear in the Dozzle UI:

Option 1: Add Label While Running Container

```
docker run -d \
  --label dozzle.enable=true \
  nginx
```

Option 2: Add Label in Docker Compose (Recommended)

If you are using Docker Compose for your services, add the label under the service definition:

```
services:
  my-app:
```

image: nginx

labels:

- dozzle.enable=true

This ensures that containers are automatically visible in Dozzle UI when started.