

U18CO018
Shubham Shekhaliya
Assignment-3
Subject:- Computer Graphics
Topic:- Graphics Function

Main Code:


```
int main() {  
    int gd = DETECT, gm;  
    initgraph(&gd,&gm,"");  
    // 1  
    home();  
    // 2  
    getch();  
    cleardevice();  
    graphdefaults();  
    kite();  
    // 3  
    getch();  
    cleardevice();  
    graphdefaults();  
    flag();  
    // 4  
    getch();  
    cleardevice();  
    graphdefaults();  
    movingcar();  
    // 5  
    getch();  
    cleardevice();  
    graphdefaults();  
    linedrawing();  
    // End  
    getch();  
    closegraph();  
    return 0;  
}
```

1. Write a program to design a House and color it using pre-defined functions of graphics.h.

Code:-

```
void home() {  
    // Triangle  
    line(100,150, 160,80);  
    line(160,80,220,150);  
    line(220,150,100,150);  
  
    // parallelogram  
    line(160,80,420,80);  
    line(420,80,480,150);  
    line(480,150,220,150);  
  
    //rectangle  
    line(100,150,100,350);  
    line(100,350,220,350);  
    line(220,350,220,150);  
  
    //rectanlge  
    line(480,150,480,350);  
    line(480,350,220,350);  
  
    //door  
    line(120,350,120,200);  
    line(120,200,200,200);  
    line(200,200,200,350);  
  
    //window  
    line(260,200,440,200);  
    line(440,200,440,280);  
    line(440,280,260,280);  
    line(260,280,260,200);  
  
    setfillstyle(9, 6);  
    floodfill(121,201,WHITE);  
    setfillstyle(10, 7);  
    floodfill(261,201,WHITE);  
    setfillstyle(11,3);  
    floodfill(151,149,WHITE);  
    floodfill(221,151,WHITE);  
    floodfill(151,151,WHITE);  
    floodfill(221,149,WHITE);  
}
```

Output:-



2. Write a program to draw a Kite and color it using pre-defined functions of graphics.h.

Code:-

```
void kite() {  
    line(200,200,300,100);  
    line(300,100,400,200);  
    line(400,200,300,300);  
    line(300,300,200,200);  
    line(300,100,300,300);  
  
    arc(300,300,45,135,140);  
    setfillstyle(SOLID_FILL,BLUE);  
  
    floodfill(301,105,WHITE);  
    setfillstyle(SOLID_FILL,LIGHTRED);  
  
    floodfill(299,105,WHITE);  
    setfillstyle(SOLID_FILL,BLUE);  
}
```


```

floodfill(299,275,WHITE);
setfillstyle(SOLID_FILL,LIGHTRED);
floodfill(301,275,WHITE);

line(300,300,250,350);
line(250,350,350,350);
line(300,300,350,350);
setfillstyle(SOLID_FILL,YELLOW);
floodfill(300,310,WHITE);
}

```

Output:-



3. Write a program for drawing India's National Flag and Color it properly using pre-defined functions of graphics.h.

Code:-

```

void flag() {
    int maxx = getmaxx();
    int maxy = getmaxy();

    rectangle(0,0,maxx,maxy/3);
    rectangle(0,maxy/3,maxx,2*maxy/3);
}

```

```

rectangle(0,2*maxy/3,maxx,maxy);

setfillstyle(SOLID_FILL,BROWN);
floodfill(1,1,WHITE);

setfillstyle(SOLID_FILL,WHITE);
floodfill(maxx/2,maxy/2,WHITE);


setfillstyle(SOLID_FILL,GREEN);
floodfill(maxx/2,2*maxy/3+5,WHITE);

setcolor(BLUE);
int a = maxx/2, b = maxy/2,r = maxy/6 - 5;
circle(a,b, maxy/6 -5);

for(int i = 0;i<=360;i += 15) {
    int tx = r*cos(i*3.14/180);
    int ty = r*sin(i*3.14/180);
    line(a,b,a+tx,b - ty);
}
}

```

Output:-



4. Write a program for displaying a Moving Car using pre-defined functions of graphics.h.

Code:-

```
void movingcar() {
    for(int i = 0; i < 250; i++) {

        cleardevice();
        line(0, 290, 639, 290);
        line(50 + i, 270, 90 + i, 270);
        arc(110 + i, 270, 0, 180, 20);
        line(130 + i, 270, 220 + i, 270);
        arc(240 + i, 270, 0, 180, 20);
        line(260 + i, 270, 300 + i, 270);
        arc(300 + i, 260, 270, 90, 10);
        line(300 + i, 250, 240 + i, 230);
        line(240 + i, 230, 200 + i, 200);
        line(200 + i, 200, 110 + i, 200);
        line(110 + i, 200, 80 + i, 230);
        line(80 + i, 230, 50 + i, 240);
        line(50 + i, 240, 50 + i, 270);


        line(165 + i, 205, 165 + i, 230);
        line(165 + i, 230, 230 + i, 230);
        line(230 + i, 230, 195 + i, 205);
        line(195 + i, 205, 165 + i, 205);

        line(160 + i, 205, 160 + i, 230);
        line(160 + i, 230, 95 + i, 230);
        line(95 + i, 230, 120 + i, 205);
        line(120 + i, 205, 160 + i, 205);

        circle(110 + i, 270, 17);
        circle(240 + i, 270, 17);

        circle(110 + i, 270, 15);
        circle(240 + i, 270, 15);
        delay(10);
    }
}
```

Output:-



5. Write a menu driven program for following line drawing algorithms.

I. DDA Algorithm

II. Bresenham's Line Algorithm.

Code:-

```
void dda(int x0, int y0, int x1, int y1) {  
    int i;  
    float x,y,dx,dy, steps;  
    dx = (float)(x1 - x0);  
    dy = (float)(y1 - y0);  
    if(dx>=dy) {  
        steps = dx;  
    }  
    else {  
        steps = dy;  
    }  
    dx = dx/steps;  
    dy = dy/steps;  
    x = x0;  
    y = y0;  
    i = 1;
```

```

        while(i<= steps) {
            putpixel(x, y,WHITE);
            x += dx;
            y += dy;
            i=i+1;
        }
    }

void bresenham (int x0, int y0, int x1, int y1) {
    int dx, dy, p, x, y;
    dx=x1-x0;
    dy=y1-y0;
    x=x0;
    y=y0;
    p=2*dy-dx;
    while(x<x1) {
        if(p>=0) {
            putpixel(x,y,WHITE);
            y=y+1;
            p=p+2*dy-2*dx;
        }
        else {
            putpixel(x,y,WHITE);
            p=p+2*dy;
        }
        x=x+1;
    }
}

void linedrawing() {
    while(1) {
        printf("1 for DDA Algorithm \n");
        printf("2 for Bresenham Algorithm \n");
        printf("3 for Exit \n");
        int d;
        scanf("%d",&d);
        if(d==1 || d==2) {
            int x0,y0,x1,y1;
            printf("Enter x0,y0, x1,y1 space separated\n");
            scanf("%d %d %d %d",&x0,&y0,&x1,&y1);


            if(d==1) {
                dda(x0,y0,x1,y1);
            } else {
                bresenham(x0,y0,x1,y1);
            }
        }
    }
}

```



```
        getch();
    } else {
        break;
    }
}
```

Output:-



```
E:\Asem6\cg\practical\Assignment3\Project1.exe
1 for DDA Algorithm
2 for Bresenham Algorithm
3 for Exit
2
Enter x0,y0, x1,y1 space separated
200 200 500 200
1 for DDA Algorithm
2 for Bresenham Algorithm
3 for Exit
1
Enter x0,y0, x1,y1 space separated
200 200 200 500
1 for DDA Algorithm
2 for Bresenham Algorithm
3 for Exit
3

-----
Process exited after 71.91 seconds with return value 0
Press any key to continue . . .
```