

MITRE ATT&CK Software Analysis (S0600–S0610)

S0600 — Doki

Name & Type

- Name: Doki
- Type: Backdoor / Malware

Description

Doki is a Linux-based backdoor that targets Docker environments and cloud servers. It uses a unique Domain Generation Algorithm (DGA) based on the Dogecoin blockchain to locate its command-and-control (C2) server.

Threat Actor Association

- Linked with cryptojacking campaigns and cloud-focused threat actors.

Supported Platforms

- Linux
- Docker containers
- Cloud environments

ATT&CK Techniques Used

- T1059 – Command and Scripting Interpreter
- T1105 – Ingress Tool Transfer
- T1071 – Application Layer Protocol
- T1496 – Resource Hijacking

Execution Method

- Executed through compromised Docker APIs and malicious containers.

Persistence Techniques

- Malicious Docker containers configured to restart automatically.

Privilege Escalation

- Exploits weak Docker configurations and root container privileges.

Defense Evasion

- Uses Dogecoin blockchain-based DGA to hide C2 infrastructure.

Credential Access

- Attempts to collect cloud and Docker credentials.

Discovery Techniques

- Scans cloud instances and Docker environments.

Lateral Movement

- Moves through exposed Docker services and cloud workloads.

Command & Control

- Communicates using dynamically generated domains.

Exfiltration

- Limited exfiltration; primarily used for cryptomining and backdoor access.

Impact Analysis

- Resource abuse, cloud cost increase, unauthorized remote access.

Indicators of Compromise (IOCs)

- Suspicious Docker containers
- Unknown outbound DNS requests
- High CPU usage due to cryptomining

Detection & Mitigation

- Disable exposed Docker APIs
- Monitor unusual container activity
- Use endpoint detection tools
- Apply least privilege configurations

References & Sources

- MITRE ATT&CK: <https://attack.mitre.org/software/S0600/>
- Security research blogs on Doki malware

S0601 — DropBook

Name & Type

- Name: DropBook
- Type: Malware

Description

DropBook is malware associated with espionage campaigns. It is designed for persistence and data theft operations.

Threat Actor Association

- Associated with targeted cyber espionage groups.

Supported Platforms

- Windows

ATT&CK Techniques Used

- T1055 – Process Injection
- T1059 – Command and Scripting Interpreter
- T1027 – Obfuscated Files or Information

Execution Method

- Delivered through phishing emails and malicious attachments.

Persistence Techniques

- Registry Run keys
- Scheduled tasks

Privilege Escalation

- Uses compromised administrator credentials.

Defense Evasion

- Code obfuscation and encrypted payloads.

Credential Access

- May attempt credential dumping.

Discovery Techniques

- Enumerates system information and user accounts.

Lateral Movement

- SMB-based movement across systems.

Command & Control

- HTTP/HTTPS communication.

Exfiltration

- Sends collected data to remote servers.

Impact Analysis

- Information theft and unauthorized surveillance.

Indicators of Compromise (IOCs)

- Suspicious registry modifications
- Unknown scheduled tasks
- Unusual outbound HTTP traffic

Detection & Mitigation

- Email filtering
- Endpoint detection and response (EDR)
- Restrict macro execution

References & Sources

- MITRE ATT&CK: <https://attack.mitre.org/software/S0601/>
-

S0602 — Circles

Name & Type

- Name: Circles
- Type: Spyware / Surveillance Platform

Description

Circles is a surveillance platform that abuses SS7 telecom protocols to intercept SMS messages, calls, and track mobile users.

Threat Actor Association

- Commercial surveillance vendor operations.

Supported Platforms

- Mobile telecommunications infrastructure

ATT&CK Techniques Used

- T1430 – Location Tracking
- T1412 – Capture SMS Messages
- T1429 – Audio Capture

Execution Method

- Exploits SS7 telecommunications vulnerabilities.

Persistence Techniques

- Persistent telecom-level access.

Privilege Escalation

- Telecom infrastructure privileges.

Defense Evasion

- Uses legitimate telecom signaling mechanisms.

Credential Access

- Intercepts authentication SMS codes.

Discovery Techniques

- Tracks subscriber location data.

Lateral Movement

- Not commonly applicable.

Command & Control

- Telecom network communication.

Exfiltration

- SMS, call metadata, and location information.

Impact Analysis

- Privacy invasion and surveillance.

Indicators of Compromise (IOCs)

- Unusual SS7 signaling activity
- Suspicious SMS rerouting

Detection & Mitigation

- SS7 firewall deployment
- Telecom monitoring solutions
- Multi-factor authentication alternatives

References & Sources

- MITRE ATT&CK: <https://attack.mitre.org/software/S0602/>
-

S0603 — Rootkit GTM

Name & Type

- Name: Rootkit GTM
- Type: Rootkit

Description

Rootkit GTM is used to hide malicious activity and maintain stealthy persistence on infected systems.

Threat Actor Association

- Advanced persistent threat (APT) groups.

Supported Platforms

- Windows

ATT&CK Techniques Used

- T1014 – Rootkit
- T1562 – Impair Defenses
- T1027 – Obfuscated Files or Information

Execution Method

- Installed after initial compromise.

Persistence Techniques

- Kernel-level persistence.

Privilege Escalation

- Kernel driver manipulation.

Defense Evasion

- Hides files, processes, and registry entries.

Credential Access

- Possible interception of authentication data.

Discovery Techniques

- Collects system-level information.

Lateral Movement

- Supports hidden attacker access.

Command & Control

- Stealth communication channels.

Exfiltration

- Hidden data transfer mechanisms.

Impact Analysis

- Long-term stealth compromise.

Indicators of Compromise (IOCs)

- Hidden drivers
- Modified kernel modules
- Security tool malfunction

Detection & Mitigation

- Kernel integrity monitoring
- Driver signature enforcement
- Advanced EDR tools

References & Sources

- MITRE ATT&CK: <https://attack.mitre.org/software/S0603/>
-

S0604 — ElectroRAT

Name & Type

- Name: ElectroRAT
- Type: Remote Access Trojan (RAT)

Description

ElectroRAT targets cryptocurrency users and steals wallet information using cross-platform malware.

Threat Actor Association

- Cryptocurrency-focused cybercriminals.

Supported Platforms

- Windows
- Linux
- macOS

ATT&CK Techniques Used

- T1059 – Command and Scripting Interpreter
- T1082 – System Information Discovery
- T1555 – Credentials from Password Stores

Execution Method

- Fake cryptocurrency applications and forums.

Persistence Techniques

- Startup folders and scheduled tasks.

Privilege Escalation

- User privilege abuse.

Defense Evasion

- Obfuscated JavaScript and Electron framework abuse.

Credential Access

- Wallet and browser credential theft.

Discovery Techniques

- System and wallet enumeration.

Lateral Movement

- Limited.

Command & Control

- HTTP/HTTPS-based communication.

Exfiltration

- Cryptocurrency wallet data and credentials.

Impact Analysis

- Financial theft and compromised crypto wallets.

Indicators of Compromise (IOCs)

- Unknown Electron-based applications
- Suspicious outbound traffic

Detection & Mitigation

- Verify cryptocurrency software sources
- Monitor wallet access behavior
- Use multi-factor authentication

References & Sources

- MITRE ATT&CK: <https://attack.mitre.org/software/S0604/>
-

S0605 — GoldenSpy

Name & Type

- Name: GoldenSpy
- Type: Backdoor

Description

GoldenSpy was discovered hidden inside Chinese tax software and provided remote attacker access.

Threat Actor Association

- Suspected state-linked operations.

Supported Platforms

- Windows

ATT&CK Techniques Used

- T1059 – Command and Scripting Interpreter
- T1547 – Boot or Logon Autostart Execution
- T1071 – Application Layer Protocol

Execution Method

- Installed alongside tax software.

Persistence Techniques

- Windows services and scheduled tasks.

Privilege Escalation

- Service-level privileges.

Defense Evasion

- Masquerading as legitimate software.

Credential Access

- Potential credential collection.

Discovery Techniques

- Enumerates system details.

Lateral Movement

- May leverage administrative shares.

Command & Control

- Communicates over HTTP.

Exfiltration

- Sends system information to external servers.

Impact Analysis

- Unauthorized remote access and espionage risk.

Indicators of Compromise (IOCs)

- Suspicious services
- Unknown scheduled tasks
- Tax software spawning unexpected processes

Detection & Mitigation

- Verify software integrity
- Monitor outbound connections
- Restrict unnecessary software execution

References & Sources

- MITRE ATT&CK: <https://attack.mitre.org/software/S0605/>
-

S0606 — PowerPunch

Name & Type

- Name: PowerPunch
- Type: Malware Loader

Description

PowerPunch is a PowerShell-based malware loader used to deploy additional payloads.

Threat Actor Association

- Associated with targeted malware campaigns.

Supported Platforms

- Windows

ATT&CK Techniques Used

- T1059.001 – PowerShell
- T1105 – Ingress Tool Transfer
- T1027 – Obfuscated Files or Information

Execution Method

- Malicious documents and PowerShell scripts.

Persistence Techniques

- Scheduled tasks and registry modifications.

Privilege Escalation

- Uses existing user privileges.

Defense Evasion

- PowerShell obfuscation.

Credential Access

- Can deploy credential theft payloads.

Discovery Techniques

- Collects host information.

Lateral Movement

- Possible via remote PowerShell.

Command & Control

- PowerShell web requests.

Exfiltration

- Transfers stolen data or additional malware.

Impact Analysis

- Enables multi-stage malware infection.

Indicators of Compromise (IOCs)

- Encoded PowerShell commands
- Suspicious scheduled tasks

Detection & Mitigation

- Restrict PowerShell execution
- Enable PowerShell logging
- Use application whitelisting

References & Sources

- MITRE ATT&CK: <https://attack.mitre.org/software/S0606/>
-

S0607 — FatDuke

Name & Type

- Name: FatDuke
- Type: Malware

Description

FatDuke is malware associated with APT29 and used in espionage campaigns.

Threat Actor Association

- APT29 / Cozy Bear

Supported Platforms

- Windows

ATT&CK Techniques Used

- T1055 – Process Injection
- T1071 – Application Layer Protocol
- T1027 – Obfuscated Files or Information

Execution Method

- Delivered through phishing campaigns.

Persistence Techniques

- Registry Run keys and scheduled tasks.

Privilege Escalation

- Uses compromised credentials.

Defense Evasion

- Encryption and obfuscation.

Credential Access

- Credential theft modules.

Discovery Techniques

- Network and system discovery.

Lateral Movement

- SMB and credential reuse.

Command & Control

- Encrypted network communication.

Exfiltration

- Sensitive document theft.

Impact Analysis

- Espionage and long-term compromise.

Indicators of Compromise (IOCs)

- Encrypted suspicious traffic
- Unknown injected processes

Detection & Mitigation

- Network monitoring
- Multi-factor authentication
- Threat hunting for process injection

References & Sources

- MITRE ATT&CK: <https://attack.mitre.org/software/S0607/>
-

S0608 — Zebracon

Name & Type

- Name: Zebracon
- Type: Malware

Description

Zebracon is lightweight malware used in targeted attacks for remote access and espionage.

Threat Actor Association

- Associated with APT campaigns.

Supported Platforms

- Windows

ATT&CK Techniques Used

- T1071 – Application Layer Protocol
- T1059 – Command and Scripting Interpreter
- T1105 – Ingress Tool Transfer

Execution Method

- Malicious files and spear-phishing.

Persistence Techniques

- Registry persistence.

Privilege Escalation

- Uses stolen credentials.

Defense Evasion

- Small malware footprint.

Credential Access

- Credential harvesting possible.

Discovery Techniques

- System and network reconnaissance.

Lateral Movement

- Remote service exploitation.

Command & Control

- HTTP-based communication.

Exfiltration

- Transfers sensitive information.

Impact Analysis

- Espionage and unauthorized access.

Indicators of Compromise (IOCs)

- Suspicious outbound HTTP requests
- Unknown executable files

Detection & Mitigation

- EDR deployment
- Email security controls
- User awareness training

References & Sources

- MITRE ATT&CK: <https://attack.mitre.org/software/S0608/>
-

S0609 — DEADEYE

Name & Type

- Name: DEADEYE
- Type: Malware

Description

DEADEYE is malware used in espionage-focused cyber operations.

Threat Actor Association

- Associated with advanced threat campaigns.

Supported Platforms

- Windows

ATT&CK Techniques Used

- T1071 – Application Layer Protocol
- T1055 – Process Injection
- T1027 – Obfuscated Files or Information

Execution Method

- Delivered through malicious attachments.

Persistence Techniques

- Startup entries and registry keys.

Privilege Escalation

- Exploits local privileges.

Defense Evasion

- Obfuscation and stealth execution.

Credential Access

- Potential credential dumping.

Discovery Techniques

- System discovery and process enumeration.

Lateral Movement

- SMB and remote services.

Command & Control

- Encrypted HTTP communication.

Exfiltration

- Exfiltrates stolen information.

Impact Analysis

- Espionage and data compromise.

Indicators of Compromise (IOCs)

- Suspicious registry changes
- Unexpected network traffic

Detection & Mitigation

- Monitor registry modifications
- Deploy EDR solutions
- Patch vulnerable systems

References & Sources

- MITRE ATT&CK: <https://attack.mitre.org/software/S0609/>
-

S0610 — SideTwist

Name & Type

- Name: SideTwist
- Type: Backdoor

Description

SideTwist is a backdoor linked to the OilRig threat group and used for espionage operations.

Threat Actor Association

- OilRig (APT34)

Supported Platforms

- Windows

ATT&CK Techniques Used

- T1071 – Application Layer Protocol
- T1059 – Command and Scripting Interpreter
- T1105 – Ingress Tool Transfer

Execution Method

- Delivered through spear-phishing attachments.

Persistence Techniques

- Registry Run keys and scheduled tasks.

Privilege Escalation

- Uses stolen credentials and privilege abuse.

Defense Evasion

- Uses encrypted communications and obfuscation.

Credential Access

- Credential collection modules.

Discovery Techniques

- Enumerates systems and network resources.

Lateral Movement

- Uses remote services and credential reuse.

Command & Control

- HTTP/HTTPS communication with attacker servers.

Exfiltration

- Sensitive files and collected system data.

Impact Analysis

- Espionage, persistent access, and data theft.

Indicators of Compromise (IOCs)

- Suspicious HTTP traffic
- Unknown scheduled tasks
- Registry persistence entries

Detection & Mitigation

- Network traffic analysis
- Restrict macro execution
- Implement MFA and EDR tools

References & Sources

- MITRE ATT&CK: <https://attack.mitre.org/software/S0610/>
- Security research on OilRig malware