Com S 327 Fall 2016

Midterm Exam

```
5 points each
                                                                                    partial credit:
1. (a) You remind me of the babe.
                                                                                    b: 3 for wrong or-
    (b) In nine hours and twenty-three minutes... you'll be mine
                                                                                    c: 1 for "sense of
    (c) Error: Attempt to modify constant data
                                                                                    smell"
                                                                                    d: 3 for miscount
    (d) against the rules
                                                                                    e: 2 for "!nwod
                                                                                    esohc shS"
    (e) Error: Run past the beginning of the array (no null at beginning!)
                                                                                    3 for "!nwod es-
                                                                                    ohc shS" +...
    (f) No output
                                                                                    f: 1 for reversed
                                                                                    string
                                                                                    4 for type of a
2. (a) void swap(int *a, int *b)
                                                                                    4 for type of b
                                                                                    2 for swapping
            int tmp;
                                                                                    -6 failure to deref-
                                                                                    erence
                                                                                    -2 illegal function
            tmp = *a;
            *a = *b;
            *b = tmp;
         }
                                                                                    6 for type of p
                                                                                       for single
    (b) void freeplusplus(void **p)
                                                                                    pointer
                                                                                    2 for free call
                                                                                    2 for assignment
            free(*p);
                                                                                    -2 return a value
            *p = NULL;
                                                                                    -2 arg not void
                                                                                    -2 llegal function
```

```
3 points each for:
(c) char *strndup(const char *s, size_t n)
                                                                            call malloc()
                                                                            argument to mal-
                                                                            loc()
       char *o;
                                                                            write null termi-
                                                                            nator
       int i;
                                                                            return pointer
                                                                            return NULL
       /* Extra byte for null terminator */
                                                                            3 for the first and 2
                                                                            for the second of:
       if ((o = malloc(n + 1))) {
                                                                            loop terminates at
          for (i = 0; i < n && *s; i++, s++) {
                                                                            loop terminates at
            o[i] = *s;
                                                                            end of s
                                                                            -2 leak
                                                                            -2 illegal function
         o[i] = ' \setminus 0';
                                                                            -6 strdup()
       }
       return o;
    }
                                                                            3 points each
                                                                            No partial credit
```

- 3. (a) b: a was never allocated.
 - (b) b: i was never allocated.
 - (c) a
 - (d) a
 - (e) b: double free().
 - (f) b or c: *i was never allocated. i is leaked. Type error.
 - (g) c: Cannot assign a character pointer to an array.
 - (h) b: No storage allocated for copy, and s points into read-only memory.
 - (i) a
 - (j) a
- 4. You have no power over me!

give point if at least half of letters are correct