

C PROGRAMMING MCQ TEST1 –

Question 1:

```
int a = printf("firstBit") && printf("Solutions");  
printf("%d", a);
```

- (a) firstBitSolutions0
- (b) firstBitSolutions1
- (c) SolutionsfirstBit1
- (d) firstBitSolutions01

Correct Answer: (b) firstBitSolutions1

Question 2:

Which of the following is an arithmetic operator?

- (a) &&
- (b) =
- (c) ==
- (d) +

Correct Answer: (d) +

Question 3:

```
int a = printf("one");  
int b = printf("two");  
int c = a || b;  
printf("%d", c);
```

- (a) onetwo1
- (b) onetwo0
- (c) one0two
- (d) one1two

Correct Answer: (a) onetwo1

Question 4:

What will be the result of 10 / 4 in C?

- (a) 2.5
- (b) 2
- (c) 3
- (d) 0

Correct Answer: (b) 2

Question 5:

```
int x = printf("") || printf("");  
printf("%d", x);
```

- (a) 0
- (b) 1
- (c) Garbage Value
- (d) Compilation Error

Correct Answer: (a) 0

Question 6:

Which operator is used for comparison?

- (a) =
- (b) ==
- (c) +=
- (d) &&

Correct Answer: (b) ==

Question 7:

```
int a = printf("A");  
int b = printf("B");  
int c = a && b;  
printf("%d", c);
```

- (a) AB0
- (b) AB1
- (c) A0B
- (d) 0AB

Correct Answer: (b) AB1

Question 8:

What is the output of `printf("%d", 7 % 3);`?

- (a) 2
- (b) 1
- (c) 3
- (d) 0

Correct Answer: (b) 1

Question 9:

```
int a = printf("") && printf("java");  
printf("%d", a);
```

- (a) java0
- (b) java1
- (c) 0java
- (d) 0

Correct Answer: (d) 0

Question 10:

Which operator has the highest precedence?

- (a) *
- (b) ()
- (c) =
- (d) &&

Correct Answer: (b) ()

Question 11:

What does `a += 3;` mean?

- (a) `a = a + 3`
- (b) `a = 3`
- (c) `a = 3 + 3`
- (d) Error

Correct Answer: (a) `a = a + 3`

Question 12:

What is the output of `printf("%d", 5 > 3);`?

- (a) 1
- (b) 0
- (c) error
- (d) true

Correct Answer: (a) 1

Question 13:

```
int a = printf("") || printf("firstbit");  
printf("%d", a);
```

- (a) firstbit1
- (b) firstbit0
- (c) 0firstbit
- (d) 1firstbit

Correct Answer: (a) firstbit1

Question 14:

What is the type of operator &&?

- (a) Arithmetic
- (b) Relational
- (c) Logical
- (d) Assignment

Correct Answer: (c) Logical

Question 15:

```
int a = printf("abc");  
a = printf("xyz");  
printf("%d", a);
```

- (a) abcxyz3
- (b) xyzabc3
- (c) abcxyz0
- (d) abcxyz6

Correct Answer: (a) abcxyz3

Question 16:

What is the result of $3 > 2 \ \&\& \ 4 < 5$?

- (a) 1
- (b) 0
- (c) true
- (d) false

Correct Answer: (a) 1

Question 17:

What is the meaning of `a = b++`;

- (a) a is assigned b, then b is incremented
- (b) a is assigned b+1
- (c) a and b both are incremented
- (d) Error

Correct Answer: (a) a is assigned b, then b is incremented

Question 18:

In `x = y = 5`, which assignment happens first?

- (a) `x = y`
- (b) `y = 5`
- (c) `x = 5`
- (d) Both simultaneously

Correct Answer: (b) `y = 5`

Question 19:

What will be the output of `printf("%d", 5 < 3 || 4 < 10);`;

- (a) 0
- (b) 1
- (c) true
- (d) false

Correct Answer: (b) 1

Question 20:

```
int a = 3;  
printf("%d", a++ + ++a);
```

- (a) 6
- (b) 7
- (c) Undefined Behaviour
- (d) 8

Correct Answer: (c) Undefined Behaviour

Question 21:

```
int x = 5;  
printf("%d", x != 5);
```

- (a) 1
- (b) 0
- (c) 5
- (d) error

Correct Answer: (b) 0

Question 22:

```
int a = 2, b = 3;  
printf("%d", a * b + b);
```

- (a) 9
- (b) 11
- (c) 7
- (d) 5

Correct Answer: (a) 9

Question 23:

```
printf("%d", printf("%d", 123));
```

- (a) 1233
- (b) 123
- (c) 1232
- (d) 1231

Correct Answer: (a) 1233

Question 24:

```
int a = 2;  
a = a++ * 2;  
printf("%d", a);
```

- (a) 4
- (b) 6
- (c) 2
- (d) Undefined Behaviour

Correct Answer: (d) Undefined Behaviour

Question 25:

```
int a = 0;  
printf("%d", a || a++);  
printf("%d", a);
```

- (a) 01
- (b) 00
- (c) 10
- (d) 11

Correct Answer: (a) 01

Question 26:

Which of the following expressions is valid in printf() and returns 2?

- (a) printf("%d", 1 + 1);
- (b) printf("%d", 2);
- (c) printf("%d", 5 - 3);
- (d) All of the above

Correct Answer: (d) All of the above

Question 27:

```
int x = 0;  
x = x++ + x++ + x++;  
printf("%d", x);
```

- (a) 3
- (b) 6
- (c) 2
- (d) Undefined Behaviour

Correct Answer: (d) Undefined Behaviour

Question 28:

```
int a = 10;  
int b = printf("%d", a = a--);  
printf(" %d %d", a, b);
```

- (a) 10 10 2
- (b) 10 9 0
- (c) Undefined
- (d) Compilation Error

Correct Answer: (c) Undefined

Question 29:

```
printf("%d", printf("%d", printf("A")));
```

- (a) A12
- (b) A11
- (c) A21
- (d) A1

Correct Answer: (a) A12

Question 30:

```
int c = printf("%c", 'A' + 1);  
printf(" %d", c);
```

- (a) 66 2
- (b) A+1
- (c) B 1
- (d) Compilation Error

Correct Answer: (c) B 1