

Rheumafix (Rheumafixib) 50 mg / 100 mg tablet

FICTIONAL DEMONSTRATION DOCUMENT — Qorvexa Healthcare is an invented company. This product, its molecule and every clinical statement here are fabricated for software testing. Not medical information. Do not use for any clinical purpose.

Qorvexa Healthcare · Summary of Product Characteristics · Rheumatology

1. Name of the medicinal product

Rheumafix 50 mg / 100 mg tablet.

2. Qualitative and quantitative composition

Each tablet contains Rheumafixib as the active substance. Rheumafix is a selective COX-2 inhibitor.

4.1 Therapeutic indications

- Symptomatic relief of osteoarthritis and rheumatoid arthritis in adults.

4.2 Posology and method of administration

Population	Dose	Notes
Osteoarthritis	50 mg once daily	Lowest effective dose, shortest duration
Rheumatoid arthritis	100 mg once daily	Review at 12 weeks

4.2.1 Renal impairment

eGFR below 30 mL/min: contraindicated.

4.2.2 Hepatic impairment

Child-Pugh B: halve the dose. Child-Pugh C: contraindicated.

4.3 Contraindications

- Established ischaemic heart disease.
- Active gastrointestinal bleeding.
- eGFR below 30 mL/min.

4.5 Interaction with other medicinal products

Interacting substance	Effect and action required
Warfarin	Increased bleeding risk. Monitor INR closely.
ACE inhibitors	Reduced antihypertensive effect and increased renal risk.
Low-dose aspirin	Gastrointestinal risk is additive; consider gastroprotection.

4.8 Undesirable effects

- **Common (1–10%):** Dyspepsia, oedema, hypertension
- **Rare (<0.1%):** Myocardial infarction, gastrointestinal perforation

6.4 Special precautions for storage

Store below 30 °C.