

Vitalflow (Vitalflozin) 5 mg / 10 mg tablet

FICTIONAL DEMONSTRATION DOCUMENT — Qorvexa Healthcare is an invented company. This product, its molecule and every clinical statement here are fabricated for software testing. Not medical information. Do not use for any clinical purpose.

Qorvexa Healthcare · Summary of Product Characteristics · Diabetology

1. Name of the medicinal product

Vitalflow 5 mg / 10 mg tablet.

2. Qualitative and quantitative composition

Each tablet contains Vitalflozin as the active substance. Vitalflow is a SGLT2 inhibitor.

4.1 Therapeutic indications

- Type 2 diabetes mellitus in adults as adjunct to diet and exercise.

4.2 Posology and method of administration

Population	Dose	Notes
Adults, initial	5 mg once daily	Morning, with or without food
Adults, maintenance	10 mg once daily	If tolerated after 4 weeks

4.2.1 Renal impairment

eGFR 45–59 mL/min: do not initiate; may continue at 5 mg. eGFR below 45 mL/min: discontinue.

4.2.2 Hepatic impairment

Severe impairment: not recommended.

4.3 Contraindications

- Type 1 diabetes mellitus.
- History of diabetic ketoacidosis.

4.5 Interaction with other medicinal products

Interacting substance	Effect and action required
Metformin	No dose adjustment required for either agent. The combination is a standard regimen; monitor eGFR at least annually.
Loop diuretics	Additive volume depletion. Review diuretic dose at initiation.
Insulin	Increased hypoglycaemia risk; consider reducing the insulin dose.

4.8 Undesirable effects

- **Common (1–10%):** Genital mycotic infection, polyuria, thirst
- **Rare (<0.1%):** Euglycaemic diabetic ketoacidosis, Fournier's gangrene

6.4 Special precautions for storage

Store below 30 °C.