

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

Inner Fitness Basic

Glucose (Fasting)

Sod. Fl. Plasma-F
Hexokinase/ G-6-PDH

129

mg/dL

70 - 100

Fasting Plasma Glucose (mg/dl)	2 hr plasma Glucose (mg/dl) Post Glucose load	Diagnosis
99 or below	139 or below	Normal
100 to 125	140 to 199	Pre-Diabetes (IGT)
126 or above	200 or above	Diabetes

Reference : American Diabetes Association.

Comment :

Impaired glucose tolerance (IGT) fasting, means a person has an increased risk of developing type 2 diabetes but does not have it yet. A level of 126 mg/dL or above, confirmed by repeating the test on another day, means a person has diabetes.

IGT (2 hrs Post meal), means a person has an increased risk of developing type 2 diabetes but does not have it yet. A 2-hour glucose level of 200 mg/dL or above, confirmed by repeating the test on another day, means a person has diabetes

Plasma Glucose Goals	For people with Diabetes
Before meal	70-130 mg/dL
2 Hours after meal	Less than 180 mg/dL
HbA1c	Less than 7%

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

Lipid Profile (Basic)

Spectrophotometry

Total Cholesterol

Serum
Enzymatic

40

mg/dL

Child
Desirable < 170
Borderline 170 - 199
High Risk >= 200
Adult
Desirable < 200
Borderline 200 - 239
High Risk >= 240

Triglycerides

Serum
Glycerol Phosphate Oxidase

40

mg/dL

Normal <150
Borderline 150-199
High 200 -499
Very High >=500

HDL Cholesterol

Serum
Accelerator Selective Detergent

40

mg/dL

Major risk factor for heart disease < 40
Negative risk factor for heart disease =>60

VLDL Cholesterol

Serum
Calculated

25

mg/dL

0 - 30

LDL Cholesterol

Serum
Calculated

25

mg/dL

Child
Optimal (Ideal): <110
Boderline High: 111 -129
High: >=130
Adult
Optimal (Ideal): <100
Near Optimal / above
Optimal: 100 - 129
Boderline High: 130 -159
High: 160 - 189
Very High: >= 190

In High Risk Patients including patient with Diabetes (Ref.NCEP III update 2017, the desirable LDL goal is < 100mg/dl.

Total / HDL Cholesterol Ratio

Serum

12.3

Non HDL Cholesterol

Serum
Calculated

2.3

mg/dL

Adult
Optimal <130
Above Optimal 130 -159
Borderline High 160-189
High 190 -219
Very High >=220

Note:

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

1- Measurements in the same patient can show physiological & analytical variations. Three serial samples 1week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2-As per NLA 2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3-Low HDL levels are associated with increased risk of Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.

4-NLA-2014 identifies Non HDL Cholesterol (an indicator of all the atherogenic lipoproteins such as LDL, VLDL, IDL, Lp(a), Chylomicron remnants) along with LDL- cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL.

Comment

1- ATP III suggested the addition of Non HDL Cholesterol (Total Cholesterol -HDL Cholesterol) as an indicator of all atherogenic lipoproteins (mainly LDL & VLDL). The Non HDL Cholesterol is used as a secondary target of therapy in persons with triglycerides ≥ 200 mg/dL. The goal for Non HDL Cholesterol in those with increased triglycerides is 30 mg/dL above that set for LDL Cholesterol.

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref. Interval
-----------	-------	------	--------------------------

Thyroid Profile Total

T3, Total	0.65	ng/ml	0.64 - 1.52
Serum Chemiluminescent Microparticle Immunoassay(CMIA)			

The Biological reference interval provided is for Adults.
For age specific reference interval ,please refer to the table given below.

Interpretation:-

TSH	T3	T4	Interpretation
High	Normal	Normal	Subclinical Hypothyroidism
Low	Normal	Normal	Subclinical Hyperthyroidism
High	High	High	Secondary Hyperthyroidism
Low	High/Normal	High/Normal	Hyperthyroidism
Low	Low	Low	Non Thyroidal illness/ Secondary Hypothyroidism

Total T3 (ng/ml)		
Children	1-3 d	1.00 - 7.40
	1-11 mo	1.05-2.45
	1-5 yr	1.05-2.69
	6-10 yr	0.94-2.41
	11-20 yr	0.82-2.13
Pregnancy	First Trimester	0.81-1.90
	Second Trimester	1.00-2.60
	Third Trimester	1.00-2.60

* Please note test values may vary depending on the assay method used.

T4, Total	4.87	ug/dl	4.87 - 11.72
Serum Chemiluminescent Microparticle Immunoassay(CMIA)			

The Biological reference interval provided is for Adults.
For age specific reference interval ,please refer to the table given below.

Interpretation:-

TSH	T3	T4	Interpretation
High	Normal	Normal	Subclinical Hypothyroidism
Low	Normal	Normal	Subclinical Hyperthyroidism
High	High	High	Secondary Hyperthyroidism

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name Mr. Dummy report **Centre Details** CAP
Age 25 Yrs **Sex** Male **College of American**
Ref. No. **Reg. ID** 5000210209
Regd. Date 15/10/2021 **Ref. By** Not Specified
Coll. Dt. Tm. 15/10/2021 12:52:47
Recd. Dt. Tm. 15/10/2021 12:52:50 **Hospital No.:**

Low	High/Normal	High/Normal	Hyperthyroidism
Low	Low	Low	Non Thyroidal illness/ Secondary Hypothyroidism

T4 Total (ug/dL)		
Children	1-3 d	11.8 - 22.6
	1-2 wk	9.9-16.6
	1-4 mo	7.2-14.4
	4-12 mo	7.8-16.5
	1-5 yr	7.3-15.0
	5-10 yr	6.4-13.3
	11-15 yr	5.6-11.7

TSH (Thyroid Stimulating Hormone)

0.35

uIU/ml.

0.35 - 4.94

Serum
Chemiluminescent Microparticle Immunoassay(CMIA)

The Biological reference interval provided is for Adults.

For age specific reference interval ,please refer to the table given below.

Interpretation:

TSH	T3/FT3	T4/FT4	Interpretation
High	Normal	Normal	Subclinical Hypothyroidism
Low	Normal	Normal	Subclinical Hyperthyroidism
High	High	High	Secondary Hyperthyroidism
Low	High/Normal	High/Normal	Hyperthyroidism
Low	Low	Low	Non Thyroidal illness/ Secondary Hypothyroidism

TSH (uIU/mL)		
Cord Blood (> 37 Week)		2.3 -13.2
Children	Birth - 4 d	1.0 -39.0
	2-20 Wk	1.7- 9.1
	21 Wk- 20 Y	0.7-6.4
Pregnancy	First Trimester	0.3-2.5
	Second Trimester	0.3-3.0
	Third Trimester	0.8-3.5

TSH Levels are subjected to circadian variation, rising several hours before the onset of sleep, reaching peak levels between 11 pm and 6 am. Nadir concentrations are observed during the afternoon. Diurnal variation in TSH levels is approx 50% +/-, hence

Oncquest Laboratories Ltd.
A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

time of the day can influence the measured serum concentration.

* Please note test values may vary depending on the assay method used.

* For monitoring of therapy it is advisable to test parameters by same assay method.

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref. Interval
-----------	-------	------	--------------------------

Haemogram (CBC with ESR)

Haemoglobin (Hb) Whole Blood EDTA SLS-hemoglobin	13.0	gm/dL	13.0 - 17.0
RBC Count Whole Blood EDTA Electrical Impedance	4.50	millions/cu.mm	4.50 - 5.50
HCT Whole Blood EDTA Pulse height detection	40.0	%	40.0 - 50.0
MCV Whole Blood EDTA Calculated	83.0	fL	83.0 - 101.0
MCH Whole Blood EDTA Calculated	27.0	pg	27.0 - 32.0
MCHC Whole Blood EDTA Calculated	31.6	gm/dL	31.5 - 34.5
RDW Whole Blood EDTA Calculated	11.6	%	11.6 - 14.0
Total Leukocyte Count (TLC) Whole Blood EDTA Flow cytometry	4.0	X 10 ³ /uL.	4.0 - 10.0

DLC

Neutrophils Whole Blood EDTA Flow cytometry /Microscopy	70.0	%	40.0 - 80.0
Lymphocytes Whole Blood EDTA Flow cytometry /Microscopy	25.0	%	20.0 - 40.0
Eosinophils Whole Blood EDTA Flow cytometry /Microscopy	2.0	%	1.0 - 6.0
Monocytes Whole Blood EDTA Flow cytometry /Microscopy	2.0	%	2.0 - 10.0
Basophils Whole Blood EDTA Flow cytometry /Microscopy	1.0	%	0.0 - 2.0

Absolute Leucocyte Count

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

Absolute Neutrophil Count Whole Blood EDTA Flow cytometry /Microscopy calculated	2.00	x 10 ³ /uL	2.00 - 7.00
---	------	-----------------------	-------------

Absolute Lymphocyte Count Whole Blood EDTA Flow cytometry /Microscopy calculated	1.00	x 10 ³ /uL	1.00 - 3.00
---	------	-----------------------	-------------

Absolute Monocyte Count Whole Blood EDTA Flow cytometry /Microscopy calculated	0.20	x 10 ³ /uL	0.20 - 1.00
---	------	-----------------------	-------------

Platelet Count Whole Blood EDTA Electrical Impedance	150	x10 ³ /uL	150 - 410
---	-----	----------------------	-----------

Note: Platelets decrease a lot on keeping; sample should be sent to the laboratory as soon as possible. Low platelet count should be interpreted in correlation with the clinical picture of the patient.

Erythrocyte Sedimentation Rate Whole Blood EDTA MODIFIED WESTERGREN (AUTOMATED)	01	mm in 1hr	00 - 10
--	----	-----------	---------

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref. Interval
Kidney Function Test (KFT) <i>Spectrophotometry & Ion Selective Electrode</i>			
Creatinine, Serum <i>Serum Kinetic Alkaline Picrate, IDMS traceable</i>	0.72	mg/dL	0.72 - 1.25
Uric Acid, Serum <i>Serum Uricase</i>	3.50	mg/dL	3.50 - 7.20
Sodium <i>Serum Ion-selective electrode diluted (Indirect)</i>	136	mmol/L	136 - 145
Potassium <i>Serum Ion-selective electrode diluted (Indirect)</i>	3.5	mmol/L	3.5 - 5.3
Chloride <i>Serum Ion-selective electrode diluted (Indirect)</i>	98	mmol/L	97 - 110

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref. Interval
-----------	-------	------	--------------------------

Urine Examination (Routine)

Strip Test and Microscopy

Physical Examination

Volume Urine	25	mL	
Colour Urine	Pale Yellow		Pale Yellow
Appearance Urine	Clear		Clear
pH Urine Double indicators test	6.5		6.5
Specific Gravity Urine Hydrogenous ionogen reaction	1.010		1.001-1.035

Chemical Examination

Urine Protein Urine Protein Ionization	Negative		Nil
Urine Glucose Urine Oxidation reaction	Negative		Nil
Ketone Urine	Trace		Negative

Note: Ketone in urine can be found in cases of uncontrolled diabetes mellitus, starvation, persistent vomiting and fever.

Nitrite Urine Diazotized reaction	Present(Trace)		Negative
Blood Urine Peroxidase reaction	Nil		Nil
Urobilinogen Urine p-aminobenzoic acid and phenazopyridine reaction	Not Increased		Not Increased
Bilirubin Urine Dichlorobenze diazonium reaction	Nil		Nil
Reducing Substance Urine	Nil		Nil

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

Leukocyte esterase

Urine
Dichlorobenze diazonium reaction

Nil

Nil

Microscopic Examination.

Red Blood Cells

Urine
Microscopy

Nil

/hpf

Nil

Pus Cells (WBC)

Urine
Microscopy

NIL

/hpf

0 - 5

Epithelial Cells

Urine
Microscopy

Nil

/hpf

Few

Casts

Urine
Microscopy

Nil

/lpf

Nil

Crystals

Urine
Microscopy

Nil

Nil

Bacteria

Urine

Nil

Nil

Yeast

Urine

Nil

Nil

Mucous Threads

Urine

Nil

Nil

Trichomonas

Urine

Nil

Nil

Amorphous Material

Urine

Nil

Nil

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref. Interval
Liver Function Test (LFT)			
Protein Total Serum Biuret method	6.0	g/dL	6.0 - 8.3
Albumin Serum Bromocresol Green	3.5	g/dL	3.5 - 5.2
Globulin Serum Calculated	2.3	g/dL	2.3 - 3.5
A:G (Albumin:Globulin) Ratio Serum Calculated	1.20		1.20 - 2.00
SGOT/AST (Aspartate Amino-transferase) Serum NADH (without Pyridoxal-5'-phosphate)	6	U/L	5 - 42
SGPT/ALT (Alanine Amino-transferase) Serum NADH (without P-5'-P)	8	U/L	6 - 55
ALP (Alkaline Phosphatase) Serum Para-nitrophenyl Phosphate	125	U/L	1 to 12 Years < 500 12 to 15 Years < 750 >20 Years 40 - 150
Bilirubin, Total Serum Diazonium Salt	0.20	mg/dL	0.20 - 1.20
Bilirubin, Direct Serum Diazo Reaction	0.10	mg/dL	0.00 - 0.50
Bilirubin, Indirect Serum Calculated	0.25	mg/dL	0.20 - 1.20

Oncquest Laboratories Ltd.

A-17 Infocity Sector-34 Gurugram Haryana - 122001



Name	Mr. Dummy report		Centre Details	CAP
Age	25 Yrs	Sex	Male	College of American
Ref. No.			Reg. ID	5000210209
Regd. Date	15/10/2021		Ref. By	Not Specified
Coll. Dt. Tm.	15/10/2021 12:52:47		Hospital No.:	
Recd. Dt. Tm.	15/10/2021 12:52:50			

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref. Interval
-----------	-------	------	--------------------------

Inner Fitness Basic

Kidney Function Test (KFT)

Spectrophotometry & Ion Selective Electrode

Urea, Serum

Serum
Calculated

1

mg/dL

19 - 44

*** End of Report ***