

- Consider the state of traffic near by street
- In traffic the no. of agents depend on the no. of cars or people involved
- If the road is congested, the agents will get stuck

→ try to do your best


- use the no. of the congested and try to begin to distribute and so control, to reduce
- Only finite agents, not possible to get broken to zero

→ try to do something


- only have agents and actions
- 50% successful attempts and don't reestablish "you blocked your way"

why do we need induction?

- Economic EGCC nature by thinking the agents
- Reduces the cost
- Success measured by throughput.



* The hero is,
 (1) the ideal friend with the power
 that I need badly,
 (2) you will be the hero of my




* Kernel Distro. is needed.
Recreation.

200 pages
10 slots
How many pulled down
Desktop output

to say, the receptionist here is
controlling the flow of patients
that are being sent to doctors.

* AND better [Preposition in a festival]
Add sand to the glass like
a hyacinth.
You do I keep a watch of it.



Rarefaction

The production rate of animals below system,

Declining inside habitat / area,
and habitat is pure and
come to actual because is
actual Rarefaction does.

Make a definition,
which is going to take into
multiple things (ways) and explain
different ways to kill it.

* signatures for note making.

- 1) Taken notes ✓
- 2) Reading notes ✓
- 3) Making notes on cards
- 4) First outline.
- 5) Making mind maps etc. ✓


① Taken notes.

Diagram illustrating a simple photovoltaic cell setup. A glass cylinder contains a solution of ZnSO_4 and a Zn electrode. A wire connects the Zn electrode to a voltmeter (V) and then to a Zn electrode in a second beaker containing ZnSO_4 solution. The voltmeter shows a reading of $0.75V$. The Zn electrode in the first beaker is labeled Zn and the Zn electrode in the second beaker is labeled Zn .

Each Reg $\rightarrow$ 1 AKA
Reg number $\rightarrow$ Check if value already exists in the bucket in previous.

2. There are not enough rooms
 in the new god. Overcrowded
 A sign of punishment / wrath of God.
 Right? Right.

⑦ leaky bucket
↳ Similar to token bucket.
Here, the req can be processed at a fixed rate.
~~1000~~ 1000



- input parameters → Socket size.
- Different Euro.

② Fliding window day.

- keep a track of minHeap.
 If size = 2 * n (n = no. of elements)
 then it is a max heap.
 If size = 2 * n - 1 (n = no. of elements)
 then it is a min heap.



Question: 

Answer: All these vertices will be stored in a list (log).

① → first 1000 numbers (1000 - 1000 = 0)
 ② → count remaining log : 1000
 ③ → If $\log(x) \leq \log(1000)$ then $\rightarrow$ true
 ④ → If $\log(x) > \log(1000)$ then $\rightarrow$ false

An in PDLing



Rigid? Rigid and not exceed one level

Ans: It will record list of memory even if a reg is deleted, the function will be used to memory.



- Low doesn't have to push more than 10 trucks/day.
- changed costs relationships.

Low reqⁿ and address per day.