

# **Department of Computer Science & Engineering**

**M. B. M. Engineering College, Jai Narain Vyas University**

**Jodhpur 2020-2021**



**CSE-511 B**

**INTERNET TECHNOLOGY LABORATORY**

**MCA 1st Semester**

**Cake Shop**

**Project Abstract**

**Submitted by: Shubham Dhoot**

**Siddharth Sharma**

**Vidushi Khandelwal**

**Class: MCA(1 st semester )**

**Project Name:** Cake Shop

**Project Phase:** Submission

**Project Status:** All pages and codes are running

**Project Team:** Shubham, Siddharth and vidushi

### **Project Background:**

Cake shop is now-a-days, important by number of people and trained professionals who are trying to set up their cake shop and bakery in the cities. The easily availability of different cakes and other food product listing online helps to maintain quality of product of these cake shop. The demand of cake is very high. Because of every event is celebrated with cake and food items. Today online order and delivery is very good source of income, than why should the cake shop resist?

### **Project working:**

We have developed the “Cake Shop”

It includes several pages to visit:

- Home Page( Login & Register)
- Contact us
- Order record
- Product Detail and many more.

These pages are well maintained and validated as well.

### **Project components:**

Project uses number of languages for designing and coding purposes these are:

1. HTML & CSS
2. Bootstrap
3. Java script & PHP (Database).




## **Project Execution cycle:**


'Cake for you' is currently a dedicated website to a single salon only, but it can be easily converted into a platform for all the cake shop in the city where each product provider may login with their respective accounts and provide with all the information regarding the product they provide, creating a marketplace which has an easy access its customers.

People could "Register" themselves with their email accounts to get updates on the latest deals and offers running across the city's cake shop. They could also purchase items on the website. The website temporarily contains a product, and these pages display the price listings of various product, and show the cake all details so that customer can purchase according to his.

The review of customers can be display in review page with text and images.

## Snap shots:





Please Sign in

Email

☒ Enter your Email

Password

Enter your Password

☐ Remember me

Submit

[Forgot password](#) [Create account](#)

Activate Windows  
Go to Settings to activate Windows.

**See your details**

**Product Detail**



Name: chocolate cake

Quantity 1

Data this is very testy cast for birthday

**User Detail**

Order Data 2021-07-07

Username shubham dhoot

Email: Shubhamdhoot333@gmail.com

Phone: 6377988343

Address: e18  
ashapura city  
jodhpur  
rajasthan

**Order Detail**

Product Id 4

Name chocolate cake

Total cost 300

Pay Now

Activate Windows  
Go to Settings to activate Windows.

chocolate cake



**Details of Products Of Product**

\*Cost Of Product:- 300

\*Description of Product:-  
this is very testy cast for birthday

Quantity

1

Save Quantity

Activate Windows  
Go to Settings to activate Windows.



Here You Can Add Your Address

Add New Address	Old Address
<div>India</div>	<div>State:</div>
<div>Enter your clientname</div>	<div>Clientname:</div>
<div>Enter your Phone number without prefixes</div>	<div>City:</div>
<div>(0 to 9) 6 digit pincode</div>	<div>Phone Number:</div>
<div>Flat / house No./ Floor / Building</div>	<div>colony</div>
<div></div>	<div>Pincode:</div>

Activate Windows  
Go to Settings to activate Windows.

## Payment Option

Cash on Delivery.

cost300

Submit order

Go To Home Page

Activate Windows  
Go to Settings to activate Windows.

## Project Source code:

```
<?php
session_start();
error_reporting(0);
>Email=$_SESSION['Email'];
include 'mainpagephp.php';
?>

<html>
    <head>
        <title>Index</title>

    <style>

        ul.f1 {
            list-style-type: none;
            margin: 0;
            padding: 0;
            overflow: hidden;
            background-color: #F8B195;

            }

        li.f2{
            display: block;
            color: white;
            text-align:left;
            padding: 12px 14px;
            text-decoration: none;
            }

        table {
            width:50%;
            margin-left:5%;

            }
table, td {
    border: 1px black;

    }
td {
    padding: 50px;
    text-align: left;
    }
center.q1{
```

```

        background-color:red;
        margin-left:40%;
        margin-right:40%;
    }

center.q2{
    background-color:red;
}

body{
    background-color:ffcc99;
}

footer {
    background-color:#f67280;
    padding: 10px;
    text-align: center;
    color: white;
}

</style>
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css" integrity="sha384-MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO" crossorigin="anonymous">
        <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
        <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js" integrity="sha384-ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49" crossorigin="anonymous"></script>
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/bootstrap.min.js" integrity="sha384-ChfqqxuZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ60W/JmZQ5stwEULTy" crossorigin="anonymous"></script>
        <!--font awesome-->
        <!--font awesome-->
        <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.5.0/css/all.css" integrity="sha384-B4dIYHKNBt8Bc12p+WXckhzcICo0wtJAoU8YZTY5qE0Id1GSseTk6S+L3BlXeVIU" crossorigin="anonymous">
        <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.6.1/css/all.css" integrity="sha384-gfdkjb5BdAXd+lj+gudLWI+BXq4IuLW5IT+brZEZsLFm++aCMlF1V92rMkPaX4PP" crossorigin="anonymous">
    </head>

```



```

<body>
<!--nav bar-->

    <ul class=f1>
        <li class=f2>
            <font color="red" size="6px" ><i class="fas fa-birthday-
cake"></i></font>&nbsp; &nbsp; &nbsp;
            <font face="segoe script" size="5px" ><u>Cake For You</u></font>&n
bsp &nbsp; &nbsp;
            </li>

        </ul>

        <nav class="navbar sticky-top navbar-expand-lg navbar-
light" style="background-color: #f67280; " >
            <button class="navbar-
toggler" type="button" data-toggle="collapse" data-target="#navbarmenu" aria-
controls="navbarmenu" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
                <font face="segoe script" size="3px">Menu<
/font>

            </button>

            <div class="collapse navbar-collapse" id="navbarmenu">
                <div class="navbar-nav">
                    <div class="dropdown">

                        <!--home-->

                            <a class="nav-item nav-link mr-
4 dropdown-toggle" href="#"id="homemenu" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">

                                <font face="segoe script" size="4p
x" color="white"><b>Home</b></font>

                            </a>

                        <!--1home menu--->

                            <div class="dropdown-menu text-justify " aria-
labelledby="homemenu">

                                <div class="p-2 border-bottom border-dark ">
                                    <a class="dropdown-
item " href="profile.php">Profile</a>
                                </div>

                                <div class="p-2 border-bottom border-dark ">
                                    <a class="dropdown-
item " href="customer_review.php">Customer review </a>
                                </div>

```

```

        <div class="p-2 border-bottom border-dark ">
            <a class="dropdown-
item " href="review.php">Review</a>
        </div>

    </div>
</div>

    <div class="dropdown">
        <a class="nav-item nav-link mr-
4 dropdown-toggle" href="#"id="dropdownsetting" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
            <font face="segoe script" size="4p
x" color="white"><b>Setting</b></font>
        </a>

        <!--account setting-->
        <div class="dropdown-menu" aria-
labelledby="dropdownsetting">
            <!--l&s-->
                <div class="p-2 border-
bottom border-dark ">
                    <a class="dropdown-
item" href="l&s.php">Login & Security</a>
                </div>
            <!--manage address-->
                <div class="p-2 border-
bottom border-dark">
                    <a class="dropdown-
item" href="manageaddress.php">Manage Address</a>
                </div>

                <div class="p-2 border-
bottom border-dark ">
                    <a class="dropdown-
item" href="logout.php">Logout</a>
                </div>

            <!--review-->
            <!--signout-->
        </div>
    </div>

    <div class="dropdown">
        <a class="nav-item nav-link mr-
4 dropdown-toggle" href="#"id="dropdownsetting" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
            <font face="segoe script" size="4p
x" color="white"><b>Cake</b></font>

```

```

        </a>

        <!--sofas item-->                <div class="dropdown-menu" aria-
labelledby="dropdownsetting">
            <!--fabric sofas-->
                <div class="p-2 border-
bottom border-dark ">
                    <a class="dropdown-
item" href="common.php?value1=Birthday cake ">Birthday cake</a>
                </div>
            <!--Wooden sofas-->
                <div class="p-2 border-
bottom border-dark">
                    <a class="dropdown-
item" href="common.php?value1=Anniversary cake ">Anniversary</a>
                </div>
            <!--3 seater sofas-->
                <div class="p-2 border-
bottom border-dark ">
                    <a class="dropdown-
item" href="common.php?value1=Congratulations cake">Congratulations</a>
                </div>
            <!--2 seater sofas-->
                <div class="p-2 border-
bottom border-dark ">
                    <a class="dropdown-
item" href="common.php?value1=Wedding cake">Wedding cake</a>
                </div>
            </div>
        <!--close-->                </div>
        <!--4Living-->
            <div class="dropdown">
                <a class="nav-item nav-link mr-
4 dropdown-toggle" href="#"id="dropdownsetting" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
                    <font face="segoe script" size="4p
x" color="white"><b>Pastries</b></font>
                </a>

            <!--living item-->                <div class="dropdown-menu" aria-
labelledby="dropdownsetting">
                <!--tv unit-->
                    <div class="p-2 border-
bottom border-dark ">
                        <a class="dropdown-
item" href="common.php?value1= Red Velvet Pastry">Red Velvet Pastry</a>

```

```

        </div>
        <!--tables-->
        <div class="p-2 border-
bottom border-dark">
            <a class="dropdown-
item" href="common.php?value1=Chocolate Cream Pastry">Chocolate Cream Pastry</a>
        </div>
        <!--chairs-->
        <div class="p-2 border-
bottom border-dark ">
            <a class="dropdown-
item" href="common.php?value1=Black forest Pastry">Black forest Pastry</a>
        </div>
        <!--divans-->
        <div class="p-2 border-
bottom border-dark ">
            <a class="dropdown-
item" href="common.php?value1=Butter scotch Pastry">Butter scotch Pastry</a>
        </div>
    </div>
    <!--close--> </div>
    <!--5bedroomitem-->
        <div class="dropdown">
            <a class="nav-item nav-link mr-
4 dropdown-toggle" href="#"id="dropdownsetting" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
                <font face="segoe script" size="4p
x" color="white"><b>Contact us</b></font>
            </a>
            <div class="dropdown-menu" aria-
labelledby="dropdownsetting">
                <!--beds-->
                <div class="p-2 border-
bottom border-dark ">
                    <a class="dropdown-
item" href="company.php">Company information</a>
                </div>
                <!--tables-->
                <div class="p-2 border-
bottom border-dark">
                    <a class="dropdown-
item" href="customer.php">Customer care</a>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    <!--close--> </div>

    <!--6Dining-->
        <div class="dropdown">
            <a class="nav-item nav-link mr-4 dropdown-toggle" href="#" id="dropdownsetting" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                <font face="segoe script" size="4px" color="white"><b>Order</b></font>
            </a>
            <div class="dropdown-menu" aria-labelledby="dropdownsetting">
                <!--tables-->
                    <div class="p-2 border-bottom border-dark">
                        <a class="dropdown-item" href="card.php">Add to Cart</a>
                    </div>
                <!--chairs-->
                    <div class="p-2 border-bottom border-dark ">
                        <a class="dropdown-item" href="currentorder.php">Current order</a>
                    </div>
                    <div class="p-2 border-bottom border-dark ">
                        <a class="dropdown-item" href="pastorder.php"> Past Order</a>
                    </div>
                <!--beds-->
                    <div class="p-2 border-bottom border-dark ">
                        <a class="dropdown-item" href="cancleorder.php">Cancel order</a>
                    </div>
                <!--wardrobes-->
                <!--storage-->

            </div>
        <!--close--> </div>

    </div>
</div>

<?php
    if($Email=='')
    {

```

```

        echo "<div>";
        echo "<a href='login.php'><font color='white' size='4px' class='mr-3'><i class='fa fa-user fa-lg fa-fw'></i>Login</font></i></a>";

        echo "</div>";
    }
    else
    {
        $result=mysqli_query($conn, "select *
from user where email like '$Email' ");
        $total=mysqli_fetch_assoc($result);
        $Username=$total['name'];
        echo "<label><font size='4px' color='white'><u>";

        echo "Welcome &nbsp;" . $Username;
        echo "</font></u></label>";
    }
    ?>

</nav>

<br><br>

<div class="container-field">
    <!--3 slide show-->
        <div id="carouselExampleIndicators" class="carousel slide" data-ride="carousel" data-interval="2000">
            <!--indicator-->
                <ol class="carousel-indicators">
                    <li data-target="#carouselExampleIndicators" data-slide-to="0" class="active"></li>
                    <li data-target="#carouselExampleIndicators" data-slide-to="1"></li>
                    <li data-target="#carouselExampleIndicators" data-slide-to="2"></li>
                </ol>

                <div class="carousel-inner">
                    <div class="carousel-item active">

                        <center></center>

                    </div>

```

```

        <div class="carousel-item">
            <center></ce
nter>

        </div>

        <div class="carousel-item">
            <center></ce
nter>

        </div>
    </div>

    <a class="carousel-control-
prev" href="#carouselExampleIndicators" role="button" data-slide="prev">
        <h2 class="h2"><i class="f
a fa-arrow-circle-left bg-dark" ></i></h2>

        <i class="sr-
only">Previous</i>

    </a>

    <a class="carousel-control-
next" href="#carouselExampleIndicators" role="button" data-slide="next">
        <h2 class="h2"><i clas
s="fa fa-arrow-circle-right bg-dark" ></i></h2>

        <i class="sr-
only">Next</i>

    </a>

</div>

<br><br>
</div>
<h3><font face="segoe script" size="5px" color="white" ><center class=
"q1">Cakes by Flavor </center></font> </h3>
<table>
    <tr>
        <td><a href="common.php?value1=Chocolate cake">
        <font face="segoe script" size="4px" color="white"><b><center class="q2">C
hocolate cake</b> </center></font></a></td>
        <td><a href="common.php?value1=Red Velvet cake">
        <font face="segoe script" size="4px" color="white"><b><center class="q2">R
ed Velvet cake</b> </center></font></a></td>
        <td> <a href="common.php?value1=Truffle cake">
        <font face="segoe script" size="4px" color="white"><b><center class="q2">
Truffle cake</b> </center></font> </a></td>
    </tr>
</table>

```

```

        <td> <a href="common.php?value1=Butterscotch cake"> 
        <font face="segoe script" size="4px" color="white" ><b><center class="q2">
Butterscotch cake</b> </center></font></a></td>
    </tr>
</table>

    <h3><font face="segoe script" size="5px" color="white" ><center class=
"q1">Best Seller Cakes </center></font>    </h3>
<table>
    <tr>
        <td> <a href="common.php?value1=Black Forest cake">
        <font face="segoe script" size="4px" color="white"><b><center class="q2">
Black Forest cake</b> </center></font> </a> </td>
        <td> <a href="common.php?value1=Fruit cake">
        <font face="segoe script" size="4px" color="white"><b><center class="q2">F
ruit cake</b> </center></font> </a> </td>
        <td><a href="common.php?value1=Oreo cake"> 
        <font face="segoe script" size="4px" color="white" ><b><center class="q2">
Oreo cake</b> </center></font></a> </td>
        <td><a href="common.php?value1=Blueberry cake"> 
        <font face="segoe script" size="4px" color="white"><b><center class="q2">
Blueberry cake</b> </center></font></a> </td>
    </tr>
</table>

<h3><font face="segoe script" size="5px" color="white"><center class="q1">Best
Seller Cakes </center></font>    </h3>
<table>
    <tr>
        <td><a href="common.php?value1=Designer cake"> 
        <font face="segoe script" size="4px" color="white"><b><center class="q2">D
esigner cake</b> </center></font></a></td>

        <td><a href="common.php?value1=Baby cake"> 
        <font face="segoe script" size="4px" color="white" ><b><center class="q2">
Baby cake</b> </center></font></a></td>

        <td><a href="common.php?value1=multi tier cake"> 
        <font face="segoe script" size="4px" color="white" ><b><center class="q2">
multi tier cake</b> </center></font></a> </td>

```



```

        <td><a href="common.php?value1=cup cake"> 
        <font face="segoe script" size="4px" color="white" ><b><center class="q2">
cup cake</center> </b> </center></font> </a> </td>
    </tr>
</table>

    <h3><font face="segoe script" size="5px" color="white" ><center class="q1">Special Cakes </center></font> </h3>
<table>
    <tr>

        <td><a href="common.php?value1=Birthday cake"> 
        <font face="segoe script" size="4px" color="white" ><b><center class="q2">
Birthday cake</b> </center></font> </a> </td>

        <td><a href="common.php?value1=Anniversary"> 
        <font face="segoe script" size="4px" color="white"><b><center class="q2">A
nniversary</b> </center></font> </a> </td>

        <td><a href="common.php?value1=Congratulations"> 
        <font face="segoe script" size="4px" color="white"><b><center class="q2">C
ongratulations</b> </center></font> </a> </td>

        <td><a href="common.php?value1=Wedding cake"> 
        <font face="segoe script" size="4px" color="white"><b><center class="q2">W
edding cake</b> </center></font> </a> </td>
    </tr>
</table>

</body>
<footer>
<br>
    <font face="segoe script" size="5px" color="white" ><b><u>Cake_For_You
.com</u></b></font><br><br>
    <font size="4px" color="white" ><b><p>
    <a href="index.php" class="btn btn-light"><b>Home</b></a> &nbsp; &nbsp; &nbsp;
    <a href="company.php" class="btn btn-light"><b>Shop</b></a> &nbsp; &nbsp; &nbsp;
    <a href="company.php" class="btn btn-light"><b>About</b></a> &nbsp; &nbsp; &nbsp;

```

```

        <a href="customer.php" class="btn btn-
light"><b>Contact</b></a></b></p></font>
        <br><font size="4px" color="white" ><b><p><i class='far fa-
save' style='font-size:24px'></i> &nbsp; &nbsp; &nbsp; &nbsp;
            <i class='far fa-envelope-open' style='font-
size:24px'></i> &nbsp; &nbsp; &nbsp; &nbsp;
            <i class='fab fa-facebook' style='font-
size:24px'></i>&nbsp; &nbsp; &nbsp; &nbsp;
            <i class='fas fa-dove' style='font-
size:24px'></i> &nbsp; &nbsp; &nbsp; &nbsp;
            <i class="fa fa-phone fa-lg fa-fw"></i></b></p></font>
        <br><br>
        <hr color="black" width="700px" ></hr>
        <font size="3px" color="white" ><p>copyright <i class='far fa-
copyright' style='font-size:12px'></i>2021 All right reserved</p></font>

    </footer>

</html>

```

# Database:

The screenshot displays the phpMyAdmin web interface. On the left, a sidebar shows a tree view of databases, with 'shop' selected. The main panel shows the 'Structure' tab for the 'shop' database. A table of database tables is listed with columns for Table, Action, Rows, Type, Collation, Size, and Overhead. The tables listed are address, admin, card, order\_table, problem, product, review, and user. A summary row at the bottom indicates 8 tables with a total size of 32.2 KiB and 796 B of overhead. Below the table, there are checkboxes for 'Check all' and 'Check tables having overhead', and a dropdown menu for 'With selected:'. At the bottom, there is a 'Create table' button and a console area. An 'Activate Windows' watermark is visible in the bottom right corner.

Table	Action	Rows	Type	Collation	Size	Overhead
<input type="checkbox"/> address		4	MyISAM	latin1_swedish_ci	2.4 KiB	-
<input type="checkbox"/> admin		1	MyISAM	latin1_swedish_ci	1.0 KiB	-
<input type="checkbox"/> card		1	MyISAM	latin1_swedish_ci	2.2 KiB	44 B
<input type="checkbox"/> order_table		2	MyISAM	latin1_swedish_ci	2.8 KiB	472 B
<input type="checkbox"/> problem		1	InnoDB	utf8mb4_general_ci	16.0 KiB	-
<input type="checkbox"/> product		2	MyISAM	latin1_swedish_ci	2.2 KiB	-
<input type="checkbox"/> review		3	MyISAM	latin1_swedish_ci	2.2 KiB	-
<input type="checkbox"/> user		2	MyISAM	latin1_swedish_ci	3.4 KiB	280 B
<b>8 tables</b>	<b>Sum</b>	<b>16</b>	<b>InnoDB</b>	<b>utf8mb4_general_ci</b>	<b>32.2 KiB</b>	<b>796 B</b>

☐ Check all / Check tables having overhead    With selected: ▼

[Print](#)   [Data dictionary](#)

[Create table](#)

Console

Activate Windows  
Go to Settings to activate Windows.