






Interface



Functional Programming

```
interface PasswordValidator
{
    boolean validate (String pwd);
}
```

```
class BasicPkh implements PV
{
    validate (
    {
        if (pwd.length() >= 5)
            true;
        else
            false;
    }
}
```

```
class AdvValidator imp PV
{
    valid
    {
        length() >= 5
        CAP
        $ # @
        0 - 9
    }
}
```

Anonymous Functions

Functional Interface

POJI

→ 1 & only 1 abstract method

→ @FunctionalInterface ✓

```
interface Test
{
    public void test(); ①
}
```

```
interface Test
{
    void test();
    void result();
}
```

```
@FunctionalInterface
interface Test
{
    void test();
    default void result()
    {
        static void initialize()
        {
            private void some()
            {
            }
        }
    }
}
```

```
interface SurfaceTest extends Test
{
    → default void deepTest()
}
```

Password Validator

validate

PV = (str) → return true;

(str) → {
if (str.length() > 5)
return true;
else
}

```
int add(int n1, int n2)
{
    return n1 + n2;
}
```

OK/

(a) $\{ (int\ n1, int\ n2) \rightarrow \{ \text{return } n1 + n2; \}$

(b) $(n1, n2) \rightarrow \{ \text{return } n1 + n2; \}$

(c) $(n1, n2) \rightarrow \text{return } n1 + n2;$

>=8 lambda $\rightarrow$ Anonymous classes

~~PasswordValidator~~ $p_v = \text{new PasswordValidator}();$
 Employee $\text{obj} = \text{new Employee}();$

Employee obj = (new Employee())

java

over
 public float compute()
 {
 }
 ;

class Program \$1
~~Anonymous~~ extends Employee
{



Pr - \$2

\$3
\$4