


```
★ File Edit Selection View Go Run …

                                                                                                                  ▶ Ш …
      ♦ wad1B.html X JS main.js
Ф
            <!DOCTYPE html>
            <html lang="en">
Q
        3
             <head>
        4
               <meta charset="UTF-8" />
مړه
               <meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
               <title>Assignment 1B</title>
₩2
                 rel="stylesheet"
品
       10
                 href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css"
                 integrity="sha384-zCbKRCUGaJDkqS1kPbPd7TveP5iyJE0EjAuZQTgFLD2ylzuqKfdKlfG/eSrtxUkn"
       11
       12
                 crossorigin="anonymous"
       13
       14
              </head>
       16
                <div class="container">
       18
       19
                   class="btn btn-outline-success mt-5"
       20
                   data-toggle="modal"
       21
                   data-target="#addNewUser'
       22
       23
                   Add New User
                  </button>/.btn.btn-outline-success.mt-5
       25
                 (8)
       26
       27
       28
                      Sr No
錢
                      Name
       29
   ⊗0∆0
                                                                          html→head Q Ln 7, Col 33 Spaces: 4 UTF-8 CRLF HTML Ø Port : 5500 ✓ Prettier Q
                                                            🔊 🥼 📮 📜 🗗 🧿 🗗 刘 🚱 💞
                                                                                                                      へ ENG 令 (4) を 11:58 AM (04-Apr-24 単
                                        Q Search
```







```
	imes File Edit Selection View Go Run \cdots \leftarrow 	o
                                                                                         ⇔ wad1B.html
                                                                                                                                                                       ▷ 🏻 …
                         JS main.js X
Ð
                    const city = document.getElementById("city").value;
         40
Q
         42
                    const phone = document.getElementById("phone").value;
         43
مړه
                    let postObject = {
                     email,
         46
                      password,
₽
                     name,
phone,
         48
品
         49
                      username,
         50
                      address: {
                       city: city,
         52
         53
         54
                   let xhr = new XMLHttpRequest();
xhr.open("POST", "https://jsonplaceholder.typicode.com/users/");
xhr.setRequestHeader("Content-type", "application/json; charset=UTF-8");
xhr.send(JSON.stringify(postObject));
         56
         57
58
         59
         60
                    xhr.onload = () => {
         61
                     if (xhr.status == 201) {
                        let storedUser = JSON.parse(localStorage.getItem("users"));
                        storedUser.unshift(postObject);
localStorage.setItem("users", JSON.stringify(storedUser));
8
                        displayData();
         67
鐚
    ⊗0∆0 ₩0
                                                                                                    Q Ln 68, Col 6 Spaces: 4 UTF-8 CRLF ( JavaScript ⊘ Port : 5500 ✓ Prettier Q
                                                                                                                                                     ∧ ENG ♠ Φ) ★ 11:59 AM ↓ 04-Apr-24 ↓
                                                                            🔊 🥵 📮 📋 📫 🧿 🚱 🦁
                                                   Q Search
```

