
Reference-Based TME Marker Scores Across PAM50 Subtypes
Reference cell-type marker signature
Smooth muscle cells
Endothelial cells
Fibroblasts
Pericytes
Mast cells
Adipocytes
B cells
Macrophages
Gamma delta T cells
Dendritic cells
Plasma cells
Plasmacytoid dendritic cells
NK cells
T cells
Neutrophils
Monocytes
Mammary epithelial cells
B cells naive
Luminal epithelial cells
0.04 -0.12 0.05 -0.31 1.07
-0.16 -0.15 0.13 -0.29 0.82
-0.06 -0.14 0.12 -0.30 0.58
0.27 -0.14 0.01 -0.31 0.51
-0.30 -0.18 0.18 -0.22 0.47
-0.10 0.01 0.08 -0.18 0.41
0.41 0.04 -0.09 -0.18 0.19
0.26 -0.01 -0.05 -0.16 0.42
0.35 0.16 -0.12 -0.15 0.41
0.36 0.13 -0.10 -0.18 0.30
0.27 0.37 -0.10 -0.17 0.24
0.26 0.08 -0.05 -0.19 0.34
0.36 0.13 -0.12 -0.13 0.37
0.33 0.04 -0.07 -0.17 0.22
0.07 -0.06 0.01 -0.11 0.26
0.20 0.10 -0.11 0.07 -0.02
-0.09 0.18 -0.01 0.01 0.15
0.11 0.03 -0.01 -0.12 0.15
0.09 0.12 -0.03 -0.06 0.10
Basal
Her2
Luminal A
Luminal B
Normal
PAM50 molecular subtype
Mean gene-wise z-score across reference markers
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00