HTML BASIC ELEMENTS

BY: SHUBHAM KORAT

HTML HEADING

- There is total 6 heading elements in html:
 - <h1>
 - <h2>
 - <h3>
 - <h4>
 - <h5>
 - <h6>

<h1> is the highest section level and <h6> is lowest.

HTML Paragraphs

- The HTML element defines a paragraph.
- A paragraph always starting a new line, and browser automatically add some white space before and after a paragraph.
- Example:

Input:

```
This is a paragraph.
This is another paragraph.
```

output:

This is a paragraph.

This is a paragraph.

This is a paragraph.

HTML STYLE TAG

- HTML style is used to change or add the style on existing HTML elements.
- The style attribute can be used with any HTML tag. style= "property:value"
- There is some styles we can add to element:

```
style color
style background-color
style font-family
style font-size
style text-align
```

HTML TEXT FORMETTING ELEMENT

- ► The text formatting can be used to set the text styles(like bold, italic, or emphasized, etc.), highlight the text, make text superscript and supscript, etc.
- Text formatting elements:
 -
 and : both tags are used to make text bold.
 - <i> and : both tags are used to make the text italic and emphasized.
 - <small> <big> : the small is used to set small font-size, the big tag is used to
 set a big font-size.
 - <sup> and <sub> : the sup is used to superscript a text and sub is used to
 subscript a text.

BLOCK-LEVEL ELEMENT AND INLINE ELEMENT

- A block-level element always starts on a new line, and the browsers automatically add some space before and after the element.
- ► The commonly used block elements are : and <div>.
- ► The element defines a paragraph in an HTML document.
- The <div> element defines a division or a section in HTML document.
- The inline elements always start in existing line.
 - is inline element.

HTML image

- HTML img tag is used to display image on the web page.
- Img tag that contains attributes only, closing tags are not used in HTML image element.
- Attributes of img tag:
- Src
- Alt
- Width
- height

HTML LINKS

- HTML links are hyperlinks.
- You can click on a link and jump to another document.
- link text this is the syntax of link.
- HTML links uses <a> anchor tag.
- The target attribute :
- _self: opens in the same window or tab
- _blank: opens the document in the parent frame.
- _parent: opens the document in the parent frame.
- _top: opens the document in the full body of the window.