SAHYOGI App User Manual

Simple steps with ten practice examples

SAHYOGI helps staff resolve practical problems stopping medicine collection. It keeps the problem, next action, responsible person and dispensing proof together. Follow this manual with the app open.

The full process

1. Create a case from an approved plan and record contact permission.

2. Read a caregiver reply. Staff approve a practical next step or record a care team review.

3. Check collection details, approve a message and contact the caregiver outside the app.

4. Record the contact outcome and check authorised dispensing proof.

5. Keep unresolved work with a named person and next check time.

What the three agents do

The Reader understands replies, the Barrier Assistant suggests practical checks, and the Follow-up Assistant highlights missing records. Staff approve actions. Agents run when requested; offline mode uses rules. See page 13 for agents and pages 14 to 15 for logins.

What this version includes

The local app includes a dashboard, search, guided next steps, ten practice cases, checked collection details, approved caregiver messages, manual contact records, proof verification, handover, follow up times, downloads, backups and action history.

Use made up information. Account logins restrict case access. This local learning app has no hospital connection, clinical assessment or outgoing messages. It is not ready for online patient use.

Find what you need

Topic	Page
Start or update the app	2
Dashboard and creating a case	3
Example 1 complete walkthrough	4 to 5
Other examples and the three agent guide	6 to 9 and 13
Understand statuses and staff roles	10
Follow up records and backups	11
Troubleshooting and manual setup	12
Logins and tasks for each person	14 to 15

Start or update the app

If you already have the app

1. Stop the old app with Ctrl+C in its terminal.

2. Back up data/sahyogi.db. You can copy it while the app is stopped.

3. Copy the updated files from the ZIP into your existing sahyogi_starter folder. Keep data/sahyogi.db and .venv. Avoid creating a second nested project folder.

4. Start the updated app. New supporting tables are added automatically; existing cases and history are kept.

The easiest start on Windows

1. Extract the ZIP if this is your first installation. Open the sahyogi_starter folder.

2. Double-click START_HERE.bat. A terminal menu opens. Python must already be installed.

3. Choose 1 to practise without a key, 2 for Sarvam AI, 3 for Google Gemini or 4 for OpenAI.

4. For an AI mode, enter your own provider key when asked. It is hidden and is not saved to a file. The launcher installs missing reader packages if needed. On first start, create the initial coordinator account in the terminal using your own password with 4 to 18 characters.

5. Open http://127.0.0.1:8000 in your browser and sign in. Keep the terminal open. Press Ctrl+C there to stop the app.

If double clicking does not work

Open PowerShell in the project folder and run:

```
py -3.11 start_app.py
```

Run py --list to see installed Python versions if 3.11 is missing. The real reader supports Python 3.10 to 3.13. On macOS or Linux, use a supported Python version and run python3 start_app.py.

Which option should you choose

Option	What happens
1 Offline practice	No key or AI call. Exact sample messages work with simple rules.
2 Sarvam AI	Uses your Sarvam account, key, model and available credits.
3 Google Gemini	Uses your Google API account and its available quota or credits.
4 OpenAI	Uses your OpenAI API account and a supported model ID you provide.

An AI request can consume credits or quota. Selecting a provider does not prove its key works; the connection is checked when reading a reply. Existing environment settings can be reused by the launcher.

Dashboard and creating a case

Use the home page

All cases opens the dashboard. The counters show total cases, human reviews, overdue follow ups and completed tasks. Search by patient reference, plan, task or owner. Use Show to filter the list. Clear filters returns to all cases.

The quickest practice

1. Click Help and examples, then choose one of the ten exercises.

2. Click Create practice case. A new made up case is saved with the signed-in coordinator as owner.

3. The sample message is prefilled when the exercise has one. Click Read reply yourself when ready. Creating the case does not call AI or send anything.

For practice cases only, the approved plan and permission are simulated. Each case has a unique plan reference. Your existing sample records are not replaced.

Create your own sample case

Under Add a sample case, fill in the fields below and click Create sample case.

Field	Sample value or action
Sample patient reference	P101
Unique plan task reference	PLAN101 or another unused reference
What medicine access task are we checking?	Confirm collection for the approved plan
Person responsible	Anita
Next follow up in India time	Choose a future time
Staff has checked the approved plan reference	Tick after staff have checked the plan
The caregiver agreed to follow up contact	Tick after permission was obtained

Open the case and follow its next step

At the top, What to do next gives one clear action. Click Go to this step to jump to the correct section. It changes as you work. Human review and stopped contact take priority over routine tasks.

The access badge answers whether collection has been confirmed. Workflow answers what work is happening. Caregiver update describes the staff contact record. These are separate facts.

Example 1 Read and check the details

Open Help and examples. Under Where to go and what to bring, click Create practice case. You can also use a fresh P101 case.

Read the caregiver message

1. Under 1 Read a caregiver reply, enter the message below and click Read reply.

2. Expect Documents Route and Awaiting Approval. Read the original message and the summary together.

3. Under the result, find Checked next step or review reason. Enter the sample note below.

4. Click As coordinator, approve next step. Workflow becomes Coordinator Checking; access stays Not Confirmed.

Where should we go? Which documents are needed?

The recognised Marathi sample has the same meaning: आम्ही कुठे जायचे? कोणती कागदपत्रे लागतील?

Coordinator will check the collection location and required documents with the authorised service.

Save what staff actually checked

Below Care team review, find Check details and inform caregiver. Under A Record checked details, use these made up values.

Field	Practice value
Verified collection location	Demo Hospital collection counter 2
Verified documents to bring	Demo approved prescription and sample case reference
Authorised service or source checked	Demo pharmacy coordinator
Staff member who checked	Anita
When details were checked in India time	The time the sample check occurred
Caregiver message language	English for this exercise

1. Tick I checked these details with the authorised service.

2. Click Save checked details. The caregiver update says the details are checked and the message needs approval.

In actual work, staff must check the facts before saving them. The sample document list is not a real hospital requirement. Continue in the same case on the next page.

Example 1 Inform the caregiver and check proof

Approve and share the message

1. Under B Review and approve the caregiver message, read the draft. Check the source, location, documents and language.

2. Check the signed-in staff name, tick the review confirmation and click Approve caregiver message.

3. Select the Approved message for manual sharing text and copy it with Ctrl+C.

4. Staff share it through their agreed channel outside the app, or explain the same checked facts on a call. The app does not send a message.

Record the actual contact outcome

1. Under C Record what happened when staff contacted the caregiver, choose the method and outcome.

2. For practice, choose Phone call and Spoke to caregiver or received acknowledgement. Check the signed-in Anita name, then enter the contact time and a short sample note.

3. Tick the agreed contact route box. Tick the acknowledgement box only if staff spoke to the caregiver or have their acknowledgement.

4. Click Save caregiver contact outcome. Caregiver update now says Caregiver informed according to staff record. Access remains Not Confirmed.

If staff only sent a WhatsApp or SMS message, choose Message sent but not yet acknowledged. If a call failed, choose Could not reach caregiver. The app keeps those outcomes separate.

Check dispensing proof before completing the task

1. Under 2 Add sample proof, enter Demo Hospital as source and DISP101 as a unique sample record reference.

2. Tick the patient and task match box and whole task coverage box. Click Add pending record. Access is still Not Confirmed.

3. Sign in with the assigned Staff account and open the case. Under the pending record, change Verifier decision from Reject record to Accept record.

4. Tick the source authority and validity box, enter a verification reason and click As verifier, save decision.

5. Access becomes Confirmed. Workflow becomes Completed if no human review is open. Read Action history to see the saved steps.

The proof form simulates a dispensing record check. It does not connect to a hospital or verify a real document. Informing the caregiver alone never confirms access.

Examples 2 and 3 Practical problems

Use Help and examples to create a fresh practice case for each exercise. The sample reply is prefilled. A successful real AI reading shows Reader: crewai; offline rules show Reader: demo.

Example 2 Help with travel

The caregiver has a travel problem that staff must check.

We need help with travel.

1. Click Read reply. Expect Travel.

2. Approve a next step to check available travel support outside the app.

3. Keep the responsible person and next follow-up time visible. The app does not book transport.

Sample next step for travel

Check available travel support and discuss suitable options with the caregiver.

After staff approve this note, workflow becomes Coordinator Checking. Staff arrange support outside the app. Use Change next follow-up time to record when the coordinator will check again.

Example 3 Reported availability problem

This is a caregiver report. Staff must check availability with the authorised service.

Medicine is not available.

1. Click Read reply. Expect Availability Reported.

2. Approve a next step to check the report.

3. Do not promise stock. Access remains Not Confirmed.

Sample next step for an availability report

Check the reported availability problem with the authorised dispensing service and record the next step.

The report is saved against a named owner. AI does not promise stock, choose another medicine or change an approved prescription.

Why these exercises help

Staff can see which practical problem is blocking collection. The app keeps the reply, next action, owner and follow up time together. Actual calls, transport arrangements and service checks take place outside the demo.

Examples 4 and 8 Collection and partial proof

The coordinator adds sample proof. An assigned Staff account must sign in to accept or reject it. Create and assign that account as shown on page 14.

Example 4 Caregiver says medicine was collected

A collection claim needs a matching dispensing record.

We collected it.

1. Click Read reply. Expect Receipt Reported.

2. Approve a next step to verify proof. Workflow becomes Waiting Evidence.

3. Add a sample record, tick matching and whole task coverage, then accept it as verifier after checking authority.

4. Access becomes Confirmed if the full proof is accepted; an open care team review remains open.

What to check after the collection claim

Approval changes the workflow to Waiting Evidence. Access remains Not Confirmed. A pending record also leaves access unconfirmed. Select Accept record explicitly; Reject record is the default. The verifier must check source authority, the match and whole task coverage.

Example 8 Only part of the task is covered

An accepted record can confirm partial access without completing the task.

1. Go directly to 2 Add sample proof. Enter a made up source and unique record reference.

2. Tick the patient and task match box. Leave whole task coverage unticked.

3. Add the record, choose Accept record, confirm source authority, enter a reason and save.

4. Access becomes Partial. The remaining work stays open.

When the remaining work is later covered

If a later authorised record confirms the whole task is covered, add it with a new reference and tick whole task coverage. After staff accept that record, access can become Confirmed. The app does not add medicine quantities across separate partial records.

If proof is wrong or rejected

Do not accept a record that fails to match the patient or task. Record a rejection reason. The decision is saved for that record; corrected proof should be entered with a new record reference. Checking a box only simulates the human check in this demo.

Accepted dispensing proof and care team review are separate. If a medical review is open, it remains open even when access becomes Confirmed.

Examples 5 to 7 Messages needing human review

Create separate practice cases. These exercises show why a routine next-step approval may be hidden. Follow What to do next to find Care team review.

Example 5 A medical question

The care team must handle the medical question. AI does not answer it.

The patient has pain. Should we change the dose?

1. Click Read reply. Expect Clinical and Human Review.

2. Routine coordination pauses.

3. For practice only, simulate care team review and record its note and next step. Resolve the review only after it has been reviewed.

Example 6 Travel and a medical concern together

Medical content takes priority even when a practical question is also present.

We need help with travel, and the patient has pain.

1. Click Read reply. Expect Clinical and Human Review.

2. The care team reviews the medical concern first.

3. After the review is resolved, staff can continue the travel follow-up. A handover does not clear a review.

Example 7 An unclear reply

There is not enough information to choose a reliable next step.

It happened again. Please do something.

1. Click Read reply. Expect Unclear and Human Review. Real model wording may vary.

2. Staff clarify the meaning outside the app, then record what they learned in the review note.

3. Resolve the review after checking. A reader failure also needs review, but is a technical problem.

How to use the review form

Sign in with the assigned Staff account. After staff have checked the issue, enter Staff review note and next step, then click As care team, resolve this review. For a sample directions clarification, a practice note can say: Reviewed the original reply. Caregiver needs directions; coordinator will check the collection location.

For a medical example, simulate review only as a learning exercise. Do not record a real care team review as completed until it actually happened. The app gives no diagnosis or dose advice and does not notify a clinician.

Examples 9 and 10 Ownership and permission

Example 9 Another coordinator takes over

The current person stays responsible until the named next person accepts.

1. Go to 3 Hand over unresolved work. Enter rahul as the active coordinator username, a future check time and a reason. Create that account first.

2. Propose the handover. Anita remains responsible.

3. Sign in with Rahul's account and click Accept this handover. Only the named account can accept.

4. Rahul becomes responsible. Access stays unresolved.

Check who remains responsible

Before acceptance, workflow says Handover Pending and Anita remains responsible. After Rahul accepts, workflow says Handover Active and Rahul becomes responsible. A handover never confirms collection or clears a medical review.

Example 10 The caregiver asks to stop contact

Routine follow-up stops when contact permission is withdrawn.

Stop messages.

1. Click Read reply. The exact stop phrase is handled by an app rule without calling AI.

2. Workflow becomes Stopped. The case and history remain saved.

3. There is no restore-permission button in this demo. Use another sample case for further practice.

Record withdrawal manually

1. On a different fresh case, expand Stop automated contact for this case near the bottom.

2. Click Record contact withdrawal.

3. Check the Stopped workflow and the saved withdrawal entry in Action history.

Routine contact and new replies are blocked after withdrawal. Saved records remain. The demo sends no messages, so this records permission rather than cancelling a real message queue.

Do not lose unresolved work

Keep the owner and next check time visible until access is confirmed or responsibility has been accepted by another named person. Returning to All cases makes overdue follow ups easy to find.

Understand statuses and staff roles

Access	Meaning
Not Confirmed	No accepted proof confirms the whole task.
Partial	An accepted record covers only part of the task.
Confirmed	Accepted matching proof covers the whole task.

Workflow	Meaning
Waiting Reply	Enter a caregiver reply or perform another permitted staff action.
Awaiting Approval	A routine reader suggestion needs staff approval.
Coordinator Checking	Staff are checking the practical next step.
Waiting Evidence	A collection claim needs proof checking.
Human Review	Staff must review medical, unclear or failed readings.
Handover Pending	The named next person has not accepted yet.
Handover Active	The new person accepted responsibility.
Completed	Access is confirmed and no human review is open.
Stopped	Contact permission was withdrawn.

Caregiver update is another fact

This progress shows whether details were checked, the message was approved, contact is pending, a message was sent without acknowledgement, contact failed, or staff recorded that the caregiver was informed. Read it together with access and workflow. It is not an external delivery receipt.

Who does what

The coordinator checks practical details and owns follow up. The care team handles medical or unclear issues. The verifier accepts or rejects dispensing proof. The signed-in account controls these permissions. Assigned Staff accounts handle care team review and proof verification. The AI reader only suggests meaning; it cannot approve records, contact families or complete access.

Follow up records and backups

Change the next check time

1. Open an unresolved case and expand Change next follow-up time near the top.

2. Choose a future time in India time and enter the reason.

3. Click Save follow-up time. The owner, access status and any human review stay unchanged.

Overdue unresolved cases show Follow up due on the home page. This demo does not send reminders. Contact-stopped and already confirmed tasks cannot be rescheduled through this routine action.

Download a case record

Click Download case record near the top of the case. Your browser downloads a JSON file containing that case and its saved history. This is a readable data copy, not the full database backup. It does not contain provider API keys.

Back up all records

In the project folder, run:

```
.\.venv\Scripts\python.exe backup_records.py
```

If you use offline mode without .venv, run py -3.11 backup_records.py. A new database backup is written to the backups folder. This uses SQLite backup so it can make a consistent copy while the app is running. Existing backup files are not overwritten.

To restore a backup, stop the app first. Keep a copy of the current database, then copy the chosen backup to data/sahyogi.db. Start the app again. A custom SAHYOGI_DB setting uses a different file; keep track of that path.

Revise checked collection facts

Expand Revise checked details in the caregiver section. Save a new check with the corrected facts. The new draft needs fresh approval and a new contact record. Earlier checked details, exact approved messages and contact records stay in history.

Closing and reopening

Close the browser whenever you need. Stop the server with Ctrl+C in the terminal. Reopening from the same project and database keeps your cases. Do not delete data/sahyogi.db to solve an API error.

Troubleshooting and manual setup

The browser cannot open the app

Keep the terminal running and use http://127.0.0.1:8000. If an older copy is using that port, stop it first. You can set SAHYOGI_PORT to 8001 and open http://127.0.0.1:8001 instead.

The reader failed or shows Unclear

Read the explanation below the result. Reader: unavailable means a technical failure, not a successful judgement about the sentence. AUTH means key rejection; CREDITS means exhausted balance; RATE_LIMIT means wait before retrying; TIMEOUT or CONNECTION means check the connection. Keep the original reply for staff review.

Run the safe check below without an API request. Add --test only if you want a real reader test using one fixed sample; it can consume API quota or credits.

```
.\.venv\Scripts\python.exe check_reader.py
```

An approval field is missing

Use What to do next. An open human review hides routine approval. Staff record the review before continuing. Withdrawn permission, pending handover and confirmed access can also block actions. Use a fresh practice case when checking a repaired API connection; an old failed reading keeps its review open.

Manual Sarvam setup in PowerShell

The launcher is the easiest route. If you prefer commands, create .venv once with py -3.11 -m venv .venv, then run:

```
.\.venv\Scripts\python.exe -m pip install -r requirements.txt
$env:SAHYOGI_READER = "crewai"
$env:SAHYOGI_PROVIDER = "sarvam"
$env:SARVAM_API_KEY = "YOUR_SARVAM_API_KEY"
$env:SARVAM_MODEL = "sarvam-105b"
.\.venv\Scripts\python.exe app.py
```

Replace the key placeholder privately. Create a Sarvam key at https://indus.sarvam.ai and check your available credits. The same app also supports Gemini and OpenAI; see README.md and SARVAM_SETUP.md for provider settings. Your account controls access and billing.

A record already exists or the case changed

Use a new plan task reference for a new case. Do not enter the same source and dispensing reference twice. If the app says the case changed, reopen it, check the saved state and use the current form. Avoid submitting changes from several tabs at once.

Use the three agents

The same app now has three CrewAI roles. They use the provider selected at startup. Each button runs its own role, so staff can ask for help when needed. The agents do not run continuously or send messages.

Agent	Button and job
Reader	Read reply understands the caregiver message and suggests its category.
Barrier Assistant	Run Barrier Assistant suggests practical checks for a reported barrier.
Follow-up Assistant	Run Follow-up Assistant highlights missing records and suggests staff follow-up checks.

Try the directions example with all three agents

1. Create the Where to go and what to bring practice case from Help and examples.

2. Click Read reply. The Reader should suggest Documents Route. Staff still need to approve the next practical step.

3. Open Agent help for staff on the same case. Click Run Barrier Assistant. Read the draft checklist.

4. Check the suggestion. Choose Use as a reference after checking or Reject suggestion. Check the signed-in staff name and enter What staff checked and decided. Click Save staff review of suggestion.

5. Use the original Checked next step or review reason form to enter the checked next step and approve it as coordinator. Reviewing an agent suggestion does not do this.

6. Save checked collection details, approve the caregiver message, share it outside the app and record the contact outcome, as shown on pages 4 and 5.

7. Click Run Follow-up Assistant after saving progress. It can highlight missing acknowledgement or accepted dispensing proof from the recorded flags. Review its draft using the same staff review form.

8. Record actual follow-up or proof decisions in the existing forms. Access is confirmed only after suitable full proof is accepted.

Understand the draft and its limits

Engine demo means a fixed practice checklist, not AI. Engine crewai means a real CrewAI execution. Each new AI request can use provider credits or quota. A failed request stays in history; it does not approve an action or change access.

The two new assistants receive only categories, counts and status flags. They do not receive names, original replies or actual location and document text. Staff must check facts outside the app. A missing record does not prove an action never happened.

If the case changes, earlier suggestions become history. Run the relevant assistant again before using a current draft. Open care team review, withdrawn contact permission, pending handover and confirmed access block new routine assistance.

Logins and tasks for each person

An account role controls what a person can see and do. The app has four account roles and three AI agents. They are different: people sign in; agents help staff when requested. Patients and caregivers see only cases assigned to their account.

Account role	What the person needs to do
Patient	Open Your tasks, read approved instructions, mark them as read and send a question or update.
Caregiver	Use the same tools for the patient case assigned by the coordinator.
Coordinator	Manage own cases, assign accounts, approve practical next steps and instructions, and arrange follow-up.
Staff	Open assigned cases that need care team review or dispensing proof verification.

Create the first coordinator account

1. Start with START_HERE.bat and choose offline practice or your AI provider.

2. On first start, follow the terminal prompts for coordinator username, display name and a password with 4 to 18 characters. For practice, use username anita and display name Anita. Choose your own password; there is no default.

3. Open http://127.0.0.1:8000 and sign in. The initial coordinator is also the account administrator.

4. If updating, back up data/sahyogi.db first and keep your data folder and .venv. Existing cases are assigned to the initial coordinator; each previous owner is recorded in Action history. Review ownership and use a named handover if needed.

Create and assign the other accounts

1. As Anita, click Accounts. Create ravi as Patient, meena as Caregiver and staff1 as Staff, with separate temporary passwords you choose. Give each account holder the password privately.

2. Each new account holder must change the temporary password at first sign-in. Only the initial administrator can create Staff and other Coordinator accounts.

3. Open a practice case. Near the bottom, find Who can see this case. Enter ravi, leave Assign access selected and click Save case access. Repeat for meena and staff1.

4. Use Remove access in the same form to revoke someone’s case access. To try several accounts on one computer, sign out between accounts or use separate browser profiles.

A patient or caregiver cannot approve a plan, see internal agent drafts, read staff review notes, open another patient’s case or download the staff case record. Selecting a different role in a form does not change these permissions.

Try the caregiver and staff screens

One complete example using the portal

1. Sign in as Meena, change the temporary password and open the assigned case from Your tasks. Read What you need to do.

2. Under Send a question or update, enter exactly: Where should we go? Which documents are needed? Click Send my message. The Reader helps staff understand the reply.

3. Sign in as Anita. Open that case, enter the checked next step and approve it as coordinator. The optional Barrier Assistant and Follow-up Assistant are under Agent help for staff.

4. Save the checked collection details and approve the caregiver message as shown on pages 4 and 5. Use made up facts for practice; actual facts must be checked before saving.

5. Sign in as Meena again and reload the case. The approved instructions now appear. Drafts and internal notes stay hidden. Ravi can also read the instructions after signing in to the assigned account.

6. Click I have read these instructions. Anita can see that a patient or caregiver marked the current instructions as read. This does not confirm collection.

7. If the caregiver reports collection, staff still check authorised dispensing proof. Anita adds the sample record; assigned Staff signs in, checks it and saves the verifier decision. Only accepted proof of the whole task confirms access.

Medical or unclear messages

The case stays paused for care team review. Anita assigns the Staff account. That person signs in, reviews the case and records the actual review note using As care team, resolve this review. Patient and Coordinator accounts cannot clear it. The app gives no medical advice and is not a live emergency service.

Handover and passwords

Create rahul as a Coordinator account before proposing a handover. Anita enters rahul under Next coordinator username. Rahul signs in and accepts the handover. Anita remains responsible until acceptance and then retains a read-only earlier-owner view. An existing care team review stays open.

Use Change password to change your own password. Sign out on a shared computer. Sessions expire after 30 minutes without use or eight hours from sign-in. For a forgotten password, the trusted local operator runs py -3.11 manage_users.py reset-password and follows the hidden prompts. A reset signs out earlier sessions and requires a password change at next sign-in.

What the portal does and what stays manual

Approved instructions appear inside the app when assigned people open or refresh the case. There is no SMS, WhatsApp, email or push notification. Staff can still contact people through the agreed external channel and record the outcome. Marking instructions as read does not prove understanding or dispensing.

This app runs only on its host computer. Other phones or computers cannot use its localhost address. It remains a local learning app for made up records. Online patient use needs a separately reviewed deployment with HTTPS; it is not included in this version. LOGIN_GUIDE.md in the ZIP has further steps and recovery commands.