### dbConnection.php

```
<?php
$db host = "localhost:3307";
$db user = "root";
$db_password = "";
$db_name = "Ims_db";
// Create Connection
$conn = new mysqli($db host, $db user, $db password, $db name);
// Check Connection
if($conn->connect error) {
die("connection failed");
}
// else {
// echo"connected";
//}
?>
./mainInclude/header.php
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <meta http-equiv="X-UA-Compatible" content="ie=edge" />
  <!-- Bootstrap CSS -->
  <link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
  <!-- Font Awesome CSS -->
  <link rel="stylesheet" type="text/css" href="css/all.min.css">
  <!-- Google Font -->
  <link href="https://fonts.googleapis.com/css?family=Ubuntu" rel="stylesheet">
  <!-- Student Testimonial Owl Slider CSS -->
  k rel="stylesheet" type="text/css" href="css/owl.min.css">
  <link rel="stylesheet" type="text/css" href="css/owl.theme.min.css">
```

<link rel="stylesheet" type="text/css" href="css/testyslider.css">

```
<!-- Custom Style CSS -->
 k rel="stylesheet" type="text/css" href="./css/style.css" />
 <title>Digital Journey of Learning</title>
 </head>
 <body>
  <!-- Start Nagigation -->
 <nav class="navbar navbar-expand-sm navbar-dark pl-5 fixed-top">
  <a href="index.php" class="navbar-brand">Digital Journey of Learning</a>
  <span class="navbar-text">Learn and Implement</span>
  <button type="button" class="navbar-toggler" data-toggle="collapse" data-
target="#myMenu">
   <span class="navbar-toggler-icon"></span>
  </button>
  <div class="collapse navbar-collapse" id="myMenu">
   <a href="index.php" class="nav-</pre>
link">Home</a>
    <a href="courses.php" class="nav-</pre>
link">Courses</a>
    class="nav-item custom-nav-item"><a href="paymentstatus.php" class="nav-</p>
link">Payment Status</a>
    <?php
      session start();
      if (isset($ SESSION['is login'])){
       echo 'class="nav-item custom-nav-item"><a href="student/studentProfile.php"
class="nav-link">My Profile</a> class="nav-item custom-nav-item"><a
href="logout.php" class="nav-link">Logout</a>';
      } else {
       echo '<a href="#login" class="nav-link" data-
toggle="modal" data-target="#stuLoginModalCenter">Login</a> class="nav-item"
custom-nav-item"><a href="#signup" class="nav-link" data-toggle="modal" data-
target="#stuRegModalCenter">Signup</a>';
      }
    ?>
    <a href="#Feedback" class="nav-</pre>
link">Feedback</a>
    <a href="#Contact" class="nav-</pre>
link">Contact</a>
   </div>
 </nav> <!-- End Navigation -->
./mainInclude/footer.php
<!-- Start Footer -->
<footer class="container-fluid bg-dark text-center p-2">
```

```
<small class="text-white">Copyright &copy; 2019 || Designed By E-Learning || <?php</pre>
     if (isset($ SESSION['is admin login'])){
      echo '<a href="admin/adminDashboard.php"> Admin Dashboard</a> <a
href="logout.php">Logout</a>';
     }else {
      echo '<a href="#login" data-toggle="modal" data-
target="#adminLoginModalCenter"> Admin Login</a>';
     }
  ?>
 </small>
</footer> <!-- End Footer -->
  <!-- Start Student Registration Modal -->
  <div class="modal fade" id="stuRegModalCenter" tabindex="-1" role="dialog" aria-
labelledby="stuRegModalCenterTitle" aria-hidden="true">
   <div class="modal-dialog modal-dialog-centered" role="document">
    <div class="modal-content">
     <div class="modal-header">
      <h5 class="modal-title" id="stuRegModalCenterTitle">Student Registration</h5>
      <button type="button" class="close" data-dismiss="modal" aria-label="Close"</pre>
onclick="clearAllStuReg()">
       <span aria-hidden="true">&times;</span>
      </button>
     </div>
     <div class="modal-body">
      <!--Start Form Registration-->
      <?php include('studentRegistration.php'); ?>
      <!-- End Form Registration -->
     </div>
     <div class="modal-footer">
      <span id="successMsg"></span>
      <button type="button" class="btn btn-primary" id="signup" onclick="addStu()">Sign
Up</button>
      <button type="button" class="btn btn-secondary" data-dismiss="modal"
onclick="clearAllStuReg()">Close</button>
     </div>
    </div>
   </div>
  </div> <!-- End Student Registration Modal -->
  <!-- Start Student Login Modal -->
  <div class="modal fade" id="stuLoginModalCenter" tabindex="-1" role="dialog" aria-
labelledby="stuLoginModalCenterTitle" aria-hidden="true">
   <div class="modal-dialog modal-dialog-centered" role="document">
    <div class="modal-content">
```


```
<div class="modal-header">
      <h5 class="modal-title" id="stuLoginModalCenterTitle">Student Login</h5>
      <button type="button" class="close" data-dismiss="modal" aria-label="Close"
onClick="clearStuLoginWithStatus()">
       <span aria-hidden="true">&times;</span>
      </button>
     </div>
     <div class="modal-body">
      <form role="form" id="stuLoginForm">
       <div class="form-group">
        <i class="fas fa-envelope"></i><label for="stuLogEmail" class="pl-2 font-weight-
bold">Email</label><small id="statusLogMsg1"></small><input type="email"
          class="form-control" placeholder="Email" name="stuLogEmail"
id="stuLogEmail">
        </div>
        <div class="form-group">
         <i class="fas fa-key"></i><label for="stuLogPass" class="pl-2 font-weight-
bold">Password</label><input type="password" class="form-control"
placeholder="Password" name="stuLogPass" id="stuLogPass">
       </div>
      </form>
     </div>
     <div class="modal-footer">
      <small id="statusLogMsg"></small>
      <button type="button" class="btn btn-primary" id="stuLoginBtn"
onclick="checkStuLogin()">Login</button>
      <button type="button" class="btn btn-secondary" data-dismiss="modal"
onClick="clearStuLoginWithStatus()">Cancel</button>
     </div>
    </div>
   </div>
  </div> <!-- End Student Login Modal -->
 <!-- Start Admin Login Modal -->
 <div class="modal fade" id="adminLoginModalCenter" tabindex="-1" role="dialog" aria-</pre>
labelledby="adminLoginModalCenterTitle" aria-hidden="true">
   <div class="modal-dialog modal-dialog-centered" role="document">
    <div class="modal-content">
     <div class="modal-header">
      <h5 class="modal-title" id="adminLoginModalCenterTitle">AdminLogin</h5>
      <button type="button" class="close" data-dismiss="modal" aria-label="Close"
onClick="clearAdminLoginWithStatus()">
       <span aria-hidden="true">&times;</span>
      </button>
     </div>
     <div class="modal-body">
```

```
<form role="form" id="adminLoginForm">
       <div class="form-group">
        <i class="fas fa-envelope"></i><label for="adminLogEmail" class="pl-2 font-weight-
bold">Email</label><input type="email"
          class="form-control" placeholder="Email" name="adminLogEmail"
id="adminLogEmail">
        </div>
        <div class="form-group">
         <i class="fas fa-key"></i><label for="adminLogPass" class="pl-2 font-weight-
bold">Password</label><input type="password" class="form-control"
placeholder="Password" name="adminLogPass" id="adminLogPass">
       </div>
      </form>
     </div>
     <div class="modal-footer">
      <small id="statusAdminLogMsg"></small>
      <button type="button" class="btn btn-primary" id="adminLoginBtn"
onclick="checkAdminLogin()">Login</button>
      <button type="button" class="btn btn-secondary" data-dismiss="modal"
onClick="clearAdminLoginWithStatus()">Cancel</button>
     </div>
    </div>
   </div>
  </div> <!-- End Admin Login Modal -->
  <!-- Jquery and Boostrap JavaScript -->
  <script type="text/javascript" src="js/jquery.min.js"></script>
  <script type="text/javascript" src="js/popper.min.js"></script>
  <script type="text/javascript" src="js/bootstrap.min.js"></script>
  <!-- Font Awesome JS -->
  <script type="text/javascript" src="js/all.min.js"></script>
  <!-- Student Testimonial Owl Slider JS -->
  <script type="text/javascript" src="js/owl.min.js"></script>
  <script type="text/javascript" src="js/testyslider.js"></script>
  <!-- Student Ajax Call JavaScript -->
  <script type="text/javascript" src="js/ajaxrequest.js"></script>
  <!-- Admin Ajax Call JavaScript -->
  <script type="text/javascript" src="js/adminajaxrequest.js"></script>
  <!-- Custom JavaScript -->
  <script type="text/javascript" src="js/custom.js"></script>
 </body>
```


#### contact.php

```
<!--Start Contact Us-->
<div class="container mt-4" id="Contact"> <!--Start Contact Us Container-->
   <h2 class="text-center mb-4">Contact US</h2> <!-- Contact Us Heading -->
   <div class="row"> <!--Start Contact Us Row-->
    <div class="col-md-8"> <!--Start Contact Us 1st Column-->
     <form action="" method="post">
      <input type="text" class="form-control" name="name" placeholder="Name"><br>
      <input type="text" class="form-control" name="subject" placeholder="Subject"><br>
      <input type="email" class="form-control" name="email" placeholder="E-mail"><br>
      <textarea class="form-control" name="message" placeholder="How can we help
you?" style="height:150px;"></textarea><br>
      <input class="btn btn-primary" type="submit" value="Send"
name="submit"><br><br>
     </form>
    </div> <!-- End Contact Us 1st Column-->
    <div class="col-md-4 stripe text-white text-center"> <!-- Start Contact Us 2nd Column--
     <h4>Digital Journey of Learning</h4>
     >Digital Journey of Learning,
     Near Police Camp II, Bokaro,
     Jharkhand - 834005<br />
     Phone: +00000000 <br />
     www.Digital Journey of Learning.com 
    </div> <!-- End Contact Us 2nd Column-->
   </div> <!-- End Contact Us Row-->
  </div> <!-- End Contact Us Container-->
  <!-- End Contact Us -->
```

### studentRegistration.php



# loginorsignup.php



```
</div>
   <div class="col-md-6 offset-md-1">
   <h5 class="mb-3">New User !! Sign Up</h5>
    <form role="form" id="stuRegForm">
     <div class="form-group">
       <i class="fas fa-user"></i><label for="stuname" class="pl-2 font-weight-
bold">Name</label><small id="statusMsg1"></small><input type="text"
        class="form-control" placeholder="Name" name="stuname" id="stuname">
     </div>
     <div class="form-group">
     <i class="fas fa-envelope"></i><label for="stuemail" class="pl-2 font-weight-
bold">Email</label><small id="statusMsg2"></small><input type="email"
        class="form-control" placeholder="Email" name="stuemail" id="stuemail">
       <small class="form-text">We'll never share your email with anyone else.</small>
     </div>
     <div class="form-group">
      <i class="fas fa-key"></i><label for="stupass" class="pl-2 font-weight-bold">New
        Password</label><small id="statusMsg3"></small><input type="password"
class="form-control" placeholder="Password" name="stupass" id="stupass">
     </div>
     <button type="button" class="btn btn-primary" id="signup" onclick="addStu()">Sign
Up</button>
    </form> <br/>
    <small id="successMsg"></small>
   </div>
  </div>
  </div>
  <hr/>
<?php
// Contact Us
include('./contact.php');
?>
<?php
// Footer Include from mainInclude
include('./mainInclude/footer.php');
?>
checkout.php
<?php
include('./dbConnection.php');
session start();
if(!isset($ SESSION['stuLogEmail'])) {
 echo "<script> location.href='loginorsignup.php'; </script>";
} else {
 $stuEmail = $_SESSION['stuLogEmail'];
```

```
?>
```


```
<!DOCTYPE html>
 <html lang="en">
 <head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <!-- Bootstrap CSS -->
  k rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
  <!-- Font Awesome CSS -->
  <link rel="stylesheet" type="text/css" href="css/all.min.css">
  <!-- Google Font -->
  <link href="https://fonts.googleapis.com/css?family=Ubuntu" rel="stylesheet">
  <!-- Custom Style CSS -->
  k rel="stylesheet" type="text/css" href="./css/style.css" />
 <title>Checkout</title>
 </head>
 <body>
 <div class="container mt-5">
  <div class="row">
  <div class="col-sm-6 offset-sm-3 jumbotron">
  <h3 class="mb-5">Welcome to E-Learning Payment Page</h3>
  <form method="post" action="./paymentdone.php" id="myform">
   <div class="form-group row">
   <label for="ORDER_ID" class="col-sm-4 col-form-label">Order ID</label>
   <div class="col-sm-8">
    <input id="ORDER ID" class="form-control" tabindex="1" maxlength="20" size="20"
name="ORDER ID" autocomplete="off"
     value="<?php echo "ORDS" . rand(10000,9999999)?>" readonly>
   </div>
   </div>
   <div class="form-group row">
   <label for="CUST_ID" class="col-sm-4 col-form-label">Student Email</label>
   <div class="col-sm-8">
    <input id="CUST_ID" class="form-control" tabindex="2" maxlength="12" size="12"
name="CUST_ID" autocomplete="off" value="<?php if(isset($stuEmail)){echo $stuEmail;</pre>
}?>" readonly>
   </div>
   </div>
   <div class="form-group row">
   <label for="TXN AMOUNT" class="col-sm-4 col-form-label">Amount</label>
```

```
<div class="col-sm-8">
    <input title="TXN AMOUNT" class="form-control" tabindex="10"
     type="text" name="TXN AMOUNT" value="<?php if(isset($ POST['id'])){echo
$ POST['id']; }?>" readonly>
   </div>
   </div>
   <div class="text-center">
    <!-- Set up a container element for the button -->
    <div id="paypal-button-container"></div>
    <a href="./courses.php" class="btn btn-secondary">Cancel</a>
   </div>
  </form>
  <small class="form-text text-muted">Note: Complete Payment by Clicking Checkout
Button</small>
  </div>
  </div>
 </div>
 <!-- Include the PayPal JavaScript SDK -->
 <script src="https://www.paypal.com/sdk/js?client-id=sb&currency=USD"></script>
 <script>
   // Render the PayPal button into #paypal-button-container
   paypal.Buttons({
     // Set up the transaction
     createOrder: function(data, actions) {
       return actions.order.create({
          purchase units: [{
            amount: {
              value: '<?php if(isset($_POST['id'])){echo $_POST['id']; }?>'
            }
         }]
       });
     // Finalize the transaction
     onApprove: function(data, actions) {
       return actions.order.capture().then(function(details) {
         // Show a success message to the buyer
          alert('Transaction completed by ' + details.payer.name.given_name + '!');
          document.getElementById("myform").submit()
       });
     }
   }).render('#paypal-button-container');
 </script>
  <!-- Jquery and Boostrap JavaScript -->
```

```
<script type="text/javascript" src="js/jquery.min.js"></script>
  <script type="text/javascript" src="js/popper.min.js"></script>
  <script type="text/javascript" src="js/bootstrap.min.js"></script>
  <!-- Font Awesome JS -->
  <script type="text/javascript" src="js/all.min.js"></script>
  <!-- Custom JavaScript -->
  <script type="text/javascript" src="js/custom.js"></script>
 </body>
 </html>
<?php } ?>
Paymentdone.php
<?php
include('./dbConnection.php');
session start();
if(!isset($ SESSION['stuLogEmail'])) {
echo "<script> location.href='loginorsignup.php'; </script>";
} else {
date default timezone set('Asia/Kolkata');
$date = date('d-m-y h:i:s');
if(isset($ POST['ORDER ID']) && isset($ POST['TXN AMOUNT'])){
 $order id = $ POST['ORDER ID'];
 $stu_email = $_SESSION['stuLogEmail'];
 $course id = $ SESSION['course id'];
 $status = "Success";
 $respmsg = "Done";
 $amount = $ POST['TXN AMOUNT'];
 $date = $date;
 $sql = "INSERT INTO courseorder(order_id, stu_email, course_id, status, respmsg, amount,
order date) VALUES ('$order id', '$stu email', '$course id', '$status', '$respmsg',
'$amount', '$date')";
 if($conn->query($sqI) == TRUE){
 echo "Redirecting to My Profile....";
  echo "<script> setTimeout(() => {
  window.location.href = './Student/myCourse.php';
 }, 1500); </script>";
 };
} else {
echo "<b>Transaction status is failure</b>". "<br/>";
}
```

}

## Paymentstatus.php



```
</div>
   <div>
    <input class="btn btn-primary mx-4" value="View" type="submit" onclick="">
  </div>
  </form>
 </div>
 <div class="container">
 <?php
  if (isset($_POST['ORDER_ID']))
   $sql = "SELECT order id FROM courseorder";
   $result = $conn->query($sql);
   while($row = $result->fetch assoc()){
    if($ POST["ORDER ID"] == $row["order id"]){ ?>
     <div class="row justify-content-center">
      <div class="col-auto">
       <h2 class="text-center">Payment Receipt</h2>
       <label>Order ID</label>
          <?php if (isset($row["order id"])) echo $row["order id"] ?>
         <label>Status</label>
          Success
         <
           primary"
onclick="javascript:window.print();">Print Receipt</button>
         </div>
      </div>
  <?php
  }}}?>
 </div>
<div class="mt-5">
<?php
// Contact Us
include('./contact.php');
?>
</div>
```

```
<?php
// Footer Include from mainInclude
 include('./mainInclude/footer.php');
?>
Logout.php
<?php
session_start();
session destroy();
echo "<script> location.href='index.php'; </script>";
?>
style.css
.navbar-brand {
 font-family: "Ubuntu", sans-serif;
font-size: 2em;
 font-weight: bold;
 color: #fff;
.custom-nav .custom-nav-item a {
 color: #fff !important;
}
.custom-nav-item:hover {
 background-color: #dc3545;
 border: solid #dc3545 1px;
 border-radius: 10px;
}
.remove-vid-marg {
 margin: 0px;
 padding: 0px;
}
.vid-parent {
 position: relative;
}
video {
 width: 100%;
 height: 100%;
.vid-overlay {
 position: absolute;
 top: 0;
```

```
left: 0;
 height: 100%;
 width: 100%;
 background-color: #225470;
 z-index: 1;
 opacity: 0.8;
}
.vid-content {
 color: #fff;
 position: absolute;
 top: 35%;
 left: 35%;
 z-index: 2;
 text-align: center;
}
.bottom-banner {
 color: #fff;
 padding: 10px;
.bottom-banner:first-child {
 padding-left: 50px;
}
a.social-hover:hover {
 padding: 5px 100px;
text-decoration: none;
 background-color: rgb(95, 93, 93);
}
.stripe {
 background-image: linear-gradient(240deg, #ed213a, #93291e);
 padding: 3rem;
 height: 13rem;
 margin-top: 4rem;
 transform: rotate(10deg);
 z-index: -5;
}
@media screen and (min-width: 0px) and (max-width: 700px) {
 .my-content,
 .txt-banner,
 .stripe {
  display: none;
 } /* hide it on small screens */
```

```
.vid-content {
  top: 12%;
  left: 60%;
 .custom-nav .custom-nav-item a {
  padding: 10px 20px;
  background-color: #225470;
 .custom-nav-item:hover {
  background-color: none;
  border: none;
  border-radius: none;
}
custom.js
$(document).ready(function() {
 // executes when HTML-Document is loaded and DOM is ready
 // Most Popular Course Card Hover Effect
 $(".card").hover(
  function() {
   $(this)
    .addClass("shadow")
    .css("cursor", "pointer");
  },
  function() {
   $(this).removeClass("shadow");
 );
 // Change Navbar Color on Scroll
 // $(window).scrollTop() returns the position of the top of the page
 $(window).scroll(function() {
  if (\$(window).scrollTop() >= 600) {
   $(".navbar").css("background-color", "#225470");
   $(".navbar").css("background-color", "transparent");
 });
 $(function() {
  $("#playlist li").on("click", function() {
   $("#videoarea").attr({
    src: $(this).attr("movieurl")
   });
```

```
});
  $("#videoarea").attr({
   src: $("#playlist li")
    .eq(0)
    .attr("movieurl")
  });
});
});
Ajaxrequest.js
$(document).ready(function() {
 // Ajax Call for Already Exists Email Verification
 $("#stuemail").on("keypress blur", function() {
  var reg = /^[A-Z0-9. \%+-]+@([A-Z0-9-]+\.)+[A-Z]{2,4}$/i;
  var stuemail = $("#stuemail").val();
  $.ajax({
   url: "Student/addstudent.php",
   type: "post",
   data: {
    checkemail: "checkmail",
    stuemail: stuemail
   },
   success: function(data) {
    console.log(data);
    if (data != 0) {
     $("#statusMsg2").html(
       '<small style="color:red;"> Email ID Already Registered ! </small>'
     );
     $("#signup").attr("disabled", true);
    } else if (data == 0 && reg.test(stuemail)) {
     $("#statusMsg2").html(
       '<small style="color:green;"> There you go! </small>'
     );
     $("#signup").attr("disabled", false);
    } else if (!reg.test(stuemail)) {
     $("#statusMsg2").html(
       '<small style="color:red;"> Please Enter Valid Email e.g. example@mail.com </small>'
     $("#signup").attr("disabled", false);
    if (stuemail == "") {
     $("#statusMsg2").html(
      '<small style="color:red;"> Please Enter Email! </small>'
     );
    }
  });
```

```
});
 // Checking name on keypress
 $("#stuname").keypress(function() {
  var stuname = $("#stuname").val();
  if (stuname !== "") {
   $("#statusMsg1").html(" ");
  }
 });
 // Checking Password on keypress
 $("#stupass").keypress(function() {
  var stupass = $("#stupass").val();
  if (stupass !== "") {
   $("#statusMsg3").html(" ");
  }
});
});
// Ajax Call for Adding New Student
function addStu() {
 var reg = /^[A-Z0-9. \%+-]+@([A-Z0-9-]+\.)+[A-Z]{2,4}$/i;
 var stuname = $("#stuname").val();
 var stuemail = $("#stuemail").val();
 var stupass = $("#stupass").val();
 // checking fields on form submission
 if (stuname.trim() == "") {
  $("#statusMsg1").html(
   '<small style="color:red;"> Please Enter Name! </small>'
  );
  $("#stuname").focus();
  return false;
 } else if (stuemail.trim() == "") {
  $("#statusMsg2").html(
   '<small style="color:red;"> Please Enter Email! </small>'
  );
  $("#stuemail").focus();
  return false;
 } else if (stuemail.trim() != "" && !reg.test(stuemail)) {
  $("#statusMsg2").html(
   '<small style="color:red;"> Please Enter Valid Email e.g. example@mail.com </small>'
  );
  $("#stuemail").focus();
  return false;
 } else if (stupass.trim() == "") {
  $("#statusMsg3").html(
   '<small style="color:red;"> Please Enter Password! </small>'
  );
  $("#stupass").focus();
```


```
return false;
 } else {
  $.ajax({
   url: "Student/addstudent.php",
   type: "post",
   data: {
    // assigned stusignup value just to check all iz well
    stusignup: "stusignup",
    stuname: stuname,
    stuemail: stuemail,
    stupass: stupass
   success: function(data) {
    console.log(data);
    if (data == "OK") {
     $("#successMsg").html(
      '<span class="alert alert-success"> Registration Successful ! </span>'
     );
     // making field empty after signup
     clearStuRegField();
    } else if (data == "Failed") {
     $("#successMsg").html(
       '<span class="alert alert-danger"> Unable to Register! </span>'
     );
    }
   }
  });
// Empty All Fields and Status Msg
function clearStuRegField() {
 $("#stuRegForm").trigger("reset");
 $("#statusMsg1").html(" ");
 $("#statusMsg2").html(" ");
 $("#statusMsg3").html(" ");
}
function clearAllStuReg() {
 $("#successMsg").html(" ");
 clearStuRegField();
}
// Ajax Call for Student Login Verification
function checkStuLogin() {
 var stuLogEmail = $("#stuLogEmail").val();
 var stuLogPass = $("#stuLogPass").val();
```

```
$.ajax({
  url: "Student/addstudent.php",
  type: "post",
  data: {
   checkLogemail: "checklogmail",
   stuLogEmail: stuLogEmail,
   stuLogPass: stuLogPass
  },
  success: function(data) {
   console.log(data);
   if (data == 0) {
    $("#statusLogMsg").html(
     '<small class="alert alert-danger"> Invalid Email ID or Password ! </small>'
    );
   } else if (data == 1) {
    $("#statusLogMsg").html(
     '<div class="spinner-border text-success" role="status"></div>'
    // Empty Login Fields
    clearStuLoginField();
    setTimeout(() => {
     window.location.href = "index.php";
    }, 1000);
  }
  }
});
// Empty Login Fields
function clearStuLoginField() {
 $("#stuLoginForm").trigger("reset");
// Empty Login Fields and Status Msg
function clearStuLoginWithStatus() {
 $("#statusLogMsg").html(" ");
 clearStuLoginField();
Adminajaxrequest.js
// Ajax Call for admin Login Verification
function checkAdminLogin() {
 var adminLogEmail = $("#adminLogEmail").val();
 var adminLogPass = $("#adminLogPass").val();
 $.ajax({
  url: "admin/admin.php",
```

```
type: "post",
  data: {
   checkLogemail: "checklogmail",
   adminLogEmail: adminLogEmail,
   adminLogPass: adminLogPass
  },
  success: function(data) {
   console.log(data);
   if (data == 0) {
    $("#statusAdminLogMsg").html(
     '<small class="alert alert-danger"> Invalid Email ID or Password! </small>'
   } else if (data == 1) {
    $("#statusAdminLogMsg").html(
     '<small class="alert alert-success"> Success! Loading..... </small>'
    );
    // Empty Login Fields
    clearAdminLoginField();
    setTimeout(() => {
     window.location.href = "admin/adminDashboard.php";
    }, 1000);
   }
  }
});
// Empty Login Fields
function clearAdminLoginField() {
 $("#adminLoginForm").trigger("reset");
// Empty Login Fields and Status Msg
function clearAdminLoginWithStatus() {
 $("#statusAdminLogMsg").html(" ");
 clearAdminLoginField();
}
```

## Home Page (index.php)







```
<?php
include('./dbConnection.php');
// Header Include from mainInclude
include('./mainInclude/header.php');
?>
```

```
<!-- Start Video Background-->
  <div class="container-fluid remove-vid-marg">
   <div class="vid-parent">
    <video playsinline autoplay muted loop>
     <source src="video/banvid.mp4"/>
    </video>
    <div class="vid-overlay"></div>
   </div>
   <div class="vid-content" >
    <h1 class="my-content">Welcome to Digital Journey of Learning</h1>
    <small class="my-content">Learn and Implement</small><br />
    <?php
       if(!isset($ SESSION['is login'])){
        echo '<a class="btn btn-danger mt-3" href="#" data-toggle="modal" data-
target="#stuRegModalCenter">Get Started</a>';
       } else {
        echo '<a class="btn btn-primary mt-3" href="student/studentProfile.php">My
Profile</a>';
       }
     ?>
   </div>
  </div> <!-- End Video Background -->
  <div class="container-fluid bg-danger txt-banner"> <!-- Start Text Banner -->
    <div class="row bottom-banner">
     <div class="col-sm">
      <h5> <i class="fas fa-book-open mr-3"></i> 100+ Online Courses</h5>
     </div>
     <div class="col-sm">
      <h5><i class="fas fa-users mr-3"></i> Expert Instructors</h5>
     </div>
     <div class="col-sm">
      <h5><i class="fas fa-keyboard mr-3"></i> Lifetime Access</h5>
     </div>
     <div class="col-sm">
      <h5><i class="fas fa-rupee-sign mr-3"></i> Money Back Guarantee*</h5>
     </div>
    </div>
  </div> <!-- End Text Banner -->
  <div class="container mt-5"> <!-- Start Most Popular Course -->
   <h1 class="text-center">Popular Course</h1>
   <div class="card-deck mt-4"> <!-- Start Most Popular Course 1st Card Deck -->
    <?php
    $sql = "SELECT * FROM course LIMIT 3";
    $result = $conn->query($sql);
```

```
if($result->num rows > 0){
     while($row = $result->fetch assoc()){
      $course id = $row['course id'];
      echo '
      <a href="coursedetails.php?course_id='.$course_id.'" class="btn" style="text-align:
left; padding:0px; margin:0px;">
       <div class="card">
        <img src="'.str replace('..', '.', $row['course_img'])." class="card-img-top"</pre>
alt="Guitar" />
        <div class="card-body">
         <h5 class="card-title">'.$row['course name'].'</h5>
         '.$row['course desc'].'
        </div>
        <div class="card-footer">
         Price: <small><del>&#8377
'.$row['course original price'].'</del></small> <span class="font-weight-bolder">&#8377
'.$row['course_price'].'<span> <a class="btn btn-primary text-white font-weight-bolder"
float-right" href="coursedetails.php?course_id='.$course_id.'">Enroll</a>
        </div>
       </div>
      </a> ';
     }
    }
    ?>
   </div> <!-- End Most Popular Course 1st Card Deck -->
   <div class="card-deck mt-4"> <!-- Start Most Popular Course 2nd Card Deck -->
    <?php
     $sql = "SELECT * FROM course LIMIT 3,3";
     $result = $conn->query($sql);
     if($result->num rows > 0){
      while($row = $result->fetch_assoc()){
       $course id = $row['course id'];
       echo '
        <a href="coursedetails.php?course_id='.$course_id.'" class="btn" style="text-align:
left; padding:0px;">
         <div class="card">
          <img src="'.str replace('..', '.', $row['course img'])." class="card-img-top"</pre>
alt="Guitar" />
          <div class="card-body">
           <h5 class="card-title">'.$row['course name'].'</h5>
           '.$row['course desc'].'
          </div>
          <div class="card-footer">
           Price: <small><del>&#8377
'.$row['course original price'].'</del></small> <span class="font-weight-bolder">&#8377
'.$row['course price'].'<span> <a class="btn btn-primary text-white font-weight-bolder"
float-right" href="#">Enroll</a>
```

```
</div>
         </div>
        </a> ';
     }
     }
    ?>
   </div> <!-- End Most Popular Course 2nd Card Deck -->
   <div class="text-center m-2">
    <a class="btn btn-danger btn-sm" href="courses.php">View All Course</a>
   </div>
  </div> <!-- End Most Popular Course -->
  <?php
  // Contact Us
  include('./contact.php');
  ?>
  <!-- Start Students Testimonial -->
   <div class="container-fluid mt-5" style="background-color: #4B7289" id="Feedback">
    <h1 class="text-center testyheading p-4"> Student's Feedback </h1>
    <div class="row">
     <div class="col-md-12">
      <div id="testimonial-slider" class="owl-carousel">
       $sql = "SELECT s.stu_name, s.stu_occ, s.stu_img, f.f_content FROM student AS s
JOIN feedback AS f ON s.stu id = f.stu id";
       $result = $conn->query($sql);
       if($result->num rows > 0) {
        while($row = $result->fetch assoc()){
         $s img = $row['stu img'];
         $n_img = str_replace('../',",$s_img)
       <div class="testimonial">
        <?php echo $row['f content'];?>
        <div class="pic">
         <img src="<?php echo $n img; ?>" alt=""/>
        </div>
        <div class="testimonial-prof">
         <h4><?php echo $row['stu name']; ?></h4>
         <small><?php echo $row['stu_occ']; ?></small>
        </div>
       </div>
       <?php }} ?>
      </div>
     </div>
```

```
</div>
  </div> <!-- End Students Testimonial -->
  <div class="container-fluid bg-danger"> <!-- Start Social Follow -->
    <div class="row text-white text-center p-1">
     <div class="col-sm">
      <a class="text-white social-hover" href="#"><i class="fab fa-facebook-f"></i>
Facebook</a>
     </div>
     <div class="col-sm">
      <a class="text-white social-hover" href="#"><i class="fab fa-twitter"></i> Twitter</a>
     </div>
     <div class="col-sm">
      <a class="text-white social-hover" href="#"><i class="fab fa-whatsapp"></i>
WhatsApp</a>
     </div>
     <div class="col-sm">
      <a class="text-white social-hover" href="#"><i class="fab fa-instagram"></i>
Instagram</a>
     </div>
    </div>
  </div> <!-- End Social Follow -->
  <!-- Start About Section -->
  <div class="container-fluid p-4" style="background-color:#E9ECEF">
   <div class="container" style="background-color:#E9ECEF">
    <div class="row text-center">
     <div class="col-sm">
      <h5>About Us</h5>
       Digital Journey of Learning provides universal access to the world's best
education, partnering with top universities and organizations to offer courses online.
     </div>
     <div class="col-sm">
      <h5>Category</h5>
      <a class="text-dark" href="#">Web Development</a><br />
      <a class="text-dark" href="#">Web Designing</a><br />
      <a class="text-dark" href="#">Android App Dev</a><br />
      <a class="text-dark" href="#">iOS Development</a><br />
      <a class="text-dark" href="#">Data Analysis</a><br />
     </div>
     <div class="col-sm">
      <h5>Contact Us</h5>
      Digital Journey of Learning Pvt Ltd <br> Near Police Camp II <br> Bokaro,
Jharkhand <br > Ph. 000000000 
     </div>
    </div>
   </div>
```


```
</div> <!-- End About Section -->
<?php
// Footer Include from mainInclude
include('./mainInclude/footer.php');
```

?>

### courses.php



All Courses



```
<?php
 include('./dbConnection.php');
 // Header Include from mainInclude
 include('./mainInclude/header.php');
?>
  <div class="container-fluid bg-dark"> <!-- Start Course Page Banner -->
   <div class="row">
    <img src="./image/coursebanner.jpg" alt="courses" style="height:500px; width:100%;</pre>
object-fit:cover; box-shadow:10px;"/>
   </div>
  </div> <!-- End Course Page Banner -->
```

```
<div class="container mt-5"> <!-- Start All Course -->
   <h1 class="text-center">All Courses</h1>
   <div class="row mt-4"> <!-- Start All Course Row -->
   <?php
     $sql = "SELECT * FROM course";
     $result = $conn->query($sql);
     if($result->num rows > 0){
      while($row = $result->fetch assoc()){
       $course_id = $row['course_id'];
       echo '
        <div class="col-sm-4 mb-4">
         <a href="coursedetails.php?course id='.$course id." class="btn" style="text-
align: left; padding:0px;"><div class="card">
          <img src="".str_replace('..', '.', $row['course_img'])." class="card-img-top"
alt="Guitar" />
          <div class="card-body">
           <h5 class="card-title">'.$row['course name'].'</h5>
           '.$row['course_desc'].'
          </div>
          <div class="card-footer">
           Price: <small><del>&#8377
'.$row['course_original_price'].'</del></small> <span class="font-weight-bolder">&#8377
'.$row['course price'].'<span> <a class="btn btn-primary text-white font-weight-bolder"
float-right" href="coursedetails.php?course_id='.$course_id.'">Enroll</a>
          </div>
         </div> </a>
        </div>
      }
     }
    ?>
    </div><!-- End All Course Row -->
   </div><!-- End All Course -->
<?php
// Contact Us
include('./contact.php');
?>
<?php
// Footer Include from mainInclude
include('./mainInclude/footer.php');
?>
Coursedetails.php
<?php
 include('./dbConnection.php');
```

```
// Header Include from mainInclude
 include('./mainInclude/header.php');
  <div class="container-fluid bg-dark"> <!-- Start Course Page Banner -->
   <div class="row">
    <img src="./image/coursebanner.jpg" alt="courses" style="height:200px; width:100%;</pre>
object-fit:cover; box-shadow:10px;"/>
   </div>
  </div> <!-- End Course Page Banner -->
  <div class="container mt-5"> <!-- Start All Course -->
   <?php
     if(isset($ GET['course id'])){
     $course id = $ GET['course id'];
     $ SESSION['course id'] = $course id;
     $sql = "SELECT * FROM course WHERE course_id = '$course_id'";
     $result = $conn->query($sql);
     if($result->num rows > 0){
      while($row = $result->fetch assoc()){
       echo '
        <div class="row">
        <div class="col-md-4">
         <img src="'.str replace('..', '.', $row['course img'])." class="card-img-top"</pre>
alt="Guitar" />
        </div>
        <div class="col-md-8">
         <div class="card-body">
          <h5 class="card-title">Course Name: '.$row['course name'].'</h5>
           Description: '.$row['course desc'].'
           Duration: '.$row['course duration'].'
          <form action="checkout.php" method="post">
           Price: <small><del>&#8377
'.$row['course_original_price'].'</del></small> <span class="font-weight-bolder">&#8377
'.$row['course price'].'<span>
           <input type="hidden" name="id" value='. $row["course price"] .'>
           <button type="submit" class="btn btn-primary text-white font-weight-bolder
float-right" name="buy">Buy Now</button>
          </form>
         </div>
        </div>
      }
    ?>
   </div><!-- End All Course -->
   <div class="container">
```

```
<div class="row">
    <?php $sql = "SELECT * FROM lesson";</pre>
      $result = $conn->query($sql);
      if($result->num_rows > 0){
    echo '
    <thead>
      Lesson No.
       Lesson Name
      </thead>
     ';
     n=0;
     while($row = $result->fetch assoc()){
      if($row['course_id'] == $course_id) {
      $num++;
      echo ' 
      '.$num.'
      '. $row["lesson name"].'';
     }
     echo '
    ';
     } ?>
   </div>
  </div>
  <?php
// Footer Include from mainInclude
include('./mainInclude/footer.php');
?>
Stustyle.css
.navbar-brand {
font-family: "Ubuntu", sans-serif;
font-size: 2em;
font-weight: bold;
color: #fff;
}
.active {
background-color: #225470;
color: #fff;
}
```

## ./stuInclude/header.php

```
<?php
include once('../dbConnection.php');
if(!isset($_SESSION)){
 session_start();
}
if(isset($ SESSION['is login'])){
$stuLogEmail = $_SESSION['stuLogEmail'];
}
// else {
// echo "<script> location.href='../index.php'; </script>";
//}
if(isset($stuLogEmail)){
 $sql = "SELECT stu_img FROM student WHERE stu_email = '$stuLogEmail'";
 $result = $conn->query($sql);
 $row = $result->fetch assoc();
 $stu_img = $row['stu_img'];
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="ie=edge">
<title>
<?php echo TITLE ?>
</title>
<!-- Bootstrap CSS -->
k rel="stylesheet" href="../css/bootstrap.min.css">
<!-- Font Awesome CSS -->
<link rel="stylesheet" href="../css/all.min.css">
 <!-- Google Font -->
 <link href="https://fonts.googleapis.com/css?family=Ubuntu" rel="stylesheet">
<!-- Custom CSS -->
<link rel="stylesheet" href="../css/stustyle.css">
</head>
<body>
<!-- Top Navbar -->
<nav class="navbar navbar-dark fixed-top flex-md-nowrap p-0 shadow" style="background-
color: #225470;">
```


```
<a class="navbar-brand col-sm-3 col-md-2 mr-0" href="studentProfile.php">E-
Learning</a>
</nav>
<!-- Side Bar -->
<div class="container-fluid mb-5 " style="margin-top:40px;">
 <div class="row">
 <nav class="col-sm-2 bg-light sidebar py-5 d-print-none">
  <div class="sidebar-sticky">
  cli class="nav-item mb-3">
   <img src="<?php echo $stu img ?>" alt="studentimage" class="img-thumbnail rounded-
circle">
   class="nav-item">
   <a class="nav-link <?php if(PAGE == 'profile') {echo 'active';} ?>"
href="studentProfile.php">
    <i class="fas fa-user"></i>
    Profile <span class="sr-only">(current)</span>
   </a>
   cli class="nav-item">
   <a class="nav-link <?php if(PAGE == 'mycourse') {echo 'active';} ?>"
href="myCourse.php">
    <i class="fab fa-accessible-icon"></i>
    My Courses
   </a>
   cli class="nav-item">
   <a class="nav-link <?php if(PAGE == 'feedback') {echo 'active';} ?>"
href="stufeedback.php">
    <i class="fab fa-accessible-icon"></i>
    Feedback
   </a>
   cli class="nav-item">
   <a class="nav-link <?php if(PAGE == 'studentChangePass') {echo 'active';} ?>"
href="studentChangePass.php">
    <i class="fas fa-key"></i>
    Change Password
   </a>
   cli class="nav-item">
   <a class="nav-link" href="../logout.php">
    <i class="fas fa-sign-out-alt"></i>
    Logout
   </a>
```

```
</div>
</nav>
```

## ./stuInclude/footer.php

```
<!-- Jquery and Boostrap JavaScript -->
<script type="text/javascript" src="../js/jquery.min.js"></script>
<script type="text/javascript" src="../js/popper.min.js"></script>
<script type="text/javascript" src="../js/bootstrap.min.js"></script>
<!-- Font Awesome JS -->
<script type="text/javascript" src="../js/all.min.js"></script>
<!-- Ajax Call JavaScript -->
<!-- <script type="text/javascript" src="..js/ajaxrequest.js"></script> -->
<!-- Custom JavaScript -->
<script type="text/javascript" src="../js/custom.js"></script> </body>
</html>
```

## Studentprofile.php




```
<?php
if(!isset($_SESSION)){
    session_start();
```

```
}
define('TITLE', 'Student Profile');
define('PAGE', 'profile');
include('./stuInclude/header.php');
include once('../dbConnection.php');
if(isset($ SESSION['is login'])){
 $stuEmail = $ SESSION['stuLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
}
$sql = "SELECT * FROM student WHERE stu email='$stuEmail'";
$result = $conn->query($sql);
if(\text{sesult->num rows} == 1){
$row = $result->fetch assoc();
$stuId = $row["stu id"];
$stuName = $row["stu name"];
$stuOcc = $row["stu occ"];
$stuImg = $row["stu img"];
}
if(isset($ REQUEST['updateStuNameBtn'])){
 if(($ REQUEST['stuName'] == "")){
 // msg displayed if required field missing
 $passmsg = '<div class="alert alert-warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds
</div>';
 } else {
 $stuName = $ REQUEST["stuName"];
 $stuOcc = $_REQUEST["stuOcc"];
 $stu image = $ FILES['stuImg']['name'];
 $stu_image_temp = $_FILES['stuImg']['tmp_name'];
 $img folder = '../image/stu/'. $stu image;
 move_uploaded_file($stu_image_temp, $img_folder);
 $sql = "UPDATE student SET stu name = '$stuName', stu occ = '$stuOcc', stu img =
'$img folder' WHERE stu email = '$stuEmail'";
 if($conn->query($sql) == TRUE){
 // below msg display on form submit success
 $passmsg = '<div class="alert alert-success col-sm-6 ml-5 mt-2" role="alert"> Updated
Successfully </div>';
 } else {
 // below msg display on form submit failed
 $passmsg = '<div class="alert alert-danger col-sm-6 ml-5 mt-2" role="alert"> Unable to
Update </div>';
   }
  }
```

```
}
?>
<div class="col-sm-6 mt-5">
 <form class="mx-5" method="POST" enctype="multipart/form-data">
  <div class="form-group">
   <label for="stuId">Student ID</label>
   <input type="text" class="form-control" id="stuId" name="stuId" value=" <?php
if(isset($stuld)) {echo $stuld;} ?>" readonly>
  </div>
  <div class="form-group">
   <label for="stuEmail">Email</label>
   <input type="email" class="form-control" id="stuEmail" value=" <?php echo $stuEmail
?>" readonly>
  </div>
  <div class="form-group">
   <label for="stuName">Name</label>
   <input type="text" class="form-control" id="stuName" name="stuName" value=" <?php
if(isset($stuName)) {echo $stuName;} ?>">
  </div>
  <div class="form-group">
   <!-- Student doesn't mean school student it also means learner -->
   <label for="stuOcc">Occupation</label>
   <input type="text" class="form-control" id="stuOcc" name="stuOcc" value=" <?php
if(isset($stuOcc)) {echo $stuOcc;} ?>">
  </div>
  <div class="form-group">
   <label for="stuImg">Upload Image</label>
   <input type="file" class="form-control-file" id="stuImg" name="stuImg">
  </div>
  <button type="submit" class="btn btn-primary"
name="updateStuNameBtn">Update</button>
  <?php if(isset($passmsg)) {echo $passmsg; } ?>
 </form>
</div>
</div> <!-- Close Row Div from header file -->
<?php
include('./stuInclude/footer.php');
?>
```

## Mycourse.php




```
<?php
if(!isset($_SESSION)){
    session_start();
}
define('TITLE', 'My Course');
define('PAGE', 'mycourse');
include('./stuInclude/header.php');
include_once('../dbConnection.php');

if(isset($_SESSION['is_login'])){
    $stuLogEmail = $_SESSION['stuLogEmail'];
} else {</pre>
```

```
echo "<script> location.href='../index.php'; </script>";
?>
<div class="container mt-5 ml-4">
 <div class="row">
 <div class="jumbotron">
  <h4 class="text-center">All Course</h4>
  <?php
 if(isset($stuLogEmail)){
  $sql = "SELECT co.order id, c.course id, c.course name, c.course duration,
c.course desc, c.course img, c.course author, c.course original price, c.course price
FROM courseorder AS co JOIN course AS c ON c.course id = co.course id WHERE
co.stu email = '$stuLogEmail'";
  $result = $conn->query($sql);
  if($result->num rows > 0) {
  while($row = $result->fetch assoc()){ ?>
   <div class="bg-light mb-3">
    <h5 class="card-header"><?php echo $row['course name']; ?></h5>
     <div class="row">
       <div class="col-sm-3">
        <img src="<?php echo $row['course img']; ?>" class="card-img-top"
        mt-4" alt="pic">
       </div>
       <div class="col-sm-6 mb-3">
        <div class="card-body">
         <?php echo $row['course desc']; ?>
         <small class="card-text">Duration: <?php echo $row['course duration'];</pre>
?></small><br />
         <small class="card-text">Instructor: <?php echo $row['course_author'];</pre>
?></small><br/>
         Price: <small><del>&#8377 <?php echo</pre>
$row['course original price'] ?> </del></small> <span class="font-weight-bolder">&#8377
<?php echo $row['course price']?> <span>
         <a href="watchcourse.php?course_id=<?php echo $row['course_id'] ?>"
class="btn btn-primary mt-5 float-right">Watch Course</a>
        </div>
       </div>
     </div>
   </div>
  <?php
  }
 }
 }
```

```
?>
<hr/>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</ri>
### A substance of the following properties o
```


## Stufeedback.php



```
<?php
if(!isset($_SESSION)){
 session_start();
}
define('TITLE', 'Feedback');
define('PAGE', 'feedback');
include('./stuInclude/header.php');
include_once('../dbConnection.php');
if(isset($_SESSION['is_login'])){
$stuEmail = $_SESSION['stuLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
}
$sql = "SELECT * FROM student WHERE stu email='$stuEmail'";
$result = $conn->query($sqI);
if($result->num_rows == 1){
```

```
$row = $result->fetch assoc();
$stuId = $row["stu id"];
if(isset($ REQUEST['submitFeedbackBtn'])){
 if(($ REQUEST['f content'] == "")){
 // msg displayed if required field missing
 $passmsg = '<div class="alert alert-warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds
</div>';
 } else {
 $fcontent = $ REQUEST["f content"];
 $sql = "INSERT INTO feedback (f content, stu id) VALUES ('$fcontent', '$stuld')";
 if($conn->query($sql) == TRUE){
 // below msg display on form submit success
 $passmsg = '<div class="alert alert-success col-sm-6 ml-5 mt-2" role="alert"> Submitted
Successfully </div>';
 } else {
 // below msg display on form submit failed
 $passmsg = '<div class="alert alert-danger col-sm-6 ml-5 mt-2" role="alert"> Unable to
Submit </div>';
   }
 }
}
?>
<div class="col-sm-6 mt-5">
 <form class="mx-5" method="POST" enctype="multipart/form-data">
  <div class="form-group">
   <label for="stuId">Student ID</label>
   <input type="text" class="form-control" id="stuId" name="stuId" value=" <?php
if(isset($stuld)) {echo $stuld;} ?>" readonly>
  </div>
  <div class="form-group">
   <label for="f content">Write Feedback:</label>
   <textarea class="form-control" id="f_content" name="f_content" row=2></textarea>
  </div>
  <button type="submit" class="btn btn-primary"
name="submitFeedbackBtn">Submit</button>
  <?php if(isset($passmsg)) {echo $passmsg; } ?>
 </form>
</div>
</div> <!-- Close Row Div from header file -->
<?php
include('./stuInclude/footer.php');
?>
```

## studentChnagePass.php



```
<?php
if(!isset($_SESSION)){
    session_start();
}
define('TITLE', 'Change Password');
define('PAGE', 'studentChangePass');
include('./stuInclude/header.php');
include_once('../dbConnection.php');

if(isset($_SESSION['is_login'])){
    $stuEmail = $_SESSION['stuLogEmail'];
} else {
    echo "<script> location.href='../index.php'; </script>";
}
```

```
if(isset($ REQUEST['stuPassUpdateBtn'])){
 if(($ REQUEST['stuNewPass'] == "")){
 // msg displayed if required field missing
 $passmsg = '<div class="alert alert-warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds
</div>';
 } else {
  $sql = "SELECT * FROM student WHERE stu_email='$stuEmail'";
  $result = $conn->query($sql);
  if($result->num rows == 1){
  $stuPass = $ REQUEST['stuNewPass'];
  $sql = "UPDATE student SET stu pass = '$stuPass' WHERE stu email = '$stuEmail'";
   if($conn->query($sql) == TRUE){
   // below msg display on form submit success
   $passmsg = '<div class="alert alert-success col-sm-6 ml-5 mt-2" role="alert"> Updated
Successfully </div>';
   } else {
   // below msg display on form submit failed
   $passmsg = '<div class="alert alert-danger col-sm-6 ml-5 mt-2" role="alert"> Unable to
Update </div>';
   }
 }
 }
}
?>
<div class="col-sm-9 col-md-10">
 <div class="row">
  <div class="col-sm-6">
   <form class="mt-5 mx-5" method="POST">
    <div class="form-group">
     <label for="inputEmail">Email</label>
     <input type="email" class="form-control" id="inputEmail" value=" <?php echo
$stuEmail ?>" readonly>
    </div>
    <div class="form-group">
     <label for="inputnewpassword">New Password</label>
     <input type="password" class="form-control" id="inputnewpassword"
placeholder="New Password" name="stuNewPass">
    </div>
    <button type="submit" class="btn btn-primary mr-4 mt-4"
name="stuPassUpdateBtn">Update</button>
    <button type="reset" class="btn btn-secondary mt-4">Reset</button>
    <?php if(isset($passmsg)) {echo $passmsg; } ?>
   </form>
  </div>
```

```
</div>
</div>
</div> <!-- Close Row Div from header file -->
<?php
include('./stuInclude/footer.php');
?>
adminstyle.css
.navbar-brand {
 font-family: "Ubuntu", sans-serif;
 font-size: 2em;
 font-weight: bold;
 color: #fff;
}
.active {
 background-color: #225470;
 color: #fff;
}
/* Plus Button for adding New Users Bottom Right */
.box {
 position: fixed;
 bottom: 10px;
 right: 20px;
 margin-bottom: 30px;
}
./adminInclude/header.php
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="ie=edge">
<title>
 <?php echo TITLE ?>
</title>
<!-- Bootstrap CSS -->
k rel="stylesheet" href="../css/bootstrap.min.css">
<!-- Font Awesome CSS -->
<link rel="stylesheet" href="../css/all.min.css">
```

```
<!-- Google Font -->
 k href="https://fonts.googleapis.com/css?family=Ubuntu" rel="stylesheet">
<!-- Custom CSS -->
<link rel="stylesheet" href="../css/adminstyle.css">
</head>
<body>
<!-- Top Navbar -->
<nav class="navbar navbar-dark fixed-top p-0 shadow" style="background-color:</pre>
#225470;">
 <a class="navbar-brand col-sm-3 col-md-2 mr-0" href="adminDashboard.php">E-Learning
<small class="text-white">Admin Area</small></a>
</nav>
<!-- Side Bar -->
<div class="container-fluid mb-5" style="margin-top:40px;">
 <div class="row">
 <nav class="col-sm-3 col-md-2 bg-light sidebar py-5 d-print-none">
  <div class="sidebar-sticky">
  <a class="nav-link <?php if(PAGE == 'dashboard') {echo 'active';} ?>"
href="adminDashboard.php">
    <i class="fas fa-tachometer-alt"></i>
    Dashboard
   </a>
   cli class="nav-item">
   <a class="nav-link <?php if(PAGE == 'courses') {echo 'active';} ?>" href="courses.php">
    <i class="fab fa-accessible-icon"></i>
    Courses
   </a>
   cli class="nav-item">
   <a class="nav-link <?php if(PAGE == 'lessons') {echo 'active';} ?>" href="lessons.php">
    <i class="fab fa-accessible-icon"></i>
    Lessons
   </a>
   cli class="nav-item">
   <a class="nav-link <?php if(PAGE == 'students') {echo 'active';} ?>" href="students.php">
    <i class="fas fa-users"></i>
    Students
   </a>
```

```
cli class="nav-item">
   <a class="nav-link <?php if(PAGE == 'sellreport') {echo 'active';} ?>"
href="sellReport.php">
    <i class="fas fa-table"></i>
    Sell Report
   </a>
   cli class="nav-item">
   <a class="nav-link <?php if(PAGE == 'paymentstatus') {echo 'active';} ?>"
href="adminPaymentStatus.php">
    <i class="fas fa-table"></i>
    Payment Status
   </a>
   cli class="nav-item">
   <a class="nav-link <?php if(PAGE == 'feedback') {echo 'active';} ?>"
href="feedback.php">
    <i class="fab fa-accessible-icon"></i>
    Feedback
   </a>
   cli class="nav-item">
   <a class="nav-link <?php if(PAGE == 'changepass') {echo 'active';} ?>"
href="adminChangePass.php">
    <i class="fas fa-key"></i>
    Change Password
   </a>
   cli class="nav-item">
   <a class="nav-link" href="../logout.php">
    <i class="fas fa-sign-out-alt"></i>
    Logout
   </a>
   </div>
 </nav>
```

## ./adminInclude/footer.php

```
<!-- Jquery and Boostrap JavaScript -->
<script type="text/javascript" src="../js/jquery.min.js"></script>
<script type="text/javascript" src="../js/popper.min.js"></script>
<script type="text/javascript" src="../js/bootstrap.min.js"></script>
```


```
<!-- Font Awesome JS -->
<script type="text/javascript" src="../js/all.min.js"></script>

<!-- Admin Ajax Call JavaScript -->
<script type="text/javascript" src="..js/adminajaxrequest.js"></script>

<!-- Custom JavaScript -->
<script type="text/javascript" src="../js/custom.js"></script>
</body>

</html>
```

# Admindashboard.php



```
<?php
if(!isset($_SESSION)){
  session_start();
}
define('TITLE', 'Dashboard');</pre>
```

```
define('PAGE', 'dashboard');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
$adminEmail = $ SESSION['adminLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
$sql = "SELECT * FROM course";
$result = $conn->query($sql);
$totalcourse = $result->num rows;
$sql = "SELECT * FROM student";
$result = $conn->query($sql);
$totalstu = $result->num_rows;
$sql = "SELECT * FROM courseorder";
$result = $conn->query($sql);
$totalsold = $result->num rows;
?>
 <div class="col-sm-9 mt-5">
  <div class="row mx-5 text-center">
   <div class="col-sm-4 mt-5">
    <div class="card text-white bg-danger mb-3" style="max-width: 18rem;">
     <div class="card-header">Courses</div>
     <div class="card-body">
      <h4 class="card-title">
       <?php echo $totalcourse; ?>
      </h4>
      <a class="btn text-white" href="courses.php">View</a>
     </div>
    </div>
   </div>
   <div class="col-sm-4 mt-5">
    <div class="card text-white bg-success mb-3" style="max-width: 18rem;">
     <div class="card-header">Students</div>
     <div class="card-body">
      <h4 class="card-title">
       <?php echo $totalstu; ?>
      <a class="btn text-white" href="students.php">View</a>
     </div>
    </div>
   </div>
   <div class="col-sm-4 mt-5">
    <div class="card text-white bg-info mb-3" style="max-width: 18rem;">
```

```
<div class="card-header">Sold</div>
    <div class="card-body">
    <h4 class="card-title">
     <?php echo $totalsold; ?>
    </h4>
     <a class="btn text-white" href="sellreport.php">View</a>
   </div>
  </div>
 </div>
 <div class="mx-5 mt-5 text-center">
  <!--Table-->
  Course Ordered
  <?php
  $sql = "SELECT * FROM courseorder";
  $result = $conn->query($sql);
  if($result->num rows > 0){
echo '
 <thead>
 Order ID
  Course ID
  Student Email
  Order Date
  Amount
  Action
 </thead>
 ';
 while($row = $result->fetch assoc()){
 echo '';
  echo ''.$row["order id"].'';
  echo ''. $row["course_id"].'';
  echo ''.$row["stu email"].'';
  echo ''.$row["order date"].'';
  echo ''.$row["amount"].'';
  echo '<form action="" method="POST" class="d-inline"><input type="hidden"
name="id" value='. $row["co_id"] .'><button type="submit" class="btn btn-secondary"
name="delete" value="Delete"><i class="far fa-trash-alt"></i></button></form>';
  echo '';
 }
echo '
';
} else {
 echo "0 Result";
if(isset($ REQUEST['delete'])){
```

```
$sql = "DELETE FROM courseorder WHERE co_id = {$_REQUEST['id']}";
  if($conn->query($sql) === TRUE){
   // echo "Record Deleted Successfully";
   // below code will refresh the page after deleting the record
   echo '<meta http-equiv="refresh" content= "0;URL=?deleted" />';
   } else {
    echo "Unable to Delete Data";
   }
 }
 ?>
 </div>
 </div>
 </div>
 </div>
 </div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
include('./adminInclude/footer.php');
?>
```

## Courses.php


#### **E-Learning** Admin Area Dashboard & Courses Course ID Action Author & Lessons Learn Guitar The Easy Way Rajesh Kumar **Students** Complete PHP Bootcamp Rajesh Kumar Learn Python A-Z ı ı & Feedback Change Password 11 Hands-on Artificial Intelligence Jay Veeru Jay Shukla 12 Learn Vue JS Angular JS

```
<?php
if(!isset($_SESSION)){
   session_start();
}
define('TITLE', 'Courses');</pre>
```

```
define('PAGE', 'courses');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
$adminEmail = $ SESSION['adminLogEmail'];
} else {
echo "<script> location.href='../index.php'; </script>";
}
?>
<div class="col-sm-9 mt-5">
 <!--Table-->
 List of Courses
  $sql = "SELECT * FROM course";
  $result = $conn->query($sql);
  if($result->num rows > 0){
   echo '
   <thead>
   Course ID
    Name
    Author
    Action
   </thead>
   ';
   while($row = $result->fetch_assoc()){
    echo '';
    echo ''.$row["course_id"].'';
    echo ''. $row["course name"].'';
    echo ''.$row["course_author"].'';
    echo '<form action="editcourse.php" method="POST" class="d-inline"> <input
type="hidden" name="id" value='. $row["course_id"] .'><button type="submit" class="btn
btn-info mr-3" name="view" value="View"><i class="fas fa-pen"></i></button></form>
    <form action="" method="POST" class="d-inline"><input type="hidden" name="id"</pre>
value='. $row["course id"] .'><button type="submit" class="btn btn-secondary"
name="delete" value="Delete"><i class="far fa-trash-alt"></i></button></form>
    ';
   }
   echo '
   ';
  } else {
   echo "O Result";
  }
```

```
if(isset($_REQUEST['delete'])){
   $sql = "DELETE FROM course WHERE course id = {$ REQUEST['id']}";
   if($conn->query($sqI) === TRUE){
    // echo "Record Deleted Successfully";
    // below code will refresh the page after deleting the record
    echo '<meta http-equiv="refresh" content= "0;URL=?deleted" />';
    } else {
     echo "Unable to Delete Data";
   }
  ?>
 </div>
</div> <!-- div Row close from header -->
<div><a class="btn btn-danger box" href="./addCourse.php"><i class="fas fa-plus fa-
2x"></i></a></div>
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
?>
```

### Addcourse.php




```
<?php
if(!isset($ SESSION)){
 session_start();
define('TITLE', 'Add Course');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($_SESSION['is_admin_login'])){
 $adminEmail = $_SESSION['adminLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
if(isset($ REQUEST['courseSubmitBtn'])){
 // Checking for Empty Fields
 if(($_REQUEST['course_name'] == "") || ($_REQUEST['course_desc'] == "") ||
($_REQUEST['course_author'] == "") || ($_REQUEST['course_duration'] == "") ||
($_REQUEST['course_price'] == "") || ($_REQUEST['course_original_price'] == "")){
 // msg displayed if required field missing
 $msg = '<div class="alert alert-warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds
</div>';
 } else {
 // Assigning User Values to Variable
 $course_name = $_REQUEST['course_name'];
 $course_desc = $_REQUEST['course_desc'];
```

```
$course author = $ REQUEST['course author'];
 $course duration = $ REQUEST['course duration'];
 $course_price = $_REQUEST['course_price'];
 $course_original_price = $_REQUEST['course_original_price'];
 $course image = $ FILES['course img']['name'];
 $course image temp = $ FILES['course img']['tmp name'];
 $img_folder = '../image/courseimg/'. $course_image;
 move uploaded file($course image temp, $img folder);
  $sql = "INSERT INTO course (course_name, course_desc, course_author, course_img,
course_duration, course_price, course_original_price) VALUES ('$course_name',
'$course desc','$course author', '$img folder', '$course duration', '$course price',
'$course_original_price')";
  if($conn->query($sql) == TRUE){
  // below msg display on form submit success
  $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-2" role="alert"> Course Added
Successfully </div>';
  } else {
  // below msg display on form submit failed
  $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-2" role="alert"> Unable to Add
Course </div>';
 }
}
}
?>
<div class="col-sm-6 mt-5 mx-3 jumbotron">
 <h3 class="text-center">Add New Course</h3>
 <form action="" method="POST" enctype="multipart/form-data">
  <div class="form-group">
   <label for="course name">Course Name</label>
   <input type="text" class="form-control" id="course_name" name="course_name">
  </div>
  <div class="form-group">
   <label for="course desc">Course Description</label>
   <textarea class="form-control" id="course desc" name="course desc"
row=2></textarea>
  </div>
  <div class="form-group">
   <label for="course author">Author</label>
   <input type="text" class="form-control" id="course author" name="course author">
  </div>
  <div class="form-group">
   <label for="course_duration">Course Duration</label>
   <input type="text" class="form-control" id="course duration" name="course duration">
  </div>
  <div class="form-group">
   <label for="course original price">Course Original Price</label>
```

```
<input type="text" class="form-control" id="course_original_price"
name="course original price" onkeypress="isInputNumber(event)">
  </div>
  <div class="form-group">
   <label for="course price">Course Selling Price</label>
   <input type="text" class="form-control" id="course price" name="course price"</pre>
onkeypress="isInputNumber(event)">
  </div>
  <div class="form-group">
   <label for="course_img">Course Image</label>
   <input type="file" class="form-control-file" id="course img" name="course img">
  </div>
  <div class="text-center">
   <button type="submit" class="btn btn-danger" id="courseSubmitBtn"
name="courseSubmitBtn">Submit</button>
   <a href="courses.php" class="btn btn-secondary">Close</a>
  </div>
  <?php if(isset($msg)) {echo $msg; } ?>
 </form>
</div>
<!-- Only Number for input fields -->
<script>
 function isInputNumber(evt) {
 var ch = String.fromCharCode(evt.which);
 if (!(/[0-9]/.test(ch))) {
   evt.preventDefault();
 }
}
</script>
</div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
?>
```

### Editcourse.php




```
<?php
if(!isset($_SESSION)){
session_start();
}
define('TITLE', 'Edit Course');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($_SESSION['is_admin_login'])){
$adminEmail = $_SESSION['adminLogEmail'];
}
else {
echo "<script> location.href='../index.php'; </script>";
}
// Update
if(isset($_REQUEST['requpdate'])){
// Checking for Empty Fields
```

```
if(($_REQUEST['course_id'] == "") || ($_REQUEST['course_name'] == "") ||
($ REQUEST['course desc'] == "") || ($ REQUEST['course author'] == "") ||
($_REQUEST['course_duration'] == "") || ($_REQUEST['course_price'] == "") ||
($ REQUEST['course_original_price'] == "")){
 // msg displayed if required field missing
 $msg = '<div class="alert alert-warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds
</div>';
 } else {
 // Assigning User Values to Variable
  $cid = $ REQUEST['course id'];
  $cname = $ REQUEST['course name'];
  $cdesc = $_REQUEST['course desc'];
  $cauthor = $ REQUEST['course author'];
  $cduration = $ REQUEST['course duration'];
  $cprice = $ REQUEST['course price'];
  $coriginalprice = $ REQUEST['course original price'];
  $cimg = '../image/courseimg/'. $ FILES['course img']['name'];
 $sql = "UPDATE course SET course id = '$cid', course name = '$cname', course desc =
'$cdesc', course author='$cauthor', course duration='$cduration', course price='$cprice',
course original price='$coriginalprice', course img='$cimg' WHERE course id = '$cid'";
  if($conn->query($sql) == TRUE){
  // below msg display on form submit success
  $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-2" role="alert"> Updated
Successfully </div>';
  } else {
  // below msg display on form submit failed
  $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-2" role="alert"> Unable to
Update </div>';
 }
}
}
?>
<div class="col-sm-6 mt-5 mx-3 jumbotron">
 <h3 class="text-center">Update Course Details</h3>
 <?php
if(isset($ REQUEST['view'])){
 $sql = "SELECT * FROM course WHERE course id = {$ REQUEST['id']}";
$result = $conn->query($sql);
$row = $result->fetch assoc();
?>
 <form action="" method="POST" enctype="multipart/form-data">
  <div class="form-group">
   <label for="course id">Course ID</label>
   <input type="text" class="form-control" id="course id" name="course id" value="<?php
if(isset($row['course id'])) {echo $row['course id']; }?>" readonly>
```

```
</div>
  <div class="form-group">
   <label for="course name">Course Name</label>
   <input type="text" class="form-control" id="course_name" name="course_name"
value="<?php if(isset($row['course name'])) {echo $row['course name']; }?>">
  </div>
  <div class="form-group">
   <label for="course desc">Course Description</label>
   <textarea class="form-control" id="course desc" name="course desc" row=2><?php
if(isset($row['course desc'])) {echo $row['course desc']; }?></textarea>
  </div>
  <div class="form-group">
   <label for="course author">Author</label>
   <input type="text" class="form-control" id="course author" name="course author"</pre>
value="<?php if(isset($row['course author'])) {echo $row['course author']; }?>">
  </div>
  <div class="form-group">
   <label for="course duration">Course Duration</label>
   <input type="text" class="form-control" id="course duration" name="course duration"
value="<?php if(isset($row['course_duration'])) {echo $row['course_duration']; }?>">
  </div>
  <div class="form-group">
   <label for="course_original_price">Course Original Price</label>
   <input type="text" class="form-control" id="course original price"
name="course_original_price" onkeypress="isInputNumber(event)" value="<?php
if(isset($row['course original price'])) {echo $row['course original price']; }?>">
  </div>
  <div class="form-group">
   <label for="course_price">Course Selling Price</label>
   <input type="text" class="form-control" id="course price" name="course price"
onkeypress="isInputNumber(event)" value="<?php if(isset($row['course_price'])) {echo
$row['course price']; }?>">
  </div>
  <div class="form-group">
   <label for="course img">Course Image</label>
   <img src="<?php if(isset($row['course_img'])) {echo $row['course_img']; }?>"
alt="courseimage" class="img-thumbnail">
   <input type="file" class="form-control-file" id="course img" name="course img">
  </div>
  <div class="text-center">
   <button type="submit" class="btn btn-danger" id="requpdate"
name="requpdate">Update</button>
   <a href="courses.php" class="btn btn-secondary">Close</a>
  </div>
```

```
<?php if(isset($msg)) {echo $msg; } ?>
  </form>
</div>
</div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
?>
```

#### Lessons.php




```
<?php
if(!isset($_SESSION)){
 session_start();
}
define('TITLE', 'Lessons');
define('PAGE', 'lessons');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
 $adminEmail = $_SESSION['adminLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
}
?>
<div class="col-sm-9 mt-5 mx-3">
 <form action="" class="mt-3 form-inline d-print-none">
  <div class="form-group mr-3">
```

+

```
<label for="checkid">Enter Course ID: </label>
  <input type="text" class="form-control ml-3" id="checkid" name="checkid"
onkeypress="isInputNumber(event)">
  </div>
  <button type="submit" class="btn btn-danger">Search</button>
 </form>
 <?php
 $sql = "SELECT course id FROM course";
 $result = $conn->query($sql);
 while($row = $result->fetch assoc()){
 if(isset($ REQUEST['checkid']) && $ REQUEST['checkid'] == $row['course id']){
  $sql = "SELECT * FROM course WHERE course id = {$ REQUEST['checkid']}";
  $result = $conn->query($sql);
  $row = $result->fetch assoc();
  if(($row['course id']) == $ REQUEST['checkid']){
   $ SESSION['course id'] = $row['course id'];
   $ SESSION['course name'] = $row['course name'];
   ?>
   <h3 class="mt-5 bg-dark text-white p-2">Course ID : <?php if(isset($row['course id']))
{echo $row['course id']; } ?> Course Name: <?php if(isset($row['course name'])) {echo
$row['course_name']; } ?></h3>
    <?php
    $sql = "SELECT * FROM lesson WHERE course id = {$ REQUEST['checkid']}";
    $result = $conn->query($sql);
    echo '
     <thead>
      Lesson ID
      Lesson Name
      Lesson Link
      Action
      </thead>
     ';
      while($row = $result->fetch assoc()){
       echo '';
       echo ''.$row["lesson id"].'';
       echo ''. $row["lesson name"].'';
       echo ''.$row["lesson link"].'';
       echo '<form action="editlesson.php" method="POST" class="d-inline"> <input
type="hidden" name="id" value='. $row["lesson_id"] .'><button type="submit" class="btn
btn-info mr-3" name="view" value="View"><i class="fas fa-pen"></i></button></form>
       <form action="" method="POST" class="d-inline"><input type="hidden" name="id"
value='. $row["lesson id"] .'><button type="submit" class="btn btn-secondary"
name="delete" value="Delete"><i class="far fa-trash-alt"></i></button></form>
      ';
```

```
}
       echo '
       ';
    } else {
     echo '<div class="alert alert-dark mt-4" role="alert">
     Course Not Found ! </div>';
    if(isset($ REQUEST['delete'])){
    $sql = "DELETE FROM lesson WHERE lesson_id = {$_REQUEST['id']}";
     if($conn->query($sql) === TRUE){
     // echo "Record Deleted Successfully";
     // below code will refresh the page after deleting the record
      echo '<meta http-equiv="refresh" content= "0;URL=?deleted" />';
      } else {
       echo "Unable to Delete Data";
     }
  }
 }
}?>
</div>
<!-- Only Number for input fields -->
<script>
 function isInputNumber(evt) {
 var ch = String.fromCharCode(evt.which);
 if (!(/[0-9]/.test(ch))) {
   evt.preventDefault();
 }
}
</script>
</div> <!-- div Row close from header -->
<?php if(isset($ SESSION['course id'])){</pre>
 echo '<div><a class="btn btn-danger box" href="./addLesson.php"><i class="fas fa-plus fa-
2x"></i></a></div>';
 } ?>
</div> <!-- div Conatiner-fluid close from header -->
include('./adminInclude/footer.php');
?>
```

#### Addlesson.php




```
<?php
if(!isset($_SESSION)){
 session_start();
}
define('TITLE', 'Add Lesson');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($_SESSION['is_admin_login'])){
 $adminEmail = $_SESSION['adminLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
if(isset($_REQUEST['lessonSubmitBtn'])){
// Checking for Empty Fields
 if(($_REQUEST['lesson_name'] == "") || ($_REQUEST['lesson_desc'] == "") ||
($_REQUEST['course_id'] == "") || ($_REQUEST['course_name'] == "")){
 // msg displayed if required field missing
```

```
$msg = '<div class="alert alert-warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds
</div>';
 } else {
 // Assigning User Values to Variable
 $lesson name = $ REQUEST['lesson name'];
 $lesson desc = $ REQUEST['lesson desc'];
 $course_id = $_REQUEST['course_id'];
 $course name = $ REQUEST['course name'];
 $lesson_link = $_FILES['lesson_link']['name'];
 $lesson link temp = $ FILES['lesson link']['tmp name'];
 $link folder = '../lessonvid/'.$lesson link;
 move uploaded file($lesson link temp, $link folder);
  $sql = "INSERT INTO lesson (lesson name, lesson desc, lesson link, course id,
course_name) VALUES ('$lesson_name', '$lesson_desc', '$link_folder', '$course_id',
'$course name')";
  if($conn->query($sql) == TRUE){
  // below msg display on form submit success
  $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-2" role="alert"> Lesson Added
Successfully </div>';
  } else {
  // below msg display on form submit failed
  $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-2" role="alert"> Unable to Add
Lesson </div>';
 }
}
}
?>
<div class="col-sm-6 mt-5 mx-3 jumbotron">
 <h3 class="text-center">Add New Lesson</h3>
 <form action="" method="POST" enctype="multipart/form-data">
  <div class="form-group">
   <label for="course id">Course ID</label>
   <input type="text" class="form-control" id="course id" name="course id" value
="<?php if(isset($ SESSION['course id'])){echo $ SESSION['course id'];} ?>" readonly>
  </div>
  <div class="form-group">
   <label for="course name">Course Name</label>
   <input type="text" class="form-control" id="course name" name="course name" value
="<?php if(isset($ SESSION['course name'])){echo $ SESSION['course name'];} ?>"
readonly>
  </div>
  <div class="form-group">
   <label for="lesson name">Lesson Name</label>
   <input type="text" class="form-control" id="lesson name" name="lesson name">
  </div>
  <div class="form-group">
   <label for="lesson desc">Lesson Description</label>
```

```
<textarea class="form-control" id="lesson_desc" name="lesson_desc"
row=2></textarea>
  </div>
  <div class="form-group">
   <label for="lesson link">Lesson Video Link</label>
   <input type="file" class="form-control-file" id="lesson link" name="lesson link">
  </div>
  <div class="text-center">
   <button type="submit" class="btn btn-danger" id="lessonSubmitBtn"
name="lessonSubmitBtn">Submit</button>
   <a href="lessons.php" class="btn btn-secondary">Close</a>
  </div>
  <?php if(isset($msg)) {echo $msg; } ?>
 </form>
</div>
<!-- Only Number for input fields -->
<script>
 function isInputNumber(evt) {
 var ch = String.fromCharCode(evt.which);
 if (!(/[0-9]/.test(ch))) {
   evt.preventDefault();
 }
 }
</script>
</div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
?>
```

#### Editlesson.php




```
<?php
if(!isset($ SESSION)){
 session_start();
define('TITLE', 'Edit Lesson');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
 $adminEmail = $_SESSION['adminLogEmail'];
 echo "<script> location.href='../index.php'; </script>";
}
// Update
if(isset($_REQUEST['requpdate'])){
// Checking for Empty Fields
 if(($_REQUEST['lesson_id'] == "") || ($_REQUEST['lesson_name'] == "") ||
($_REQUEST['lesson_desc'] == "") || ($_REQUEST['course_id'] == "") ||
($_REQUEST['course_name'] == "")){
 // msg displayed if required field missing
 $msg = '<div class="alert alert-warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds
</div>';
 } else {
```

```
// Assigning User Values to Variable
  $lid = $ REQUEST['lesson id'];
  $Iname = $_REQUEST['lesson_name'];
  $Idesc = $ REQUEST['lesson desc'];
  $cid = $ REQUEST['course id'];
  $cname = $ REQUEST['course name'];
  $llink = '../lessonvid/'. $_FILES['lesson_link']['name'];
 $sql = "UPDATE lesson SET lesson_id = '$lid', lesson_name = '$lname', lesson_desc =
'$ldesc', course_id='$cid', course_name='$cname', lesson_link='$llink' WHERE lesson_id =
'$lid'";
  if($conn->query($sql) == TRUE){
  // below msg display on form submit success
  $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-2" role="alert"> Updated
Successfully </div>';
 } else {
  // below msg display on form submit failed
  $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-2" role="alert"> Unable to
Update </div>';
 }
}
}
<div class="col-sm-6 mt-5 mx-3 jumbotron">
 <h3 class="text-center">Update Lesson Details</h3>
 <?php
if(isset($_REQUEST['view'])){
 $sql = "SELECT * FROM lesson WHERE lesson id = {$ REQUEST['id']}";
$result = $conn->query($sql);
$row = $result->fetch assoc();
}
?>
 <form action="" method="POST" enctype="multipart/form-data">
  <div class="form-group">
   <label for="lesson id">Lesson ID</label>
   <input type="text" class="form-control" id="lesson id" name="lesson id" value="<?php
if(isset($row['lesson id'])) {echo $row['lesson id']; }?>" readonly>
  </div>
  <div class="form-group">
   <label for="lesson name">Lesson Name</label>
   <input type="text" class="form-control" id="lesson name" name="lesson name"
value="<?php if(isset($row['lesson_name'])) {echo $row['lesson_name']; }?>">
  </div>
  <div class="form-group">
   <label for="lesson desc">Lesson Description</label>
```

```
<textarea class="form-control" id="lesson desc" name="lesson desc" row=2><?php
if(isset($row['lesson desc'])) {echo $row['lesson desc']; }?></textarea>
  </div>
  <div class="form-group">
   <label for="course id">Course ID</label>
   <input type="text" class="form-control" id="course id" name="course id" value="<?php
if(isset($row['course_id'])) {echo $row['course_id']; }?>" readonly>
  </div>
  <div class="form-group">
   <label for="course name">Course Name</label>
   <input type="text" class="form-control" id="course name" name="course name"
onkeypress="isInputNumber(event)" value="<?php if(isset($row['course_name'])) {echo
$row['course name']; }?>" readonly>
  </div>
  <div class="form-group">
   <label for="lesson link">Lesson Link</label>
   <div class="embed-responsive embed-responsive-16by9">
   <iframe class="embed-responsive-item" src="<?php if(isset($row['lesson_link'])) {echo
$row['lesson_link']; }?>" allowfullscreen></iframe>
   </div>
   <input type="file" class="form-control-file" id="lesson link" name="lesson link">
  </div>
  <div class="text-center">
   <button type="submit" class="btn btn-danger" id="requpdate"
name="regupdate">Update</button>
   <a href="lessons.php" class="btn btn-secondary">Close</a>
  </div>
  <?php if(isset($msg)) {echo $msg; } ?>
 </form>
</div>
</div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
?>
```

#### Students.php




```
<?php
if(!isset($_SESSION)){
session_start();
define('TITLE', 'Students');
define('PAGE', 'students');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($_SESSION['is_admin_login'])){
$adminEmail = $_SESSION['adminLogEmail'];
} else {
echo "<script> location.href='../index.php'; </script>";
}
?>
<div class="col-sm-9 mt-5">
 <!--Table-->
 List of Students
 <?php
  $sql = "SELECT * FROM student";
  $result = $conn->query($sql);
  if($result->num rows > 0){
  echo '
   <thead>
   Student ID
   Name
   Email
   Action
   </thead>
   ';
```

+

```
while($row = $result->fetch assoc()){
     echo '';
     echo ''.$row["stu id"].'';
     echo ''. $row["stu name"].'';
     echo ''.$row["stu email"].'';
     echo '<form action="editstudent.php" method="POST" class="d-inline"> <input
type="hidden" name="id" value='. $row["stu_id"] .'><button type="submit" class="btn btn-
info mr-3" name="view" value="View"><i class="fas fa-pen"></i></button></form>
     <form action="" method="POST" class="d-inline"><input type="hidden" name="id"
value='. $row["stu_id"] .'><button type="submit" class="btn btn-secondary" name="delete"
value="Delete"><i class="far fa-trash-alt"></i></button></form>
    ';
    }
    echo '
    ';
  } else {
    echo "O Result";
   if(isset($ REQUEST['delete'])){
   $sql = "DELETE FROM student WHERE stu id = {$ REQUEST['id']}";
   if($conn->query($sql) === TRUE){
    // echo "Record Deleted Successfully";
    // below code will refresh the page after deleting the record
    echo '<meta http-equiv="refresh" content= "0;URL=?deleted" />';
    } else {
     echo "Unable to Delete Data";
    }
  }
  ?>
</div>
</div> <!-- div Row close from header -->
<div><a class="btn btn-danger box" href="addnewstudent.php"><i class="fas fa-plus fa-
2x"></i></a></div>
</div> <!-- div Conatiner-fluid close from header -->
include('./adminInclude/footer.php');
?>
```


#### Addnewstudent.php



```
<?php
if(!isset($ SESSION)){
 session_start();
}
define('TITLE', 'Add Student');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
$adminEmail = $ SESSION['adminLogEmail'];
 echo "<script> location.href='../index.php'; </script>";
if(isset($ REQUEST['newStuSubmitBtn'])){
// Checking for Empty Fields
 if(($ REQUEST['stu name'] == "") || ($ REQUEST['stu email'] == "") ||
($_REQUEST['stu_pass'] == "") || ($_REQUEST['stu_occ'] == "")){
 // msg displayed if required field missing
 $msg = '<div class="alert alert-warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds
</div>';
 } else {
 // Assigning User Values to Variable
 $stu_name = $_REQUEST['stu_name'];
 $stu email = $ REQUEST['stu email'];
 $stu_pass = $_REQUEST['stu_pass'];
 $stu_occ = $_REQUEST['stu_occ'];
  $sql = "INSERT INTO student (stu name, stu email, stu pass, stu occ) VALUES
('$stu_name', '$stu_email', '$stu_pass', '$stu_occ')";
```

```
if($conn->query($sqI) == TRUE){
  // below msg display on form submit success
  $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-2" role="alert"> Student Added
Successfully </div>';
  } else {
  // below msg display on form submit failed
  $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-2" role="alert"> Unable to Add
Student </div>';
 }
 }
}
?>
<div class="col-sm-6 mt-5 mx-3 jumbotron">
 <h3 class="text-center">Add New Student</h3>
 <form action="" method="POST" enctype="multipart/form-data">
  <div class="form-group">
   <label for="stu name">Name</label>
   <input type="text" class="form-control" id="stu name" name="stu name">
  </div>
  <div class="form-group">
   <label for="stu email">Email</label>
   <input type="text" class="form-control" id="stu_email" name="stu_email">
  </div>
  <div class="form-group">
   <label for="stu pass">Password</label>
   <input type="text" class="form-control" id="stu_pass" name="stu_pass">
  </div>
  <div class="form-group">
   <label for="stu occ">Occupation</label>
   <input type="text" class="form-control" id="stu_occ" name="stu_occ">
  </div>
  <div class="text-center">
   <button type="submit" class="btn btn-danger" id="newStuSubmitBtn"
name="newStuSubmitBtn">Submit</button>
   <a href="students.php" class="btn btn-secondary">Close</a>
  </div>
  <?php if(isset($msg)) {echo $msg; } ?>
 </form>
</div>
</div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
```

#### Editstudent.php



```
<?php
if(!isset($ SESSION)){
 session_start();
define('TITLE', 'Edit Course');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($_SESSION['is_admin_login'])){
 $adminEmail = $_SESSION['adminLogEmail'];
} else {
 echo "<script> location.href='../index.php'; </script>";
// Update
if(isset($ REQUEST['requpdate'])){
 // Checking for Empty Fields
 if(($_REQUEST['stu_id'] == "") || ($_REQUEST['stu_name'] == "") ||
($_REQUEST['stu_email'] == "") || ($_REQUEST['stu_pass'] == "") || ($_REQUEST['stu_occ']
== "")){
 // msg displayed if required field missing
 $msg = '<div class="alert alert-warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds
</div>';
 } else {
  // Assigning User Values to Variable
  $sid = $ REQUEST['stu id'];
  $sname = $ REQUEST['stu name'];
```

```
$semail = $ REQUEST['stu email'];
  $spass = $ REQUEST['stu pass'];
  $socc = $_REQUEST['stu_occ'];
 $sql = "UPDATE student SET stu id = '$sid', stu name = '$sname', stu email = '$semail',
stu pass='$spass', stu occ='$socc' WHERE stu id = '$sid'";
  if($conn->query($sql) == TRUE){
  // below msg display on form submit success
  $msg = '<div class="alert alert-success col-sm-6 ml-5 mt-2" role="alert"> Updated
Successfully </div>';
  } else {
  // below msg display on form submit failed
  $msg = '<div class="alert alert-danger col-sm-6 ml-5 mt-2" role="alert"> Unable to
Update </div>';
  }
 }
}
?>
<div class="col-sm-6 mt-5 mx-3 jumbotron">
 <h3 class="text-center">Update Student Details</h3>
if(isset($_REQUEST['view'])){
 $sql = "SELECT * FROM student WHERE stu id = {$ REQUEST['id']}";
$result = $conn->query($sql);
$row = $result->fetch_assoc();
}
?>
 <form action="" method="POST" enctype="multipart/form-data">
  <div class="form-group">
   <label for="stu id">ID</label>
   <input type="text" class="form-control" id="stu_id" name="stu_id" value="<?php
if(isset($row['stu id'])) {echo $row['stu id']; }?>"readonly>
  </div>
  <div class="form-group">
   <label for="stu" name">Name</label>
   <input type="text" class="form-control" id="stu name" name="stu name"
value="<?php if(isset($row['stu name'])) {echo $row['stu name']; }?>">
  </div>
  <div class="form-group">
   <label for="stu email">Email</label>
   <input type="text" class="form-control" id="stu_email" name="stu_email" value="<?php
if(isset($row['stu email'])) {echo $row['stu email']; }?>">
  </div>
  <div class="form-group">
   <label for="stu pass">Password</label>
```


```
<input type="text" class="form-control" id="stu_pass" name="stu_pass" value="<?php
if(isset($row['stu pass'])) {echo $row['stu pass']; }?>">
  </div>
  <div class="form-group">
   <label for="stu_occ">Occupation</label>
   <input type="text" class="form-control" id="stu_occ" name="stu_occ" value="<?php
if(isset($row['stu_occ'])) {echo $row['stu_occ']; }?>">
  </div>
  <div class="text-center">
   <button type="submit" class="btn btn-danger" id="requpdate"
name="requpdate">Update</button>
   <a href="students.php" class="btn btn-secondary">Close</a>
  </div>
  <?php if(isset($msg)) {echo $msg; } ?>
 </form>
</div>
</div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
include('./adminInclude/footer.php');
?>
```

### Sellreport.php



```
</div>
   </div>
  </form>
  <?php
 if(isset($ REQUEST['searchsubmit'])){
   $startdate = $_REQUEST['startdate'];
   $enddate = $ REQUEST['enddate'];
   // $sql = "SELECT * FROM courseorder WHERE order_date BETWEEN '2018-10-11' AND
'2018-10-13'";
   $sql = "SELECT * FROM courseorder WHERE order date BETWEEN '$startdate' AND
'$enddate'";
   $result = $conn->query($sql);
   if($result->num_rows > 0){
   echo '
  Details
  <thead>
   Order ID
    Course ID
    Student Email
    Payment Status
    order Date
    Amount
   </thead>
   ';
   while($row = $result->fetch_assoc()){
   echo '
    '.$row["order_id"].'
    '.$row["course id"].'
    '.$row["stu email"].'
    '.$row["status"].'
    '.$row["order date"].'
    '.$row["amount"].'
   ';
   }
   echo '
   <form class="d-print-none"><input class="btn btn-danger" type="submit"
value="Print" onClick="window.print()"></form>
  ';
  } else {
```


#### adminPaymentstatus.php



```
<?php
define('TITLE', 'Payment Status');
define('PAGE', 'paymentstatus');
include('../dbConnection.php');
include('./adminInclude/header.php');
$ORDER_ID = "";
       if (isset($_POST["ORDER_ID"]) && $_POST["ORDER_ID"] != "") {
               $ORDER_ID = $_POST["ORDER_ID"];
       }
?>
 <div class="container">
  <h2 class="text-center my-4">Payment Status </h2>
  <form method="post" action="">
  <div class="form-group row">
    <label class="offset-sm-3 col-form-label">Order ID: </label>
    <div>
     <input class="form-control mx-3" id="ORDER ID" tabindex="1" maxlength="20" size="20"
name="ORDER_ID" autocomplete="off" value="<?php echo $ORDER_ID ?>">
    </div>
    <div>
     <input class="btn btn-primary mx-4" value="View" type="submit" onclick="">
    </div>
   </div>
  </form>
```

```
</div>
 <div class="container">
 <?php
  if (isset($_POST['ORDER_ID']))
   $sql = "SELECT order_id FROM courseorder";
   $result = $conn->query($sql);
   while($row = $result->fetch assoc()){
    if($_POST["ORDER_ID"] == $row["order_id"]){ ?>
     <div class="row justify-content-center">
      <div class="col-auto">
       <h2 class="text-center">Payment Receipt</h2>
       <label>Order ID</label>
          <?php if (isset($row["order id"])) echo $row["order id"] ?>
          <label>Status</label>
          Success
          <button class="btn btn-primary" onclick="javascript:window.print();">Print
Receipt</button>
         </div>
      </div>
  <?php
  }}}?>
  </div>
  </div>
 </div>
 </div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
?>
```


# Feedback.php



```
<?php
if(!isset($ SESSION)){
session_start();
define('TITLE', 'Feedback');
define('PAGE', 'feedback');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($ SESSION['is admin login'])){
$adminEmail = $_SESSION['adminLogEmail'];
} else {
echo "<script> location.href='../index.php'; </script>";
}
?>
 <div class="col-sm-9 mt-5">
 <!--Table-->
 List of Feedbacks
  $sql = "SELECT * FROM feedback";
  $result = $conn->query($sql);
  if($result->num rows > 0){
   echo '
   <thead>
   Feedback ID
    Content
```

```
Student ID
    Action
   </thead>
   ';
   while($row = $result->fetch assoc()){
    echo '';
    echo ''.$row["f id"].'';
    echo ''. $row["f_content"].'';
    echo ''.$row["stu id"].'';
    echo '<form action="" method="POST" class="d-inline"><input type="hidden"
name="id" value='. $row["f id"] .'><button type="submit" class="btn btn-secondary"
name="delete" value="Delete"><i class="far fa-trash-alt"></i></button></form>
    ';
   }
   echo '
   ';
  } else {
   echo "O Result";
  if(isset($_REQUEST['delete'])){
   $sql = "DELETE FROM feedback WHERE f id = {$ REQUEST['id']}";
   if($conn->query($sql) === TRUE){
    // echo "Record Deleted Successfully";
    // below code will refresh the page after deleting the record
    echo '<meta http-equiv="refresh" content= "0;URL=?deleted" />';
    } else {
     echo "Unable to Delete Data";
    }
  }
  ?>
</div>
</div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
?>
```

### Adminchangepass.php




```
<?php
if(!isset($_SESSION)){
 session_start();
define('TITLE', 'Change Password');
define('PAGE', 'changepass');
include('./adminInclude/header.php');
include('../dbConnection.php');
if(isset($_SESSION['is_admin_login'])){
 $adminEmail = $_SESSION['adminLogEmail'];
} else {
echo "<script> location.href='../index.php'; </script>";
}
$adminEmail = $_SESSION['adminLogEmail'];
if(isset($_REQUEST['adminPassUpdatebtn'])){
if(($ REQUEST['adminPass'] == "")){
 // msg displayed if required field missing
```

```
$passmsg = '<div class="alert alert-warning col-sm-6 ml-5 mt-2" role="alert"> Fill All Fileds
</div>';
 } else {
  $sql = "SELECT * FROM admin WHERE admin email='$adminEmail'";
  $result = $conn->query($sql);
  if($result->num rows == 1){
  $adminPass = $ REQUEST['adminPass'];
  $sql = "UPDATE admin SET admin_pass = '$adminPass' WHERE admin_email =
'$adminEmail'";
   if($conn->query($sqI) == TRUE){
   // below msg display on form submit success
   $passmsg = '<div class="alert alert-success col-sm-6 ml-5 mt-2" role="alert"> Updated
Successfully </div>';
   } else {
   // below msg display on form submit failed
   $passmsg = '<div class="alert alert-danger col-sm-6 ml-5 mt-2" role="alert"> Unable to
Update </div>';
   }
 }
 }
}
?>
 <div class="col-sm-9 mt-5">
 <div class="row">
  <div class="col-sm-6">
   <form class="mt-5 mx-5">
    <div class="form-group">
     <label for="inputEmail">Email</label>
     <input type="email" class="form-control" id="inputEmail" value=" <?php echo
$adminEmail ?>" readonly>
    </div>
    <div class="form-group">
     <label for="inputnewpassword">New Password</label>
     <input type="text" class="form-control" id="inputnewpassword" placeholder="New
Password" name="adminPass">
    </div>
    <button type="submit" class="btn btn-danger mr-4 mt-4"
name="adminPassUpdatebtn">Update</button>
    <button type="reset" class="btn btn-secondary mt-4">Reset</button>
    <?php if(isset($passmsg)) {echo $passmsg; } ?>
   </form>
  </div>
```

```
</div>
</div>
</div>
</div> <!-- div Row close from header -->
</div> <!-- div Conatiner-fluid close from header -->
<?php
include('./adminInclude/footer.php');
?>
```

# Watchcourse.php



```
<?php
if(!isset($_SESSION)){
    session_start();
}
include('../dbConnection.php');

if(isset($_SESSION['is_login'])){
    $stuEmail = $_SESSION['stuLogEmail'];
} else {
    echo "<script> location.href='../index.php'; </script>";
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="ie=edge">
<title>Watch Course</title>
<!-- Bootstrap CSS -->
<link rel="stylesheet" href="../css/bootstrap.min.css">
<!-- Font Awesome CSS -->
<link rel="stylesheet" href="../css/all.min.css">
 <!-- Google Font -->
 <link href="https://fonts.googleapis.com/css?family=Ubuntu" rel="stylesheet">
<!-- Custom CSS -->
<link rel="stylesheet" href="../css/stustyle.css">
</head>
<body>
 <div class="container-fluid bg-success p-2" >
  <h3>Welcome to E-Learning</h3>
  <a class="btn btn-danger" href="./myCourse.php">My Courses</a>
 </div>
 <div class="container-fluid">
  <div class="row">
  <div class="col-sm-3 border-right">
   <h4 class="text-center">Lessons</h4>
   ul id="playlist" class="nav flex-column">
     <?php
       if(isset($_GET['course_id'])){
       $course id = $ GET['course id'];
       $sql = "SELECT * FROM lesson WHERE course id = '$course id'";
       $result = $conn->query($sql);
       if($result->num rows > 0){
        while($row = $result->fetch assoc()){
        echo '<li class="nav-item border-bottom py-2" movieurl='.$row['lesson link'].'
style="cursor: pointer;">'. $row['lesson_name'] .'';
       }
       }
     ?>
   </div>
  <div class="col-sm-8">
```

```
<video id="videoarea" src="" class="mt-5 w-75 ml-2" controls>
    </video>
  </div>
  </div>
 </div>
  <!-- Jquery and Boostrap JavaScript -->
  <script type="text/javascript" src="../js/jquery.min.js"></script>
  <script type="text/javascript" src="../js/popper.min.js"></script>
  <script type="text/javascript" src="../js/bootstrap.min.js"></script>
  <!-- Font Awesome JS -->
  <script type="text/javascript" src="../js/all.min.js"></script>
  <!-- Ajax Call JavaScript -->
  <!-- <script type="text/javascript" src="..js/ajaxrequest.js"></script> -->
  <!-- Custom JavaScript -->
  <script type="text/javascript" src="../js/custom.js"></script>
</body>
</html>
```