

Line Number	Identifier	Error Type	Error	Error Correction
1	Header File (<stdio.h>)			
2	Header File (<string.h>)			
4	Function Definition (main)			
6	Array Declaration (int marks[5])	Syntax Error	Missing semicolon at end of declaration	int marks[5] = {80,90,70,60,50};
8	Function Call (printf)			
10	Variable Declaration (total)			
12	Loop Declaration (for)	Runtime Error	Loop condition i<=5 accesses marks[5] outside array bounds	for(int i=0; i<5; i++)
14	Array Access (marks[i])			
14	Variable Update (total)			
17	Function Call (printf)			
19	Variable Declaration (average)			
21	Assignment Expression (average = total / 5)	Logical Error	Integer division occurs before assignment to float	average = total / 5.0;
23	Function Call (printf)	Semantic Error	Format specifier %d used with float variable	printf("Average = %f\n", average);
27	Array Declaration (scores[5])			
29	Array Element Assignment (scores[0])			
30	Array Element Assignment (scores[1])			
31	Array Element Assignment (scores[2])			
32	Array Element Assignment (scores[3])			
33	Array Element Assignment (scores[4])			
34	Array Element Assignment (scores[5])	Runtime Error	Index 5 is outside valid range 0-4	Use scores[0] to scores[4] only
36	Function Call (printf)			
38	Loop Declaration (for)			
40	Function Call (printf)			
45	Array Declaration (char subject[5])			
47	Function Call (strcpy)	Runtime Error	Destination array too small for "Programming"	Increase array size or shorten string
49	Function Call (printf)			
53	Array Declaration (attendance[5])			
55	Array Access (attendance["one"])	Semantic Error	String literal used as array index	Use an integer index
57	Array Access (attendance[2.5])	Semantic Error	Floating-point value used as array index	Use an integer index
59	Loop Declaration (for)			
61	Array Element Assignment (attendance[i])			
66	Loop Declaration (for)	Runtime Error	Loop condition i<=5 accesses attendance[5]	for(int i=0; i<5; i++)
68	Function Call (printf)			
73	Array Declaration (arr[5])			
75	Loop Declaration (for)			
77	Function Call (scanf)	Semantic Error	Array element passed without address operator	scanf("%d", &arr[i]);
82	Variable Declaration (totalMarks)			
84	Loop Declaration (for)			
86	Array Access (arr[i])			
89	Function Call (printf)			

91	Array Declaration (char grade[5])			
93	Array Element Assignment (grade[0])	Semantic Error	String assigned to character element	grade[0] = 'A';
94	Array Element Assignment (grade[1])			
96	Function Call (printf)			
100	Array Declaration (prices[5])			
102	Conditional Statement (if)	Logical Error	Assignment operator used instead of comparison	if(prices[2] == 300)
108	Array Declaration (inventory[5])			
110	Array Assignment (inventory = prices)	Semantic Error	Arrays cannot be assigned directly	Use memcpy() or copy elements individually
112	Function Call (printf)			
116	Array Declaration (salary[5])			
118	Array Element Assignment (salary[0])			
120	Function Call (printf)	Semantic Error	Format specifier %d used with float value	printf("%f\n", salary[0]);
124	Array Declaration (char city[10])			
126	String Assignment (city = "Jaipur")	Semantic Error	Cannot assign string directly to character array	strcpy(city, "Jaipur");
128	Function Call (printf)			
132	Array Declaration (result[5])			
134	Loop Declaration (for)	Runtime Error	Loop condition i<=5 accesses result[5]	for(int i=0; i<5; i++)
136	Array Element Assignment (result[i])			
145	Function Call (printf)			
149	Return Statement (return 0)			