Edmingle API

Introduction

- The Edmingle API allows you to perform all the operations that you do with our web client.
- Edmingle API is built using REST principles which ensures predictable URLs that makes writing applications easy. This API follows HTTP rules, enabling a wide range of HTTP clients can be used to interact with the API.

Domain - Url

- In edmingle when you create your institute edmingle will create one apiurl for you that is only point your institution.
- How to Get ApiURL?
    - You need to Contact Our support team for ApiUrl our support team will share it with you and you just need to update that url in our postman collection variables.

InstitutionId

- When you Singup in edmingle It will create one institution For you and it's having their own website and other features.
- inside one institution you can create mulitple organization based on your requirements.
- You can contact our support team For getting your institution Id.
- Set this in value in our collection variables so it will update that value in every request.

Organization Id

- In Edmingle, your business is termed as an organization. If you have multiple businesses, you simply set each of those up as an individual organization. Each organization is an independent Edmingle Organization with it’s own organization ID, base currency, time zone, reports, etc.
- The parameter ORGID along with the organization ID should be sent in with every API request to identify the organization.
- If you obtain **domain-Url** and **InstitutionId** call our Meta→Organization Details Api it will give you organization list that you have in your institution.

Host Name

- HostName Refers to Your Domain Which you are using. Using your hostname and our institution Meta details api you can get information about institution.
- How to Get Host Name?
  - Get Your HomePage Url
  - Remove http:// or https:// from that Url
  - Now put this value in collection variables name as hostname
  - Example:-
    - HomePage Url :- https://demoacademy.edmingle.com/
    - Hostname:- demoacademy.edmingle.com

Generate Apikey / Api Secret

1. Grab **domain-Url, InstitutionId** and **OrganizationId** And set In Collection Variables.
2. You have Your admin access for console login, you need to use that same here to generate Api Secret.
3. Use this And Put your username and password in api params and pass send request it will give you apikey.
   a. Note :- For this Postman Collection It will Automatically Update in global vairables you dont need to set.

API Key Validity Documentation

Overview

This document outlines the validity duration of API keys and the conditions under which the validity period is determined. API keys are essential for accessing and utilizing services provided by our API.

API Key Validity

1. Persistent Login

If a user opts for persistent login during API key generation, the API key remains valid for a duration of 30 days from the last login. Persistent login allows users to maintain access to the API without the need for frequent reauthentication.

2. Non-Persistent Login

For users who do not choose persistent login, the API key is valid for a shorter duration of 5 hours from the time of login. Non-persistent login is suitable for scenarios where security is a top priority, and frequent reauthentication is preferred.

Renewal and Refresh

1. Persistent Login

For users with persistent login, the API key's validity is automatically extended to 30 days with each successful login within the existing session.

2. Non-Persistent Login

To continue using the API after the initial 5-hour validity period for non-persistent login, users must log in again to obtain a new API key.

Security Considerations

To ensure the security of API access, users are encouraged to choose authentication settings based on their specific needs. Persistent login is convenient for scenarios where continuous access is required, while non-persistent login is suitable for cases where security is a higher priority than convenience.

Conclusion

Understanding the validity conditions of API keys is crucial for effective and secure utilization of our services. Users are advised to choose the appropriate login settings based on their use case and security requirements. If you have any further questions or concerns, please contact our support team.

POST Generate Apikey For Apis

http://yourdomain-api/nuSource/api/v1/tutor/login

Node Name	Type	Required	Description
username	String	Yes	Email/username Anything you can pass
password	String	Yes	Password
persistent_login	Boolean	Yes	True(30Days validity)/False(5 Hour validity)

Body formdata

JSONString

{ "username": "", "password": "", "persistent_login": true }

You can also use Your Username To Login

POST Invalidate Apikey

http://yourdomain-api/nuSource/api/v1//user/logout

HEADERS

apikey 77a3fc7928ed0b421b354eb12177a1e8

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

Body raw (text)

```text
apikey=77a3fc7928ed0b421b354eb12177a1e8
```

Error Codes

Error Codes	Message	Description	Solution
400/401	Bad Request/Unauthorized	The request was invalid or cannot be processed.Authentication is required or failed.	Ensure all required parameters are present and correctly formatted.Verify the API key or authentication token.
403	Forbidden	The server understood the request, but refuses to authorize it.	Ensure proper permissions for the requested resource.
404	Not Found	The requested resource was not found on the server.	Check the request URL and ensure the resource exists.
429	Too Many Requests	The user has sent too many requests in a given time frame.	Implement rate limiting, slow down request rate, and retry later.
500	Internal Server Error	The server encountered an unexpected condition.	Try the request again later or contact support if the issue persists.
502	Bad Gateway	The server received an	Retry after a few

Meta

GET Institution Meta Details

http://yourdomain-api/nuSource/api/v1/meta/all?institution_id=1

Node Name	Type	Required	Description
institution_id	Integer	YES	You can get node details From institution Info API

HEADERS

ORGID 2

PARAMS

institution_id 1

GET Institution Info

https://prashant-api.edmingle.com/nuSource/api/v1/institute/instituteinfo?host_name=localhost

Node Name	Type	Required	Description
host_name	string	Yes	Your Homepage Url and remove https:// For example :- HomePage Url :- https://demoacademy.edmingle.com/ Hostname:- demoacademy.edmingle.com

HEADERS

ORGID 2

PARAMS

host_name localhost

GET organization details

http://yourdomain-api/nuSource/api/v1/institution/organizations?institution_id=1

Node Name	Type	Required	Description
institution_id	Integer	YES	You can get node details From institution Info API

PARAMS

institution_id 1

GET countries list

http://yourdomain-api/nuSource/api/v1/meta/countries

GET currencies list

http://yourdomain-api/nuSource/api/v1/meta/currencies

GET State List

Edmingle State List Constant :-
https://docs.google.com/spreadsheets/d/1JdFmcHwNwvxw87fpjEdoHCaw282VhfuZsCh1iUdy_Vo/edit?usp=sharing

Login

POST Login

http://yourdomain-api/nuSource/api/v1/tutor/login

Node Name	Type	Required	Description
username	String	Yes	Email/username Anything you can pass
password	String	Yes	Password
persistent_login	Boolean	Yes	True/False

Body formdata

JSONString

{ "username": "harshit@edmingle.com", "password": "test", "persistent_login": true }

You can also use Your Username To Login

Users

Students

Payments

POST Record payment for course enrollment

http://yourdomain-api/nuSource/api/v1/invoices/payments

Pass Invoice Id For The Payment

Node Name	Type	Required	Description
payment_date	Integer	Yes	Unix timeStamp
mode	Integer	Yes	paymentModeOnline = 1; paymentModeCash = 2; paymentModeCheque = 3; paymentModeCard = 4; paymentModePaytm = 5; paymentModeUPI = 6; paymentModeStudentLoan = 7; paymentModeNetBanking = 8;
ref_no	String	NO	
payments	Array	Yes	{ "invoice_id": 1197 (Get From Student Booking

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "payment_date": 1652985000, "mode": 6, "ref_no": "Demo", "payments": [{ "invoice_id": 1197, "amount": 9, "credits_applied": 0 }, { "invoice_id": 1198, "amount": 10, "credits_applied": 0 }], "total_payment": 19, "cheque_date": null } https://jsoneditoronline.org/#left=cloud.3c656b303677463d8d3044b2c76ced42

Certificate

GET Certificate

http://yourdomain-api/nuSource/api/v1//certificates/students?student_id=<studentId>&response_type=1

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

student_id	<studentId>
response_type	1

Activity

GET User Device List

http://yourdomain-api/nuSource/api/v1//user/device/list?user_id=<userId>

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

user_id	<userId>

POST Remove User Device

http://yourdomain-api/nuSource/api/v1/user/device/<deviceId>/remove

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8

ORGID	2

Body formdata

JSONString	{"user_id":90949827}

GET List all students

http://yourdomain-api/nuSource/api/v1/organization/students?organization_id=2&search=&is_archived=0&page=1&per_page=10

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

organization_id	2 (int) organizationId
search	(string) name, email, reg.number, contact number
is_archived	0 (boolean) getting archived student details
page	1 (int) page number
per_page	10 (int) per page how many students you want to retrive

GET Search Student

http://yourdomain-api/nuSource/api/v1/student/search?institution_id=1&student_email=hemal@edmingle.com

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

institution_id	1
student_email	hemal@edmingle.com
student_mobile_number	9878987898

GET Retrieve a student

http://yourdomain-api/nuSource/api/v1/user/details?user_id=0

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

user_id	0 (int) user_id

POST Update Student Info

http://yourdomain-api/nuSource/api/v1/organization/students/0

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"external_uuid":"6880895a2ad4e601c26cd9f3","name":"sake","user_username":"sake5352535","gender":"","religion":0,"contact_number":"9908607678","contact_number_country_id":103,"contact_number_dial_code":"+91","contact_number_2":null,"contact_number_2_dial_code":"+91","contact_number_2_country_id":103,"email":"shaik@gmail.com","alternate_email":null,"landline":null,"address":null,"city":"gsi","state":"0","pincode":null,"residential_address":null,"u

_parent_name":"hsi","u_parent_email":"saeunxkth@gmail.com","u_parent_contact":"","u_parent_contact_country_id":103,"standard":0,"qualification":0,"occupation":0,"school":"0","registration_number":"784","ed_background":"

[{\"qualification\":\"\",\"yop\":\"\",\"institution\":\"\"}]","aadhaar_number":null,"document_name":
[],"organization_id":329,"cf_1":"","cf_2":"","cf_3":"","cf_4":"","cf_5":"","custom_fields":[{"field_id":234163,"organization_id":329,"field_display_name":"Text | online
Pre","field_help_text":"","field_type":1,"default_value":"","possible_values":"
[]","field_name":"text_|_online_pre","original_form_type":1,"field_value":"","form_field_mapper_id":244654,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":1,"is_online_mandatory":1,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":37},
{"field_id":234162,"organization_id":329,"field_display_name":"Text | Post
man","field_help_text":"","field_type":1,"default_value":"","possible_values":"
[]","field_name":"text_|_post_man","original_form_type":1,"field_value":"sdfds",
"form_field_mapper_id":244653,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":1,"is_online_mandatory":1,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":48},
{"field_id":217067,"organization_id":329,"field_display_name":"File Upload
demo","field_help_text":"","field_type":5,"default_value":"","possible_values":"
[]","field_name":"file_upload_demo","original_form_type":1,"field_value":"","form_field_mapper_id":227807,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":0,"is_online_mandatory":0,"show_offline":1,"is_offline_mandatory":0,"is_active":1,"display_index":59},
{"field_id":58272,"organization_id":329,"field_display_name":"File
Upload","field_help_text":"","field_type":5,"default_value":"","possible_values":"
[]","field_name":"file_upload","original_form_type":1,"field_value":"","form_field_mapper_id":71291,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":0,"is_online_mandatory":0,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":63},
{"field_id":58269,"organization_id":329,"field_display_name":"Just Some Num
Fields","field_help_text":"","field_type":2,"default_value":"","possible_values":"
[]","field_name":"number_field","original_form_type":1,"field_value":"","form_field_mapper_id":71288,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":0,"is_online_mandatory":0,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":68},
{"field_id":195951,"organization_id":329,"field_display_name":"test11","field_help_text":"","field_type":1,"default_value":"","possible_values":"
[]","field_name":"test11","original_form_type":1,"field_value":"","form_field_mapper_id":207065,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":0,"is_online_mandatory":0,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":69},
{"field_id":234164,"organization_id":329,"field_display_name":"Text | Online
Post","field_help_text":"","field_type":1,"default_value":"","possible_values":"
[]","field_name":"text_|_online_post","original_form_type":1,"field_value":"","form_field_mapper_id":244655,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":0,"is_online_mandatory":0,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":91},
{"field_id":214629,"organization_id":329,"field_display_name":"Occupation
t","field_help_text":"","field_type":1,"default_value":"","possible_values":"
[]","field_name":"occupation_t","original_form_type":1,"field_value":"","form_field_mapper_id":225413,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":1,"is_online_mandatory":1,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":92},
{"field_id":26597,"organization_id":329,"field_display_name":"Mother's
Name","field_help_text":"","field_type":1,"default_value":"","possible_values":"

[]","field_name":"mother's_name","original_form_type":1,"field_value":"asdsasdsf","form_field_mapper_id":38990,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":1,"is_online_mandatory":0,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":99},
{"field_id":58270,"organization_id":329,"field_display_name":"Select field123","field_help_text":"","field_type":3,"default_value":"","possible_values":"[{\"name\":\"opt 1\",\"value\":1,\"status\":1},{\"name\":\"opt 2\",\"value\":2,\"status\":1},{\"name\":\"opt va\",\"value\":3,\"status\":1}]","field_name":"select_field","original_form_type":1,"field_value":"","form_field_mapper_id":71289,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":0,"is_online_mandatory":0,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":102},
{"field_id":330440,"organization_id":329,"field_display_name":"Mobile","field_help_text":"Select","field_type":3,"default_value":"","possible_values":[{"name":"Oneplus","value":1,"status":1},{"name":"Iphone","value":2,"status":1},{"name":"Samsung","value":3,"status":1}],"field_name":"mobile","original_form_type":1,"field_value":"","form_field_mapper_id":340258,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":1,"is_online_mandatory":0,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":103},
{"field_id":331829,"organization_id":329,"field_display_name":"testing signup","field_help_text":"","field_type":3,"default_value":"","possible_values":"[]","field_name":"testing_signup","original_form_type":1,"field_value":"","form_field_mapper_id":341625,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":0,"is_online_mandatory":0,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":125},
{"field_id":58271,"organization_id":329,"field_display_name":"Date field","field_help_text":"","field_type":4,"default_value":"","possible_values":"[]","field_name":"date_field","original_form_type":1,"field_value":1681151400,"form_field_mapper_id":71290,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":1,"is_online_mandatory":2,"show_offline":0,"is_offline_mandatory":0,"is_active":1,"display_index":130},
{"field_id":332145,"organization_id":329,"field_display_name":"My City","field_help_text":"","field_type":1,"default_value":"","possible_values":"[]","field_name":"my_city","original_form_type":1,"field_value":"","form_field_mapper_id":341936,"form_type":1,"system_field_setting":0,"section_id":1,"show_online":1,"is_online_mandatory":0,"show_offline":1,"is_offline_mandatory":0,"is_active":1,"display_index":136}],"area":0,"source":1,"timezone":"(UTC+05:30) Asia/Calcutta"}

GET Admin Retrive Course Of student enrolled

http://yourdomain-api/nuSource/api/v1/institution/user/bookings?user_id=0

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

user_id	0

GET Admin Retrive Certificate Of Student

http://yourdomain-api/nuSource/api/v1/certificates/students?student_id=0

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

student_id	0

POST Creating a new student

http://yourdomain-api/nuSource/api/v1//organization/students

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "emails": [{ "contact_number_country_id": 103, "contact_number_dial_code": "+91", "email": "Edd_Morar82@hotmail.com", "name": "Aglae_Prohaska63", "organization_id": 2, "password": "test", "contact_number": "399-770-3323", "external_uuid":"6880895a2ad4e601c26cd9f3" }] } For Adding Multiple Student At a Time Pass Request payload Like This https://jsoneditoronline.org/#left=cloud.2166262945c14913a9fba625a50a597d

POST Updating a student

http://yourdomain-api/nuSource/api/v1/organization/students/0

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "email": "johnwick@edmingle.com", "name": "John10 wick", "contact_number": "9963652858", "contact_number_country_id": 103, "contact_number_dial_code": "+91", "contact_number_2": "9878987898", "contact_number_2_dial_code": "+91", "contact_number_2_country_id": 103, "user_username": "johnWick110", "birthday": 1577903400, "about": "", "custom_fields": [] } Birthday Date in UnixTimestamp Format

GET Retrieve a student booking

http://yourdomain-api/nuSource/api/v1/institution/user/bookings/<payment_id>?user_id=0

Get particular one booking details by booking id and Student Id

To get Payment Id Use List Student Booking Api

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

user_id	0 (int) user_id

POST update student booking details

http://yourdomain-api/nuSource/api/v1/student/configurefees

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "fees_template_id": 8, "payment_id": 6277, "institution_bundle_id": 363, "installments": [{ "invoice_id": 8860, "instalment_name": "Full+Fees", "old_instalment": 1, "part_amount": 100, "final_amount": 100, "discount": 0, "part_date": 1714348800, "part_formatted_date": "29/04/2024", "usd_part_amount": 0, "is_pmt": false, "is_igst": 0, "igst_per": 0, "cgst_per": 0, "sgst_per": 0, "igst_amount": 0, "cgst_amount": 0, "sgst_amount": 0, "pre_gst_amount": "100.00", "enable_gst": 0, "place_of_supply": "", "isEdit": 1, "currency_id": 49 }], "date_of_admission": 1714435200, "course_ids": [], "place_of_supply": "", "update_payment_scheme": 0 }

POST Remove Student From Enrolled Course

http://yourdomain-api/nuSource/api/v1/bundle/student/remove

Node Name	Type	Required	Description
student_id	Integer	Yes	Unique Student Id/userid
bundle_id	Integer	Yes	Course id Which we want to Remove (pacakageId) -- use student bookings api
academic_year	Integer	Yes	academic Year
institution_id	Integer	Yes	Institution Id That You can get From Meta Api, This will Never Change So You can make it as a Constant
enrollment_id	Integer	Yes	Student Enrollment Id You can get it from student bookings api

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "student_id": 38311827, "bundle_id": 12477, "academic_year": 4, "institution_id": 1, "enrollment_id": 352096 }

GET List Student Enrolled Classes

http://yourdomain-api/nuSource/api/v1/admin/classes/attendance?user_id=89939898&response_type=1

ResponseNode	Description
batch_status	classActive = 0 classArchived = 1 classCompleted = 3
cu_status	studentClassStatusEnrolled = 1 studentClassStatusCancelled = 2
cu_state	studentClassArchived = 0 studentClassStateAdded = 1 studentClassStateCompleted = 3 studentClassStatesLeave = 4 studentClassFreeEnrolled = 5

HEADERS

orgid	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

user_id	89939898
response_type	1

GET Get Student calendar

http://yourdomain-api/nuSource/api/v1/user/schedule/month?apikey=77a3fc7928ed0b421b354eb12177a1e8&

http://yourdomain-api/nuSource/api/v1/user/schedule/month?apikey=77a3fc7928ed0b421b354eb12177a1e8&ORGID=2&month=11-2023&user_id=123456

Response Node Details inside classes details

Node array index	Description
0	attendance_id
1	class_date
2	course_name
3	start_time (in minutes)
4	end_time (in minutes)
5	constant value -1
6	constant value ""
7	signin_status (0 - Not Signed , 1 - SignedIn , 3 - Canclled, 5 - Miss SignedIn (Some other tutors signed))
8	signin_time (Unix timestamp)
9	class_id
10	class_name
11	tutor_id
12	organization_id

PARAMS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2
month	11-2023 mm-YYYY
user_id	123456 edmingle student id

GET Get Student Class updates

http://yourdomain-api/nuSource/api/v1/admin/student/pushnotifications/<studentId>

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8

ORGID	2

GET Get Student Announcement

http://yourdomain-api/nuSource/api/v1/admin/student/announcement/<studentId>?page=1&per_page=10

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

bundle_ids	<Integer Course Id> specific course course bundle id
search	<Search String> search value
page	1
per_page	10
read_unread	0 0 Unread, 1 read
urgency	<Urgency> 0 no urgency, 1 low ,2 medium , 3 high (urgency tags for announcement)

GET Student Class Attendance

http://yourdomain-api/nuSource/api/v1/admin/batches/attendance/<userId>

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

POST Student Enrollment Expiry Set

http://yourdomain-api/nuSource/api/v1/student/course/validity/update

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"student_ids":["90667848"],"bundle_id":1377,"valid_till":1716336000}

POST Archive Student

http://yourdomain-api/nuSource/api/v1/remove/organization/student/<studentId>

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"notes":"Archive+Notes"}

POST Unarchive Students

http://yourdomain-api/nuSource/api/v1/unarchive/student/<studentId>

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"user_id":"<studentId>","organization_id":2}

GET Get User details By External UUID

http://yourdomain-api/nuSource/api/v1/student/externaluuid/search?external_uuid=<uuid>

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

external_uuid	<uuid>

Tutors

GET List all Tutors

http://yourdomain-api/nuSource/api/v1/organization/tutors?organization_id=2&search=&is_archived=0

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

organization_id	2
search	
is_archived	0

GET Get Tutor Details

http://yourdomain-api/nuSource/api/v1/user/details?user_id=<TutorId>&organization_id=2

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

user_id	<TutorId>
organization_id	2

GET Get Tutor Schedule

http://yourdomain-api/nuSource/api/v1/user/schedule/month?apikey=77a3fc7928ed0b421b354eb12177a1e8&ORGID=2&month=07-2022&user_id=15

Response JSON Format Refer Since It Has No Key You will Get Response without key and need to map it with array Index

```json
{
    "code": 200,
    "message": "Success",
    "classes": [
        [
            "attendance_id",
            "class_date",
            "course_name",
            "start_time",
            "end_time",
            "Location Id",
```

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2
month	07-2022 // MM-YYYY Format For Month
user_id	15 // Tutor Id

Block / UnBlock

POST User Block

http://yourdomain-api/nuSource/api/v1/admin/institution/user/block

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"user_id":69007}

POST User UnBlock

http://yourdomain-api/nuSource/api/v1/admin/institution/user/unblock

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"user_id":69007}

Course

Manage Content

Test

Parts

GET Get Test all parts

http://yourdomain-api/nuSource/api/v1/test/parts?test_id=0

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

test_id	0

DELETE remove part

http://yourdomain-api/nuSource/api/v1/qbank/removefrompart/0

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Question bank

Create And Manage Question Bank and Question Apis

Create Question

Follow Request Format Based On Your Question Type

POST MCQ - SIngle Correct Answer Create Question

http://yourdomain-api/nuSource/api/v1/questions

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "question_list_id": 12, "question_JSON": [" "], "input_JSON": [{ "input_type": 0, "question_string": " dwemo ", "options": [{ "index": 0, "option_string": " e ", "is_correct": true }, { "index": 1, "option_string": " e " }, { "index": 2, "option_string": " t " }, { "index": 3, "option_string": " 3 " }], "marks": "1.00", "neg_mark": 0, "hint": "", "explanation": "", "opposite_marking": 0 }], "sound_play_times": -1, "difficulty": 1 }

POST MCQ - Multiple Correct Answer Create Question

http://yourdomain-api/nuSource/api/v1/questions

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "question_list_id": 12, "question_JSON": [" "], "input_JSON": [{ "input_type": 1, "question_string": " demo For MultiCorrect Question ", "options": [{ "index": 0, "option_string": " Two ", "is_correct": true }, { "index": 1, "option_string": " One " }, { "index": 2, "option_string": " Three ", "is_correct": true }, { "index": 3, "option_string": " Four " }], "marks": "1.00", "neg_mark": 0, "hint": "", "explanation": "", "opposite_marking": 0 }], "sound_play_times": -1, "difficulty": 1 }

POST Fill in The Blanks Create Question Copy

http://yourdomain-api/nuSource/api/v1/questions

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "question_list_id": 12, "question_JSON": [" "], "input_JSON": [{ "input_type": 2, "question_string": " Demo Question For Fill In The Blanks _____. ", "options": [["Demo"]], "marks": "1.00", "neg_mark": 0, "hint": "", "explanation": "", "opposite_marking": 0 }], "sound_play_times": -1, "difficulty": 1 }

POST Fill in The Blanks Mulitple Inputs Create Question

http://yourdomain-api/nuSource/api/v1/questions

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "question_list_id": 12, "question_JSON": [" "], "input_JSON": [{ "input_type": 4, "question_string": " Demo For Fill In Mulitple Inputs ", "options": [], "marks": "1.00", "neg_mark": 0, "hint": "", "explanation": "", "opposite_marking": 0 }], "sound_play_times": -1, "difficulty": 1 }

POST Subjective Create Question Copy

http://yourdomain-api/nuSource/api/v1/questions

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "question_list_id": 12, "question_JSON": [" "], "input_JSON": [{ "input_type": 5, "question_string": " Demo For Subjective ", "options": [[]], "marks": "1.00", "neg_mark": 0, "hint": "", "explanation": "", "opposite_marking": 0 }], "sound_play_times": -1, "difficulty": 1 }

POST True False Create Question

http://yourdomain-api/nuSource/api/v1/questions

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "question_list_id": 12, "question_JSON": [" "], "input_JSON": [{ "input_type": 6, "question_string": " Demo For True False Quetion Type ", "options": [{ "index": 0, "option_string": " True ", "is_correct": true }, { "index": 1, "option_string": " False " }], "marks": "1.00", "neg_mark": 0, "hint": "", "explanation": "", "opposite_marking": 0 }],

"sound_play_times": -1, "difficulty": 1 }

POST Delete Question

http://yourdomain-api/nuSource/api/v1/questions/<question_id>

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "question_list_id": 12, "question_JSON": [" "], "input_JSON": [{ "input_type": 0, "question_string": " The main source of India&#65533;s National Income was \n", "options": [{ "index": 0, "option_string": " Forestry \n" }, { "index": 1, "option_string": " Industry \n" }, { "index": 2, "option_string": " Agriculture \n", "is_correct": 1 }, { "index": 3, "option_string": " None of the above \n" }], "marks": "1.00", "neg_mark": -0.25, "hint": "", "explanation": "" }], "answer_JSON": "[{\"answer\":[[2]],\"explanation\":\"\"}]", "is_removed": true, "sound_asset": null, "sound_play_times": -1, "difficulty": 1 }

POST Create Question Bank

http://yourdomain-api/nuSource/api/v1/qbanks

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "question_list_name": "demobank", "engage_exam_tag_id": "2", "engage_subject_tag_id": "6", "engage_topic_tag_id": "36", "difficulty": 1, "question_type": 1 }

POST Attach existing questionbank

http://yourdomain-api/nuSource/api/v1/addexistingquesbank

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "question_list_id": 237, "test_part_id": "1310", "num_of_questions": 0 }

GET Get questionabank Details

http://yourdomain-api/nuSource/api/v1/questionbank/questions?question_list_id=200&page=1&per_page=10

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

question_list_id	200
page	1
per_page	10

GET Get Question bank list

http://yourdomain-api/nuSource/api/v1/user/qbanks

HEADERS

ORGID	2

apikey	77a3fc7928ed0b421b354eb12177a1e8

GET Get all test

http://yourdomain-api/nuSource/api/v1/tutor/curriculum/0/quizzes

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

GET Retrieve a test

http://yourdomain-api/nuSource/api/v1/quizzes/0

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

GET Get Test Question List

http://yourdomain-api/nuSource/api/v1/testquestionlist/questions?test_question_list_id=497

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

test_question_list_id	497

POST Create new test

http://yourdomain-api/nuSource/api/v1/quizzes

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "course_id": 0, "quiz_name": "MyTest 1", "instructions": " DemoTest ", "sound_play_times": -1, "exam_type": 1, "results_declared": 1, "attempts": 1, "show_compiler": 0, "is_psycological": 0, "is_prerequisite": 0, "passing_mark": "70", "is_parts_timed": 0 }

Batch

Batch Class

GET List Of Batch Class

http://yourdomain-api/nuSource/api/v1/class/attendance?class_id=1941&start=1656613800&end=1659292199

Use Api if you want get all Batches Information
If you want to get all the batches refer to single bundle pass bundle_id in request it will gives to that batch details

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

class_id	1941
start	1656613800 Optional

end	1659292199
	Optional
dataLoaded	true

POST Edit And Reschedule Batch Class

http://yourdomain-api/nuSource/api/v1/class/attendance/22857/update

In Url Pass Class Id That you get from List of Batch Class Api

Courses Array Node Details

Node Name	Type	Required	Description
tutor_id	Integer	Yes	Class tutor Id
is_live	Boolean	Yes	0 And True
zoom_room_waiting	Boolean	Yes	Zoom Room Waiting
class_date	Date(DD-MM-YYYY)	Yes	Date Format Example (01 Jul 2022)
s_hour	Integer	Yes	start Hour - Hours By Day For example if it is 5Pm on day then value is 17 and if 5AM on day then value of 5.
s_minute	Integer	Yes	Start minitue - minitues value should be 0 to 60
e_hour			End Hour - Hours By Day For example if it is 5Pm on day then value is 17 and if 5AM on day then value of 5.
e_minute	Integer	Yes	End minitue - minitues

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "tutor_id": 15, "class_date": "02 Jul 2022", "s_hour": 17, "s_minute": 0,

"e_hour": 18, "e_minute": 0, "send_sms": 1, "is_live": 1, "zoom_room_waiting": 0, "new_class_id": 1941, "attendance_id": 22857, "external_class_link": null,

"exam_type": 0, "virtual_class_type": 1, "topics": "Not Available For SOme time" }

POST Setup Extra Class

http://yourdomain-api/nuSource/api/v1/class/1941/extra

In Url Pass Class Id That you get from Batch Details Get

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "tutor_id": "15", "class_date": "21 Jul 2022", "s_hour": 13, "s_minute": 0, "e_hour": 14, "e_minute": 0, "topics": "THis Is Extra Class", "virtual_class_type": 0, "all_selected": true }

POST Cancel Batch Class

http://yourdomain-api/nuSource/api/v1/attendance/24527/signin

In Url Pass Class Id That you get from List of Batch Class Api

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"status":3,"send_sms":1} Status 3 which Means Class Cancel

POST Live Class Meeting Join Url

http://yourdomain-api/nuSource/api/v1/liveclass/join/5483729

Get Id From Batch Class Api

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

GET Classlist By Date

http://yourdomain-api/nuSource/api/v1//classes/period?org_id=2&date=01-06-2023

HEADERS

authority	prashant-api.edmingle.com
accept	application/json, text/javascript, */*; q=0.01
accept-language	en-US,en;q=0.9
apikey	e120765a97dd078d4bc5883eba651ab3
cache-control	no-cache
orgid	212
origin	https://demoacademy.edmingle.com
pragma	no-cache
referer	https://demoacademy.edmingle.com/
sec-ch-ua	"Chromium";v="104", " Not A;Brand";v="99", "Google Chrome";v="104"
sec-ch-ua-mobile	?0
sec-ch-ua-platform	"Linux"
sec-fetch-dest	empty
sec-fetch-mode	cors
sec-fetch-site	same-site
user-agent	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/104.0.0.0 Safari/537.36

PARAMS

org_id	2
date	01-06-2023

Progress

GET List Student Progress By Excercise

http://yourdomain-api/nuSource/api/v1/reports/classprogress?class_id=2461&page=1&per_page=50

For class_id node , can use https://documenter.getpostman.com/view/11192156/UzQvsQWi#f5428954-e157-4a1d-8a54-37b83ec2b5d4 Api and pass type as 12 you will get all class id details with batch id

Response Node Details

Node	Description
gr	best grade in percentage
mk	best mark in number
tm	exercise total marks
pt	best points from 5 not for Submissions type exam
tpt	total points from 5 not for Submissions type exam
atmpt	number of attempts by student
pssd	passed or failed
tttm	total test time taken in seconds

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

class_id	2461 https://documenter.getpostman.com/view/11192156/UzQvsQWi#f5428954-e157-4a1d-8a54-37b83ec2b5d4
page	1
per_page	50

GET List Student Progress Teaching Material

http://yourdomain-api/nuSource/api/v1/report/class/progress?class_id=327731&page=1&per_page=10&material_required=1

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

class_id	327731 https://documenter.getpostman.com/view/11192156/UzQvsQWi#f5428954-e157-4a1d-8a54-37b83ec2b5d4
page	1
per_page	10
material_required	1

GET Get Excercise Submission Details

http://yourdomain-api/nuSource/api/v1//reports/resourcestats?resource_id=<resourceId>&resource_type=1/2/3/4/5&class_id=124448

- **Response Format**
- Attempts - Attempt Details
- submissions - students Details

PARAMS

resource_id	<resourceId> Assignment And Excercise and test id
resource_type	1/2/3/4/5 Assignment Resource type you got from list api
class_id	124448 Batch Class Id

GET Excercise User Attemp Details

http://yourdomain-api/nuSource/api/v1//exercises/<resourceId>/attemptlist?class_id=<classId>&user_id=<userid>&is_quiz=false

- **Response Format**
    - Excercise
        - file_details
- File Details Contain Array

PARAMS

class_id	<classId>
user_id	<userid>
is_quiz	false

GET Get user past attempt details

http://yourdomain-api/nuSource/api/v1//exercises/pasttest/4532

This endpoint makes an HTTP GET request to retrieve information about a specific past test with the ID . The response includes detailed information about the test, including user marks, experience, total marks, grade, and other test-related data. The response also includes an array of test parts, each containing information about questions, elapsed time, user marks, and other part-specific details. Additionally, the response provides user submission details, exercise and test IDs, student and class IDs, and various earned points and achievements. The response also includes user information, if available.

POST User Attempt Reset

http://yourdomain-api/nuSource/api/v1/examexercise/attempt/<attemptId>/reset

Use the Attempted ID you received from this API: Postman Documentation.

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"is_quiz":false}

GET Get User Teachingmaterial Views

GET Get User Teachingmaterial Views

http://yourdomain-api/nuSource/api/v1/materials/<materialID>/viewslist?student_id=<userId>&class_id=<classId>

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

student_id	<userId>
class_id	<classId>

POST User Teachingmaterial View Reset

http://yourdomain-api/nuSource/api/v1/materials/view/<id>/reset

Please use Id from this api viewsinfo
https://documenter.getpostman.com/view/11192156/UzQvsQWi#dbb343c5-8ba6-4090-a3a7-3bd70f671635

HEADERS

ORGID	2
APIKEY	77a3fc7928ed0b421b354eb12177a1e8

POST Reset User Exercises & Quiz Attempts

http://yourdomain-api/nuSource/api/v1/assessments/attempts/resetall

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

Body formdata

JSONString	{"is_quiz":false,"class_id":1234,"student_id":77724,"assessment_id":1032}

GET Get Attempt Details

http://yourdomain-api/nuSource/api/v1/assignment/pasttest/<attemptId>

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

GET List all batch

http://yourdomain-api/nuSource/api/v1/short/masterbatch?status=0&page=1&per_page=100&organization_id=2&bundle_id=0

Use Api if you want get all Batches Information
If you want to get all the batches refer to single bundle pass bundle_id in request it will gives to that batch details

If You want Get Completed Batch Details Pass Status As 3

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

status	0 Required Status Info classActive = 0; classArchived = 1; classCompleted = 3;
page	1
per_page	100
organization_id	2
bundle_id	0 Bundle Id (optional)

POST Create Batch

http://yourdomain-api/nuSource/api/v1/masterbatch

Node Name	Type	Required	Description
class_name	String	Yes	Batch Name
tutor_id	Integer	Yes	Branch manager Tutor Id
organization_id	Integer	Yes	Organization Id Specify
start_date	Date(DD-MM-YYYY)	Yes	Date Format Example (01 Jul 2022)
end_date	Date(DD-MM-YYYY)	Yes	Date Format Example (31 Jul 2022)
bundle_id	Integer	Yes	Course Name Id That you Choose
individual_batch_attendance	Boolean	Yes	Batch Attendance Will Be Taken for common and subject wise
courses_array	Array	Yes	Batch Course Details (Refer Below Table)

Courses Array Node Details

Node Name	Type	Required	Description
course_id	Integer	Yes	Batch Subject Course Id
batch_name	String	Yes	Class Name
tutor_id	Integer	Yes	Class tutor Id
is_live	Boolean	Yes	0 And True
zoom_room_waiting	Boolean	Yes	Zoom Room Waiting

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "class_name": "DemoOMOTOTech", "tutor_id": "62", "organization_id": 2, "start_date": "01 Jul 2022", "end_date": "31 Jul 2022", "courses_array": [{ "course_id": 52, "batch_name": "Biology", "tutor_id": "27", "is_live": 0, "zoom_room_waiting": 0, "batch_class_count": 0, "display_index": null }], "bundle_id": "88", "individual_batch_attendance": 0 }

GET Get Batch Schedule

http://yourdomain-api/nuSource/api/v1/masterbatch/schedule/1281

Node Name	Type	Required	Description
class_name	String	Yes	Batch Name
tutor_id	Integer	Yes	Branch manager Tutor Id
organization_id	Integer	Yes	Organization Id Specify
start_date	Date(DD-MM-YYYY)	Yes	Date Format Example (01 Jul 2022)
end_date	Date(DD-MM-YYYY)	Yes	Date Format Example (31 Jul 2022)
bundle_id	Integer	Yes	Course Name Id That you Choose
individual_batch_attendance	Boolean	Yes	Batch Attendance Will Be Taken for common and subject wise
courses_array	Array	Yes	Batch Course Details (Refer Below Table)

Courses Array Node Details

Node Name	Type	Required	Description
course_id	Integer	Yes	Batch Subject Course Id
batch_name	String	Yes	Class Name
tutor_id	Integer	Yes	Class tutor Id
is_live	Boolean	Yes	0 And True
zoom_room_waiting	Boolean	Yes	Zoom Room Waiting

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8

ORGID	2

Body formdata

JSONString	{ "class_name": "DemoOMOTOTech", "tutor_id": "62", "organization_id": 2, "start_date": "01 Jul 2022", "end_date": "31 Jul 2022", "courses_array": [{ "course_id": 52, "batch_name": "Biology", "tutor_id": "27", "is_live": 0, "zoom_room_waiting": 0, "batch_class_count": 0, "display_index": null }], "bundle_id": "88", "individual_batch_attendance": 0 }

POST Set Batch Schedule

http://yourdomain-api/nuSource/api/v1/masterbatch/1281/schedule

Node Name	Type	Required	Description
class_name	String	Yes	Batch Name
tutor_id	Integer	Yes	Branch manager Tutor Id
organization_id	Integer	Yes	Organization Id Specify
start_date	Date(DD-MM-YYYY)	Yes	Date Format Example (01 Jul 2022)
end_date	Date(DD-MM-YYYY)	Yes	Date Format Example (31 Jul 2022)
bundle_id	Integer	Yes	Course Name Id That you Choose
individual_batch_attendance	Boolean	Yes	Batch Attendance Will Be Taken for common and subject wise
courses_array	Array	Yes	Batch Course Details (Refer Below Table)

Courses Array Node Details

Node Name	Type	Required	Description
course_id	Integer	Yes	Batch Subject Course Id
batch_name	String	Yes	Class Name
tutor_id	Integer	Yes	Class tutor Id
is_live	Boolean	Yes	0 And True
zoom_room_waiting	Boolean	Yes	Zoom Room Waiting

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "class_array": [{ "class_id": 2372, "tutor_id": "27", "timings": [{ "day": 1, "s_hour": 9, "s_minute": 0, "e_hour": 10, "e_minute": 0, "isSelected": true, "tutor_id": "1" }, { "day": 2, "s_hour": 9, "s_minute": 0, "e_hour": 10, "e_minute": 0, "isSelected": true, "tutor_id": "1" }, { "day": 3, "s_hour": 9, "s_minute": 0, "e_hour": 10, "e_minute": 0, "isSelected": true, "tutor_id": "1" }, { "day": 4, "s_hour": 9, "s_minute": 0, "e_hour": 10, "e_minute": 0, "isSelected": true, "tutor_id": "1" }] }], "s_start_date": "01 Jul 2022", "s_end_date": "31 Jul 2022", "replace_schedule": 0, "batch_class_count": 0 }

GET Get batch details by batch Id

http://yourdomain-api/nuSource/api/v1/masterbatch/1253

Response JSON Format Refer Since It Has No Key You will Get Response without key and need to map it with array Index

```json
{
    "code": 200,
    "message": "Success",
    "classes": [
        [
            "class_id (Subject Id)",
            "class_name (Subject Name)",
            "tutor_name",
            "total_classes (Total Classes In That Batch)",
            "present (Student Attendance Number Of Classes Present)",
            "start date (Batch Start Date Unix TimeStamp)",
```

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

GET Get batch student details via Class Id

http://yourdomain-api/nuSource/api/v1/masterbatch/classstudents?class_id=1253

HEADERS

ORGID	2

apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

class_id	1253 Required
get_certificate_data	1 optional
master_batch_id	2252 optional

GET List Batch Students

http://yourdomain-api/nuSource/api/v1/masterbatch/classstudents?class_id=758&master_batch_id=758&page=1&per_page=50

Use this api with type 12 to get details about class_id and master_batch_id(batch_id)
https://documenter.getpostman.com/view/11192156/UzQvsQWi#f5428954-e157-4a1d-8a54-37b83ec2b5d4

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

class_id	758
master_batch_id	758
page	1
per_page	50

POST Add student to batch

http://yourdomain-api/nuSource/api/v1/students/batches/add

Node Name	Type	Required	Description
student_ids	Array	YES	Pass Student Id in array, you can pass multiple student id if you want to enroll multiple student in same batch with single api call
class_ids	Array	YES	Pass The BatchId That you are trying to enroll student , if you want enroll same student with multiple batches pass it like array it will enroll in that batch

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "student_ids": ["studentId"], "class_ids": ["classid"], "force_add":true } https://documenter.getpostman.com/view/11192156/UzQvsQWi#2c6bbf5f-50c3-4bcb-9787-cc7e00be73fb

POST Remove Student From Batch

http://yourdomain-api/nuSource/api/v1/masterbatch/classstudents/<studentId>/remove

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{"class_id":<classId>}

https://documenter.getpostman.com/view/11192156/UzQvsQWi#2c6bbf5f-50c3-4bcb-9787-cc7e00be73fb

POST Update Batch

http://yourdomain-api/nuSource/api/v1/masterbatch/<batchId>

Node Name	Type	Required	Description
class_name	string	Yes	Batch Name
tutor_id	Integer	Yes	Batch Manager Tutor
organization_id	Integer	Yes	Organization Id
start_date	Date	Yes	18 Aug 2021
end_date	Date	Yes	31 Jul 2023
bundle_id	Integer	Yes	Do Not change otherwise this variable value
individual_batch_attendance	Integer	Yes	0 = Attendance will be taken subject-wise. 1= Common attendance will be taken for all classes scheduled in a day (for various subjects under this batch)

courses_array Node details

Node Name	Type	Required	Description
class_id	integer	Yes	Do not change this
course_id	integer	Yes	use only course_id which is attached with your bundle curriculum
batch_name	String	Yes	Provide name of the class (alias)
tutor_id	Integer	Yes	Class Tutor Id
is_live	Integer	Yes	Is Class Is Live? 0 = No 1 = Yes
zoom_room_waiting	Integer	Yes	Is Zoom Waiting Room Class Type 0 = No 1 = Yes
batch_class_count	Integer	Yes	0 Default Value
display_index	Integer	Yes	Do not change this value

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString

{ "class_name": "Paid testing One Two", "tutor_id": 3846680, "organization_id": 2, "start_date": "18 Aug 2021", "end_date": "31 Jul 2023", "courses_array": [{ "class_id": 121333, "course_id": 2559, "batch_name": "maths", "tutor_id": 3846680, "is_live": 1, "zoom_room_waiting": 0, "batch_class_count": 0, "display_index": 121333, "virtual_class_type": 1 }, { "class_id": 121334, "course_id": 2557, "batch_name": "Physics Audio", "tutor_id": 3846680, "is_live": 1, "zoom_room_waiting": 0, "batch_class_count": 0, "display_index": 121334, "virtual_class_type": 5 }, { "class_id": 121335, "course_id": 2573, "batch_name": "Organic Chemistry", "tutor_id": 3846680, "is_live": 0, "zoom_room_waiting": 0, "batch_class_count": 0, "display_index": 121335, "virtual_class_type": 0 }], "bundle_id": 12511, "individual_batch_attendance": 0 }

GET Get batch AdditionalManager By batch

http://yourdomain-api/nuSource/api/v1/masterbatch/<batchId>/additionalmanager

HEADERS

ORGID	2
APIKEY	77a3fc7928ed0b421b354eb12177a1e8

GET EveryDay Class Api

http://yourdomain-api/nuSource/api/v1/organization/attendances?org_id=2&date=01-12-2024

Class Status Constants:

- **NotSignedIn = 0**
- **SignedIn = 1**
- **Postponed = 2**
- **Cancelled = 3**
- **LateSignIn = 4**
- **MissedSignIn = 5**
- **excusedAbsent = 6**
- **absent = 7**

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

org_id	2
date	01-12-2024

GET Class Attendance

http://yourdomain-api/nuSource/api/v1/class/attendance/8914546?previous_attendance=5&response_type=1

- studentNotMarkedYet = -1

- studentAbsent = 0
- studentPresent = 1
- studentLate = 2
- studentExcused = 3
- studentLeave = 4
- studentNotApplicable = 5

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

previous_attendance	5
response_type	1

Class Recording

GET List all class recordings

http://yourdomain-api/nuSource/api/v1/liveclass/library?organization_id=2&page=1&per_page=10

- Response Node Description
  - status
    - 0 → UnPublished
    - 1 → Published

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

organization_id	2 Required

start	1654626600 UnixTimeStamp (optional)
end	1654712999 UnixTimeStamp (Optional)
master_batch_id	173 Master Batch Id you can Refer From List all Batch API ClassId (optional)
page	1
per_page	10

GET Download Video

http://yourdomain-api/nuSource/api/v1/live/video/download?live_video_id=21538

- Response Node Description
  - status
    - 0 → UnPublished
    - 1 → Published

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

live_video_id	21538

Curriculum

Section

Teaching Material

POST Create External URL Teaching Material

http://localhost/nuSource/api/v1/tutor/materials

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"material_name":"Youtube Video link","external_url":"https://youtu.be/sMPMiy0NsUs?si=kveJTADO6lovXylK&t=7","platform_type":1,"section_id":6174,"material_source":"external_url","type":"link","file_name":""}

POST Create Normal Video Teaching Material

http://yourdomain-api/nuSource/api/v1/tutor/materials

from Response Collect upload_link and upload your video on that using tus

Once Video Upload on this link Call Complete Video Upload Api

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"section_id":6174,"material_name":"Vimeo+Video+Upload","material_source":"file","is_downloadable":true,"external_url":"","description":" Vimeo+Video+upload ","type":"video/mp4","file_name":null,"max_views":-1,"external_video_play":0,"is_prerequisite":0,"platform_type":"1","material_array":[{"size":1055736,"original_name":"big_buck_bunny_720p_1mb+(1).mp4","type":"video/mp4","number":2,"file":{}}],"is_drm":false,"is_enterprise_drm":false,"is_videocrypt_drm":false}

POST Complete Normal Video Upload

http://localhost/nuSource/api/v1/vimeo/upload/complete

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"material_id":17491,"temp_vimeo_id":549}

POST Create Text/Html Teaching Material

http://yourdomain-api/nuSource/api/v1/tutor/materials

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"section_id":6174,"material_name":"Text Html Material","description":" Text Html Description And Instructions ","material_source":"html_text","external_url":"","html_text":" Hello this is Content For Text HTML ","max_views":-1,"external_video_play":0,"is_prerequisite":0,"platform_type":"1","is_drm":0,"is_enterprise_drm":0,"language_id":null,"is_videocrypt_drm":0,"is_scorm":0,"isscorm_withanalytics":0,"vdocipher_video_id_for_direct_upload":null}

POST Create Audio Teaching Material

http://yourdomain-api/nuSource/api/v1/tutor/materials

HEADERS

ORGID	2
APIKEY	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "section_id": "370496", "material_name": "Interview", "file_name": "Sanak.mp3", "description": " ", "material_source": "file", "is_downloadable": true, "external_url": "", "html_text": "", "type": "audio/mpeg", "max_views": -1, "external_video_play": 0, "is_prerequisite": 0, "platform_type": 1, "is_drm": 0, "is_enterprise_drm": 0, "language_id": null, "is_videocrypt_drm": 0, "is_scorm": 0, "isscorm_withanalytics": 0, "vdocipher_video_id_for_direct_upload": null }
uploaded_file	

Online Exercise

POST Create online Exercise

http://yourdomain-api/nuSource/api/v1/exercises

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"section_id":"6174","is_timed":true,"exercise_name":"Online Exercise","instructions":" General Instructions Write Here ","test_time":1800,"exam_type":1,"sound_play_times":-1,"results_declared":0,"attempts":2,"show_compiler":0,"show_calculator":0,"is_psycological":0,"is_prerequisite":1,"passing_mark":"33","is_assignment":0,"is_parts_timed":1,"is_parts_locked":1,"is_partial_marking_enabled":0,"skip_declaration":0}

GET Get online Exercise

http://yourdomain-api/nuSource/api/v1/exercises/<exercise_id>

HEADERS

APIKEY	97163a2a07339db121ac64418880f36a
Accept	application/json, text/javascript, */*; q=0.01
Accept-Language	en-US,en;q=0.9,gu;q=0.8
Cache-Control	no-cache
Connection	keep-alive
ORGID	2
Pragma	no-cache
Referer	http://localhost/app/
Sec-Fetch-Dest	empty
Sec-Fetch-Mode	cors
Sec-Fetch-Site	same-origin
User-Agent	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/134.0.0.0 Safari/537.36
X-Requested-With	XMLHttpRequest
sec-ch-ua	"Chromium";v="134", "Not:A-Brand";v="24", "Google Chrome";v="134"
sec-ch-ua-mobile	?0
sec-ch-ua-platform	"macOS"
Cookie	__stripe_mid=0a179bda-67ba-4b5c-b978-bffe75a5d3cf727167; _ga=GA1.1.1741552568.1698208887; G_ENABLED_IDPS=google; edmingle-_zldp=t%2BUDmpXGe84Xewo6hjjHLAvbCXOCKdrFavB1k7zRktRbo4bpEaO3ovG2MoffQUhYodoRkLyJC2Y%3D; JSESSIONID.401872eb=node05ljajqnnz55ru1k4syzagvxg2.node0; screenResolution=1440×900; JSESSIONID.7e343300=node015vpq2dz9zbwcb75c3psgz77a2.node0; JSESSIONID.721ae1b7=node011rvjysbby6o1pjha6xslikec1.node0; metabase.DEVICE=64eba051-b025-4432-baca-bbf76091dd1f; metabase.SESSION=5e5406eb-c26a-4331-af50-f1f469bf0077; nonce=XB4pqGlqZWa5hoxH; edmingle-_zldt=ca77e4a3-78a8-499f-a8a6-cf5209d9b86d-2; isiframeenabled=true; _clck=16imo61%7C2%7Cful%7C0%7C1393; _ga_L5Y2Q9V69J=GS1.1.1743138661.753.1.1743139398.0.0.0; _clsk=z85pgg%7C1743142877178%7C9%7C1%7Cz.clarity.ms%2Fcollect; _dd_s=logs=1&id=3aab3424-e41e-4ccc-8a28-bb94af387fc2&created=1743140873523&expire=1743144520519

POST Attach Question Bank to online Exercise

http://yourdomain-api/nuSource/api/v1/addexistingquesbank

You can collect Question bank list from https://documenter.getpostman.com/view/11192156/UzQvsQWi#a9df830d-4acd-4321-9379-9de1c36b0cac

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"question_list_id":36,"test_part_id":1548,"num_of_questions":-1}

POST Create Section

http://yourdomain-api/nuSource/api/v1/tutor/sections

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{"course_id":"2083","section_name":"Introduction - 1","description":"Course Introudction","is_prerequisite":1}

GET Get Section

http://yourdomain-api/nuSource/api/v1/tutor/sections/<section_id>

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

POST Update Section

http://yourdomain-api/nuSource/api/v1/tutor/sections/<section_id>

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"course_id":"2083","section_name":"Introduction Update name","description":"Course Introudction update","in_curriculum":true,"is_prerequisite":1}

POST Create Curriculum

http://yourdomain-api/nuSource/api/v1/tutor/courses

HEADERS

apikey	http://yourdomain-api/nuSource/api/v1/
ORGID	2

Body formdata

JSONString	{"name":"Course 1 ","description":"Course Details","category":3,"privacy_type":"public","engage_subject_tag_id":1,"organization_id":[2],"is_time_restricted":0}

GET List Curriculum

http://yourdomain-api/nuSource/api/v1/organization/courses?organization_id=2

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

organization_id	2

POST Update Curriculum

http://yourdomain-api/nuSource/api/v1/tutor/courses/<course_id>

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"name":"Course Update 1","description":"Course Details Description Update","category":3,"privacy_type":"public","engage_subject_tag_id":1,"organization_id":[2],"is_time_restricted":0,"time_restriction_multiplier":"1.00"}

GET Get Curriculum With Section And Material

http://yourdomain-api/nuSource/api/v1/tutor/curriculum/<course_id>

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Events

POST module create update

http://yourdomain-api/nuSource/api/v1/event/module/settings

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "module_name": "Events 1", "module_description": "McGrawHill Annual Events adsdas", "landing_page_url": "https://www.google.com", "is_active": 1 }

GET public events list

http://yourdomain-api/nuSource/api/v1/public/events/list?event_type=1

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

event_type	1

GET public event details learner side

http://yourdomain-api/nuSource/api/v1/public/event/details/1

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

GET public event module details learner side

http://yourdomain-api/nuSource/api/v1/public/event/module/settings

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

POST Create Event

http://yourdomain-api/nuSource/api/v1/organization/event

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "title": "JAVA Market Wo2rkshop2", "description": " Stock Market Workshoppp Description asdsdasdadsa ", "event_mode": 1, "meeting_platform": 5, "meeting_location": "", "event_manager": 1, "event_schedule": [{ "session_start_time": 1760778076, "session_end_time": 1760788876 }, { "session_start_time": 1760778076, "session_end_time": 1760788876 }], "is_published": 1, "event_feedback_form_id": "sad", "stream_ids": [], "subscription_plan_ids": [], "pricings": [{ "currency_id": "1", "amount": 1099, "striked_amount": 20999 }] }
event_image	

GET Get Event Details

http://yourdomain-api/nuSource/api/v1/public/event/details/1

Generated from cURL: curl --location 'https://hello-api.edupanion.com/nuSource/api/v1/event/details/1'
--header 'APIKEY: ca40581d90595c9321f4376a21bf6e85'
--header 'Accept: application/json, text/javascript, /; q=0.01'
--header 'Accept-Language: en-GB,en-US;q=0.9,en;q=0.8'
--header 'Connection: keep-alive'
--header 'Cookie: G_ENABLED_IDPS=google; _ga=GA1.1.1521456979.1718022128; edmingle-

_zldp=t%2BUDmpXGe86BplXhMcxEJvgadqTs1lnzB2ltHkO0ofGpXpAzgvWkYeH%2F6W2BJYzfodoRkLyJC2Y%3D; _clck=q41jgf%7C2%7Cfq9%7C0%7C1622; _ga_L5Y2Q9V69J=GS1.1.1729667352.130.1.1729667902.0.0.0; edmingle-

_zldt=69c88a16-292f-4c5e-bd4b-66acd213c90a-2; isiframeenabled=true'
--header 'ORGID: 2'
--header 'Origin: http://localhost'
--header 'Referer: http://localhost/app/'
--header 'Sec-Fetch-Dest: empty'
--header 'Sec-Fetch-Mode: cors'
--header 'Sec-Fetch-Site: same-origin'
--header 'User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/127.0.0.0 Safari/537.36'
--header 'X-Requested-With: XMLHttpRequest'
--header 'sec-ch-ua: "Not)A;Brand";v="99", "Google Chrome";v="127", "Chromium";v="127"'
--header 'sec-ch-ua-mobile: ?0'
--header 'sec-ch-ua-platform: "macOS"'

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

GET Get learner event details

http://yourdomain-api/nuSource/api/v1/public/event/details/1

Generated from cURL: curl --location 'https://hello-api.edupanion.com/nuSource/api/v1/event/details/1'
--header 'APIKEY: ca40581d90595c9321f4376a21bf6e85'
--header 'Accept: application/json, text/javascript, /; q=0.01'
--header 'Accept-Language: en-GB,en-US;q=0.9,en;q=0.8'
--header 'Connection: keep-alive'
--header 'Cookie: G_ENABLED_IDPS=google; _ga=GA1.1.1521456979.1718022128; edmingle-_zldp=t%2BUDmpXGe86BplXhMcxEJvgadqTs1lnzB2ltHkO0ofGpXpAzgvWkYeH%2F6W2BJYzfodoRkLyJC2Y%3D; _clck=q41jgf%7C2%7Cfq9%7C0%7C1622; _ga_L5Y2Q9V69J=GS1.1.1729667352.130.1.1729667902.0.0.0; edmingle-_zldt=69c88a16-292f-4c5e-bd4b-66acd213c90a-2; isiframeenabled=true'
--header 'ORGID: 2'
--header 'Origin: http://localhost'
--header 'Referer: http://localhost/app/'
--header 'Sec-Fetch-Dest: empty'
--header 'Sec-Fetch-Mode: cors'
--header 'Sec-Fetch-Site: same-origin'
--header 'User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/127.0.0.0 Safari/537.36'
--header 'X-Requested-With: XMLHttpRequest'
--header 'sec-ch-ua: "Not)A;Brand";v="99", "Google Chrome";v="127", "Chromium";v="127"'
--header 'sec-ch-ua-mobile: ?0'
--header 'sec-ch-ua-platform: "macOS"'

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

GET Get event recordings

http://yourdomain-api/nuSource/api/v1/public/event/details/1

Generated from cURL: curl --location 'https://hello-api.edupanion.com/nuSource/api/v1/event/details/1'
--header 'APIKEY: ca40581d90595c9321f4376a21bf6e85'
--header 'Accept: application/json, text/javascript, /; q=0.01'
--header 'Accept-Language: en-GB,en-US;q=0.9,en;q=0.8'
--header 'Connection: keep-alive'
--header 'Cookie: G_ENABLED_IDPS=google; _ga=GA1.1.1521456979.1718022128; edmingle-_zldp=t%2BUDmpXGe86BplXhMcxEJvgadqTs1lnzB2ItHkO0ofGpXpAzgvWkYeH%2F6W2BJYzfodoRkLyJC2Y%3D; _clck=q41jgf%7C2%7Cfq9%7C0%7C1622; _ga_L5Y2Q9V69J=GS1.1.1729667352.130.1.1729667902.0.0.0; edmingle-_zldt=69c88a16-292f-4c5e-bd4b-66acd213c90a-2; isiframeenabled=true'
--header 'ORGID: 2'
--header 'Origin: http://localhost'
--header 'Referer: http://localhost/app/'
--header 'Sec-Fetch-Dest: empty'
--header 'Sec-Fetch-Mode: cors'
--header 'Sec-Fetch-Site: same-origin'
--header 'User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/127.0.0.0 Safari/537.36'
--header 'X-Requested-With: XMLHttpRequest'
--header 'sec-ch-ua: "Not)A;Brand";v="99", "Google Chrome";v="127", "Chromium";v="127"'
--header 'sec-ch-ua-mobile: ?0'
--header 'sec-ch-ua-platform: "macOS"'

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

GET Get attendance details by id

http://yourdomain-api/nuSource/api/v1/public/event/details/1

Generated from cURL: curl --location 'https://hello-api.edupanion.com/nuSource/api/v1/event/details/1'
--header 'APIKEY: ca40581d90595c9321f4376a21bf6e85'
--header 'Accept: application/json, text/javascript, /; q=0.01'
--header 'Accept-Language: en-GB,en-US;q=0.9,en;q=0.8'

--header 'Accept-Language: en-GB,en-US;q=0.9,en;q=0.8'
--header 'Connection: keep-alive'
--header 'Cookie: G_ENABLED_IDPS=google; _ga=GA1.1.1521456979.1718022128; edmingle-

_zldp=t%2BUDmpXGe86BplXhMcxEJvgadqTs1lnzB2ItHkO0ofGpXpAzgvWkYeH%2F6W2BJYzfodoRkLyJC2Y%3D; _clck=q41jgf%7C2%7Cfq9%7C0%7C1622; _ga_L5Y2Q9V69J=GS1.1.1729667352.130.1.1729667902.0.0.0; edmingle-_zldt=69c88a16-292f-4c5e-bd4b-66acd213c90a-2; isiframeenabled=true'
--header 'ORGID: 2'
--header 'Origin: http://localhost'
--header 'Referer: http://localhost/app/'
--header 'Sec-Fetch-Dest: empty'
--header 'Sec-Fetch-Mode: cors'
--header 'Sec-Fetch-Site: same-origin'
--header 'User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/127.0.0.0 Safari/537.36'
--header 'X-Requested-With: XMLHttpRequest'
--header 'sec-ch-ua: "Not)A;Brand";v="99", "Google Chrome";v="127", "Chromium";v="127"'
--header 'sec-ch-ua-mobile: ?0'
--header 'sec-ch-ua-platform: "macOS"'

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

POST Event registration

http://yourdomain-api/nuSource/api/v1/event/registration/11

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "payment_gateway": 8, "amount_paid": 999, "organization_id": 2 }

POST Join Event Admin

http://yourdomain-api/nuSource/api/v1/liveclass/join/52958

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

Body formdata

JSONString	{"force_start":0}

POST Join Event Student

http://yourdomain-api/nuSource/api/v1/liveclass/join/52958

HEADERS

apikey	5d52b9f0f0f98c6e66b6f41b7cfce142 student Apikey
orgid	2

Body formdata

JSONString	{"force_start":0}

GET List all courses

http://yourdomain-api/nuSource/api/v1/institute/1/courses?get_tutors=1&get_tags=1&get_student_count=1&order_by=ASC&page=1&per_page=10

PARAMS

get_tutors	1 (Boolean) If tutor details required
get_tags	1 (Boolean) If course tags required
get_student_count	1 (Boolen) if course student enrollment count required

tag_categories_name_array	%5B%7B%22Course%20Division%22%3A%5B%22Course%22%5D%7D%5D (encode) custom fields apply in filter -- without encode value [{"Course Division":["Course"]}]
search	
order_by	ASC (ASC | DESC) retrive courses on define order
page	1 (int) page number
per_page	10 (int) per page how many courses you want to retrive

GET Retrieve a course

http://yourdomain-api/nuSource/api/v1/organization/bundles/0?get_tutors=0

HEADERS

ORGID	2

PARAMS

get_tutors	0

POST create a course

http://yourdomain-api/nuSource/api/v1/bundles

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "bundle_name": "my Sample aCourse", "exam_ids": [], "course_ids": [

58286, 84573], "bundle_overview": "", "course_costs": [0, 0], "is_online_package": 1, "original_cost": 0, "usd_course_costs": [0, 0], "is_test_series": 0, "bundle_template_data": [], "course_type": 1, "online_registration_allowed": true, "android_registration_allowed": true, "ios_registration_allowed": true, "is_course_enrollment_allowed": true, "show_pricing": true }

POST Update Bundle

http://yourdomain-api/nuSource/api/v1/bundles/1951

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

Body formdata

JSONString	{"bundle_id":"1951","bundle_name":"Physics","bundle_description":"What is Lorem Ipsum?\nLorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.\n\nWhy do we use it?\nIt is a long established fact that a reader will be distracted by the readable content of a page when looking at its layout. The point of using Lorem Ipsum is that it has a more-or-less normal distribution of letters, as opposed to using 'Content here, content here', making it look like readable English. Many desktop publishing packages and web page editors now use Lorem Ipsum as their default model text, and a search for 'lorem ipsum' will uncover many web sites still in their infancy. Various versions have evolved over the years, sometimes by accident, sometimes on purpose (injected humour and the like).\n\n\nWhere does it come from?\nContrary to popular belief, Lorem Ipsum is not simply random text. It has roots in a piece of classical Latin literature from 45 BC, making it over 2000 years old. Richard McClintock, a Latin professor at Hampden-Sydney College in Virginia, looked up one of the more obscure Latin words, consectetur, from a Lorem Ipsum passage, and going through the cites of the word in classical literature, discovered the undoubtable source. Lorem Ipsum comes from sections 1.10.32 and 1.10.33 of \"de Finibus Bonorum et Malorum\" (The Extremes of Good and Evil) by Cicero, written in 45 BC. This book is a treatise on the theory of ethics, very popular during the Renaissance. The first line of Lorem Ipsum, \"Lorem ipsum dolor sit a","course_ids": [2557,43025,89981,84573,96691,96793,97638,97548,97482],"course_names":["Physics Audiol","Enroll free","Cancel Notification Course","due date

check","Check Prerequisite","Prerequisite check 2","Anisha Course"],"course_descriptions":["k","","","","","asdas",""],"stream_id":1,"duration":0,"pretty_name":"Testing","engage_subject_tag_ids":["1","1","1","1","1","1","1"],"status":"unpublished","cost":-1,"position":1,"currency_symbol":"₹","bundle_overview":"","course_costs":["0.00","0.00","0.00","0.00","0.00","0.00","0.00"],"is_online_package":1,"actual_cost":-1,"striked_cost":-1,"package_cost_set":0,"is_test_series":0,"video_url":"","course_type":1,"is_archived":null,"img_url":"https://dme2wmiz2suov.cloudfront.net/User(3846680)/CourseBundles(1951)/4237523-Screenshot_2025-07-09_at_12.21.58%E2%80%AFPM.png","allow_student_unenrolling":1,"allow_curriculum_access_after_completed":1,"allow_student_mark_batch_completed":1,"file_name":"Screenshot_2025-07-09_at_12.21.58 PM.png","is_woolf_accredited":0,"woolf_degree_id":null,"feedback_form_id":"","board_ids":[],"exam_ids":["835"],"standard_ids":[],"organization_id":[212]}

GET Get Courses by Course

http://yourdomain-api/nuSource/api/v1/bundle/0/courses

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

POST Short Student Enrollment in Course By Admin

http://yourdomain-api/nuSource/api/v1/admission/walkin/short

- `bundle_id` : The ID of the course bundle in which you want to enroll the student.
- `user_id` : The ID of the student you want to enroll in the course.
- `organization_id` : The ID of the organization where the student is being enrolled.

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "bundle_id":1291, "user_id":167139, "organization_id":2 }

POST Student enrollment in course by admin

http://yourdomain-api/nuSource/api/v1/admission/walkin

Node Name	Type	Required	Description
package_id	Integer	Yes	Course Bundle Id That Student Enroll
institution_id	Integer	Yes	Institution Id That You can get From Meta Api, This will Never Change So You can make it as a Constant
student_name	string	Yes	Enroll Student name
student_email	email	Yes	Student email if already register use student search api to get Already Register Student Details
student_mobile_number_country_id	Integer	Yes	Student Mobile Number Country Id , Use this api to get country id details (https://documenter.getpostman.com/view/11192156/UzQvsQWi#a62

Installment node details

Node Name	Type	Required	Description
instalment_name	string	*	Installment Name , As per you fees template
currency_symbol	string	*	Currency Symbol
position	integer	*	1
part_amount	float	*	Installment Amount
part_date	integer	*	date in epoch time
part_formatted_date	string	*	dd-mm-yyyy (03/08/2022)
discount	float	*	Installment Disccount amount
final_amount	float	*	part_amount - discount amount value
currency_id	integer	*	Currency id get from Currency Meta
enable_gst	integer	*	if gst enable pass this node
igst_amount	integer	*	igst amount if you have

Master List For Data :- https://docs.google.com/spreadsheets/d/1ooZjh-Rl0NPxJ54cS4EBu0ANzNTgZOgBIIJyjeRxCQ4/edit?usp=sharing

POST Enroll course by student

http://yourdomain-api/nuSource/api/v1/joinbundle/0

HEADERS

apikey 77a3fc7928ed0b421b354eb12177a1e8

this api required login as student if you are admin it will throw exception

ORGID 2

Body formdata

JSONString { "promo_code_text": "", "payment_gateway": 0, "organization_id": 2, "academic_year": 0, "instalments": [{ "instalment_name": "Full Payment", "currency_symbol": "₹", "position": 1, "part_amount": 0, "part_date": 1652918400, "part_formatted_date": "19/05/2022", "discount": 0, "final_amount": 0 }], "fees_template_id": 0, "credits_applied": 1,

"is_student_enrollment": 1 }

Full fees sample request

JSONString

{ "payment_gateway": 8, "organization_id": 2, "academic_year": 0, "instalments": [{ "instalment_name": "Full Payment 1", "currency_symbol": "₹", "position": 1, "part_amount": 100, "part_date": 1652918400, "part_formatted_date": "19/05/2022", "discount": 0, "final_amount": 100 }], "fees_template_id": 0, "credits_applied": 0, "is_student_enrollment": 1 }

Paid Course

POST Payment verification for course

http://yourdomain-api/nuSource/api/v1/razorpay/verify

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString

{ "razorpay_payment_id": "pay_JWxtLSDiXiAsSv", "razorpay_order_id": "order_JWxiUS9BUQ2UWE", "razorpay_signature": "bff8c8fc89141489128511b7ec6efdb3d07cfd8b88b39e7b79a1efec0e803f78" }

GET List bundle courses

http://yourdomain-api/nuSource/api/v1/public/tutor/courses/all/0

HEADERS

ORGID	2

GET List all course curriculum

http://yourdomain-api/nuSource/api/v1/public/tutor/class/curriculum/0?institution_bundle_id=0

HEADERS

ORGID	2

PARAMS

institution_bundle_id	0

GET Get Section details

http://yourdomain-api/nuSource/api/v1/tutor/sections/521

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

GET Get Excerscise Details

http://yourdomain-api/nuSource/api/v1/exercises/552

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

GET Get Test part details

http://yourdomain-api/nuSource/api/v1/test/parts?test_id=899

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

test_id	899

GET Get fees template by organization id

http://yourdomain-api/nuSource/api/v1/fees/templates?organization_id=2

HEADERS

ORGID	2

PARAMS

organization_id	2

GET Get calculate fees template for course

http://yourdomain-api/nuSource/api/v1/calculatesplit?institution_bundle_id=0&template_id={{templateId}}

HEADERS

ORGID	2

PARAMS

institution_bundle_id	0
template_id	{{templateId}}
promo_code_text	

GET Institution Course Bundles

http://yourdomain-api/nuSource/api/v1/institutions/packages?institution_id=1

HEADERS

authority	prashant-api.edmingle.com
accept	application/json, text/javascript, */*; q=0.01
accept-language	en-US,en;q=0.9
apikey	a8723cc3d3d20865a2db97ef1a3fb8d4
cache-control	no-cache
orgid	212
origin	https://demoacademy.edmingle.com
pragma	no-cache
referer	https://demoacademy.edmingle.com/
sec-ch-ua	"Chromium";v="104", " Not A;Brand";v="99", "Google Chrome";v="104"
sec-ch-ua-mobile	?0
sec-ch-ua-platform	"Linux"
sec-fetch-dest	empty
sec-fetch-mode	cors
sec-fetch-site	same-site
user-agent	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/104.0.0.0 Safari/537.36

PARAMS

institution_id	1

POST Create Curriculum

http://yourdomain-api/nuSource/api/v1/tutor/courses

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

Body formdata

JSONString	{"name":"Course 1","description":"Course 1 Description","category":3,"privacy_type":"public","engage_subject_tag_id":1,"organization_id":[2]}

POST Remove Course Enrollment

http://yourdomain-api/nuSource/api/v1/bundle/student/remove

To get Student Enrollment Details Use This Api
https://documenter.getpostman.com/view/11192156/UzQvsQWi#5c0ccf23-1697-4d6b-81f6-d62cff1f3d2b

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

Body formdata

JSONString	{"student_id":89863205,"bundle_id":12511,"enrollment_id":901015}

GET Organization Wise Course bundle list

http://yourdomain-api/nuSource/api/v1/bundles/list?organization_id=2&page=1&per_page=50

This endpoint retrieves a list of bundles based on the provided organization ID, with optional pagination parameters for page number and items per page.

Request Parameters

- `organization_id` (query parameter) - The ID of the organization for which the bundles are being retrieved.
- `page` (query parameter) - The page number for paginated results.
- `per_page` (query parameter) - The number of items to be included per page.

Response

Upon a successful execution, the server returns a JSON object with a status code of 200 and the following structure:

- `code` - The status code of the response.
- `message` - A message related to the response, if any.
- `bundle` - An array of bundles containing bundle details such as ID, name, description, course IDs, display

index, pretty name, package type, test series indicator, image URL, course type, archive status, and accreditation information.

- `page_context` - Pagination context including page number, items per page, indicator for more pages, and total number of rows.

Example Response

```json
{
    "code": 0,
    "message": "",
    "bundle": [
        {
            "bundle_id": 0,
            "bundle_name": "",
            "bundle_description": "",
            "course_ids": [""],
            "display_index": 0,
            "pretty_name": "",
```

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

organization_id	2
page	1
per_page	50

POST Publish Course By Organization

http://yourdomain-api/nuSource/api/v1/bundles/<bundleId>/organizations

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{ "organization_mappings": [{ "organization_id": 2, "institution_bundle_id": -1, "date_of_commencement": "", "batch_days": "", "batch_timings": "", "bundle_status": "unpublish", "academic_year": 2, "course_mapping_data": null, "online_registration_allowed": 0, "free_preview_allowed": 0, "bundle_cost": { "1": { "currency_id": 1, "striked_cost": 0, "cost": 0 } }, "is_course_enrollment_allowed": 1, "android_registration_allowed": 0, "ios_registration_allowed": 0, "is_featured": 0, "show_pricing": 1, "bundle_template_data": [{ "currency_id": 1, "expiration_after": 0, "instalments": [[0, 0, 0, "Full Payment 1", 2]], "institution_bundle_id": -1, "template_id": 8 }], "fees_template_ids": ["8"], "inventory_item_ids": [] }] }

GET Get unpublished Course Listing

http://yourdomain-api/nuSource/api/v1/admin/get/unpublishedbundles

HEADERS

ORGID	2
APIKEY	77a3fc7928ed0b421b354eb12177a1e8

Marketing

Blogs

POST Blogs Settings

http://yourdomain-api/nuSource/api/v1//blogs/module/settings

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

Body formdata

JSONString	{"status":1}

GET Get Blogs Settings

http://yourdomain-api/nuSource/api/v1/blogs/module/settings

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

GET Get Blogs listing Admin

http://yourdomain-api/nuSource/api/v1/admin/blogs?page=1&search=&status=&per_page=20

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

page	1
search	
status	
per_page	20

GET Get Blog Details Admin

http://yourdomain-api/nuSource/api/v1/admin/blog/12

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

GET Get Blogs for public listing

http://yourdomain-api/nuSource/api/v1/admin/blog/12

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

GET Get Blog details for public using slug

http://yourdomain-api/nuSource/api/v1/blog?slug=sample-blog

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

slug	sample-blog

POST Update a blog

http://yourdomain-api/nuSource/api/v1/admin/blog/12

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

Body formdata

JSONString	{"blog_title":"Test Blog","blog_content":" sadasdas adsdas ","blog_excerpt":"asdasdas","blog_meta_title":"Test Blog","blog_meta_desc":"asdasdas","blog_url_slug":"test-blog","visibility_option":0,"blog_status":2,"is_featured":0,"is_promoted":0,"author_user_id":"7098852","stream_ids":["684","1251"],"subscription_plan_ids":[],"tag_ids":[]}

POST Create Blog

http://yourdomain-api/nuSource/api/v1/admin/blog

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

Body formdata

featured_image

JSONString	{"blog_title":"Sample blog","blog_content":" Sample blog testing ","blog_excerpt":"Test","blog_meta_title":"Sample blog","blog_meta_desc":"Test","blog_url_slug":"sample-blog","visibility_option":0,"blog_status":2,"is_featured":1,"is_promoted":0,"author_user_id":null,"stream_ids":[],"subscription_plan_ids":[],"tag_ids":[]}

POST Archive a blog

http://yourdomain-api/nuSource/api/v1/blog/archive/12

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

Body formdata

JSONString	{"is_archive":1}

JSONString	{"is_archive":1}

FeedBack

GET FeedBack Form list

http://yourdomain-api/nuSource/api/v1/feedback/forms?require_archived=1

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

require_archived	1

GET Get Submissions List By Feedback form

http://yourdomain-api/nuSource/api/v1/feedback/form/responses?form_id=66b49eab0772452b780c7714&page=1&per_page=10

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

form_id	66b49eab0772452b780c7714
page	1
per_page	10

GET Get Submission Details

http://yourdomain-api/nuSource/api/v1/feedback/submitted/response?submission_id=676847895856942cf70cabf2

This documentation describes the `field_type` values and their corresponding descriptions for use in API requests.

Field Types

The following `field_type` values are supported:

Value	Description
1	Single choice field: A field where a user can select only one option from a list.
2	Multiple choice field: A field where a user can select multiple options from a list.
3	Star rating field: A field for collecting feedback or ratings using stars.
4	Linear scale field: A field for collecting ratings on a continuous scale.
5	Date field: A field for capturing dates.
6	Number field: A field for collecting numeric input.
7	Short answer field: A field for capturing concise textual responses.
8	Long answer field: A field for capturing detailed textual responses.

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

submission_id	676847895856942cf70cabf2

Profile

GET Retrieve profile details

http://yourdomain-api/nuSource/api/v1/user/usermeta

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

Certificate

GET List All Certificate

http://yourdomain-api/nuSource/api/v1/certificates?response_type=1

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

response_type	1

GET Get Certificate Student List

http://yourdomain-api/nuSource/api/v1/certificates/32/students?page=1&per_page=50&response_type=1

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

page	1

per_page	50
response_type	1

GET Certificate Attach Course And Batch

http://yourdomain-api/nuSource/api/v1/automatedcertificate/<certificateId>/course

Response Node details

Content type

1. certificateContentTypeCoursePackage
2. certificateContentTypeExam
3. certificateContentTypeExercise
4. certificateContentTypeAssessment
5. certificateContentTypeExamOrExercise

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Sales

Promo Code

GET Promocode List

http://yourdomain-api/nuSource/api/v1/promocode?organization_id=2&promotype=1&page=1&per_page=10

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

organization_id	2
promotype	1 Promo Code = 1 , Unique Code = 3
page	1
per_page	10

POST Create Promo Code

http://yourdomain-api/nuSource/api/v1/promocode

For Mapping Details Use https://documenter.getpostman.com/view/11192156/UzQvsQWi#fec36ab6-93cb-4461-ab9c-5a8f051b205b (Course ⇒ Institution Course Bundles) Api

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"promo_code_type":"promo_code_discount","promo_code_text":"PROMO212","discount":"40","max_discount_amount":"100","promo_code_description":"PROMOCode DESCRIPTION","mapping_details":[{"package_id":1370,"institution_ids":[],"organization_ids":[212]}],"promo_code_start_time":"16 Dec 2022","promo_code_end_time":"28 Dec 2022","usd_discount":"40"}

POST Create Unique Code

http://yourdomain-api/nuSource/api/v1/promocode

For Mapping Details Use https://documenter.getpostman.com/view/11192156/UzQvsQWi#fec36ab6-93cb-4461-ab9c-5a8f051b205b (Course ⇒ Institution Course Bundles) Api

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"promo_code_type":"unique_code","promo_code_text":"9867","discount":"80","max_discount_amount":"100","promo_code_description":"DEMO UNIque Code","mapping_details":[{"package_id":1370,"institution_ids":[],"organization_ids":[212]}],"promo_code_start_time":"16 Dec 2022","promo_code_end_time":"28 Dec 2022","usd_discount":"80","unique_code_count":"10"}

GET Get PromoCode Details

http://yourdomain-api/nuSource/api/v1/promocode/19378

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

GET Get UniqueCode Details

http://yourdomain-api/nuSource/api/v1/promocode/105

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

POST Update Promocode

http://yourdomain-api/nuSource/api/v1/promocode/<promocodeId>

HEADERS

ORGID	2

apikey	77a3fc7928ed0b421b354eb12177a1e8

Body formdata

JSONString	{ "promo_code_type": "promo_code_discount", "promo_code_text": "PARTH321", "discount": "50.00", "max_discount_amount": "250.00", "promo_code_description": "ds", "mapping_details": [{ "organization_ids": [212], "package_id": 18753, "promo_code_used": 0 }], "promo_code_creation_time": 1730099385, "promo_code_start_time": "10 Jul 2024", "promo_code_end_time": "31 Oct 2024", "max_usd_discount_amount": "0.00", "usd_discount": "50.00" }

Student Panel

List Of All apis will Use in Student Panel And It requires The Student apikey.

AUTHORIZATION API Key

Key	apikey
Value	5d52b9f0f0f98c6e66b6f41b7cfce142

Batch Details

AUTHORIZATION API Key

This folder is using API Key from folder Student Panel

GET Get Enroll Batch Details

http://yourdomain-api/nuSource/api/v1/student/masterbatches/classes/<master_batch_id>?show_overview=1

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2

PARAMS

show_overview	1

GET Get Batch Class Curriculum

http://yourdomain-api/nuSource/api/v1/student/classcurriculum/<ClassId>/resources

```
json

{
  "code": 200,
  "message": "Success",
  "sections": [
    [
      "id",
      "name",
      "num_exercises",
      "num_materials",
      "avg_grade",
      "user_uattempts",
```

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2

GET Get Batch Class Section Details

http://yourdomain-api/nuSource/api/v1/student/sections/<SectionId>/resources?class_id=<ClassId>

- **Resource Array 0th Index 5 As Exercise And 4 As Material.**

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2

PARAMS

class_id	<ClassId>

GET Get Batch Class Section Resource Details (Material)

http://yourdomain-api/nuSource/api/v1/student/materials/<ResourceId>?class_id=<ClassId>

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2

PARAMS

class_id	<ClassId>

GET Get Batch Class Section Resource Details (Exercise)

http://yourdomain-api/nuSource/api/v1/exercises/<ResourceId>?class_id=<ClassId>

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2

PARAMS

class_id	<ClassId>

GET Get Exercise Details

http://yourdomain-api/nuSource/api/v1//exercises/<ResourceId>/attempt?class_id=<ClassId>

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2

PARAMS

class_id	<ClassId>

POST Push Attempted Exercise Payload

http://yourdomain-api/nuSource/api/v1/exercises/<ResourceId>/attempt

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2

Body formdata

JSONString	{ "test_id": 7847, "section_id": 5688, "exercise_id": 4199, "exercise_name": "EXE", "test_parts": "[{\"test_part_id\":10422,\"questions\":\" [{\\\"question_id\\\":1461488,\\\"user_answers\\\":[{\\\"answer\\\": [\\\"Demo\\\"],\\\"user_question_time\\\":321}],\\\"user_question_time\\\":321} ,{\\\"question_id\\\":1443328,\\\"user_answers\\\":[{\\\"answer\\\": [\\\"0\\\"],\\\"user_question_time\\\":2}],\\\"user_question_time\\\":2}, {\\\"question_id\\\":1443329,\\\"user_answers\\\":[{\\\"answer\\\": [\\\"1\\\"],\\\"user_question_time\\\":5}],\\\"user_question_time\\\":5}, {\\\"question_id\\\":1482454,\\\"user_answers\\\":[{\\\"answer\\\": [],\\\"user_question_time\\\":9}],\\\"user_question_time\\\":9,\\\"difficulty\\\":1, \\\"engage_topic_tag_id\\\":1816}, {\\\"question_id\\\":1657324,\\\"user_answers\\\":[{\\\"answer\\\": []}],\\\"user_question_time\\\":0,\\\"difficulty\\\":1,\\\"engage_topic_tag_id\\\": 1816},{\\\"question_id\\\":586758,\\\"user_answers\\\":[{\\\"answer\\\": []}],\\\"user_question_time\\\":0,\\\"difficulty\\\":2,\\\"engage_topic_tag_id\\\": 1816},{\\\"question_id\\\":1461493,\\\"user_answers\\\":[{\\\"answer\\\":

[]}],\\\"user_question_time\\\":0},
{\\\"question_id\\\":1047058,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0},
{\\\"question_id\\\":179153,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0,\\\"difficulty\\\":2,\\\"engage_topic_tag_id\\\":
1816},{\\\"question_id\\\":1461487,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0},
{\\\"question_id\\\":669037,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0},
{\\\"question_id\\\":586759,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0},
{\\\"question_id\\\":1461491,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0},
{\\\"question_id\\\":1047064,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0},
{\\\"question_id\\\":1657323,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0,\\\"difficulty\\\":1,\\\"engage_topic_tag_id\\\":
1816},{\\\"question_id\\\":1461486,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0},
{\\\"question_id\\\":1461490,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0},
{\\\"question_id\\\":1461489,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0},
{\\\"question_id\\\":1656750,\\\"user_answers\\\":[{\\\"answer\\\":
[]}],\\\"user_question_time\\\":0,\\\"difficulty\\\":2,\\\"engage_topic_tag_id\\\":
1816}]\",\"part_user_time\":337,\"max_questions_allowed\":0}]", "class_id":
39946, "user_test_time": 337 }

GET Exercise Attempt List

http://yourdomain-api/nuSource/api/v1/exercises/<ResourceId>/attemptlist?class_id=<ClassId>

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2

PARAMS

class_id	<ClassId>

GET Get Batch Class Section Details (Programing Assignments)

http://yourdomain-api/nuSource/api/v1/assignments/questions?assignment_id=<Assignment Id>&class_id=<

http://yourdomain-api/nuSource/api/v1/assignments/questions?assignment_id=<Assignment Id>&class_id=<ClassId>

Note :- Assignment Id you Will Get from **Get Batch Class Curriculum** Api

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2

PARAMS

assignment_id	<Assignment Id>
class_id	<ClassId>

GET Get Batch Class Section Programing Assignments Submissions Details

http://yourdomain-api/nuSource/api/v1//assignments/submissions?assignment_id=<AssignmentId>

Note :- Assignment Id you Will Get from **Get Batch Class Curriculum** Api

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2

PARAMS

assignment_id	<AssignmentId>

Dashboard

AUTHORIZATION API Key

This folder is using API Key from folder Student Panel

GET Student Class Updates

http://yourdomain-api/nuSource/api/v1/students/pushnotifications

This endpoint retrieves notifications for students. The response will include an array of notifications, each containing details such as notification time, message, title, sender details, notification type, status, and notes.

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2
apikey	5d52b9f0f0f98c6e66b6f41b7cfce142

GET Today Classes

http://yourdomain-api/nuSource/api/v1/student/classes/period?date=08%20Nov%202023

Response Node Details inside classes details

Node array index	Description
0	id
1	taken_by
2	taken_by_name
3	class_date
4	start_time (in minutes)
5	end_time (in minutes)
6	status
7	taken_at
8	signin_by
9	signin_by_name
10	class_name
11	class_id
12	attendance details

13	present

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2
apikey	5d52b9f0f0f98c6e66b6f41b7cfce142

PARAMS

date	08%20Nov%202023 08 Nov 2023 (Convert into encode format)

POST Zoom Class Join

http://yourdomain-api/nuSource/api/v1/liveclass/join/<attendanceId>

Join Live Class

This endpoint allows users to join a live class using the provided attendance ID.

Request

- Method: POST
- URL: http://yourdomain-api/nuSource/api/v1/liveclass/join/

Response

- Status: 200
- Content-Type: application/json

Example response body:

```json
{
    "code": 0,
    "message": "",
    "meeting_password": "",
    "join_id": "",
    "meeting_id": 0,
```

```
    "join_url": "",
    "api_key": "",
    "sdk_key": "",

    "sdk_jwt_key": "",
```

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

apikey	5d52b9f0f0f98c6e66b6f41b7cfce142
ORGID	2

Announcement

AUTHORIZATION API Key

This folder is using API Key from folder Student Panel

GET Announcement List

http://yourdomain-api/nuSource/api/v1/user/announcement?page=1&per_page=50

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2
apikey	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

page	1
per_page	50

Calendar

AUTHORIZATION API Key

This folder is using API Key from folder Student Panel

GET Student Calendar

http://yourdomain-api/nuSource/api/v1/student/classes/period?period=2&date=12-2023

Response Node Details inside classes details

Node array index	Description
0	id
1	taken_by
2	taken_by_name
3	class_date
4	start_time (in minutes)
5	end_time (in minutes)
6	status
7	taken_at
8	signin_by
9	signin_by_name
10	class_name
11	class_id
12	attendance details
13	present

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2
apikey	5d52b9f0f0f98c6e66b6f41b7cfce142

PARAMS

period	2

date	12-2023

Certificate

AUTHORIZATION API Key

This folder is using API Key from folder Student Panel

GET Certificate List

http://yourdomain-api/nuSource/api/v1/certificates/students?response_type=1

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

apikey	5d52b9f0f0f98c6e66b6f41b7cfce142
orgid	2

PARAMS

response_type	1

Course Player

AUTHORIZATION API Key

This folder is using API Key from folder Student Panel

POST Mark material as viewed

http://yourdomain-api/nuSource/api/v1/materials/<resourceId>/viewed

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

Body formdata

JSONString	{"class_id":"222610"}

GET Student Enroll Batches

http://yourdomain-api/nuSource/api/v1/student/masterbatches/latest

AUTHORIZATION API Key

This request is using API Key from folder Student Panel

HEADERS

ORGID	2
apikey	5d52b9f0f0f98c6e66b6f41b7cfce142

Student Referral-Wallet System

Note :- While Using Student Referral System You can not use International Selling.

GET Get Student Wallet Details

http://yourdomain-api/nuSource/api/v1/users/edcredits?user_id=49531

Note :- If You want to Get Student Credits Then Do not Pass user_id It will give you that student credits details

user_id will work with only admin api keys not student

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8

ORGID	2

PARAMS

user_id	49531

POST Update Student Wallet

http://yourdomain-api/nuSource/api/v1//users/49531/edcredits

Node Name	Type	Required	Description
num_credits	Integer	YES	integer Value that you want to update in student wallet system
is_add	Integer	Yes	Used for Add Or Remove in Wallet. Default it will Remove credits from Wallet. Pass 1 If you want to add credits in wallet. Pass 0 If you want to remove Credits from wallet.

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"num_credits":10}

Reports

Edmingle Mail Delivery

GET SES Logs Based on Hour

http://yourdomain-api/nuSource/api/v1//ses/listlogs/timebased?start_time=1758621600&end_time=1758625200&page=1&per_page=1

HEADERS

ORGID	2
APIKEY	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

start_time	1758621600
end_time	1758625200
page	1
per_page	1

GET Bounced Emails SES Logs

http://yourdomain-api/nuSource/api/v1/ses/listlogs/bounced?start_time=1749686400&end_time=1752278400&page=1&per_page=2

HEADERS

ORGID	2
APIKEY	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

start_time	1749686400
end_time	1752278400
page	1
per_page	2

GET Sales Report

http://yourdomain-api/nuSource/api/v1/reports/sales?startDate=09-08-2023&endDate=07-09-2023&timeStep=1&reportDetailsType=2&page=1&per_page=25

Node	Description	Constant values
startDate	Report start date Date Format (DD-MM-YYYY)	
endDate	Report end date Date Format (DD-MM-YYYY)	
timeStep	Time Interval	Day wise Report ⇒ 1 Week wise Report ⇒ 2 Month wise Report ⇒ 3 Quarter wise Report ⇒ 4 Year wise Report ⇒ 5
reportDetailsType	Type Of Report	Graphy view report data ⇒ 1 Table view report data ⇒ 2 Details view report data ⇒ 3
page	1	page number for pagination
per_page	25	per page (Max limit 200)

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

startDate	09-08-2023 Start Date
endDate	07-09-2023 End Date
timeStep	1 Time Format for Report Response
reportDetailsType	2 Report Type
page	1

Page Number

per_page 25

Per Page Records

GET Payment Report

http://yourdomain-api/nuSource/api/v1/reports/payment?startDate=09-08-2023&endDate=07-09-2023&timeStep=1&reportDetailsType=2&page=1&per_page=25

Node	Description	Constant values
startDate	Report start date Date Format (DD-MM-YYYY)	
endDate	Report end date Date Format (DD-MM-YYYY)	
timeStep	Time Interval	Day wise Report ⇒ 1 Week wise Report ⇒ 2 Month wise Report ⇒ 3 Quarter wise Report ⇒ 4 Year wise Report ⇒ 5
reportDetailsType	Type Of Report	Graphy view report data ⇒ 1 Table view report data ⇒ 2 Details view report data ⇒ 3
page	1	page number for pagination
per_page	25	per page (Max limit 200)

HEADERS

apikey 77a3fc7928ed0b421b354eb12177a1e8

ORGID 2

PARAMS

startDate 09-08-2023

Start Date

endDate 07-09-2023

End Date

timeStep 1

	Time Format for Report Response
reportDetailsType	2
	Report Type
page	1
	Page Number
per_page	25
	Per Page Records

GET Get Enrollment Statitics

http://yourdomain-api/nuSource/api/v1/report/packages?start=1661970600&end=1664562599&organization_id=2&page=1&per_page=25

Get Enrollment Statitics report

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

start	1661970600
end	1664562599
organization_id	2
page	1
per_page	25

GET Class Zoom Report Download

http://yourdomain-api/nuSource/api/v1/attendance/getzoomparticipants/{{attendanceId}}?apikey=77a3fc7928ed0b421b354eb12177a1e8&ORGID=2

Change value based on your institution details and hit the url in browser

Attendance Id You can get from this api :-https://documenter.getpostman.com/view/11192156/UzQvsQWi#f5428954-e157-4a1d-8a54-37b83ec2b5d4

PARAMS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

GET Class Attendance Report

http://yourdomain-api/nuSource/api/v1/class/attendance?class_id=121333&start=1685557800&end=1688149799&response_type=1

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

class_id	121333
start	1685557800
end	1688149799
response_type	1

GET Class Attendance Report Download

http://yourdomain-api/nuSource/api/v1/report/csv?apikey=77a3fc7928ed0b421b354eb12177a1e8&ORGID=2&report_type=20&start=1589481000&end=1590172199&class_id={{classId}}

PARAMS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2
report_type	20
start	1589481000 Start Date in Unix TimeStamp
end	1590172199

	End Date in Unix TimeStamp
class_id	{{classId}}
	Class Id

GET Student Refferal and credits

http://yourdomain-api/nuSource/api/v1//report/referralreport?Type=1&startDate=10-10-2023&endDate=10-10-2023

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

Type	1
	Type 1 = Refferal register student with Time , Type 2 = Existing Students credits details
startDate	10-10-2023
endDate	10-10-2023

GET Global Student + Attendance

http://yourdomain-api/nuSource/api/v1/report/csv?apikey=77a3fc7928ed0b421b354eb12177a1e8&response_type=1&ORGID=2&report_type=55&organization_id=2&start_time=1728864000&end_time=1728950399

studentAttendanceStatus	Symbol	Description
	-	Not marked
	A	Absent
	P	Present
	L	Late
	E	Excused
	OL	On Leave
	NA	Not Available

PARAMS

apikey	77a3fc7928ed0b421b354eb12177a1e8
response_type	1
ORGID	2
report_type	55
organization_id	2
start_time	1728864000
end_time	1728950399

GET Submission Report

http://yourdomain-api/nuSource/api/v1/submissions?page=1&per_page=10&search=&sort_order=D&sort_by=submission_time&start_date=1732838400&end_date=1732924800&evaluated=-1

Constraints: The Start Date and End Date must fall within a one-day time range, and the number of items per page must not exceed 500.

Constants Value

assessment_type	**Description**
1	Mettl
2	Assignment based
3	Custom link
4	Programming assessment
5	Test
6	Online exercise
7	Assignment
8	Programming assignment

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

page	1
per_page	10
search	
sort_order	D
sort_by	submission_time
start_date	1732838400
end_date	1732924800
evaluated	-1

GET Student fees Summary

http://yourdomain-api/nuSource/api/v1/student/booking/stats?user_id=<userid>

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

user_id	<userid>

GET Enrollment Report

http://yourdomain-api/nuSource/api/v1/reports/enrollment?course=1399&start_date=29-04-2025&end_date=28-05-2025&time_step=1&report_details_type=3&page=1&per_page=20

HEADERS

ORGID	2
APIKEY	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

course	1399 Optional
start_date	29-04-2025
end_date	28-05-2025
time_step	1
report_details_type	3
page	1
per_page	20

Leads & Enquiries

GET Get Leads List

http://yourdomain-api/nuSource/api/v1/contactus?organization_id=2&page=1&status=1&followup_status=0&search=

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

organization_id	2
page	1
status	1
followup_status	0
search	

GET Get Enquiry List

http://yourdomain-api/nuSource/api/v1/organization/enquiries?lead_status=1,9,3,5,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25&followup_status=0&organization_id=2

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

lead_status	1,9,3,5,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25 Transfer this Value In UrlEncode Format
followup_status	0
organization_id	2

CustomFields

Learner Signup Fields

GET List Fields

http://yourdomain-api/nuSource/api/v1/organization/fields?organization_id=2&form_type=1&filter_param=0

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

organization_id	2
form_type	1
filter_param	0

GET Get Field details

http://yourdomain-api/nuSource/api/v1/organization/fields/<fieldId>?form_type=1

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
orgid	2

PARAMS

form_type	1

Public Api For Website

- This are the public Api's it will not Required any type of Authentication And Apikey

GET Course Categories

http://yourdomain-api/nuSource/api/v1//builder/institute/1/course/categories

GET get all courses

http://yourdomain-api/nuSource/api/v1/institute/1/courses?get_tutors=1&get_tags=1&get_student_count=1&order_by=ASC&page=1&per_page=10&categories_ids=239

PARAMS

get_tutors	1 (Boolean) If tutor details required
get_tags	1 (Boolean) If course tags required
get_student_count	1 (Boolen) if course student enrollment count required
tag_categories_name_array	%5B%7B%22Course%20Division%22%3A%5B%22Course%22%5D%7D%5D

	(encode) custom fields apply in filter -- without encode value [{"Course Division":["Course"]}]
search	
order_by	ASC (ASC | DESC) retrive courses on define order
page	1 (int) page number
per_page	10 (int) per page how many courses you want to retrive
categories_ids	239

GET Verify - Certificate

http://yourdomain-api/nuSource/api/v1/certificates/check?certificate_id=EDMNGL0011003

PARAMS

certificate_id	EDMNGL0011003 Unique Certificate

POST Lead Capture

http://yourdomain-api/nuSource/api/v1/contactus

Body formdata

JSONString	{"first_name":"Hemal","last_name":"Buha","email":"hemal@edmingle.com","message":"Enquiry ForCourse","contact_number":"7567786787","contact_number_dial_code":"+91","contact_number_country_id":"103","institute_id":1,"add_db":1}

GET Get Signup Custom Fields

http://yourdomain-api/nuSource/api/v1/public/signupfields?form_type=1

PARAMS

form_type	1

POST Student Signup

http://yourdomain-api/nuSource/api/v1/user/signup

Body formdata

JSONString	{"contact_number":"8798789878","role":1,"name":"Hemal+patel","email":"hemal@edmingle.com","password":"test","institute_id":208,"email_only_otp":0,"state":null,"timezone_offset":-330,"custom_fields":[{"display_index":37,"field_display_name":"Text+|+online+Pre","field_help_text":"","field_id":234163,"field_name":"text_|_online_pre","field_type":1,"system_field_setting":0,"form_type":1,"is_active":1,"is_offline_mandatory":0,"is_online_mandatory":1,"possible_values":"[]","section_id":1,"show_offline":0,"show_online":1,"field_value":"Demo"},{"display_index":48,"field_display_name":"Text+|+Post+man","field_help_text":"","field_id":234162,"field_name":"text_|_post_man","field_type":1,"system_field_setting":0,"form_type":1,"is_active":1,"is_offline_mandatory":0,"is_online_mandatory":1,"possible_values":"[]","section_id":1,"show_offline":0,"show_online":1,"field_value":"Demo"},{"display_index":92,"field_display_name":"Occupation+t","field_help_text":"","field_id":214629,"field_name":"occupation_t","field_type":1,"system_field_setting":0,"form_type":1,"is_active":1,"is_offline_mandatory":0,"is_online_mandatory":1,"possible_values":"[]","section_id":1,"show_offline":0,"show_online":1,"field_value":"Demo"}],"device_type":1,"city":"Surat","parent_name":"Hemal+Demo","parent_email":"demojk@gmail.com","device_key":"3d5f12d4d11aa9dd2f473abb9392c0c9"}

POST Otp Send Mobile Number

http://yourdomain-api/nuSource/api/v1/user/otp

This endpoint is used to send a one-time password (OTP) to the user. The request should be sent as an HTTP POST to http://yourdomain-api/nuSource/api/v1/user/otp with a form-data request body type. The payload should include a JSONString parameter with a type of text.

Request Body

Key	Type	Description
JSONString	text	Specifies the type of the OTP.

Body formdata

Body formdata

JSONString	{"institution_id":1,"contact_number_country_id":"103","contact_number":"9265075346"}

POST Verify Mobile Number

http://yourdomain-api/nuSource/api/v1/user/verify/otp

This endpoint is used to verify a user's OTP (One Time Password) via an HTTP POST request to http://yourdomain-api/nuSource/api/v1/user/verify/otp. The request payload should be in form-data format with a key "JSONString" of type "text".

Request Body

- JSONString (text): The OTP to be verified.

Body formdata

JSONString	{"otp":"123445","contact_number":"9265075346"}

POST Otp Send Email

http://yourdomain-api/nuSource/api/v1/email/signup/otp

Email Signup OTP

This endpoint is used to request an OTP for email signup.

Request

- Method: `POST`
- Endpoint: `http://yourdomain-api/nuSource/api/v1/email/signup/otp`
- Body type: form-data

Parameters

Name	Type	Description
JSONString	text	The JSON string containing the type of OTP request.

Body formdata

JSONString	{"institution_id":1,"email":"hemal+otp3@edmingle.com"}

POST Verify Email

http://yourdomain-api/nuSource/api/v1/user/verify/otp

This HTTP POST request is used to verify a user's OTP (One Time Password). The request should be sent to http://yourdomain-api/nuSource/api/v1/user/verify/otp with a form-data request body type containing a JSONString parameter of type text.

Request Body

- JSONString (text): The OTP to be verified.

Body formdata

JSONString	{"otp":"402652","email_only_otp":1,"email":"hemal+otp2@edmingle.com"}

GET Masterbatch List

http://yourdomain-api/nuSource/api/v1//website/batches/public?institution_id=1&organization_id=2&get_course_tags=0&bundle_id=25&get_image_urls=1

This endpoint makes an HTTP GET request to retrieve public batches of a website, using the provided institution ID, organization ID, and other optional parameters. The request includes query parameters such as institution_id, organization_id, get_course_tags, bundle_id, and get_image_urls.

The response from the last execution had a status code of 200.

PARAMS

institution_id	1
organization_id	2
get_course_tags	0 Optional
bundle_id	25 Optional
get_image_urls	1

Optional

GET User Exist Check

http://yourdomain-api/nuSource/api/v1//user/checkifexists?institution_id=1&user=&contact_number_country_id=103&calling_modal=signup

PARAMS

institution_id	1
user	Email / Login
contact_number_country_id	103
calling_modal	signup

Data Extraction

GET Organization Based Data Extract

http://yourdomain-api/nuSource/api/v1/institution/dataexport?type=1&page=10&per_page=2&organization_id=2

Organization Wise Data Extract For Course, Student And Batch

Type	Description	Extra Params
1	Course Bundle list	
2	course List	
3	Batch Listing	
4	Quiz Details	
5	User stats Information	
6	User stats for Quiz	
7	User stats for Section	
8	User stats for material	start_date (int) (unix timestamp) you will get +5 days record from start_date
9	Exercise List	
10	User stats for exercise	
11	Course Bundle teaching Material List	bundleId (int) (BundleId you can get from type 1 api call)
12	Class List	

Note :-

1. Type 6 will take some time please use per page as 10
2. Type 8 Will take Some time please use per page as 1000
3. Type 18 Schedule class Attendance list you will not in that api

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

PARAMS

type	1
page	10
per_page	2
organization_id	2
start_date	1629728773
bundleId	688

Admin Operations on Behalf of Student

GET Student Enroll Batch List

http://yourdomain-api/nuSource/api/v1/admin/student/enrollcourses/<studentId>?include_archived_batches=0&include_lastview_info=0&include_expired_courses=0&include_cancelled_courses=0

HEADERS

ORGID	2
APIKEY	77a3fc7928ed0b421b354eb12177a1e8

PARAMS

include_archived_batches	0
include_lastview_info	0
include_expired_courses	0
include_cancelled_courses	0

GET Generate Student Apikey

http://yourdomain-api/nuSource/api/v1/sso?jwt=eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJPbmxpbmUgSldUIEJ1aWxkZXIiLCJpYXQiOjE3MDkxMTc5NjksImV4cCI6MTc0MDY1MDU5NCwiYXVkIjoid3d3LmV4YW1wbGUuY29tIiwic3ViIjoianJvY2tIdEBleGFtcGxlLmNvbSIsImVtYWlsIjoiaGVtYWxAZWRtaW5nbGUuY29tIiwiZmlyc3RfbmFtZSI6ImhlbWFsYnVoYSIsImxhc3RfbmFtZSI6ImhlbWFsYnVoYSJ9.WuGx8yJmnKDZ-qbicHFWEzI73YqvNxLIcbviNMJX-Ck

This endpoint is used to make a GET request to the SSO (Single Sign-On) service with a JWT (JSON Web Token) included as a query parameter. The last execution of this request returned a response with a status code of 200 and a Content-Type of text/xml.

PARAMS

jwt	eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJPbmxpbmUgSldUIEJ1aWxkZXIiLCJpYXQiOjE3MDkxMTc5NjksImV4cCI6MTc0MDY1MDU5NCwiYXVkIjoid3d3LmV4YW1wbGUuY29tIiwic3ViIjoianJvY2tldEBleGFtcGxlLmNvbSIsImVtYWlsIjoiaGVtYWxAZWRtaW5nbGUuY29tIiwiZmlyc3RfbmFtZSI6ImhlbWFsYnVoYSIsImxhc3RfbmFtZSI6ImhlbWFsYnVoYSJ9.WuGx8yJmnKDZ-qbicHFWEzI73YqvNxLIcbviNMJX-Ck Generate JWT token Same like SSO

POST Announcement Mark As Read

http://yourdomain-api/nuSource/api/v1/admin/student/announcement/<studentId>

HEADERS

apikey	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body formdata

JSONString	{"institution_announcement_id":473}

POST Update Student Language

http://yourdomain-api/nuSource/api/v1/admin/user/language

HEADERS

APIKEY	77a3fc7928ed0b421b354eb12177a1e8
ORGID	2

Body urlencoded

JSONString	{"user_id":<studentId>,"iso_representation":"en"}