# **Practical-1**

# INPUT:<!DOCTYPE html> <html lang="en"> <head> <title>p1</title> </head> <body> <h1>hello world</h1>

# OUTPUT:-

</body>

hello world

# **Practical-2**

```
INPUT:-
<html>
<head>
  <title>p2</title>
  <link rel="stylesheet" href="p2.css">
  <style>
   .id {
      color: red;
      background-color: lightblue;}
  </style>
</head>
<body>
  <h4><i>ITALIC</i><br>
   <b>BOLD</b><br>
   <u>UNDERLINE</u><br>
   SUP:12<sup>TH</sup><br>
   SUB:H<sub>2</sub>O
  </h4>
  <H1> H1 TO H6 TAG:</H1>
  <h1>H1</h1>
  <h2>H2</h2>
```

<h3>H3</h3>

```
<h4>H4</h4>
<h5>H5</h5>
<h6>H6</h6>
PARAGRAPH

<!--HORIGONTAL RULER-->
<hr>
<div class="id">hello world</div>
IT is <span style="background-color:black; color:red;">SPAN</span>tag
</body>
</html>
```

```
ITALIC
BOLD
UNDERLINE
SUP:12<sup>TH</sup>
SUB:H<sub>2</sub>O

H1 TO H6 TAG:
H1

H2
H3
H4
H5
H6

PARAGRAPH

hello world

IT is SPAN tag
```

## **Practical-3**

### **INPUT:-**

```
<!DOCTYPE html <html lang="en">
<head>
 <title>p3</title>
</head>
<body>
 <h1>Ordered List</h1>
 Type 1
  list
  list
  Type 2
   list
   list
   Type 3
    list
    list
    type 4
     list
     list
```

```
Type 5
   list
   list
  <h1>Unordered List</h1>
Type 1
list
list
Type 2
 list
 list
 Type 3
  list
  list
```

### **OUTPUT:-**

# **Ordered List**

```
1. Type 1
2. list
3. list

A. Type 2
B. list
C. list

a. Type 3
b. list
c. list

I. type 4
II. list
III. list
i. Type 5
ii. list
iii. list
```

# **Unordered List**

```
• Type 1
```

list

• list

Type 2

list

list

• Type 3

o list

o list

# **Definition List**

HTML

HyperText Markup Language, used for structuring content on the web.

CSS

Cascading Style Sheets, used for styling web documents.

JavaScript

A programming language used for adding interactivity to web pages.

# **Practical-4**

### **INPUT:-**

```
<!DOCTYPE html <html>
<head>
    <title>P4</title>
</head>
<body bgcolor="lightblue">
    <h1>Welcome to My Website</h1>
    <div class="image-container"> <img src="images/Dinosaur image.png" alt="Dinosaur image">
        <img src="images/Flower.png" alt="Flower image">
        </div>
    <div class="link-container">
        <a href="https://www.google.com" target="_blank">google Link</a>
        </div>
</body>
</html>
```



# **Practical-5**

```
INPUT:-
<!DOCTYPE html>
<html>
<head>
 <title>p5</title>
</head>
<body bgcolor="skyblue">
 <h1 style="text-align:center;">COLLEGE TIME TABLE</h1>
 Sat
   8:30-9:30
   9:30-10:30
   10:30-10:45
   10:45-11:45
   11:45-12:45
   12:45-1:30
   1:30-2:30
   2:30-3:30
```


Mon

```
WD LAB
Refreshment Break
PP
ES
Lunch Break
DLD
WD
Tue
PP
DLD
WD
DLD
WD
CAL
Wed
WD LAB
ES
ES
PP LAB
```

```
Thu
NL LAB/<br>DLD LAB
PP
CAL
NL LAB/<br>DLD LAB
Fri
ED LAB
PP LAB
CAL
ED
Sat
```

</body>

</html>



## **Practical-6**

### **INPUT:-**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>p6</title>
</head>
<body>
  <form>
    <label for="name">Name:</label>
    <input type="text" id="name" name="name" value="Enter Your Name"><br>
    <label for="password-input">Password:</label>
    <input type="password" for="idpassword-input" name="password-
input"><br>
    <label for="checkbox-input">Choose Languages you know:</label><br>
    <input type="checkbox" id="checkbox-input" name="checkbox-input">C<br>
    <input type="checkbox" id="checkbox-input" name="checkbox-
input">C++<br>
    <input type="checkbox" id="checkbox-input" name="checkbox-
input">Java<br>
    <input type="checkbox" id="checkbox-input" name="checkbox-
input">Python<br>
    <label for="radio-input">Gender:</label><br>
    <input type="radio" id="radio-input" name="radio-input"> Male
    <input type="radio" id="radio-input-2" name="radio-input"> Female<br>
```

```
<input type="submit" id="submit-button" value="Submit">
        <input type="reset" id="reset-button" value="Reset"><br>
        </form>
        </body>
        </html>
```

Name: Enter Your Name
Password:
Choose Languages you know:
$\Box$ C
□ C++
□ Java
☐ Python
Gender:
○ Male ○ Female
Submit Reset