





In [1]:

```
import pandas as pd
from sklearn.model_selection import train_test_split
from sklearn.svm import SVC
from sklearn.metrics import classification_report, confusion_matrix
import matplotlib.pyplot as plt
import seaborn as sns

# Load winequality dataset
df = pd.read_csv("https://archive.ics.uci.edu/ml/machine-learning-databases/wine-quality")

# Split data into training and testing sets
X = df.drop(columns=['quality'])
y = df['quality']
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42)

# Train linear SVM model
linear_svm = SVC(kernel='linear')
linear_svm.fit(X_train, y_train)

# Print classification report
y_pred = linear_svm.predict(X_test)
print("Linear SVM")
print(classification_report(y_test, y_pred))

# Plot confusion matrix
cm = confusion_matrix(y_test, y_pred)
fig, ax = plt.subplots(figsize=(10,10))
sns.heatmap(cm, annot=True, fmt='d', cmap=plt.cm.Blues, cbar=False)
plt.xlabel('Predicted')
plt.ylabel('Actual')
plt.title('Confusion matrix - Linear SVM')
plt.show()

# Plot histogram of predicted class probabilities
proba = linear_svm.decision_function(X_test)
plt.hist(proba, bins=50)
plt.xlabel('Predicted Decision Function Value')
plt.ylabel('Count')
plt.title('Histogram of Predicted Decision Function Values - Linear SVM')
plt.show()

# Train non-linear SVM model
nonlinear_svm = SVC(kernel='rbf', gamma=0.1, C=10)
nonlinear_svm.fit(X_train, y_train)

# Print classification report
y_pred = nonlinear_svm.predict(X_test)
print("Non-Linear SVM")
print(classification_report(y_test, y_pred))

# Plot confusion matrix
cm = confusion_matrix(y_test, y_pred)
fig, ax = plt.subplots(figsize=(10,10))
sns.heatmap(cm, annot=True, fmt='d', cmap=plt.cm.Blues, cbar=False)
plt.xlabel('Predicted')
plt.ylabel('Actual')
plt.title('Confusion matrix - Non-Linear SVM')
plt.show()
```

```
# Plot histogram of predicted class probabilities
proba = nonlinear_svm.decision_function(X_test)
plt.hist(proba, bins=50)
plt.xlabel('Predicted Decision Function Value')
plt.ylabel('Count')
plt.title('Histogram of Predicted Decision Function Values - Non-Linear SVM')
plt.show()
```

Linear SVM

	precision	recall	f1-score	support
3	0.00	0.00	0.00	1
4	0.00	0.00	0.00	10
5	0.61	0.78	0.68	130
6	0.52	0.61	0.56	132
7	0.00	0.00	0.00	42
8	0.00	0.00	0.00	5
accuracy			0.57	320
macro avg	0.19	0.23	0.21	320
weighted avg	0.46	0.57	0.51	320

C:\Users\maham\anaconda3\lib\site-packages\sklearn\metrics\\_classification.py:1318: UndefinedMetricWarning: Precision and F-score are ill-defined and being set to 0.0 in labels with no predicted samples. Use `zero\_division` parameter to control this behavior.

warn\_nrf(average, modifier, msg\_start, len(result))

In [ ]: