End-to-End AI Product Management Framework: Resource Pack

Short, simplifiable templates that go with the Master Summary Booklet and the interactive flowchart. None is mandatory. Link to existing documents instead of copying text. Skip anything that does not help a decision.

---

1. Assumption and risk register

Use when: from discovery onward. On small projects, a short list is enough.

ID	Assumption or risk (including viability, data, dependency or adoption, where relevant)	Evidence status (verified / observed / estimate / assumption)	Impact if wrong	How to test or mitigate	Owner	Review date

2. Decision record

Use when: consequential or hard-to-reverse choices only.

Decision:
Context (why now):
Options considered:
Evidence:
Assumptions (unverified):
Risks:
Trade-offs accepted:
Cost, data and dependency implications (if relevant):
Decision owner (and who can change or reverse it):
Rationale:
Review trigger (what new evidence reopens this):

3. Requirement-to-test traceability matrix

Use when: requirements are many or risk is high. Link, do not copy.

Req ID	Requirement (link)	Outcome it serves	Expected behaviour	Risk / safeguard	Test or scenario ID	Latest evidence (link)	Status	Decision

4. AI behaviour and safeguard matrix

Use when: AI is involved. Skip for non-AI products.

Risk addressed	Trigger	Required system behaviour	User experience	Test method	Acceptable result	Fallback if it fails	Owner (and who can restrict or roll back)	Production signal of failure

5. Evaluation scenario template

Use when: for each important capability or journey. Qualitative rules are fine if explicit.

Requirement:
Scenario (condition tested):
Category: normal / ambiguous / edge / unsupported / failure
Test data source, quality and limitations:
Expected result:
Measurement:
Threshold or judgement rule:
Failure response:
Decision owner:
Re-evaluation trigger:

6. Metrics dictionary

Use when: any metric informs a decision. Skip vanity metrics.

Name and purpose:
Precise meaning:
Calculation (numerator / denominator):
Data source (and its quality, access and privacy constraints):
Measurement window:
Baseline:
Proposed target (a target, not a result) and rationale:
Known limitations:
Related guardrails:
Owner:
Decision informed:

7. Experiment plan

Use when: a real decision depends on the answer. Skip if the method does not fit your traffic or risk.

Hypothesis and rationale:
Population or context:
Intervention and comparison:
Primary outcome:

Guardrail measures:

Method and duration:

Data and evaluation approach (data availability, access and privacy):

Limitations:

Decision criteria:

Follow-up action:

8. Release-readiness checklist

Use when: before consequential releases. A checklist supports the decision; it does not make it.

- ☐ Scope is clear
- ☐ Essential acceptance criteria satisfied
- ☐ AI behaviour evaluated under relevant conditions (if AI)
- ☐ Material risks and safeguards assessed
- ☐ Users can understand and recover from important failures
- ☐ Monitoring and incident response ready
- ☐ Human handoffs can really be completed
- ☐ Evidence is reliable enough for this release
- ☐ Ownership and escalation clear
- ☐ Can restrict, disable or roll back
- ☐ Where relevant: data, technical, security, integration and operational dependencies resolved and owned
- ☐ Where relevant: users can adopt it (training, workflow changes, support ready)
- ☐ Where relevant: running cost understood and sustainable
- ☐ Post-launch owners named, with authority to restrict, roll back or retire

Outcome: proceed / proceed with conditions / investigate / revise / pause / roll back / stop

9. Monitoring and incident-response checklist

Use when: once live. Scale to risk.

- ☐ Outcome, quality and operational signals chosen, each with an owner
- ☐ Thresholds or review rules defined
- ☐ Incident detection and response owner named
- ☐ Rollback or restriction trigger defined
- ☐ User feedback route in place
- ☐ Incidents feed new test scenarios
- ☐ Changes to model, prompt, data or workflow trigger re-evaluation
- ☐ Owners and decision authority named for escalation, corrective action, restriction, rollback and retirement
- ☐ Where relevant: adoption, support and operating-cost signals reviewed

10. Continuous-improvement prioritisation aid

Use when: feedback, incidents and ideas pile up.

Item	Source (incident / feedback / metric)	User impact	Risk	Effort	Learning value	Owner / decision authority	Priority	Reopens which area