

Testing

app.py 1, U × test_app.py 1, U

Backend > app.py > create_student

```
1 from flask import Flask, request, jsonify
2
3 app = Flask(__name__)
4
5 @app.route("/student", methods=["POST"])
6 def create_student():
7     data = request.get_json()
8
9     if not data.get("name"):
10         return jsonify({"error": "Name required"}), 400
11
12     return jsonify({"message": "Student created"}), 201
```

EXPLORER

TESTING

Backend

__pycache__

.pytest_cache

venv

app.py 1, U

test_app.py 1, U

Frontend

OUTPUT DEBUG CONSOLE TERMINAL PORTS PROBLEMS 2

zsh - Backend

(venv) shubhamrana@Shubhams-MacBook-Air Backend % pytest -v

collected 2 items

test_app.py::test_create_student_success PASSED [50%]

test_app.py::test_create_student_fail PASSED [100%]

===== 2 passed in 0.25s =====

● (venv) shubhamrana@Shubhams-MacBook-Air Backend % pytest -v

===== test session starts =====

platform darwin -- Python 3.14.4, pytest-9.0.3, pluggy-1.6.0 -- /Users/shubhamrana/Shubham_Code_Studio/New_folder/FSD-2/Testing/Backend/venv/bin/python3.14

cachedir: .pytest_cache

rootdir: /Users/shubhamrana/Shubham_Code_Studio/New_folder/FSD-2/Testing/Backend

plugins: cov-7.1.0

collected 2 items

test_app.py::test_create_student_success PASSED [50%]

test_app.py::test_create_student_fail PASSED [100%]

===== 2 passed in 0.04s =====

(venv) shubhamrana@Shubhams-MacBook-Air Backend %

main* 0 2 Connect

Ln 12, Col 56 Spaces: 4 UTF-8 LF Python Python 3.14.4 (homebrew) Go Live Prettier

Testing

app.py 1, U vite.config.js U .gitignore U setupTests.js U Form.jsx 1, U Form.test.jsx U package.json U

Frontend > vite.config.js > default

```
1 import { defineConfig } from 'vite'
2 import react from '@vitejs/plugin-react'
3
4 export default defineConfig({
5   plugins: [react()],
6   test: {
7     environment: "jsdom",
8     setupFiles: "./src/setupTests.js",
9     globals: true,
10  },
11 })
```

EXPLORER

TESTING

Backend

__pycache__

.pytest_cache

venv

app.py 1, U

test_app.py 1, U

Frontend

node_modules

public

src

assets

App.css U

App.jsx U

Form.jsx 1, U

Form.test.jsx U

index.css U

main.jsx U

setupTests.js U

.gitignore U

eslint.config.js U

index.html U

package-lock.json U

package.json U

README.md U

vite.config.js U

OUTPUT DEBUG CONSOLE TERMINAL PORTS PROBLEMS 3

node - Frontend

Test Files 1 passed (1)
Tests 3 passed (3)
Start at 00:14:18
Duration 389ms (transform 7ms, setup 19ms, import 27ms, tests 57ms, environment 225ms)

PASS Waiting for file changes...
press h to show help, press q to quit

● (venv) shubhamrana@Shubhams-MacBook-Air Frontend % clear

● (venv) shubhamrana@Shubhams-MacBook-Air Frontend % npm run test

> frontend@0.0.0 test

> vitest

DEV v4.1.4 /Users/shubhamrana/Shubham_Code_Studio/New_folder/FSD-2/Testing/Frontend

✓ src/Form.test.jsx (3 tests) 58ms

✓ Login Form Component (3)

✓ RENDERS email and password fields 47ms

✓ SHOWS ERROR for short password 7ms

✓ SUBMITS successfully with valid input 4ms

Test Files 1 passed (1)
Tests 3 passed (3)
Start at 00:14:32
Duration 390ms (transform 14ms, setup 25ms, import 32ms, tests 58ms, environment 222ms)

PASS Waiting for file changes...
press h to show help, press q to quit

✖ Command failed (exit code 1)

main* 1 2 Connect

Ln 11, Col 3 Spaces: 2 UTF-8 LF {} JavaScript Go Live Prettier

JavaScript Full Course | JavaScriptActive CoursesDevOps - Zero To Hero (Josh Batch)Fix Node version for CI - shubh

github.com/shubhhaamm07/FSD-2/actions/runs/24581709855

shubhhaamm07 / FSD-2

Type / to search

CodeIssuesPull requestsAgentsActionsProjectsWikiSecurity and qualityInsightsSettings

Fullstack Tests

Fix Node version for CI #4

Re-run all jobs

Summary

All jobs

backend-test

frontend-test

Run details

Usage

Workflow file

Triggered via push 3 minutes ago

shubhhaamm07 pushed 5d7a48d main

Success

18s

Artifacts

ci.yml

on: push

backend-test12s

frontend-test16s

frontend-test summary

Vitest Test Report

Summary

Test Files: 1 pass · 1 total

Test Results: 3 passes · 3 total

Ask Gordon

Containers

Images

Volumes

Kubernetes

Builds

Models

MCP Toolkit BETA

Docker Hub

Docker Scout

Extensions

Containers / nostalgic_hopper


<  nostalgic_hopper
b397221af0a2  backend-app:latest
5001:5000 

STATUS
Running (3 minutes ago)



Logs Inspect Bind mounts Exec Files Stats

```
* Serving Flask app 'app'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on all addresses (0.0.0.0)
* Running on http://127.0.0.1:5000 
* Running on http://172.17.0.2:5000 
Press CTRL+C to quit
```



Downloading version 4.70.0 X

-  Ask Gordon
-  Containers
-  Images
-  Volumes
-  Kubernetes
-  Builds
-  Models
-  MCP Toolkit BETA
-  Docker Hub
-  Docker Scout
-  Extensions

Builds

[Give feedback](#)

Selected builder
desktop-linux

Import builds

Builder settings

 Build large and multi-platform Docker images faster in Docker Build Cloud.
To improve build speeds for you, your team, and even your CI, [try Docker Build Cloud now](#)

×

Build history

Active builds

Q Search



☐ Show only my builds

☐	Name	ID	Builder	Duration	Created	Author	
☐	✓ Testing/Backend	x1wzxm	 default	5.7s	5 minutes ago	N/A	
☐	✓ Testing/Backend	wca13w	 default	5.3s	6 minutes ago	N/A	
☐	✓ Testing/Backend	8zbvra	 default	5.4s	8 minutes ago	N/A	
☐	✓ Testing/Backend	mpjs0t	 default	1.2s	9 minutes ago	N/A	
☐	✓ Testing/Backend	zdg1a5	 default	3.7s	10 minutes ago	N/A	
☐	✓ Testing/Backend	qo286x	 default	3.2s	11 minutes ago	N/A	
☐	⌚ Testing/Backend	fpjs1f	 default	1.5s	12 minutes ago	N/A	
☐	⌚ Testing/Backend	f3v1rc	 default	0.5s	12 minutes ago	N/A	
☐	⌚ Testing/Backend	jv68r1	 default	0.4s	13 minutes ago	N/A	
☐	⌚ Testing/Backend	z1tuzp	 default	1.2s	13 minutes ago	N/A	

Rows per page: 10

1–10 of 45

<

>

