EXPERIMENT-3 DBMS LAB

Shubhojit Mitra(batch-1) 500120225

a) Create the tables for Company database as per ER diagram of Exp 2

```
mysql> show databases;
 Database
 company
 information_schema
 mysql
 performance_schema
5 rows in set (0.00 sec)
mysql> USE company;
Database changed
mysql> CREATE TABLE DEPARTMENT (
           Dname VARCHAR(15) NOT NULL,
           Dnumber INT NOT NULL,
          Mgr_ssn CHAR(9) NOT NULL,
          Mgr_start_date DATE,
         PRIMARY KEY (Dnumber),
         UNIQUE (Dname)
Query OK, 0 rows affected (0.07 sec)
```

```
mysql> CREATE TABLE EMPLOYEE (
           Fname VARCHAR(15) NOT NULL,
    ->
           Minit CHAR(1),
    ->
           Lname VARCHAR(15) NOT NULL,
    ->
    ->
           Ssn CHAR(9) NOT NULL,
           Bdate DATE,
    ->
    ->
           Address VARCHAR(30),
    ->
           Sex CHAR(1),
    ->
           Salary DECIMAL(10,2),
    ->
           Super_ssn CHAR(9),
           Dno INT NOT NULL,
    ->
           PRIMARY KEY (Ssn),
FOREIGN KEY (Super_ssn) REFERENCES EMPLOYEE(Ssn),
    ->
    ->
           FOREIGN KEY (Dno) REFERENCES DEPARTMENT(Dnumber)
    -> );
Query OK, 0 rows affected (0.04 sec)
mysql> CREATE TABLE EMPLOYEE_NEW (
    ->
           Fname VARCHAR(15) NOT NULL,
           Minit CHAR(1),
           Lname VARCHAR(15) NOT NULL,
    ->
    ->
           Ssn CHAR(9) NOT NULL,
    ->
           Bdate DATE,
    ->
           Address VARCHAR(30),
    ->
           Sex CHAR(1),
           Salary DECIMAL(10,2),
    ->
           Super_ssn CHAR(9),
    ->
           Dno INT NOT NULL,
    ->
           PRIMARY KEY (Ssn),
           FOREIGN KEY (Super_ssn) REFERENCES EMPLOYEE(Ssn),
    ->
           FOREIGN KEY (Dno) REFERENCES DEPARTMENT(Dnumber)
    ->
   -> );
Query OK, 0 rows affected (0.08 sec)
```

```
mysql> CREATE TABLE DEPT_LOCATIONS (
             Dnumber INT NOT NULL,
             Dlocation VARCHAR(15) NOT NULL,
    ->
             PRIMARY KEY (Dnumber, Dlocation),
            FOREIGN KEY (Dnumber) REFERENCES DEPARTMENT(Dnumber)
     -> );
Query OK, 0 rows affected (0.04 sec)
mysql> CREATE TABLE PROJECT (
             Pname VARCHAR(15) NOT NULL,
             Pnumber INT NOT NULL,
     ->
    -> Plocation VARCHAR(15),
-> Dnum INT NOT NULL,
-> PRIMARY KEY (Pnumber),
-> UNIQUE (Pname),
-> FOREIGN KEY (Dnum) REFERENCES DEPARTMENT(Dnumber)
    -> );
Query OK, 0 rows affected (0.07 sec)
mysql> CREATE TABLE WORKS_ON (
           Essn CHAR(9) NOT NULL,
    -> Pno INI NOT ...
-> Hours DECIMAL(3,1) NOT NOLE,
-> PRIMARY KEY (Essn, Pno),
-> FOREIGN KEY (Essn) REFERENCES EMPLOYEE(Ssn),
-> FOREIGN KEY (Pno) REFERENCES PROJECT(Pnumber
            FOREIGN KEY (Pno) REFERENCES PROJECT(Pnumber)
Query OK, 0 rows affected (0.07 sec)
mysql> CREATE TABLE DEPENDENT (
     -> Essn CHAR(9) NOT NULL,
             Dependent_name VARCHAR(15) NOT NULL,
             Sex CHAR(1),
             Bdate DATE,
             Relationship VARCHAR(8),
     ->
             PRIMARY KEY (Essn, Dependent_name),
     ->
            FOREIGN KEY (Essn) REFERENCES EMPLOYEE(Ssn)
     -> );
Query OK, 0 rows affected (0.02 sec)
```

b. Insert the following data into their respective tables of Company database.

```
mysql> INSERT INTO DEPARTMENT (Dname, Dnumber, Mgr_ssn, Mgr_start_date)
    -> VALUES
    -> ('Research', 5, '3334455555', '1988-05-22'),
    -> ('Administration', 4, '987654321', '1995-01-01'),
    -> ('Headquarters', 1, '888665555', '1981-06-19');
Query OK, 3 rows affected (0.03 sec)
Records: 3 Duplicates: 0 Warnings: 0

mysql> INSERT INTO EMPLOYEE (Fname, Lname, Ssn, Bdate, Address, Sex, Salary, Super_ssn, Dno)
    -> VALUES
    -> ('James', 'Borg', '888665555', '1937-11-10', '450 Stone, Houston
```

```
mysql> INSERT INTO EMPLOYEE (Fname, Lname, Ssn, Bdate, Address, Sex, Salary, Super_ssn, Dno)
-> VALUES
-> ('James', 'Borg', '888665555', '1937-11-10', '450 Stone, Houston TX', 'M', 55000, NULL, 1),
-> ('Jennifer', 'Wallace', '987654321', '1941-06-20', '291 Berry, Be llaire TX', 'F', 43000, '888665555', 4),
-> ('Franklin', 'Wong', '333445555', '1965-12-08', '638 Voss, Housto n TX', 'M', 40000, '888665555', 5); Query OK, 3 rows affected (0.02 sec)
Records: 3 Duplicates: 0 Warnings: 0

mysql> INSERT INTO EMPLOYEE (Fname, Lname, Ssn, Bdate, Address, Sex, Salary, Super_ssn, Dno)
-> VALUES
-> ('John', 'Smith', '123456789', '1965-01-09', '731 Fondren, Housto n TX', 'M', 30000, '333445555', 5),
-> ('Alicia', 'Zelaya', '999887777', '1968-01-19', '3321 Castle, Spr ing TX', 'F', 25000, '987654321', 4),
-> ('Ramesh', 'Narayan', '6668844444', '1962-09-15', '975 Fire Oak, H umble TX', 'M', 38000, '333445555', 5),
-> ('Joyce', 'English', '453453453', '1972-07-31', '5631 Rice, Houst on TX', 'F', 25000, '333445555', 5),
-> ('Ahmad', 'Jabbar', '987987987', '1969-03-29', '980 Dallas, Houst on TX', 'M', 25000, '987654321', 4);
Query OK, 5 rows affected (0.02 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO PROJECT (Pname, Pnumber, Plocation, Dnum)
         -> VALUES
-> VALUES
-> ('ProductX', 1, 'Bellaire', 5),
-> ('ProductY', 2, 'Sugarland', 5),
-> ('ProductZ', 3, 'Houston', 5),
-> ('Computerization', 10, 'Stafford', 4),
-> ('Reorganization', 20, 'Houston', 1),
-> ('Newbenefits', 30, 'Stafford', 4);
Query OK, 6 rows affected (0.02 sec)
 Records: 6 Duplicates: 0 Warnings: 0
 mysql> INSERT INTO WORKS_ON (Essn, Pno, Hours)
-> VALUES
-> ('123456789', 1, 32.5),
-> ('123456789', 2, 7.5),
-> ('6668844444', 3, 40.0),
-> ('453453453', 1, 20.0),
-> ('453453453', 2, 20.0),
-> ('333445555', 2, 10.0),
-> ('333445555', 3, 10.0),
-> ('333445555', 10, 10.0),
-> ('333445555', 20, 10.0),
-> ('999887777', 30, 30.0),
-> ('999887777', 10, 10.0),
-> ('987987987', 10, 35.0),
-> ('987987987', 30, 5.0),
-> ('987654321', 30, 20.0),
-> ('987654321', 20, 15.0),
-> ('888665555', 20, NULL);
ERROR 1048 (23000): Column 'Hours' cannot be null
mysql> DELETE FROM WORKS_ON WHERE Essn = '888665555'
         -> VALUES
 mysql> DELETE FROM WORKS_ON WHERE Essn = '888665555' AND Pno = 20;
 Query OK, 0 rows affected (0.02 sec)
mysql> UPDATE WORKS_ON
          -> SET Hours = 0 -- or another appropriate value
          -> WHERE Essn = '888665555' AND Pno = 20;
 Query OK, 0 rows affected (0.02 sec)
 Rows matched: 0 Changed: 0 Warnings: 0
```

```
mysql> INSERT INTO WORKS_ON (Essn, Pno, Hours)
-> VALUES
-> ('123456789', 1, 32.5),
-> ('123456789', 2, 7.5),
-> ('6668844444', 3, 40.0),
-> ('453453453', 1, 20.0),
-> ('453453453', 2, 20.0),
-> ('333445555', 2, 10.0),
-> ('333445555', 10, 10.0),
-> ('333445555', 20, 10.0),
-> ('999887777', 30, 30.0),
-> ('999887777', 10, 10.0),
-> ('987987987', 10, 35.0),
-> ('987987987', 30, 5.0),
-> ('987654321', 30, 20.0),
-> ('987654321', 20, 15.0);
Query OK, 15 rows affected (0.02 sec)
Records: 15 Duplicates: 0 Warnings: 0
            -> VALUES
 mysql> INSERT INTO DEPENDENT (Essn, Dependent_name, Sex, Bdate, Relationship
            -> VALUES
                             ('333445555', 'Alice', 'F', '1986-04-04', 'Daughter'),
('333445555', 'Theodore', 'M', '1983-10-25', 'Son'),
('333445555', 'Joy', 'F', '1958-05-03', 'Spouse'),
('987654321', 'Abner', 'M', '1942-02-28', 'Spouse'),
('123456789', 'Michael', 'M', '1988-01-04', 'Son'),
('123456789', 'Alice', 'F', '1988-12-30', 'Daughter'),
('123456789', 'Elizabeth', 'F', '1967-05-05', 'Spouse');
 Query OK, 7 rows affected (0.02 sec)
 Records: 7 Duplicates: 0 Warnings: 0
 mysql> INSERT INTO DEPT_LOCATIONS (Dnumber, Dlocation)
            -> VALUES
                              (1, 'Houston'),
(4, 'Stafford'),
(5, 'Bellaire'),
            ->
            ->
            ->
                              (5, 'Houston'),
(5, 'Sugarland');
            ->
 Query OK, 5 rows affected (0.02 sec)
```

Display the tables:

```
mysql> SELECT * FROM DEPARTMENT;
                Dnumber | Mgr_ssn
 Dname
                                     | Mgr_start_date
                  1 | 888665555 | 1981-06-19
4 | 987654321 | 1995-01-01
 Headquarters
  Administration |
 Research
                      5 | 333445555 | 1988-05-22
3 rows in set (0.02 sec)
mysql> SELECT * FROM EMPLOYEE;
            Minit | Lname | Ssn
                                       Bdate
 Fname
                                                Address
  | Sex | Salary | Super_ssn | Dno |
            NULL | Smith | 123456789 | 1965-01-09 | 731 Fondren, Houston
John
            30000.00 | 333445555 | 5 |
 TX | M
            NULL | Wong | 333445555 | 1965-12-08 | 638 Voss, Houston TX
Franklin
   M
            40000.00 | 888665555 | 5 |
            NULL | English | 453453453 | 1972-07-31 | 5631 Rice, Houston T
Joyce
            25000.00 | 333445555 | 5 |
  ÌF
            NULL | Narayan | 6668844444 | 1962-09-15 | 975 Fire Oak, Humble
Ramesh
            38000.00 | 333445555 | 5 |
TX | M
            NULL | Borg | 888665555 | 1937-11-10 | 450 Stone, Houston T
James
            55000.00 | NULL
                             | 1 |
  M
            NULL | Wallace | 987654321 | 1941-06-20 | 291 Berry, Bellaire
Jennifer
TX | F
            43000.00 | 888665555 | 4 |
Ahmad
            NULL | Jabbar | 987987987 | 1969-03-29 | 980 Dallas, Houston
TX | M
            25000.00 | 987654321 | 4 |
            NULL | Zelaya | 999887777 | 1968-01-19 | 3321 Castle, Spring
Alicia
TX | F
            25000.00 | 987654321 | 4 |
8 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM PROJECT;
                     Pnumber | Plocation
                                             Dnum
  Pname
  ProductX
                                Bellaire
                           1
                                                5
  ProductY
                                Sugarland
                           2
                                                5
  ProductZ
                                                5
                           3
                                Houston
                                Stafford
 Computerization
                                                4
                          10
 Reorganization
                          20
                                Houston
                                                1
  Newbenefits
                          30
                               Stafford
                                                4
6 rows in set (0.00 sec)
mysql> SELECT * FROM WORKS_ON;
  Essn
               Pno
                     Hours
  123456789
                 1
                      32.5
  123456789
                 2
                       7.5
  333445555
                 2
                      10.0
                 3
                      10.0
  333445555
                10
                      10.0
  333445555
                      10.0
  333445555
                20
                      20.0
  453453453
                 1
  453453453
                 2
                      20.0
                 3
  666884444
                      40.0
                20
                      15.0
  987654321
  987654321
                30
                      20.0
  987987987
                10
                      35.0
                       5.0
  987987987
                30
  999887777
                10
                      10.0
  999887777
                30
                      30.0
```

15 rows in set (0.00 sec)

```
mysql> SELECT * FROM DEPENDENT;
 Essn
              Dependent_name | Sex
                                      Bdate
                                                    Relationship
                                F
 123456789
              Alice
                                       1988-12-30
                                                     Daughter
  123456789
              Elizabeth
                                F
                                       1967-05-05
                                                     Spouse
  123456789
              Michael
                                М
                                       1988-01-04
                                                     Son
  333445555
              Alice
                                F
                                       1986-04-04
                                                     Daughter
                                F
  333445555
              Joy
                                       1958-05-03
                                                     Spouse
  333445555
              Theodore
                                М
                                       1983-10-25
                                                     Son
  987654321
              Abner
                                М
                                       1942-02-28
                                                     Spouse
7 rows in set (0.00 sec)
mysql> SELECT * FROM DEPT_LOCATIONS;
  Dnumber | Dlocation
            Houston
        1
        4
            Stafford
        5
            Bellaire
        5
            Houston
        5
            Sugarland
5 rows in set (0.00 sec)
```