

Chapter 1: Bioenergetics and Membrane Transport

Section 1.1 marker 1111. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 1.2 marker 1212. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 1.3 marker 1313. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 1.4 marker 1414. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 1.5 marker 1515. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 1.6 marker 1616. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Chapter 2: Bioenergetics and Membrane Transport

Section 2.1 marker 2121. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 2.2 marker 2222. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 2.3 marker 2323. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 2.4 marker 2424. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 2.5 marker 2525. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 2.6 marker 2626. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Chapter 3: Bioenergetics and Membrane Transport

Section 3.1 marker 3131. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 3.2 marker 3232. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 3.3 marker 3333. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 3.4 marker 3434. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 3.5 marker 3535. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 3.6 marker 3636. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Chapter 4: Bioenergetics and Membrane Transport

Section 4.1 marker 4141. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 4.2 marker 4242. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 4.3 marker 4343. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 4.4 marker 4444. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 4.5 marker 4545. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 4.6 marker 4646. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Chapter 5: Bioenergetics and Membrane Transport

Section 5.1 marker 5151. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 5.2 marker 5252. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 5.3 marker 5353. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 5.4 marker 5454. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 5.5 marker 5555. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 5.6 marker 5656. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Chapter 6: Bioenergetics and Membrane Transport

Section 6.1 marker 6161. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 6.2 marker 6262. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 6.3 marker 6363. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 6.4 marker 6464. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 6.5 marker 6565. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 6.6 marker 6666. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Chapter 7: Bioenergetics and Membrane Transport

Section 7.1 marker 7171. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 7.2 marker 7272. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 7.3 marker 7373. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 7.4 marker 7474. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 7.5 marker 7575. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 7.6 marker 7676. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Chapter 8: Bioenergetics and Membrane Transport

Section 8.1 marker 8181. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 8.2 marker 8282. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 8.3 marker 8383. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 8.4 marker 8484. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 8.5 marker 8585. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

Section 8.6 marker 8686. The mitochondrion is the organelle responsible for oxidative phosphorylation, the process by which adenosine triphosphate is synthesised from a proton gradient maintained across the inner membrane. Chemiosmotic coupling explains how this electrochemical potential is transduced into chemical bond energy.

