

Document Summary TASK-9683AEF1

Analysis & Generated Response

Certainly! Below is an example of a simple HTML login page that includes basic form elements for username and password input, as well as a submit button.

```
``html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Login Page</title>
<style>
body {
font-family: Arial, sans-serif;
display: flex;
justify-content: center;
align-items: center;
height: 100vh;
margin: 0;
background-color: #f4f4f4;
}
.login-container {
background-color: white;
padding: 20px;
border-radius: 8px;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
width: 300px;
}
input[type="text"], input[type="password"] {
width: 100%;
padding: 12px;
```

```
margin-bottom: 8px;
border: 1px solid #ccc;
border-radius: 4px;
}
button {
width: 100%;
padding: 14px;
background-color: #007bff;
color: white;
border: none;
border-radius: 4px;
cursor: pointer;
}
</style>
</head>
<body>
<div class="login-container">
<h2>Login</h2>
<form action="/submit-login" method="post">
<label for="username">Username:</label>
<input type="text" id="username" name="username" required>
<label for="password">Password:</label>
<input type="password" id="password" name="password" required>
<button type="submit">Login</button>
</form>
</div>
</body>
</html>
...
```

Explanation:

1. HTML Structure:

- The `<!DOCTYPE html>` declaration defines the document type.
- `<html lang="en">` sets the language of the document to English and specifies the root element as HTML.
- `<head>` contains meta tags for character encoding,