

MySQL Workbench interface showing a SQL query and its execution results.

SQL Query:

```
1 CREATE DATABASE sales_performance;
2 use sales_performance;
3
4 -- Top 5 customers by Revenue
5 select C.Customer_ID,
6 C.Customer_Name,
7 C.Segment,
8 sum(F.Net_Sales) as Total_spent,
9 count(F.Order_ID) as Total_orders from fact_sales as F
10 join dim_customers as C
11 on F.Customer_ID = C.Customer_ID
12 group by C.Customer_ID, C.Customer_Name, C.Segment
13 order by Total_spent Desc limit 5;
```

Result Grid:

Customer_ID	Customer_Name	Segment	Total_spent	Total_orders
5096	Customer 5096	Consumer	52983.08	14
5291	Customer 5291	Corporate	44228.030000000006	12
5061	Customer 5061	Consumer	40084.380000000005	14
5270	Customer 5270	Home Office	38514.59	15
5050	Customer 5050	Corporate	38441.90000000001	11

Output:

#	Time	Action	Message	Duration / Fetch
21	18:40:13	CREATE DATABASE sales_performance	Error Code: 1007. Can't create database 'sales_performance'; database exists	0.094 sec
22	18:40:22	use sales_performance	0 row(s) affected	0.000 sec
23	18:40:27	select dim_customers.Customer_ID, dim_customers.Customer_Name, dim_customers.Segment, sumfact_sales...	Error Code: 1054. Unknown column 'dim_customers.Customer_ID' in field list	0.031 sec
24	18:42:01	select C.Customer_ID, C.Customer_Name, C.Segment, sumfact_sales.Net_Sales) as Total_spent, countfact...	Error Code: 1054. Unknown column 'fact_sales.Net_Sales' in field list	0.015 sec
25	18:42:34	select C.Customer_ID, C.Customer_Name, C.Segment, sum(F.Net_Sales) as Total_spent, count(F.Order_ID) as...	5 row(s) returned	0.047 sec / 0.000 sec
26	18:44:25	DROP DATABASE 'ecommerce'	7 row(s) affected	0.265 sec

MySQL Workbench interface showing a SQL query and its execution results.

SQL Query:

```
1 CREATE DATABASE sales_performance;
2 use sales_performance;
3
4 -- Top 5 products by Revenue and Quantity Sold
5
6 SELECT
7 p.product_name,
8 p.category,
9 SUM(f.quantity) AS total_units_sold,
10 ROUND(SUM(f.net_sales), 2) AS total_revenue,
11 ROUND(SUM(f.profit), 2) AS total_profit
12 FROM fact_sales f
13 JOIN dim_products p ON f.product_id = p.product_id
14 GROUP BY p.product_name, p.category
15 ORDER BY total_revenue DESC
16 LIMIT 5;
```

Result Grid:

product_name	category	total_units_sold	total_revenue	total_profit
Bookcases Pro	Furniture	1400	861776.99	185450.99
Monitors Pro	Technology	1373	725441.97	250672.3
Paper Reams Pro	Office Supplies	1358	645299.53	146628.35
Pens Pro	Office Supplies	1285	623041.72	178688.72
Headphones Pro	Technology	1335	607501.63	122149.03
Office Chairs Pro	Furniture	1454	547745.6	138342.82

Output:

#	Time	Action	Message	Duration / Fetch
22	18:40:22	use sales_performance	0 row(s) affected	0.000 sec
23	18:40:27	select dim_customers.Customer_ID, dim_customers.Customer_Name, dim_customers.Segment, sumfact_sales...	Error Code: 1054. Unknown column 'dim_customers.Customer_ID' in field list	0.031 sec
24	18:42:01	select C.Customer_ID, C.Customer_Name, C.Segment, sumfact_sales.Net_Sales) as Total_spent, countfact...	Error Code: 1054. Unknown column 'fact_sales.Net_Sales' in field list	0.015 sec

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

- Filter objects
- sales_performance
 - Tables
 - dim_customers
 - dim_products
 - dim_regions
 - fact_sales
 - Views
 - Stored Procedures
 - Functions
 - sys

SQL File 10" x fact_sales dim_regions dim_products dim_customers

```
1 CREATE DATABASE sales_performance;
2 use sales_performance;
3
4 -- View Top 10 Sales Records
5
6 SELECT *
7 FROM fact_sales
8 LIMIT 10;
```

Result Grid

Order_ID	Order_Date	Customer_ID	Product_ID	Quantity	Discount	Gross_Sales	Net_Sales	Total_Cost	Profit
ORD-100001	2026-06-13	5227	104	4	0.05	1120.84	1064.8	641.64	423.16
ORD-100002	2026-03-16	5290	102	5	0.2	165.95	132.76	119.75	13.01
ORD-100003	2025-12-09	5089	103	6	0.1	3562.2	3205.98	2074.74	1131.24
ORD-100004	2025-07-21	5184	106	2	0.15	831.24	706.55	563.14	143.41
ORD-100005	2026-05-23	5067	107	5	0.2	839.05	671.24	495.65	175.59
ORD-100006	2026-02-11	5120	113	11	0.15	2008.71	1707.4	1117.71	589.69
ORD-100007	2025-07-10	5004	105	11	0.15	5578.76	4741.95	3999.16	742.79
ORD-100008	2025-10-25	5098	107	11	0.2	1845.91	1476.73	1090.43	386.3
ORD-100009	2025-01-18	5186	112	14	0.2	647.08	517.66	472.64	45.02
ORD-100010	2025-01-10	5223	113	8	0.15	1460.88	1241.75	812.88	428.87

fact_sales 3 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
26	18:44:25	DROP DATABASE 'ecommerce'	7 row(s) affected	0.265 sec
27	18:47:25	SELECT p.product_name, p.category, SUM(p.quantity) AS total_units_sold, ROUND(SUM(p.net_sale...	14 row(s) returned	0.031 sec / 0.000 sec
28	18:50:37	SELECT * FROM fact_sales LIMIT 10	10 row(s) returned	0.015 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

- Filter objects
- sales_performance
 - Tables
 - dim_customers
 - dim_products
 - dim_regions
 - fact_sales
 - Views
 - Stored Procedures
 - Functions
 - sys

SQL File 10" x fact_sales dim_regions dim_products dim_customers

```
1 CREATE DATABASE sales_performance;
2 use sales_performance;
3
4 -- check Total Revenue & Profit
5
6 USE sales_performance;
7
8 SELECT
9 ROUND(SUM(gross_sales), 2) AS total_gross_sales,
10 ROUND(SUM(net_sales), 2) AS total_revenue,
11 ROUND(SUM(profit), 2) AS total_profit
12 FROM fact_sales;
13
```

Result Grid

total_gross_sales	total_revenue	total_profit
6690673.61	6016441.83	1667078.86

Result 6 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
32	19:00:28	SELECT ROUND(SUM(gross_sales), 2) AS total_gross_sales, ROUND(SUM(net_sales), 2) AS total_net...	1 row(s) returned	0.016 sec / 0.000 sec
33	19:02:51	CREATE DATABASE sales_performance	Error Code: 1007. Can't create database 'sales_performance': database exists	0.000 sec
34	19:02:56	SELECT ROUND(SUM(gross_sales), 2) AS total_gross_sales, ROUND(SUM(net_sales), 2) AS total_reve...	1 row(s) returned	0.016 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Table: dim_regions

Columns:

- Region_ID: bigint
- Region_Name: text
- Country: text
- Regional_Manager: text

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

sales_performance

Tables

dim_customers

dim_products

dim_regions

fact_sales

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Table: dim_regions

Columns:

Region_ID bigint

Region_Name text

Country text

Regional_Manager text

SQL File 10* x

fact_sales dim_regions dim_products dim_customers

Limit to 1000 rows

```
1 CREATE DATABASE sales_performance;
2 use sales_performance;
3
4 -- Customer who have not purchased in 2026 (inactive/ At-risk analysis)
5
6 USE sales_performance;
7 SELECT c.Customer_ID,c.Customer_Name,c.Segment,
8        MAX(f.Order_Date) AS Last_Order_Date
9 FROM Dim_Customers c
10 JOIN Fact_Sales f ON c.Customer_ID = f.Customer_ID
11 GROUP BY c.Customer_ID, c.Customer_Name, c.Segment
12 HAVING MAX(f.Order_Date) < '2026-01-01'
13 ORDER BY Last_Order_Date ASC;
```

Result Grid

Customer_ID	Customer_Name	Segment	Last_Order_Date
5123	Customer 5123	Consumer	2025-11-29
5125	Customer 5125	Consumer	2025-11-30
5300	Customer 5300	Corporate	2025-12-07
5020	Customer 5020	Home Office	2025-12-13
5210	Customer 5210	Home Office	2025-12-19
5086	Customer 5086	Corporate	2025-12-21

Result 7 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
33	19:02:51	CREATE DATABASE sales_performance	Error Code: 1007. Can't create database 'sales_performance': database exists	0.000 sec
34	19:02:56	SELECT ROUND(SUM(gross_sales), 2) AS total_gross_sales, ROUND(SUM(net_sales), 2) AS total_reve...	1 row(s) returned	0.016 sec / 0.000 sec
35	19:10:59	SELECT c.Customer_ID, c.Customer_Name, c.Segment, MAX(f.Order_Date) AS Last_Order_Date F...	12 row(s) returned	0.032 sec / 0.000 sec

Read Only Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

sales_performance

Tables

dim_customers

dim_products

dim_regions

fact_sales

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Table: dim_regions

Columns:

Region_ID bigint

Region_Name text

Country text

Regional_Manager text

SQL File 10* x

fact_sales dim_regions dim_products dim_customers

Limit to 1000 rows

```
1 CREATE DATABASE sales_performance;
2 use sales_performance;
3
4 -- Bulk sales performance
5
6 USE sales_performance;
7 SELECT f.Order_ID,p.Product_Name,f.Quantity,
8        f.Discount,f.Net_Sales,f.Profit
9 FROM Fact_Sales f
10 JOIN Dim_Products p ON f.Product_ID = p.Product_ID
11 WHERE f.Quantity BETWEEN 5 AND 10
12 ORDER BY f.Quantity DESC, f.Net_Sales DESC;
```

Result Grid

Order_ID	Product_Name	Quantity	Discount	Net_Sales	Profit
ORD-102315	Bookcases Pro	10	0.05	6499.33	1668.43
ORD-100354	Bookcases Pro	10	0.1	6157.26	1326.36
ORD-100411	Bookcases Pro	10	0.1	6157.26	1326.36
ORD-100473	Monitors Pro	10	0	5937	2479.1
ORD-100730	Monitors Pro	10	0	5937	2479.1
ORD-101536	Monitors Pro	10	0	5937	2479.1

Result 8 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
34	19:02:56	SELECT ROUND(SUM(gross_sales), 2) AS total_gross_sales, ROUND(SUM(net_sales), 2) AS total_reve...	1 row(s) returned	0.016 sec / 0.000 sec
35	19:10:59	SELECT c.Customer_ID, c.Customer_Name, c.Segment, MAX(f.Order_Date) AS Last_Order_Date F...	12 row(s) returned	0.032 sec / 0.000 sec
36	19:16:50	SELECT f.Order_ID,p.Product_Name,f.Quantity, f.Discount,f.Net_Sales,f.Profit FROM Fact_Sales f JOIN Di...	1000 row(s) returned	0.032 sec / 0.015 sec

Read Only Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.