$\times \quad \times$

SCX

SCX

SCX

July 2, 2026

Abstract

—— —— SCXState-Conditioned eXpertise—— ——
SCX $\omega(e)$ $HV(e)$——$I(Y; \mathrm{Identity} \mid S) = 0$Yajie ——“” *onus probandi* $MM{-}1$ $\exp(-2(M-1)\Delta^2)$——“” “” Chernoff-Hoeffding $(S, P, Y)\Delta_s$——“”
SCXYajieChernoff

1 SCX

1.1 ——

“”

H.L.A. Hart[?] [?] [?] “ ” “”
SCX—— ——
SCX “” “”
“” “”
??

Table 1: SCX

	SCX
s	
y	
E_m	//
$v_m(s) = \mathbf{1}[E_m(s) \neq y]$	/
Δ_s	
Yajie	/
Spring	/
F_1	

1.2 SCX

SCX[?]

Axiom 1.1 (——). *“”$s \in \mathcal{S}$*

Axiom 1.2 (——). *$M\{E_1, \ldots, E_M\}s$ $ysv_m(s)$ /*

Axiom 1.3 (——). *“” “”*

$$\Delta_s = p_{false,s} - p_{true,s} > 0 \tag{1}$$

$p_{true,s} = \mathbb{E}[v_m(s) \mid \textit{label is true}]$ $p_{false,s} = \mathbb{E}[v_m(s) \mid \textit{label is false}]$ $\Delta_s > 0$

Axiom 1.4 (Yajie——). *M Chernoff-Hoeffding “”*

1.3

(1) **§3**

$I(Y; \text{Identity} \mid S) = 0$

(2) **§4**Yajie

(3) **§5**M Chernoff-Hoeffding$M \to \infty$ $F_1 1$

(4) **§6**Δ_s $P \perp\!\!\!\perp \text{Identity} \mid S$

Honest Critique

2 SCX-Yajie

2.1

??

Table 2:

$s \in \mathcal{S}$		
$y \in \{0, 1\}$	1=/0=/	
E_m	m	m
$v_m(s)$	$\mathbf{1}[E_m(s) \neq y]$	
$C(s)$	$\sum_m v_m(s)$	
Δ_s	$p_{\text{false},s} - p_{\text{true},s}$	
M		
$(\cdot)$		/
F_1		

2.2 Yajie

YajieSCX[**?**]

Definition 2.1 (Yajie)**.** *Yajie*$\mathcal{G} = (\mathcal{N}, \mathcal{A}, u)$

(i) $\mathcal{N} = \{\mathit{Claimant}\} \cup \{E_1, \ldots, E_M\}$ M

(ii)

- $\sigma_C \in \Sigma_C$ $H \in \mathcal{H}$
- $E_m \sigma_m \in \Sigma_m$ $(s, (p)) v_m \in \{0, 1\}$

(iii)

$$u_C(\sigma_C, \boldsymbol{\sigma}_{-C}) = \begin{cases} +1, & \\ -c, & (c > 0) \\ -k, & (k > 1) \end{cases} \tag{2}$$

$$u_m(\sigma_m, \boldsymbol{\sigma}_{-m}) = \mathbf{1}[v_m = v^*] - \alpha \cdot \mathbf{1}[v_m \neq v_{majority}] \tag{3}$$

v^**ground truth*$\alpha \in [0, 1)$

Remark 2.2. $-\alpha \cdot \mathbf{1}[v_m \neq v_{\text{majority}}]$ Yajie$\alpha = 0$ $\alpha > 0$ $\alpha = 0$§7$\alpha > 0$

2.3 SCX

SCX

Theorem 2.3 (SCX Theorem 1——). *$M\Delta_s > 0F_1$*

$$\boxed{F_1 \geq 1 - \frac{1}{\eta}\sum_{s\in\mathcal{S}} \rho_s \cdot \exp\bigl(-2M\Delta_s^2\bigr)} \tag{4}$$

$\eta\rho_s s$

Theorem 2.4 (SCX Theorem 3——). *$W_A W_B$ $P_{W_A}(X,Y) = P_{W_B}(X,Y)$ “” “”*

SCX Theorem 2Theorem 4

3

——

3.1

testis unus, testis nullus

“”——

—— “” “”

SCX

3.2

Definition 3.1. *es*

$$\boxed{\omega(e;s) = \Delta_s^{\textit{with } e} - \Delta_s^{\textit{without } e}} \tag{5}$$

$e\omega(e;s) > 0$ $\omega(e;s) \leq 0$

Definition 3.2. *e*

(i) H_e

(ii) $V(e)$—— $(v_1^{(e)}, \ldots, v_{M_e}^{(e)}) \in \{0,1\}^{M_e}$ M_e

(iii) $I(e)$

$e_1 \equiv e_2 H_{e_1} = H_{e_2} V(e_1) = V(e_2)$ $I(e_1) = I(e_2)$

3.3

Theorem 3.3 (——). *$e_A e_B I(e_A) \neq I(e_B)$ $HVSCX$*

$$\boxed{\omega(e_A;s) = \omega(e_B;s), \quad \forall s \in \mathcal{S}} \tag{6}$$

$\omega(e;s)(H,V)I(e)$

$$\omega(e;s) = \omega(H,V;s) \tag{7}$$

3.4

Proof. **1SCX** SCXE_m

$$h_s = \phi(s) + (p) \tag{8}$$

$\phi : \mathcal{S} \to \mathbb{R}^d$: $\mathcal{P} \to \mathbb{R}^d$

$I(e)h_s$SCX (i) s(ii) P

2 SCX2.2.1[?] $\delta_s > 0$ $I(Y; P \mid S) > 0$——

I

$$I(Y; I \mid S) > 0 \tag{9}$$

IYS

$$I(Y; I \mid S) = 0 \tag{10}$$

“ ”

$I(Y; I \mid S) = 0$

$$\begin{aligned} I(Y; I \mid S) &= \mathbb{E}_S\left[\mathrm{D}_{\mathrm{KL}}(P_{Y,I|S} \| P_{Y|S} P_{I|S})\right] \\ &= \mathbb{E}_{S,I}\left[\mathrm{D}_{\mathrm{KL}}(P_{Y|S,I} \| P_{Y|S})\right] = 0 \end{aligned} \tag{11}$$

$s, i P_{Y|S=s,I=i} = P_{Y|S=s}$—— siY

3 Δ_s

$$\Delta_s = p_{\text{false},s} - p_{\text{true},s} = \mathbb{E}[v_m(s) \mid Y \text{ is false}] - \mathbb{E}[v_m(s) \mid Y \text{ is true}] \tag{12}$$

II Δ_s^I

$$\Delta_s^I = \Delta_s + \delta_s^I \tag{13}$$

δ_s^ISCX Theorem 1 δ_s[?]

$2 I(Y; I \mid S) = 0$

$$\delta_s^I = 0, \quad \forall s \in \mathcal{S} \tag{14}$$

δ_s^I—— $I(Y; I \mid S) = 0$ ——

4 HVe_Ae_B

(i) $HY\Delta_s$——I

(ii) $V\Delta_s$—— I

$\omega(e_A; s) = \omega(e_B; s) H_{e_A} = H_{e_B}$ $V(e_A) = V(e_B)$ □ □

[] **1–3**$I(Y; I \mid S) = 0$ $\delta_s^I = 0$**4** —— **SCXOpen Problem**

3.5

Corollary 3.4. *AB* ——

Corollary 3.5. *“”*

Corollary 3.6. *SCX (i)* $I(Y; \mathit{Identity} \mid S) > 0$—— *(ii)* ——

3.6 Honest Critique

[ ]

(1) 3 —— $\delta_s^I \neq 0$—— $I(Y; I \mid S) = 0$

(2) $I(Y; I \mid S) = 0$ “”

“”$I(Y; \text{Identity} \mid S) > 0$

(3) “”bare assertion ——$V(e)$

(4) $\omega(e; s) = \Delta_s^{\text{with } e} - \Delta_s^{\text{without } e}$

4

——

4.1

“*ei incumbit probatio qui dicit, non qui negat*”——

Yajie ——

4.2 Yajie

Yajie

Definition 4.1.

- $D H \in \mathcal{H} \mathcal{H}$
- Q “”

M DHH Q——

Definition 4.2. *H*

$$\lim_{M\to\infty} P(\mid H) = 1, \quad \lim_{M\to\infty} P(\mid H) = 1 \tag{15}$$

“”

4.3

Theorem 4.3 (——)**.** *Yajie$\mathcal{G}\Sigma_C = \{D, Q\}$ D “H”Q “”*

(i) $\boldsymbol{\sigma}_{-C}$

$$u_C(D, \boldsymbol{\sigma}_{-C}) \geq u_C(Q, \boldsymbol{\sigma}_{-C}) \tag{16}$$

(ii)

(iii) D Q

4.4

Proof. **1**Q QH “” “”

SCX$v_m sH$ sy

- ground truth
- “”—— “”
- Yajie$\Delta_s = 0$ $p_{\text{true},s} p_{\text{false},s}$

$\Delta_s = 0$ $M1/2$ $M \to \infty$

Q

$$\mathbb{E}[u_C(Q, \cdot)] = \frac{1}{2} \cdot 1 + \frac{1}{2} \cdot (-k) = \frac{1-k}{2} < 0 \quad (\ k > 1) \tag{17}$$

2D DHH $H\pi \in (0, 1)$

$Hp_{\text{accept}|\text{true}}$ $Hp_{\text{reject}|\text{false}}$ SCX Theorem 1Chernoff-Hoeffding

$$p_{\text{accept}|\text{true}} \geq 1 - \exp(-2M\Delta_s^2), \tag{18}$$
$$p_{\text{reject}|\text{false}} \geq 1 - \exp(-2M\Delta_s^2) \tag{19}$$

D

$$\mathbb{E}[u_C(D,\cdot)] = \pi \cdot \left[p_{\text{accept|true}} \cdot 1 + (1 - p_{\text{accept|true}}) \cdot (-c)\right] + (1-\pi) \cdot \left[p_{\text{reject|false}} \cdot (-c) + (1 - p_{\text{reject|false}}) \cdot (-k)\right] \tag{20}$$

3

$$\mathbb{E}[u_C(D,\cdot)] - \mathbb{E}[u_C(Q,\cdot)] \geq \pi \cdot [(1-\varepsilon_M)(1+c)] - (1-\pi) \cdot [\varepsilon_M(k-c)] \tag{21}$$

$\varepsilon_M = \exp(-2M\Delta_s^2)$Chernoff

$\Delta_s > 0 M \varepsilon_M \to 0$

$$\mathbb{E}[u_C(D,\cdot)] - \mathbb{E}[u_C(Q,\cdot)] \geq \pi(1+c) - o(1) > 0 \tag{22}$$

$\Delta_s = 0 D Q M \to \infty$ DQ

$$\mathbb{E}[u_C(D,\cdot)] - \mathbb{E}[u_C(Q,\cdot)] \geq \pi \cdot \frac{1+c}{2} - (1-\pi) \cdot \frac{k-c}{2} - \frac{1-k}{2} \tag{23}$$

$k\pi$

4 1–3$\Delta_s > 0 M k$ $u_C(D,\cdot) > u_C(Q,\cdot) u_C(D,\cdot) \geq u_C(Q,\cdot)$ $u_C(Q,\cdot) > u_C(D,\cdot) DQ$ □ □

[] **1–3SCX-Yajie** 2SCX Theorem 1Chernoff**??** 3MM

4.5

Corollary 4.4. *Yajie*D——

Corollary 4.5. Q ——

Corollary 4.6. Δ_s *Yajie* Q——

Corollary 4.7. k “”k $\Delta_s DQ$ “” “”——

4.6 Honest Critique

[ ]

(1) $M3M \to \infty$ $MM = 12DQ$ $\Delta_s \Delta_s = 0.05 M = 12$Chernoff $\varepsilon_M = \exp(-2 \times 12 \times 0.0025) \approx 0.94$—— DQ“”

(2) **??** $\alpha > 0$ $M_{\text{eff}} < M_{\text{nominal}}$ Chernoff

(3) H —— $c_H > 0$ Δ_s $\mathbb{E}[u_C(D,\cdot)] - c_H$—— “”

(4) “”**??** $M \to \infty M$ “”——$M \to \infty M = 12$

(5) πH——

5

——

5.1

“”

SCXM ——Chernoff-Hoeffding

5.2

Definition 5.1. *$M\{E_1,\ldots,E_M\}sy$ $mv_m(s)\in\{0,1\}$1=/0=/*

- $C(s)=\sum_{m=1}^{M} v_m(s)\in\{0,1,\ldots,M\}$
- $V_{maj}(s)=\mathbf{1}[C(s)>M/2]$
- $C(s)=1C(s)=M-1$—— $M-1$

5.3

Theorem 5.2 (——). *M “”$p_{true,s}<1/2$ “”$p_{false,s}>1/2$ $\Delta_s=p_{false,s}-p_{true,s}>0$*

(i) $C(s)=M-1M-1$ *1*

$$\boxed{P(C(s)\geq M-1\mid \textit{label true})\leq \exp\left(-2M\left(\frac{1}{2}-p_{true,s}\right)^2\right)} \tag{24}$$

(ii) $C(s)=1$*1* $M-1$

$$\boxed{P(C(s)\leq 1\mid \textit{label false})\leq \exp\left(-2M\left(p_{false,s}-\frac{1}{2}\right)^2\right)} \tag{25}$$

(iii)

$$\boxed{P(\textit{solo correct})\leq 2\cdot\exp\bigl(-2(M-1)\Delta_s^2\bigr)} \tag{26}$$

5.4

Proof. **1Chernoff-Hoeffding** $v_m\sim\text{Bernoulli}(p_{\text{true},s})$ $\{v_m\}C(s)=\sum_m v_m$ Chernoff-Hoeffding[**?**, **?**]$\varepsilon>0$

$$P\left(\frac{C(s)}{M}-p_{\text{true},s}\geq\varepsilon\right)\leq\exp(-2M\varepsilon^2) \tag{27}$$

2(i) $M-1C(s)\geq M-1$ $C(s)/M-p_{\text{true},s}\geq 1-1/M-p_{\text{true},s}$ $\varepsilon=1-1/M-p_{\text{true},s}\geq 1/2-p_{\text{true},s}M\geq 2$ $1-1/M\geq 1/2$

$$P(C(s)\geq M-1\mid \text{label true})\leq\exp\left(-2M\left(\frac{1}{2}-p_{\text{true},s}\right)^2\right) \tag{28}$$

$p_{\text{true},s}<1/2<1$

3(ii) $v_m\sim\text{Bernoulli}(p_{\text{false},s})p_{\text{false},s}>1/2$ $C(s)\leq 11$ $C(s)/M\leq p_{\text{false},s}-(p_{\text{false},s}-1/M)$ $\varepsilon=p_{\text{false},s}-1/M\geq p_{\text{false},s}-1/2M\geq 2$ $1/M\leq 1/2$

$$\begin{aligned}P(C(s)\leq 1\mid \text{label false})&=P\left(p_{\text{false},s}-\frac{C(s)}{M}\geq p_{\text{false},s}-\frac{1}{M}\right)\\&\leq\exp\left(-2M\left(p_{\text{false},s}-\frac{1}{2}\right)^2\right)\end{aligned} \tag{29}$$

4 (a) $1M-1$ (b) $1M-1$

(a)$\leq\exp(-2M(1/2-p_{\text{true},s})^2)\leq\exp(-2M(\Delta_s/2)^2)$ $p_{\text{false},s}-p_{\text{true},s}=\Delta_s p_{\text{true},s}<1/2<p_{\text{false},s}$ $1/2-p_{\text{true},s}\geq\Delta_s/2$

(b)$\leq\exp(-2M(p_{\text{false},s}-1/2)^2)\leq\exp(-2M(\Delta_s/2)^2)$ $p_{\text{false},s}-1/2\geq\Delta_s/2$

union bound

$$P(\text{solo correct}) \leq 2 \cdot \exp\left(-\frac{M\Delta_s^2}{2}\right) \leq 2 \cdot \exp\bigl(-2(M-1)\Delta_s^2\bigr) \tag{30}$$

$M \geq 2M/2 \geq 2(M-1)M \leq 4/3$ $M \geq 2M/2 \geq M-1M \leq 22(M-1)M \geq 2$ □ □

[] Chernoff-Hoeffding $2(M-1)M = 2, 3$ $MM\Delta_s^2/2$

5.5 F_1

Corollary 5.3 (F_1). *SCX Theorem 1*F_1

$$F_1 \geq 1 - \frac{1}{\eta}\sum_s \rho_s \exp(-2M\Delta_s^2) \geq 1 - \frac{1}{\eta} \cdot P(\textit{solo correct}) \tag{31}$$

$F_1 \to 1 P(\textit{solo correct}) \to 0$

5.6

Corollary 5.4. $M \geq 3\Delta_s \geq 0.3$ $2{\cdot}\exp(-2{\times}2{\times}0.09) \approx 2{\cdot}e^{-0.36} \approx 1.40$——$> 1 M \geq 12\Delta_s \geq 0.3$ $2 \cdot \exp(-2 \times 11 \times 0.09) \approx 2 \cdot e^{-1.98} \approx 0.28$ $M = 12M = 3$ $M = 12M = 3\Delta_s$

Corollary 5.5. *“”* $P(\textit{solo correct} \mid \textit{label false}) \leq \beta\beta = 0.05$

$$\boxed{M \geq 1 + \frac{\log(2/\beta)}{2\Delta_s^2}} \tag{32}$$

$\Delta_s = 0.2\beta = 0.05$ $M \geq 1 + \frac{\log(40)}{2\times0.04} \approx 1 + \frac{3.69}{0.08} \approx 47$—— *12*

Corollary 5.6. $M\exp(-2M\Delta_s^2)$ $\exp(-2\Delta_s^2)\Delta_s = 0.3$ $e^{-0.18} \approx 0.835$——*17% “”*

5.7 Honest Critique

[ ]

(1) Chernoff ys

$M_{\text{eff}} < M_{\text{nominal}}$ $\exp(-2M\Delta_s^2)$

(2) $\Delta_s\Delta_s$ Δ_s $M\Delta_s$ ——“Δ_s ”

(3) 2/3—— Chernoff “”

(4) $\{0, 1\}$ “70%”

6

——

6.1

“” “”

————**SCX**

6.2

Definition 6.1. *A*

$$\mathcal{E}(A) = (S_A, P_A, Y_A) \tag{33}$$

- S_A
- $P_A/$
- Y_A—— $P(Y \mid S_A, P_A)$

Definition 6.2. *AB*

$$P(Y \mid S_A = s, P_A = p) = P(Y \mid S_B = s, P_B = p), \quad \forall s, p \tag{34}$$

$S_A = S_B P_A = P_B$——(s, p)

6.3

Theorem 6.3 (——)**.** *AB**??**SCX*

$$\boxed{\Delta_s^{(A)} = \Delta_s^{(B)}, \quad \forall s \in \mathcal{S}} \tag{35}$$

$(s, p) SCX F_1$ AB

6.4

Proof. **1** Δ_s

$$\Delta_s = \mathbb{E}[v_m \mid \text{label false}] - \mathbb{E}[v_m \mid \text{label true}] \tag{36}$$

$E_m v_m = \mathbf{1}[E_m(h_s) \neq y] h_s = \phi(s) + (p)$ $E_m : \mathbb{R}^d \to \{0, 1\} \theta_m$

2 -(s, p)

$$P(Y = 1 \mid S = s, P = p, = A) = P(Y = 1 \mid S = s, P = p, = B) \tag{37}$$

SCXI—— $h_s = \phi(s) + (p) s p(s, p)$

$$P(Y \mid S = s, P = p, I = A) = P(Y \mid S = s, P = p, I = B) \tag{38}$$

3 $E_m h_s = \phi(s) + (p) \phi$ $I(s, p) h_s$

h_s

$$P(E_m(h_s) \neq y \mid \text{label false}, I = A) = P(E_m(h_s) \neq y \mid \text{label false}, I = B) \tag{39}$$

label true

4

$$\begin{aligned} \Delta_s^{(A)} &= \mathbb{E}[v_m \mid \text{label false}, I = A] - \mathbb{E}[v_m \mid \text{label true}, I = A] \\ &= \mathbb{E}[v_m \mid \text{label false}, I = B] - \mathbb{E}[v_m \mid \text{label true}, I = B] = \Delta_s^{(B)} \end{aligned} \tag{40}$$

□ □

[] SCX $I\phi$ I——

6.5

Corollary 6.4. *SCX ——ϕ*

Corollary 6.5. *$I h_s$——“” “”—— $I P(Y \mid S, P, I) = P(Y \mid S, P)$ Δ_s——*

Corollary 6.6. *SCX ϕI*

——

6.6 Honest Critique

[ ]

(1) (s,p) “”——s p SCX

(2) I proxy variables$s$“” “” II ——**input sanitization**

(3) **??** $P(Y \mid S=s, P=p)$ ——(s,p) “”- “”

(4) PP

$sp\Delta_s$—— $p\Delta_s p$ Δ_s“” ——

7 SCX

7.1

→ $(H,V)I$Yajie H——H IQ

→ H—— $H\Delta_s\Delta_s = 0$

→ $\Delta_s F_1$ Δ_s $+$ $=$

7.2

[?] “” “”SCX **??**

Table 3: SCX

	SCX	
veil of ignorance	Ih_s	$I(Y;I \mid S)=0$
original position	Yajie	
public reason	H +	Chernoff
primary goods	Δ_s	

“”SCX$I(Y;I \mid S)=0$ ——

7.3

[?] “”—— SCX$V(e)$ $\omega(e)$ ——
SCX$V(e)$

——

[?] “”Wigmorean charts——/ SCX$I(Y;P \mid S)$ /Chernoff
Posner[?] -SCX - “” ——$k>1$

8

8.1

??

8.2

??

Table 4: SCX

Theorem			
	$\omega(e)I$	[]	[]
	DQ	[]M	[]M
		[]	[]
	Δ_s	[]	[]

Table 5: SCX

SCX	
	HV
	Δ_s

8.3 Open Problem

(1) MM $MM = 12 M = 3$ DQ $\Delta_s > \Delta_{\min}(M, k, \pi)$

(2) **Chernoff** β-mixing copulaChernoffM_{eff}

(3) $I(Y; I \mid S, \tilde{I})$ $\tilde{I}I$ $I \not\perp\!\!\!\perp \tilde{I} \mid S$

(4) H “” vs. vs. **??**

(5) M $M\Delta_s$ ——

(6) **SCX** “”$\beta \approx 0.05$ “”$\beta \approx 0.5$ Yajie$k\pi$

(7) (a) “” (b) (c) $I(Y; I \mid S) \approx 0$

8.4

[ ]

SCX§2.1 “” “”

- s ——“ ” [?]
- —— “”
- $\Delta_s > 0$
  “”——y
- **Yajie** “”

“”

——

References

[1] SCX Project. Theorem 1–4: Multi-expert consistency, weak feature limits, unidentifiability, and minimax optimality. Technical report, `theory/theorems/`, 2026.

[2] SCX Project. Yajie Protocol: Game-theoretic foundations of multi-expert auditing. Technical report, `theory/yajie/`, 2026.

[3] SCX Project. Multi-head spring and positional encoding analysis: CC audit report. Technical report, `theory/self_evolution/multi_head_spring_and_positional_encoding_analysis.md`, 2026.

[4] SCX Project. Physical positional encoding (PPE) rigorous derivation in the SCX framework. Technical report, `theory/self_evolution/ppe_rigorous_derivation.md`, 2026.

[5] H. Chernoff. A measure of asymptotic efficiency for tests of a hypothesis based on the sum of observations. *Annals of Mathematical Statistics*, 23(4):493–507, 1952.

[6] M. J. Wainwright. *High-Dimensional Statistics: A Non-Asymptotic Viewpoint*. Cambridge University Press, 2019.

[7] T. M. Cover and J. A. Thomas. *Elements of Information Theory*, 2nd edition. Wiley, 2006.

[8] D. Fudenberg and J. Tirole. *Game Theory*. MIT Press, 1991.

[9] R. B. Myerson. *Game Theory: Analysis of Conflict*. Harvard University Press, 1997.

[10] H. L. A. Hart. *The Concept of Law*, 2nd edition. Oxford University Press, 1994.

[11] J. Rawls. *A Theory of Justice*. Harvard University Press, 1971.

[12] M. R. Damaska. *The Faces of Justice and State Authority*. Yale University Press, 1986.

[13] J. Bentham. *Rationale of Judicial Evidence*. Hunt and Clarke, 1827.

[14] J. H. Wigmore. *The Science of Judicial Proof*, 3rd edition. Little, Brown, 1937.

[15] R. A. Posner. *Economic Analysis of Law*, 9th edition. Wolters Kluwer, 2014.

[16] L. Laudan. *Truth, Error, and Criminal Law: An Essay in Legal Epistemology*. Cambridge University Press, 2006.

[17] H. L. Ho. *A Philosophy of Evidence Law: Justice in the Search for Truth*. Oxford University Press, 2008.

[18] P. Brooks. *Narrativity of the Law*. In *Law and Literature*, special issue, 2002.

[19] N. MacCormick. *Rhetoric and the Rule of Law*. Oxford University Press, 2005.

[20] W. Twining. *Rethinking Evidence: Exploratory Essays*, 2nd edition. Cambridge University Press, 2006.