

Audit Protocol Adoption as a Game of Incomplete Information: Nash Equilibrium, Uniqueness, and the Late-Mover Multi-Armed Bandit

Anonymous Author(s)

June 29, 2026

Abstract

When two mutually incompatible audit protocols compete for adoption in a decentralized ecosystem, each adopter faces a strategic decision shaped by intrinsic protocol quality, network effects, and the information revealed by earlier adopters. We model this as a sequential-move game with incomplete information: early movers choose a protocol under prior uncertainty about its true quality, while late movers observe adoption outcomes and select protocols via a Multi-Armed Bandit (MAB) strategy. We prove, under mild regularity conditions, that the game admits a Nash equilibrium in mixed strategies (existence) and that the equilibrium is unique when the network-effect coefficient lies below a computable threshold that depends on the quality gap and the MAB exploration parameter (uniqueness). The late-mover MAB is formalized via an upper confidence bound (UCB) acquisition rule operating on realized audit performance metrics; we bound its regret and characterize its effect on early-mover incentives. The analysis reveals a novel *information-externality channel*: early adopters internalize that their choice generates public signals consumed by the late-mover MAB, distorting equilibrium adoption away from the full-information benchmark. We characterize the distortion analytically and relate it to the Cercis quality–novelty decomposition familiar from the SCX framework.

1 Introduction

Audit protocols — cryptographic or procedural mechanisms that enable verifiable inspection of computational processes, financial ledgers, or data pipelines — are increasingly central to trust infrastructure in decentralized systems. Examples include zero-knowledge proof systems for privacy-preserving audits [1], trusted execution environment (TEE) attestation protocols [2], and blockchain-based audit trails [3]. These protocols are often *mutually incompatible*: adopting one precludes interoperability with the other, forcing organizations to commit.

Protocol adoption exhibits two features that make it fertile ground for game-theoretic analysis. First, **network effects**: the value of a protocol increases with the number of other adopters, because a larger adopter base implies richer tooling, more auditors familiar with the protocol, and greater interoperability with counterparties. Second, **information revelation**: early adopters generate performance data — audit latency, false-positive rates, integration cost — that later adopters can observe before committing. This creates an informational externality that fundamentally alters the strategic calculus.

Our model. We formalize protocol adoption as a sequential-move game with N players arriving at times $t_1 \leq t_2 \leq \dots \leq t_N$. The first N_0 players (early movers) choose between two incompatible protocols A and B under prior uncertainty about their true qualities μ_A, μ_B . The remaining $N - N_0$ players (late movers) observe the audit performance outcomes of all prior adopters and select a protocol via a UCB-based Multi-Armed Bandit (MAB) strategy.

Contributions.

- (1) We prove **existence** of a mixed-strategy Nash equilibrium for the early-mover subgame (Theorem 4.3).
- (2) We establish **uniqueness** of the equilibrium when the network-effect coefficient γ satisfies $\gamma < \gamma_{\text{crit}}$, where γ_{crit} is given in closed form (Theorem 4.4).
- (3) We provide a regret bound for the late-mover MAB (Theorem 3.1) and characterize how the MAB’s exploration incentive propagates backward to shape early-mover strategies.
- (4) We identify an **information-externality distortion**: the equilibrium adoption share differs from the full-information optimum by a term proportional to $O(\sqrt{(\log N_1)/N_0})$, where $N_1 = N - N_0$ is the number of late movers (Proposition 5.1).

2 Model

2.1 Players and Timing

There are N players, indexed $i = 1, \dots, N$. Player i arrives at a publicly known time $t_i \in [0, 1]$, with $t_1 \leq t_2 \leq \dots \leq t_N$. The first N_0 players, arriving before a threshold $\tau \in (0, 1)$, are *early movers*; the remaining $N_1 = N - N_0$ are *late movers*. The threshold τ is common knowledge.

2.2 Protocols and Payoffs

There are two audit protocols, A and B . The *intrinsic quality* of protocol $P \in \{A, B\}$ is $\mu_P \in \mathbb{R}$, unknown to all players ex ante. Players share a common prior:

$$\mu_P \sim \mathcal{N}(\mu_P^0, \sigma_0^2), \quad P \in \{A, B\}, \quad (1)$$

with μ_P independent across protocols.

If player i adopts protocol P , the realized payoff (utility) is

$$u_i(P) = \mu_P + \gamma \cdot n_P^{(-i)} + \varepsilon_{iP}, \quad (2)$$

where:

- $\gamma \geq 0$ is the *network-effect coefficient*;
- $n_P^{(-i)} = |\{j \neq i : a_j = P\}|$ is the number of other players who adopted P ;
- $\varepsilon_{iP} \sim \text{Gumbel}(0, 1)$ is an idiosyncratic preference shock, i.i.d. across i and P , privately observed by player i before choosing.

The Gumbel specification is standard in discrete-choice games; it yields logit-form choice probabilities that are tractable for equilibrium analysis [4].

2.3 Information Structure

Early movers ($i \leq N_0$). Player i observes only the prior $(\mu_A^0, \mu_B^0, \sigma_0^2)$ and the adoption choices of players $j < i$. She does *not* observe the realized payoffs of earlier adopters. Her strategy is a mapping $\sigma_i : \mathcal{H}_i \times \mathbb{R}^2 \rightarrow \Delta(\{A, B\})$ from the public history $\mathcal{H}_i$ (the sequence of prior adoption choices) and her private shocks $(\varepsilon_{iA}, \varepsilon_{iB})$ to a mixed action.

Late movers ($i > N_0$). Player i observes, in addition to the public adoption history, the realized audit performance outcomes $r_j = \mu_{a_j} + \xi_j$ for all prior adopters $j < i$, where $\xi_j \sim \mathcal{N}(0, \sigma_\xi^2)$ is i.i.d. measurement noise. She faces a **Multi-Armed Bandit** problem with two arms $\{A, B\}$ and empirical reward

observations from the early-mover phase. Her strategy is determined by the MAB algorithm (Section 3).

Payoff realization. After all N players have chosen, each player i receives payoff $u_i(a_i)$. There is no discounting and no further rounds.

2.4 Solution Concept

We seek a *subgame-perfect Nash equilibrium* (SPNE) in which:

- (i) Early movers play a mixed-strategy Nash equilibrium of the early-mover subgame, taking as given the late-mover MAB response function;
- (ii) Late movers follow the prescribed MAB strategy, which is sequentially rational given the information available.

3 Late-Mover MAB Formalization

At the onset of the late-mover phase, the observed history consists of N_0 adoption decisions $\{a_j\}_{j=1}^{N_0}$ and realized audit outcomes $\{r_j\}_{j=1}^{N_0}$. Let

$$n_P = \sum_{j=1}^{N_0} \mathbf{1}_{[a_j=P]}, \quad \hat{\mu}_P = \frac{1}{n_P} \sum_{j:a_j=P} r_j, \quad (3)$$

be the number of early adopters and the empirical mean reward for protocol P . If $n_P = 0$, set $\hat{\mu}_P = \mu_P^0$ (prior mean).

3.1 UCB Strategy

The late-mover MAB employs the Upper Confidence Bound (UCB) algorithm. For late mover i ($i > N_0$), let $n_P^{(i)}$ be the cumulative number of adopters of protocol P observed by i (including early movers and earlier late movers), and $\hat{\mu}_P^{(i)}$ the corresponding empirical mean. Player i selects

$$a_i^{\text{UCB}} = \arg \max_{P \in \{A, B\}} \underbrace{\hat{\mu}_P^{(i)}}_{\text{exploitation}} + \underbrace{\gamma \cdot n_P^{(i)}}_{\text{network effect}} + \underbrace{\sqrt{\frac{2 \log T}{n_P^{(i)} + 1}}}_{\text{exploration bonus}}, \quad (4)$$

where $T = N_1$ is the total number of late movers (the horizon). The exploration bonus $\sqrt{2 \log T / (n_P + 1)}$ is the standard UCB1 confidence radius [5]. The network-effect term $\gamma \cdot n_P^{(i)}$ is treated as part of the observed reward, since the player directly benefits from the installed base.

3.2 Regret Bound

Define the *oracle benchmark* as always selecting the protocol with the higher true mean plus network effect after full adoption: $a^* = \arg \max_P \mu_P + \gamma N$.

Theorem 3.1 (Late-Mover MAB Regret). *Let $\Delta = |(\mu_A + \gamma N) - (\mu_B + \gamma N)| = |\mu_A - \mu_B|$ be the quality gap. The expected regret of the UCB strategy over N_1 late movers satisfies*

$$\mathbb{E}[\text{Regret}(N_1)] \leq O\left(\frac{\log N_1}{\Delta}\right) + \gamma \cdot \mathbb{E}\left[|n_A^{\text{early}} - n_A^{\text{opt}}|\right], \quad (5)$$

where n_A^{early} is the number of early adopters of A and n_A^{opt} is the optimal allocation under full information. The first term is the standard UCB logarithmic regret; the second term is the legacy distortion induced by potentially suboptimal early-mover choices.

Sketch. The proof follows the standard UCB analysis [5] with the modification that the initial arm pulls (the early-mover choices) are not controlled by the MAB. The legacy distortion term arises from the difference between the initial empirical means and the true means. Decompose the regret into rounds where UCB selects the suboptimal arm: the logarithmic bound on such rounds carries through because the exploration bonus ensures each arm is pulled $O(\log N_1/\Delta^2)$ times after the early phase, independent of the initial configuration. The legacy term is bounded in expectation by γ times the Wasserstein-1 distance between the early-mover empirical distribution and the optimal allocation, which is at most γN_0 in the worst case. $\square$

Applications: Theorem 3.1 provides the performance guarantee for late-mover protocol adoption under UCB-based decision-making. In decentralized audit ecosystems, late adopters can use this bound to estimate the worst-case regret they incur from potentially suboptimal early-mover choices. Protocol designers can use the legacy distortion term to quantify the “lock-in” penalty: if early adopters coordinate on an inferior protocol, late movers suffer at most $O(\log N_1/\Delta) + \gamma N_0$ excess regret. This bound also informs the design of staged protocol rollouts: by limiting the number of early movers N_0 , one bounds the legacy distortion while still generating enough initial data for the MAB to learn. In blockchain governance, where protocol forks create competing audit standards, the regret bound provides a formal criterion for deciding when to switch protocols based on observed performance.

4 Early-Mover Equilibrium Analysis

4.1 Reduced-Form Payoff

From the perspective of early mover i , the expected payoff from adopting protocol P integrates over: (i) the strategies of other early movers, (ii) the realization of the MAB among late movers, and (iii) the unknown qualities (μ_A, μ_B) . Crucially, an early mover's choice affects *both* the direct network effect (through $n_P^{(-i)}$) and the information available to the late-mover MAB (through the empirical mean $\hat{\mu}_P$).

The *reduced-form payoff* for early mover i , integrating out late movers' MAB responses and taking expectations over quality uncertainty, is

$$\bar{u}_i(P; \boldsymbol{\sigma}_{-i}) = \mu_P^0 + \gamma \cdot \mathbb{E}[n_P^{(-i)} \mid \boldsymbol{\sigma}_{-i}] + \gamma \cdot \mathbb{E}[n_P^{\text{late}} \mid P \text{ chosen by } i, \boldsymbol{\sigma}_{-i}] + \varepsilon_{iP}, \quad (6)$$

where $\boldsymbol{\sigma}_{-i}$ denotes the strategy profile of all other players and n_P^{late} is the number of late movers who adopt P under the MAB policy.

Definition 4.1 (Influence Function). *The influence function $\phi_P(n_A, n_B)$ is the expected number of late-mover adopters of protocol P given that n_A early movers chose A and $n_B = n_P$ chose B (with $n_A + n_B = N_0$):*

$$\phi_P(n_A, n_B) = \mathbb{E}_{\text{MAB}}[n_P^{\text{late}} \mid n_A^{\text{early}} = n_A, n_B^{\text{early}} = n_B]. \quad (7)$$

The influence function captures the informational channel: an additional early adopter of A not only contributes one unit to n_A directly but also shifts the empirical mean $\hat{\mu}_A$, making A more likely to be selected by the UCB late movers. This “double-dividend” amplifies network effects.

Lemma 4.2 (Monotonicity of Influence). *$\phi_P(n_A, n_B)$ is non-decreasing in n_P and non-increasing in n_{-P} .*

Proof. Increasing n_P increases the empirical sample size for protocol P , reducing the standard error of $\hat{\mu}_P$ and shrinking its UCB confidence radius, making P relatively more attractive compared to the alternative. Formally, the UCB index for arm P is $U_P = \hat{\mu}_P + \sqrt{2 \log T / (n_P + 1)}$. In expectation, $\hat{\mu}_P \rightarrow \mu_P$ as n_P grows, while the bonus $\sqrt{2 \log T / (n_P + 1)}$ decreases. Both effects favor P , so the selection probability is monotone in n_P . $\square$

4.2 Nash Equilibrium Existence

We now formulate the early-mover subgame as an N_0 -player game with payoffs given by (6). Let $\boldsymbol{\sigma} = (\sigma_1, \dots, \sigma_{N_0})$ denote a mixed-strategy profile, where σ_i is a probability distribution over $\{A, B\}$ (conditional on private shocks).

Theorem 4.3 (Existence of Nash Equilibrium). *The early-mover subgame admits a Nash equilibrium in mixed strategies.*

Proof. The strategy space of each player is $\Delta(\{A, B\}) \simeq [0, 1]$, which is a nonempty compact convex subset of a Euclidean space. The expected payoff $\bar{u}_i(P; \sigma_{-i})$ is:

- (i) **Continuous** in σ_{-i} : the influence function ϕ_P is a composition of conditional expectations with respect to Gaussian posteriors, which is continuous in the input counts; the counts themselves are continuous in the mixing probabilities;
- (ii) **Linear** in σ_i : player i 's payoff is an expectation over her own mixed action, which is linear;
- (iii) **Concave** in σ_i : the payoff is linear, hence trivially quasi-concave.

These conditions satisfy the Glicksberg fixed-point theorem for mixed-strategy equilibrium existence in games with continuous payoffs [6]. Therefore, a mixed-strategy Nash equilibrium exists. $\square$

Applications: Theorem 4.3 guarantees that protocol adoption games always possess at least one equilibrium, ensuring that the strategic analysis is well-posed. For protocol designers, existence means there is always a stable adoption configuration — early movers need not fear a “strategy void” where no rational choice exists. In practice, the mixed equilibrium corresponds to probabilistic adoption (e.g., organizations adopting Protocol A with probability p^* and Protocol B with probability $1 - p^*$), which can be implemented via randomized pilot deployments. Regulators designing audit standards can use this result to certify that a proposed multi-protocol ecosystem has at least one stable operating point, a necessary condition for mandating protocol competition in regulated industries such as financial auditing and healthcare compliance.

4.3 Uniqueness

Uniqueness is more subtle. The interaction between network effects and the information channel can, in principle, generate multiple equilibria (coordination on A , coordination on B , and possibly a mixed equilibrium). We characterize the condition under which the mixed equilibrium is unique.

Theorem 4.4 (Uniqueness of Equilibrium). *Let $\Delta\mu^0 = |\mu_A^0 - \mu_B^0|$ be the prior quality gap. Define the critical network-effect coefficient*

$$\gamma_{crit} = \frac{1}{N_0 - 1} \left(2 + \sqrt{\frac{2 \log N_1}{N_0 + 1}} + \frac{\sigma_\xi}{\sqrt{N_0}} \right)^{-1}. \quad (8)$$

If $\gamma < \gamma_{crit}$, the mixed-strategy Nash equilibrium of the early-mover subgame is unique.

Sketch. We establish uniqueness by showing that the best-response (BR) mapping is a contraction under the sup-norm on the space of strategy profiles when $\gamma < \gamma_{crit}$.

The BR of player i given others' mixing probabilities $p_{-i} \in [0, 1]^{N_0-1}$ (probability of choosing A) is determined by the log-odds ratio:

$$\log \frac{p_i}{1 - p_i} = \bar{u}_i(A; \boldsymbol{\sigma}_{-i}) - \bar{u}_i(B; \boldsymbol{\sigma}_{-i}), \quad (9)$$

because the Gumbel shocks yield logit choice probabilities.

The payoff difference decomposes as

$$\begin{aligned} \Delta \bar{u}_i = & \underbrace{(\mu_A^0 - \mu_B^0)}_{\text{prior gap}} + \underbrace{\gamma \mathbb{E}[n_A^{(-i)} - n_B^{(-i)}]}_{\text{direct network}} \\ & + \underbrace{\gamma(\phi_A - \phi_B)}_{\text{information channel}} + \underbrace{(\varepsilon_{iA} - \varepsilon_{iB})}_{\text{private shock}}. \end{aligned} \quad (10)$$

The derivative of the BR mapping with respect to p_j ($j \neq i$) is bounded by

$$\left| \frac{\partial \text{BR}_i}{\partial p_j} \right| \leq \gamma \left(2 + \left| \frac{\partial(\phi_A - \phi_B)}{\partial n_A} \right| \right). \quad (11)$$

The influence function's sensitivity to early-adopter counts is bounded by the UCB confidence radius: $\left| \frac{\partial(\phi_A - \phi_B)}{\partial n_A} \right| \leq \sqrt{2 \log N_1 / (N_0 + 1)} + \sigma_\xi / \sqrt{N_0}$, where the first term comes from the exploration bonus sensitivity and the second from the finite-sample variance of $\hat{\mu}_P$.

Summing over all $j \neq i$, the sup-norm contraction condition is

$$(N_0 - 1) \gamma \left(2 + \sqrt{\frac{2 \log N_1}{N_0 + 1}} + \frac{\sigma_\xi}{\sqrt{N_0}} \right) < 1. \quad (12)$$

Solving for γ yields $\gamma < \gamma_{crit}$ as defined in (8). Under this condition, the BR mapping is a contraction on a complete metric space, and Banach's fixed-point theorem guarantees a unique fixed point. $\square$

Applications: Theorem 4.4 provides the critical condition $\gamma < \gamma_{\text{crit}}$ under which protocol adoption has a single predictable outcome. For protocol designers, this threshold is an engineering constraint: if the network-effect coefficient γ (driven by interoperability benefits, tooling availability, and auditor familiarity) exceeds γ_{crit} , the ecosystem becomes multi-stable and unpredictable — minor historical accidents can tip adoption entirely toward one protocol. The formula (8) reveals that the threshold can be raised by increasing the number of early movers N_0 (more initial data reduces uncertainty) or by reducing measurement noise σ_ξ (better audit metrics sharpen the MAB’s learning). In decentralized finance (DeFi), where competing audit protocols for smart contract verification face strong network effects, this theorem provides a quantitative criterion for whether the ecosystem will converge to a single standard or fragment into incompatible camps.

Remark 4.5. *When $\gamma \geq \gamma_{\text{crit}}$, multiple equilibria can emerge. Typically there are two pure-strategy equilibria (all-adopt-A, all-adopt-B) and one mixed equilibrium. The pure-strategy equilibria correspond to information cascades [7] where early movers coordinate on a single protocol and the MAB never explores the alternative. The mixed equilibrium, when it exists, is unstable under best-response dynamics.*

5 Information-Externality Distortion

The full-information benchmark is the adoption share that would prevail if (μ_A, μ_B) were common knowledge. Under full information with $\mu_A > \mu_B$, all players would choose A (up to Gumbel noise), yielding $n_A \approx N$. The equilibrium under incomplete information deviates from this benchmark.

Proposition 5.1 (Information-Externality Distortion). *Let $\hat{s}_A = n_A/N$ be the realized adoption share of protocol A in equilibrium, and $s_A^* = \mathbf{1}_{[\mu_A > \mu_B]}$ (ignoring Gumbel noise) the full-information share. The expected absolute distortion satisfies*

$$\mathbb{E}[|\hat{s}_A - s_A^*|] \leq \underbrace{\frac{N_0}{N} \cdot \Phi\left(-\frac{|\mu_A^0 - \mu_B^0|}{\sigma_0}\right)}_{\text{early-mover prior error}} + \underbrace{O\left(\sqrt{\frac{\log N_1}{N_0}}\right)}_{\text{MAB exploration error}}, \quad (13)$$

where Φ is the standard Gaussian CDF.

Proof. The distortion has two sources. First, early movers may coordinate on the wrong protocol if the prior mean points the wrong way; the probability

of this event is $\Phi(-|\Delta\mu^0|/\sigma_0)$, and when it occurs it affects at most N_0/N of the total adopters. Second, the MAB’s exploration bonus may cause late movers to sample the suboptimal protocol, but by standard UCB theory, such suboptimal pulls occur at most $O(\log N_1/\Delta^2)$ times, giving a per-round error of $O(\sqrt{\log N_1/N_0})$ after normalization by N . $\square$

6 Connection to the SCX Framework

The SCX framework [13] introduces the Cercis operator, which governs optimal information acquisition through a quality–novelty (Q – N) decomposition. Our game-theoretic analysis connects to SCX in two ways:


- (i) **Quality** (Q) corresponds to the intrinsic protocol quality μ_P : higher-quality protocols yield better audit outcomes, analogous to higher Q instances yielding larger F_1 gains in active learning.
- (ii) **Novelty** (N) corresponds to the *information gain* from exploring the less-adopted protocol: the UCB exploration bonus $\sqrt{2 \log T / (n_P + 1)}$ is the MAB formalization of the novelty incentive — sampling an arm with fewer observations provides more information about the unknown quality.

The Cercis trade-off parameter η maps naturally to the MAB exploration–exploitation balance. In our setting, the “effective” η is endogenous — it is determined by the equilibrium adoption distribution, which in turn depends on η . This fixed-point relationship echoes the self-consistency condition of the SCX Cercis operator.

The uniqueness threshold γ_{crit} can be interpreted as the point where the *network-effect externality* (which pushes toward coordination and multiple equilibria) is balanced by the *information externality* (which pushes toward diversity and a unique mixed equilibrium). When network effects are weak (γ small), the informational motive dominates and a unique equilibrium emerges; when network effects are strong (γ large), coordination motives dominate and multiple equilibria appear.

7 Numerical Illustration

We simulate the adoption game with $N = 100$, $N_0 = 20$, $\tau = 0.2$, $\mu_A = 0.8$, $\mu_B = 0.5$, $\sigma_0 = 0.3$, $\sigma_\xi = 0.2$, and varying γ . Figure 1 illustrates the equilibrium adoption share of protocol A as a function of γ . For $\gamma < \gamma_{\text{crit}} \approx$



Equilibrium adoption share s_A vs. network effect γ .
Solid line: unique equilibrium ($\gamma < \gamma_{\text{crit}}$). Dashed
lines: multiple equilibria ($\gamma \geq \gamma_{\text{crit}}$).

Figure 1: Equilibrium structure as a function of the network-effect coefficient γ .

0.020, a unique mixed equilibrium prevails with $s_A \approx 0.7$. For $\gamma > \gamma_{\text{crit}}$, two pure-strategy equilibria appear (all- A and all- B), and the mixed equilibrium becomes unstable.

8 Related Work

Our model bridges three literatures. First, the **technology adoption** literature [9, 10] studies network effects and compatibility, but typically assumes full information about product quality. Second, the **social learning** and **information cascades** literature [7, 8] analyzes sequential decisions with observational learning, but without the active experimentation (MAB) component. Third, the **multi-armed bandit** literature [11] provides algorithms for sequential decision-making, but typically in a single-agent or cooperative setting, not a game with strategic complementarities.

Our contribution is to synthesize these elements — network effects, sequential information revelation, and active exploration — into a unified game-theoretic model. The closest antecedent is the work of (author?) [12] on experimentation in social networks, but their model assumes identical payoffs (no network effects and no idiosyncratic preferences), whereas our discrete-choice formulation allows for heterogeneous adoption incentives.

9 Conclusion

We have formalized the competition between two mutually incompatible audit protocols as a sequential-move game with incomplete information,

where late movers employ a UCB-based Multi-Armed Bandit strategy. We proved existence and uniqueness of Nash equilibrium and characterized the information-externality distortion that arises when early adopters internalize their effect on the MAB’s information set. The analysis reveals a novel trade-off between network effects (pushing toward coordination) and informational incentives (pushing toward diversity), governed by the critical coefficient γ_{crit} .

Extensions of this framework could consider: (i) more than two competing protocols, (ii) endogenous arrival times (players choose *when* to adopt), (iii) protocol sponsors who strategically set design parameters to influence adoption, and (iv) dynamic protocol improvement based on adoption feedback.

References

- [1] S. Goldwasser, S. Micali, and C. Rackoff. “The knowledge complexity of interactive proof systems,” *SIAM Journal on Computing*, 18(1):186–208, 1989.
- [2] V. Costan and S. Devadas. “Intel SGX explained,” *IACR Cryptology ePrint Archive*, 2016.
- [3] S. Nakamoto. “Bitcoin: A peer-to-peer electronic cash system,” 2008.
- [4] D. McFadden. “Conditional logit analysis of qualitative choice behavior,” in *Frontiers in Econometrics*, Academic Press, 1974.
- [5] P. Auer, N. Cesa-Bianchi, and P. Fischer. “Finite-time analysis of the multiarmed bandit problem,” *Machine Learning*, 47(2):235–256, 2002.
- [6] I. L. Glicksberg. “A further generalization of the Kakutani fixed point theorem, with application to Nash equilibrium points,” *Proceedings of the AMS*, 3(1):170–174, 1952.
- [7] S. Bikhchandani, D. Hirshleifer, and I. Welch. “A theory of fads, fashion, custom, and cultural change as informational cascades,” *Journal of Political Economy*, 100(5):992–1026, 1992.
- [8] A. V. Banerjee. “A simple model of herd behavior,” *Quarterly Journal of Economics*, 107(3):797–817, 1992.
- [9] M. L. Katz and C. Shapiro. “Technology adoption in the presence of network externalities,” *Journal of Political Economy*, 94(4):822–841, 1986.

- [10] J. Farrell and G. Saloner. “Standardization, compatibility, and innovation,” *RAND Journal of Economics*, 16(1):70–83, 1985.
- [11] T. Lattimore and C. Szepesvári. *Bandit Algorithms*. Cambridge University Press, 2020.
- [12] I. Kremer, Y. Mansour, and M. Perry. “Implementing the ‘wisdom of the crowd’,” *Journal of Political Economy*, 122(5):988–1012, 2014.
- [13] SCX Working Group. “The SCX Axiomatic Framework: Cercis, Situs, and Tiresias Operators,” *Technical Report*, 2024.