

SCX String-Unified Theory

$\sum g = 0$: The Gauge-Fixing Principle of the String Landscape

$\text{SCX } \sum g = 0 \text{ ———}$


Xiaogan Supercomputing Center (SCX)

`papers/scx.string_unified/main.tex`

Classification: SCX THEORY — STRING UNIFICATION

FINAL VERSION — 2026-07-02

SCX



The string landscape is a gauge orbit.

Moduli stabilization is gauge fixing.
 $\sum g = 0$ picks the unique physical vacuum.

$$\sum g = 0$$

Abstract

SCX moduli stabilization problem — 10^{500} — SCX $\sum g = 0$ string landscape — $\sum g = 0$

We establish a deep duality between string theory and the SCX unified field theory. The core finding: string theory's **moduli stabilization problem** — selecting one physical vacuum from 10^{500} Calabi-Yau vacua — is mathematically **equivalent** to SCX's $\sum g = 0$ **gauge-fixing problem**. The string landscape is not a collection of physically distinct theories; it is the **space of gauge-equivalent configurations** — all possible gauge choices form a giant gauge orbit. The $\sum g = 0$ condition picks the unique stable attractor from this orbit.

(1) (2) (3) $g \neq 0$ (4) (5) (6) D- (7) AdS/CFT SCX

We cover seven themes: (1) String Theory as Gauge Theory, (2) The Landscape as Audit Space, (3) SUSY Breaking as $g \neq 0$, (4) Compactification as Fiber Bundle, (5) Mirror Symmetry as Gauge Equivalence, (6) D-Branes as Audit Nodes, (7) AdS/CFT as Audit Duality. Each reveals an exact mathematical correspondence between string-theoretic structures and the SCX framework.

/Keywords: (String Landscape), (Moduli Stabilization), (Gauge Fixing), $\sum g = 0$, - (Calabi-Yau Compactification), (SUSY Breaking), (Mirror Symmetry), D- (D-Branes), AdS/CFT (AdS/CFT Duality), SCX (SCX Unified Field Theory)

Contents

1 SCX $\sum g = 0$

Foundations: SCX Gauge Theory and $\sum g = 0$

1.1 SCX

Definition 1.1 (SCX / SCX Gauge Theory). SCX Claim Bundle

$$\pi : \mathcal{P} \rightarrow \mathfrak{C} \quad (1)$$

- $\mathfrak{C} \longrightarrow /$
- $\mathcal{P} \xrightarrow{\mathbf{G}} \longrightarrow$
- $\mathbf{G} \longrightarrow U(1), SU(N)$

$$s : \mathfrak{C} \rightarrow \mathcal{P} \xrightarrow{\text{"}} \longrightarrow /$$

Definition 1.2 ($/ g_i /$ Attitude/Gauge Field g_i). $i g_i \in \mathfrak{g} g_i i$

$$g_i = \text{declared}_i - \text{actual}_i \in \mathfrak{g} \quad (2)$$

$$g_i = 0 = g_i \neq 0$$

Axiom 1.3 (SCX $\sum g = 0$ / SCX First Axiom).

$$\boxed{\sum_{i \in \mathfrak{C}} g_i = 0} \quad (3)$$

$$\longrightarrow \sum g = 0 \text{ SCX } \xrightarrow{\text{"}} \longrightarrow /$$

1.2 $\sum g = 0$

Proposition 1.4 ($/$ Gauge-Fixing Equivalence). $\sum g = 0$

$$F(\sigma) = d\omega + \frac{1}{2}[\omega \wedge \omega] = 0 \iff \sum_i g_i = 0 \quad (4)$$

$$D_\mu F^{\mu\nu} = 0 \iff \int_{\mathfrak{C}} g(x) d\mu(x) = 0 \quad (5)$$

KEY EQUATION

SCX

$$\boxed{\sum_{i=1}^N g_i = 0 \iff / \text{ System in global flat gauge}} \quad (6)$$

$$\boxed{D_\mu F^{\mu\nu} = 0 \iff - / \text{ Vacuum Yang-Mills Equation}} \quad (7)$$

2

Section I: String Theory as Gauge Theory

2.1

Definition 2.1 (/ String Landscape Bundle). 10

$$\mathbb{R}^{1,9} \rightarrow \mathbb{R}^{1,3} \times X_6 \tag{8}$$

X_6 -Calabi-Yau6- CY 4
SCX

$$\pi_{\text{string}} : \mathcal{P}_{\text{string}} \rightarrow \mathcal{M}_{\text{CY}} \tag{9}$$

- $\mathcal{M}_{\text{CY}}$ CY — CY
- $\mathcal{P}_{\text{string}}$ — $\mathcal{M}_{\text{CY}}$
- $F_x = \{ \text{CY } x \}$

Proposition 2.2 (/ Moduli as Gauge Parameters). CY

- **Kähler** t_i CY — Kähler
- z_a CY —
- - S —
- =

2.2 =

Theorem 2.3 (- / Moduli-Stabilization Gauge-Fixing Duality). SCX $\sum g = 0$

/ <i>Concept</i>	/ <i>String Theory</i>	SCX / SCX
	$\text{CY } \mathcal{M}_{\text{CY}}$	$\mathfrak{C}$
	ϕ^i	g_i
	$V(\phi)$	$\sum g \neq 0$
	$+$	$\sum g = 0$
	$\partial_i V = 0, \partial_i \partial_j V > 0$	$\sum g = 0$

/ *Proof Sketch.*

$$S_{\text{eff}} = \int d^4x \sqrt{-g} \left[\frac{1}{2} R - G_{ij}(\phi) \partial_\mu \phi^i \partial^\mu \phi^j - V(\phi) + \dots \right] \tag{10}$$

$\phi^i V(\phi)$ — gaugino $V(\phi)$
SCX $\sum g_i = 0$ $V(\phi) \sum g = 0$

□

40“” — KKLT. $\sum g = 0$

2.3

Proposition 2.4 (= / Flux = Gauge-Fixing Parameter). *IIB 3- F₃ H₃*

$$W_{flux} = \int_{X_6} G_3 \wedge \Omega \quad (11)$$

$$G_3 = F_3 - \tau H_3$$

$$\sum g = 0 = = g$$

Corollary 2.5 (KKLT SCX / KKLT in SCX). *KKLT Kachru-Kallosh-Linde-Trivedi*

1. ——— $\sum g_{CS} = 0$
2. *gaugino Kähler* ——— $\sum g_K = 0$
3. *D3- ——— $g_{up} \neq 0$* $\sum g = 0$
- 3 *g ——— de Sitter* $\sum g \neq 0$

3

Section II: The Landscape as Audit Space

3.1

Definition 3.1 (/ Redefining the Landscape). 10^{500}
 $\text{SCX } 10^{500} \text{ — } 10^{500} \text{ “”}$

1. S
- 2.

SCX / The Core SCX Audit Question

$V_1 V_2 \text{ SCX } M > 1$

3.2 Cercis

Definition 3.2 (Cercis / Cercis Between String Vacua). $V_1 V_2 \text{ Cercis}$

$$\text{Cercis}(V_1, V_2) = \sum_{\mathcal{O} \in} w_{\mathcal{O}} \cdot |\langle \mathcal{O} \rangle_{V_1} - \langle \mathcal{O} \rangle_{V_2}| \quad (12)$$

$\langle \mathcal{O} \rangle_V V w_{\mathcal{O}} M$

- $\text{Cercis}(V_1, V_2) = 0 V_1 V_2$
- $\text{Cercis}(V_1, V_2) > 0 V_1 V_2$

Theorem 3.3 (Cercis / Cercis Classification of the Landscape). *gauge equivalence classes*

$$/V] : \text{Cercis}(V, V') = 0 \text{ for all } V, V' \in [V] \} \quad (13)$$

$[V] \ 10^{500} \ 10^{500}$

$10^{500} \text{ — } \text{SCX Cercis}$
 $\text{“}10^{500} \text{ ”}$

3.3 S

Proposition 3.4 (S / Gauge Invariance of S-Matrix). $S \text{ SCX } S$

$$S[V] = S[V'] \quad \text{Cercis}(V, V') = 0 \quad (14)$$

$S \text{ SCX } S \text{ SCX } \text{“”} \text{—}$

Corollary 3.5 (/ Landscape Reduction Theorem).

$$|/10^{500}(15)$$

$S \text{ CY}$

4 $g \neq 0$

Section III: SUSY Breaking as $g \neq 0$

4.1 $\sum g = 0$

Definition 4.1 ($\sum g = 0$ / SUSY Vacuum = $\sum g = 0$). = 1

$$D_i W = 0 \quad F_i = 0, \quad D^a = 0 \quad D = 0 \quad (16)$$

W $D_i = \partial_i + K_i$ Kähler
SCX $\sum g = 0$

$$D_i W = 0 \quad \forall i \quad \Longleftrightarrow \quad \sum_i g_i = 0 \quad (17)$$

—— “” g_i

4.2

Theorem 4.2 (SUSY = $g_{\text{break}} \neq 0$ / SUSY Breaking = $g \neq 0$). g

$$\langle F \rangle \neq 0 \quad \langle D \rangle \neq 0 \quad \Longleftrightarrow \quad \exists i : g_i \neq 0 \quad (18)$$

$M_{\text{SUSY}} g$

$$M_{\text{SUSY}} \propto \|\mathbf{g}\| = \sqrt{\sum_i |g_i|^2} \quad (19)$$

/ Intuitive Proof.

$$V = \sum_i |F_i|^2 + \frac{1}{2} \sum_a (D^a)^2 \geq 0 \quad (20)$$

$V = 0 \quad F_i = 0 \quad D^a = 0$ —— $\sum g = 0 \quad V > 0 \quad F_i \neq 0 \quad D^a \neq 0$ —— $\mathbf{g} \neq 0$
 $M_{\text{SUSY}} \sim V^{1/4} \sim \|\mathbf{g}\|^{1/2}$ □

4.3 $\|g\|$

Proposition 4.3 (SCX / SCX Answer to the Hierarchy Problem). $\sim 100 \text{ GeV} \sim 10^{19} \text{ GeV} \sim 10^{17}$

SCX $\|g\|_{EW}$

$$\frac{M_{EW}}{M_{Pl}} \sim 10^{-17} \quad \Longleftrightarrow \quad \frac{\|g_{\text{break}}\|}{\|g_{\text{max}}\|} \sim 10^{-17} \quad (21)$$

$\sum g = 0 \quad \|g\| \quad \sum g = 0$ ——

/ Attractor Explanation

$\sum g = 0$ —— $\|g\|$ ——

40 “” ——

SCX $\sum g = 0$ SUSY “” ——

5

Section IV: Compactification as Fiber Bundle

5.1 -

Definition 5.1 (CY / CY Compactification as Fiber).

$$\mathbb{R}^{1,9} \rightarrow \mathbb{R}^{1,3} \times X_6 \quad (22)$$

SCX

$$\begin{array}{ccc} X_6 & \hookrightarrow & \mathcal{P}_{\text{total}} \\ & & \downarrow \pi \\ & & \mathbb{R}^{1,3} \text{ (4D spacetime)} \end{array} \quad (23)$$

$$\mathbb{R}^{1,3} \text{ 4 } X_6 \text{ CY 6- } X_6$$

Remark 5.2. CY $\phi^i(x)$ 4 x 4

5.2 = Situs

Theorem 5.3 (Zamolodchikov = Situs / Zamolodchikov = Situs). *Zamolodchikov*

$$G_{i\bar{j}}(\phi) = \partial_i \partial_{\bar{j}} K(\phi, \bar{\phi}) \quad (24)$$

K Kähler SCX **Situs**

$$d_{\text{Situs}}(V_1, V_2) = \sqrt{G_{i\bar{j}} \delta \phi^i \delta \bar{\phi}^{\bar{j}}} \quad (25)$$

$$G_{i\bar{j}} \text{ CY } G_{i\bar{j}} \rightarrow \infty$$

/ *Argument.* Zamolodchikov

$$G_{i\bar{j}} = \frac{\langle \mathcal{O}_i(1) \mathcal{O}_{\bar{j}}(0) \rangle}{\langle \mathcal{O}_i \mathcal{O}_{\bar{j}} \rangle} \quad (26)$$

CFT — SCX Situs Situs □

5.3

Proposition 5.4 (= / Moduli Geodesics = Audit Paths).

$$\frac{d^2 \phi^i}{dt^2} + \Gamma_{jk}^i \frac{d\phi^j}{dt} \frac{d\phi^k}{dt} = 0 \quad (27)$$

SCX — Situs

Definition 5.5 (/ Curvature of Moduli Space). $R_{i\bar{j}}$ “” — SCX Cercis

6

Section V: Mirror Symmetry as Gauge Equivalence

6.1

Definition 6.1 (/ Mirror Symmetry). - $X \ X^\vee$

- $X \text{ IIA } X^\vee \text{ IIB}$
- $h^{1,1}(X) = h^{2,1}(X^\vee) \ h^{2,1}(X) = h^{1,1}(X^\vee)$
-

Theorem 6.2 (= / Mirror Symmetry = Gauge Equivalence). SCX

$$\text{IIA on } X \cong \text{IIB on } X^\vee \iff X \ X^\vee \quad (28)$$

$$\text{Cercis}(\text{IIA on } X, \text{IIB on } X^\vee) = 0 \quad (29)$$

$S \ SCX$

/ *Argument.* $SCX \ S_1 \ S_2 \ U \in \ S_1 \ S_2 \iff \text{Cercis}(S_1, S_2) = 0$
 $X \ X^\vee \ SCX \ \text{Cercis}$
 $X \leftrightarrow X^\vee \text{ --- IIA } \leftrightarrow \text{IIB, Kähler } \leftrightarrow$

□

6.2

Proposition 6.3 (/ Group Structure of Mirror Maps). $(\mathcal{M}_{CY})(30)$
 CY

$$\mathcal{M}_{CY}/ \quad (31)$$

Corollary 6.4 (/ Mirror Symmetry as Audit Tool). $scx^{“”}$
 $= 10^{500}$

/ Mirror Audit Protocol

1. $CY \ X \ \text{Hodge } (h^{1,1}, h^{2,1})$
2. $CY \ X^\vee \ (h^{1,1}, h^{2,1})$
3. $\text{Cercis}(\text{IIA on } X, \text{IIB on } X^\vee)$
4. $\text{Cercis} = 0 \ (X, X^\vee)$
- 5.

7 D-

Section VI: D-Branes as Audit Nodes

7.1 D-

Definition 7.1 (D- / D-Branes). $Dp-$ $(p + 1)$ N D- $U(N)$

$$\text{Stack of } N \text{ D-branes} \implies U(N) \text{ gauge theory} \quad (32)$$

Theorem 7.2 (D- = / D-Brane = Audit Node). SCX D- N D- $U(N)$ $M = N$

$$U(N) \text{ on } N \text{ D-branes} \iff N \text{ SCX} \quad (33)$$

<i>D- / D-Brane Physics</i>	<i>SCX / SCX Audit</i>
$D-$ N D- $U(N)$ <i>Chan-Paton</i> $D-$ A_μ <i>D-Higgs</i> $D-$	N g_i

7.2 D-

Proposition 7.3 ($U(N)$ / $U(N)$ as Audit Group). N D- $U(N)$

$$U(N) \cong U(1) \times SU(N)/\mathbb{Z}_N \quad (34)$$

SCX

• $U(1)$ “” — — /

• $SU(N)$

$\sum g = 0$ $U(N)$

$$\sum_{a=1}^{N^2-1} g^a = 0 \quad g^{U(1)} = 0 \quad (35)$$

$SU(N)$ $U(1)$

7.3 D- =

Proposition 7.4 (D- = / DBI Action = Audit Action). $D-$ *Dirac-Born-Infeld* (DBI)

$$S_{DBI} = -T_p \int d^{p+1} \xi e^{-\Phi} \sqrt{-\det(G_{ab} + B_{ab} + 2\pi\alpha' F_{ab})} \quad (36)$$

SCX

• G_{ab} *Situs*

- B_{ab} “”
- F_{ab} “”——Cercis

$$D\text{-}S_{DBI}=\sum g=0$$

Corollary 7.5 (T- / T-Duality as Audit Duality). *T- D-Dirichlet* $\leftrightarrow$ *Neumann*

$$Dp\text{ on }S^1_R\;\longleftrightarrow\;D(p-1)\text{ on }S^1_{\alpha'/R}\tag{37}$$

$$SCX\;T\text{---}$$

8 AdS/CFT

Section VII: AdS/CFT as Audit Duality

8.1 AdS/CFT

Definition 8.1 (AdS/CFT / AdS/CFT Duality). AdS/CFT Maldacena, 1997

$$\text{IIB on } AdS_5 \times S^5 \iff = 4 \text{ } SU(N) \text{ - on } \partial(AdS_5) \quad (38)$$

CFT $N \rightarrow \infty$ N

Theorem 8.2 (AdS/CFT = / AdS/CFT = Audit Duality). *AdS/CFT SCX Yajie*

$$CFT = \text{bulk } AdS \quad (39)$$

<i>AdS/CFT / AdS/CFT</i>	<i>SCX / SCX Audit</i>
<i>Bulk</i> AdS_5	
$CFTM \rightarrow \infty$	<i>Yajie</i> $M \rightarrow \infty$
$Z_{grav}[\phi_0] = Z_{CFT}[\phi_0]$	
<i>Bulk</i> $\rightarrow$	$\rightarrow$
$1/N$	$1/M$
<i>Bulk</i>	Cercis
$S_{EE} = \text{Area}/4G$	$C_{audit} \propto \text{Cercis}$

8.2 = Yajie

Proposition 8.3 (= / Holographic Dictionary = Audit Map).

$$\langle e^{\int \phi_0 \mathcal{O}} \rangle_{CFT} = Z_{string}[\phi|_{z=0} = \phi_0] \quad (40)$$

SCX Yajie

- ϕ_0 “”
- $\mathcal{O}$
- $Z_{string}[\phi_0]_{bulk}$
- $= g = 0$

$M \rightarrow \infty$ N — *Yajie*

8.3 $M \rightarrow \infty$

Theorem 8.4 (/ Perfect Audit Theorem). $M \rightarrow \infty$ CFT $N \rightarrow \infty$

$$\lim_{M \rightarrow \infty} \text{Cercis}(,) = 0 \quad (41)$$

AdS/CFT SCX

$$N \rightarrow \infty, \lambda = g_{YM}^2 N \implies \text{bulk} \quad (42)$$

SCX $\implies \implies$

Corollary 8.5 (M / Finite M Corrections). $1/M$ — *AdS/CFT* $1/N$

$$\text{Cercis}_{finite\ M} = \text{Cercis}_{perfect} + \frac{C}{M} + \mathcal{O}(M^{-2}) \quad (43)$$

$1/M$ —

8.4 = Cercis

Proposition 8.6 (SCX / Black Holes in SCX). *AdS/CFT bulk CFT SCX Cercis* —

$$\text{Cercis}() \gg \text{Cercis}() \tag{44}$$

$$= \text{Cercis} \text{ — } \text{Cercis}$$

Remark 8.7 (SCX / SCX Resolution of Information Paradox). SCX — bulk CFT
SCX — Cercis $\sum g = 0$

8.5

KEY EQUATION

SCX / SCX String-Unified Equation:

$$\boxed{\sum_{i \in} g_i = 0 \iff} \tag{45}$$

$$\underbrace{\sum g_{\text{flux}}}_{=0} + \underbrace{\sum g_{\text{moduli}}}_{=0} + \underbrace{\sum_{\text{D-}} g_{\text{D-brane}}}_{=0} + \underbrace{\sum_{\text{CFT}} g_{\text{CFT}}}_{=0} = 0 \tag{46}$$

$$\sum g = 0 \text{ — }$$

9

Synthesis: Attractor Dynamics of the String Landscape

9.1

Definition 9.1 (/ Landscape Phase Space).

$$\mathcal{P} = \{(\phi^i, \dot{\phi}^i) : \phi^i \in \mathcal{M}_{\text{CY}}\} \quad (47)$$

$$\sum g = 0$$

$$\mathcal{A} = \left\{ (\phi^i, \dot{\phi}^i) \in \mathcal{P} : \sum_i g_i(\phi, \dot{\phi}) = 0 \right\} \quad (48)$$

Theorem 9.2 (/ Attractor Theorem). $\mathcal{A}$

1. $\mathcal{A}$
2. $t \rightarrow \infty \mathcal{A}$
3. $\mathcal{A}$

9.2 Cercis

Proposition 9.3 (/ Landscape Entropy). Cercis

$$S_{\text{landscape}} = k_B \log \Omega_{\text{vacua}} \propto \log(10^{500}) \approx 1151 k_B \quad (49)$$

$$SCX \text{ --- Cercis} = 0$$

$$S_{\text{landscape}}(\text{Cercis} = 0) = 0 \quad (50)$$

9.3 SCX

Proposition 9.4 (/ Cosmological Constant Problem). $\Lambda_{\text{obs}} \sim 10^{-120} M_{Pl}^4$

$$SCX \wedge \|\mathbf{g}\|^2 \sum g = 0$$

$$\Lambda \propto \|\mathbf{g}_{\text{universe}}\|^2 \quad (51)$$

$$\Lambda \sum g = 0 \text{ ---}$$

10 A-SCX

Appendix A: String-SCX Mathematical Dictionary

/ Concept	/ String Theory	SCX / SCX
Weil-Petersson	CY $\mathcal{M}_{\text{CY}}$	$\mathfrak{C}$
	CY X_6	σ
	ω	
	$R_{i\bar{j}k\bar{l}}$	Cercis
	Ricci- $R_{i\bar{j}} = 0$	$\sum g = 0$
		Situs
	D-	
	T-, S-, AdS/CFT	
	DBI + Chern-Simons	
	$S = A/4G$	
	KKLT, LVS	$\sum g = 0$

11 BSCX

Appendix B: String Structures in SCX Formalism

11.1 B.1

$\Sigma 2$ SCX

$$\Sigma \cong \{\} \subset \mathfrak{C} \quad (52)$$

Polyakov

$$S_P = -\frac{T}{2} \int d^2\sigma \sqrt{-h} h^{\alpha\beta} \partial_\alpha X^\mu \partial_\beta X^\nu G_{\mu\nu}(X) \quad (53)$$

Situs

11.2 B.2

$$V(k) = \int d^2z e^{ik \cdot X(z, \bar{z})} \text{ SCX}$$

$$V(k) \longleftrightarrow k \quad (54)$$

$$A_n = \langle V_1 \dots V_n \rangle$$

11.3 B.3 Cercis

CY $\mathcal{M}_{\text{CY}}$ Cercis

$$\text{Cercis}(\mathcal{M}_{\text{CY}}) = \{\text{Cercis}(V_i, V_j) : V_i, V_j \in \mathcal{M}_{\text{CY}}\} \tag{55}$$

Cercis “”_____

12 C

Appendix C: Verification Summary

`verify_string_unified.py`

- 1: $U(N)$
- 2: CY Zamolodchikov/Situs Kähler
- 3: CY Cercis = 0
- 4: D- N D- $U(N)$
- 5: bulk-boundary
- 6: $\sum g = 0$
- 7: Cercis Cercis

Python

13 D

Appendix D: Open Problems

- 1: Cercis / $SUSY \sum g = 0$ M_{SUSY}
- 2: M $1/M$
- 3: Cercis Cercis
- 4: vs $\sum g = 0$ AdS dS
- 5: Cercis

The String Landscape Is a Gauge Orbit

Moduli Stabilization Is Gauge Fixing

Zero Sum Is Physics

$$\sum_{i \in} g_i = 0$$

The Master Equation of the String Landscape

Xiaogan Supercomputing Center (SCX)


2026-07-02

FINAL

*String theory has been looking for a mechanism.
SCX provides the mathematics.*

SCX

The answer was gauge theory all along.



All things are bundles. All phenomena return to zero.