
Female
Male
5
10
20
50
100
200
Rural
Urban
Heart disease
Cancer
Lower respiratory
Unintentional injuries
Cerebrovascular diseases
Alzheimers
Diabetes
Flu and pneumonia
Nephritis
Suicide
5
10
20
50
100
200
Rate
help("USMortality")


Rural
Urban
5
10
20
50
100
200
Heart disease:Male
Heart disease:Female
Cancer:Male
Cancer:Female
Lower respiratory:Male
Lower respiratory:Female
Unintentional injuries:Male
Unintentional injuries:Female
Cerebrovascular diseases:Male
Cerebrovascular diseases:Female
Alzheimers:Male
Alzheimers:Female
Diabetes:Male
Diabetes:Female
Flu and pneumonia:Male
Flu and pneumonia:Female
Suicide:Male
Suicide:Female
Nephritis:Male
Nephritis:Female
Rate
help("USMortality")


1/16
1/4
1
4
16
64
0.25
0.20
0.15
0.10
0.05
0.00
Density
2^{-4}
2^{-2}
2^{0}
2^{2}
2^{4}
2^{6}
Simulated lognormal variates
help("axis.default")

help("axis.default")



help("axis.default")





help("banking")






Waseca
Crookston
Morris
University Farm
Duluth
Grand Rapids
Trebi
Wisconsin No. 38
No. 457
Glabron
Peatland
Velvet
No. 475
Manchuria
No. 462
Svansota
20
30
40
50
60
Barley Yield (bushels/acre)
1932
1931
help("barley")

help("cloud")




z
6.0
5.5
5.0
4.5
4.0
3.5
y
14
12
10
8
6
x
2
4
6
8
10
help("cloud")
6.5
6.0
5.5
5.0
4.5
4.0
3.5


virginica
Sepal.Length
Petal.Length
Petal.Width
setosa
Sepal.Length
Petal.Length
Petal.Width
versicolor
Sepal.Length
Petal.Length
Petal.Width

help("cloud")

help("cloud")

Survived : No	Survived : No
Age : Child	Age : Adult
	

help("cloud")


Stereo
Sepal.Length
Petal.Width
Petal.Length


Stereo
Sepal.Length
Petal.Width
Petal.Length



Scatter Plot Matrix

help("environmental")



help("environmental")



help("environmental")



help("ethanol")



help("ethanol")



help("histogram")



help("histogram")


Soprano 2
Soprano 1
Alto 2
Alto 1
Tenor 2
Tenor 1
Bass 2
Bass 1
50
60
70
80
90
0.00
0.02
0.04
0.06
Density
Height (inches)
help("histogram")



help("interaction")



help("interaction")


Stations
Stations
Stations
Stations
Stations
Stations
165
170
175
180
185
−10
−15
−20
−25
−30
−35
lat
long
help("level.colors")


Weird Function
e^2.5
e^2.0
e^1.5
e^1.0
e^0.5
e^0.0
e^0.0
e^0.5
e^1.0
e^1.5
e^2.0
e^2.5
with log scales
help("levelplot")


15
10
5
y
5
10
15
x
0.8
0.6
0.4
0.2
0.0
−0.2
−0.4
−0.6
−0.8
help("levelplot")


Cube Root Ozone (cube root ppb)
radiation
radiation
radiation
radiation
Temperature (F)
Wind Speed (mph)
help("levelplot")


help("lines")
1.0
0.5
0.0
−0.5
−1.0
y
−1.0
−0.5
0.0
0.5
1.0
x


1.0
0.5
0.0
−0.5
−1.0
y
−1.0
−0.5
0.0
0.5
1.0
x
help("lines")


help("lines")
1.0
0.5
0.0
−0.5
−1.0
y
−1.0
−0.5
0.0
0.5
1.0
x


0.8
0.6
0.4
0.2
y
0.2
0.4
0.6
0.8
x
help("lines")


0.8
0.6
0.4
0.2
y
0.2
0.4
0.6
0.8
x
help("lines")



help("lines")


lognormal
normal
uniform
exponential
data
qnorm
help("make.groups")

help("melanoma")





help("packet.panel.default")



help("packet.panel.default")



help("panel.barchart")


Soprano 1
Soprano 2
Alto 1
Alto 2
Tenor 1
Tenor 2
Bass 1
Bass 2
60
65
70
75
Height (inches)
help("panel.bwplot")


Soprano 1
Soprano 2
Alto 1
Alto 2
Tenor 1
Tenor 2
Bass 1
Bass 2
60
65
70
75
Height (inches)
help("panel.bwplot")



help("panel.cloud")



help("panel.cloud")



help("panel.cloud")


1932
1931
yield
60
50
40
30
20
Grand Rapids
Duluth
University Farm
Morris
Crookston
Waseca
help("panel.functions")


Soprano 2
Soprano 1
Alto 2
Alto 1
Tenor 2
Tenor 1
Bass 2
Bass 1
60
65
70
75
0.00
0.05
0.10
0.15
0.20
Density Histogram
with Normal Fit
Height (inches)
help("panel.functions")


sort(runif(10))
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
1:10
1.5
1.0
0.5
0.0
−0.5
−1.0
help("panel.levelplot")


sort(runif(10))
0.2
0.4
0.6
0.8
1:10
2
4
6
8
10
help("panel.levelplot")
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0


column
row
60
50
40
30
20
10
20
40
60
80
200
180
160
140
120
100
help("panel.levelplot")


column
row
60
50
40
30
20
10
20
40
60
80
200
180
160
140
120
100
help("panel.levelplot")



Scatter Plot Matrix

help("panel.pairs")


raw
ppoints(100)
tails.n = 50
xx
qnorm
help("panel.qqmath")



help("panel.smoothScatter")


5
0
−5
V1
−5
0
5
V2
help("panel.smoothScatter")



Scatter Plot Matrix

help("panel.smoothScatter")


Soprano 1
Soprano 2
Alto 1
Alto 2
Tenor 1
Tenor 2
Bass 1
Bass 2
60
65
70
75
height
help("panel.violin")

"p"
"l"
"o"
"r"
"g"
"s"
"S"
"h"
"a"
"smooth"
horizontal=FALSE
horizontal=TRUE
type
help("panel.xyplot")


Soprano 2
Soprano 1
Tenor 1
Alto 2
Alto 1
Bass 2
Bass 1
Tenor 2
Percent of Total
Height
help("print.trellis")


Percent of Total
Height








degree 4
degree 5
degree 6
linear
quadratic
cubic
Armed.Forces
Year
1950
1955
1960
150
200
250
300
350
help("print.trellis")


Tenor 1
Bass 2
64
66
68
70
72
74
76
help("qq")


rnorm(100)
2
1
0
−1
−2
−2
0
2
function(p) qt(p, df = 10)
help("qqmath")


Alto 2
Alto 1
Soprano 2
Soprano 1
Bass 2
Bass 1
Tenor 2
Tenor 1
height
qnorm
−2 −1 0 1 2
60 65 70 75

help("qqmath")



help("qqmath")

help("rfs")


Fitted Values minus Mean
Residuals
0.0
0.2
0.4
0.6
0.8
1.0
5
0
−5
f−value


help("shingles")
Panel
6
5
4
3
2
1
−2
−1
0
1
Range




Soprano 2
Soprano 1
Alto 2
Alto 1
Tenor 2
Tenor 1
Bass 2
Bass 1
Percent of Total
Height (inches)
60
65
70
75
0
10
20
30
40

help("singer")


Soprano 2
Soprano 1
Alto 2
Alto 1
Tenor 2
Tenor 1
Bass 2
Bass 1
Height (inches)
Unit Normal Quantile
−2 −1 0 1 2
60 65 70 75

help("singer")


Three Varieties of Iris
Setosa
Versicolor
Virginica
Petal.Width
Petal.Length
Sepal.Width
Sepal.Length
Scatter Plot Matrix
help("splom")


virginica
Petal Length
Sepal Width
Sepal Length
Three Varieties of Iris
setosa
Petal Length
Sepal Width
Sepal Length
versicolor
Petal Length
Sepal Width
Sepal Length
Scatter Plot Matrix

help("splom")


virginica
setosa
versicolor
Petal.Width
Petal.Length
Sepal.Width
Sepal.Length
Min
Max

help("splom")



help("splom")



help("strip.default")



help("strip.default")



help("strip.default")


Soprano 2
Soprano 1
Tenor 1
Alto 2
Alto 1
Bass 2
Bass 1
Tenor 2
30
32
34
36
38
70
65
difference
mean

help("tmd")



superpose.symbol

superpose.line



strip.background

strip.shingle

help("trellis.par.get")



dot.[symbol, line]



box.[dot, rectangle, umbrella]



add.[line, text]



reference.line



plot.[symbol, line]



plot.shingle[plot.polygon]



histogram[plot.polygon]



barchart[plot.polygon]



superpose.polygon



regions

help("trellis.par.get")


Average Yearly Sunspots
1750
1800
1850
1900
1950
150
100
50
0
spots
help("update.trellis")

help("update.trellis")



help("update.trellis")




Depth
Depth
Depth
Depth
Depth
Depth
Depth
Depth
lat
long
165
170
175
180
185
−10
−15
−20
−25
−30
−35

help("xyplot")


Depth : [537.5, 590.5]
Depth : [586.5, 680.5]
Depth : [161.5, 249.5]
Depth : [242.5, 460.5]
Depth : [421.5, 543.5]
Depth : [39.5, 63.5]
Depth : [60.5, 102.5]
Depth : [97.5, 175.5]
lat
long
165 170 175 180 185
−10
−15
−20
−25
−30
−35

help("xyplot")


virginica
setosa
versicolor
Sepal.Length + Sepal.Width
Petal.Length + Petal.Width
Sepal.Length * Petal.Length
Sepal.Length * Petal.Width
Sepal.Width * Petal.Length
Sepal.Width * Petal.Width
help("xyplot")


North Central
West
Northeast
South
Murder
Population
0
5000
10000
15000
20000
5
10
15
Michigan
Illinois
Missouri
Indiana
Ohio
Kansas
Wisconsin
Minnesota
Dakota
Arizona
Hawaii
Oregon
Alabama
Georgia
Louisiana
Mississippi
Texas
Kentucky
Florida
Virginia
Maryland
New York
Pennsylvania
New Jersey
help("xyplot")


Waseca
Crookston
Morris
University Farm
Duluth
Grand Rapids
Barley Yield (bushels/acre)
0
20
40
60
80
100
120
Svansota
No. 462
Manchuria
No. 475
Velvet
Peatland
Glabron
No. 457
Wisconsin No. 38
Trebi
1932
1931
help("xyplot")


Soprano 1
Soprano 2
Alto 1
Alto 2
Tenor 1
Tenor 2
Bass 1
Bass 2
60
65
70
75
Height (inches)
help("xyplot")


Waseca
1932
1931
Crookston
Morris
University Farm
Duluth
Grand Rapids
Wisconsin No. 38
Trebi
Peatland
Velvet
Manchuria
Svansota
20
30
40
50
60
yield
help("xyplot")


Waseca
Crookston
Morris
University Farm
Duluth
Grand Rapids
Trebi
Wisconsin No. 38
No. 457
Glabron
Peatland
Velvet
No. 475
Manchuria
No. 462
Svansota
20
30
40
50
60
Barley Yield (bushels/acre)
1932
1931


Soprano 1
Soprano 2
Alto 1
Alto 2
Tenor 1
Tenor 2
Bass 1
Bass 2
60
65
70
75
Height (inches)
help("xyplot")


decrease
100
50
0
A
B
C
D
E
F
G
H
treatment
1
2
3
4
5
6
7
8
help("xyplot")


help("xyplot.ts")
10
8
6
4
2
5
10
15
20
Time



help("xyplot.ts")


DAX
SMI
CAC
FTSE
8000
6000
4000
2000
1992
1994
1996
1998
Time
help("xyplot.ts")

help("xyplot.ts")




Continental
UK
8000
6000
4000
2000
6000
5000
4000
3000
1992
1994
1996
1998
Time
help("xyplot.ts")


Continental
UK
8000
6000
4000
2000
6000
5000
4000
3000
1992
1994
1996
1998
Time
help("xyplot.ts")


Continental
UK
8000
6000
4000
2000
6000
5000
4000
3000
1992
1994
1996
1998
Time
DAX
SMI
CAC
FTSE
help("xyplot.ts")



help("xyplot.ts")



help("xyplot.ts")


Continental
UK
8000
6000
4000
2000
6000
5000
4000
3000
1992
1994
1996
1998
Time
DAX
SMI
CAC
FTSE
help("xyplot.ts")


0
5
10
15
20
25
1
2
3
4
5
Time
help("xyplot.ts")


primary (a)
other (b & c)
1
2
3
4
5
10
15
20
25
Time
a
b
c
help("xyplot.ts")