QuoteIt

Software Requirements Specification (SRS)

Version 2.0 | Final Delivery | 30 October 2026

A Laravel web platform for publishing, discovering, and managing short quotations.

1. Purpose and Scope

QuoteIt provides one public place to browse and search quotations. Registered users can publish quotations and update or delete only their own content. The final scope includes authentication, quote management, ownership authorization, responsive Blade interfaces, validation, and keyword search.

In scope

Capability	Description
Public browsing	Guests and users view quote text, author name, and publication date.
Accounts	Registration, login, and secure logout.
Quote management	Authenticated users create, edit, and delete their own quotes.
Search	Case-insensitive keyword search inside quote content.
Security	Password hashing, CSRF protection, validation, session regeneration, and authorization policy.

Out of scope

Comments, follows, direct messaging, multimedia quotes, social sharing, moderation workflows, and mobile applications.

2. Users

Role	Permissions
Guest	Browse and search quotes; register; log in.
Registered user	All guest actions plus publish quotes and edit/delete owned quotes only.

3. Functional Requirements

ID	Requirement	Priority
FR-01	Display all quotes publicly with content, author, and date.	Must
FR-02	Register with a 2-50 letter name, unique valid email, and password of at least 8 characters.	Must
FR-03	Authenticate registered users using email and password.	Must
FR-04	Log out securely and invalidate the session.	Must
FR-05	Allow authenticated users to publish quote text between 3 and 155 characters.	Must
FR-06	Allow only the owner to edit a quote.	Must
FR-07	Allow only the owner to delete a quote.	Must
FR-08	Allow guests and users to search for words within quote content.	Must
FR-09	Show actionable validation and success messages.	Should

4. Validation Rules

Field	Rules
Name	Required; string; 2-50 characters; Unicode letters and spaces only.
Email	Required; valid format; maximum 255 characters; unique.
Password	Required; string; minimum 8 characters; confirmation required at registration.
Quote content	Required; string; 3-155 characters.
Search term	Optional text query; safely bound through Eloquent.

5. Authorization and Security

Laravel authentication sessions protect write routes. The QuotePolicy compares the authenticated user ID with the quote user_id for update and delete operations. Every state-changing HTML form includes a CSRF token. Passwords are created with Laravel Hash and are never stored in plain text. Successful login regenerates the session; logout invalidates it and regenerates the CSRF token.

6. Data Model

Entity	Fields	Relationship
users	id, name, email, password, remember_token, timestamps	Has many quotes
quotes	id, user_id, content, timestamps	Belongs to one user

Database constraints

quotes.user_id is a foreign key referencing users.id with cascade delete. Quote content is stored as VARCHAR(155). created_at is indexed to support the newest-first public feed.

7. User Stories

ID	Story / Acceptance summary
US-01	As a guest, I can browse all quotes without management controls.
US-02	As a guest, I can create a valid account and am signed in immediately.
US-03	As a registered user, I can log in and log out securely.
US-04	As a user, I can publish a valid quote and see it in the feed.
US-05	As an owner, I can edit or delete my quote; other users receive HTTP 403.
US-06	As any visitor, I can search quote content and clear the search.

8. Non-Functional Requirements

ID	Category	Requirement
NFR-01	Performance	Target first-page load below 3 seconds under normal workshop deployment conditions. Use eager loading and pagination.
NFR-02	Security	Hash passwords; enforce CSRF, validation, and ownership authorization.
NFR-03	Usability	A new user should publish a first quote in under one minute.
NFR-04	Responsive UI	Support mobile and desktop layouts.
NFR-05	Maintainability	Use Laravel MVC, Eloquent relationships, migrations, Blade inheritance, and reusable components.

9. Interface Requirements

The interface uses a warm editorial visual system inspired by the supplied QuoteIt materials: cream background, rust accent, serif display headings, clear cards, responsive grids, inline field guidance, and visible status messages. Pages include the public feed/search, registration, login, quote editor, and reusable quote cards.

10. Test Coverage

Feature tests are supplied for registration, password hashing, login/logout, guest access, authenticated creation, owner edit/delete, cross-user denial, public display, search, and validation boundaries. The test suite must be executed after Composer dependencies are installed.

11. Acceptance Criteria

Area	Acceptance criterion
Public feed	HTTP 200; quotes show content, author, and date.
Authentication	Valid registration/login succeeds; invalid data returns field errors; logout ends authentication.
Quote create	Guest is redirected to login; authenticated valid input persists.
Ownership	Owner operations succeed; non-owner update/delete returns HTTP 403.
Search	Matching content appears; nonmatching content is absent.
Validation	Names, emails, passwords, and quote length boundaries are enforced.

12. Deployment Assumptions

PHP 8.1 or newer is recommended for current secure Laravel 9 dependencies, with Composer 2, MySQL 8 or MariaDB, required PHP extensions, and a writable storage directory. Secrets belong in .env, which is excluded from the delivery ZIP.

13. Traceability

FR-01 maps to public feed tests; FR-02 to registration and validation tests; FR-03/04 to authentication tests; FR-05 to quote creation and validation tests; FR-06/07 to owner and non-owner authorization tests; FR-08 to the search test.

End of specification.

QuoteIt SRS - Final Implementation Addendum

Version 2.1 | 31 October 2026

Implementation baseline

The delivered system uses Laravel Framework 12.70.2, PHP 8.3.36, Blade, Eloquent ORM, and MySQL-compatible migrations. This addendum supersedes any earlier deployment note that referenced Laravel 9 or PHP 8.1.

Arabic localization and RTL

All user-facing pages, labels, hints, success messages, validation messages, empty states, search controls, and management actions are presented in Arabic. The HTML document uses right-to-left direction and a dedicated RTL stylesheet. Email and password inputs retain left-to-right entry where appropriate.

Demo content

The database seeder creates three Arabic-named demo users and six Arabic quotations. Seeding is idempotent through updateOrCreate and firstOrCreate.

Final verification

Check	Observed result
Automated tests	14 passed; 41 assertions; 0 failures
Database migrations	Successful on isolated SQLite verification database
Arabic demo seeder	3 users and 6 quotes created
Application routes	10 web routes registered
Authorization	Owner update/delete accepted; cross-user operations rejected
Search and validation	Feature tests passed