


1. Configure VPC peering in cross regions.


1. Created two VPCs in different AWS regions with non-overlapping CIDR blocks.
2. Created a **VPC Peering Connection** between the two VPCs.
3. Selected the VPC in the other AWS region as the peer VPC.
4. Accepted the peering request from the destination region.
5. Updated the route table of the first VPC with the CIDR of the second VPC.
6. Updated the route table of the second VPC with the CIDR of the first VPC.
7. Configured security group rules to allow required traffic.
8. Tested connectivity between resources in both VPCs.



2. Purchase one domain from GoDaddy.


Steps

1. Search domain.
2. Select an available domain.
3. Add it to cart.
4. Complete the purchase.
5. Open **My Products** → **Domains**.
6. Keep the domain name available because you will use it in Route 53 and CloudFront.




3. Deploy static website in S3.

1. Opened **Amazon S3** in the AWS Console.
2. Created a bucket named **syeddevops.shop** in the required AWS region.
3. Uploaded the website file **index.html** to the S3 bucket.
4. Configured **Static Website Hosting**.
5. Set **index.html** as the **Index document**.
6. Verified that the website files were successfully uploaded.
7. Prepared the S3 bucket to be accessed through CloudFront.



4. Create a CDN and attach one SSL certificate.

1. Opened **AWS Certificate Manager (ACM)** in the **us-east-1** region.
2. Requested a public SSL certificate for:
3. **syeddevops.shop**
4. **www.syeddevops.shop**
5. Selected **DNS validation**.
6. Added the required ACM validation CNAME records in GoDaddy DNS.
7. Verified the certificate status as **Issued**.
8. Opened **Amazon CloudFront**.
9. Created a CloudFront distribution using the S3 bucket as the origin.
10. Enabled **Origin Access Control (OAC)** for private S3 access.
11. Configured the CloudFront distribution to use HTTPS.
12. Added the ACM SSL certificate to the CloudFront distribution.
13. Added **syeddevops.shop** and **www.syeddevops.shop** as alternate domain names.
14. Set **index.html** as the default root object.
15. Waited for the CloudFront distribution to deploy.



5. Create a Route 53 hosted zone and map the domain with the CDN.

6. Update the index.html in the S3 bucket and ensure the updated file is accessible using the domain name.

7. Share the domain name in Slack to test the connectivity.

syeddevops.shop/lander