文件：第三方对比：DeepSeek V4.1 Flash 1017 vs GLM-5.3-Flash（BenchLM）
来源：https://benchlm.ai/compare/deepseek-v4-1-flash-vs-glm-5-3-flash
下载/转换时间：2026-10-21

第三方独立评测站页面转换，非厂商或火山官方数据。不同 benchmark 的 harness、子集和采样参数可能不同，引用时请保留其 Source 标注。

DeepSeek V4.1 Flash 1017 vs GLM-5.3-Flash

Updated October 20, 2026. Rank says DeepSeek V4.1 Flash 1017 is ahead. Price, access, and your workload can each overturn that. Public scores include evidence status and uncertainty.

Share or export

Share | Copy link | Share on X | LinkedIn | Table PNG | Social card | CSV | API/MCP | Embed

Decision reading

DeepSeek V4.1 Flash 1017 has the higher public point estimate, 65.65 versus 58.51. Their conditional score ranges overlap. These ranges do not establish rank confidence. 15 results are shared. Category rows resting on Estimated evidence or different benchmark sets are marked directional and do not name a winner.

Model A

DeepSeek V4.1 Flash 1017

DeepSeek

65.65/100

Supported · Public rank #35

90% interval 60.7–70.6

Model B

GLM-5.3-Flash

Z.AI

58.51/100

Estimated · Public rank #59

Conditional range 48.8–68.2

Shared results
15
DeepSeek V4.1 Flash 1017 only
17
GLM-5.3-Flash only
13
Like-for-like categories
3 / 8

DeepSeek V4.1 Flash 1017

Supported · Public rank #35

65.6560.770.6

GLM-5.3-Flash

Estimated • Public rank #59

58.5148.868.2
45505560657075
Supported: DeepSeek V4.1 Flash 1017 • Estimated: GLM-5.3-Flash. Conditional ranges do not establish rank confidence.How the comparison works

Which one for your work

Recommendations appear only when a shared evidence basis or an explicit operating constraint supports the call. Secondary and unsupported use cases stay disclosed below the initial list.

- ### Coding work

  Code generation, repair, and software-engineering tasks

  

  DeepSeek V4.1 Flash 1017

  DeepSeek V4.1 Flash 1017 has the higher public coding point estimate, 60.9 to 48.1, with Supported evidence for both models. The conditional ranges do not establish rank confidence.

  Confidence: limited

- ### Agentic work

  Tool use, computer use, and multi-step task completion

  

  DeepSeek V4.1 Flash 1017

  DeepSeek V4.1 Flash 1017 has the higher public agentic point estimate, 61.7 to 56.9, with Supported evidence for both models. The conditional ranges do not establish rank confidence.

  Confidence: limited

Show secondary and unsupported calls

- ### Long documents

  Prompts that approach the documented context limit

  No clear pick

  The documented context windows are equal.

  Confidence: documented

- ### Chat turn cost

  1K fresh input + 500 output tokens

  Not enough matched evidence

  A complete comparable API-rate estimate is not available for both models.

  Confidence: listed-rates

- ### Cache-heavy agent loop cost

  200K cached + 20K fresh input + 10K output tokens

  Not enough matched evidence

A complete comparable API-rate estimate is not available for both models.

Confidence: listed-rates

- ### Repository review cost

  50K fresh input + 3K output tokens

  Not enough matched evidence

  A complete comparable API-rate estimate is not available for both models.

  Confidence: listed-rates

Which one for a specific job

Choose a job from the LLM Selector's task catalog to see the category row it rests on, under the same basis rules as the table below. A directional row stays directional; choosing a job never creates a winner.

Pick the job you would use them for

Build an application or service ˅

The same task catalog as the LLM Selector. Each job names the evidence surface it rests on; nothing here adds a new score.

60.9DeepSeek V4.1 Flash 101748.1GLM-5.3-Flash

Like-for-like • BenchAlign v5.8

DeepSeek V4.1 Flash 1017 has the higher coding point estimate. Conditional score ranges do not establish rank confidence.

Coding scores combine specific tasks and setups. Match the editor, harness, and effort to your workflow.

Open the coding leaderboardShortlist models for this job

Same basis rules as the category table below

What is actually comparable

Shared results can support a head-to-head reading. Results present for only one model describe coverage, not superiority.

17 DeepSeek V4.1 Flash 1017 only
15 Shared
13 GLM-5.3-Flash only

Shape of the matched evidence

Only shared public evidence is shown. Sparse evidence stays a ruled list rather than being closed into a radar shape.

Too few matched category axes support a radar. The ruled list below shows only shared benchmark results; positions use each benchmark’ s normalized display scale when available.

- AutomationBenchAgentic

  Normalized gap 11.7
  DeepSeek V4.1 Flash 1017:
  60.5%
  GLM-5.3-Flash:
  48.8%
  DeepSeek V4.1 Flash 1017 source GLM-5.3-Flash source

- FrontierMath v2 (Tiers 1-3)Math

  Normalized gap 11.6

DeepSeek V4.1 Flash 1017:
67.368%
GLM-5.3-Flash:
55.789%
Shared source

- FrontierMath v2 (Tier 4)Math

  Normalized gap 9.8
  DeepSeek V4.1 Flash 1017:
  26.829%
  GLM-5.3-Flash:
  17.073%
  Shared source

Bars run 0–100 on each benchmark’ s normalized display scale

Category results, on a stated basis

Each row shows the public-lane category score for both models: the BenchAlign v5.8 lane for agentic, coding, and knowledge, and the weighted public rows elsewhere, with the same rank each model page reports. A row is like-for-like only when both scores rest on Supported evidence or the same weighted set. Directional and not-comparable rows remain visible, but they never receive a winner.

Agentic

Like-for-like

DeepSeek V4.1 Flash 1017
61.7
Supported · #24/131
GLM-5.3-Flash
56.9
Supported · #37/131
Basis
BenchAlign v5.8 lane · 10 vs 9 public rows
Reading
DeepSeek V4.1 Flash 1017 leads · intervals overlap

Coding

Like-for-like

DeepSeek V4.1 Flash 1017
60.9
Supported · #18/152
GLM-5.3-Flash
48.1
Supported · #47/152
Basis
BenchAlign v5.8 lane · 8 vs 8 public rows
Reading
DeepSeek V4.1 Flash 1017 leads · intervals overlap

Knowledge

Like-for-like

DeepSeek V4.1 Flash 1017
65.2
Supported · #36/187
GLM-5.3-Flash
60.3
Supported · #50/187
Basis
BenchAlign v5.8 lane · 3 vs 2 public rows
Reading
DeepSeek V4.1 Flash 1017 leads · intervals overlap

Reasoning

Not comparable

DeepSeek V4.1 Flash 1017
82.5
Unranked · 4 rankable rows
GLM-5.3-Flash
80.0
#10/27
Basis
Provisional lane · 0 vs 0 weighted rows
Reading
Not comparable

Multimodal

Not comparable

DeepSeek V4.1 Flash 1017
77.9
Unranked · 1 rankable row
GLM-5.3-Flash
84.0
#14/55
Basis
Provisional lane · 0 vs 2 weighted rows
Reading
Not comparable

Multilingual

Not comparable

DeepSeek V4.1 Flash 1017
Not ranked
GLM-5.3-Flash
Not ranked
Basis
Provisional lane · 0 vs 0 weighted rows
Reading
Not comparable

Instruction following

Not comparable

DeepSeek V4.1 Flash 1017
Not ranked
GLM-5.3-Flash
Not ranked
Basis
Provisional lane · 0 vs 0 weighted rows
Reading
Not comparable

Math

Not comparable

DeepSeek V4.1 Flash 1017
70.1
Unranked · 3 rankable rows
GLM-5.3-Flash
60.4
Unranked · 2 rankable rows
Basis
Provisional lane · 2 vs 2 weighted rows
Reading
Not comparable

Category scores with the server-provided evidence basis for DeepSeek V4.1 Flash 1017 and GLM-5.3-Flash

Category	DeepSeek V4.1 Flash 1017	GLM-5.3-Flash	Basis	Reading
Agentic	61.7Supported · #24/131	56.9Supported · #37/131	Like-for-likeBenchAlign v5.8 lane · 10 vs 9 public rows	DeepSeek V4.1 Flash 1017 leads · intervals overlap
Coding	60.9Supported · #18/152	48.1Supported · #47/152	Like-for-likeBenchAlign v5.8 lane · 8 vs 8 public rows	DeepSeek V4.1 Flash 1017 leads · intervals overlap
Knowledge	65.2Supported · #36/187	60.3Supported · #50/187	Like-for-likeBenchAlign v5.8 lane · 3 vs 2 public rows	DeepSeek V4.1 Flash 1017 leads · intervals overlap
Reasoning	82.5Unranked · 4 rankable rows	80.0#10/27	Not comparableProvisional lane · 0 vs 0 weighted rows	Not comparable
Multimodal	77.9Unranked · 1 rankable row	84.0#14/55	Not comparableProvisional lane · 0 vs 2 weighted rows	Not comparable
Multilingual	Not ranked	Not ranked	Not comparableProvisional lane · 0 vs 0 weighted rows	Not comparable
Instruction following	Not ranked	Not ranked	Not comparableProvisional lane · 0 vs 0 weighted rows	Not comparable
Math	70.1Unranked · 3 rankable rows	60.4Unranked · 2 rankable rows	Not comparableProvisional lane · 2 vs 2 weighted rows	Not comparable

Ranks count the models scored in each category’s lane, so the agentic, coding, and knowledge denominators (BenchAlign v5.8) differ from the provisional-lane categories. Unranked scores sit on the provisional lane’s scale but never name a winner. Like-for-like rows within 0.5 points read as a practical tie.

Supported evidence per lane · bars run 0–100Methodology

What each workload costs

Three fixed token mixes turn per-token rates into comparable decisions. Each scenario states context fit and whether cached input had to fall back to the published list-input rate.

Chat turn

1K fresh input + 500 output tokens

DeepSeek V4.1 Flash 1017
- $0.0009
- Fits in one request

GLM-5.3-Flash
- Self-hosted; infrastructure cost varies
- Fits in one request

GLM-5.3-Flash has no comparable published API token rate.

Repository review

50K fresh input + 3K output tokens

DeepSeek V4.1 Flash 1017
- $0.0186
- Fits in one request

GLM-5.3-Flash
- Self-hosted; infrastructure cost varies
- Fits in one request

GLM-5.3-Flash has no comparable published API token rate.

Cache-heavy agent loop

200K cached + 20K fresh input + 10K output tokens

DeepSeek V4.1 Flash 1017
- $0.0192
- Fits in one request

GLM-5.3-Flash
- Self-hosted; infrastructure cost varies
- Fits in one request
- Cached-input rate unavailable

GLM-5.3-Flash has no comparable published API token rate.

Cached input falls back to the list input rate only where a cached rate is unpublished

Specification differences

Sourced differences are shown directly. Missing facts stay explicit instead of being inferred from a model name or family.

SpecificationDeepSeek V4.1 Flash 1017GLM-5.3-Flash

Context window

Maximum documented context; output-token limits may be lower.

DeepSeek V4.1 Flash 1017

1M

DeepSeek models and pricing

GLM-5.3-Flash

1M

GLM-5.3-Flash model card

API model ID

DeepSeek V4.1 Flash 1017

deepseek-flash

DeepSeek models and pricing

GLM-5.3-Flash

glm-5.3-flash

GLM-5.3-Flash model card

Cached-input rate

A missing cached-input rate falls back to the listed input rate only in the stated workload estimate.

DeepSeek V4.1 Flash 1017

$0.006 per 1M cached input tokens

DeepSeek: Models & Pricing

GLM-5.3-Flash

No comparable hosted API rate

GLM-5.3-Flash model card

Documented inputs

DeepSeek V4.1 Flash 1017

text, image

DeepSeek vision guide

GLM-5.3-Flash

Not sourced

Documented outputs

DeepSeek V4.1 Flash 1017

text

DeepSeek vision guide

GLM-5.3-Flash

Not sourced

Provider availability

DeepSeek V4.1 Flash 1017

Generally Available · DeepSeek API, open weights

DeepSeek-V4.1-Flash-1017 API changelog

GLM-5.3-Flash

Not sourced

Reasoning profile

DeepSeek V4.1 Flash 1017

Reasoning

GLM-5.3-Flash

Reasoning

Weight access

DeepSeek V4.1 Flash 1017

Open Weight

GLM-5.3-Flash

Open Weight

License

DeepSeek V4.1 Flash 1017

Open Weight

GLM-5.3-Flash

Open Weight

Release date

DeepSeek V4.1 Flash 1017

2026-10-17

GLM-5.3-Flash

2026-08-26

If you already use one of these models

Deployment change
: The models list different providers, so authentication, endpoint behavior, limits, and feature support may change.

Quality signal
: DeepSeek V4.1 Flash 1017 has the higher public point estimate, 65.65 versus 58.51. Their conditional score ranges overlap. These ranges do not establish rank confidence.

Workload cost
: A complete comparable API-rate estimate is not available for both models.

Context tradeoff
: Both models list 1M.

Run the same representative tasks against both endpoints before changing production traffic.

Questions

Which is better, DeepSeek V4.1 Flash 1017 or GLM-5.3-Flash?

DeepSeek V4.1 Flash 1017 has the higher public point estimate, 65.65 versus 58.51. Their conditional score ranges overlap. These ranges do not establish rank confidence. The page therefore keeps the decision tied to the specific documented workload.

Which is better for coding, DeepSeek V4.1 Flash 1017 or GLM-5.3-Flash?

DeepSeek V4.1 Flash 1017 has the higher public coding point estimate, 60.9 to 48.1, with Supported evidence for both models. The conditional ranges do not establish rank confidence.

Which is better for agentic tasks, DeepSeek V4.1 Flash 1017 or GLM-5.3-Flash?

DeepSeek V4.1 Flash 1017 has the higher public agentic tasks point estimate, 61.7 to 56.9, with Supported evidence for both models. The conditional ranges do not establish rank confidence.

Which costs less, DeepSeek V4.1 Flash 1017 or GLM-5.3-Flash?

Both models do not have comparable published API token rates, so this page does not name a universal price winner.

Which has the larger context window, DeepSeek V4.1 Flash 1017 or GLM-5.3-Flash?

Both models list the same context window, 1M.

Self-host vs API cost

Estimates at 50,000 req/day • 1000 tokens/req average.

DeepSeek V4.1 Flash 1017
API / mo$1,125
Self-host / mo$27,962
Break-even1.6B/day
GLM-5.3-Flash
API / mo$0
Self-host / mo$13,981
Break-even—
Model the full break-even

Benchmark evidence

The full public result ledger is available for audit without forcing a wide desktop table onto a phone.

Browse raw public benchmark evidence45 rows

Agentic

- Terminal-Bench 2.1

  DeepSeek V4.1 Flash 101790.6%
  Source
  GLM-5.3-Flash84.3%
  Source

  DeepSeek V4.1 Flash 1017 leads this result
- terminalBench3

  DeepSeek V4.1 Flash 101730%
  Source
  GLM-5.3-Flash—

  Not directly comparable
- Terminal-Bench 4.0

  DeepSeek V4.1 Flash 101742.30%
  Source
  GLM-5.3-Flash—

Not directly comparable

- CyberGym

  DeepSeek V4.1 Flash 101788.1%
  Source
  GLM-5.3-Flash—

  Not directly comparable

- ExploitGym

  DeepSeek V4.1 Flash 101715.3%
  Source
  GLM-5.3-Flash—

  Not directly comparable

- HLE w/ tools

  DeepSeek V4.1 Flash 101763.9%
  Source
  GLM-5.3-Flash55.3%
  Source

  DeepSeek V4.1 Flash 1017 leads this result

- AutomationBench

  DeepSeek V4.1 Flash 101760.5%
  Source
  GLM-5.3-Flash48.8%
  Source

  DeepSeek V4.1 Flash 1017 leads this result

- Agents' Last Exam

  DeepSeek V4.1 Flash 101735.4%
  Source
  GLM-5.3-Flash26.3%
  Source

  DeepSeek V4.1 Flash 1017 leads this result

- Terminal-Bench 2.1 (Vals)

  DeepSeek V4.1 Flash 101774.5%
  Source
  GLM-5.3-Flash62.9%
  Source

  DeepSeek V4.1 Flash 1017 leads this result

- CWE-bench v1

  DeepSeek V4.1 Flash 101755.0%
  Source
  GLM-5.3-Flash—

  Not directly comparable

- Toolathlon-Verified

  DeepSeek V4.1 Flash 1017—
  GLM-5.3-Flash78.4%
  Source

  Not directly comparable

- Hermes Index

  DeepSeek V4.1 Flash 1017—

GLM-5.3-Flash35.0%
Source

Not directly comparable

- Hermes Bench

  DeepSeek V4.1 Flash 1017—
  GLM-5.3-Flash68.9%
  Source

  Not directly comparable

- MazeBench

  DeepSeek V4.1 Flash 1017—
  GLM-5.3-Flash0%
  Source

  Not directly comparable

Coding

- Codeforces

  DeepSeek V4.1 Flash 10173471.0
  Source
  GLM-5.3-Flash—

  Not directly comparable

- Terminal-Bench 2.1

  DeepSeek V4.1 Flash 101790.6%
  Source
  GLM-5.3-Flash84.3%
  Source

  DeepSeek V4.1 Flash 1017 leads this result

- terminalBench3

  DeepSeek V4.1 Flash 101730%
  Source
  GLM-5.3-Flash—

  Not directly comparable

- DeepSWE

  DeepSeek V4.1 Flash 101777.0%
  Source
  GLM-5.3-Flash63.4%
  Source

  DeepSeek V4.1 Flash 1017 leads this result

- ProgramBench

  DeepSeek V4.1 Flash 101729.1%
  Source
  GLM-5.3-Flash—

  Not directly comparable

- NL2Repo

  DeepSeek V4.1 Flash 101768.2%
  Source
  GLM-5.3-Flash56.3%
  Source

DeepSeek V4.1 Flash 1017 leads this result

- OpenHarmony Bench

  Shared source
  DeepSeek V4.1 Flash 101760.3%
  GLM-5.3-Flash57.3%

  DeepSeek V4.1 Flash 1017 leads this result

- Bug Hunt Bench

  Shared source
  DeepSeek V4.1 Flash 101739.1 fixes
  GLM-5.3-Flash17.7 fixes

  DeepSeek V4.1 Flash 1017 leads this result

- LiveCodeBench (Vals)

  DeepSeek V4.1 Flash 1017—
  GLM-5.3-Flash80.5%
  Source

  Not directly comparable

- SWE-bench (Vals)

  DeepSeek V4.1 Flash 1017—
  GLM-5.3-Flash92.0%
  Source

  Not directly comparable

- FrontierSWE v2

  DeepSeek V4.1 Flash 1017—
  GLM-5.3-Flash18.1%
  Source

  Not directly comparable

Reasoning

- STEMBench

  DeepSeek V4.1 Flash 10172.49
  Source
  GLM-5.3-Flash—

  Not directly comparable

- JevBench 1.4

  DeepSeek V4.1 Flash 10174.77
  Source
  GLM-5.3-Flash—

  Not directly comparable

- JevBench 1.5

  DeepSeek V4.1 Flash 10176.65
  Source
  GLM-5.3-Flash—

  Not directly comparable

Multimodal

- ExtractBench (LlamaIndex)

Shared source
DeepSeek V4.1 Flash 101787.11%
GLM-5.3-Flash80.75%

DeepSeek V4.1 Flash 1017 leads this result

- ParseBench

Shared source
DeepSeek V4.1 Flash 101765.72%
GLM-5.3-Flash70.75%

GLM-5.3-Flash leads this result

- Chartography (tools)

DeepSeek V4.1 Flash 101783.0%
Source
GLM-5.3-Flash78.0%
Source

DeepSeek V4.1 Flash 1017 leads this result

- BabyVision w/ Python

DeepSeek V4.1 Flash 101792.5%
Source
GLM-5.3-Flash—

Not directly comparable

- ZeroBench w/ Python

DeepSeek V4.1 Flash 101751.0%
Source
GLM-5.3-Flash—

Not directly comparable

- OfficeQA Pro

DeepSeek V4.1 Flash 1017—
GLM-5.3-Flash62.4%
Source

Not directly comparable

- CharXiv

DeepSeek V4.1 Flash 1017—
GLM-5.3-Flash89.4%
Source

Not directly comparable

- BabyVision

DeepSeek V4.1 Flash 1017—
GLM-5.3-Flash53.4%
Source

Not directly comparable

- MMVU

DeepSeek V4.1 Flash 1017—
GLM-5.3-Flash80.5%
Source

Not directly comparable

Knowledge

- GPQA

  DeepSeek V4.1 Flash 101790.9%
  Source
  GLM-5.3-Flash—

  Not directly comparable

- GPQA-D

  DeepSeek V4.1 Flash 101790.9%
  Source
  GLM-5.3-Flash—

  Not directly comparable

- HLE

  DeepSeek V4.1 Flash 101742.6%
  Source
  GLM-5.3-Flash—

  Not directly comparable

- GPQA Diamond (Vals)

  DeepSeek V4.1 Flash 1017—
  GLM-5.3-Flash86.4%
  Source

  Not directly comparable

- MMLU-Pro (Vals)

  DeepSeek V4.1 Flash 1017—
  GLM-5.3-Flash86.1%
  Source

  Not directly comparable

Math

- Apex

  DeepSeek V4.1 Flash 101765.6%
  Source
  GLM-5.3-Flash—

  Not directly comparable

- FrontierMath v2 (Tiers 1-3)

  Shared source
  DeepSeek V4.1 Flash 101767.368%
  GLM-5.3-Flash55.789%

  DeepSeek V4.1 Flash 1017 leads this result

- FrontierMath v2 (Tier 4)

  Shared source
  DeepSeek V4.1 Flash 101726.829%
  GLM-5.3-Flash17.073%

  DeepSeek V4.1 Flash 1017 leads this result

45 public results • 15 shared

Related comparisons

- GLM-5.3-Flash vs GLM-5→
- GLM-5.3-Flash vs GLM-5.2→
- GLM-5.3-Flash vs GLM-5.1→
- GLM-5.3-Flash vs GLM-5.3→

Compare API pricingRead the methodologyOpen the model selector

Watch DeepSeek V4.1 Flash 1017 vs GLM-5.3-Flash

One weekly email when material rank, price, or benchmark evidence changes make this matchup worth revisiting.

Read a sample issue

Join 5,600+ readers.

Leave this field blank

Loading...

Last updated October 20, 2026