**文件：**第三方对比：DeepSeek V4.1 Flash vs GLM-5.3-Flash（Artificial Analysis）
**来源：**https://artificialanalysis.ai/models/comparisons/deepseek-v4-1-flash-vs-glm-5-3-flash
**下载/转换时间：**2026-10-21

第三方独立评测站页面转换，非厂商或火山官方数据。该页当前显示 DeepSeek V4.1 Flash (Max) 为 39，疑似尚未更新到 1017 版本（BenchLM 页面标注 1017 为 65.65），引用前务必核对版本；AA 的 Intelligence Index 与厂商自测 benchmark 口径不同。



# DeepSeek V4.1 Flash (Max) vs. GLM-5.3-Flash

Comparison between DeepSeek V4.1 Flash (Max) and GLM-5.3-Flash across intelligence, price, speed, context window and more.

For details relating to our methodology, see our Methodology page.

| | DeepSeek V4.1 Flash (Max) | GLM-5.3-Flash | Add model |
|---|---|---|---|
| | DeepSeek | Z AI | |
| **Intelligence** | | | |
| **Intelligence Index** | 39 | 42 | |
| **AA-Briefcase v1.1** | 1419 | 1453 | |
| **GDPval-AA v2.1** | 1600 | 1642 | |
| **AutomationBench-AA** | 69% | 60% | |
| **Terminal-Bench 4.0** | 27% | 33% | |
| **SciCode** | 52% | 52% | |
| **Humanity's Last Exam** | 39% | 40% | |
| **GDP.pdf** | 13% | 15% | |
| **CritPt** | 14% | 15% | |
| **AA-Omniscience** | −5 | 7 | |
| **AA-LCR v1.1** | 84% | 80% | |
| **Cost** | | | |
| **Price per 1M Tokens** | $0.1842 | $0.101 | |
| **Input Price per 1M Tokens** | $0.30 | $0.15 | |
| **Output Price per 1M Tokens** | $1.20 | $0.50 | |
| **Cache Hit Price per 1M Tokens** | $0.006 | $0.03 | |

| | DeepSeek<br>DeepSeek V4.1 Flash (Max) | Z AI<br>GLM-5.3-Flash | Add model |
|---|---|---|---|
| **Cost per Task** | $0.57 | $0.28 | |
| **Cost to Run Intelligence Index** | $755 | $306 | |
| **Token Use** | | | |
| **Output Tokens per Task** | 89k | 69k | |
| **Reasoning Tokens per Task** | 63k | 47k | |
| **Output Tokens to Run Intelligence Index** | 253M | 181M | |
| **Performance** | | | |
| **Output Speed** | 233 tokens/s | 76 tokens/s | |
| **Time to First Token** | 0.93s | 2.62s | |
| **Time to First Answer Token** | 9.49s | 28.85s | |
| **End-to-End Response Time** | 11.64s | 35.41s | |
| **Time per Task** | 282.81s | 700.41s | |
| **Technical specifications** | | | |
| **Context Window** | 1000k tokens~1,500 A4 pages of size 12 Arial font | 1000k tokens~1,500 A4 pages of size 12 Arial font | |
| **Release Date** | September 2026 | August 2026 | |
| **Total parameters** | 552B | 320B | |
| **Active parameters** | 16B | 18B | |
| **Reasoning** | Yes | Yes | |
| **Input modality** | Supports: text and image | Supports: text and image | |
| **Output modality** | Supports: text | Supports: text | |
| **Open Source (Weights)** | Yes | Yes | |
| **License** | MIT | MIT | |
| **License Supports Commercial Use Without Restrictions** | Yes | Yes | |

## Intelligence

Artificial Analysis Intelligence Index • Higher is better

### Speed

Output tokens per second • Higher is better

### Cost per Task

Weighted average cost (USD) per Intelligence Index task • Lower is better

## Intelligence

### Artificial Analysis Intelligence Index

Artificial Analysis Intelligence Index v4.3.2 incorporates 10 evaluations: AA-Briefcase v1.1, GDPval-AA v2.1, AutomationBench-AA, Terminal-Bench 4.0, SciCode, Humanity's Last Exam, GDP.pdf, CritPt, AA-Omniscience, AA-LCR v1.1

27 of 706 models

Add model from specific provider

**Artificial Analysis Intelligence Index**

Artificial Analysis Intelligence Index v4.3.2 includes: AA-Briefcase v1.1, GDPval-AA v2.1, AutomationBench-AA, Terminal-Bench 4.0, SciCode, Humanity's Last Exam, GDP.pdf, CritPt, AA-Omniscience, AA-LCR v1.1. See Intelligence Index methodology for further details, including a breakdown of each evaluation and how we run them.

Open Weights / Proprietary | Reasoning / Non-Reasoning | Text Only / Multimodal Inputs

### Artificial Analysis Intelligence Index by Open Weights / Proprietary

Artificial Analysis Intelligence Index v4.3.2 incorporates 10 evaluations: AA-Briefcase v1.1, GDPval-AA v2.1, AutomationBench-AA, Terminal-Bench 4.0, SciCode, Humanity's Last Exam, GDP.pdf, CritPt, AA-Omniscience, AA-LCR v1.1

27 of 706 models

Add model from specific provider

Proprietary | Open Weights | Open Weights (Commercial Use Restricted)

**Artificial Analysis Intelligence Index**

Artificial Analysis Intelligence Index v4.3.2 includes: AA-Briefcase v1.1, GDPval-AA v2.1, AutomationBench-AA, Terminal-Bench 4.0, SciCode, Humanity's Last Exam, GDP.pdf, CritPt, AA-Omniscience, AA-LCR v1.1. See Intelligence Index methodology for further details, including a breakdown of each evaluation and how we run them.

**Open Weights**

Indicates whether the model weights are available. Models are labelled as 'Commercial Use Restricted' if commercial use is limited by conditions, and as 'Non-commercial' if the license prohibits commercial use.

Intelligence Index vs. Cost per Task | Intelligence Index vs. Time per Task | Intelligence Index vs. Output Tokens per Task

## Intelligence Index vs. Cost per Task

Artificial Analysis Intelligence Index • Weighted average cost (USD) per Artificial Analysis Intelligence Index task

27 of 706 models

Most attractive quadrant

Pareto line

DeepSeek | Z AI | Xiaomi
OpenAI | Anthropic | SpaceXAI
Google | Meta | StepFun
Kimi | InclusionAI | Alibaba
Reflection

AA-Briefcase v1.1

GDPval-AA v2.1

Cost per Task (USD, Log Scale)

See all evaluations

### Cost per Intelligence Index Task

Weighted average cost per Intelligence Index task. Each evaluation’ s cost is calculated from input, cache hit, cache write, reasoning, and answer token prices, divided by task count, and weighted by its Intelligence Index weight.

### Artificial Analysis Intelligence Index

Artificial Analysis Intelligence Index v4.3.2 includes: AA-Briefcase v1.1, GDPval-AA v2.1, AutomationBench-AA, Terminal-Bench 4.0, SciCode, Humanity's Last Exam, GDP.pdf, CritPt, AA-Omniscience, AA-LCR v1.1. See Intelligence Index methodology for further details, including a breakdown of each evaluation and how we run them.

## Capability Indexes

Measures the performance of models on specific capabilities and industries

Finance & Accounting | Strategy & Ops | Legal
Healthcare & Medical | Engineering | Economics

### Artificial Analysis Finance & Accounting Index

Incorporates 7 evaluations: AA-Omniscience, GDPval-AA v2.1, AA-Briefcase v1.1, Humanity's Last Exam, AutomationBench-AA, AA-LCR v1.1, GDP.pdf • Higher is better

27 of 225 models

Add model from specific provider

# Benchmarks

## Evaluations

Intelligence evaluations measured independently by Artificial Analysis • Higher is better

Coding | Agentic | Tool Use
Private Dataset | User Interaction | Finance
Medical | Legal | Intelligence Index
Long Context | Multimodal | Instruction Following
Faithfulness | Writing | Business

See more

20 of 29 evaluations
27 of 706 models

Add model from specific provider

AA-Briefcase v1.1Updated

Agentic knowledge work, (Elo-500)/2000

AA-Omniscience Accuracy

Knowledge

AA-Omniscience Non-Hallucination Rate

1 - hallucination rate

AutomationBench-AA

Agentic SaaS workflows

GDPval-AA v2.1Updated

Agentic real-world work tasks, (Elo-500)/2000

Humanity's Last Exam

Reasoning & knowledge

GDP.pdf

Professional document reasoning, All-pass

Terminal-Bench 4.0

Agentic coding & terminal use

AA-LCR v1.1

Long context reasoning

SciCodeUnder review

Coding

CritPtUnder review

Physics reasoning

Terminal-Bench-Science 0.1New

Agentic scientific research workflows in a terminal

FrontierCode 1.1New

Agentic software engineering in open-source repositories

AA-AnalystAgent

Quantitative analysis on spreadsheets & documents

Harvey LAB-AA v1.1Updated

Legal agentic work, Hallucination-Gated All-Pass Rate

EnterpriseOps-Gym-AA

Agentic business operations

AA-3DNew

Agentic interactive 3D experiences, (Elo-500)/2000

ITBench-AA

Kubernetes incident root-cause analysis

MLCR-AAUpdated

Medical long context reasoning

MMMU-Pro

Visual reasoning

Intelligence Evaluation Relevance

While model intelligence generally translates across use cases, specific evaluations may be more relevant for certain use cases.

Artificial Analysis Intelligence Index

Artificial Analysis Intelligence Index v4.3.2 includes: AA-Briefcase v1.1, GDPval-AA v2.1, AutomationBench-AA, Terminal-Bench 4.0, SciCode, Humanity's Last Exam, GDP.pdf, CritPt, AA-Omniscience, AA-LCR v1.1. See Intelligence Index methodology for further details, including a breakdown of each evaluation and how we run them.

## AA-Briefcase v1.1Updated

AA-Briefcase Elo | AA-Briefcase Rubric Score (%) | Analytical Quality & Presentation Elo

## AA-Briefcase Elo

AA-Briefcase v1.1 is an agentic knowledge work benchmark developed by Artificial Analysis. AA-Briefcase Elo is a combined metric that aggregates rubric pass rate, analytical quality Elo and presentation Elo · Higher is better

27 of 235 models

Add model from specific provider

AA-Briefcase Elo

AA-Briefcase Elo is a combined metric that aggregates analytical quality Elo, presentation Elo, and rubric pass rate, with rubric performance converted into Elo via synthetic head-to-head matches. Elo and 95% confidence interval bounds are clamped at 0.

## AA-Omniscience

AA-Omniscience Index | AA-Omniscience Accuracy | AA-Omniscience Hallucination Rate

## AA-Omniscience Index

AA-Omniscience Index (higher is better) measures knowledge reliability and hallucination. It rewards correct answers, penalizes hallucinations, and has no penalty for refusing to answer. Scores range from -100 to 100, where 0 means as many correct as incorrect answers, and negative scores mean more incorrect than correct.

27 of 580 models

Add model from specific provider

AA-Omniscience Index

AA-Omniscience Index (higher is better) measures knowledge reliability and hallucination. It rewards correct answers, penalizes hallucinations, and has no penalty for refusing to answer. Scores range from -100 to 100, where 0 means as many correct as incorrect answers, and negative scores mean more incorrect than correct.

## AA-PersonalityBenchNew



Model A DeepSeek V4.1 Flash (Max) vsModel B GLM-5.3-Flash

| | | |
|---|---|---|
| Expressiveness | Organization | Informativeness |
| Transparency | Warmth | Conviction |
| Imagination | Slop | |

## AA-PersonalityBench: Expressiveness Index, DeepSeek V4.1 Flash (max) vs GLM-5.3-Flash

Chance each model’s answer is judged to show more of each trait from their Elo gap • 50% is an even match

DeepSeek V4.1 Flash (max)



GLM-5.3-Flash
Lexically Varied
3%
97%
Natural Sounding
5%
95%
Eloquent
8%
92%
Metaphorical
19%
81%
Literate


44%
56%

## Openness Index

Openness Index | Openness Index Components | Openness vs. Intelligence

### Artificial Analysis Openness Index: Score

Openness Index assesses model openness on a 0 to 100 normalized scale (higher is more open)





## Intelligence Index Comparisons

Intelligence Index vs. Cost per Task | Intelligence Index vs. Time per Task | Intelligence Index vs. Output Speed | Intelligence Index vs. End-to-End Response Time

### Intelligence Index vs. Cost per Task

Artificial Analysis Intelligence Index • Weighted average cost (USD) per Artificial Analysis Intelligence Index task




Most attractive quadrant
Pareto line

DeepSeek | Z AI | Xiaomi
OpenAI | Anthropic | SpaceXAI
Google | Meta | StepFun
Kimi | InclusionAI | Alibaba
Reflection

AA-Briefcase v1.1

GDPval-AA v2.1

Cost per Task (USD, Log Scale)

See all evaluations

### Cost per Intelligence Index Task

Weighted average cost per Intelligence Index task. Each evaluation’ s cost is calculated from input, cache hit, cache write, reasoning, and answer token prices, divided by task count, and weighted by its Intelligence Index weight.

### Artificial Analysis Intelligence Index

Artificial Analysis Intelligence Index v4.3.2 includes: AA-Briefcase v1.1, GDPval-AA v2.1, AutomationBench-AA, Terminal-Bench 4.0, SciCode, Humanity's Last Exam, GDP.pdf, CritPt, AA-Omniscience, AA-LCR v1.1. See Intelligence Index methodology for further details, including a breakdown of each evaluation and how we run them.

## Token Use

Output Tokens per Task | Intelligence Index vs. Output Tokens per Tas | Intelligence Index Token Use

Intelligence Index vs. Token Use

### Output Tokens per Intelligence Index Task

Weighted average number of output tokens used to run one task in the Artificial Analysis Intelligence Index

27 of 706 models

Answer | Reasoning

### Output Tokens per Intelligence Index Task

The number of tokens required per Intelligence Index task. This is calculated by multiplying the output tokens per eval by the relative weights of each benchmark in the Intelligence Index, then dividing by task count (excluding repeats).

## Cost

Cost per Task | Intelligence Index vs. Cost per Task | Evaluation Breakdown

### Cost per Intelligence Index Task

Weighted average cost (USD) per Intelligence Index task • Segmented by token type • Lower is better

27 of 706 models

Answer | Reasoning | Cache Write

Cache Hit | Input

Cost per Intelligence Index Task

Weighted average cost per Intelligence Index task. Each evaluation’ s cost is calculated from input, cache hit, cache write, reasoning, and answer token prices, divided by task count, and weighted by its Intelligence Index weight.

Intelligence Index Total Cost | Intelligence Index vs. Total Cost

## Cost to Run Artificial Analysis Intelligence Index

Cost (USD) to run all evaluations in the Artificial Analysis Intelligence Index

27 of 706 models

Add model from specific provider

Output | Reasoning | Cache Write

Cache Read | Non-Cache Input

Cost to Run Artificial Analysis Intelligence Index

The cost to run the evaluations in the Artificial Analysis Intelligence Index, calculated using the model's input, cache hit, cache write, reasoning, and answer token prices and the number of tokens used across evaluations (excluding repeats).

Cache Hit, Input, and Output Pricing | Blended Price | Blended Price (Stacked)

Cache Discount | Intelligence Index vs. Price | Intelligence Index vs. Price (Log, Inverted)

Image Input Pricing

## Pricing: Cache Hit, Input, and Output

Price (USD per M Tokens)

27 of 706 models

Add model from specific provider

Cache Hit | Input | Output

Cache Hit

Price per token for cached prompts (previously processed), typically offering a significant discount compared to regular input price, represented as USD per million tokens. The values shown here are the cache hit price; cache write and cache storage are billed separately and vary by provider — see "Cache pricing by provider" for detail.


4 more notes

## Context Window

Context Window | Intelligence Index vs. Context Window

### Context Window

Context window: tokens limit • Higher is better



27 of 706 models



Add model from specific provider

### Context Window for RAG

Larger context windows are relevant to RAG (Retrieval Augmented Generation) LLM workflows which typically involve reasoning and information retrieval of large amounts of data.

### Context Window

Maximum number of combined input & output tokens. Output tokens commonly have a significantly lower limit (varied by model).

## Speed

Measured by Output Speed (tokens per second)

Output Speed | Output Speed by Prompt Type | Output Speed Variance
Output Speed Over Time | Output Speed vs. Price | Latency vs. Output Speed

### Output Speed

Output tokens per second • Higher is better

27 of 706 models

Add model from specific provider

### Output Speed

Tokens per second received while the model is generating tokens (ie. after first chunk has been received from the API for models which support streaming).


### Model Performance Representation

Figures represent performance of the model's first-party API or the median across providers where a first-party API is not available.

Time per Task | Intelligence Index vs. Time per Task | Cost vs. Time per Task

### Time per Intelligence Index Task

Weighted average decode time (minutes) per Intelligence Index task • Excludes TTFT and overhead time • Lower is better





Time per Intelligence Index Task

The weighted average time (seconds) per Artificial Analysis Intelligence Index task. This is calculated by dividing output tokens per task by output speed, weighted by the relative weights of each benchmark in the Intelligence Index.


## Latency

Measured by Time (seconds) to First Token




### Latency: Time To First Answer Token

Seconds to first answer token received • Accounts for reasoning model 'thinking' time



Time to First Answer Token

Time to first answer token received, in seconds, after API request sent. For reasoning models, this includes the 'thinking' time of the model before providing an answer. For models which do not support streaming, this represents time to receive the completion.


## End-to-End Response Time

Seconds to output 500 tokens, calculated based on time to first token, 'thinking' time for reasoning models, and output speed

End-to-End Response Time | End-to-End Response Time by Prompt Type | End-to-End Response Time Over Time

### End-to-End Response Time

Seconds to output 500 tokens, including reasoning model 'thinking' time • Lower is better



### End-to-End Response Time

Seconds to receive a 500 token response. Key components:

- Input time: Time to receive the first response token
- Thinking time (only for reasoning models): Time reasoning models spend outputting tokens to reason prior to providing an answer. Amount of tokens based on the average reasoning tokens across a diverse set of 60 prompts (methodology details).
- Answer time: Time to generate 500 output tokens, based on output speed

### Model Performance Representation


Figures represent performance of the model's first-party API or the median across providers where a first-party API is not available.

## Model Size (Open Weights Models Only)

Total & Active Parameters | Intelligence Index vs. Active Parameters | Intelligence Index vs. Total Parameters

### Model Size: Total and Active Parameters

Comparison between total model parameters and parameters active during inference (billions)



### Total Parameters

The total number of trainable weights and biases in the model, expressed in billions. These parameters are learned during training and determine the model's ability to process and generate responses.

### Active Parameters at Inference Time

The number of parameters actually executed during each inference forward pass, expressed in billions. For Mixture of Experts (MoE) models, a routing mechanism selects a subset of experts per token, resulting in fewer active than total parameters. Dense models use all parameters, so active equals total.

## Frequently Asked Questions

### Which is more intelligent, DeepSeek V4.1 Flash (Max) or GLM-5.3-Flash?

GLM-5.3-Flash is more intelligent. GLM-5.3-Flash scores 42, compared with DeepSeek V4.1 Flash (Max) at 39 on the Artificial Analysis Intelligence Index.

### Which is faster, DeepSeek V4.1 Flash (Max) or GLM-5.3-Flash?

DeepSeek V4.1 Flash (Max) is faster. DeepSeek V4.1 Flash (Max) generates 233.5 tokens per second, compared with GLM-5.3-Flash at 76.2 tokens per second.

### Which is cheaper, DeepSeek V4.1 Flash (Max) or GLM-5.3-Flash?

GLM-5.3-Flash is cheaper. GLM-5.3-Flash costs $0.10 per 1M tokens, compared with DeepSeek V4.1 Flash (Max) at $0.18 per 1M tokens (7:2:1 cache hit/input/output ratio).

### Which has lower latency, DeepSeek V4.1 Flash (Max) or GLM-5.3-Flash?

DeepSeek V4.1 Flash (Max) has lower latency. DeepSeek V4.1 Flash (Max) has a time to first token of 0.93s, compared with GLM-5.3-Flash at 2.62s.

### Which has a larger context window, DeepSeek V4.1 Flash (Max) or GLM-5.3-Flash?

Both models have a context window of 1.0M tokens.