


week report 3

completed work for week report 3

- [lab 3](#)
- [Notes 3](#)

Practice screenshot

Practice 3



Practice 4


Oct 7 10:06 PM

Courses The Bash Shell - Google S +

docs.google.com/presentation/d/e/2PACX-1vSMW_nt1pQzuuV3HIZ-3gw9ObsRqTVSPRW34IPB-cl_UgwuVr1iKY8MdWvh4_ctfrq9PDpXPMdif/pub?start=false&loop=false&delays=3000&slide=id

Practice 3: Basic Shell Usage Commands

1. Use the **echo** command to print a line
`echo "Hello Class!"`
2. Use the **sleep** command to put the shell to sleep
`sleep 3`
3. Use the **watch** command to repeat the command
`watch date`
4. Use the **history** command to see a history of all the commands you ran so far
`history`
5. Use the **clear** command to clear the screen
`clear`



osman@cis106-Desktop:~\$ top

PID	USER	PR	NI	PM	VSZ	RES	SHR	S	IN	CS	SI	ST	TIME	COMMAND
1854	osman	20	0	4847912	350956	111880	0	7	8.7	3:09.81	gnome-s+			
2680	osman	20	0	3544540	413732	160716	5	0.7	10.3	1:45.96	firefox+			
5963	osman	20	0	10396	5868	3696	R	0.7	0.1	0:00.10	top			
1086	root	20	0	350296	2296	2164	S	0.3	0.1	0:02.21	VBoxDRM+			
1010	root	20	0	289096	2972	2884	S	0.3	0.1	0:00.42	VBoxSer+			
1271	root	20	0	318744	9236	8264	S	0.3	0.2	0:00.52	upowerd			
2689	osman	20	0	2517668	105556	61108	S	0.3	2.6	0:06.28	Privile+			
4439	osman	20	0	2425684	75832	62028	S	0.3	1.9	0:01.31	Web Con+			
5751	root	20	0	0	0	0	I	0.3	0.0	0:00.28	kworker+			
5883	root	20	0	0	0	0	I	0.3	0.0	0:00.09	kworker+			
1	root	20	0	24168	15108	10620	S	0.0	0.4	0:01.50	systemd			
2	root	20	0	0	0	0	S	0.0	0.0	0:00.01	kthreadd			
3	root	20	0	0	0	0	S	0.0	0.0	0:00.00	pool_wa+			
4	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker+			
5	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker+			
6	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker+			
7	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker+			

osman@cis106-Desktop:~\$ uname -a
Linux cis106-Desktop 6.12.107+deb13-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.12.107-1 (2026-08-29) x86_64 GNU/Linux

osman@cis106-Desktop:~\$ du -hd1 /home
1.2G /home/osman
1.2G /home

osman@cis106-Desktop:~\$


Practice 5

Oct 7 10:08 PM

Courses The Bash Shell - Google S +

docs.google.com/presentation/d/e/2PACX-1vSMW_nt1pQzuuV3HIZ-3gw9ObsRqTVSPRW34IPB-cl_UgwuVr1iKY8MdWvh4_ctfrq9PDpXPMdif/pub?start=false&loop=false&delays=3000&slide=id

Practice 3: Solution



osman@cis106-Desktop:~\$ lsusb

BusID	VendorID	ProductID	DeviceName
1-2	046d	c52b	Logitech USB Receiver
1-3	046d	c52b	Logitech USB Receiver
1-4	046d	c52b	Logitech USB Receiver
1-5	046d	c52b	Logitech USB Receiver
1-6	046d	c52b	Logitech USB Receiver
1-7	046d	c52b	Logitech USB Receiver
1-8	046d	c52b	Logitech USB Receiver
1-9	046d	c52b	Logitech USB Receiver
1-10	046d	c52b	Logitech USB Receiver
1-11	046d	c52b	Logitech USB Receiver
1-12	046d	c52b	Logitech USB Receiver
1-13	046d	c52b	Logitech USB Receiver
1-14	046d	c52b	Logitech USB Receiver
1-15	046d	c52b	Logitech USB Receiver
1-16	046d	c52b	Logitech USB Receiver
1-17	046d	c52b	Logitech USB Receiver
1-18	046d	c52b	Logitech USB Receiver
1-19	046d	c52b	Logitech USB Receiver
1-20	046d	c52b	Logitech USB Receiver
1-21	046d	c52b	Logitech USB Receiver
1-22	046d	c52b	Logitech USB Receiver
1-23	046d	c52b	Logitech USB Receiver
1-24	046d	c52b	Logitech USB Receiver
1-25	046d	c52b	Logitech USB Receiver
1-26	046d	c52b	Logitech USB Receiver
1-27	046d	c52b	Logitech USB Receiver
1-28	046d	c52b	Logitech USB Receiver
1-29	046d	c52b	Logitech USB Receiver
1-30	046d	c52b	Logitech USB Receiver
1-31	046d	c52b	Logitech USB Receiver
1-32	046d	c52b	Logitech USB Receiver
1-33	046d	c52b	Logitech USB Receiver
1-34	046d	c52b	Logitech USB Receiver
1-35	046d	c52b	Logitech USB Receiver
1-36	046d	c52b	Logitech USB Receiver
1-37	046d	c52b	Logitech USB Receiver
1-38	046d	c52b	Logitech USB Receiver
1-39	046d	c52b	Logitech USB Receiver
1-40	046d	c52b	Logitech USB Receiver
1-41	046d	c52b	Logitech USB Receiver
1-42	046d	c52b	Logitech USB Receiver
1-43	046d	c52b	Logitech USB Receiver
1-44	046d	c52b	Logitech USB Receiver
1-45	046d	c52b	Logitech USB Receiver
1-46	046d	c52b	Logitech USB Receiver
1-47	046d	c52b	Logitech USB Receiver
1-48	046d	c52b	Logitech USB Receiver
1-49	046d	c52b	Logitech USB Receiver
1-50	046d	c52b	Logitech USB Receiver
1-51	046d	c52b	Logitech USB Receiver
1-52	046d	c52b	Logitech USB Receiver
1-53	046d	c52b	Logitech USB Receiver
1-54	046d	c52b	Logitech USB Receiver
1-55	046d	c52b	Logitech USB Receiver
1-56	046d	c52b	Logitech USB Receiver
1-57	046d	c52b	Logitech USB Receiver
1-58	046d	c52b	Logitech USB Receiver
1-59	046d	c52b	Logitech USB Receiver
1-60	046d	c52b	Logitech USB Receiver
1-61	046d	c52b	Logitech USB Receiver
1-62	046d	c52b	Logitech USB Receiver
1-63	046d	c52b	Logitech USB Receiver
1-64	046d	c52b	Logitech USB Receiver
1-65	046d	c52b	Logitech USB Receiver
1-66	046d	c52b	Logitech USB Receiver
1-67	046d	c52b	Logitech USB Receiver
1-68	046d	c52b	Logitech USB Receiver
1-69	046d	c52b	Logitech USB Receiver
1-70	046d	c52b	Logitech USB Receiver
1-71	046d	c52b	Logitech USB Receiver
1-72	046d	c52b	Logitech USB Receiver
1-73	046d	c52b	Logitech USB Receiver
1-74	046d	c52b	Logitech USB Receiver
1-75	046d	c52b	Logitech USB Receiver
1-76	046d	c52b	Logitech USB Receiver
1-77	046d	c52b	Logitech USB Receiver
1-78	046d	c52b	Logitech USB Receiver
1-79	046d	c52b	Logitech USB Receiver
1-80	046d	c52b	Logitech USB Receiver
1-81	046d	c52b	Logitech USB Receiver
1-82	046d	c52b	Logitech USB Receiver
1-83	046d	c52b	Logitech USB Receiver
1-84	046d	c52b	Logitech USB Receiver
1-85	046d	c52b	Logitech USB Receiver
1-86	046d	c52b	Logitech USB Receiver
1-87	046d	c52b	Logitech USB Receiver
1-88	046d	c52b	Logitech USB Receiver
1-89	046d	c52b	Logitech USB Receiver
1-90	046d	c52b	Logitech USB Receiver
1-91	046d	c52b	Logitech USB Receiver
1-92	046d	c52b	Logitech USB Receiver
1-93	046d	c52b	Logitech USB Receiver
1-94	046d	c52b	Logitech USB Receiver
1-95	046d	c52b	Logitech USB Receiver
1-96	046d	c52b	Logitech USB Receiver
1-97	046d	c52b	Logitech USB Receiver
1-98	046d	c52b	Logitech USB Receiver
1-99	046d	c52b	Logitech USB Receiver
1-100	046d	c52b	Logitech USB Receiver

osman@cis106-Desktop:~\$

Practice 6

Practice 6: Basic “Fun” commands

1. Use the fortune command to display a couple
`fortune`
2. Use the figlet command to display your name
`figlet "John Doe"`
3. Use the cowsay command to display a message
`cowsay "Hello world"`
4. Enter the Matrix! (CTRL + C to exit)
`cmatrix`
5. Display the running locomotive
`sl`
6. Reverse your name
`echo "John Smith" | rev`
7. Use toilet to display your name in metallic colors
`toilet "Bob" --metal`




```
osman@cis106-Desktop:~$ fortune
< Hello World >
-----
      ^
    (oo)\_____/
      (_____)
      |
      |----w |
      ||
osman@cis106-Desktop:~$ cmatrix
osman@cis106-Desktop:~$ sl
bash: sl: command not found
osman@cis106-Desktop:~$ sl
bash: sl: command not found
osman@cis106-Desktop:~$ echo "John Smith" | rev
htinS nhoJ
osman@cis106-Desktop:~$ toilet "Bob" --metal
#
#mmmm#
#   #   #   #   #
#mmmm#  " "  " "  " "  " "
#   #   #   #   #
#mmmm#  " "  " "  " "  " "
#
```

Practice 7

Practice 7: Using the command history

1. Open a terminal window and type the command: `date`
2. Type the command: `echo "hello world"`
3. Type the command: `uname -a`
4. Type the command: `history`
 - a. What do you see?
5. Using the `!#` shortcut, repeat the `echo` command
6. Use the `!!` to repeat the last command
7. Type: `echo "hello"`
8. Type: `!!world`
 - a. What happened?



```
osman@cis106-Desktop:~$ clear
113 clear
114 fortune
115 figlet "John Doe"
116 cowsay "Hello World"
117 cmatrix
118 sl
119 echo "John Smith" | rev
120 toilet "Bob" --metal
121 clear
122 date
123 echo "hello world"
124 uname -a
125 history
osman@cis106-Desktop:~$ !#
osman@cis106-Desktop:~$ !# echo
echo
osman@cis106-Desktop:~$ echo "hello"
hello
osman@cis106-Desktop:~$ !!world
echo "hello"world
helloworld
osman@cis106-Desktop:~$
```

Practice 8

Practice 8: Using man

- Open 2 terminal windows or split tillix into 2
- In one terminal type the command: **man** **uname**
- On the second terminal, and using the information from your system:
 - What is the kernel name
 - What is the hostname
 - What is the hardware platform and operating system
- Open the man page for each of these command:
 - date**, **df**, **free**, **clear**, **history**
- Using the man page of the **free** command, display the memory information in gigabytes

```


osman@cis106-Desktop: ~
117 cmatrix
118 sl
119 echo "John Smith" | rev
120 toilet "Bob" --metal
121 clear
122 date
123 echo "hello world"
124 uname -a
125 history
126 echo "hello"
127 echo "hello"world
128 clear
129 man uname
130 a.
131 date
132 df
133 free
134 clear
135 history
osman@cis106-Desktop:~$ free
              total        used        free      shared    buff/cache   available
Mem:           4016012      1865852      1259320         19772       1156396       2150160
Swap:            2715644           440924          2274720
osman@cis106-Desktop:~$

```

Practice 9

Practice 9: Using the help option

- A lot of times all you need is to remember the syntax or the options of a command. In this scenario, you can simply use the **--help** option. Remember that for some commands you have to use **-h** instead of **--help**
- Display the help options for the following commands:
 - free**
 - man**
 - date**
- Use the **whatis** command to find out what these commands do:
 - ls**
 - pwd**
 - apt**
 - sudo**



```
osman@cis106-Desktop: ~  
1: osman@cis106-Desktop: ~$ whatis ls  
ls (1) - list director...  
osman@cis106-Desktop: ~$ whatis pwd  
pwd (1) - print name of...  
osman@cis106-Desktop: ~$ whatis apt  
apt (8) - command-line ...  
osman@cis106-Desktop: ~$ whatis sudo  
sudo (8) - execute a com...  
osman@cis106-Desktop: ~$  
  
2: osman@cis106-Desktop: ~$ whatis date  
date (1) - print the current time in UTC or local time  
Examples:  
Convert seconds since the Epoch (1970-01-01 UTC) to a date  
$ date --date='@2147483647'  
Show the time on the west coast of the US (use tzselect(1) to find TZ)  
$ TZ='America/Los_Angeles' date  
Show the local time for 9AM next Friday on the west coast of the US  
$ date --date='TZ="America/Los_Angel s" 09:00 next Fri'  
GNU coreutils online help: <https://www.gnu.org/software/coreutils/>  
Full documentation <https://www.gnu.org/software/coreutils/date>  
or available locally via: info '(coreut ils) date invocation'  
osman@cis106-Desktop: ~$
```

Practice 10


Oct 7 10:39 PM

Courses x The Bash Shell - Google S x +

docs.google.com/presentation/d/e/2PACX-1vSMW_nt1pGzuuV3HIZ-3gw9ObsRqnTVSPRW34IPB-cl_UgwuVr1iKY8MdWxh4_ctfrq9PDpXPMdif/pub?start=false&loop=false&delayms=3000#slide=id

Practice 10: Solution

1. `sudo apt install tealdeer -y`
2. `tlldr -u`
3. `tlldr echo`
4. `tlldr date`
5. `sudo snap install cheat`
6. `cheat`
7. `cheat echo`
8. `cheat date`
9. `sudo apt install python3-pygments`
10. `cheat echo | pygmentize`
11. `cheat date | pygmentize`



The screenshot shows a terminal window titled 'Tilix: osman@cis106-Desktop: ~'. It contains several comments and commands related to the 'date' utility:

```
1: osman@cis106-Desktop: ~  
# To print the date in a format suitable for affixing to file names:  
date +%Y%m%d_%H%M%S  
# To convert a Unix timestamp to Date (Linux):  
date -d @1440359821  
# To convert a Unix timestamp to Date (OSX):  
date -r 1440359821  
# To show the current timezone:  
date +%Z  
# To show date in RFC format with TZ offset:  
date -R  
# To show date in UTC/GMT:  
date -u  
# To show date in CET:  
TZ=CET date  
# To show the time on the west coast of the US (use tzselect(1) to find TZ):  
TZ='America/Los_Angeles' date  
osman@cis106-Desktop: ~$
```