HTML FILE:

```
<!doctype html>
<html lang="en">
  <!-- Required meta tags -->
 <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- Bootstrap CSS -->
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
  <link rel="stylesheet" href="css/style.css">
  <link rel="stylesheet" href="css/media.css">
  <link rel="stylesheet"</pre>
href="https://use.fontawesome.com/releases/v5.15.4/css/all.css"
    integrity="sha384-
DyZ88mC6Up2uqS4h/KRgHuoeGwBcD4Ng9SiP4dIRy0EXTlnuz47vAwmeGwVChigm"
crossorigin="anonymous">
  <title>Project</title>
</head>
<body>
 <!-- Section 1 html -->
  <header class="sec1">
   <div class="sec01">
     Coronavirus (COVID-19)
   </div>
    <div class="sec02">
      For information on how ELN are supporting the NHS and social care,<p
class="sec02p"> view our new guidelines.
      Learn about
      the government class="sec02p">response to coronavirus on GOV.UK.
   </div>
    <div class="sec03">
      <button class="sec03btn">Close </button>
    </div>
  </header>
 <!-- Section 2 html start here -->
```

```
<nav class="navbar navbar-expand-lg navbar-light bg-light">
   <div class="container-fluid">
    <a class="navbar-brand" href="#">
      <div class="logo-image">
       <img src="logo.png" class="img-fluid" width="50" height="50">
      </div>
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
data-bs-target="#navbarSupportedContent"
      aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"</pre>
role="button" data-bs-toggle="dropdown"
          aria-expanded="false">
          Courses
         </a>
         <a class="dropdown-item" href="#">Web</a>
           <a class="dropdown-item" href="#">App</a>
         <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"</pre>
role="button" data-bs-toggle="dropdown"
          aria-expanded="false">
          Vocations
         </a>
         <a class="dropdown-item" href="#">Action</a>
           <a class="dropdown-item" href="#">Another action</a>
```

```
<a class="nav-link" href="#">Live sessions</a>
         <a class="nav-link" href="#">Resouces</a>
         <a class="nav-link" href="#">ELN for business</a>
         <
           <a id="num1" class="nav-link" href="#"> About Us</a>
         <1i>>
           <a id="num2" class="nav-link" href="#"> <i id="num2i" class="fas fa-</pre>
phone"></i>0203 371 7309</a>
         </div>
   </div>
  <section class="see">
   <div class="se2">
       This is why we exist, it's
       something about you.
     </h3>
       Etiam facilisis ligula nec velit posuere. Numc dictum lectus sem, vel
dignissim purus luctus quis.
       Etiam facilisis ligula nec velit posuere. Numc dictum lectus sem, vel
dignissim purus luctus quis.
       Etiam facilisis ligula nec velit posuere. Numc dictum lectus sem, vel
dignissim purus luctus quis euismod
       maruis suscipit,
     <div class="se2btna">
       <a href="" id="se2link"> Find out more</a>
       <input type="button" value="Get in touch" id="se2btn1">
     </div>
   </div>
   <div class="se3">
     <img class="se3img" src="logo.png">
   </div>
  </section>
```

```
<h1 id="hello"> Our story so far</h1>
<div class="container">
 <div class="items">
   <div class="item" id="item1">
     <h1> 2015</h1> LONDON
   </div>
   <div class="itemsp">
     <h3 class="itemdh3"> ELN Established</h3>
      Etiam facilisis ligula nec velit posuere.
       Etiam facilisis ligula nec velit posuere.
       Etiam facilisis ligula nec velit posuere.
       Etiam facilisis ligula nec velit posuere.
   </div>
 </div>
 <div class="items">
   <div class="item" id="item2">
     <h1> 36,000</h1> HOURS OF TRAINING
   </div>
   <div class="itemsp">
     <h3 class="itemdh3"> Thousand of training hours </h3>
      Etiam facilisis ligula nec velit posuere.
       Etiam facilisis ligula nec velit posuere.
       Etiam facilisis ligula nec velit posuere.
       Etiam facilisis ligula nec velit posuere.
     </div>
 </div>
 <div class="items">
   <div class="item" id="item3">
     <h1> 20</h1> COUNTRIES
   </div>
   <div class="itemsp">
     <h3 class="itemdh3"> Europe, Africa and Asia</h3>
      Etiam facilisis ligula nec velit posuere.
       Etiam facilisis ligula nec velit posuere.
       Etiam facilisis ligula nec velit posuere.
       Etiam facilisis ligula nec velit posuere.
     </div>
  </div>
```

```
<div class="items">
      <div class="item" id="item4">
        <img src="iso.png" width="50" height="50">
        <img src="iso.png" width="50" height="50">
      </div>
      <div class="itemsp">
        <h3 class="itemdh3"> Something About ISO</h3>
         Etiam facilisis ligula nec velit posuere.
          Etiam facilisis ligula nec velit posuere.
          Etiam facilisis ligula nec velit posuere.
          Etiam facilisis ligula nec velit posuere.
        </div>
   </div>
  </div>
  <br>
  <br>
  <section class="third">
   <div class="third1">
        Need training for your team ?
       We're here to help
      </h3>
        Etiam facilisis ligula nec velit posuere. Numc dictum lectus sem, vel
dignissim purus luctus quis.
        Etiam facilisis ligula nec velit posuere. Numc dictum lectus sem, vel
dignissim purus luctus quis.
        Etiam facilisis ligula nec velit posuere. Numc dictum lectus sem, vel
dignissim purus luctus quis euismod
        maruis suscipit,
      <div class="number">
        <i class="fas fa-check"></i></i>
       Discount for multiple purchases
      </div>
      <div class="number">
        <i class="fas fa-check"></i></i>
        Another benefit for corporates
      </div>
      <div class="number">
```

```
<i class="fas fa-check"></i>
        Third benefit for corporates
      </div>
      <div class="third1btna">
        <a href="" id="third1link"> Find out more</a>
        <input type="button" value="Contact us" id="third1btn1">
      </div>
   </div>
   <div class="third2">
      <img class="third2img" src="blog.jpg">
    </div>
  </section>
  <br>
  <footer class="foot">
</footer>
</body>
</html>
```

CSSFILE:

```
@import
url('https://fonts.googleapis.com/css2?family=Lato:wght@300&display=swap');
*{
   margin: 0;
    padding: 0;
    box-sizing: border-box; }
body{
    background-color: rgb(209, 206, 209);
    font-family: 'Lato', sans-serif;}
.sec1{
   display: flex;
   flex-direction: row;
   background-color: yellow;
    padding: 5px 10px 5px 10px ;
   width: auto;
.sec01{
float: left;
font-weight: 800;
font-size: 20px;
```

```
.sec02{
    /* justify-content: center;
    margin: auto;
.sec03{
   float: right;
.sec02p{
    text-decoration: underline;
   display: inline; }
.sec03btn{
    font-size: 17px;
   font-weight: 700;
background-color: black;
color: white;
padding: 4px 6px;
overflow: hidden;
.logo-image{
   width: 50px;
   height: 50px;
   border-radius: 50%;
   overflow: hidden;
   margin-top: -6px;
.res{
    /* margin: auto; */
margin-right: 100px;
#num1{
color: blue;
#num2{
    color: blue;
#num2i{
   margin-right: 5px;}
.see{
   display: flex;
    flex-direction: row;
    background-color: rgb(47, 119, 235);}
```

```
.se2{
    float: left;
    /* border: 4px solid green; */
padding: 50px 60px;
color: white;
width: 60%;}
.se2 h3{
    font-size: 50px ;
    font-weight: 700;}
.se2 p{
    font-size: 10px;
    padding-right: 150px;
    margin-top: 40px;}
.se3{
    width: 40%;
float: right;
/* border: 4px solid rgb(202, 26, 26); */
padding: 20px 20px;
position: relative;
right: -30px;
.se3img{
    border-radius: 100px;
    width: 300px;
    height: 200px;
    margin-top: 40px;}
#se2link{
    border: 2px solid white;
    border-radius: 20px;
    padding: 7px 25px;
    text-decoration: none;
    color: white;}
#se2btn1{
 border: 2px solid white;
 border-radius: 20px;
 padding: 5px 25px;
 color: blue;
 margin-left: 20px;
.se2btna{
    margin-top: 30px;
    font-weight: 600;
    font-size: 15px;
#hello{
```

```
text-align: center;
   font-size: 50px;
   color: blue;
   font-weight: 700;
   margin-top: 30px;
.container{
   display: flex;
   flex-direction: row;
   width: 1100px;
   height: 300px;
   margin: 50px auto ;
   z-index: 10000;
.items{
   display: flex;
   flex-direction: column;
   margin: 5px;
   height: 350px;
   background-color: white
.items01{
   flex-direction: row;
.items02{
   flex-direction: row;}
.item{
   border: 7px solid rgba(248, 249, 250, 0.59);
   width: 145px;
   color: blue;
   padding: 0pc 9px;
   height: 135px;
   margin: auto;
   border-radius: 100px;
   margin-top: 10px;
   margin-bottom: 10px;
   font-size: 10px;
   text-align: center;
   font-family: 500;
.item img{
   justify-content: center;
   margin-top: 25px;
```

```
.item h1{
    font-weight: 1000;
    font-size: 35px;
    margin-top: 20px;
.itemdh3{
   color: blue;
    font-size: 18px;
    text-align: center;
    font-weight: 800;
.itemsp p{
    font-size: 13px;
    text-align: center;
.third{
    background-color: white;
    margin: auto;
    width: 1100px;
    height: 400px;
    display: flex;
    /* margin: 50px auto ; */
    box-shadow: 5px 10px 8px 10px #888888;}
.third1{
    float: left;
    /* border: 4px solid green; */
padding: 20px 20px;
color: white;
width: 60%;}
.third1 h3{
    font-size: 50px;
    font-weight: 700;
    color: blue;
.third1 p{
    font-size: 10px;
    padding-right: 150px;
    margin-top: 40px;
    color: black;
.third2{
    /* border: 3px solid green; */
    width: 40%;
float: right;
```

```
/* padding: 10px 20px; */
position: relative;
right: 16px;
.third2 img{
object-fit: cover;
   width: 100%;
    height: 100%;}
#third1link{
   border: 2px solid white;
    border-radius: 20px;
    padding: 7px 25px;
   text-decoration: none;
    color: white;
    background-color: blue;
#third1btn1{
 border: 2px solid blue;
 border-radius: 20px;
 padding: 5px 25px;
 color: blue;
 margin-left: 20px;
.third1btna{
   margin-top: 30px;
   font-weight: 600;
    font-size: 15px;
.number{
    color: blue;
.foot{
   height: 20px;
    background-color: blue;
```

MEDIA.CSS file;

```
@media screen and (max-width:833px) {
    .see{
      flex-direction: column;
      /* width: 100%; */
      width: auto;
    height: auto;
```

```
padding: auto;
    .se2{
text-align: center;
   color: white;
  width: auto;
   float: none;
   padding: 0px 0px;
   margin: 0px 10px;
   height: auto;
    .see2 h3 {
width: auto;
       font-size: 10px;
        padding: 0px;
       margin: 0;
       height: auto;
    .se2 p{
        padding-right: 0px;
    #se2btn1 {
        margin: 10px 0px;
    #se2link{
        padding: 7px 9px;
    .se3{
        width: 300px;
margin: auto;
    .se3img{
       margin: auto;
        border-radius: 100px;
        width: 100%;
        object-fit: cover;
        margin-left: -30px;
       /* width: 300px; */
       /* height: 200px; */
        /* margin-top: 40px; */
```

```
@media screen and (max-width:467px) {
    .sec1{
        flex-direction: column;
        padding: 12px 10px;
@media screen and (max-width:1020px) {
    .container{
        width: 100%;
@media screen and (max-width:772px) {
    .container{
       display: flex;
       flex-direction: column;
@media screen and (max-width:1100px) {
    .third{
        width: 90%;
@media screen and (max-width:833px) {
    .third{
        flex-direction: column;
        margin-top: 720px;
        height: auto;
        width: auto;
    .third1{
    color: white;
    width: 100%;
    padding: 0px 0px;
   margin: 0px 0px;
    /* margin-left: 20px; */
```

```
.third1 h3 {
       font-size: 25px;
       padding: 0px;
       margin: 0;
   .third1 p{
       padding-right: 0px;
   #third1btn1 {
       margin: 10px 0px;
   #third1link{
       padding: 7px 9px;
.third2{
       width: 100%;
       padding: 0px 0px;
       margin: 0px 18px;
   .third2img{
       width: 100px;
       height: auto;}
```