

SHUNYA Pattern Language — Constitutional Behavioural Vocabulary

Constitutional Layer: Design Constitution → Pattern Language **Status:** Frozen. Governs experience consistency across all SHUNYA surfaces. **Conforms to:** SHUNYA Constitutional Architecture V1.0 (CANONICAL_ARCHITECTURE.md)

Constitution of Patterns

Every recurring interaction pattern shall have exactly one canonical definition.

A pattern is valid only if it satisfies all of the following:

- 1. It serves a **constitutional purpose** (improves Understanding, Execution, Trust, or Adaptation)
- 2. It maps to **at least one** Founder Journey
- 3. It involves **at least one** Living Object
- 4. It visualizes **Reality** (never displays data without a reality anchor)
- 5. It exposes **AI cognition** where the founder is making a decision
- 6. It surfaces a **next action** (never leaves the founder stranded)
- 7. It has defined **failure** and **recovery** behaviour
- 8. It may never adopt a **forbidden behaviour**

No duplicate patterns may exist. If two surfaces need the same behaviour, they use the same pattern.

Pattern Specification Template

Each pattern is defined by:

Field	Meaning
Purpose	Why this pattern exists
Experience Objective	Which Experience question it answers
Living Objects	Which objects are involved
Founder Journey	Which journey(s) it serves
Reality Visualized	What real-world truth is shown
AI Cognition Behaviour	What SHUNYA is thinking/explaining
Required CTA	The next action surfaced
Animation Behaviour	Movement/transition rules
Trust Behaviour	How trust is built or maintained
Failure Behaviour	What happens on error
Recovery Behaviour	How it returns to normal
Never Allowed	Forbidden behaviours
Constitutional Articles	Which articles are satisfied

PATTERN 01 — Workspace

- **Purpose:** Manifest Reality relevant to the current human as a continuous, focused surface.
- **Experience Objective:** What does the founder now understand immediately? What became continuous?
- **Living Objects:** Workspace, all visible objects.
- **Founder Journey:** Every journey (workspace is the container).
- **Reality Visualized:** The current state of the founder's world.
- **AI Cognition Behaviour:** AI Presence stream shows current cognition relevant to this workspace.
- **Required CTA:** The next best action for the active object.
- **Animation Behaviour:** Spatial transitions; continuous, never page-load jumps.
- **Trust Behaviour:** Preserves exact context; founder never mentally restarts.
- **Failure Behaviour:** Workspace fails to load → show cached last-known-good state.
- **Recovery Behaviour:** Restore prior context and memory; no data loss.
- **Never Allowed:** Owning business logic, persistence, workflow, AI reasoning, or domain computation (Workspace Purity Law).
- **Constitutional Articles:** Workspace Constitution, Frontend Constitution, Navigation Constitution.

PATTERN 02 — Workspace Transition

- **Purpose:** Move between workspaces or objects while preserving cognition and context.
- **Experience Objective:** What uncertainty disappeared? What became continuous?
- **Living Objects:** Workspace, destination object.
- **Founder Journey:** All journeys.
- **Reality Visualized:** The destination reality.
- **AI Cognition Behaviour:** Cognition state carries over; founder sees what was being thought.
- **Required CTA:** Continue the prior thread or start the new context.
- **Animation Behaviour:** Spatial slide/zoom; never hard `window.location.href` reload.
- **Trust Behaviour:** History preserves cognition; objects remain continuous.
- **Failure Behaviour:** Transition fails → remain on current workspace, no context loss.
- **Recovery Behaviour:** Return to prior workspace with full restored context.
- **Never Allowed:** Hard page navigation; context reset; mental restart for founder.
- **Constitutional Articles:** Navigation Constitution, Frontend Constitution.

PATTERN 03 — Living Object Card

- **Purpose:** Present a Living Object as a compact, actionable, living representation.
- **Experience Objective:** What does the founder understand immediately?
- **Living Objects:** Any canonical object (Customer, Proposal, Invoice, etc.).
- **Founder Journey:** All object-bearing journeys.
- **Reality Visualized:** The object's current state and lifecycle stage.
- **AI Cognition Behaviour:** A small cognition line shows what SHUNYA understands about this object.
- **Required CTA:** Open object, or primary action on the object.
- **Animation Behaviour:** Subtle; card lifts on hover; state changes animate.
- **Trust Behaviour:** Shows source of truth and last-updated; never presents stale data as fresh.
- **Failure Behaviour:** Object fails to load → show known state + retry.
- **Recovery Behaviour:** Re-fetch object; preserve card position.
- **Never Allowed:** Displaying a datapoint without a reality anchor or next action.
- **Constitutional Articles:** Living Objects Constitution, Frontend Constitution.

PATTERN 04 — Object Creation

- **Purpose:** Create a new Living Object through the universal lifecycle.
- **Experience Objective:** What work disappeared?
- **Living Objects:** The object being created (Customer, Proposal, etc.).
- **Founder Journey:** All journeys that begin an object.
- **Reality Visualized:** The new object anchored to reality.
- **AI Cognition Behaviour:** AI suggests fields/completes context; shows confidence.
- **Required CTA:** Commit creation.
- **Animation Behaviour:** Creation animates into the object graph.
- **Trust Behaviour:** Identity assigned immediately; object appears in graph.
- **Failure Behaviour:** Creation fails → preserve draft, show error with cause.
- **Recovery Behaviour:** Retry creation; never duplicate.
- **Never Allowed:** Skipping Identity Assignment or Reality Attachment.
- **Constitutional Articles:** Universal Object Lifecycle, Object Interaction Law.

PATTERN 05 — Object Detail

- **Purpose:** Show the full reality of one Living Object with its relationships and history.
- **Experience Objective:** What became continuous? What does the founder understand?
- **Living Objects:** One canonical object.
- **Founder Journey:** All journeys that require deep object understanding.
- **Reality Visualized:** The object's full state, lifecycle stage, and related objects.
- **AI Cognition Behaviour:** Cognition panel explains the object's significance and options.
- **Required CTA:** Next action on the object.
- **Animation Behaviour:** Detail expands spatially; relationships animate.
- **Trust Behaviour:** Shows evidence, timeline, and rollback history (Object Interaction Law).
- **Failure Behaviour:** Detail fails → show summary + partial.
- **Recovery Behaviour:** Incremental load; never blank.
- **Never Allowed:** Hiding causation, evidence, or rollback history.
- **Constitutional Articles:** Object Interaction Law, Universal Object Lifecycle.

PATTERN 06 — AI Thought

- **Purpose:** Expose a single unit of SHUNYA's current thinking.
- **Experience Objective:** What uncertainty disappeared? What does the founder understand?
- **Living Objects:** The object(s) the thought concerns.
- **Founder Journey:** Any journey where AI reasoning is needed.
- **Reality Visualized:** An observation/reasoning about reality.
- **AI Cognition Behaviour:** Shows observation, reasoning, confidence, alternatives, unknowns, remaining uncertainty.
- **Required CTA:** Acknowledge, act, or ask for more.
- **Animation Behaviour:** Thought streams in; confidence animates.
- **Trust Behaviour:** Confidence is stated; unknowns are explicit; never presented as certainty.
- **Failure Behaviour:** AI unavailable → show "thinking paused" not silence.
- **Recovery Behaviour:** Resume cognition; continue from last thought.
- **Never Allowed:** Presenting an AI thought as infallible; hiding confidence or unknowns.
- **Constitutional Articles:** Continuous Cognition, Experience Constitution.

PATTERN 07 — AI Presence

- **Purpose:** Continuously show that SHUNYA is thinking alongside the founder.
- **Experience Objective:** What became continuous? What became calmer?
- **Living Objects:** All objects in the current workspace.
- **Founder Journey:** All journeys.
- **Reality Visualized:** Live cognition stream relevant to the workspace.
- **AI Cognition Behaviour:** Continuous publication of observations and reasoning.
- **Required CTA:** Engage with a thought or dismiss.
- **Animation Behaviour:** Calm, continuous presence; never intrusive.
- **Trust Behaviour:** Transparency; the founder always knows what SHUNYA is attending to.
- **Failure Behaviour:** Cognition stream pauses gracefully.
- **Recovery Behaviour:** Stream resumes with context preserved.
- **Never Allowed:** Random unsolicited interruptions with no relevance.
- **Constitutional Articles:** Continuous Cognition, Experience Constitution.

PATTERN 08 — Reality Feed

- **Purpose:** Show the continuous stream of what is happening in reality.
- **Experience Objective:** What became continuous? What became calmer?
- **Living Objects:** All observed objects.
- **Founder Journey:** All journeys.
- **Reality Visualized:** The delta stream of Reality (events, changes, observations).
- **AI Cognition Behaviour:** Each feed item may carry an AI interpretation.
- **Required CTA:** Investigate a feed item or act on it.
- **Animation Behaviour:** Items stream in; new items animate without displacement.
- **Trust Behaviour:** Each item shows source, timestamp, causality, confidence, reversibility (Universal Event Law).
- **Failure Behaviour:** Feed stalls → show last event + reconnecting state.
- **Recovery Behaviour:** Reconnect; never lose events (queue for replay).
- **Never Allowed:** Anonymous events (Universal Event Law).
- **Constitutional Articles:** Observation, Universal Event Law.

PATTERN 09 — Command Surface

- **Purpose:** Capture founder intent and route it to execution.
- **Experience Objective:** What work disappeared? What is the next action?
- **Living Objects:** The object the command targets.
- **Founder Journey:** All journeys (command is the accelerator).
- **Reality Visualized:** The action options relevant to current context.
- **AI Cognition Behaviour:** AI suggests the best next command with reasoning.
- **Required CTA:** Execute a command.
- **Animation Behaviour:** Command palette opens spatially; results animate.
- **Trust Behaviour:** Commands map to real actions; no dead paths.
- **Failure Behaviour:** Command fails → explain why, show cause.
- **Recovery Behaviour:** Offer alternative command or undo.
- **Never Allowed:** Interpreting intent independently of the object context; hard navigation.
- **Constitutional Articles:** Command Surface ownership, Navigation Constitution.

PATTERN 10 — Execution Timeline

- **Purpose:** Show the progress of work through the execution lifecycle.
- **Experience Objective:** What became continuous? What became calmer?
- **Living Objects:** Execution, Commitment, Outcome.
- **Founder Journey:** Commitment Management, Customer Acquisition.
- **Reality Visualized:** Real progress of work toward outcome.
- **AI Cognition Behaviour:** AI flags risk, delays, next actions.
- **Required CTA:** Advance the execution or unblock it.
- **Animation Behaviour:** Steps complete with movement; timeline animates forward.
- **Trust Behaviour:** Shows evidence of completion; never claims done without evidence.
- **Failure Behaviour:** Execution blocked → show blocker + cause.
- **Recovery Behaviour:** Recovery path is explicit (retry, escalate, back off).
- **Never Allowed:** Showing completion without verified Outcome evidence.
- **Constitutional Articles:** Execution, Outcome, Execution Runtime contract.

PATTERN 11 — Journey Progress

- **Purpose:** Show where the founder is within a complete journey.
- **Experience Objective:** What does the founder understand immediately?
- **Living Objects:** Journey, all journey objects.
- **Founder Journey:** The journey being displayed.
- **Reality Visualized:** Position along Reality→Understanding→Decision→Execution→Outcome→Learning.
- **AI Cognition Behaviour:** AI indicates the next journey stage and what's needed.
- **Required CTA:** Advance to next stage.
- **Animation Behaviour:** Journey progresses spatially through stages.
- **Trust Behaviour:** Stage completion is evidence-backed.
- **Failure Behaviour:** Journey stalls → show what's missing.
- **Recovery Behaviour:** Resume journey from last completed stage.
- **Never Allowed:** Suggesting a journey stage is complete without evidence.
- **Constitutional Articles:** Journey Constitution, Canonical Experience Pipeline.

PATTERN 12 — Relationship Graph

- **Purpose:** Visualize the connections between Living Objects.
- **Experience Objective:** What does the founder understand immediately?
- **Living Objects:** All linked objects.
- **Founder Journey:** Knowledge Discovery, Customer Acquisition.
- **Reality Visualized:** The object graph as it exists in reality.
- **AI Cognition Behaviour:** AI highlights important or risky relationships.
- **Required CTA:** Navigate to a connected object.
- **Animation Behaviour:** Graph expands/collapses spatially; links animate.
- **Trust Behaviour:** Links show causality and evidence (Object Interaction Law).
- **Failure Behaviour:** Graph fails to load → show known nodes.
- **Recovery Behaviour:** Rebuild graph from object events.
- **Never Allowed:** Showing a relationship without causality/evidence.
- **Constitutional Articles:** Object Graph, Object Interaction Law.

PATTERN 13 — Search

- **Purpose:** Find a specific object or knowledge across the system.
- **Experience Objective:** What work disappeared? What uncertainty disappeared?
- **Living Objects:** All searchable objects and knowledge.
- **Founder Journey:** Knowledge Discovery.
- **Reality Visualized:** Matching reality objects.
- **AI Cognition Behaviour:** AI interprets the query intent and ranks results with reasoning.
- **Required CTA:** Open a result.
- **Animation Behaviour:** Results stream in; query refines dynamically.
- **Trust Behaviour:** Results show source and confidence; no fabricated answers.
- **Failure Behaviour:** No results → show "not found in reality" + alternatives.
- **Recovery Behaviour:** Suggest broader or corrected query.
- **Never Allowed:** Presenting a guessed/unsourced answer as fact.
- **Constitutional Articles:** Search ownership, Memory, Understanding.

PATTERN 14 — Notification

- **Purpose:** Alert the founder to something that needs attention.
- **Experience Objective:** What became continuous? What became calmer?
- **Living Objects:** The object the notification concerns.
- **Founder Journey:** All journeys.
- **Reality Visualized:** A real change or event requiring attention.
- **AI Cognition Behaviour:** AI explains why this matters and suggested action.
- **Required CTA:** Act on the notification or dismiss.
- **Animation Behaviour:** Notification appears calmly; unread state is clear.
- **Trust Behaviour:** Notification links to evidence and source.
- **Failure Behaviour:** Notification fails to deliver → requeue.
- **Recovery Behaviour:** Re-deliver; never lose important events.
- **Never Allowed:** Anonymous notifications (Universal Event Law); notification spam.
- **Constitutional Articles:** Notification ownership, Universal Event Law.

PATTERN 15 — Trust Explanation

- **Purpose:** Explain why SHUNYA believes or recommends something.
- **Experience Objective:** What uncertainty disappeared? What became calmer?
- **Living Objects:** The object the explanation concerns.
- **Founder Journey:** Any decision-bearing journey.
- **Reality Visualized:** The evidence and reasoning behind a belief.
- **AI Cognition Behaviour:** Full explainability: reasoning, confidence, alternatives, unknowns.
- **Required CTA:** Accept, challenge, or adjust.
- **Animation Behaviour:** Explanation unfolds; evidence links animate.
- **Trust Behaviour:** Complete transparency; nothing hidden.
- **Failure Behaviour:** Explanation unavailable → say so, don't fake it.
- **Recovery Behaviour:** Rebuild explanation when evidence available.
- **Never Allowed:** Hiding reasoning; presenting opaque AI decisions.
- **Constitutional Articles:** Continuous Cognition, Trust, Explainable Intelligence.

PATTERN 16 — Decision Review

- **Purpose:** Present a decision for founder review before or after commitment.
- **Experience Objective:** What uncertainty disappeared? What became calmer?
- **Living Objects:** Decision, Commitment.
- **Founder Journey:** Commitment Management, Customer Acquisition.
- **Reality Visualized:** The decision, its options, and consequences.
- **AI Cognition Behaviour:** AI recommends with reasoning and confidence; never decides for founder.
- **Required CTA:** Approve, reject, or modify the decision.
- **Animation Behaviour:** Decision options animate; consequences preview.
- **Trust Behaviour:** Decision recorded with evidence (Decision Runtime contract).
- **Failure Behaviour:** Decision cannot be recorded → return to draft.
- **Recovery Behaviour:** Re-submit decision; no loss.
- **Never Allowed:** Decision Runtime executing its own decision.
- **Constitutional Articles:** Decision Runtime contract, Object Interaction Law.

PATTERN 17 — Approval

- **Purpose:** Route a decision to an authorized approver.
- **Experience Objective:** What became calmer? What became clearer?
- **Living Objects:** Decision, Organization, Identity (approver).
- **Founder Journey:** Commitment Management, Customer Acquisition.
- **Reality Visualized:** The item awaiting approval and its context.
- **AI Cognition Behaviour:** AI summarizes the approval request with evidence.
- **Required CTA:** Approve, reject, or request changes.
- **Animation Behaviour:** Approval flow animates; status updates.
- **Trust Behaviour:** Shows who approved, when, and on what evidence.
- **Failure Behaviour:** Approval fails to submit → preserve request.
- **Recovery Behaviour:** Re-submit approval.
- **Never Allowed:** Bypassing permission resolution (Universal Object Lifecycle).
- **Constitutional Articles:** Permission Resolution, Organization.

PATTERN 18 — Payment

- **Purpose:** Complete a financial transaction with full traceability.
- **Experience Objective:** What became calmer? What became continuous?
- **Living Objects:** Invoice, Payment, Customer.
- **Founder Journey:** Customer Acquisition.
- **Reality Visualized:** The payment status and amount in reality.
- **AI Cognition Behaviour:** AI flags payment risk or next steps.
- **Required CTA:** Confirm payment or view status.
- **Animation Behaviour:** Payment status animates (pending → paid → reconciled).
- **Trust Behaviour:** Full transaction evidence, timeline, reversibility.
- **Failure Behaviour:** Payment fails → show reason, no silent failure.
- **Recovery Behaviour:** Retry or refund path is explicit.
- **Never Allowed:** Silent payment failure; hiding fees or status.
- **Constitutional Articles:** Payment object, Execution, Object Interaction Law.

PATTERN 19 — Undo

- **Purpose:** Reverse the last action safely.
- **Experience Objective:** What became calmer? What uncertainty disappeared?
- **Living Objects:** The object affected by the undone action.
- **Founder Journey:** All journeys.
- **Reality Visualized:** The pre-action state being restored.
- **AI Cognition Behaviour:** AI confirms the scope of the undo.
- **Required CTA:** Confirm the undo.
- **Animation Behaviour:** State visibly reverts.
- **Trust Behaviour:** Rollback history is preserved (Object Interaction Law).
- **Failure Behaviour:** Undo unavailable → state is irreversible, say so.
- **Recovery Behaviour:** Maintain rollback history for future undo.
- **Never Allowed:** Undoing a mutating action without rollback history.
- **Constitutional Articles:** Object Interaction Law, State Fabric.

PATTERN 20 — Error Recovery

- **Purpose:** Recover gracefully from any failure without data loss.
- **Experience Objective:** What became calmer? What uncertainty disappeared?
- **Living Objects:** The object affected by the error.
- **Founder Journey:** All journeys.
- **Reality Visualized:** The failure and its cause relative to reality.
- **AI Cognition Behaviour:** AI explains the error and offers recovery options.
- **Required CTA:** Retry, escalate, or recover.
- **Animation Behaviour:** Error state is clear, calm, non-alarming.
- **Trust Behaviour:** Error is honest; no fabricated success.
- **Failure Behaviour:** System fails → show last-known-good + cause.
- **Recovery Behaviour:** Recovery path is explicit per runtime contract.
- **Never Allowed:** Pretending a failure was a success.
- **Constitutional Articles:** Runtime Failure/Recovery Behaviour contracts.

PATTERN 21 — Loading

- **Purpose:** Show progress toward a complete state without blocking understanding.
- **Experience Objective:** What became calmer?
- **Living Objects:** The object being loaded.
- **Founder Journey:** All journeys.
- **Reality Visualized:** Partial reality with a clear path to full.
- **AI Cognition Behaviour:** AI may show partial cognition during load.
- **Required CTA:** None while loading (or a useful action on partial data).
- **Animation Behaviour:** Skeleton/continuous; never a blank flash.
- **Trust Behaviour:** Honest loading; never shows fake data.
- **Failure Behaviour:** Load times out → error recovery pattern.
- **Recovery Behaviour:** Retry with backoff.
- **Never Allowed:** Blank screen; fake "loaded" data.
- **Constitutional Articles:** Frontend Constitution, Loading state.

PATTERN 22 — Empty State

- **Purpose:** Guide the founder when no objects exist yet.
- **Experience Objective:** What work disappeared? What is the next action?
- **Living Objects:** The absent object type.
- **Founder Journey:** The journey that would create these objects.
- **Reality Visualized:** Honest "nothing here yet."
- **AI Cognition Behaviour:** AI suggests the first action to create reality.
- **Required CTA:** Create the first object.
- **Animation Behaviour:** Calm, inviting; never a dead blank.
- **Trust Behaviour:** Honest emptiness + clear path forward.
- **Failure Behaviour:** n/a (empty state is complete).
- **Recovery Behaviour:** n/a.
- **Never Allowed:** A blank screen with no next action.
- **Constitutional Articles:** Frontend Constitution, CTA requirement.

PATTERN 23 — Background Execution

- **Purpose:** Run long tasks while the founder continues working.
- **Experience Objective:** What became continuous? What waiting disappeared?
- **Living Objects:** Execution, the object being processed.
- **Founder Journey:** All journeys with heavy work.
- **Reality Visualized:** The background task's real progress.
- **AI Cognition Behaviour:** AI reports progress and flags issues.
- **Required CTA:** Monitor, or continue other work.
- **Animation Behaviour:** Task progresses in background; completion notifies.
- **Trust Behaviour:** Progress is real and honest.
- **Failure Behaviour:** Background task fails → notify with cause.
- **Recovery Behaviour:** Retry or resume from checkpoint.
- **Never Allowed:** Pretending a background task succeeded.
- **Constitutional Articles:** Execution Runtime, Background Execution.

PATTERN 24 — Memory Review

- **Purpose:** Review what SHUNYA remembers about the founder and their world.
- **Experience Objective:** What became continuous? What uncertainty disappeared?
- **Living Objects:** Memory object.
- **Founder Journey:** All journeys.
- **Reality Visualized:** Accumulated observations and knowledge.
- **AI Cognition Behaviour:** AI explains what it remembers and why.
- **Required CTA:** Correct, confirm, or clear a memory.
- **Animation Behaviour:** Memories surface calmly.
- **Trust Behaviour:** Full transparency; founder controls memory.
- **Failure Behaviour:** Memory retrieval fails → show known subset.
- **Recovery Behaviour:** Restore memory from store.
- **Never Allowed:** Hiding what SHUNYA remembers; using memory without consent context.
- **Constitutional Articles:** Memory, Learning, Trust.

PATTERN 25 — Continuous Presence

- **Purpose:** Maintain a calm, always-with-you companion feel.
- **Experience Objective:** What became continuous? What became calmer?
- **Living Objects:** All workspace objects.
- **Founder Journey:** All journeys.
- **Reality Visualized:** That SHUNYA is actively attending to reality.
- **AI Cognition Behaviour:** Continuous low-key cognition visible.
- **Required CTA:** Engage when the founder wishes.
- **Animation Behaviour:** Calm ambient indicators; never intrusive.
- **Trust Behaviour:** Presence is honest and non-alarming.
- **Failure Behaviour:** Presence drops → graceful pause.
- **Recovery Behaviour:** Presence resumes.
- **Never Allowed:** Intrusive, irrelevant, or alarming presence.
- **Constitutional Articles:** AI Presence, Experience Constitution.

PATTERN 26 — Outcome Summary

- **Purpose:** Show the verified result of an execution.
- **Experience Objective:** What became clear? What uncertainty disappeared?
- **Living Objects:** Outcome, Execution.
- **Founder Journey:** Commitment Management, Customer Acquisition.
- **Reality Visualized:** The completed outcome and its evidence.
- **AI Cognition Behaviour:** AI summarizes outcome and draws lessons.
- **Required CTA:** Acknowledge, act, or learn.
- **Animation Behaviour:** Outcome completes with verified movement.
- **Trust Behaviour:** Outcome shown only with evidence (no fabrication).
- **Failure Behaviour:** Outcome incomplete → show as incomplete.
- **Recovery Behaviour:** Continue execution toward verified outcome.
- **Never Allowed:** Declaring an outcome complete without verification.
- **Constitutional Articles:** Outcome Engine, Learning.

PATTERN 27 — Conversation

- **Purpose:** Sustain a business dialogue with full context.
- **Experience Objective:** What became continuous? What work disappeared?
- **Living Objects:** Conversation, participants.
- **Founder Journey:** Customer Acquisition.
- **Reality Visualized:** The dialogue and its real-world stakes.
- **AI Cognition Behaviour:** AI summarizes, suggests, and tracks intent.
- **Required CTA:** Reply, or advance the conversation.
- **Animation Behaviour:** Messages stream; context persists.
- **Trust Behaviour:** Conversation history preserved; no context loss.
- **Failure Behaviour:** Send fails → preserve draft.
- **Recovery Behaviour:** Re-send; no duplicates.
- **Never Allowed:** Losing conversation context.
- **Constitutional Articles:** Conversation object, Navigation Constitution.

PATTERN 28 — Knowledge Card

- **Purpose:** Present a stored fact or insight cleanly.
- **Experience Objective:** What does the founder understand immediately?
- **Living Objects:** Knowledge object.
- **Founder Journey:** Knowledge Discovery.
- **Reality Visualized:** A fact anchored to reality and source.
- **AI Cognition Behaviour:** AI relates the knowledge to current context.
- **Required CTA:** Apply, save, or explore.
- **Animation Behaviour:** Card reveals smoothly.
- **Trust Behaviour:** Knowledge shows source and confidence.
- **Failure Behaviour:** Knowledge unavailable → say so.
- **Recovery Behaviour:** Re-fetch from knowledge store.
- **Never Allowed:** Presenting unverified knowledge as fact.
- **Constitutional Articles:** Knowledge Store, Understanding.

PATTERN 29 — Calendar Event

- **Purpose:** Show time-bound reality and commitments.
- **Experience Objective:** What became continuous? What became calmer?
- **Living Objects:** Commitment, Execution, Journey.
- **Founder Journey:** All scheduling-bearing journeys.
- **Reality Visualized:** Real scheduled events.
- **AI Cognition Behaviour:** AI flags conflicts and suggests times.
- **Required CTA:** Confirm, reschedule, or act.
- **Animation Behaviour:** Calendar updates smoothly.
- **Trust Behaviour:** Events link to real objects.
- **Failure Behaviour:** Sync fails → show last-known schedule.
- **Recovery Behaviour:** Re-sync.
- **Never Allowed:** Showing a schedule disconnected from its objects.
- **Constitutional Articles:** Commitment, Execution.

PATTERN 30 — Document

- **Purpose:** Present or edit a persisted artifact.
- **Experience Objective:** What work disappeared?
- **Living Objects:** Document object.
- **Founder Journey:** All document-bearing journeys.
- **Reality Visualized:** The document's content and version.
- **AI Cognition Behaviour:** AI assists drafting, summarising, editing.
- **Required CTA:** Save, share, or act on the document.
- **Animation Behaviour:** Editing is fluid; autosave is calm.
- **Trust Behaviour:** Version history and rollback preserved.
- **Failure Behaviour:** Save fails → keep draft, no loss.
- **Recovery Behaviour:** Re-save; never lose work.
- **Never Allowed:** Silent save failure; losing authored content.
- **Constitutional Articles:** Document object, Lifecycle (Historical Preservation).

PATTERN 31 — Media

- **Purpose:** Present rich media (images, video, audio) with context.
- **Experience Objective:** What does the founder understand immediately?
- **Living Objects:** Document/Media object.
- **Founder Journey:** All journeys.
- **Reality Visualized:** The media as it relates to reality.
- **AI Cognition Behaviour:** AI describes/references the media.
- **Required CTA:** View, share, or act.
- **Animation Behaviour:** Media loads smoothly.
- **Trust Behaviour:** Media is honest and sourced.
- **Failure Behaviour:** Media fails → show placeholder + retry.
- **Recovery Behaviour:** Re-fetch from CDN.
- **Never Allowed:** Misrepresenting media.
- **Constitutional Articles:** Object Runtime, Media.

PATTERN 32 — Reports

- **Purpose:** Present aggregated reality insight.
- **Experience Objective:** What does the founder understand immediately?
- **Living Objects:** Multiple objects aggregated.
- **Founder Journey:** Knowledge Discovery.
- **Reality Visualized:** Aggregated truth, not fabricated numbers.
- **AI Cognition Behaviour:** AI explains trends and anomalies.
- **Required CTA:** Drill in, export, or act.
- **Animation Behaviour:** Data animates; drill-down is spatial.
- **Trust Behaviour:** Numbers trace to underlying objects.
- **Failure Behaviour:** Report fails → show available subset.
- **Recovery Behaviour:** Recompute report.
- **Never Allowed:** Fabricating or rounding away reality.
- **Constitutional Articles:** Reports, Understanding.

PATTERN 33 — Dashboard

- **Purpose:** Give an at-a-glance continuous view of the founder's world.
- **Experience Objective:** What does the founder understand immediately?
- **Living Objects:** All workspace objects.
- **Founder Journey:** All journeys.
- **Reality Visualized:** Current state of many objects at once.
- **AI Cognition Behaviour:** AI surfaces what needs attention.
- **Required CTA:** Act on the most important item.
- **Animation Behaviour:** Live updates flow calmly.
- **Trust Behaviour:** Data is live and sourced.
- **Failure Behaviour:** Widget fails → isolated; others continue.
- **Recovery Behaviour:** Widget recovers independently.
- **Never Allowed:** A dashboard that hides what needs attention.
- **Constitutional Articles:** Frontend Constitution, Attention.

PATTERN 34 — Approval Queue

- **Purpose:** Manage a list of items awaiting founder approval.
- **Experience Objective:** What became calmer? What is the next action?
- **Living Objects:** Decisions, Approvals.
- **Founder Journey:** Commitment Management.
- **Reality Visualized:** Real pending decisions.
- **AI Cognition Behaviour:** AI prioritizes the queue by importance.
- **Required CTA:** Approve, reject, or defer each item.
- **Animation Behaviour:** Queue items animate; status updates.
- **Trust Behaviour:** Each item links to evidence.
- **Failure Behaviour:** Queue fails → show cached items.
- **Recovery Behaviour:** Re-fetch queue.
- **Never Allowed:** Hiding items behind a dead queue.
- **Constitutional Articles:** Approval, Decision.

PATTERN 35 — Quick Action

- **Purpose:** Execute a common action with minimal effort.
- **Experience Objective:** What work disappeared?
- **Living Objects:** The object the action targets.
- **Founder Journey:** All journeys.
- **Reality Visualized:** The action and its effect on reality.
- **AI Cognition Behaviour:** AI confirms the right action for context.
- **Required CTA:** Execute.
- **Animation Behaviour:** Action is fast and immediate.
- **Trust Behaviour:** Action effects are visible and reversible.
- **Failure Behaviour:** Action fails → explain, no side effect.
- **Recovery Behaviour:** Undo or retry.
- **Never Allowed:** A quick action that hides its consequences.
- **Constitutional Articles:** Command Surface, Execution.

PATTERN 36 — Onboarding

- **Purpose:** Guide a new identity into their first workspace.
- **Experience Objective:** What uncertainty disappeared?
- **Living Objects:** Identity, Organization, Workspace.
- **Founder Journey:** Identity Onboarding.
- **Reality Visualized:** The founder's real context being established.
- **AI Cognition Behaviour:** AI learns and adapts to the founder.
- **Required CTA:** Complete each onboarding step.
- **Animation Behaviour:** Progressive, guided, calm.
- **Trust Behaviour:** Nothing is lost; identity is permanent.
- **Failure Behaviour:** Step fails → guide recovery.
- **Recovery Behaviour:** Resume onboarding from last step.
- **Never Allowed:** Creating an identity without Identity Assignment.
- **Constitutional Articles:** Identity Onboarding journey, Universal Object Lifecycle.

PATTERN 37 — Permission Gate

- **Purpose:** Enforce authorization before sensitive actions.
- **Experience Objective:** What became calmer? What became trustworthy?
- **Living Objects:** Identity, Organization, the object being protected.
- **Founder Journey:** All journeys with protected actions.
- **Reality Visualized:** Who may act and why.
- **AI Cognition Behaviour:** AI explains the permission context.
- **Required CTA:** Request access or authenticate.
- **Animation Behaviour:** Gate appears calmly.
- **Trust Behaviour:** Permission resolution is explicit (Lifecycle).
- **Failure Behaviour:** Access denied → explain why.
- **Recovery Behaviour:** Guide to the correct permission path.
- **Never Allowed:** Silently bypassing permissions.
- **Constitutional Articles:** Permission Resolution, Authorization.

PATTERN 38 — Retry

- **Purpose:** Safely retry a failed operation.
- **Experience Objective:** What became calmer?
- **Living Objects:** The object of the failed operation.
- **Founder Journey:** All journeys.
- **Reality Visualized:** The persistent goal and progress.
- **AI Cognition Behaviour:** AI suggests the best retry strategy.
- **Required CTA:** Retry.
- **Animation Behaviour:** Retry is calm, with backoff.
- **Trust Behaviour:** No duplicate side effects.
- **Failure Behaviour:** Retry fails → escalate.
- **Recovery Behaviour:** Backoff and escalate per runtime contract.
- **Never Allowed:** Duplicate side effects on retry.
- **Constitutional Articles:** Runtime Failure/Recovery Behaviour.

PATTERN 39 — Notification Preference

- **Purpose:** Let the founder control what reaches them.
- **Experience Objective:** What became calmer?
- **Living Objects:** Identity, Notification.
- **Founder Journey:** All journeys.
- **Reality Visualized:** What the founder will be notified about.
- **AI Cognition Behaviour:** AI recommends notification settings.
- **Required CTA:** Save preferences.
- **Animation Behaviour:** Preferences apply live.
- **Trust Behaviour:** Founder controls their attention.
- **Failure Behaviour:** Preference save fails → keep prior.
- **Recovery Behaviour:** Re-save.
- **Never Allowed:** Overriding founder notification preferences.
- **Constitutional Articles:** Notification, Experience Constitution.

PATTERN 40 — Object Archival

- **Purpose:** Move an object to read-only archival state.
- **Experience Objective:** What became calmer?
- **Living Objects:** Any object being archived.
- **Founder Journey:** All journeys with object lifecycle.
- **Reality Visualized:** The object's archival status.
- **AI Cognition Behaviour:** AI confirms the archival and its effect.
- **Required CTA:** Confirm archival or recover.
- **Animation Behaviour:** Object moves to archived state.
- **Trust Behaviour:** Archival is reversible (Recovery).
- **Failure Behaviour:** Archival fails → object stays active.
- **Recovery Behaviour:** Restore from archival.
- **Never Allowed:** Permanent deletion without explicit Retirement.
- **Constitutional Articles:** Universal Object Lifecycle.

PATTERN 41 — Collaboration

- **Purpose:** Enable multiple identities to work on shared reality.
- **Experience Objective:** What became continuous?
- **Living Objects:** Organization, shared objects.
- **Founder Journey:** All journeys.
- **Reality Visualized:** Shared reality and presence.
- **AI Cognition Behaviour:** AI coordinates shared understanding.
- **Required CTA:** Collaborate, comment, or act.
- **Animation Behaviour:** Presence indicators animate.
- **Trust Behaviour:** Changes are attributed and evidence-backed.
- **Failure Behaviour:** Collaboration fails → changes preserved.
- **Recovery Behaviour:** Re-sync shared state.
- **Never Allowed:** Unattributed changes (Universal Event Law).
- **Constitutional Articles:** Collaboration, Universal Event Law.

PATTERN 42 — Feedback Loop

- **Purpose:** Let founder learning flow back into the system.
- **Experience Objective:** What became continuous?
- **Living Objects:** Memory, Outcome, Journey.
- **Founder Journey:** All journeys.
- **Reality Visualized:** The lesson learned.
- **AI Cognition Behaviour:** AI incorporates feedback into learning.
- **Required CTA:** Confirm the lesson.
- **Animation Behaviour:** Learning updates apply.
- **Trust Behaviour:** Feedback is transparent and reversible.
- **Failure Behaviour:** Feedback fails → preserve.
- **Recovery Behaviour:** Re-apply feedback.
- **Never Allowed:** Silently ignoring founder feedback.
- **Constitutional Articles:** Learning, Experience Constitution.

Pattern → Journey → Object Traceability Matrix

Pattern	Founder Journey	Primary Living Object
Workspace	All	Workspace
Workspace Transition	All	Workspace
Living Object Card	All	Any object
Object Creation	All	Created object
Object Detail	All	Any object
AI Thought	All	Any object
AI Presence	All	Workspace
Reality Feed	All	Observations
Command Surface	All	Any object
Execution Timeline	Commitment, Acquisition	Execution
Journey Progress	All	Journey
Relationship Graph	Discovery, Acquisition	Relationship
Search	Knowledge Discovery	Knowledge
Notification	All	Any object
Trust Explanation	All (decision-bearing)	Decision
Decision Review	Commitment, Acquisition	Decision
Approval	Commitment, Acquisition	Decision
Payment	Customer Acquisition	Payment
Undo	All	Any object
Error Recovery	All	Any object
Loading	All	Any object
Empty State	All	Absent object
Background Execution	All (heavy work)	Execution
Memory Review	All	Memory
Continuous Presence	All	Workspace
Outcome Summary	Commitment, Acquisition	Outcome
Conversation	Customer Acquisition	Conversation
Knowledge Card	Knowledge Discovery	Knowledge
Calendar Event	All (scheduling)	Commitment
Document	All (document work)	Document
Media	All	Media
Reports	Knowledge Discovery	Aggregated objects
Dashboard	All	All objects
Approval Queue	Commitment Management	Decision
Quick Action	All	Any object
Onboarding	Identity Onboarding	Identity
Permission Gate	All (protected)	Any object
Retry	All	Any object
Notification Preference	All	Notification
Object Archival	All	Any object
Collaboration	All	Organization
Feedback Loop	All	Memory

Pattern Group	Pattern	Pattern
---------------	---------	---------

Every pattern maps to at least one journey and one Living Object. No pattern is orphaned.

END OF PATTERN LANGUAGE — 42 canonical patterns

This document standardizes behaviour only. It introduces no architecture, no runtime ownership, and no features. It conforms to CANONICAL_ARCHITECTURE.md.