

Planet Formation through the Lens of Dynamics

Proefschrift

ter verkrijging van
de graad van doctor aan de Universiteit Leiden,
op gezag van rector magnificus prof.dr.ir. H. Bijl,
volgens besluit van het college voor promoties
te verdedigen op vrijdag 19 juni 2026
klokke 11:30 uur

door

Shuo Huang

geboren te Hefei, China
in 1998

Promotor:

Prof. dr. Simon Portegies Zwart

Co-promotor:

Prof. dr. Chris Ormel

Tsinghua University

Promotiecommissie:

Prof. dr. I. A. G. Snellen

Prof. dr. M.A. Kenworthy

Prof. dr. E. Kokubo

National Astronomical Observa-
tory of Japan

Dr. Y. Miguel

Prof. dr. C. Dominik

Prof. dr. Antoine Petit

University of Amsterdam

Côte d’Azur Observatory

ISBN: xx

Cover: Illustration of a planetary system before and after a giant impact, generated with the assistance of ChatGPT (OpenAI), based on an input image created by Shuo Huang using PowerPoint.

We all learn at different stages and speeds, and each of us has our own strengths and areas of expertise.

– Han Yu (c. 768–824), Tang dynasty

CONTENTS

1	Introduction	1
1.1	Planet formation	2
1.1.1	Protoplanet disk	3
1.1.2	Planet migration	4
1.2	Mean motion resonance	5
1.3	Planet architecture	8
1.3.1	Exoplanet systems	8
1.3.2	The Solar System	9
1.4	This Thesis	10
1.5	Outlook: confirm and characterize broken chains	11
2	When, where, and how many exoplanets end up in orbital resonances?	15
2.1	Introduction	16
2.2	Methodology	17
2.2.1	Disc model	18
2.2.2	Type I migration	19
2.2.3	Dynamics of resonance trapping	19
2.2.4	Mass-radius relations	20
2.2.5	A statistical model of resonant and non-resonant planets	22
2.3	Resonance Trapping criterion for the restricted 3-body problem	24
2.3.1	Theoretical Derivation	24
2.3.2	Comparison with simulation	25
2.4	MCMC analysis	27
2.4.1	Sample selection	27
2.4.2	Implication on planet-disc interaction from MCMC	29
2.5	Implications for planet formation	32
2.5.1	Fraction of resonant pairs	32
2.5.2	Upper limit on the disc surface density at resonance trapping	34
2.5.3	Migration barrier reflects the disc inner rim	36
2.6	Discussion	38
2.7	Conclusions	41
	Appendices	41
2.A	Results of the General disc model	41
2.B	MCMC performance examination	42
2.B.1	Tests without assuming a disc structure	42
2.B.2	Tests assuming a disc structure	43

3 The dynamics of the special resonance chain systems and their formation:	
TRAPPIST-1	49
3.1 Introduction	50
3.2 Model	52
3.2.1 Preliminaries and Terminology	52
3.2.2 Numerical integration	54
3.2.3 Planet-disc interaction	55
3.2.4 Tidal dissipation	58
3.3 Preliminary simulations	59
3.3.1 Planet b at the cavity edge (bC)	59
3.3.2 Formation imprints for planet c and g (bCc g I)	61
3.3.3 Planet d at the cavity edge (dCc g I)	62
3.3.4 Parameter variation for Objective I (dCc g I)	64
3.4 Trapping and escape of planets in 3BRs	65
3.4.1 Crossing and trapping of the three-body resonances (dCc g I c T)	67
3.4.2 Long term tidal dissipation (dCc g I c T)	70
3.5 Early cavity infall (dCc g I c L)	70
3.5.1 Disc repulsion on planets in the cavity	71
3.5.2 Parameter study (dCc g I c L)	72
3.6 Analysis	74
3.6.1 Trapping under convergent migration in MMRs	74
3.6.2 Eccentricity-period relation in 3BRs	75
3.7 Discussion	76
3.7.1 Model Assessment	76
3.7.2 Resonances Establishing and Breaking	77
3.7.3 Application to other systems	78
3.8 Conclusions	79
Appendices	80
3.A Lindblad torque	80
4 The dynamics of the broken resonance chain systems and their formation:	
the Solar System	81
4.1 Introduction and motivation	82
4.2 Model	84
4.2.1 Initial conditions	84
4.2.2 Giant planet instability	85
4.2.3 Theia and proto-Earth mass-radius calculation	85
4.3 Comparison with Solar system	87
4.4 Implications	90
4.5 Conclusions	91
Appendices	92
4.A Formation of a resonant chain in the pebble accretion and planetesimal ac- cretion models	92
4.B Parameter sensitivity	96
4.C Venus-Mars period ratio in the late collisional growth scenario	98

5	Birth stellar cluster dynamics matters: planet population synthesis with external photo-evaporation	101
5.1	Introduction	102
5.2	Methods	103
5.2.1	Cluster evolution	103
5.2.2	Disk model	105
5.2.3	Planet growth	106
5.2.4	Planet migration	109
5.3	Initial conditions and parameter choices	109
5.4	Results	111
5.4.1	Planet formation for two example stars	111
5.4.2	Planet population: Isolated versus clustered	113
5.4.3	Co-evolution between CJ formation and the cluster	115
5.5	Analytical criteria for CJ formation in the cluster	115
5.6	Discussion	118
5.6.1	Model assessment	118
5.6.2	Cold Jupiter and Neptune in observation	119
5.7	Conclusions	120
	Appendices	121
5.A	Planet population in isolated stars and a star cluster	121
6	ALMA signature of closely-spaced pebble-accreting protoplanets in Transition disks	123
6.1	Introduction	124
6.2	Methods	125
6.2.1	Dust transport including pebble accretion	125
6.2.2	Initial conditions	126
6.3	Pebble flux reduction	126
6.3.1	Pebble accretion efficiency	126
6.3.2	Dust cavity and ring structure	128
6.4	Two groups of planet-hosting transition disks	130
6.4.1	Below pebble isolation mass: GM Aur	132
6.4.2	Above pebble isolation mass: PDS 70	134
6.4.3	A sample of transition disks	136
6.5	Discussion	138
6.5.1	Model assessment	138
6.5.2	Feasibility of the "sweet spot" on the accretion map	139
6.5.3	Emerging the planet formation story in transition disks	139
6.5.4	Consequence for planet detection	140
6.6	Conclusions	140
	Appendices	141
6.A	Numerical treatment of pebble flux reduction	141
6.B	Evaluating dust diffusion during pebble accretion	142
6.C	Simulated continuum of GM Aur with three planets	142
6.D	Profile of the gap opened by planet	143
6.E	Quantify the morphology of dust rings	144

Summary	165
Nederlandse samenvatting	169
List of Publications	173
Curriculum Vitæ	175
Acknowledgments	177