SIMATS ENGINEERING

Engineer to Excel

Accredited by NAAC A++ GRADE

nirf 53 RANK

SIMATS

Saveetha Institute of Medical And Technical Sciences

(Declared as Deemed to be University under Section 3 of UGC Act 1956)

CASE STUDY

HINGE DATING APP

Sunil Shuraj N

192224019

HINGE DATING APP — CASE STUDY

About Hinge

Hinge is an online dating application founded in 2013 by Justin McLeod, built on the philosophy that meaningful relationships — not mindless swiping — are the goal of modern dating. Headquartered in New York City and fully owned by Match Group since 2019, Hinge brands itself as the app that is **"designed to be deleted"** — a bold, mission-driven positioning that sets it apart from every other platform in the dating app industry.

Unlike swipe-based competitors, Hinge uses a prompt-and-comment model where users engage with specific photos and personality prompts, creating richer conversations and higher-quality connections. This design philosophy has made Hinge the fastest-growing major dating app in the world, with four consecutive years of 25%+ revenue growth even as Tinder and Bumble declined.

This case study examines how Hinge's product strategy, technology architecture, safety infrastructure, and data-driven design have turned it into the leading relationship-outcome app globally — responsible for 36% of all dating-app marriages in 2025.

Key Statistics at a Glance

Metric	Value
Founded	February 2013
Headquarters	New York City, USA
Parent Company	Match Group (acquired 100%, 2019)
Global Users (2026)	32 Million
Paying Subscribers (Q4 2025)	1.9 Million (+17% YoY)
Full-Year Revenue (2025)	$691 Million (+26% YoY)
EBITDA (Full-Year 2025)	$226 Million (33% margin)
Available In	100+ Countries
Dates Arranged	~200,000 per week (~1 every 2 seconds)
Marriage Rate	36% of dating-app marriages (The Knot, 2025)
Core Age Group	23–36 years (90% of active users)

Challenges

Hinge entered a saturated market dominated by Tinder and Bumble and faced several fundamental product, growth, and trust challenges before evolving into its current form.

The Swipe Fatigue Problem

Tinder's swipe model, while viral, created a habit loop of shallow engagement. Users reported "swipe burnout" — spending hours on apps with few meaningful outcomes. Hinge needed to disrupt this pattern without losing users to the simplicity that made swipe-apps addictive.

Poor Match-to-Date Conversion

Early dating apps optimized for match quantity, not date quality. Users accumulated hundreds of matches they never messaged, creating a graveyard of stale conversations. Hinge's core challenge was redesigning the interaction model so that matches would convert into real-world dates.

Safety and Trust Deficit

Dating apps carry an inherent trust problem — users meet strangers from the internet. Hinge lacked physical safety features that users, especially women, needed to feel secure meeting a match in person. Competitor analysis showed that Hinge was the only major app with no integrated physical safety tooling.

Algorithm Limitations

Early recommendation engines in dating apps relied on simplistic attractiveness signals (swipe rates, photo scores). Hinge needed a more sophisticated compatibility algorithm that could surface genuinely compatible people — not just the most-swiped profiles.

Monetization Without Betraying Trust

Building a paid tier that felt fair to users — not one that punished free users into paying — was a key product challenge. Aggressive paywalling (a known practice in the industry) risked eroding Hinge's brand as the app "designed to be deleted."

Core Product Systems

1. Prompt-Based Profile System

Hinge replaced the traditional biography-first profile with a structured format: **six photos or videos** plus **three self-selected personal prompts** chosen from a library of hundreds of questions. Users' height and location are always visible. This format forces self-expression over self-promotion, turning a profile into a conversation starter rather than a résumé.

Prompt Library Design

- Hundreds of prompts across categories: relationship values, humor, lifestyle, ambitions, and pop culture
- Users select prompts strategically to signal personality, not just appearance
- Video prompts drive **50% more engagement** than photo-only profiles

Like-With-Comment Mechanic

Rather than a binary swipe, Hinge users must like a **specific photo or prompt** and optionally leave a comment. This forces intentionality. Adding a comment when sending a like increases match probability by approximately **40%**. Free users receive 8 likes per day — a deliberate constraint that signals quality over quantity.

Roses (Super-Likes)

Users can send "Roses" — premium super-likes — to profiles that most appeal to them, placing their like at the top of the recipient's queue and signaling strong intent.

2. Matching & Recommendation Engine

Hinge's algorithm is one of its most significant technical differentiators. Unlike Tinder's Elo-based attractiveness scoring, Hinge uses a machine-learning system built on the **Gale-Shapley Stable Matching Model** — the same Nobel Prize-winning algorithm used in medical residency placement.

Most Compatible

The flagship algorithmic feature surfaces **one highly predicted mutual match per day** based on behavioral patterns, stated preferences, and engagement history. Users shown as someone's Most Compatible are **8x more likely to result in a date** compared to regular matches.

Standouts

A curated feed of profiles predicted to be highly compatible, populated by users with particularly engaging prompt answers. Standouts is updated regularly and can only be engaged using Roses.

November 2025 Deep Learning Update

Hinge's most significant algorithm evolution increased the weight of commented likes and behavioral engagement signals. The update produced a **double-digit increase in overall matches** across the platform. The algorithm now actively penalizes passive behavior — users who collect matches without messaging see reduced recommendation visibility.

3. Subscription & Monetization System

Hinge operates a freemium model with two paid tiers:

Feature	Free	Hinge+ (~$29.99–$34.99/mo)	HingeX ($49.99/mo)
Daily Likes	8	Unlimited	Unlimited
Advanced Filters	✗	✓ (height, education, politics, religion)	✓
See Who Liked You	✗	✓	✓
Priority Likes	✗	✗	✓ (top of queue)
Profile Boosting	✗	✗	✓ (continuous)
Enhanced Recommendations	✗	✗	✓

Revenue per paying user reached **$32.96 in Q4 2025** (+8% YoY), driven by adoption of the higher-priced HingeX tier. This freemium model avoids aggressive paywalling while creating genuine incentives to upgrade.

4. Safety & Trust Infrastructure

Safety is a core product pillar, especially for female users. Hinge has invested in multiple layers of safety features across the conversation, reporting, and pre-date stages.

In-App Safety Tools

- **Block and Report**: Easy, in-conversation blocking and reporting with detailed categories
- **Unmatch with Confirmation**: Prevents accidental unmatching and protects from harassment
- **Phone Number Privacy**: Users can prevent real-life acquaintances from seeing their profile by entering a contact's name, email, or phone number
- **"Your Turn" Reminders**: Nudges users to continue stalled conversations, reducing ghosting

Identity & Verification

- Photo verification to reduce catfishing
- Ongoing content moderation via AI-assisted keyword monitoring systems
- The **We Met** feature allows users to confirm whether a first date occurred and rate their experience — providing feedback data for match quality improvement

UX Research Findings on Safety

User research revealed that users experience significantly more anxiety about **first-date safety** (meeting a stranger in person) than about in-app danger. This insight drove investment in pre-date safety features including date card planning and partnerships with safety APIs to support geolocation check-in capabilities for trusted contacts.

5. Conversation & Engagement Design

We Met Feature (2018)

After a match is made, Hinge prompts both users to privately confirm whether they went on a date and how it went. This feedback loop improves the algorithm's understanding of what makes a successful

match and keeps users accountable. **90% of users rated their first Hinge date positively**, and **72% wanted a second date**.

Voice and Video Messages

Launched in October 2021, voice messages added an audio dimension to conversations before meeting in person. Video prompts and video messages allow deeper personality expression beyond text.

"Your Turn" Nudge System

A ghosting countermeasure that reminds a user when a conversation is awaiting their reply. Responding to matches within **24 hours makes a date 72% more likely**, and the Your Turn feature directly addresses the primary reason matches go stale.

System Architecture Overview

Hinge's technical infrastructure is built for scale, real-time communication, and AI-driven personalization.

Architecture Type

- Mobile-first, client-server architecture
- Microservices-based backend for independent scaling of matching, messaging, and payment services
- Cloud-hosted on Amazon Web Services (AWS)

Main Components

- Mobile apps (iOS and Android)
- RESTful and WebSocket-based backend APIs
- Distributed matching engine (Gale-Shapley ML model)
- Real-time chat server (WebSocket/Firebase)
- Payment processing services
- AI/ML pipeline for compatibility scoring and content moderation

Technology Stack

1. Frontend (Mobile & Web)

Purpose	Tools / Technologies
iOS App	Swift (native)
Android App	Kotlin (native) / React Native
Cross-Platform	React Native
UI Design System	Custom design with accessibility compliance

2. Backend / Server Side

Purpose	Tools / Technologies
Backend Framework	Python (Django)
API Development	RESTful APIs
Real-Time Messaging	WebSockets, Firebase
Microservices	Containerized services (Docker, Kubernetes)
Authentication	OAuth 2.0, JWT

3. Database & Data Storage

Purpose	Tools / Technologies
Relational Database	PostgreSQL (user profiles, relationships)
NoSQL Database	MongoDB / DynamoDB (chat logs, activity feeds)
Caching	Redis (session data, feed caching)
Search Engine	Elasticsearch (profile discovery)

4. Cloud & Hosting

Purpose	Tools / Technologies
Cloud Platform	Amazon Web Services (AWS)
Storage	Amazon S3 (media: photos, videos, voice)
Compute	EC2 / ECS (containerized services)
Load Balancing	AWS Elastic Load Balancer
Auto Scaling	AWS Auto Scaling Groups

5. AI / Machine Learning

Purpose	Tools / Technologies
Compatibility Matching	Gale-Shapley ML model
Content Moderation	NLP keyword monitoring, AI classifiers
Personalization	Deep learning recommendation engine
Behavioral Analytics	Custom ML pipeline on AWS SageMaker

6. Payment & Transactions

Purpose	Tools / Technologies
Payment Gateway	Stripe
In-App Purchases (iOS)	Apple Pay / App Store billing
In-App Purchases (Android)	Google Play Billing
Security	PCI-DSS compliance

7. Analytics & Business Intelligence

Purpose	Tools / Technologies
User Behavior Tracking	Amplitude, Mixpanel
Data Warehousing	Google BigQuery
Visualization	Tableau, internal dashboards
A/B Testing	Custom experimentation framework

8. DevOps & Monitoring

Purpose	Tools / Technologies
Version Control	Git (GitHub)
CI/CD	CircleCI / GitHub Actions
Containerization	Docker, Kubernetes
Monitoring	Datadog, AWS CloudWatch
Error Tracking	Sentry

9. Security Tools

Purpose	Tools / Technologies
Secure Communication	HTTPS / TLS 1.3
Authentication	OTP, JWT, Biometric (Face ID / Touch ID)
Data Encryption	AES-256 at rest, TLS in transit
Access Control	Role-Based Access Control (RBAC)

10. Third-Party Integrations

Purpose	Tools / Technologies
Push Notifications	Firebase Cloud Messaging (FCM), APNs
SMS & Verification	Twilio
Maps / Location	Google Maps API
Email Services	SendGrid / AWS SES

Database Design Summary

Hinge's database follows a hybrid relational and NoSQL architecture to handle both structured user data and high-throughput conversational data.

Key Entities

- **User** — user_id (PK), name, email, phone, date_of_birth, gender, role, created_at
- **Profile** — profile_id (PK), user_id (FK), bio_prompts[], photos[], height, education, religion, location
- **Prompt** — prompt_id (PK), prompt_text, category
- **Match** — match_id (PK), user_id_1 (FK), user_id_2 (FK), matched_at, status
- **Message** — message_id (PK), match_id (FK), sender_id (FK), content_type, content, sent_at
- **Like** — like_id (PK), sender_id (FK), receiver_id (FK), target_type (photo/prompt), comment, created_at
- **Subscription** — subscription_id (PK), user_id (FK), tier (Free/Hinge+/HingeX), start_date, end_date
- **WeMet** — wemet_id (PK), match_id (FK), user_id (FK), met_in_person (bool), rating, feedback
- **Report** — report_id (PK), reporter_id (FK), reported_id (FK), reason, status

Relationship Summary

Relationship	Cardinality
User → Profile	1 : 1
User → Like (sent)	1 : N
User → Match	1 : N
Match → Message	1 : N
User → Subscription	1 : 1 (active)
Match → WeMet	1 : N (one per user)

The database follows **relational normalization (up to 3NF)** for structured data and uses NoSQL collections for chat messages and behavioral activity logs to ensure high throughput at scale.

Summary Architecture Diagram (Textual View)

```
Mobile App (iOS / Android)
        ↓
REST APIs + WebSocket APIs (Python / Django)
        ↓
Microservices Layer
(User Service | Match Service | Chat Service | Payment Service | Moderation Service)
        ↓
Databases (PostgreSQL | MongoDB | Redis | Elasticsearch)
        ↓
Cloud Infrastructure (AWS: EC2, S3, ELB, Auto Scaling)
        ↓
AI/ML Pipeline | Payments | Analytics | Push Notifications
```

Testing Strategy

Hinge follows end-to-end testing to ensure reliability, performance, security, and a seamless user experience across devices.

1. Manual Testing

Purpose	Tools
Test Case Management	TestRail, Zephyr
Bug Tracking	JIRA
Test Documentation	Confluence

✔ Used for **UI/UX testing, exploratory testing, and UAT**

2. Automation Testing

Purpose	Tools

Mobile App Automation	Appium
API Automation	Postman, RestAssured
Test Frameworks	Pytest, unittest
CI Automation	CircleCI, GitHub Actions

✔ Used for **regression testing and continuous delivery pipelines**

3. Unit Testing

Platform	Tools
Backend (Python)	Pytest, Unittest
iOS	XCTest
Android	Espresso

✔ Ensures **individual service modules** function correctly in isolation

4. API Testing

Purpose	Tools
REST API Testing	Postman
Automated API Tests	RestAssured
Load Testing APIs	k6, Apache JMeter

✔ Validates **backend microservices and matching engine APIs**

5. Performance & Load Testing

Purpose	Tools
Load Testing	k6, Apache JMeter
Stress Testing	Locust
Monitoring	Datadog, AWS CloudWatch

✔ Ensures the app handles **peak traffic** (Valentine's Day, "Dating Sunday" — the most active day of the year on Hinge)

6. Security Testing

Purpose	Tools
Vulnerability Scanning	OWASP ZAP
Penetration Testing	Burp Suite
Mobile Security	MobSF

✔ Protects **user identity, photos, and payment data**

7. Compatibility & Device Testing

Purpose	Tools
Cross-Device Testing	BrowserStack
Cloud Devices	AWS Device Farm
OS Compatibility	Android Emulator, iOS Simulator

✔ Tests app across **all major devices and OS versions**

8. A/B Testing & Feature Experimentation

Purpose	Tools
Feature Flag Management	LaunchDarkly / Custom framework
User Behavior Analytics	Amplitude, Mixpanel
Experiment Analysis	Internal experimentation platform

✔ Drives **data-informed product decisions** — all major feature releases are A/B tested before full rollout

9. User Acceptance Testing (UAT)

Purpose	Tools
Beta Distribution	TestFlight (iOS), Firebase App Distribution
Feedback & Bug Reports	JIRA
Crash Reporting	Firebase Crashlytics, Sentry

✔ Ensures features meet **user expectations** before production launch

Security Analysis

1. Introduction

Hinge handles deeply sensitive user data — including personal details, photos, location data, relationship preferences, and financial information. A security breach would not just cause reputational damage; for a dating app, it could put users' physical safety at risk. Hinge follows a **multi-layered security architecture** spanning the mobile app, backend APIs, databases, cloud infrastructure, and payment systems.

2. Security Objectives

- Protect user personal data and identity
- Secure in-app purchases and payment transactions
- Prevent unauthorized access and account takeovers
- Ensure privacy controls that allow users to manage their visibility
- Protect users from harassment, abuse, and non-consensual contact
- Comply with GDPR (EU users), CCPA (California users), and COPPA (under-18 protection)

3. Security Architecture Layers

1. Mobile App Security
2. Network & API Security
3. Backend & Microservices Security
4. Database Security
5. Payment Security

6. Cloud Infrastructure Security
7. Content & Trust Safety

4. Mobile Application Security

Secure Authentication

- OTP-based login and account verification
- Biometric authentication (Face ID, Touch ID)
- Password hashing (bcrypt/Argon2)
- Multi-factor authentication (MFA) support

App-Level Protections

- Code obfuscation to prevent reverse engineering
- Secure local storage (no sensitive data stored in plaintext)
- Session timeout on inactivity
- Jailbroken / rooted device detection
- Certificate pinning to prevent MITM attacks

✓ Prevents **reverse engineering, session hijacking, and account takeovers**

5. Network & API Security

- HTTPS with TLS 1.3 for all communications
- SSL certificate pinning in mobile clients
- Secure API endpoints with rate limiting
- Firewall and WAF (Web Application Firewall) protection

✓ Prevents **man-in-the-middle (MITM) attacks and API abuse**

6. Backend & API Security

Security Measure	Purpose
OAuth 2.0 / JWT	Secure API access and token-based auth
Role-Based Access Control (RBAC)	Restrict data access by user role

API Rate Limiting	Prevent brute-force and scraping attacks
Input Validation & Sanitization	Prevent SQL Injection and XSS
Content Moderation API	AI-assisted detection of harmful content

✓ Ensures only **authorized users and services** can access protected resources

7. Database Security

Data Protection

- Encryption at rest (AES-256)
- Encrypted database backups with access logging
- Masking of sensitive fields (phone numbers, payment tokens)

Access Control

- Least-privilege database access per service
- Separate read/write user permissions
- Full audit log trail for sensitive data access

✓ Prevents **data leaks, unauthorized access, and compliance violations**

8. Payment Security

- PCI-DSS compliant payment processing via Stripe
- Tokenization of card details (no raw card data stored on Hinge servers)
- 3D Secure (3DS) for high-risk transactions
- Apple Pay and Google Pay for zero-exposure checkout

✓ Protects **all financial transactions and subscription data**

9. Cloud & Infrastructure Security

Area	Security Practice
Cloud Platform	Amazon Web Services (AWS)
Identity Management	IAM roles with least-privilege policies

Network Isolation	VPC with private subnets, Security Groups
Monitoring & Alerting	AWS CloudWatch, Datadog
DDoS Protection	AWS Shield Advanced
Secret Management	AWS Secrets Manager

✓ Ensures **high availability, resilience, and infrastructure-level protection**

10. Content & Trust Safety

- AI and human review of reported profiles and messages
- Block, unmatch, and multi-category reporting tools
- Proactive detection of unsolicited explicit images (CSAM detection pipeline)
- Real-life acquaintance blocking by phone/email entry
- "We Met" feedback loop surfaces poor matches and abusive users for review

11. Common Threats & Mitigations

Threat	Mitigation
Account takeover	MFA, OTP, device fingerprinting
Catfishing / fake profiles	Photo verification, AI detection
Data breach	AES-256 encryption, RBAC, audit logs
MITM attacks	TLS 1.3, certificate pinning
DDoS attacks	AWS Shield, rate limiting
Harassment / stalking	Block, report, acquaintance blocking
Payment fraud	PCI-DSS, tokenization, 3DS

12. Compliance & Standards

- **GDPR** — Right to erasure, data portability, and consent management for EU users
- **CCPA** — Privacy controls and opt-outs for California users
- **COPPA** — Age verification to prevent under-18 access

- **PCI-DSS** — Secure payment processing
- **OWASP Mobile Top 10** — Mobile security development guidelines
- **Secure SDLC** — Security integrated from design through deployment

13. Security Strengths

✅ Multi-layer authentication protects accounts at every entry point

✅ Full data encryption at rest and in transit

✅ Proactive AI-assisted content moderation for trust and safety

✅ PCI-DSS compliant payment infrastructure

✅ Cloud-native security with automated monitoring and alerting

✅ GDPR and CCPA compliance with user-controlled privacy settings

✅ Physical date safety tools that address users' most acute fear

Impact

Delighting Users, One Date at a Time

Hinge's compound investment in product design, algorithm sophistication, and user safety has delivered results that are measurable, sustained, and industry-leading.

The Fastest Revenue Growth in Dating

Hinge grew from **$8 million in revenue in 2018 to $691 million in 2025** — an 86x increase in seven years. It posted its **fourth consecutive year of 25%+ revenue growth** in 2025, even as both Tinder (declining paying users) and Bumble (revenue down 10% YoY) contracted. Match Group projects Hinge will become a **$1 billion revenue business by 2027**.

Leading Relationship Outcomes Across All Apps

According to **The Knot's 2025 Real Weddings Study** of nearly 17,000 couples, **36% of couples who met on dating apps and married did so via Hinge** — ahead of Tinder (25%) and Bumble (20%). Hinge's own We Met data reports that 90% of users rated their first date positively and 72% wanted a second date. A date is now set up on Hinge **every 2 seconds**, or 200,000+ per week.

Superior User Engagement and Retention

Hinge's deliberate design constraints — 8 free likes per day, comment-required engagement, prompt-over-photo profiles — produced dramatically better engagement quality than swipe-first competitors. The November 2025 deep learning update drove a double-digit increase in total matches. Video prompts generate **50% more engagement** than photos alone, and responding within 24 hours makes a date **72% more likely**.

Profitable Growth at Scale

Full-year 2025 EBITDA reached **$226 million** (33% margin), up 36% year-over-year. Q4 2025 alone delivered $67 million in EBITDA at a 36% margin — demonstrating that Hinge's growth is not just revenue-led but structurally profitable. Revenue per paying user grew 8% to $32.96 as the premium HingeX tier gained adoption.

Global Market Expansion

Hinge is now available in **100+ countries**, having entered Mexico and Brazil in 2025. It has already surpassed Tinder and Bumble to become the #1 dating app in the **UK, Ireland, Sweden, Norway, and Denmark**, demonstrating that its relationship-focused product resonates across cultures and geographies.

Case Study prepared April 2026. Sources: Match Group Q4 2025 Earnings, The Knot 2025 Real Weddings Study, Business of Apps, Hinge Newsroom, Wikipedia — Hinge (app), CupidAI Hinge Statistics 2026.