
Standalone RNN Family Mean
Best Track Model (5-Seed Pooled)
All Evaluated Models (Mean)
(a) Fundus 3-Class (n = 205/run)
Lowest class recall: Pseudopapilledema
(87.1% all-model mean; 94.5% best)
Class-Wise Recall (%)
100.0%
93.7%
100.0%
90.8%
94.5%
87.1%
Normal
(n=117/run)
Papilledema
(n=44/run)
Pseudo-
papilledema
(n=44/run)
(b) Individual OCT 3-Class (n = 183/run)
Normal drops across weak baselines (75.9% mean);
Normal & Pseudopap. hold 1 inferred prefix each
98.0%
75.9%
100.0%
91.6%
100.0%
97.4%
Normal
(n=20/run)
Papilledema
(n=146/run)
Pseudo-
papilledema
(n=17/run)
(c) OCT Sequence (5 Models; n = 23 windows/run)
Standalone RNN collapses on Normal (3.3%) &
Pseudopapilledema (10.0%); 4 inferred series only
93.3%
48.0%
100.0%
96.2%
100.0%
64.0%
Normal
(n=3/run)
Papilledema
(n=18/run)
Pseudo-
papilledema
(n=2/run)
(d) OCT Severity Exploratory (n = 176/run)
Severe minority failure: G3 recall 3.1% (best)
& G4 21.8% (best); unvalidated folder labels
100.0%
73.0%
81.4%
67.3%
3.1%
10.9%
21.8%
14.0%
G1
(n=6/run)
G2
(n=146/run)
G3
(n=13/run)
G4
(n=11/run)
0
20
40
60
80
100