



Fake News Detection and Verification Tool

An intelligent system for detecting and verifying misinformation using
Natural Language Processing and Machine Learning.

Submitted by:

Shuvom Dhar

BACHELOR OF TECHNOLOGY (CSE)

DEPARTMENT OF COMPUTER SCIENCE

Sister Nivedita University, New Town

Kolkata, West Bengal

2026

Contents

Abstract	4
1 Title	5
1.1 Project Overview	5
1.2 Motivation	5
1.3 Significance	5
2 Project Statement	6
2.1 Problem Description	6
2.2 Challenges	6
3 Outcomes	7
3.1 Expected Results	7
3.2 Practical Impact	7
4 Objectives	8
4.1 Primary Objectives	8
4.2 Secondary Objectives	8
5 Technologies Used	9
5.1 Backend Technologies	9
5.2 Security Technologies	9
5.3 Frontend Technologies	9
5.4 Machine Learning and NLP	9
6 Modules to be Implemented	10
6.1 Authentication Module	10
6.2 News Input Module	10
6.3 NLP Processing Module	10
6.4 Prediction Module	11
6.5 Database Module	11
6.6 Frontend Module	11

7 Architecture Diagram	12
7.1 System Overview	12
7.2 Architecture Explanation	13
8 Database Schema	14
8.1 Database Overview	14
8.2 System Overview	15
8.3 Database Tables	15
9 System Workflow	16
9.1 Process Flow	16
10 Implementation	17
10.1 Backend Implementation	17
10.2 ML Model Implementation	17
10.3 Security Implementation	17
10.4 Frontend Implementation	17
11 Sample Output	18
12 Conclusion	21
13 Future Scope	22
Bibliography	23

Abstract

The rapid growth of digital media and social networking platforms has significantly increased the spread of misinformation and fake news, which poses serious threats to public trust, social stability, and informed decision-making. Fake news often spreads faster than verified information due to its sensational nature, making it difficult for users to distinguish between credible and unreliable content. Therefore, there is an urgent need for automated systems that can efficiently detect and verify fake news in real time.

This project proposes a Fake News Detection and Verification Tool that leverages machine learning and natural language processing (NLP) techniques to analyze and classify news content as genuine or fake. The system processes textual data by performing data cleaning, tokenization, stop-word removal, and feature extraction using techniques such as Term Frequency–Inverse Document Frequency (TF–IDF) and word embeddings. Various machine learning models, including Logistic Regression, Support Vector Machine (SVM), Naïve Bayes, and deep learning-based models, are trained and evaluated to achieve high accuracy and robustness in fake news detection.

In addition to classification, the proposed tool integrates a verification module that cross-references news content with trusted sources and fact-checking databases. This module enhances the reliability of the system by providing evidence-based validation and confidence scores for predictions. The tool is designed with a user-friendly interface that allows users to input news articles, headlines, or URLs and receive instant feedback on their authenticity.

The experimental results demonstrate that the proposed system achieves significant accuracy and efficiency in detecting fake news compared to traditional methods. By combining automated detection with verification mechanisms, the tool contributes to reducing the impact of misinformation and supports users in making informed judgments about online content. This project highlights the potential of artificial intelligence-driven solutions in combating fake news and promoting a more trustworthy digital information ecosystem.

Title

Fake News Detection and Verification Tool

1.1 Project Overview

This project develops an intelligent system to detect and verify fake news using machine learning and natural language processing techniques. It helps users identify trustworthy information by analyzing news content and cross-checking it with reliable sources.

1.2 Motivation

The rapid spread of fake news on social media and digital platforms creates confusion and misleads people, highlighting the need for an automated detection system. This project is motivated by the goal of using artificial intelligence to help users identify reliable information and reduce the impact of misinformation.

1.3 Significance

This project provides an effective technological solution to detect and verify fake news, improving information credibility in the digital world. It contributes to building a safer and more informed online environment by supporting accurate decision-making and responsible information sharing.

Project Statement

2.1 Problem Description

The rapid spread of fake news across social media and digital platforms has created serious challenges in identifying trustworthy information. Manual verification methods are slow, inconsistent, and unable to handle the massive volume of online content. There is a need for an automated, intelligent system that can accurately detect and verify fake news in real time. This project aims to design a reliable AI-based tool to classify and validate news content effectively.

2.2 Challenges

- Detecting fake news with high accuracy due to complex language and misleading content.
- Handling sarcasm, irony, and ambiguous statements in news articles.
- Dealing with multilingual and domain-specific misinformation.
- Limited availability of verified fact-checking data in real time.
- Ensuring explainability and transparency of AI predictions.
- Managing large-scale data processing with speed and efficiency.

Outcomes

3.1 Expected Results

- Accurate identification of fake and real news using machine learning and NLP techniques.
- Improved classification performance with high accuracy, precision, recall, and F1-score.
- Real-time detection and verification of news content from multiple sources.
- User-friendly interface for easy input and visualization of results.
- Reduction in misinformation spread by providing reliable verification outcomes.

3.2 Practical Impact

The Fake News Detection and Verification Tool helps users identify misinformation quickly and reliably, promoting informed decision-making. It supports journalists, researchers, and the general public in verifying news authenticity. By reducing the spread of fake news, the system contributes to a more trustworthy digital information ecosystem and strengthens public awareness and media literacy.

Objectives

4.1 Primary Objectives

- To design and develop an automated system for detecting fake news using machine learning and NLP techniques.
- To classify news articles as real or fake with high accuracy and reliability.
- To extract and analyze textual features from news content for effective prediction.
- To build a verification mechanism that evaluates the credibility of news sources and content.
- To develop a user-friendly interface for easy interaction with the system.

4.2 Secondary Objectives

- To compare the performance of different machine learning models (e.g., Naive Bayes, SVM, Logistic Regression, Random Forest, etc.).
- To improve model accuracy through preprocessing, feature engineering, and hyperparameter tuning.
- To ensure scalability and adaptability of the system for future enhancements.
- To visualize prediction results and model performance metrics.

Technologies Used

This project integrates modern web technologies (**HTML, CSS, JavaScript**), secure authentication mechanisms (**JWT Authentication**), and **machine learning-based natural language processing** techniques to build an efficient and scalable fake news detection system.

5.1 Backend Technologies

Python, Flask, SQLAlchemy

5.2 Security Technologies

JWT Authentication

5.3 Frontend Technologies

HTML, CSS, JavaScript

5.4 Machine Learning and NLP

TF-IDF, Logistic Regression, Naive Bayes, Tokenization, Stopword Removal, Lemmatization (spaCy, NLTK)

Modules to be Implemented

6.1 Authentication Module

The Authentication Module is responsible for managing user registration and login functionalities. It ensures secure access to the system by validating user credentials and maintaining session information, thereby preventing unauthorized usage of the platform.

6.2 News Input Module

The News Input Module allows users to submit news content in the form of text or URLs. It acts as the primary interface for collecting input data, which is then forwarded to subsequent modules for analysis and verification.

6.3 NLP Processing Module

The NLP Processing Module performs preprocessing and linguistic analysis on the input news content. It applies techniques such as tokenization, stop-word removal, stemming, lemmatization, and feature extraction to transform raw text into a structured format suitable for machine learning models.

6.4 Prediction Module

The Prediction Module utilizes trained machine learning or deep learning models to classify the processed news content as real or fake. It evaluates the extracted features and generates prediction results along with confidence scores to enhance the reliability of the system.

6.5 Database Module

The Database Module is responsible for storing and managing user information, news data, and prediction results. It ensures efficient data retrieval, consistency, and security, supporting the overall functionality and scalability of the system.

6.6 Frontend Module

The Frontend Module provides an interactive and user-friendly interface for the system. It enables users to input news, view prediction results, and interact with the platform seamlessly, ensuring an intuitive and responsive user experience.

Architecture Diagram

7.1 System Overview

The Fake News Detection and Verification Tool is a client-server based system that integrates user interaction, NLP-based text processing, and machine learning models to analyze news content. The system accepts news input, processes it using linguistic techniques, predicts its authenticity, and displays the results through a user-friendly interface.




Figure: System Architecture Diagram

7.2 Architecture Explanation

This system architecture diagram shows how the Fake News Detection and Verification Tool works step-by-step:

- **User → Input Module:** The user enters news text or a URL.
- **NLP Processing:** The text is processed using techniques like tokenization, named entity recognition (NER), sentiment analysis, and TF-IDF vectorization.
- **Fake News Classifier:** Transformer-based models (like RoBERTa or DistilBERT) classify whether the news is fake or real.
- **Claim Verification:** The system checks claims using external fact-checking APIs (e.g., Google Fact Check Tools, PolitiFact).
- **Flask Backend & Database:** The backend handles requests, authentication, and stores data using SQLAlchemy.
- **Dashboard:** Finally, results such as credibility score, suspicious keywords, and source information are shown to the user.

In short: **Input → NLP → ML Model → Fact Verification → Backend → Dashboard Output.**

Database Schema

8.1 Database Overview

The system uses SQLAlchemy as the database ORM (Object-Relational Mapping) tool to manage and interact with the database efficiently. It stores user information, news content, and prediction results, ensuring secure, scalable, and efficient data handling and retrieval.




Figure: Database and Project Structure

8.2 System Overview

The Fake News Detection and Verification Tool is a client-server based system that integrates user interaction, NLP-based text processing, and machine learning models to analyze news content. The system accepts news input, processes it using linguistic techniques, predicts its authenticity, and displays the results through a user-friendly interface.

8.3 Database Tables

- **Users Table:** Stores user details such as user ID, username, email, password, and registration date.
- **News Table:** Contains submitted news content, source URL, submission time, and unique news ID.

System Workflow

9.1 Process Flow

The system workflow describes the sequence of operations performed by the Fake News Detection and Verification Tool, from user interaction to result generation. The process ensures smooth integration between user input, data processing, and prediction.

1. **User Login:** The user logs into the system through the authentication module. The system verifies the user credentials using the database managed by SQLAlchemy and grants access upon successful authentication.
2. **News Input:** After logging in, the user submits news content in the form of text or a URL. The input is captured by the News Input Module and forwarded for further analysis.
3. **NLP Processing:** The submitted news content undergoes pre-processing using Natural Language Processing techniques such as tokenization, stop-word removal, stemming, and lemmatization.
4. **ML Prediction:** The processed text is passed to the trained machine learning model, which analyzes the features and classifies the news as real or fake. The system may also generate a confidence score for the prediction.
5. **Result Display:** Finally, the prediction result is displayed to the user through the frontend interface. The news content and prediction outcome are stored in the database for future reference and analysis.

Implementation

10.1 Backend Implementation

The system utilizes a Flask backend to handle user requests, process news, and coordinate between machine learning models and the frontend. SQLAlchemy is employed to manage all database interactions securely and efficiently.

10.2 ML Model Implementation

News text is converted into numerical features using TF-IDF vectorization. It is then classified as real or fake using algorithms like Logistic Regression and Naive Bayes, or transformers such as RoBERTa and DistilBERT.

10.3 Security Implementation

The project uses JWT Authentication to ensure secure access to API endpoints. Users receive a token upon login, which is validated on every request to protect sensitive operations and data.

10.4 Frontend Implementation

The user interface is built with HTML, CSS, and JavaScript, providing an interactive and responsive experience. Users can submit news content, view predictions, check credibility scores, and see sources and suspicious keywords on the dashboard.

Sample Output




Figure: Authentication Diagram




Figure: Chatbot Diagram




Figure: User Output Diagram




Figure: Admin Analysis Diagram




Figure: Admin Users Diagram

Conclusion

The Fake News Detection and Verification Tool successfully integrates NLP, machine learning, and web technologies to provide an automated and reliable way to identify misinformation.

- It demonstrates accurate classification of fake and real news.
- The system ensures secure user authentication.
- The project provides a scalable, user-friendly, and explainable solution for real-world fake news detection.

Key takeaway: The tool improves digital trust by allowing users to quickly verify the authenticity of news content in an automated and efficient manner.

Future Scope

The project has significant potential for expansion:

- **Integration with social media platforms:** Real-time monitoring of news posts on platforms like Twitter and Facebook.
- **Deep learning-based detection:** Using advanced neural networks (e.g., BERT, LSTM) for higher prediction accuracy.
- **Multilingual support:** Extending detection capabilities to multiple languages beyond English.
- **Mobile application development:** Making the tool accessible on mobile devices for better reach and convenience.

Key idea: Future enhancements aim to improve accuracy, accessibility, scalability, and real-time verification.

Bibliography

- [1] Manjuladevi Vigneshwaran, *Project Guidance and Mentorship*, Infosys Springboard Internship Program, 2025–2026.
- [2] Miguel Grinberg, *Flask Web Development: Developing Web Applications with Python*, O'Reilly Media, 2018.
- [3] Jones, M., Bradley, J., and Sakimura, N., *JSON Web Token (JWT)*, IETF RFC 7519, 2015.
- [4] Jurafsky, D. and Martin, J. H., *Speech and Language Processing*, 3rd Edition, Pearson, 2023.
- [5] Salton, G. and Buckley, C., *Term-weighting approaches in automatic text retrieval*, Information Processing & Management, 1988.
- [6] Ronacher, A., *SQLAlchemy Documentation*, Available at: <https://www.sqlalchemy.org>, Accessed: 2026.
- [7] Devlin, J., Chang, M., Lee, K., and Toutanova, K., *BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding*, NAACL-HLT, 2019.
- [8] Google, *Gemini 2.5 Flash Model Documentation*, Google AI for Developers, Available at: <https://ai.google.dev/models/gemini>, Accessed: 2026.
- [9] Infosys Springboard, *Learning Platform and Internship Resources*, Available at: <https://infyspringboard.onwingspan.com/web/en/page/home>, Accessed: 2026.