




SummitPeak clip_bam chip_bam 16 Coverage/base/gene 4 -250 250 Ö Center -500 500





iCLIPPeak clip_bam — chip_bam 15-Coverage/base/gene 5 -250 Center 250 -500 500





clip_bam:SummitPeak, clip_bam:iCLIPPeak, chip_bam:SummitPeak, chip_bam:iCLIPPeak



















SummitPeak



























SummitPeak clip_bam chip_bam 6-Ratio-over-Input 2 -250 Center 250 -500 500









```
Plotting parameters:
                                         functionName: "plot locus"
                                           queryFiles: c(clip bam =
    "C:/Users/greenblatt/AppData/Local/Programs/R/R-4.2.1/library/GenomicPlot/extdata/treat_chr19.bam",
                                                 chip_bam =
  "C:/Users/greenblatt/AppData/Local/Programs/R/R-4.2.1/library/GenomicPlot/extdata/chip treat chr19.bam")
                                        centerFiles: c(SummitPeak =
"C:/Users/greenblatt/AppData/Local/Programs/R/R-4.2.1/library/GenomicPlot/extdata/test_chip_peak_chr19.bed",
                                                iCLIPPeak =
"C:/Users/greenblatt/AppData/Local/Programs/R/R-4.2.1/library/GenomicPlot/extdata/test_clip_peak_chr19.bed")
                                                 txdb: NULL
                                              ext: c(-500, 500)
                                               hl: c(-100, 100)
                                                shade: TRUE
                                               smooth: TRUE
           importParams: list(offset = 0, fix width = 150, fix point = "start", norm = TRUE, useScore =
                      FALSE, outRIe = TRUE, useSizeFactor = TRUE, genome = "hg19")
                                               verbose: FALSE
                                                 binSize: 10
                                              refPoint: "center"
                                               Xlab: "Center"
                                         Ylab: "Coverage/base/gene"
                                           inputFiles: c(clip input =
    "C:/Users/greenblatt/AppData/Local/Programs/R/R-4.2.1/library/GenomicPlot/extdata/input_chr19.bam",
                                                chip_input =
 "C:/Users/greenblatt/AppData/Local/Programs/R/R-4.2.1/library/GenomicPlot/extdata/chip_input_chr19.bam")
                                               stranded: TRUE
                                               heatmap: TRUE
                                                scale: FALSE
                                         outPrefix: "test_plot_locus2"
                                                 rmOutlier: 0
                                                transform: NA
                                          statsMethod: "wilcox.test"
                                              heatRange: NULL
                                                 hw: c(8, 8)
                                                    nc: 2
```