

AI Website Audit Report

Professional Website Analysis
<https://www.midastouchinfotech.com/>
13/8/2026, 12:08:40 pm

Executive Summary

AI Website Audit Report

Website: <https://www.midastouchinfotech.com/>
Pages Audited: 50
Generated: 2026-08-13T06:38:40.986Z

Website Information

Website	https://www.midastouchinfotech.com/
Date	13/8/2026, 12:08:40 pm
Pages	50

Overall Score

82 Overall	54 Performance	85 Accessibility	89 SEO
76 Best Practices	85 Functionality	100 Responsive	

Issue Summary

1
Critical

0
High

5
Medium

3
Low

Page-by-Page Analysis

Detailed analysis of every audited page.

<https://www.midastouchinfotech.com/>

44

Performance

86

Accessibility

85

SEO

77

Best Practices

90

Functionality

100

Responsive

Problems & How to Fix

— 44/100

First Contentful Paint

Result: 3.7 s

Why: The first visible content is taking 3.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 5.8 s

Why: The main visible content is taking 5.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 970 ms

Why: The browser is spending too much time executing long JavaScript tasks (970 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 6.1 s

Why: Visible page content is appearing slowly (6.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 43 KiB

Why: Lighthouse reported Est savings of 43 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Improve image delivery

Result: Est savings of 329 KiB

Why: Lighthouse reported Est savings of 329 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Affected Elements:

- `div.row > div.col-lg-6 > div.choose-us-style-one > img`
- `div.row > div.col-xl-6 > div.thumb > img`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 990 ms

Why: Lighthouse reported Est savings of 990 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790`
- `https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3`

Time to Interactive

Result: 5.8 s

Why: Lighthouse reported 5.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 410 ms

Why: Lighthouse reported 410 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 24 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790`

Minimize main-thread work

Result: 6.8 s

Why: Lighthouse reported 6.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.thumb > img`
- `div.row > div.col-lg-6 > div.choose-us-style-one > img`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- `https://c.statcounter.com/t.php?sc_project=13119688&u1=3717157D2C5444688808B066B8F0E137&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3364&sc_rum_e_e=3448&sc_r`
- `https://c.statcounter.com/t.php?sc_project=13119688&u1=3717157D2C5444688808B066B8F0E137&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3364&sc_rum_e_e=3448&sc_r`

Issues were logged in the 'Issues' panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/about-us>



Problems & How to Fix

— 40/100

First Contentful Paint

Result: 3.7 s

Why: The first visible content is taking 3.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.5 s

Why: The main visible content is taking 9.5 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 940 ms

Why: The browser is spending too much time executing long JavaScript tasks (940 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 6.9 s

Why: Visible page content is appearing slowly (6.9 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 48 KiB

Why: Lighthouse reported Est savings of 48 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/36.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,110 ms

Why: Lighthouse reported Est savings of 1,110 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 328 KiB

Why: Lighthouse reported Est savings of 328 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-lg-8 > div.thumb > img.entered`
- `div.col-lg-6 > div.about-style-two > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 2,000 ms

Why: Lighthouse reported Est savings of 2,000 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 9.5 s

Why: Lighthouse reported 9.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 940 ms

Why: Lighthouse reported 940 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 76 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 6.1 s

Why: Lighthouse reported 6.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-lg-8 > div.thumb > img.entered`
- `div.col-lg-6 > div.about-style-two > div.thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,600 ms

Why: Lighthouse reported Est savings of 1,600 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/about-us>
- <https://www.midastouchinfotech.com/about-us/>

— 73/100

Serves images with low resolution

Why: Lighthouse identified an issue with this page.

How to fix: Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](<https://web.dev/articles/serve-responsive-images>).

Affected Elements:

- `body.wp-singular > div.banner-style-three-area > div.animate-shape > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/how-we-work>



Problems & How to Fix

— 48/100

First Contentful Paint

Result: 4.8 s

Why: The first visible content is taking 4.8 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 6.1 s

Why: The main visible content is taking 6.1 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.297

Why: Page elements are moving unexpectedly during loading (0.297). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 6.3 s

Why: Visible page content is appearing slowly (6.3 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 71 KiB

Why: Lighthouse reported Est savings of 71 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/banner.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 1,090 ms

Why: Lighthouse reported Est savings of 1,090 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 442 KiB

Why: Lighthouse reported Est savings of 442 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.row > div.col-xl-6 > div.banner-style-five-thumb > img`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 3,610 ms

Why: Lighthouse reported Est savings of 3,610 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>

Time to Interactive

Result: 6.1 s

Why: Lighthouse reported 6.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 77 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 7.5 s

Why: Lighthouse reported 7.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.banner-style-five-thumb > img`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,820 ms

Why: Lighthouse reported Est savings of 1,820 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/how-we-work`
- `https://www.midastouchinfotech.com/how-we-work/`

Avoid large layout shifts

Result: 1 layout shift found

Why: Lighthouse reported 1 layout shift found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `div.container > div.content > div.row > div.col-xl-6`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/why-choose-us>



Problems & How to Fix

First Contentful Paint

Result: 3.9 s

Why: The first visible content is taking 3.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.3 s

Why: The main visible content is taking 9.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 520 ms

Why: The browser is spending too much time executing long JavaScript tasks (520 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 8.4 s

Why: Visible page content is appearing slowly (8.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 72 KiB

Why: Lighthouse reported Est savings of 72 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg1.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2024/03/banner.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 1,060 ms

Why: Lighthouse reported Est savings of 1,060 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 436 KiB

Why: Lighthouse reported Est savings of 436 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.row > div.col-xl-6 > div.thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies] (<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP] (<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 2,460 ms

Why: Lighthouse reported Est savings of 2,460 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/forminator-utilities.min.css?ver=1.49.2>

Time to Interactive

Result: 9.3 s

Why: Lighthouse reported 9.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 840 ms

Why: Lighthouse reported 840 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 76 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 6.0 s

Why: Lighthouse reported 6.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

Avoid multiple page redirects

Result: Est savings of 1,790 ms

Why: Lighthouse reported Est savings of 1,790 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/why-choose-us>
- <https://www.midastouchinfotech.com/why-choose-us/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/our-business-models>



Problems & How to Fix

— 48/100

First Contentful Paint

Result: 3.8 s

Why: The first visible content is taking 3.8 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.3 s

Why: The main visible content is taking 9.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 490 ms

Why: The browser is spending too much time executing long JavaScript tasks (490 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 7.4 s

Why: Visible page content is appearing slowly (7.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 49 KiB

Why: Lighthouse reported Est savings of 49 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2024/03/banner.jpg>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,050 ms

Why: Lighthouse reported Est savings of 1,050 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 153 KiB

Why: Lighthouse reported Est savings of 153 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 2,440 ms

Why: Lighthouse reported Est savings of 2,440 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/unit-test.css?ver=1786349790>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>

Time to Interactive

Result: 9.3 s

Why: Lighthouse reported 9.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 910 ms

Why: Lighthouse reported 910 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 76 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 5.5 s

Why: Lighthouse reported 5.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-lg-5 > div.thumb > img.entered`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,790 ms

Why: Lighthouse reported Est savings of 1,790 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/our-business-models>
- <https://www.midastouchinfotech.com/our-business-models/>

— 73/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Browser errors were logged to the console

Why: The browser console contains errors that may indicate JavaScript, network, or implementation problems.


How to fix: Open Chrome DevTools Console, identify the failing script or request, and fix the underlying JavaScript or network error.

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/website-design-services>



Problems & How to Fix

— 39/100

First Contentful Paint

Result: 5.3 s

Why: The first visible content is taking 5.3 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 6.9 s

Why: The main visible content is taking 6.9 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.346

Why: Page elements are moving unexpectedly during loading (0.346). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 9.2 s

Why: Visible page content is appearing slowly (9.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 59 KiB

Why: Lighthouse reported Est savings of 59 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 800 ms

Why: Lighthouse reported Est savings of 800 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 213 KiB

Why: Lighthouse reported Est savings of 213 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,520 ms

Why: Lighthouse reported Est savings of 1,520 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.4>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>

Time to Interactive

Result: 6.9 s

Why: Lighthouse reported 6.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 160 ms

Why: Lighthouse reported 160 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 15 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 6.0 s

Why: Lighthouse reported 6.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- div.row > div.col-xl-6 > div.business-progress-thumb > img.entered

Reduce initial server response time

Result: Root document took 900 ms

Why: Lighthouse reported Root document took 900 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric](https://developer.chrome.com/docs/lighthouse/performance/time-to-first-byte/).

Affected Elements:

- https://www.midastouchinfotech.com/service/website-design-services

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- body.wp-singular > div.business-progress-area
- div.business-progress-area > div.container > div.row > div.col-xl-5
- nav > ol.breadcrumb > li > ::after

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- https://www.statcounter.com/counter/counter.js
- https://www.statcounter.com/counter/counter.js

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/website-development-services>



Problems & How to Fix

— 28/100

First Contentful Paint

Result: 3.7 s

Why: The first visible content is taking 3.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 11.8 s

Why: The main visible content is taking 11.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,950 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,950 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.129

Why: Page elements are moving unexpectedly during loading (0.129). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 7.5 s

Why: Visible page content is appearing slowly (7.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 1,120 ms

Why: Lighthouse reported Est savings of 1,120 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 287 KiB

Why: Lighthouse reported Est savings of 287 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `body.wp-singular > div.bnrr`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,400 ms

Why: Lighthouse reported Est savings of 1,400 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 11.9 s

Why: Lighthouse reported 11.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 1,460 ms

Why: Lighthouse reported 1,460 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 7.4 s

Why: Lighthouse reported 7.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- div.row > div.col-xl-6 > div.business-progress-thumb > img.entered

Avoid multiple page redirects

Result: Est savings of 1,620 ms

Why: Lighthouse reported Est savings of 1,620 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/website-development-services>
- <https://www.midastouchinfotech.com/service/website-development-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- div.row > div.col-xl-5 > div.business-progress-info > h2.title
- div.business-progress-area > div.container > div.row > div.col-xl-5
- nav > ol.breadcrumb > li > ::after

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/website-redesign-services>



Problems & How to Fix

— 33/100

First Contentful Paint

Result: 3.7 s

Why: The first visible content is taking 3.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 11.0 s

Why: The main visible content is taking 11.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,690 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,690 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 7.4 s

Why: Visible page content is appearing slowly (7.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,110 ms

Why: Lighthouse reported Est savings of 1,110 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 173 KiB

Why: Lighthouse reported Est savings of 173 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,420 ms

Why: Lighthouse reported Est savings of 1,420 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical

path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 11.1 s

Why: Lighthouse reported 11.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 1,360 ms

Why: Lighthouse reported 1,360 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 7.6 s

Why: Lighthouse reported 7.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,590 ms

Why: Lighthouse reported Est savings of 1,590 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/website-redesign-services>
- <https://www.midastouchinfotech.com/service/website-redesign-services/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>


- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/wordpress-development-company>



Problems & How to Fix

— 31/100

First Contentful Paint

Result: 4.0 s

Why: The first visible content is taking 4.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 11.7 s

Why: The main visible content is taking 11.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,810 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,810 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 9.1 s

Why: Visible page content is appearing slowly (9.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,080 ms

Why: Lighthouse reported Est savings of 1,080 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server

response, and enabling text compression.

Improve image delivery

Result: Est savings of 228 KiB

Why: Lighthouse reported Est savings of 228 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,990 ms

Why: Lighthouse reported Est savings of 1,990 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3`
- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790`

Time to Interactive

Result: 11.7 s

Why: Lighthouse reported 11.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 1,530 ms

Why: Lighthouse reported 1,530 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789`
- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790`

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 8.2 s

Why: Lighthouse reported 8.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,890 ms

Why: Lighthouse reported Est savings of 1,890 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/wordpress-development-company>
- <https://www.midastouchinfotech.com/service/wordpress-development-company/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/graphic-design-services>



Problems & How to Fix

— 32/100

First Contentful Paint

Result: 4.2 s

Why: The first visible content is taking 4.2 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 12.1 s

Why: The main visible content is taking 12.1 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,440 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,440 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 9.7 s

Why: Visible page content is appearing slowly (9.7 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,760 ms

Why: Lighthouse reported Est savings of 1,760 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 222 KiB

Why: Lighthouse reported Est savings of 222 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Why: Lighthouse identified an issue with this page.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 12.2 s

Why: Lighthouse reported 12.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 1,450 ms

Why: Lighthouse reported 1,450 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 7.5 s

Why: Lighthouse reported 7.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.services-style-two-area > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,970 ms

Why: Lighthouse reported Est savings of 1,970 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/graphic-design-services>
- <https://www.midastouchinfotech.com/service/graphic-design-services/>

Reduce initial server response time

Result: Root document took 660 ms

Why: Lighthouse reported Root document took 660 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric](<https://developer.chrome.com/docs/lighthouse/performance/time-to-first-byte/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/graphic-design-services/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the 'Issues' panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/digital-marketing-company>



Problems & How to Fix

— 60/100

First Contentful Paint

Result: 4.1 s

Why: The first visible content is taking 4.1 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 11.0 s

Why: The main visible content is taking 11.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.6 s

Why: Visible page content is appearing slowly (5.6 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,100 ms

Why: Lighthouse reported Est savings of 1,100 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 180 KiB

Why: Lighthouse reported Est savings of 180 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 2,450 ms

Why: Lighthouse reported Est savings of 2,450 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 11.0 s

Why: Lighthouse reported 11.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 3.0 s

Why: Lighthouse reported 3.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

Avoid multiple page redirects

Result: Est savings of 1,630 ms

Why: Lighthouse reported Est savings of 1,630 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/service/digital-marketing-company`
- `https://www.midastouchinfotech.com/service/digital-marketing-company/`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/seo-services>



Problems & How to Fix

— 64/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.1 s

Why: The main visible content is taking 9.1 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 7.0 s

Why: Visible page content is appearing slowly (7.0 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 510 ms

Why: Lighthouse reported Est savings of 510 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 185 KiB

Why: Lighthouse reported Est savings of 185 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 870 ms

Why: Lighthouse reported Est savings of 870 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 9.1 s

Why: Lighthouse reported 9.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.9 s

Why: Lighthouse reported 2.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

Avoid multiple page redirects

Result: Est savings of 1,300 ms

Why: Lighthouse reported Est savings of 1,300 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/seo-services>
- <https://www.midastouchinfotech.com/service/seo-services/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/content-writing-services>

60

Performance

86

Accessibility

92

SEO

77

Best Practices

90

Functionality

100

Responsive

Problems & How to Fix

— 60/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.5 s

Why: The main visible content is taking 9.5 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.152

Why: Page elements are moving unexpectedly during loading (0.152). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.4 s

Why: Visible page content is appearing slowly (5.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 520 ms

Why: Lighthouse reported Est savings of 520 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 170 KiB

Why: Lighthouse reported Est savings of 170 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`

- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 930 ms

Why: Lighthouse reported Est savings of 930 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 9.6 s

Why: Lighthouse reported 9.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.8 s

Why: Lighthouse reported 2.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/content-writing-services>
- <https://www.midastouchinfotech.com/service/content-writing-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- `div.row > div.col-xl-5 > div.business-progress-info > h2.title`
- `div.business-progress-area > div.container > div.row > div.col-xl-5`
- `nav > ol.breadcrumb > li > ::after`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the 'Issues' panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/ecommerce-seo-services>



Problems & How to Fix

— 61/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.5 s

Why: The main visible content is taking 9.5 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.144

Why: Page elements are moving unexpectedly during loading (0.144). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.1 s

Why: Visible page content is appearing slowly (5.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 600 ms

Why: Lighthouse reported Est savings of 600 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 168 KiB

Why: Lighthouse reported Est savings of 168 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 860 ms

Why: Lighthouse reported Est savings of 860 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/forminator-utilities.min.css?ver=1.49.2>

Time to Interactive

Result: 9.5 s

Why: Lighthouse reported 9.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 21 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.9 s

Why: Lighthouse reported 2.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/ecommerce-seo-services>
- <https://www.midastouchinfotech.com/service/ecommerce-seo-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- `div.row > div.col-x1-5 > div.business-progress-info > h2.title`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/online-reputation-management-services>



Problems & How to Fix

— 35/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.2 s

Why: The main visible content is taking 9.2 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,150 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,150 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.135

Why: Page elements are moving unexpectedly during loading (0.135). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 7.1 s

Why: Visible page content is appearing slowly (7.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 91 KiB

Why: Lighthouse reported Est savings of 91 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/04/online-reputation-management-services.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>

- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 620 ms

Why: Lighthouse reported Est savings of 620 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 314 KiB

Why: Lighthouse reported Est savings of 314 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.bnrr`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies] (<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP] (<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests] (<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Why: Lighthouse identified an issue with this page.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/13811_93859d8f08142e3b42059ef1da6375b5/css/style-13811.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Time to Interactive

Result: 9.2 s

Why: Lighthouse reported 9.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 1,380 ms

Why: Lighthouse reported 1,380 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 6.6 s

Why: Lighthouse reported 6.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,180 ms

Why: Lighthouse reported Est savings of 1,180 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/online-reputation-management-services>
- <https://www.midastouchinfotech.com/online-reputation-management-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `div.col-x1-5 > div.business-progress-info > h2.title > b`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/lead-generation-service>



Problems & How to Fix

— 31/100

First Contentful Paint

Result: 4.6 s

Why: The first visible content is taking 4.6 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 12.7 s

Why: The main visible content is taking 12.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 630 ms

Why: The browser is spending too much time executing long JavaScript tasks (630 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.229

Why: Page elements are moving unexpectedly during loading (0.229). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 8.1 s

Why: Visible page content is appearing slowly (8.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 85 KiB

Why: Lighthouse reported Est savings of 85 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Generate-More-Leads-to-Boost-Your-Business-Profits.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 1,010 ms

Why: Lighthouse reported Est savings of 1,010 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 357 KiB

Why: Lighthouse reported Est savings of 357 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 850 ms

Why: Lighthouse reported Est savings of 850 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 12.8 s

Why: Lighthouse reported 12.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 340 ms

Why: Lighthouse reported 340 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 7.3 s

Why: Lighthouse reported 7.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,800 ms

Why: Lighthouse reported Est savings of 1,800 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/lead-generation-service>
- <https://www.midastouchinfotech.com/lead-generation-service/>

Avoid large layout shifts

Result: 4 layout shifts found

Why: Lighthouse reported 4 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `div.row > div.col-x1-5 > div.business-progress-info > p`
- `nav > ol.breadcrumb > li > ::after`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more

details on each issue.

<https://www.midastouchinfotech.com/pay-per-click-services>

57

Performance

86

Accessibility

92

SEO

77

Best Practices

90

Functionality

100

Responsive

Problems & How to Fix

— 57/100

First Contentful Paint

Result: 4.2 s

Why: The first visible content is taking 4.2 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 10.4 s

Why: The main visible content is taking 10.4 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 11.5 s

Why: Visible page content is appearing slowly (11.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,010 ms

Why: Lighthouse reported Est savings of 1,010 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 169 KiB

Why: Lighthouse reported Est savings of 169 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 620 ms

Why: Lighthouse reported Est savings of 620 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/unit-test.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/helper.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>

Time to Interactive

Result: 10.4 s

Why: Lighthouse reported 10.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 60 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 4.0 s

Why: Lighthouse reported 4.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.rocket-lazyload > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 2,110 ms

Why: Lighthouse reported Est savings of 2,110 ms for this audit, indicating that this check did not meet the recommended threshold.

Affected Elements:

- 77/100

Result: 2 cookies found

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- Issues were logged in the `Issues` panel in Chrome Devtools

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Metric	Score
Performance	59
Accessibility	86
SEO	92
Best Practices	77
Functionality	90
Responsive	100

— 59/100

Result: 3.1 s

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Result: 9.7 s

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Result: 8.0 s

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Result: Est savings of 60 KiB

How to fix: A long cache lifetime can speed up repeat visits to your page. [\[Learn more about caching\]](#)

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 560 ms

Why: Lighthouse reported Est savings of 560 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 134 KiB

Why: Lighthouse reported Est savings of 134 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,050 ms

Why: Lighthouse reported Est savings of 1,050 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://fonts.googleapis.com/css2?family=Yantramanav:wght@100;300;400;500;700;900&display=swap>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Time to Interactive

Result: 9.7 s

Why: Lighthouse reported 9.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 21 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.3 s

Why: Lighthouse reported 3.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `b > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,340 ms

Why: Lighthouse reported Est savings of 1,340 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/social-media-marketing-service>
- <https://www.midastouchinfotech.com/social-media-marketing-service/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/seo-packages>



Problems & How to Fix

— 66/100

First Contentful Paint

Result: 2.7 s

Why: The first visible content is taking 2.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.7 s

Why: The main visible content is taking 8.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.2 s

Why: Visible page content is appearing slowly (5.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 480 ms

Why: Lighthouse reported Est savings of 480 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 179 KiB

Why: Lighthouse reported Est savings of 179 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,150 ms

Why: Lighthouse reported Est savings of 1,150 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 8.7 s

Why: Lighthouse reported 8.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.7 s

Why: Lighthouse reported 3.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,230 ms

Why: Lighthouse reported Est savings of 1,230 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/seo-packages>
- <https://www.midastouchinfotech.com/seo-packages/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/social-media-marketing-packages>



Problems & How to Fix

— 62/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.6 s

Why: The main visible content is taking 9.6 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.116

Why: Page elements are moving unexpectedly during loading (0.116). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.7 s

Why: Visible page content is appearing slowly (5.7 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 550 ms

Why: Lighthouse reported Est savings of 550 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 158 KiB

Why: Lighthouse reported Est savings of 158 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 600 ms

Why: Lighthouse reported Est savings of 600 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 9.6 s

Why: Lighthouse reported 9.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.8 s

Why: Lighthouse reported 3.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,280 ms

Why: Lighthouse reported Est savings of 1,280 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/social-media-marketing-packages`
- `https://www.midastouchinfotech.com/social-media-marketing-packages/`

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `div.container > div.row > div.col-lg-8 > h1`
- `div.business-progress-area > div.container > div.row > div.col-xl-5`
- `nav > ol.breadcrumb > li > ::after`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/contact-us>

66

Performance

78

Accessibility

92

SEO

77

Best Practices

90

Functionality

100

Responsive

Problems & How to Fix

— 66/100

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.4 s

Why: The main visible content is taking 8.4 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.5 s

Why: Visible page content is appearing slowly (5.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 54 KiB

Why: Lighthouse reported Est savings of 54 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://maps.googleapis.com/maps/api/js/StaticMapService.GetMapImage?1m2&1i11771623&2i7281397&2e1&3u16&4m2&1u412&2u300&5m6&1e0&5sen&6sin&10b1&12b1&14i47083502&8e1&key=AIzaSyCmL18misQw9KdwqGaw3zHkitj8vG6QF2Y&t>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 490 ms

Why: Lighthouse reported Est savings of 490 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 57 KiB

Why: Lighthouse reported Est savings of 57 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 840 ms

Why: Lighthouse reported Est savings of 840 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 8.4 s

Why: Lighthouse reported 8.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 160 ms

Why: Lighthouse reported 160 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.1 s

Why: Lighthouse reported 3.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,270 ms

Why: Lighthouse reported Est savings of 1,270 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/contact-us>
- <https://www.midastouchinfotech.com/contact-us/>

— 78/100

Buttons do not have an accessible name

Why: One or more buttons do not have an accessible name, making their purpose unclear to screen-reader users.

How to fix: Add visible button text or an appropriate accessible name using `aria-label` or `aria-labelledby`.

Affected Elements:

- nav.navbar > div.container > div.navbar-header > button.navbar-toggle

Background and foreground colors do not have a sufficient contrast ratio.

Why: Some text does not have enough contrast against its background, making it difficult for users to read.

How to fix: Increase the contrast between foreground and background colors and verify the result against WCAG contrast requirements.

Affected Elements:

- div.provider > div.info > span > strong

`<frame>` or `<iframe>` elements do not have a title

Why: Lighthouse identified an issue with this page.

How to fix: Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles] (<https://dequeuniversity.com/rules/axe/4.12/frame-title>).

Affected Elements:

- body.wp-singular > div.maps-area > div.google-maps > iframe

Heading elements are not in a sequentially-descending order

Why: Lighthouse identified an issue with this page.

How to fix: Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Affected Elements:

- ul > li.wow > div.content > h4.title
- div.container > div.row > div.testimonial-style-two > h4.sub-heading
- div.rating-provider > div.ratings > div.rating-icon > h4

Links do not have a discernible name

Why: One or more links do not have a clear accessible name.

How to fix: Give every meaningful link descriptive visible text or an appropriate accessible name.

Affected Elements:

- div.about > ul.footer-social > li > a
- div.about > ul.footer-social > li > a
- div.about > ul.footer-social > li > a

Document does not have a main landmark.

Why: Lighthouse identified an issue with this page.

How to fix: One main landmark helps screen reader users navigate a web page. [Learn more about landmarks] (<https://dequeuniversity.com/rules/axe/4.12/landmark-one-main>).

Affected Elements:

- html

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/creative-branding-company-in-ahmedabad>

25

Performance

86

Accessibility

92

SEO

77

Best Practices

90

Functionality

100

Responsive

Problems & How to Fix

— 25/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.4 s

Why: The main visible content is taking 9.4 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,430 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,430 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.233

Why: Page elements are moving unexpectedly during loading (0.233). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 7.9 s

Why: Visible page content is appearing slowly (7.9 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 700 ms

Why: Lighthouse reported Est savings of 700 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 123 KiB

Why: Lighthouse reported Est savings of 123 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 350 ms

Why: Lighthouse reported Est savings of 350 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790`
- `https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3`

Time to Interactive

Result: 9.4 s

Why: Lighthouse reported 9.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 1,060 ms

Why: Lighthouse reported 1,060 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789`

Minimize main-thread work

Result: 6.5 s

Why: Lighthouse reported 6.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Avoid multiple page redirects

Result: Est savings of 1,290 ms

Why: Lighthouse reported Est savings of 1,290 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/creative-branding-company-in-ahmedabad>
- <https://www.midastouchinfotech.com/service/creative-branding-company-in-ahmedabad/>

Avoid large layout shifts

Result: 6 layout shifts found

Why: Lighthouse reported 6 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- body.wp-singular > div.business-progress-area
- div.row > div.col-xl-5 > div.business-progress-info > h2.title
- body.wp-singular > div.business-progress-area
- div.business-progress-area > div.container > div.row > div.col-xl-5
- nav > ol.breadcrumb > li > ::after

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/web-development-agency-in-ahmedabad>



Problems & How to Fix

— 48/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.0 s

Why: The main visible content is taking 9.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.292

Why: Page elements are moving unexpectedly during loading (0.292). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 6.0 s

Why: Visible page content is appearing slowly (6.0 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 550 ms

Why: Lighthouse reported Est savings of 550 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 123 KiB

Why: Lighthouse reported Est savings of 123 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 460 ms

Why: Lighthouse reported Est savings of 460 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2>

Time to Interactive

Result: 9.0 s

Why: Lighthouse reported 9.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 930 ms

Why: Lighthouse reported 930 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 4.6 s

Why: Lighthouse reported 4.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/web-development-agency-in-ahmedabad>
- <https://www.midastouchinfotech.com/service/web-development-agency-in-ahmedabad/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/website-development>



Problems & How to Fix

— 55/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.8 s

Why: The main visible content is taking 9.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 280 ms

Why: The browser is spending too much time executing long JavaScript tasks (280 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.129

Why: Page elements are moving unexpectedly during loading (0.129). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 6.1 s

Why: Visible page content is appearing slowly (6.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 610 ms

Why: Lighthouse reported Est savings of 610 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 287 KiB

Why: Lighthouse reported Est savings of 287 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `body.wp-singular > div.bnrr`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 450 ms

Why: Lighthouse reported Est savings of 450 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 9.8 s

Why: Lighthouse reported 9.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 190 ms

Why: Lighthouse reported 190 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 4.7 s

Why: Lighthouse reported 4.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,290 ms

Why: Lighthouse reported Est savings of 1,290 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/service/website-development>
- <https://www.midastouchinfotech.com/service/website-development-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `div.row > div.col-x1-5 > div.business-progress-info > h2.title`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/web-design-company-in-ahmedabad>



Problems & How to Fix

— 61/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.0 s

Why: The main visible content is taking 9.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 230 ms

Why: The browser is spending too much time executing long JavaScript tasks (230 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 5.6 s

Why: Visible page content is appearing slowly (5.6 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 510 ms

Why: Lighthouse reported Est savings of 510 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 119 KiB

Why: Lighthouse reported Est savings of 119 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Affected Elements:

- body.wp-singular > div.business-progress-area
- div.container > div.navbar-header > a.navbar-brand > img.logo

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 440 ms

Why: Lighthouse reported Est savings of 440 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee13c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3

Time to Interactive

Result: 9.0 s

Why: Lighthouse reported 9.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 260 ms

Why: Lighthouse reported 260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789

Minimize main-thread work

Result: 4.5 s

Why: Lighthouse reported 4.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-)

work-breakdown/)

Avoid multiple page redirects

Result: Est savings of 1,280 ms

Why: Lighthouse reported Est savings of 1,280 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/web-design-company-in-ahmedabad>
- <https://www.midastouchinfotech.com/service/web-design-company-in-ahmedabad/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/digital-marketing-company-in-surat>



Problems & How to Fix

— 57/100

First Contentful Paint

Result: 2.8 s

Why: The first visible content is taking 2.8 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.9 s

Why: The main visible content is taking 8.9 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.209

Why: Page elements are moving unexpectedly during loading (0.209). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.0 s

Why: Visible page content is appearing slowly (5.0 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 62 KiB

Why: Lighthouse reported Est savings of 62 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 500 ms

Why: Lighthouse reported Est savings of 500 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 119 KiB

Why: Lighthouse reported Est savings of 119 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 680 ms

Why: Lighthouse reported Est savings of 680 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 8.9 s

Why: Lighthouse reported 8.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.7 s

Why: Lighthouse reported 3.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Avoid multiple page redirects

Result: Est savings of 1,250 ms

Why: Lighthouse reported Est savings of 1,250 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/service/digital-marketing-company-in-surat>
- <https://www.midastouchinfotech.com/service/digital-marketing-company-in-surat/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the 'Issues' panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/digital-marketing-services>

40

86

92

77

90

Functionality

100

Responsive

Problems & How to Fix

— 40/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.8 s

Why: The main visible content is taking 9.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,010 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,010 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 6.3 s

Why: Visible page content is appearing slowly (6.3 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 530 ms

Why: Lighthouse reported Est savings of 530 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 148 KiB

Why: Lighthouse reported Est savings of 148 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 60 ms

Why: Lighthouse reported Est savings of 60 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>

Time to Interactive

Result: 9.9 s

Why: Lighthouse reported 9.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 1,310 ms

Why: Lighthouse reported 1,310 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 15 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 6.0 s

Why: Lighthouse reported 6.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,280 ms

Why: Lighthouse reported Est savings of 1,280 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/digital-marketing-services>
- <https://www.midastouchinfotech.com/service/digital-marketing-company/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/website-design-services>



Problems & How to Fix

— 58/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 4.5 s

Why: The main visible content is taking 4.5 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.346

Why: Page elements are moving unexpectedly during loading (0.346). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.3 s

Why: Visible page content is appearing slowly (5.3 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 59 KiB

Why: Lighthouse reported Est savings of 59 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 530 ms

Why: Lighthouse reported Est savings of 530 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 213 KiB

Why: Lighthouse reported Est savings of 213 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 650 ms

Why: Lighthouse reported Est savings of 650 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 4.5 s

Why: Lighthouse reported 4.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 130 ms

Why: Lighthouse reported 130 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 21 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.7 s

Why: Lighthouse reported 3.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,270 ms

Why: Lighthouse reported Est savings of 1,270 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/website-design-services>
- <https://www.midastouchinfotech.com/service/website-design-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

54

Performance

86

Accessibility

92

SEO

77

Best Practices

90

Functionality

100

Responsive

Problems & How to Fix

— 54/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 10.3 s

Why: The main visible content is taking 10.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 330 ms

Why: The browser is spending too much time executing long JavaScript tasks (330 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.129

Why: Page elements are moving unexpectedly during loading (0.129). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.5 s

Why: Visible page content is appearing slowly (5.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 540 ms

Why: Lighthouse reported Est savings of 540 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 241 KiB

Why: Lighthouse reported Est savings of 241 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.bnrr`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 490 ms

Why: Lighthouse reported Est savings of 490 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/unit-test.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/helper.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/validnavs.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/animate.css?ver=1786349789>

Time to Interactive

Result: 10.3 s

Why: Lighthouse reported 10.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 250 ms

Why: Lighthouse reported 250 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Minimize main-thread work

Result: 4.3 s

Why: Lighthouse reported 4.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,320 ms

Why: Lighthouse reported Est savings of 1,320 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/service/website-development-company`
- `https://www.midastouchinfotech.com/service/website-development-services/`

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `div.row > div.col-xl-5 > div.business-progress-info > h2.title`
- `div.business-progress-area > div.container > div.row > div.col-xl-5`
- `nav > ol.breadcrumb > li > ::after`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the 'Issues' panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/web-design-cost-in-usa>



Problems & How to Fix

— 56/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.3 s

Why: The main visible content is taking 8.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 400 ms

Why: The browser is spending too much time executing long JavaScript tasks (400 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 6.1 s

Why: Visible page content is appearing slowly (6.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 860 ms

Why: Lighthouse reported Est savings of 860 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 141 KiB

Why: Lighthouse reported Est savings of 141 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 310 ms

Why: Lighthouse reported Est savings of 310 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>

Time to Interactive

Result: 8.3 s

Why: Lighthouse reported 8.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 1,050 ms

Why: Lighthouse reported 1,050 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Minimize main-thread work

Result: 4.5 s

Why: Lighthouse reported 4.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,340 ms

Why: Lighthouse reported Est savings of 1,340 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/web-design-cost-in-usa>
- <https://www.midastouchinfotech.com/web-design-cost-in-usa/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 65/100

Link could not be verified: <https://www.midastouchinfotech.com/>

Why: The automated request could not reach the destination: `apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)`

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m] [2m - accept: */* [2m] [2m - accept-encoding: gzip,deflate,br [2m] [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1.1.1 [2m] [2m - ← 200 OK [2m] [2m - connection: Keep-Alive [2m] [2m - keep-alive: timeout=5, max=100 [2m] [2m - x-powered-by: PHP/8.2.32 [2m] [2m - last-modified: Tue, 11 Aug 2026 07:54:52 GMT [2m] [2m - content-type: text/html; charset=UTF-8 [2m] [2m - cache-control: public, max-age=0 [2m] [2m - expires: Thu, 13 Aug 2026 06:01:22 GMT [2m] [2m - transfer-encoding: chunked [2m] [2m - content-encoding: br [2m] [2m - vary: Accept-Encoding,Accept-Encoding [2m] [2m - date: Thu, 13 Aug 2026 06:01:22 GMT [2m] [2m - server: LiteSpeed [2m] [2m - strict-transport-security: max-age=63072000; includeSubDomains [2m] [2m - x-frame-options: SAMEORIGIN [2m] [2m - x-content-type-options: nosniff [2m] [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000 [2m]

How to fix: Open "https://www.midastouchinfotech.com/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Home

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m] - → GET https://www.midastouchinfotech.com/ [2m] [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m] [2m - accept: */* [2m] [2m - accept-encoding: gzip,deflate,br [2m] [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1.1.1 [2m] [2m] - ← 200 OK [2m] [2m - connection: Keep-Alive [2m] [2m - keep-alive: timeout=5, max=100 [2m] [2m - x-powered-by: PHP/8.2.32 [2m] [2m - last-modified: Tue, 11 Aug 2026 07:54:52 GMT [2m] [2m - content-type: text/html; charset=UTF-8 [2m] [2m - cache-control: public, max-age=0 [2m] [2m - expires: Thu, 13 Aug 2026 06:01:23 GMT [2m] [2m - transfer-encoding: chunked [2m] [2m - content-encoding: br [2m] [2m - vary: Accept-Encoding,Accept-Encoding [2m] [2m - date: Thu, 13 Aug 2026 06:01:23 GMT [2m] [2m - server: LiteSpeed [2m] [2m - strict-transport-security: max-age=63072000; includeSubDomains [2m] [2m - x-frame-options: SAMEORIGIN [2m] [2m - x-content-type-options: nosniff [2m] [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000 [2m]

How to fix: Open "https://www.midastouchinfotech.com/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: About Us

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m] - → GET https://www.midastouchinfotech.com/about-us/ [2m] [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m] [2m - accept: */* [2m] [2m - accept-encoding: gzip,deflate,br [2m] [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1.1.1 [2m] [2m] - ← 200 OK [2m] [2m - connection: Keep-Alive [2m] [2m - keep-alive: timeout=5, max=100 [2m] [2m - x-powered-by: PHP/8.2.32 [2m] [2m - last-modified: Mon, 10 Aug 2026 08:17:05 GMT [2m] [2m - content-type: text/html; charset=UTF-8 [2m] [2m - cache-control: public, max-age=0 [2m] [2m - expires: Thu, 13 Aug 2026 06:01:23 GMT [2m] [2m - transfer-encoding: chunked [2m] [2m - content-encoding: br [2m] [2m - vary: Accept-Encoding,Accept-Encoding [2m] [2m - date: Thu, 13 Aug 2026 06:01:23 GMT [2m] [2m - server: LiteSpeed [2m] [2m - strict-transport-security: max-age=63072000; includeSubDomains [2m] [2m - x-frame-options: SAMEORIGIN [2m] [2m - x-content-type-options: nosniff [2m] [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000 [2m]

How to fix: Open "https://www.midastouchinfotech.com/about-us/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: How We Work

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m] - → GET https://www.midastouchinfotech.com/how-we-work/ [2m] [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m] [2m - accept: */* [2m] [2m - accept-encoding: gzip,deflate,br [2m] [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1.1.1 [2m] [2m] - ← 200 OK [2m] [2m - connection: Keep-Alive [2m] [2m - keep-alive: timeout=5, max=100 [2m] [2m - x-powered-by: PHP/8.2.32 [2m] [2m - last-modified: Mon, 10 Aug 2026 08:19:07 GMT [2m] [2m - content-type: text/html; charset=UTF-8 [2m] [2m - cache-control: public, max-age=0 [2m] [2m - expires: Thu, 13 Aug 2026 06:01:22 GMT [2m] [2m - transfer-encoding: chunked [2m] [2m - content-encoding: br [2m] [2m - vary: Accept-Encoding,Accept-Encoding [2m] [2m - date: Thu, 13 Aug 2026 06:01:22 GMT [2m] [2m - server: LiteSpeed [2m] [2m - strict-transport-security: max-age=63072000; includeSubDomains [2m] [2m - x-frame-options: SAMEORIGIN [2m] [2m - x-content-type-options: nosniff [2m] [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000 [2m]

How to fix: Open "https://www.midastouchinfotech.com/how-we-work/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Why Choose Us

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/why-choose-us/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:14 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:01:23 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:01:23 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/why-choose-us/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Our Business Models

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/our-business-models/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/our-business-models/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Website Design Services

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/service/website-design-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/service/website-design-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Website Development

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/service/website-development-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/service/website-development-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be fully verified: up to 4,900%

Why: The destination returned HTTP 403. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://clutch.co/web-designers/pricing" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be verified: Web Design

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/category/web-design/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/category/web-design/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/web-design-cost-in-usa/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/web-design-cost-in-usa/", correct the destination if necessary, and remove or replace the broken link.

Broken link: [http://twitter.com/share?](http://twitter.com/share?text=Web%20Design%20Cost%20in%20USA:%20Ecommerce,%20Corporate%20and%20Small%20Business%20Websites&url=http://www.midastouchinfotech.com/web-design-cost-in-usa/)

[text=Web%20Design%20Cost%20in%20USA:%20Ecommerce,%20Corporate%20and%20Small%20Business%20Websites&url=http://www.midastouchinfotech.com/web-design-cost-in-usa/](http://www.midastouchinfotech.com/web-design-cost-in-usa/)

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "http://twitter.com/share?text=Web%20Design%20Cost%20in%20USA:%20Ecommerce,%20Corporate%20and%20Small%20Business%20Websites&url=https://www

design-cost-in-usa/", correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.


How to fix: Check the URL "https://www.facebook.com/midastouchinfotech/", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in" in a normal browser and confirm that the destination works before marking this link as broken.

<https://www.midastouchinfotech.com/category/web-design>



Problems & How to Fix

— 62/100

First Contentful Paint

Result: 3.3 s

Why: The first visible content is taking 3.3 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.7 s

Why: The main visible content is taking 8.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 6.7 s

Why: Visible page content is appearing slowly (6.7 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 530 ms

Why: Lighthouse reported Est savings of 530 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 255 KiB

Why: Lighthouse reported Est savings of 255 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.author-meta > div.thumbs > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 960 ms

Why: Lighthouse reported Est savings of 960 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>

Time to Interactive

Result: 8.7 s

Why: Lighthouse reported 8.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 16 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.6 s

Why: Lighthouse reported 3.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- div.item > div.thumb > a > img.entered
- div.row > div.col-x1-6 > div.thumb > img.entered
- div.container > div.navbar-header > a.navbar-brand > img.logo
- body.archive > span.statcounter > a#sc_counter_13119688 > img

Avoid multiple page redirects

Result: Est savings of 1,550 ms

Why: Lighthouse reported Est savings of 1,550 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- https://www.midastouchinfotech.com/category/web-design
- https://www.midastouchinfotech.com/category/web-design/

— 73/100

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/).

Affected Elements:

- div.item > div.thumb > a > img.entered

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- https://www.statcounter.com/counter/counter.js
- https://www.statcounter.com/counter/counter.js

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/author/mit>



Problems & How to Fix

— 56/100

First Contentful Paint

Result: 3.2 s

Why: The first visible content is taking 3.2 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.0 s

Why: The main visible content is taking 7.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.189

Why: Page elements are moving unexpectedly during loading (0.189). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 6.2 s

Why: Visible page content is appearing slowly (6.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 45 KiB

Why: Lighthouse reported Est savings of 45 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 550 ms

Why: Lighthouse reported Est savings of 550 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 182 KiB

Why: Lighthouse reported Est savings of 182 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-lg-5 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 750 ms

Why: Lighthouse reported Est savings of 750 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/forminator-utilities.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 7.0 s

Why: Lighthouse reported 7.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Minimize main-thread work

Result: 3.5 s

Why: Lighthouse reported 3.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-lg-5 > div.thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,320 ms

Why: Lighthouse reported Est savings of 1,320 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/author/mit>
- <https://www.midastouchinfotech.com/author/mit/>

Avoid large layout shifts

Result: 2 layout shifts found

Why: Lighthouse reported 2 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `div.container > div.team-content-top > div.row > div.col-lg-7`
- `div.team-content-top > div.row > div.col-lg-7 > p`

— 50/100

Page is blocked from indexing

Why: Lighthouse identified an issue with this page.

How to fix: Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/).

Document does not have a meta description

Why: The page does not have a useful meta description that summarizes its content for search engines.

How to fix: Add a unique, concise meta description describing the page and its main value to users.

robots.txt is not valid

Result: 1 error found

Why: The site's robots.txt configuration may prevent search engines from correctly understanding which pages they can crawl.

How to fix: Create or update robots.txt and verify that important pages are not accidentally blocked.

— 69/100

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/).

Affected Elements:

- div.item > div.thumb > a > img.entered

Serves images with low resolution

Why: Lighthouse identified an issue with this page.

How to fix: Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](https://web.dev/articles/serve-responsive-images).

Affected Elements:

- div.row > div.col-lg-5 > div.thumb > img.entered

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- https://www.statcounter.com/counter/counter.js
- https://www.statcounter.com/counter/counter.js

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility>



Problems & How to Fix

— 57/100

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.8 s

Why: The main visible content is taking 7.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 300 ms

Why: The browser is spending too much time executing long JavaScript tasks (300 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 7.2 s

Why: Visible page content is appearing slowly (7.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 1,370 ms

Why: Lighthouse reported Est savings of 1,370 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 100 KiB

Why: Lighthouse reported Est savings of 100 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 430 ms

Why: Lighthouse reported Est savings of 430 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>

Time to Interactive

Result: 7.8 s

Why: Lighthouse reported 7.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 230 ms

Why: Lighthouse reported 230 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 4.3 s

Why: Lighthouse reported 4.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

Avoid multiple page redirects

Result: Est savings of 1,430 ms

Why: Lighthouse reported Est savings of 1,430 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility>
- <https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 65/100

Link could not be verified: result on 8%

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.forbes.com/sites/gabrielalinzainescu/2026/07/18/what-googles-billions-of-clicks-claim-means-for-your-website-traffic/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - ← 200 OK[2m [2m - connection: keep-alive[2m [2m - content-length: 229340[2m [2m - cache-control: public, max-age=1800[2m [2m - content-type: text/html; charset=utf-8[2m [2m - server: istio-envoy[2m [2m - x-envoy-upstream-service-time: 466[2m [2m - x-malcolm: D[2m [2m - x-user-eligible-for-hwhw: true[2m [2m - backend: dnsresolver[2m [2m - x-backend: simple-site-prod-d[2m [2m - x-yourttl: 1800.000[2m [2m - content-encoding: gzip[2m [2m - x-cicero-cache: MISS[2m [2m - x-fastly-backend: 24YyrkkiTBhSwXWzJgvwW6--F_GCP_Cicero_Varnish[2m [2m - x-fastly-x-is-us-dpa: false[2m [2m - x-fastly-x-is-opt-in-jurisdiction: false[2m [2m - x-fastly-x-is-strict-us-dpa: false[2m [2m - fastly-restarts: 1[2m [2m - x-fastlyttl: 86400.000[2m [2m - accept-ranges: bytes[2m [2m - age: 1[2m [2m - date: Thu, 13 Aug 2026 06:04:38 GMT[2m [2m - via: 1.1 varnish[2m [2m - x-served-by: cache-bom-vanm7210070-BOM[2m [2m - x-cache: MISS[2m [2m - x-cache-hits: 0[2m [2m - x-timer: S1786601077.814850,VS0,VS0,VE1793[2m [2m - vary: X-Country-Code, Accept-Encoding, X-is-US-DPA, X-is-US, X-Device, canary, X-Is-Ad-Light, is-vwo-enabled, X-is-OPT-IN-JURISDICTION, X-is-STRICT-US-DPA, x-malcolm, x-malcolm, X-is-US-DPA, X-is-OPT-IN-JURISDICTION, X-is-STRICT-US-DPA, X-is-US, X-Device, x-backend, canary, X-Is-Ad-Light, is-vwo-enabled[2m [2m - x-datadome: protected[2m [2m - set-cookie: datadome=6qTkz3Y2fzGoKD1ZOU5R5pfhZdmGBUS8OrwKMUQzVuUHnfPPKbJ9MXITCCNAYJKA89qwVht9XRZNJso~5hTDcKSC1A8isLc Max-Age=31536000; Domain=.forbes.com; Path=/; Secure; SameSite=None,VWO=17.900; Max-Age=34560000; Path=/;[2m [2m - x-country-code: IN[2m [2m - x-postal-code: 380054[2m [2m - x-region: GJ[2m [2m - x-city-code: ahmedabad[2m [2m - permissions-policy: unload=()[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - content-security-policy: upgrade-insecure-requests[2m [2m - strict-transport-security: max-age=31536000; includeSubDomains; preload[2m [2m - access-control-allow-credentials: true[2m [2m - x-device: doge[2m [2m - is-vwo-enabled: false[2m [2m - state: MISS-CLUSTER[2m [2m - referrer-policy: strict-origin-when-cross-origin[2m [2m - alt-svc: h3=":443";ma=86400,h3-29=":443";ma=86400,h3-27=":443";ma=86400[2m

How to fix: Open "https://www.forbes.com/sites/gabrielalinzainescu/2026/07/18/what-googles-billions-of-clicks-claim-means-for-your-website-traffic/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: professional seo services

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/seo-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:28 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/service/seo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: professional SEO consultant

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/seo-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:28 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/service/seo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: <https://www.midastouchinfotech.com/service/seo-services/>

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/seo-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:28 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/service/seo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: [15 SEO Agency in Noida for Result-Driven SEO Services](https://www.midastouchinfotech.com/service/seo-services/)

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/best-seo-agency-in-noida/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 10:03:55 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/best-seo-agency-in-noida/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: <https://www.midastouchinfotech.com/service/seo-services/>

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/seo-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:28 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/service/seo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/", correct the destination if necessary, and remove or replace the broken link.

Broken link: [http://twitter.com/share?](http://twitter.com/share?text=SEO%20for%20AI%20Overviews:%20How%20to%20Improve%20Your%20Brand%20Visibility&url=https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/)

[text=SEO%20for%20AI%20Overviews:%20How%20to%20Improve%20Your%20Brand%20Visibility&url=https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/](http://twitter.com/share?text=SEO%20for%20AI%20Overviews:%20How%20to%20Improve%20Your%20Brand%20Visibility&url=https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/)

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "http://twitter.com/share?

[text=SEO%20for%20AI%20Overviews:%20How%20to%20Improve%20Your%20Brand%20Visibility&url=https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/](http://twitter.com/share?text=SEO%20for%20AI%20Overviews:%20How%20to%20Improve%20Your%20Brand%20Visibility&url=https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/), correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/midastouchinfotech/", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be verified: SEO Packages

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/seo-packages/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:40 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:05:04 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:05:04 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m

How to fix: Open "https://www.midastouchinfotech.com/seo-packages/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Social Media Marketing Packages

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/social-media-marketing-packages/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:18:48 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:05:08 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:05:08 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/social-media-marketing-packages/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Our Business Models

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/our-business-models/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:56 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:05:08 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:05:08 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/our-business-models/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Why Choose Us

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/why-choose-us/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:14 GMT[2m [2m - content-type: text/html; charset=UTF-

8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:05:08 GMT[22m [2m - transfer-encoding: chunked[22m [2m - content-encoding: br[22m [2m - vary: Accept-Encoding,Accept-Encoding[22m [2m - date: Thu, 13 Aug 2026 06:05:08 GMT[22m [2m - server: LiteSpeed[22m [2m - strict-transport-security: max-age=63072000; includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[22m

How to fix: Open "https://www.midastouchinfotech.com/why-choose-us/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Blog

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/blog/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[22m [2m - ← 200 OK[22m [2m - connection: Keep-Alive[22m [2m - keep-alive: timeout=5, max=100[22m [2m - x-powered-by: PHP/8.2.32[22m [2m - last-modified: Mon, 10 Aug 2026 08:19:10 GMT[22m [2m - content-type: text/html; charset=UTF-8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:05:08 GMT[22m [2m - transfer-encoding: chunked[22m [2m - content-encoding: br[22m [2m - vary: Accept-Encoding,Accept-Encoding[22m [2m - date: Thu, 13 Aug 2026 06:05:08 GMT[22m [2m - server: LiteSpeed[22m [2m - strict-transport-security: max-age=63072000; includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[22m

How to fix: Open "https://www.midastouchinfotech.com/blog/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Pay Per Click Services

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/pay-per-click-services/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[22m [2m - ← 200 OK[22m [2m - connection: Keep-Alive[22m [2m - keep-alive: timeout=5, max=100[22m [2m - x-powered-by: PHP/8.2.32[22m [2m - last-modified: Mon, 10 Aug 2026 08:18:42 GMT[22m [2m - content-type: text/html; charset=UTF-8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:05:14 GMT[22m [2m - transfer-encoding: chunked[22m [2m - content-encoding: br[22m [2m - vary: Accept-Encoding,Accept-Encoding[22m [2m - date: Thu, 13 Aug 2026 06:05:14 GMT[22m [2m - server: LiteSpeed[22m [2m - strict-transport-security: max-age=63072000; includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m

How to fix: Open "https://www.midastouchinfotech.com/pay-per-click-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Digital Marketing

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/digital-marketing-company/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[22m [2m - ← 200 OK[22m [2m - connection: Keep-Alive[22m [2m - keep-alive: timeout=5, max=100[22m [2m - x-powered-by: PHP/8.2.32[22m [2m - last-modified: Mon, 10 Aug 2026 08:21:56 GMT[22m [2m - content-type: text/html; charset=UTF-8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:05:14 GMT[22m [2m - transfer-encoding: chunked[22m [2m - content-encoding: br[22m [2m - vary: Accept-Encoding,Accept-Encoding[22m [2m - date: Thu, 13 Aug 2026 06:05:14 GMT[22m [2m - server: LiteSpeed[22m [2m - strict-transport-security: max-age=63072000; includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m

How to fix: Open "https://www.midastouchinfotech.com/service/digital-marketing-company/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Content Writing

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/content-writing-services/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[22m [2m - ← 200 OK[22m [2m - connection: Keep-Alive[22m [2m - keep-alive: timeout=5, max=100[22m [2m - x-powered-by: PHP/8.2.32[22m [2m - last-modified: Mon, 10 Aug 2026 08:19:36 GMT[22m [2m - content-type: text/html; charset=UTF-8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:05:14 GMT[22m [2m - transfer-

encoding: chunked [22m] [2m - content-encoding: br [22m] [2m - vary: Accept-Encoding,Accept-Encoding [22m] [2m - date: Thu, 13 Aug 2026 06:05:14 GMT [22m] [2m - server: LiteSpeed [22m] [2m - strict-transport-security: max-age=63072000; includeSubDomains [22m] [2m - x-frame-options: SAMEORIGIN [22m] [2m - x-content-type-options: nosniff [22m]

How to fix: Open "https://www.midastouchinfotech.com/service/content-writing-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: eCommerce SEO

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [22m - → GET https://www.midastouchinfotech.com/service/e-commerce-seo-services/ [22m] [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [22m] [2m - accept: */* [22m] [2m - accept-encoding: gzip,deflate,br [22m] [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1 [22m] [2m - ← 200 OK [22m] [2m - connection: Keep-Alive [22m] [2m - keep-alive: timeout=5, max=100 [22m] [2m - x-powered-by:

PHP/8.2.32 [22m] [2m - last-modified: Mon, 10 Aug 2026 08:19:17 GMT [22m] [2m - content-type: text/html; charset=UTF-8 [22m] [2m - cache-control: public, max-age=0 [22m] [2m - expires: Thu, 13 Aug 2026 06:05:14 GMT [22m] [2m - transfer-encoding: chunked [22m] [2m - content-encoding: br [22m] [2m - vary: Accept-Encoding,Accept-Encoding [22m] [2m - date:

Thu, 13 Aug 2026 06:05:14 GMT [22m] [2m - server: LiteSpeed [22m] [2m - strict-transport-security: max-age=63072000; includeSubDomains [22m] [2m - x-frame-options: SAMEORIGIN [22m] [2m - x-content-type-options: nosniff [22m]

How to fix: Open "https://www.midastouchinfotech.com/service/e-commerce-seo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Midas Touch Infotech

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [22m - → GET https://www.midastouchinfotech.com/ [22m] [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [22m] [2m - accept: */* [22m] [2m - accept-encoding: gzip,deflate,br [22m] [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1 [22m] [2m - ← 200 OK [22m] [2m - connection: Keep-Alive [22m] [2m - keep-alive: timeout=5, max=100 [22m] [2m - x-powered-by:

PHP/8.2.32 [22m] [2m - last-modified: Tue, 11 Aug 2026 07:54:52 GMT [22m] [2m - content-type: text/html; charset=UTF-8 [22m] [2m - cache-control: public, max-age=0 [22m] [2m - expires: Thu, 13 Aug 2026 06:05:14 GMT [22m] [2m - transfer-encoding: chunked [22m] [2m - content-encoding: br [22m] [2m - vary: Accept-Encoding,Accept-Encoding [22m] [2m - date:

Thu, 13 Aug 2026 06:05:14 GMT [22m] [2m - server: LiteSpeed [22m] [2m - strict-transport-security: max-age=63072000; includeSubDomains [22m] [2m - x-frame-options: SAMEORIGIN [22m] [2m - x-content-type-options: nosniff [22m]

How to fix: Open "https://www.midastouchinfotech.com/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

<https://www.midastouchinfotech.com/category/seo>

63

Performance

82

Accessibility

85

SEO

73

Best Practices

90

Functionality

100

Responsive

Problems & How to Fix

— 63/100

First Contentful Paint

Result: 5.2 s

Why: The first visible content is taking 5.2 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 5.6 s

Why: The main visible content is taking 5.6 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 7.6 s

Why: Visible page content is appearing slowly (7.6 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 42 KiB

Why: Lighthouse reported Est savings of 42 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,120 ms

Why: Lighthouse reported Est savings of 1,120 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 188 KiB

Why: Lighthouse reported Est savings of 188 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.item > div.thumb > a > img`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,680 ms

Why: Lighthouse reported Est savings of 1,680 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790

Time to Interactive

Result: 5.6 s

Why: Lighthouse reported 5.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 17 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Minimize main-thread work

Result: 4.4 s

Why: Lighthouse reported 4.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.item > div.thumb > a > img`
- `div.row > div.col-x1-6 > div.thumb > img`

Avoid multiple page redirects

Result: Est savings of 2,100 ms

Why: Lighthouse reported Est savings of 2,100 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/seo>
- <https://www.midastouchinfotech.com/category/seo/>

— 73/100

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.item > div.thumb > a > img`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/wordpress-maintenance-cost>



Problems & How to Fix

— 65/100

First Contentful Paint

Result: 3.1 s

Why: The first visible content is taking 3.1 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.3 s

Why: The main visible content is taking 8.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 6.2 s

Why: Visible page content is appearing slowly (6.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 1,390 ms

Why: Lighthouse reported Est savings of 1,390 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 95 KiB

Why: Lighthouse reported Est savings of 95 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`

- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,050 ms

Why: Lighthouse reported Est savings of 1,050 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2`

Time to Interactive

Result: 8.3 s

Why: Lighthouse reported 8.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 77 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789`
- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790`
- `https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0`

Minimize main-thread work

Result: 2.4 s

Why: Lighthouse reported 2.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Result: Est savings of 1,440 ms

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

- <https://www.midastouchinfotech.com/wordpress-maintenance-cost>
- <https://www.midastouchinfotech.com/wordpress-maintenance-cost/>

Uses third-party cookies

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

Affected Elements:

- [https://c.statcounter.com/t.php?
sc_project=13119688&u1=9A299ED2DD243509CF80D259EA54B9E&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3083&sc_rum_e_e=3110&sc_rum_maintenance-cost/&t=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026%3F&get_config=true](https://c.statcounter.com/t.php?sc_project=13119688&u1=9A299ED2DD243509CF80D259EA54B9E&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3083&sc_rum_e_e=3110&sc_rum_maintenance-cost/&t=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026%3F&get_config=true)
- [https://c.statcounter.com/t.php?
sc_project=13119688&u1=9A299ED2DD243509CF80D259EA54B9E&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3083&sc_rum_e_e=3110&sc_rum_maintenance-cost/&t=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026%3F&get_config=true](https://c.statcounter.com/t.php?sc_project=13119688&u1=9A299ED2DD243509CF80D259EA54B9E&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3083&sc_rum_e_e=3110&sc_rum_maintenance-cost/&t=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026%3F&get_config=true)

Why: Lighthouse identified an issue with this page.

Functionality — 65/100

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

Broken link: <http://twitter.com/share?>

text=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026?

&url=https://www.midastouchinfotech.com/wordpress-maintenance-cost/

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<http://twitter.com/share?>

text=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026?

&url=https://www.midastouchinfotech.com/wordpress-maintenance-cost/", correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/midastouchinfotech/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>" in a normal browser and confirm that the destination works before marking this link as broken.

<https://www.midastouchinfotech.com/category/wordpress-development>

Performance

Accessibility

SEO

Best Practices

90

Functionality

100

Responsive

Problems & How to Fix

— 60/100

First Contentful Paint

Result: 3.3 s

Why: The first visible content is taking 3.3 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.1 s

Why: The main visible content is taking 8.1 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 9.7 s

Why: Visible page content is appearing slowly (9.7 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 560 ms

Why: Lighthouse reported Est savings of 560 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 201 KiB

Why: Lighthouse reported Est savings of 201 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,440 ms

Why: Lighthouse reported Est savings of 1,440 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>

Time to Interactive

Result: 8.1 s

Why: Lighthouse reported 8.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 25 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,540 ms

Why: Lighthouse reported Est savings of 1,540 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/category/wordpress-development>
- <https://www.midastouchinfotech.com/category/wordpress-development/>

— 73/100

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/service/logo-design-company-in-ahmedabad>



Problems & How to Fix

— 56/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.8 s

Why: The main visible content is taking 8.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.211

Why: Page elements are moving unexpectedly during loading (0.211). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.2 s

Why: Visible page content is appearing slowly (5.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>

- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 570 ms

Why: Lighthouse reported Est savings of 570 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 119 KiB

Why: Lighthouse reported Est savings of 119 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 940 ms

Why: Lighthouse reported Est savings of 940 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 8.9 s

Why: Lighthouse reported 8.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 44 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.5 s

Why: Lighthouse reported 2.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.rocket-lazyload > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,270 ms

Why: Lighthouse reported Est savings of 1,270 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/logo-design-company-in-ahmedabad>
- <https://www.midastouchinfotech.com/service/logo-design-company-in-ahmedabad/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.business-progress-area > div.container > div.row > div.col-xl-5`
- `nav > ol.breadcrumb > li > ::after`

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/top-10-logo-design-companies-pune>

67

85

92

77

45

Functionality

100

Responsive

Problems & How to Fix

— 67/100

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.1 s

Why: The main visible content is taking 8.1 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 4.6 s

Why: Visible page content is appearing slowly (4.6 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 550 ms

Why: Lighthouse reported Est savings of 550 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 85 KiB

Why: Lighthouse reported Est savings of 85 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,060 ms

Why: Lighthouse reported Est savings of 1,060 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 8.1 s

Why: Lighthouse reported 8.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.3 s

Why: Lighthouse reported 2.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,290 ms

Why: Lighthouse reported Est savings of 1,290 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/top-10-logo-design-companies-pune>
- <https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 45/100

Broken link: <https://www.linkedin.com/company/brandstory/>

Why: The URL returned HTTP 404, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.linkedin.com/company/brandstory/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/in/pravinwadkar/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/in/pravinwadkar/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/gigante-technologies-private-limited/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/gigante-technologies-private-limited/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/creative-orion/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/creative-orion/>" in a normal browser and confirm that the destination works before marking this link as broken.

Broken link: <https://www.linkedin.com/company/trimity/>

Why: The URL returned HTTP 404, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.linkedin.com/company/trimity/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/logo-design-company-india/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/logo-design-company-india/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/ideal-logo-designer/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/ideal-logo-designer/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/dimakh-consultants/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/dimakh-consultants/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/imedia-solutions/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/imedia-solutions/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be verified: Midas Touch Infotech

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET <https://www.midastouchinfotech.com/> [2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m [2m - accept: */* [2m [2m - accept-encoding:

gzip,deflate,br[22m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601821.C532AFA1085244EEBDB8744A9FB04257.1.1.1.1.1.1.1.1[22m

How to fix: Open "https://www.midastouchinfotech.com/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/", correct the destination if necessary, and remove or replace the broken link.

Broken link: [http://twitter.com/share?](http://twitter.com/share?text=10%20Best%20Logo%20Design%20Companies%20in%20Pune%20for%20Creative%20Branding&url=https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/)

text=10%20Best%20Logo%20Design%20Companies%20in%20Pune%20for%20Creative%20Branding&url=https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "http://twitter.com/share?"

text=10%20Best%20Logo%20Design%20Companies%20in%20Pune%20for%20Creative%20Branding&url=https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/", correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.


How to fix: Check the URL "https://www.facebook.com/midastouchinfotech/", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in" in a normal browser and confirm that the destination works before marking this link as broken.

<https://www.midastouchinfotech.com/category/logo-design>



Problems & How to Fix

— 66/100

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.7 s

Why: The main visible content is taking 7.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.2 s

Why: Visible page content is appearing slowly (5.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 560 ms

Why: Lighthouse reported Est savings of 560 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 213 KiB

Why: Lighthouse reported Est savings of 213 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 970 ms

Why: Lighthouse reported Est savings of 970 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 7.7 s

Why: Lighthouse reported 7.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.7 s

Why: Lighthouse reported 2.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/logo-design>
- <https://www.midastouchinfotech.com/category/logo-design/>

— 73/100

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/best-graphic-design-companies>

60

Performance

85

Accessibility

92

SEO

77

Best Practices

65

100

Problems & How to Fix

— 60/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.0 s

Why: The main visible content is taking 8.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 290 ms

Why: The browser is spending too much time executing long JavaScript tasks (290 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 5.4 s

Why: Visible page content is appearing slowly (5.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 570 ms

Why: Lighthouse reported Est savings of 570 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 102 KiB

Why: Lighthouse reported Est savings of 102 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 390 ms

Why: Lighthouse reported Est savings of 390 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2

Time to Interactive

Result: 8.0 s

Why: Lighthouse reported 8.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 190 ms

Why: Lighthouse reported 190 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 15 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789

Minimize main-thread work

Result: 4.4 s

Why: Lighthouse reported 4.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- div.blog-style-two > div.blog-item-box > div.thumb > img.entered
- div.container > div.navbar-header > a.navbar-brand > img.logo
- body.wp-singular > span.statcounter > a#sc_counter_13119688 > img

Avoid multiple page redirects

Result: Est savings of 1,290 ms

Why: Lighthouse reported Est savings of 1,290 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/best-graphic-design-companies>
- <https://www.midastouchinfotech.com/best-graphic-design-companies/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 65/100

Link could not be fully verified: <https://www.linkedin.com/company/visualbest-design-agency/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/visualbest-design-agency/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/motiongilitystudio/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/motiongilitystudio/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/concentric-design/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/concentric-design/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/litmus-branding/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/litmus-branding/?originalSubdomain=in>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/njgraphical/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/njgraphical/>" in a normal browser and confirm that the destination works before marking this link as broken.

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/best-graphic-design-companies/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/best-graphic-design-companies/>", correct the destination if necessary, and remove or replace the broken link.

Broken link: [http://twitter.com/share?](http://twitter.com/share?text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.midastouchinfotech.com/best-graphic-design-companies/)

[text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.midastouchinfotech.com/best-graphic-design-companies/](http://twitter.com/share?text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.midastouchinfotech.com/best-graphic-design-companies/)

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "[http://twitter.com/share?](http://twitter.com/share?text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.midastouchinfotech.com/best-graphic-design-companies/)

[text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.midastouchinfotech.com/best-graphic-design-companies/](http://twitter.com/share?text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.midastouchinfotech.com/best-graphic-design-companies/)", correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.


How to fix: Check the URL "<https://www.facebook.com/midastouchinfotech/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in" in a normal browser and confirm that the destination works before marking this link as broken.

<https://www.midastouchinfotech.com/category/graphic-design>



Problems & How to Fix

— 66/100

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.9 s

Why: The main visible content is taking 7.9 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.4 s

Why: Visible page content is appearing slowly (5.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 560 ms

Why: Lighthouse reported Est savings of 560 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 215 KiB

Why: Lighthouse reported Est savings of 215 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`

- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 860 ms

Why: Lighthouse reported Est savings of 860 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 7.9 s

Why: Lighthouse reported 7.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 32 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Minimize main-thread work

Result: 3.0 s

Why: Lighthouse reported 3.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

- body.archive > span.statcounter > a#sc_counter_13119688 > img

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/graphic-design>
- <https://www.midastouchinfotech.com/category/graphic-design/>

— 73/100

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio] (<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- div.item > div.thumb > a > img.entered

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website>



Problems & How to Fix

— 50/100

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.3 s

Why: The main visible content is taking 8.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 660 ms

Why: The browser is spending too much time executing long JavaScript tasks (660 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 5.5 s

Why: Visible page content is appearing slowly (5.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 52 KiB

Why: Lighthouse reported Est savings of 52 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2023/11/Cost-Effective.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 570 ms

Why: Lighthouse reported Est savings of 570 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 178 KiB

Why: Lighthouse reported Est savings of 178 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 360 ms

Why: Lighthouse reported Est savings of 360 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 8.3 s

Why: Lighthouse reported 8.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 940 ms

Why: Lighthouse reported 940 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 4.8 s

Why: Lighthouse reported 4.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,280 ms

Why: Lighthouse reported Est savings of 1,280 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website>
- <https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 55/100

Link could not be verified: <https://www.midastouchinfotech.com/>

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Tue, 11 Aug 2026 07:54:52 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Home

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Tue, 11 Aug 2026 07:54:52 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: About Us

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/about-us/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:17:05 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/about-us/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: How We Work

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/how-we-work/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:07 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/how-we-work/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Why Choose Us

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/why-choose-us/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:14 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/why-choose-us/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: website development firms

Why: The URL returned HTTP 404, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.midastouchinfotech.com/small-business-website-development-services/", correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website/", correct the destination if necessary, and remove or replace the broken link.

Broken link: <http://twitter.com/share?text=9%20Best%20Ways%20To%20Create%20A%20Cost-Effective%20Website%20For%20Business&url=https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website/>

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "http://twitter.com/share?text=9%20Best%20Ways%20To%20Create%20A%20Cost-Effective%20Website%20For%20Business&url=https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website/", correct the destination if necessary, and remove or replace the broken link.

Link could not be verified: ECommerce 3

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/category/ecommerce/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/category/ecommerce/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Ecommerce SEO 11

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/category/seo/ecommerce-seo/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/category/seo/ecommerce-seo/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: GEO Services 3

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/category/geo-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/category/geo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/midastouchinfotech/", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.


How to fix: Manually open "https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be verified: <https://www.statcounter.com/>

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.statcounter.com/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: is_unique=sc13119688.1786601994.0; is_visitor_unique=1786601994415753123[2m [2m - ← 301 Moved Permanently[2m [2m - date: Thu, 13 Aug 2026 06:20:32 GMT[2m [2m - content-type: text/html; charset=iso-8859-1[2m [2m - transfer-encoding: chunked[2m [2m - connection: keep-alive[2m [2m - server: cloudflare[2m [2m - location: https://statcounter.com/[2m [2m - cache-control: max-age=10800[2m [2m - expires: Thu, 13 Aug 2026 09:20:31 GMT[2m [2m - cf-cache-status: DYNAMIC[2m [2m - cf-ray: a2a59d4a9ffe40ab-BOM[2m [2m - alt-svc: h3=":443"; ma=86400[2m [2m - → GET https://statcounter.com/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - host: statcounter.com[2m [2m - cookie: is_unique=sc13119688.1786601994.0; is_visitor_unique=1786601994415753123[2m [2m - ← 200 OK[2m [2m - date: Thu, 13 Aug 2026 06:20:33 GMT[2m [2m - content-type: text/html; charset=utf-8[2m [2m - transfer-encoding: chunked[2m [2m - connection: keep-alive[2m [2m - server: cloudflare[2m [2m - p3p: policyref="http://www.statcounter.com/w3c/p3p.xml", CP="NOI DSP COR NID ADM DEV PSA OUR IND UNI PUR COM NAV INT STA"[2m [2m - referrer-policy: origin-when-cross-origin[2m [2m - set-cookie: PHPSESSID=7g5b6p8kc9vd4k8mc7b8nj7vqh; expires=Fri, 14 Aug 2026 06:20:33 GMT; Max-Age=86400; path=/; domain=.statcounter.com[2m [2m - expires: Thu, 19 Nov 1981 08:52:00 GMT[2m [2m - cache-control: no-store, no-cache, must-revalidate[2m [2m - pragma: no-cache[2m [2m - vary: accept-encoding[2m [2m - cf-cache-status: DYNAMIC[2m [2m - content-encoding: br[2m [2m - cf-ray: a2a59d5178353aec-BOM[2m [2m - alt-svc: h3=":443"; ma=86400[2m

How to fix: Open "https://www.statcounter.com/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

<https://www.midastouchinfotech.com/category/web-development>



Problems & How to Fix

— 56/100

First Contentful Paint

Result: 4.7 s

Why: The first visible content is taking 4.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 10.0 s

Why: The main visible content is taking 10.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 13.2 s

Why: Visible page content is appearing slowly (13.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 1,330 ms

Why: Lighthouse reported Est savings of 1,330 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 207 KiB

Why: Lighthouse reported Est savings of 207 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 860 ms

Why: Lighthouse reported Est savings of 860 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 10.0 s

Why: Lighthouse reported 10.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 47 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.8 s

Why: Lighthouse reported 3.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 2,140 ms

Why: Lighthouse reported Est savings of 2,140 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/category/web-development>
- <https://www.midastouchinfotech.com/category/web-development/>

— 73/100

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- https://c.statcounter.com/t.php?sc_project=13119688&u1=7C33A04C0B4040F692ED6E52ECB919C6&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3936&sc_rum_e_e=3993&sc_rdevelopment/&t=Web%20Development%20-%20MDS&get_config=true
- https://c.statcounter.com/t.php?sc_project=13119688&u1=7C33A04C0B4040F692ED6E52ECB919C6&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3936&sc_rum_e_e=3993&sc_rdevelopment/&t=Web%20Development%20-%20MDS&get_config=true

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/top-web-design-agency-in-dubai>



Problems & How to Fix

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 65/100

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/digitalgraphiks/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/cloud6infosystems/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/bluebeetlehq/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/planet-green-solutions/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/planet-green-solutions/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://www.linkedin.com/company/gcc-marketing/" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be verified: best web design services

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/service/website-design-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786602700.FDBDB0BEEC3F41DF971562D5AA2D7847.1.1.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/service/website-design-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Web Design for Dentists: Creating a User-Friendly Experience for Your Patients

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/web-design-for-dentists/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786602700.FDBDB0BEEC3F41DF971562D5AA2D7847.1.1.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/web-design-for-dentists/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: web design company

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/service/website-design-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786602700.FDBDB0BEEC3F41DF971562D5AA2D7847.1.1.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/service/website-design-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/top-web-design-agency-in-dubai/

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/top-web-design-agency-in-dubai/", correct the destination if necessary, and remove or replace the broken link.

Broken link: http://twitter.com/share?

text=Top%2011%20Web%20Design%20Agency%20in%20Dubai%20to%20Choose%20for%20Your%20Next%20Project&url=https://www.midastouchinfotech.com/top-web-design-agency-in-dubai/

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "http://twitter.com/share?"

text=Top%2011%20Web%20Design%20Agency%20in%20Dubai%20to%20Choose%20for%20Your%20Next%20Project&url=https://www.midastouchinfotech.com/top-web-design-agency-in-dubai/", correct the destination if necessary, and remove or replace the broken link.

Broken link: https://www.facebook.com/midastouchinfotech/

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/midastouchinfotech/", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in" in a normal browser and confirm that the destination works before marking this link as broken.

<https://www.midastouchinfotech.com/best-web-design-agencies-in-california>

65

Performance

85

Accessibility

92

SEO

77

Best Practices

55

Functionality

100

Responsive

Problems & How to Fix

— 65/100

First Contentful Paint

Result: 3.4 s

Why: The first visible content is taking 3.4 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.6 s

Why: The main visible content is taking 8.6 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.5 s

Why: Visible page content is appearing slowly (5.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 560 ms

Why: Lighthouse reported Est savings of 560 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 76 KiB

Why: Lighthouse reported Est savings of 76 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,110 ms

Why: Lighthouse reported Est savings of 1,110 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 8.6 s

Why: Lighthouse reported 8.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.2 s

Why: Lighthouse reported 2.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,710 ms

Why: Lighthouse reported Est savings of 1,710 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/best-web-design-agencies-in-california>
- <https://www.midastouchinfotech.com/best-web-design-agencies-in-california/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 55/100

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/chico-designs/>" in a normal browser and confirm that the destination works before marking this link as broken.

Broken link: View Profile

Why: The URL returned HTTP 404, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.linkedin.com/company/spinx-inc/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/ideo/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/pentagram/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/l-a-design-studio/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/baunfire/>" in a normal browser and confirm that the destination works before marking this link as broken.

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/>", correct the destination if necessary, and remove or replace the broken link.

Broken link: [http://twitter.com/share?](http://twitter.com/share?text=Best%20Web%20Design%20Agencies%20in%20California%20in%202026&url=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/)

text=Best%20Web%20Design%20Agencies%20in%20California%20in%202026&url=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "[http://twitter.com/share?](http://twitter.com/share?text=Best%20Web%20Design%20Agencies%20in%20California%20in%202026&url=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/)

text=Best%20Web%20Design%20Agencies%20in%20California%20in%202026&url=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/, correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/midastouchinfotech/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in" in a normal browser and confirm that the destination works before marking this link as broken.

<https://www.midastouchinfotech.com/category/ai-marketing>

57

Performance

82

Accessibility

85

SEO

73

Best Practices

90

Functionality

100

Responsive

Problems & How to Fix

— 57/100

First Contentful Paint

Result: 4.3 s

Why: The first visible content is taking 4.3 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.4 s

Why: The main visible content is taking 9.4 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 10.9 s

Why: Visible page content is appearing slowly (10.9 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 1,110 ms

Why: Lighthouse reported Est savings of 1,110 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 171 KiB

Why: Lighthouse reported Est savings of 171 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,520 ms

Why: Lighthouse reported Est savings of 1,520 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/forminator-utilities.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790

Time to Interactive

Result: 9.4 s

Why: Lighthouse reported 9.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.5 s

Why: Lighthouse reported 2.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

- body.archive > span.statcounter > a#sc_counter_13119688 > img

Avoid multiple page redirects

Result: Est savings of 1,980 ms

Why: Lighthouse reported Est savings of 1,980 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/ai-marketing>
- <https://www.midastouchinfotech.com/category/ai-marketing/>

Reduce initial server response time

Result: Root document took 690 ms

Why: Lighthouse reported Root document took 690 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric] (<https://developer.chrome.com/docs/lighthouse/performance/time-to-first-byte/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/ai-marketing/>

— 73/100

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio] (<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- div.item > div.thumb > a > img.entered

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/category/branding>



Problems & How to Fix

— 64/100

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.2 s

Why: The main visible content is taking 8.2 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 6.4 s

Why: Visible page content is appearing slowly (6.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 520 ms

Why: Lighthouse reported Est savings of 520 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 186 KiB

Why: Lighthouse reported Est savings of 186 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 750 ms

Why: Lighthouse reported Est savings of 750 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/forminator-utilities.min.css?ver=1.49.2>

Time to Interactive

Result: 8.2 s

Why: Lighthouse reported 8.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.5 s

Why: Lighthouse reported 3.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,290 ms

Why: Lighthouse reported Est savings of 1,290 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/branding>
- <https://www.midastouchinfotech.com/category/branding/>

— 73/100

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/category/digital-marketing>



Problems & How to Fix

— 61/100

First Contentful Paint

Result: 3.4 s

Why: The first visible content is taking 3.4 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.5 s

Why: The main visible content is taking 8.5 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 7.6 s

Why: Visible page content is appearing slowly (7.6 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 800 ms

Why: Lighthouse reported Est savings of 800 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 192 KiB

Why: Lighthouse reported Est savings of 192 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.item > div.thumb > a > img.entered`

- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,000 ms

Why: Lighthouse reported Est savings of 1,000 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>

Time to Interactive

Result: 8.5 s

Why: Lighthouse reported 8.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.4 s

Why: Lighthouse reported 3.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-xl-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,490 ms

Why: Lighthouse reported Est savings of 1,490 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/digital-marketing>
- <https://www.midastouchinfotech.com/category/digital-marketing/>

— 73/100

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio] (<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:


- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the 'Issues' panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/category/ecommerce>



Problems & How to Fix

— 67/100

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.2 s

Why: The main visible content is taking 7.2 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.2 s

Why: Visible page content is appearing slowly (5.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 80 KiB

Why: Lighthouse reported Est savings of 80 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2025/11/Top-eCommerce-Development-Companies-in-USA-Offering-Custom-Solutions.jpg>
- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>

Document request latency

Result: Est savings of 520 ms

Why: Lighthouse reported Est savings of 520 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 381 KiB

Why: Lighthouse reported Est savings of 381 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.author-meta > div.thumbs > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 920 ms

Why: Lighthouse reported Est savings of 920 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 7.2 s

Why: Lighthouse reported 7.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Minimize main-thread work

Result: 2.4 s

Why: Lighthouse reported 2.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/category/ecommerce`
- `https://www.midastouchinfotech.com/category/ecommerce/`

— 73/100

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

<https://www.midastouchinfotech.com/category/seo/ecommerce-seo>

66

Performance

82

Accessibility

85

SEO

77

Best Practices

90

Functionality

100

Responsive

Problems & How to Fix

— 66/100

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.7 s

Why: The main visible content is taking 7.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.1 s

Why: Visible page content is appearing slowly (5.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 480 ms

Why: Lighthouse reported Est savings of 480 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 161 KiB

Why: Lighthouse reported Est savings of 161 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-xl-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,280 ms

Why: Lighthouse reported Est savings of 1,280 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 7.7 s

Why: Lighthouse reported 7.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.1 s

Why: Lighthouse reported 2.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,270 ms

Why: Lighthouse reported Est savings of 1,270 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/seo/ecommerce-seo>
- <https://www.midastouchinfotech.com/category/seo/ecommerce-seo/>

— 77/100

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>

- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Problems & How to Fix

Performance — 44/100

Page: <https://www.midastouchinfotech.com/>

First Contentful Paint

Result: 3.7 s

Why: The first visible content is taking 3.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 5.8 s

Why: The main visible content is taking 5.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 970 ms

Why: The browser is spending too much time executing long JavaScript tasks (970 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 6.1 s

Why: Visible page content is appearing slowly (6.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 43 KiB

Why: Lighthouse reported Est savings of 43 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Improve image delivery

Result: Est savings of 329 KiB

Why: Lighthouse reported Est savings of 329 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-lg-6 > div.choose-us-style-one > img`
- `div.row > div.col-xl-6 > div.thumb > img`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 990 ms

Why: Lighthouse reported Est savings of 990 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3

Time to Interactive

Result: 5.8 s

Why: Lighthouse reported 5.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 410 ms

Why: Lighthouse reported 410 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 24 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790

Minimize main-thread work

Result: 6.8 s

Why: Lighthouse reported 6.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- div.row > div.col-x1-6 > div.thumb > img
- div.row > div.col-lg-6 > div.choose-us-style-one > img

Best Practices — 77/100

Page: https://www.midastouchinfotech.com/

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- [https://c.statcounter.com/t.php?
sc_project=13119688&u1=3717157D2C5444688808B066B8F0E137&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3364&sc_rum_e_e=3448&sc_r](https://c.statcounter.com/t.php?sc_project=13119688&u1=3717157D2C5444688808B066B8F0E137&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3364&sc_rum_e_e=3448&sc_r)
- [https://c.statcounter.com/t.php?
sc_project=13119688&u1=3717157D2C5444688808B066B8F0E137&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3364&sc_rum_e_e=3448&sc_r](https://c.statcounter.com/t.php?sc_project=13119688&u1=3717157D2C5444688808B066B8F0E137&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3364&sc_rum_e_e=3448&sc_r)

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 40/100

Page: <https://www.midastouchinfotech.com/about-us>

First Contentful Paint

Result: 3.7 s

Why: The first visible content is taking 3.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.5 s

Why: The main visible content is taking 9.5 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 940 ms

Why: The browser is spending too much time executing long JavaScript tasks (940 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 6.9 s

Why: Visible page content is appearing slowly (6.9 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 48 KiB

Why: Lighthouse reported Est savings of 48 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/36.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,110 ms

Why: Lighthouse reported Est savings of 1,110 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 328 KiB

Why: Lighthouse reported Est savings of 328 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Affected Elements:

- div.row > div.col-lg-8 > div.thumb > img.entered
- div.col-lg-6 > div.about-style-two > div.thumb > img.entered
- div.container > div.navbar-header > a.navbar-brand > img.logo
- div.item > div.provider > div.thumb > img
- div.item > div.provider > div.thumb > img

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 2,000 ms

Why: Lighthouse reported Est savings of 2,000 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3

Time to Interactive

Result: 9.5 s

Why: Lighthouse reported 9.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 940 ms

Why: Lighthouse reported 940 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 76 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790
- https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0

Minimize main-thread work

Result: 6.1 s

Why: Lighthouse reported 6.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-lg-8 > div.thumb > img.entered`
- `div.col-lg-6 > div.about-style-two > div.thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,600 ms

Why: Lighthouse reported Est savings of 1,600 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/about-us`
- `https://www.midastouchinfotech.com/about-us/`

Best Practices — 73/100

Page: `https://www.midastouchinfotech.com/about-us`

Serves images with low resolution

Why: Lighthouse identified an issue with this page.

How to fix: Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](https://web.dev/articles/serve-responsive-images).

Affected Elements:

- `body.wp-singular > div.banner-style-three-area > div.animate-shape > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 48/100

Page: `https://www.midastouchinfotech.com/how-we-work`

First Contentful Paint

Result: 4.8 s

Why: The first visible content is taking 4.8 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 6.1 s

Why: The main visible content is taking 6.1 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.297

Why: Page elements are moving unexpectedly during loading (0.297). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 6.3 s

Why: Visible page content is appearing slowly (6.3 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 71 KiB

Why: Lighthouse reported Est savings of 71 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/banner.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 1,090 ms

Why: Lighthouse reported Est savings of 1,090 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 442 KiB

Why: Lighthouse reported Est savings of 442 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.row > div.col-xl-6 > div.banner-style-five-thumb > img`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 3,610 ms

Why: Lighthouse reported Est savings of 3,610 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>

Time to Interactive

Result: 6.1 s

Why: Lighthouse reported 6.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 77 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 7.5 s

Why: Lighthouse reported 7.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.banner-style-five-thumb > img`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,820 ms

Why: Lighthouse reported Est savings of 1,820 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/how-we-work>
- <https://www.midastouchinfotech.com/how-we-work/>

Avoid large layout shifts

Result: 1 layout shift found

Why: Lighthouse reported 1 layout shift found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- `div.container > div.content > div.row > div.col-x1-6`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/how-we-work>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 46/100

Page: <https://www.midastouchinfotech.com/why-choose-us>

First Contentful Paint

Result: 3.9 s

Why: The first visible content is taking 3.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.3 s

Why: The main visible content is taking 9.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 520 ms

Why: The browser is spending too much time executing long JavaScript tasks (520 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 8.4 s

Why: Visible page content is appearing slowly (8.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 72 KiB

Why: Lighthouse reported Est savings of 72 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg1.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2024/03/banner.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 1,060 ms

Why: Lighthouse reported Est savings of 1,060 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 436 KiB

Why: Lighthouse reported Est savings of 436 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.row > div.col-xl-6 > div.thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

• `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 2,460 ms

Why: Lighthouse reported Est savings of 2,460 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/forminator-utilities.min.css?ver=1.49.2>

Time to Interactive

Result: 9.3 s

Why: Lighthouse reported 9.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 840 ms

Why: Lighthouse reported 840 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 76 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 6.0 s

Why: Lighthouse reported 6.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.thumb > img.entered`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

Avoid multiple page redirects

Result: Est savings of 1,790 ms

Why: Lighthouse reported Est savings of 1,790 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/why-choose-us`
- `https://www.midastouchinfotech.com/why-choose-us/`

Best Practices — 77/100

Page: `https://www.midastouchinfotech.com/why-choose-us`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 48/100

Page: `https://www.midastouchinfotech.com/our-business-models`

First Contentful Paint

Result: 3.8 s

Why: The first visible content is taking 3.8 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.3 s

Why: The main visible content is taking 9.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 490 ms

Why: The browser is spending too much time executing long JavaScript tasks (490 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 7.4 s

Why: Visible page content is appearing slowly (7.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 49 KiB

Why: Lighthouse reported Est savings of 49 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2024/03/banner.jpg>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,050 ms

Why: Lighthouse reported Est savings of 1,050 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 153 KiB

Why: Lighthouse reported Est savings of 153 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 2,440 ms

Why: Lighthouse reported Est savings of 2,440 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/unit-test.css?ver=1786349790>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>

Time to Interactive

Result: 9.3 s

Why: Lighthouse reported 9.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 910 ms

Why: Lighthouse reported 910 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric]

(https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 76 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790
- https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0

Minimize main-thread work

Result: 5.5 s

Why: Lighthouse reported 5.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- div.row > div.col-lg-5 > div.thumb > img.entered
- div.row > div.col-xl-6 > div.business-progress-thumb > img.entered
- div.container > div.navbar-header > a.navbar-brand > img.logo
- body.wp-singular > span.statcounter > a#sc_counter_13119688 > img

Avoid multiple page redirects

Result: Est savings of 1,790 ms

Why: Lighthouse reported Est savings of 1,790 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- https://www.midastouchinfotech.com/our-business-models
- https://www.midastouchinfotech.com/our-business-models/

Best Practices — 73/100

Page: https://www.midastouchinfotech.com/our-business-models

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- https://www.statcounter.com/counter/counter.js
- https://www.statcounter.com/counter/counter.js

Browser errors were logged to the console

Why: The browser console contains errors that may indicate JavaScript, network, or implementation problems.

How to fix: Open Chrome DevTools Console, identify the failing script or request, and fix the underlying JavaScript or network error.

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 39/100

Page: <https://www.midastouchinfotech.com/service/website-design-services>

First Contentful Paint

Result: 5.3 s

Why: The first visible content is taking 5.3 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 6.9 s

Why: The main visible content is taking 6.9 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.346

Why: Page elements are moving unexpectedly during loading (0.346). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 9.2 s

Why: Visible page content is appearing slowly (9.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 59 KiB

Why: Lighthouse reported Est savings of 59 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 800 ms

Why: Lighthouse reported Est savings of 800 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 213 KiB

Why: Lighthouse reported Est savings of 213 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,520 ms

Why: Lighthouse reported Est savings of 1,520 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.4>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>

Time to Interactive

Result: 6.9 s

Why: Lighthouse reported 6.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 160 ms

Why: Lighthouse reported 160 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 15 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 6.0 s

Why: Lighthouse reported 6.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Reduce initial server response time

Result: Root document took 900 ms

Why: Lighthouse reported Root document took 900 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric](https://developer.chrome.com/docs/lighthouse/performance/time-to-first-byte/).

Affected Elements:

- <https://www.midastouchinfotech.com/service/website-design-services>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/website-design-services>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 28/100

Page: <https://www.midastouchinfotech.com/service/website-development-services>

First Contentful Paint

Result: 3.7 s

Why: The first visible content is taking 3.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 11.8 s

Why: The main visible content is taking 11.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,950 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,950 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.129

Why: Page elements are moving unexpectedly during loading (0.129). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 7.5 s

Why: Visible page content is appearing slowly (7.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 1,120 ms

Why: Lighthouse reported Est savings of 1,120 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 287 KiB

Why: Lighthouse reported Est savings of 287 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `body.wp-singular > div.bnrr`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,400 ms

Why: Lighthouse reported Est savings of 1,400 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 11.9 s

Why: Lighthouse reported 11.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 1,460 ms

Why: Lighthouse reported 1,460 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 7.4 s

Why: Lighthouse reported 7.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,620 ms

Why: Lighthouse reported Est savings of 1,620 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/website-development-services>
- <https://www.midastouchinfotech.com/service/website-development-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- `div.row > div.col-xl-5 > div.business-progress-info > h2.title`
- `div.business-progress-area > div.container > div.row > div.col-xl-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/website-development-services>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 33/100

Page: <https://www.midastouchinfotech.com/service/website-redesign-services>

First Contentful Paint

Result: 3.7 s

Why: The first visible content is taking 3.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 11.0 s

Why: The main visible content is taking 11.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,690 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,690 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 7.4 s

Why: Visible page content is appearing slowly (7.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,110 ms

Why: Lighthouse reported Est savings of 1,110 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 173 KiB

Why: Lighthouse reported Est savings of 173 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,420 ms

Why: Lighthouse reported Est savings of 1,420 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 11.1 s

Why: Lighthouse reported 11.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 1,360 ms

Why: Lighthouse reported 1,360 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 7.6 s

Why: Lighthouse reported 7.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,590 ms

Why: Lighthouse reported Est savings of 1,590 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/service/website-redesign-services>
- <https://www.midastouchinfotech.com/service/website-redesign-services/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/website-redesign-services>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 31/100

Page: <https://www.midastouchinfotech.com/service/wordpress-development-company>

First Contentful Paint

Result: 4.0 s

Why: The first visible content is taking 4.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 11.7 s

Why: The main visible content is taking 11.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,810 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,810 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 9.1 s

Why: Visible page content is appearing slowly (9.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>

- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,080 ms

Why: Lighthouse reported Est savings of 1,080 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 228 KiB

Why: Lighthouse reported Est savings of 228 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,990 ms

Why: Lighthouse reported Est savings of 1,990 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790

Time to Interactive

Result: 11.7 s

Why: Lighthouse reported 11.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 1,530 ms

Why: Lighthouse reported 1,530 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 8.2 s

Why: Lighthouse reported 8.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,890 ms

Why: Lighthouse reported Est savings of 1,890 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/wordpress-development-company>
- <https://www.midastouchinfotech.com/service/wordpress-development-company/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/wordpress-development-company>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 32/100

Page: <https://www.midastouchinfotech.com/service/graphic-design-services>

First Contentful Paint

Result: 4.2 s

Why: The first visible content is taking 4.2 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 12.1 s

Why: The main visible content is taking 12.1 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,440 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,440 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 9.7 s

Why: Visible page content is appearing slowly (9.7 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,760 ms

Why: Lighthouse reported Est savings of 1,760 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 222 KiB

Why: Lighthouse reported Est savings of 222 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Why: Lighthouse identified an issue with this page.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 12.2 s

Why: Lighthouse reported 12.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 1,450 ms

Why: Lighthouse reported 1,450 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 7.5 s

Why: Lighthouse reported 7.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.services-style-two-area > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,970 ms

Why: Lighthouse reported Est savings of 1,970 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/graphic-design-services>
- <https://www.midastouchinfotech.com/service/graphic-design-services/>

Reduce initial server response time

Result: Root document took 660 ms

Why: Lighthouse reported Root document took 660 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric](<https://developer.chrome.com/docs/lighthouse/performance/time-to-first-byte/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/graphic-design-services/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/graphic-design-services>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 60/100

Page: <https://www.midastouchinfotech.com/service/digital-marketing-company>

First Contentful Paint

Result: 4.1 s

Why: The first visible content is taking 4.1 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 11.0 s

Why: The main visible content is taking 11.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.6 s

Why: Visible page content is appearing slowly (5.6 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,100 ms

Why: Lighthouse reported Est savings of 1,100 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 180 KiB

Why: Lighthouse reported Est savings of 180 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 2,450 ms

Why: Lighthouse reported Est savings of 2,450 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3

Time to Interactive

Result: 11.0 s

Why: Lighthouse reported 11.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790
- https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0

Minimize main-thread work

Result: 3.0 s

Why: Lighthouse reported 3.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- div.row > div.col-x1-6 > div.business-progress-thumb > img.entered
- div.container > div.navbar-header > a.navbar-brand > img.logo

Avoid multiple page redirects

Result: Est savings of 1,630 ms

Why: Lighthouse reported Est savings of 1,630 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/digital-marketing-company>
- <https://www.midastouchinfotech.com/service/digital-marketing-company/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/digital-marketing-company>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 64/100

Page: <https://www.midastouchinfotech.com/service/seo-services>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.1 s

Why: The main visible content is taking 9.1 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 7.0 s

Why: Visible page content is appearing slowly (7.0 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 510 ms

Why: Lighthouse reported Est savings of 510 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 185 KiB

Why: Lighthouse reported Est savings of 185 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 870 ms

Why: Lighthouse reported Est savings of 870 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 9.1 s

Why: Lighthouse reported 9.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.9 s

Why: Lighthouse reported 2.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

Avoid multiple page redirects

Result: Est savings of 1,300 ms

Why: Lighthouse reported Est savings of 1,300 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/seo-services>
- <https://www.midastouchinfotech.com/service/seo-services/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/seo-services>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 60/100

Page: <https://www.midastouchinfotech.com/service/content-writing-services>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.5 s

Why: The main visible content is taking 9.5 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.152

Why: Page elements are moving unexpectedly during loading (0.152). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.4 s

Why: Visible page content is appearing slowly (5.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 520 ms

Why: Lighthouse reported Est savings of 520 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 170 KiB

Why: Lighthouse reported Est savings of 170 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies] (<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP] (<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests] (<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 930 ms

Why: Lighthouse reported Est savings of 930 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 9.6 s

Why: Lighthouse reported 9.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric] (<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.8 s

Why: Lighthouse reported 2.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/service/content-writing-services`
- `https://www.midastouchinfotech.com/service/content-writing-services/`

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `div.row > div.col-xl-5 > div.business-progress-info > h2.title`
- `div.business-progress-area > div.container > div.row > div.col-xl-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: `https://www.midastouchinfotech.com/service/content-writing-services`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 61/100

Page: `https://www.midastouchinfotech.com/service/ecommerce-seo-services`

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.5 s

Why: The main visible content is taking 9.5 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.144

Why: Page elements are moving unexpectedly during loading (0.144). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.1 s

Why: Visible page content is appearing slowly (5.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 600 ms

Why: Lighthouse reported Est savings of 600 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 168 KiB

Why: Lighthouse reported Est savings of 168 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 860 ms

Why: Lighthouse reported Est savings of 860 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/forminator-utilities.min.css?ver=1.49.2>

Time to Interactive

Result: 9.5 s

Why: Lighthouse reported 9.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 21 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.9 s

Why: Lighthouse reported 2.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/ecommerce-seo-services>
- <https://www.midastouchinfotech.com/service/ecommerce-seo-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- `div.row > div.col-x1-5 > div.business-progress-info > h2.title`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/ecommerce-seo-services>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 35/100

Page: <https://www.midastouchinfotech.com/online-reputation-management-services>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.2 s

Why: The main visible content is taking 9.2 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,150 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,150 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.135

Why: Page elements are moving unexpectedly during loading (0.135). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 7.1 s

Why: Visible page content is appearing slowly (7.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 91 KiB

Why: Lighthouse reported Est savings of 91 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/04/online-reputation-management-services.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 620 ms

Why: Lighthouse reported Est savings of 620 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 314 KiB

Why: Lighthouse reported Est savings of 314 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.bnrr`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Why: Lighthouse identified an issue with this page.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/13811_93859d8f08142e3b42059ef1da6375b5/css/style-13811.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Time to Interactive

Result: 9.2 s

Why: Lighthouse reported 9.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 1,380 ms

Why: Lighthouse reported 1,380 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 6.6 s

Why: Lighthouse reported 6.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,180 ms

Why: Lighthouse reported Est savings of 1,180 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/online-reputation-management-services>
- <https://www.midastouchinfotech.com/online-reputation-management-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- `div.col-x1-5 > div.business-progress-info > h2.title > b`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/online-reputation-management-services>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 31/100

Page: <https://www.midastouchinfotech.com/lead-generation-service>

First Contentful Paint

Result: 4.6 s

Why: The first visible content is taking 4.6 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 12.7 s

Why: The main visible content is taking 12.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 630 ms

Why: The browser is spending too much time executing long JavaScript tasks (630 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.229

Why: Page elements are moving unexpectedly during loading (0.229). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 8.1 s

Why: Visible page content is appearing slowly (8.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 85 KiB

Why: Lighthouse reported Est savings of 85 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Generate-More-Leads-to-Boost-Your-Business-Profits.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 1,010 ms

Why: Lighthouse reported Est savings of 1,010 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 357 KiB

Why: Lighthouse reported Est savings of 357 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`

- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 850 ms

Why: Lighthouse reported Est savings of 850 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 12.8 s

Why: Lighthouse reported 12.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 340 ms

Why: Lighthouse reported 340 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 75 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 7.3 s

Why: Lighthouse reported 7.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,800 ms

Why: Lighthouse reported Est savings of 1,800 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/lead-generation-service`
- `https://www.midastouchinfotech.com/lead-generation-service/`

Avoid large layout shifts

Result: 4 layout shifts found

Why: Lighthouse reported 4 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.business-progress-area > div.container > div.row > div.col-xl-5`
- `div.row > div.col-xl-5 > div.business-progress-info > p`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: `https://www.midastouchinfotech.com/lead-generation-service`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 57/100

Page: `https://www.midastouchinfotech.com/pay-per-click-services`

First Contentful Paint

Result: 4.2 s

Why: The first visible content is taking 4.2 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 10.4 s

Why: The main visible content is taking 10.4 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 11.5 s

Why: Visible page content is appearing slowly (11.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,010 ms

Why: Lighthouse reported Est savings of 1,010 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 169 KiB

Why: Lighthouse reported Est savings of 169 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 620 ms

Why: Lighthouse reported Est savings of 620 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/unit-test.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/helper.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>

Time to Interactive

Result: 10.4 s

Why: Lighthouse reported 10.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 60 KiB

Why: The main visible content is taking 9.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 8.0 s

Why: Visible page content is appearing slowly (8.0 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 560 ms

Why: Lighthouse reported Est savings of 560 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 134 KiB

Why: Lighthouse reported Est savings of 134 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,050 ms

Why: Lighthouse reported Est savings of 1,050 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://fonts.googleapis.com/css2?family=Yantramanav:wght@100;300;400;500;700;900&display=swap>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Time to Interactive

Result: 9.7 s

Why: Lighthouse reported 9.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 21 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.3 s

Why: Lighthouse reported 3.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `b > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,340 ms

Why: Lighthouse reported Est savings of 1,340 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/social-media-marketing-service>
- <https://www.midastouchinfotech.com/social-media-marketing-service/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/social-media-marketing-service>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 66/100

Page: <https://www.midastouchinfotech.com/seo-packages>

First Contentful Paint

Result: 2.7 s

Why: The first visible content is taking 2.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.7 s

Why: The main visible content is taking 8.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.2 s

Why: Visible page content is appearing slowly (5.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 480 ms

Why: Lighthouse reported Est savings of 480 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 179 KiB

Why: Lighthouse reported Est savings of 179 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,150 ms

Why: Lighthouse reported Est savings of 1,150 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 8.7 s

Why: Lighthouse reported 8.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.7 s

Why: Lighthouse reported 3.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,230 ms

Why: Lighthouse reported Est savings of 1,230 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/seo-packages>
- <https://www.midastouchinfotech.com/seo-packages/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/seo-packages>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 62/100

Page: <https://www.midastouchinfotech.com/social-media-marketing-packages>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.6 s

Why: The main visible content is taking 9.6 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.116

Why: Page elements are moving unexpectedly during loading (0.116). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.7 s

Why: Visible page content is appearing slowly (5.7 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 550 ms

Why: Lighthouse reported Est savings of 550 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 158 KiB

Why: Lighthouse reported Est savings of 158 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 600 ms

Why: Lighthouse reported Est savings of 600 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 9.6 s

Why: Lighthouse reported 9.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.8 s

Why: Lighthouse reported 3.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,280 ms

Why: Lighthouse reported Est savings of 1,280 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/social-media-marketing-packages>
- <https://www.midastouchinfotech.com/social-media-marketing-packages/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Affected Elements:

- `div.container > div.row > div.col-lg-8 > h1`
- `div.business-progress-area > div.container > div.row > div.col-xl-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/social-media-marketing-packages>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 66/100

Page: <https://www.midastouchinfotech.com/contact-us>

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.4 s

Why: The main visible content is taking 8.4 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.5 s

Why: Visible page content is appearing slowly (5.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 54 KiB

Why: Lighthouse reported Est savings of 54 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://maps.googleapis.com/maps/api/js/StaticMapService.GetMapImage?1m2&1i11771623&2i7281397&2e1&3u16&4m2&1u412&2u300&5m6&1e0&5sen&6sin&10b1&12b1&14i47083502&8e1&key=AIzaSyCmL18misQw9KdwqGaw3zHkitj8vG6QF2Y&t>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>

- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 490 ms

Why: Lighthouse reported Est savings of 490 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 57 KiB

Why: Lighthouse reported Est savings of 57 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`
- `div.item > div.provider > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 840 ms

Why: Lighthouse reported Est savings of 840 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 8.4 s

Why: Lighthouse reported 8.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 160 ms

Why: Lighthouse reported 160 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.1 s

Why: Lighthouse reported 3.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,270 ms

Why: Lighthouse reported Est savings of 1,270 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/contact-us>
- <https://www.midastouchinfotech.com/contact-us/>

Accessibility — 78/100

Page: <https://www.midastouchinfotech.com/contact-us>

Buttons do not have an accessible name

Why: One or more buttons do not have an accessible name, making their purpose unclear to screen-reader users.

How to fix: Add visible button text or an appropriate accessible name using `aria-label` or `aria-labelledby`.

Affected Elements:

- `nav.navbar > div.container > div.navbar-header > button.navbar-toggle`

Background and foreground colors do not have a sufficient contrast ratio.

Why: Some text does not have enough contrast against its background, making it difficult for users to read.

How to fix: Increase the contrast between foreground and background colors and verify the result against WCAG contrast requirements.

Affected Elements:

- `div.provider > div.info > span > strong`

`<frame>` or `<iframe>` elements do not have a title

Why: Lighthouse identified an issue with this page.

How to fix: Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles](<https://dequeuniversity.com/rules/axe/4.12/frame-title>).

Affected Elements:

- `body.wp-singular > div.maps-area > div.google-maps > iframe`

Heading elements are not in a sequentially-descending order

Why: Lighthouse identified an issue with this page.

How to fix: Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Affected Elements:

- `ul > li.wow > div.content > h4.title`
- `div.container > div.row > div.testimonial-style-two > h4.sub-heading`
- `div.rating-provider > div.ratings > div.rating-icon > h4`

Links do not have a discernible name

Why: One or more links do not have a clear accessible name.

How to fix: Give every meaningful link descriptive visible text or an appropriate accessible name.

Affected Elements:

- `div.about > ul.footer-social > li > a`
- `div.about > ul.footer-social > li > a`
- `div.about > ul.footer-social > li > a`

Document does not have a main landmark.

Why: Lighthouse identified an issue with this page.

How to fix: One main landmark helps screen reader users navigate a web page. [Learn more about landmarks] (<https://dequeuniversity.com/rules/axe/4.12/landmark-one-main>).

Affected Elements:

- `html`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/contact-us>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 25/100

Page: <https://www.midastouchinfotech.com/service/creative-branding-company-in-ahmedabad>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.4 s

Why: The main visible content is taking 9.4 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,430 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,430 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.233

Why: Page elements are moving unexpectedly during loading (0.233). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 7.9 s

Why: Visible page content is appearing slowly (7.9 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 700 ms

Why: Lighthouse reported Est savings of 700 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 123 KiB

Why: Lighthouse reported Est savings of 123 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 350 ms

Why: Lighthouse reported Est savings of 350 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 9.4 s

Why: Lighthouse reported 9.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 1,060 ms

Why: Lighthouse reported 1,060 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 6.5 s

Why: Lighthouse reported 6.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Avoid multiple page redirects

Result: Est savings of 1,290 ms

Why: Lighthouse reported Est savings of 1,290 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/service/creative-branding-company-in-ahmedabad>
- <https://www.midastouchinfotech.com/service/creative-branding-company-in-ahmedabad/>

Avoid large layout shifts

Result: 6 layout shifts found

Why: Lighthouse reported 6 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-x1-5 > div.business-progress-info > h2.title`
- `body.wp-singular > div.business-progress-area`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/creative-branding-company-in-ahmedabad>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 48/100

Page: <https://www.midastouchinfotech.com/service/web-development-agency-in-ahmedabad>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.0 s

Why: The main visible content is taking 9.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.292

Why: Page elements are moving unexpectedly during loading (0.292). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 6.0 s

Why: Visible page content is appearing slowly (6.0 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 550 ms

Why: Lighthouse reported Est savings of 550 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 123 KiB

Why: Lighthouse reported Est savings of 123 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies] (<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP] (<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 460 ms

Why: Lighthouse reported Est savings of 460 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2>

Time to Interactive

Result: 9.0 s

Why: Lighthouse reported 9.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 930 ms

Why: Lighthouse reported 930 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 4.6 s

Why: Lighthouse reported 4.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/service/web-development-agency-in-ahmedabad>
- <https://www.midastouchinfotech.com/service/web-development-agency-in-ahmedabad/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts

may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.business-progress-area > div.container > div.row > div.col-xl-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/web-development-agency-in-ahmedabad>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 55/100

Page: <https://www.midastouchinfotech.com/service/website-development>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.8 s

Why: The main visible content is taking 9.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 280 ms

Why: The browser is spending too much time executing long JavaScript tasks (280 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.129

Why: Page elements are moving unexpectedly during loading (0.129). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 6.1 s

Why: Visible page content is appearing slowly (6.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 610 ms

Why: Lighthouse reported Est savings of 610 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 287 KiB

Why: Lighthouse reported Est savings of 287 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `body.wp-singular > div.bnrr`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies] (<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP] (<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests] (<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 450 ms

Why: Lighthouse reported Est savings of 450 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 9.8 s

Why: Lighthouse reported 9.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric] (<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 190 ms

Why: Lighthouse reported 190 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 4.7 s

Why: Lighthouse reported 4.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,290 ms

Why: Lighthouse reported Est savings of 1,290 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/service/website-development>
- <https://www.midastouchinfotech.com/service/website-development-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `div.row > div.col-x1-5 > div.business-progress-info > h2.title`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/website-development>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 61/100

Page: <https://www.midastouchinfotech.com/service/web-design-company-in-ahmedabad>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.0 s

Why: The main visible content is taking 9.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 230 ms

Why: The browser is spending too much time executing long JavaScript tasks (230 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 5.6 s

Why: Visible page content is appearing slowly (5.6 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 510 ms

Why: Lighthouse reported Est savings of 510 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 119 KiB

Why: Lighthouse reported Est savings of 119 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 440 ms

Why: Lighthouse reported Est savings of 440 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 9.0 s

Why: Lighthouse reported 9.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 260 ms

Why: Lighthouse reported 260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 4.5 s

Why: Lighthouse reported 4.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Avoid multiple page redirects

Result: Est savings of 1,280 ms

Why: Lighthouse reported Est savings of 1,280 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/web-design-company-in-ahmedabad>
- <https://www.midastouchinfotech.com/service/web-design-company-in-ahmedabad/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/web-design-company-in-ahmedabad>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 57/100

Page: <https://www.midastouchinfotech.com/service/digital-marketing-company-in-surat>

First Contentful Paint

Result: 2.8 s

Why: The first visible content is taking 2.8 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.9 s

Why: The main visible content is taking 8.9 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.209

Why: Page elements are moving unexpectedly during loading (0.209). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.0 s

Why: Visible page content is appearing slowly (5.0 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 62 KiB

Why: Lighthouse reported Est savings of 62 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 500 ms

Why: Lighthouse reported Est savings of 500 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 119 KiB

Why: Lighthouse reported Est savings of 119 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 680 ms

Why: Lighthouse reported Est savings of 680 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3

Time to Interactive

Result: 8.9 s

Why: Lighthouse reported 8.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789

Minimize main-thread work

Result: 3.7 s

Why: Lighthouse reported 3.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Avoid multiple page redirects

Result: Est savings of 1,250 ms

Why: Lighthouse reported Est savings of 1,250 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- https://www.midastouchinfotech.com/service/digital-marketing-company-in-surat
- https://www.midastouchinfotech.com/service/digital-marketing-company-in-surat/

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts

may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- body.wp-singular > div.business-progress-area
- div.business-progress-area > div.container > div.row > div.col-xl-5
- nav > ol.breadcrumb > li > ::after

Best Practices — 77/100

Page: https://www.midastouchinfotech.com/service/digital-marketing-company-in-surat

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- https://www.statcounter.com/counter/counter.js
- https://www.statcounter.com/counter/counter.js

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 40/100

Page: https://www.midastouchinfotech.com/service/digital-marketing-services

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.8 s

Why: The main visible content is taking 9.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 1,010 ms

Why: The browser is spending too much time executing long JavaScript tasks (1,010 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 6.3 s

Why: Visible page content is appearing slowly (6.3 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (https://developer.chrome.com/docs/performance/insights/cache).

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png
- https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png
- https://www.statcounter.com/counter/counter.js
- https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789

Document request latency

Result: Est savings of 530 ms

Why: Lighthouse reported Est savings of 530 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(https://developer.chrome.com/docs/performance/insights/document-latency) by avoiding redirects, ensuring a fast server

response, and enabling text compression.

Improve image delivery

Result: Est savings of 148 KiB

Why: Lighthouse reported Est savings of 148 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Affected Elements:

- body.wp-singular > div.business-progress-area
- div.container > div.navbar-header > a.navbar-brand > img.logo
- div.row > div.col-x1-6 > div.business-progress-thumb > img.entered

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 60 ms

Why: Lighthouse reported Est savings of 60 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3

Time to Interactive

Result: 9.9 s

Why: Lighthouse reported 9.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay

Result: 1,310 ms

Why: Lighthouse reported 1,310 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Reduce unused CSS

Result: Est savings of 15 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789

Minimize main-thread work

Result: 6.0 s

Why: Lighthouse reported 6.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-xl-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,280 ms

Why: Lighthouse reported Est savings of 1,280 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/service/digital-marketing-services`
- `https://www.midastouchinfotech.com/service/digital-marketing-company/`

Best Practices — 77/100

Page: `https://www.midastouchinfotech.com/service/digital-marketing-services`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 58/100

Page: `https://www.midastouchinfotech.com/website-design-services`

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 4.5 s

Why: The main visible content is taking 4.5 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.346

Why: Page elements are moving unexpectedly during loading (0.346). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.3 s

Why: Visible page content is appearing slowly (5.3 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 59 KiB

Why: Lighthouse reported Est savings of 59 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 530 ms

Why: Lighthouse reported Est savings of 530 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 213 KiB

Why: Lighthouse reported Est savings of 213 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies] (<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests] (<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 650 ms

Why: Lighthouse reported Est savings of 650 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 4.5 s

Why: Lighthouse reported 4.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric] (<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 130 ms

Why: Lighthouse reported 130 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 21 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.7 s

Why: Lighthouse reported 3.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work] (<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions] (https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,270 ms

Why: Lighthouse reported Est savings of 1,270 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/website-design-services>
- <https://www.midastouchinfotech.com/service/website-design-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing] (https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS] (<https://web.dev/articles/optimize-cls>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/website-design-services>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 54/100

Page: <https://www.midastouchinfotech.com/service/website-development-company>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 10.3 s

Why: The main visible content is taking 10.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 330 ms

Why: The browser is spending too much time executing long JavaScript tasks (330 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Cumulative Layout Shift

Result: 0.129

Why: Page elements are moving unexpectedly during loading (0.129). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.5 s

Why: Visible page content is appearing slowly (5.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 540 ms

Why: Lighthouse reported Est savings of 540 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 241 KiB

Why: Lighthouse reported Est savings of 241 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `body.wp-singular > div.bnrr`

- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 490 ms

Why: Lighthouse reported Est savings of 490 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/unit-test.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/helper.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/validnavs.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/animate.css?ver=1786349789>

Time to Interactive

Result: 10.3 s

Why: Lighthouse reported 10.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 250 ms

Why: Lighthouse reported 250 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Minimize main-thread work

Result: 4.3 s

Why: Lighthouse reported 4.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,320 ms

Why: Lighthouse reported Est savings of 1,320 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/service/website-development-company>
- <https://www.midastouchinfotech.com/service/website-development-services/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `div.row > div.col-xl-5 > div.business-progress-info > h2.title`
- `div.business-progress-area > div.container > div.row > div.col-xl-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/website-development-company>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 56/100

Page: <https://www.midastouchinfotech.com/web-design-cost-in-usa>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.3 s

Why: The main visible content is taking 8.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 400 ms

Why: The browser is spending too much time executing long JavaScript tasks (400 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 6.1 s

Why: Visible page content is appearing slowly (6.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 860 ms

Why: Lighthouse reported Est savings of 860 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 141 KiB

Why: Lighthouse reported Est savings of 141 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 310 ms

Why: Lighthouse reported Est savings of 310 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>

Time to Interactive

Result: 8.3 s

Why: Lighthouse reported 8.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 1,050 ms

Why: Lighthouse reported 1,050 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Minimize main-thread work

Result: 4.5 s

Why: Lighthouse reported 4.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,340 ms

Why: Lighthouse reported Est savings of 1,340 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/web-design-cost-in-usa`
- `https://www.midastouchinfotech.com/web-design-cost-in-usa/`

Best Practices — 77/100

Page: `https://www.midastouchinfotech.com/web-design-cost-in-usa`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 65/100

Page: `https://www.midastouchinfotech.com/web-design-cost-in-usa`

Link could not be verified: https://www.midastouchinfotech.com/

Why: The automated request could not reach the destination: `apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)`

`AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:`

`sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1.1[2m [2m - ← 200`

`OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by:`

`PHP/8.2.32[2m [2m - last-modified: Tue, 11 Aug 2026 07:54:52 GMT[2m [2m - content-type: text/html; charset=UTF-`

`8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:01:22 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date:`

`Thu, 13 Aug 2026 06:01:22 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000;`

`includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-`

`svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m`

How to fix: Open "https://www.midastouchinfotech.com/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Home

Why: The automated request could not reach the destination: `apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)`

`AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:`

`sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1.1[2m [2m - ← 200`

`OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by:`

`PHP/8.2.32[2m [2m - last-modified: Tue, 11 Aug 2026 07:54:52 GMT[2m [2m - content-type: text/html; charset=UTF-`

`8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:01:23 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date:`

`Thu, 13 Aug 2026 06:01:23 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000;`

```
includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m [2m - alt-  
svc: h3="443": ma=2592000, h3-29="443": ma=2592000[22m
```

Link could not be verified: About Us

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br [22m [2m - cookie:

PHP/8.2.32 [22m] [2m - last-modified: Mon, 10 Aug 2026 08:17:05 GMT [22m] [2m - content-type: text/html; charset=UTF-8 [22m] [2m - cache-control: public, max-age=0 [22m] [2m - expires: Thu, 13 Aug 2026 06:01:23 GMT [22m] [2m - transfer-

```
includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m [2m - alt-  
svc: h3="443". ma=2592000. h3-29="443". ma=2592000[22m
```

Link could not be verified: [How We Work](#)

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [22m [2m - accept: */*[22m [2m - accept-encoding: gzip.deflate.br[22m [2m - cookie:

PHP/8.2.32□[22m □[2m - last-modified: Mon, 10 Aug 2026 08:19:07 GMT□[22m □[2m - content-type: text/html; charset=UTF-8□[22m □[2m - cache-control: public, max-age=0□[22m □[2m - expires: Thu, 13 Aug 2026 06:01:22 GMT□[22m □[2m - transfer-

```
includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m [2m - alt-  
svc: h3=":443": ma=2592000. h3-29=":443": ma=2592000[22m
```

Link could not be verified: Why Choose Us

```
x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36
[22m [2m - accept: */*[22m
[2m - accept-encoding: gzip,deflate,br[22m [2m - cookie:
```

PHP/8.2.32[22m [2m - last-modified: Mon, 10 Aug 2026 08:19:14 GMT[22m [2m - content-type: text/html; charset=UTF-8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:01:23 GMT[22m [2m - transfer-

```
includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m [2m - alt-  
svc: h3=":443": ma=2592000. h3-29=":443": ma=2592000[22m
```

Link could not be verified: Our Business Models

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [22m [2m - accept: */[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - cookie:

How to fix: Open "<https://www.midastouchinfotech.com/our-business-models/>" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/service/website-design-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/service/website-design-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Website Development

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/service/website-development-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/service/website-development-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be fully verified: up to 4,900%

Why: The destination returned HTTP 403. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://clutch.co/web-designers/pricing" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be verified: Web Design

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/category/web-design/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786600882.F3B9C63E2E3748269FEF63889342B96F.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/category/web-design/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/web-design-cost-in-usa/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/web-design-cost-in-usa/", correct the destination if necessary, and remove or replace the broken link.

Broken link: [http://twitter.com/share?](http://twitter.com/share?text=Web%20Design%20Cost%20in%20USA:%20Ecommerce,%20Corporate%20and%20Small%20Business%20Websites&url=http://www.midastouchinfotech.com/web-design-cost-in-usa/)

[text=Web%20Design%20Cost%20in%20USA:%20Ecommerce,%20Corporate%20and%20Small%20Business%20Websites&url=http://www.midastouchinfotech.com/web-design-cost-in-usa/](http://twitter.com/share?text=Web%20Design%20Cost%20in%20USA:%20Ecommerce,%20Corporate%20and%20Small%20Business%20Websites&url=http://www.midastouchinfotech.com/web-design-cost-in-usa/)

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "http://twitter.com/share?"

[text=Web%20Design%20Cost%20in%20USA:%20Ecommerce,%20Corporate%20and%20Small%20Business%20Websites&url=http://www.midastouchinfotech.com/web-design-cost-in-usa/](http://twitter.com/share?text=Web%20Design%20Cost%20in%20USA:%20Ecommerce,%20Corporate%20and%20Small%20Business%20Websites&url=http://www.midastouchinfotech.com/web-design-cost-in-usa/), correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/midastouchinfotech/", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in" in a normal browser and confirm that the destination works before marking this link as broken.

Performance — 62/100

Page: <https://www.midastouchinfotech.com/category/web-design>

First Contentful Paint

Result: 3.3 s

Why: The first visible content is taking 3.3 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.7 s

Why: The main visible content is taking 8.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 6.7 s

Why: Visible page content is appearing slowly (6.7 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 530 ms

Why: Lighthouse reported Est savings of 530 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 255 KiB

Why: Lighthouse reported Est savings of 255 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.author-meta > div.thumbs > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 960 ms

Why: Lighthouse reported Est savings of 960 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>

Time to Interactive

Result: 8.7 s

Why: Lighthouse reported 8.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 16 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.6 s

Why: Lighthouse reported 3.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-xl-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,550 ms

Why: Lighthouse reported Est savings of 1,550 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/web-design>
- <https://www.midastouchinfotech.com/category/web-design/>

Best Practices — 73/100

Page: <https://www.midastouchinfotech.com/category/web-design>

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 56/100

Page: <https://www.midastouchinfotech.com/author/mit>

First Contentful Paint

Result: 3.2 s

Why: The first visible content is taking 3.2 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.0 s

Why: The main visible content is taking 7.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.189

Why: Page elements are moving unexpectedly during loading (0.189). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 6.2 s

Why: Visible page content is appearing slowly (6.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 45 KiB

Why: Lighthouse reported Est savings of 45 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 550 ms

Why: Lighthouse reported Est savings of 550 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 182 KiB

Why: Lighthouse reported Est savings of 182 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-lg-5 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 750 ms

Why: Lighthouse reported Est savings of 750 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/forminator-utilities.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 7.0 s

Why: Lighthouse reported 7.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Minimize main-thread work

Result: 3.5 s

Why: Lighthouse reported 3.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-lg-5 > div.thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,320 ms

Why: Lighthouse reported Est savings of 1,320 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/author/mit>
- <https://www.midastouchinfotech.com/author/mit/>

Avoid large layout shifts

Result: 2 layout shifts found

Why: Lighthouse reported 2 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `div.container > div.team-content-top > div.row > div.col-lg-7`
- `div.team-content-top > div.row > div.col-lg-7 > p`

SEO — 50/100

Page: <https://www.midastouchinfotech.com/author/mit>

Page is blocked from indexing

Why: Lighthouse identified an issue with this page.

How to fix: Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/).

Document does not have a meta description

Why: The page does not have a useful meta description that summarizes its content for search engines.

How to fix: Add a unique, concise meta description describing the page and its main value to users.

robots.txt is not valid

Result: 1 error found

Why: The site's robots.txt configuration may prevent search engines from correctly understanding which pages they can crawl.

How to fix: Create or update robots.txt and verify that important pages are not accidentally blocked.

Best Practices — 69/100

Page: <https://www.midastouchinfotech.com/author/mit>

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Serves images with low resolution

Why: Lighthouse identified an issue with this page.

How to fix: Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](https://web.dev/articles/serve-responsive-images).

Affected Elements:

- `div.row > div.col-lg-5 > div.thumb > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 57/100

Page: <https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility>

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.8 s

Why: The main visible content is taking 7.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 300 ms

Why: The browser is spending too much time executing long JavaScript tasks (300 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 7.2 s

Why: Visible page content is appearing slowly (7.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 1,370 ms

Why: Lighthouse reported Est savings of 1,370 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 100 KiB

Why: Lighthouse reported Est savings of 100 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 430 ms

Why: Lighthouse reported Est savings of 430 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>

Time to Interactive

Result: 7.8 s

Why: Lighthouse reported 7.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 230 ms

Why: Lighthouse reported 230 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 4.3 s

Why: Lighthouse reported 4.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

Avoid multiple page redirects

Result: Est savings of 1,430 ms

Why: Lighthouse reported Est savings of 1,430 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility>
- <https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more

details on each issue.

Functionality — 65/100

Page: <https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility>

Link could not be verified: result on 8%

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.forbes.com/sites/gabrielalinzainescu/2026/07/18/what-googles-billions-of-clicks-claim-means-for-your-website-traffic/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - ← 200 OK[22m [2m - connection: keep-alive[22m [2m - content-length: 229340[22m [2m - cache-control: public, max-age=1800[22m [2m - content-type: text/html; charset=utf-8[22m [2m - server: istio-envoy[22m [2m - x-envoy-upstream-service-time: 466[22m [2m - x-malcolm: D[22m [2m - x-user-eligible-for-hwhw: true[22m [2m - backend: dnsresolver[22m [2m - x-backend: simple-site-prod-d[22m [2m - x-yourttl: 1800.000[22m [2m - content-encoding: gzip[22m [2m - x-cicero-cache: MISS[22m [2m - x-fastly-backend: 24YyrkkiTBhSwXWzJgVwW6-- F_GCP_Cicero_Varnish[22m [2m - x-fastly-x-is-us-dpa: false[22m [2m - x-fastly-x-is-opt-in-jurisdiction: false[22m [2m - x-fastly-x-is-strict-us-dpa: false[22m [2m - fastly-restarts: 1[22m [2m - x-fastlyttl: 86400.000[22m [2m - accept-ranges: bytes[22m [2m - age: 1[22m [2m - date: Thu, 13 Aug 2026 06:04:38 GMT[22m [2m - via: 1.1 varnish[22m [2m - x-served-by: cache-bom-vanm7210070-BOM[22m [2m - x-cache: MISS[22m [2m - x-cache-hits: 0[22m [2m - x-timer: S1786601077.814850,VS0,VS0,VE1793[22m [2m - vary: X-Country-Code, Accept-Encoding, X-is-US-DPA, X-is-US, X-Device, canary, X-Is-Ad-Light, is-vwo-enabled, X-is-OPT-IN-JURISDICTION, X-is-STRICT-US-DPA, x-malcolm, x-malcolm, X-is-US-DPA, X-is-OPT-IN-JURISDICTION, X-is-STRICT-US-DPA, X-is-US, X-Device, x-backend, canary, X-Is-Ad-Light, is-vwo-enabled[22m [2m - x-datadome: protected[22m [2m - set-cookie: datadome=6qTkz3Y2fzGoKd1ZOU5R5pfhZdmGBUS8OrwKMUQzVuUHnfPPKbJ9MXITCCNAYJKA89qwVht9XRZNJso~5hTDcKSC1A8isLc Max-Age=31536000; Domain=.forbes.com; Path=/; Secure; SameSite=None,VWO=17.900; Max-Age=34560000; Path=/;[22m [2m - x-country-code: IN[22m [2m - x-postal-code: 380054[22m [2m - x-region: GJ[22m [2m - x-city-code: ahmedabad[22m [2m - permissions-policy: unload=()[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - content-security-policy: upgrade-insecure-requests[22m [2m - strict-transport-security: max-age=31536000; includeSubDomains; preload[22m [2m - access-control-allow-credentials: true[22m [2m - x-device: doge[22m [2m - is-vwo-enabled: false[22m [2m - state: MISS-CLUSTER[22m [2m - referrer-policy: strict-origin-when-cross-origin[22m [2m - alt-svc: h3=":443";ma=86400,h3-29=":443";ma=86400,h3-27=":443";ma=86400[22m

How to fix: Open "https://www.forbes.com/sites/gabrielalinzainescu/2026/07/18/what-googles-billions-of-clicks-claim-means-for-your-website-traffic/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: professional seo services

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/seo-services/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - cookie: sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[22m [2m - ← 200 OK[22m [2m - connection: Keep-Alive[22m [2m - keep-alive: timeout=5, max=100[22m [2m - x-powered-by: PHP/8.2.32[22m [2m - last-modified: Mon, 10 Aug 2026 08:19:28 GMT[22m [2m - content-type: text/html; charset=UTF-8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:04:43 GMT[22m [2m - transfer-encoding: chunked[22m [2m - content-encoding: br[22m [2m - vary: Accept-Encoding,Accept-Encoding[22m [2m - date: Thu, 13 Aug 2026 06:04:43 GMT[22m [2m - server: LiteSpeed[22m [2m - strict-transport-security: max-age=63072000; includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[22m

How to fix: Open "https://www.midastouchinfotech.com/service/seo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: professional SEO consultant

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/seo-services/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - cookie: sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1[22m [2m - ← 200 OK[22m [2m - connection: Keep-Alive[22m [2m - keep-alive: timeout=5, max=100[22m [2m - x-powered-by: PHP/8.2.32[22m [2m - last-modified: Mon, 10 Aug 2026 08:19:28 GMT[22m [2m - content-type: text/html; charset=UTF-8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:04:43 GMT[22m [2m - transfer-encoding: chunked[22m [2m - content-encoding: br[22m [2m - vary: Accept-Encoding,Accept-Encoding[22m [2m - date: Thu, 13 Aug 2026 06:04:43 GMT[22m [2m - server: LiteSpeed[22m [2m - strict-transport-security: max-age=63072000; includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[22m

How to fix: Open "https://www.midastouchinfotech.com/service/seo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: https://www.midastouchinfotech.com/service/seo-services/

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/seo-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_js_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:28 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/service/seo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: 15 SEO Agency in Noida for Result-Driven SEO Services

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/best-seo-agency-in-noida/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_js_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 10:03:55 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/best-seo-agency-in-noida/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: https://www.midastouchinfotech.com/service/seo-services/

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/seo-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_js_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:28 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:04:43 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/service/seo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/", correct the destination if necessary, and remove or replace the broken link.

Broken link: http://twitter.com/share?

text=SEO%20for%20AI%20Overviews:%20How%20to%20Improve%20Your%20Brand%20Visibility&url=https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "http://twitter.com/share?

text=SEO%20for%20AI%20Overviews:%20How%20to%20Improve%20Your%20Brand%20Visibility&url=https://www.midastouchinfotech.com/seo-for-ai-overviews-brand-visibility/", correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/midastouchinfotech/", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be verified: SEO Packages

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/seo-packages/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:40 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:05:04 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:05:04 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m

How to fix: Open "https://www.midastouchinfotech.com/seo-packages/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Social Media Marketing Packages

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/social-media-marketing-packages/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:18:48 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:05:08 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:05:08 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/social-media-marketing-packages/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Our Business Models

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/our-business-models/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:56 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:05:08 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:05:08 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/our-business-models/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Why Choose Us

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/why-choose-us/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1.1[2m [2m - ← 200

OK [2m - connection: Keep-Alive [2m - keep-alive: timeout=5, max=100 [2m - x-powered-by: PHP/8.2.32 [2m - last-modified: Mon, 10 Aug 2026 08:19:14 GMT [2m - content-type: text/html; charset=UTF-8 [2m - cache-control: public, max-age=0 [2m - expires: Thu, 13 Aug 2026 06:05:08 GMT [2m - transfer-encoding: chunked [2m - content-encoding: br [2m - vary: Accept-Encoding,Accept-Encoding [2m - date: Thu, 13 Aug 2026 06:05:08 GMT [2m - server: LiteSpeed [2m - strict-transport-security: max-age=63072000; includeSubDomains [2m - x-frame-options: SAMEORIGIN [2m - x-content-type-options: nosniff [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000 [2m

How to fix: Open "https://www.midastouchinfotech.com/why-choose-us/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Blog

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/blog/ [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m - accept: */* [2m -

accept-encoding: gzip,deflate,br [2m - cookie: sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1 [2m - ← 200

OK [2m - connection: Keep-Alive [2m - keep-alive: timeout=5, max=100 [2m - x-powered-by: PHP/8.2.32 [2m - last-modified: Mon, 10 Aug 2026 08:19:10 GMT [2m - content-type: text/html; charset=UTF-8 [2m - cache-control: public, max-age=0 [2m - expires: Thu, 13 Aug 2026 06:05:08 GMT [2m - transfer-encoding: chunked [2m - content-encoding: br [2m - vary: Accept-Encoding,Accept-Encoding [2m - date: Thu, 13 Aug 2026 06:05:08 GMT [2m - server: LiteSpeed [2m - strict-transport-security: max-age=63072000; includeSubDomains [2m - x-frame-options: SAMEORIGIN [2m - x-content-type-options: nosniff [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000 [2m

How to fix: Open "https://www.midastouchinfotech.com/blog/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Pay Per Click Services

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/pay-per-click-services/ [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m - accept:

/ [2m - accept-encoding: gzip,deflate,br [2m - cookie: sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1 [2m - ← 200 OK [2m - connection: Keep-Alive [2m - keep-alive: timeout=5, max=100 [2m - x-powered-by: PHP/8.2.32 [2m - last-modified: Mon, 10 Aug 2026 08:18:42 GMT [2m - content-type: text/html; charset=UTF-8 [2m - cache-control: public, max-age=0 [2m - expires: Thu, 13 Aug 2026 06:05:14 GMT [2m - transfer-encoding: chunked [2m - content-encoding: br [2m - vary: Accept-Encoding,Accept-Encoding [2m - date: Thu, 13 Aug 2026 06:05:14 GMT [2m - server: LiteSpeed [2m - strict-transport-security: max-age=63072000; includeSubDomains [2m - x-frame-options: SAMEORIGIN [2m - x-content-type-options: nosniff [2m

How to fix: Open "https://www.midastouchinfotech.com/pay-per-click-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Digital Marketing

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/digital-marketing-company/ [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m -

accept: */* [2m - accept-encoding: gzip,deflate,br [2m - cookie: sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1 [2m - ← 200 OK [2m - connection: Keep-Alive [2m - keep-alive: timeout=5, max=100 [2m - x-powered-by: PHP/8.2.32 [2m - last-modified: Mon, 10 Aug 2026 08:21:56 GMT [2m - content-type: text/html; charset=UTF-8 [2m - cache-control: public, max-age=0 [2m - expires: Thu, 13 Aug 2026 06:05:14 GMT [2m - transfer-encoding: chunked [2m - content-encoding: br [2m - vary: Accept-Encoding,Accept-Encoding [2m - date: Thu, 13 Aug 2026 06:05:14 GMT [2m - server: LiteSpeed [2m - strict-transport-security: max-age=63072000; includeSubDomains [2m - x-frame-options: SAMEORIGIN [2m - x-content-type-options: nosniff [2m

How to fix: Open "https://www.midastouchinfotech.com/service/digital-marketing-company/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Content Writing

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/service/content-writing-services/ [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m - accept:

/ [2m - accept-encoding: gzip,deflate,br [2m - cookie: sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1 [2m - ← 200 OK [2m - connection: Keep-Alive [2m - keep-alive: timeout=5, max=100 [2m - x-powered-by:

PHP/8.2.32 [22m [2m - last-modified: Mon, 10 Aug 2026 08:19:36 GMT [22m [2m - content-type: text/html; charset=UTF-8 [22m [2m - cache-control: public, max-age=0 [22m [2m - expires: Thu, 13 Aug 2026 06:05:14 GMT [22m [2m - transfer-encoding: chunked [22m [2m - content-encoding: br [22m [2m - vary: Accept-Encoding,Accept-Encoding [22m [2m - date: Thu, 13 Aug 2026 06:05:14 GMT [22m [2m - server: LiteSpeed [22m [2m - strict-transport-security: max-age=63072000; includeSubDomains [22m [2m - x-frame-options: SAMEORIGIN [22m [2m - x-content-type-options: nosniff [22m

How to fix: Open "https://www.midastouchinfotech.com/service/content-writing-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: eCommerce SEO

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [22m - → GET https://www.midastouchinfotech.com/service/ecommerce-seo-services/ [22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [22m [2m - accept: */* [22m [2m - accept-encoding: gzip,deflate,br [22m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1 [22m [2m - ← 200 OK [22m [2m - connection: Keep-Alive [22m [2m - keep-alive: timeout=5, max=100 [22m [2m - x-powered-by:

PHP/8.2.32 [22m [2m - last-modified: Mon, 10 Aug 2026 08:19:17 GMT [22m [2m - content-type: text/html; charset=UTF-8 [22m [2m - cache-control: public, max-age=0 [22m [2m - expires: Thu, 13 Aug 2026 06:05:14 GMT [22m [2m - transfer-encoding: chunked [22m [2m - content-encoding: br [22m [2m - vary: Accept-Encoding,Accept-Encoding [22m [2m - date: Thu, 13 Aug 2026 06:05:14 GMT [22m [2m - server: LiteSpeed [22m [2m - strict-transport-security: max-age=63072000; includeSubDomains [22m [2m - x-frame-options: SAMEORIGIN [22m [2m - x-content-type-options: nosniff [22m

How to fix: Open "https://www.midastouchinfotech.com/service/ecommerce-seo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Midas Touch Infotech

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [22m - → GET https://www.midastouchinfotech.com/ [22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [22m [2m - accept: */* [22m [2m - accept-encoding: gzip,deflate,br [22m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601064.331EF0A8F4E74366AB79DFA1E6244589.1.1.1.1.1.1.1.1 [22m [2m - ← 200 OK [22m [2m - connection: Keep-Alive [22m [2m - keep-alive: timeout=5, max=100 [22m [2m - x-powered-by:

PHP/8.2.32 [22m [2m - last-modified: Tue, 11 Aug 2026 07:54:52 GMT [22m [2m - content-type: text/html; charset=UTF-8 [22m [2m - cache-control: public, max-age=0 [22m [2m - expires: Thu, 13 Aug 2026 06:05:14 GMT [22m [2m - transfer-encoding: chunked [22m [2m - content-encoding: br [22m [2m - vary: Accept-Encoding,Accept-Encoding [22m [2m - date: Thu, 13 Aug 2026 06:05:14 GMT [22m [2m - server: LiteSpeed [22m [2m - strict-transport-security: max-age=63072000; includeSubDomains [22m [2m - x-frame-options: SAMEORIGIN [22m [2m - x-content-type-options: nosniff [22m

How to fix: Open "https://www.midastouchinfotech.com/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Performance — 63/100

Page: https://www.midastouchinfotech.com/category/seo

First Contentful Paint

Result: 5.2 s

Why: The first visible content is taking 5.2 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 5.6 s

Why: The main visible content is taking 5.6 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 7.6 s

Why: Visible page content is appearing slowly (7.6 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 42 KiB

Why: Lighthouse reported Est savings of 42 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (https://developer.chrome.com/docs/performance/insights/cache).

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png

- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 1,120 ms

Why: Lighthouse reported Est savings of 1,120 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

Why: Lighthouse identified an issue with this page.

How to fix: A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery

Result: Est savings of 188 KiB

Why: Lighthouse reported Est savings of 188 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.item > div.thumb > a > img`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.thumb > img`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,680 ms

Why: Lighthouse reported Est savings of 1,680 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790

Time to Interactive

Result: 5.6 s

Why: Lighthouse reported 5.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 17 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Minimize main-thread work

Result: 4.4 s

Why: Lighthouse reported 4.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.item > div.thumb > a > img`
- `div.row > div.col-x1-6 > div.thumb > img`

Avoid multiple page redirects

Result: Est savings of 2,100 ms

Why: Lighthouse reported Est savings of 2,100 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/seo>
- <https://www.midastouchinfotech.com/category/seo/>

Best Practices — 73/100

Page: <https://www.midastouchinfotech.com/category/seo>

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.item > div.thumb > a > img`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 65/100

Page: <https://www.midastouchinfotech.com/wordpress-maintenance-cost>

First Contentful Paint

Result: 3.1 s

Why: The first visible content is taking 3.1 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.3 s

Why: The main visible content is taking 8.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 6.2 s

Why: Visible page content is appearing slowly (6.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 1,390 ms

Why: Lighthouse reported Est savings of 1,390 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 95 KiB

Why: Lighthouse reported Est savings of 95 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,050 ms

Why: Lighthouse reported Est savings of 1,050 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 8.3 s

Why: Lighthouse reported 8.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 77 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/css/bootstrap.min.css?ver=1.0.0>

Minimize main-thread work

Result: 2.4 s

Why: Lighthouse reported 2.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,440 ms

Why: Lighthouse reported Est savings of 1,440 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/wordpress-maintenance-cost>
- <https://www.midastouchinfotech.com/wordpress-maintenance-cost/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/wordpress-maintenance-cost>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- [https://c.statcounter.com/t.php?
sc_project=13119688&u1=9A299ED2DDD243509CF80D259EA54B9E&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3083&sc_rum_e_e=3110&sc_rum_maintenance-cost/&t=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026%3F&get_config=true](https://c.statcounter.com/t.php?sc_project=13119688&u1=9A299ED2DDD243509CF80D259EA54B9E&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3083&sc_rum_e_e=3110&sc_rum_maintenance-cost/&t=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026%3F&get_config=true)
- [https://c.statcounter.com/t.php?
sc_project=13119688&u1=9A299ED2DDD243509CF80D259EA54B9E&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3083&sc_rum_e_e=3110&sc_rum_maintenance-cost/&t=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026%3F&get_config=true](https://c.statcounter.com/t.php?sc_project=13119688&u1=9A299ED2DDD243509CF80D259EA54B9E&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3083&sc_rum_e_e=3110&sc_rum_maintenance-cost/&t=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026%3F&get_config=true)

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 65/100

Page: <https://www.midastouchinfotech.com/wordpress-maintenance-cost>

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/wordpress-maintenance-cost/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/wordpress-maintenance-cost/>", correct the destination if necessary, and remove or replace the broken link.

Broken link: [http://twitter.com/share?](http://twitter.com/share?text=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026?&url=https://www.midastouchinfotech.com/wordpress-maintenance-cost/)

text=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026?

&url=https://www.midastouchinfotech.com/wordpress-maintenance-cost/

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "[http://twitter.com/share?](http://twitter.com/share?text=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026?&url=https://www.midastouchinfotech.com/wordpress-maintenance-cost/)

text=How%20Much%20Does%20WordPress%20Maintenance%20Cost%20in%202026?

&url=https://www.midastouchinfotech.com/wordpress-maintenance-cost/", correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/midastouchinfotech/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>" in a normal browser and confirm that the destination works before marking this link as broken.

Performance — 60/100

Page: <https://www.midastouchinfotech.com/category/wordpress-development>

First Contentful Paint

Result: 3.3 s

Why: The first visible content is taking 3.3 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.1 s

Why: The main visible content is taking 8.1 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 9.7 s

Why: Visible page content is appearing slowly (9.7 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 560 ms

Why: Lighthouse reported Est savings of 560 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 201 KiB

Why: Lighthouse reported Est savings of 201 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,440 ms

Why: Lighthouse reported Est savings of 1,440 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>

Time to Interactive

Result: 8.1 s

Why: Lighthouse reported 8.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 25 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-xl-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,540 ms

Why: Lighthouse reported Est savings of 1,540 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/wordpress-development>
- <https://www.midastouchinfotech.com/category/wordpress-development/>

Best Practices — 73/100

Page: <https://www.midastouchinfotech.com/category/wordpress-development>

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio] (<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 56/100

Page: <https://www.midastouchinfotech.com/service/logo-design-company-in-ahmedabad>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.8 s

Why: The main visible content is taking 8.8 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Cumulative Layout Shift

Result: 0.211

Why: Page elements are moving unexpectedly during loading (0.211). This can make the page difficult to use and can cause accidental clicks.

How to fix: Reserve space for images and advertisements, define width and height for media, avoid inserting content above existing content, and stabilize fonts before rendering.

Speed Index

Result: 5.2 s

Why: Visible page content is appearing slowly (5.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 60 KiB

Why: Lighthouse reported Est savings of 60 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/herobg.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Layout shift culprits

Why: Lighthouse identified an issue with this page.

How to fix: Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Document request latency

Result: Est savings of 570 ms

Why: Lighthouse reported Est savings of 570 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 119 KiB

Why: Lighthouse reported Est savings of 119 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 940 ms

Why: Lighthouse reported Est savings of 940 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

Time to Interactive

Result: 8.9 s

Why: Lighthouse reported 8.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 44 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.5 s

Why: Lighthouse reported 2.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.business-progress-thumb > img.entered`
- `div.rocket-lazyload > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,270 ms

Why: Lighthouse reported Est savings of 1,270 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/service/logo-design-company-in-ahmedabad>
- <https://www.midastouchinfotech.com/service/logo-design-company-in-ahmedabad/>

Avoid large layout shifts

Result: 3 layout shifts found

Why: Lighthouse reported 3 layout shifts found for this audit, indicating that this check did not meet the recommended threshold.

How to fix: These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

Affected Elements:

- `body.wp-singular > div.business-progress-area`
- `div.business-progress-area > div.container > div.row > div.col-x1-5`
- `nav > ol.breadcrumb > li > ::after`

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/service/logo-design-company-in-ahmedabad>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more

details on each issue.

Performance — 67/100

Page: <https://www.midastouchinfotech.com/top-10-logo-design-companies-pune>

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.1 s

Why: The main visible content is taking 8.1 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 4.6 s

Why: Visible page content is appearing slowly (4.6 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 550 ms

Why: Lighthouse reported Est savings of 550 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 85 KiB

Why: Lighthouse reported Est savings of 85 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,060 ms

Why: Lighthouse reported Est savings of 1,060 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 8.1 s

Why: Lighthouse reported 8.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.3 s

Why: Lighthouse reported 2.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,290 ms

Why: Lighthouse reported Est savings of 1,290 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/top-10-logo-design-companies-pune>
- <https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/top-10-logo-design-companies-pune>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 45/100

Page: <https://www.midastouchinfotech.com/top-10-logo-design-companies-pune>

Broken link: <https://www.linkedin.com/company/brandstory/>

Why: The URL returned HTTP 404, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.linkedin.com/company/brandstory/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/in/pravinwadkar/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/in/pravinwadkar/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/gigante-technologies-private-limited/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/gigante-technologies-private-limited/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/creative-orion/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/creative-orion/>" in a normal browser and confirm that the destination works before marking this link as broken.

Broken link: <https://www.linkedin.com/company/trimity/>

Why: The URL returned HTTP 404, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.linkedin.com/company/trimity/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/logo-design-company-india/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/logo-design-company-india/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/ideal-logo-designer/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/ideal-logo-designer/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/dimakh-consultants/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/dimakh-consultants/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/imedia-solutions/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/imedia-solutions/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be verified: Midas Touch Infotech

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET <https://www.midastouchinfotech.com/> [2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m [2m - accept: */* [2m [2m - accept-encoding: gzip, deflate, br [2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601821.C532AFA1085244EEBDB8744A9FB04257.1.1.1.1.1.1.1.1 [2m

How to fix: Open "<https://www.midastouchinfotech.com/>" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/>", correct the destination if necessary, and remove or replace the broken link.

Broken link: [http://twitter.com/share?](http://twitter.com/share?text=10%20Best%20Logo%20Design%20Companies%20in%20Pune%20for%20Creative%20Branding&url=https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/)

text=10%20Best%20Logo%20Design%20Companies%20in%20Pune%20for%20Creative%20Branding&url=https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "[http://twitter.com/share?](http://twitter.com/share?text=10%20Best%20Logo%20Design%20Companies%20in%20Pune%20for%20Creative%20Branding&url=https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/)

text=10%20Best%20Logo%20Design%20Companies%20in%20Pune%20for%20Creative%20Branding&url=https://www.midastouchinfotech.com/top-10-logo-design-companies-pune/", correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/midastouchinfotech/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>" in a normal browser and confirm that the destination works before marking this link as broken.

Performance — 66/100

Page: <https://www.midastouchinfotech.com/category/logo-design>

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.7 s

Why: The main visible content is taking 7.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.2 s

Why: Visible page content is appearing slowly (5.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 560 ms

Why: Lighthouse reported Est savings of 560 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 213 KiB

Why: Lighthouse reported Est savings of 213 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 970 ms

Why: Lighthouse reported Est savings of 970 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2`

Time to Interactive

Result: 7.7 s

Why: Lighthouse reported 7.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789`

Minimize main-thread work

Result: 2.7 s

Why: Lighthouse reported 2.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-xl-6 > div.thumb > img.entered`

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/logo-design>
- <https://www.midastouchinfotech.com/category/logo-design/>

Best Practices — 73/100

Page: <https://www.midastouchinfotech.com/category/logo-design>

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio] (<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 60/100

Page: <https://www.midastouchinfotech.com/best-graphic-design-companies>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.0 s

Why: The main visible content is taking 8.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 290 ms

Why: The browser is spending too much time executing long JavaScript tasks (290 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 5.4 s

Why: Visible page content is appearing slowly (5.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache/>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 570 ms

Why: Lighthouse reported Est savings of 570 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 102 KiB

Why: Lighthouse reported Est savings of 102 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 390 ms

Why: Lighthouse reported Est savings of 390 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 8.0 s

Why: Lighthouse reported 8.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 190 ms

Why: Lighthouse reported 190 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 15 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 4.4 s

Why: Lighthouse reported 4.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,290 ms

Why: Lighthouse reported Est savings of 1,290 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/best-graphic-design-companies>
- <https://www.midastouchinfotech.com/best-graphic-design-companies/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/best-graphic-design-companies>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 65/100

Page: <https://www.midastouchinfotech.com/best-graphic-design-companies>

Link could not be fully verified: <https://www.linkedin.com/company/visualbest-design-agency/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/visualbest-design-agency/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/motiongilitystudio/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/motiongilitystudio/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/concentric-design/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/concentric-design/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/litmus-branding/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/litmus-branding/?originalSubdomain=in>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: <https://www.linkedin.com/company/njgraphica/>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/njgraphica/>" in a normal browser and confirm that the destination works before marking this link as broken.

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/best-graphic-design-companies/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/best-graphic-design-companies/>", correct the destination if necessary, and remove or replace the broken link.

Broken link: [http://twitter.com/share?](http://twitter.com/share?text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.m)

[text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.m](http://twitter.com/share?text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.m)
[graphic-design-companies/](http://twitter.com/share?text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.m)

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "[http://twitter.com/share?](http://twitter.com/share?text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.midasto)

[text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.midasto](http://twitter.com/share?text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.midasto)
[graphic-design-companies/](http://twitter.com/share?text=10%20Best%20Graphic%20Design%20Companies%20in%20India%20You%20Can%E2%80%99t%20Ignore&url=https://www.midasto)", correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/midastouchinfotech/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>" in a normal browser and confirm that the destination works before marking this link as broken.

Performance — 66/100

Page: <https://www.midastouchinfotech.com/category/graphic-design>

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.9 s

Why: The main visible content is taking 7.9 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.4 s

Why: Visible page content is appearing slowly (5.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>

- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 560 ms

Why: Lighthouse reported Est savings of 560 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 215 KiB

Why: Lighthouse reported Est savings of 215 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 860 ms

Why: Lighthouse reported Est savings of 860 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 7.9 s

Why: Lighthouse reported 7.9 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 32 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Minimize main-thread work

Result: 3.0 s

Why: Lighthouse reported 3.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/graphic-design>
- <https://www.midastouchinfotech.com/category/graphic-design/>

Best Practices — 73/100

Page: <https://www.midastouchinfotech.com/category/graphic-design>

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 50/100

Page: <https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website>

First Contentful Paint

Result: 2.9 s

Why: The first visible content is taking 2.9 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.3 s

Why: The main visible content is taking 8.3 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Total Blocking Time

Result: 660 ms

Why: The browser is spending too much time executing long JavaScript tasks (660 ms). This delays user interaction.

How to fix: Reduce JavaScript execution, remove unused JavaScript, split large bundles, defer non-critical scripts, and reduce third-party JavaScript.

Speed Index

Result: 5.5 s

Why: Visible page content is appearing slowly (5.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 52 KiB

Why: Lighthouse reported Est savings of 52 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2023/11/Cost-Effective.png>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Document request latency

Result: Est savings of 570 ms

Why: Lighthouse reported Est savings of 570 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 178 KiB

Why: Lighthouse reported Est savings of 178 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 360 ms

Why: Lighthouse reported Est savings of 360 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 8.3 s

Why: Lighthouse reported 8.3 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay

Result: 940 ms

Why: Lighthouse reported 940 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 4.8 s

Why: Lighthouse reported 4.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,280 ms

Why: Lighthouse reported Est savings of 1,280 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website>
- <https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 55/100

Page: <https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website>

Link could not be verified: <https://www.midastouchinfotech.com/>

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1[22m [2m - ← 200

OK[22m [2m - connection: Keep-Alive[22m [2m - keep-alive: timeout=5, max=100[22m [2m - x-powered-by:

PHP/8.2.32[22m [2m - last-modified: Tue, 11 Aug 2026 07:54:52 GMT[22m [2m - content-type: text/html; charset=UTF-

8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:19:57 GMT[22m [2m - transfer-

encoding: chunked[22m [2m - content-encoding: br[22m [2m - vary: Accept-Encoding,Accept-Encoding[22m [2m - date:

Thu, 13 Aug 2026 06:19:57 GMT[22m [2m - server: LiteSpeed[22m [2m - strict-transport-security: max-age=63072000;

includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m [2m - alt-

svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[22m

How to fix: Open "<https://www.midastouchinfotech.com/>" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Home

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1[22m [2m - ← 200

OK[22m [2m - connection: Keep-Alive[22m [2m - keep-alive: timeout=5, max=100[22m [2m - x-powered-by:

PHP/8.2.32[22m [2m - last-modified: Tue, 11 Aug 2026 07:54:52 GMT[22m [2m - content-type: text/html; charset=UTF-

8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:19:57 GMT[22m [2m - transfer-

encoding: chunked[22m [2m - content-encoding: br[22m [2m - vary: Accept-Encoding,Accept-Encoding[22m [2m - date:

Thu, 13 Aug 2026 06:19:57 GMT[22m [2m - server: LiteSpeed[22m [2m - strict-transport-security: max-age=63072000;

includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m [2m - alt-

svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[22m

How to fix: Open "<https://www.midastouchinfotech.com/>" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: About Us

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/about-us/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1[22m [2m - ← 200

OK[22m [2m - connection: Keep-Alive[22m [2m - keep-alive: timeout=5, max=100[22m [2m - x-powered-by:

PHP/8.2.32[22m [2m - last-modified: Mon, 10 Aug 2026 08:17:05 GMT[22m [2m - content-type: text/html; charset=UTF-

8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:19:57 GMT[22m [2m - transfer-

encoding: chunked[22m [2m - content-encoding: br[22m [2m - vary: Accept-Encoding,Accept-Encoding[22m [2m - date:

Thu, 13 Aug 2026 06:19:57 GMT[22m [2m - server: LiteSpeed[22m [2m - strict-transport-security: max-age=63072000;

includeSubDomains[22m [2m - x-frame-options: SAMEORIGIN[22m [2m - x-content-type-options: nosniff[22m [2m - alt-

svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[22m

How to fix: Open "<https://www.midastouchinfotech.com/about-us/>" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: How We Work

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/how-we-work/[22m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)

AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[22m [2m - accept: */*[22m [2m - accept-encoding: gzip,deflate,br[22m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1[22m [2m - ← 200

OK[22m [2m - connection: Keep-Alive[22m [2m - keep-alive: timeout=5, max=100[22m [2m - x-powered-by:

PHP/8.2.32[22m [2m - last-modified: Mon, 10 Aug 2026 08:19:07 GMT[22m [2m - content-type: text/html; charset=UTF-

8[22m [2m - cache-control: public, max-age=0[22m [2m - expires: Thu, 13 Aug 2026 06:19:57 GMT[22m [2m - transfer-

encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/how-we-work/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Why Choose Us

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.midastouchinfotech.com/why-choose-us/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1.1[2m [2m - ← 200 OK[2m [2m - connection: Keep-Alive[2m [2m - keep-alive: timeout=5, max=100[2m [2m - x-powered-by: PHP/8.2.32[2m [2m - last-modified: Mon, 10 Aug 2026 08:19:14 GMT[2m [2m - content-type: text/html; charset=UTF-8[2m [2m - cache-control: public, max-age=0[2m [2m - expires: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - transfer-encoding: chunked[2m [2m - content-encoding: br[2m [2m - vary: Accept-Encoding,Accept-Encoding[2m [2m - date: Thu, 13 Aug 2026 06:19:57 GMT[2m [2m - server: LiteSpeed[2m [2m - strict-transport-security: max-age=63072000; includeSubDomains[2m [2m - x-frame-options: SAMEORIGIN[2m [2m - x-content-type-options: nosniff[2m [2m - alt-svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000[2m

How to fix: Open "https://www.midastouchinfotech.com/why-choose-us/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: website development firms

Why: The URL returned HTTP 404, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.midastouchinfotech.com/small-business-website-development-services/", correct the destination if necessary, and remove or replace the broken link.

Broken link: https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website/

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website/", correct the destination if necessary, and remove or replace the broken link.

Broken link: http://twitter.com/share?text=9%20Best%20Ways%20To%20Create%20A%20Cost-

Effective%20Website%20For%20Business&url=https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website/

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "http://twitter.com/share?text=9%20Best%20Ways%20To%20Create%20A%20Cost-Effective%20Website%20For%20Business&url=https://www.midastouchinfotech.com/9-ways-create-cost-effective-business-website/", correct the destination if necessary, and remove or replace the broken link.

Link could not be verified: ECommerce 3

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/category/ecommerce/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/category/ecommerce/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Ecommerce SEO 11

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/category/seo/ecommerce-seo/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/category/seo/ecommerce-seo/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: GEO Services 3

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/category/geo-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786601996.6B91F4329FA6483BB8F633EF87AF1935.1.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/category/geo-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: https://www.facebook.com/midastouchinfotech/

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/midastouchinfotech/", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be verified: https://www.statcounter.com/

Why: The automated request could not reach the destination: apiRequestContext.get: Timeout 5000ms exceeded. Call log: [2m - → GET https://www.statcounter.com/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m [2m - accept: */* [2m [2m - accept-encoding: gzip,deflate,br [2m [2m - cookie: is_unique=sc13119688.1786601994.0; is_visitor_unique=1786601994415753123 [2m [2m - ← 301 Moved Permanently [2m [2m - date: Thu, 13 Aug 2026 06:20:32 GMT [2m [2m - content-type: text/html; charset=iso-8859-1 [2m [2m - transfer-encoding: chunked [2m [2m - connection: keep-alive [2m [2m - server: cloudflare [2m [2m - location: https://statcounter.com/[2m [2m - cache-control: max-age=10800 [2m [2m - expires: Thu, 13 Aug 2026 09:20:31 GMT [2m [2m - cf-cache-status: DYNAMIC [2m [2m - cf-ray: a2a59d4a9ffe40ab-BOM [2m [2m - alt-svc: h3=":443"; ma=86400 [2m [2m - → GET https://statcounter.com/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m [2m - accept: */* [2m [2m - accept-encoding: gzip,deflate,br [2m [2m - host: statcounter.com [2m [2m - cookie: is_unique=sc13119688.1786601994.0; is_visitor_unique=1786601994415753123 [2m [2m - ← 200 OK [2m [2m - date: Thu, 13 Aug 2026 06:20:33 GMT [2m [2m - content-type: text/html; charset=utf-8 [2m [2m - transfer-encoding: chunked [2m [2m - connection: keep-alive [2m [2m - server: cloudflare [2m [2m - p3p: policyref="http://www.statcounter.com/w3c/p3p.xml", CP="NOI DSP COR NID ADM DEV PSA OUR IND UNI PUR COM NAV INT STA" [2m [2m - referrer-policy: origin-when-cross-origin [2m [2m - set-cookie: PHPSESSID=7g5b6p8kc9vd4k8mc7b8nj7vqh; expires=Fri, 14 Aug 2026 06:20:33 GMT; Max-Age=86400; path=/; domain=.statcounter.com [2m [2m - expires: Thu, 19 Nov 1981 08:52:00 GMT [2m [2m - cache-control: no-store, no-cache, must-revalidate [2m [2m - pragma: no-cache [2m [2m - vary: accept-encoding [2m [2m - cf-cache-status: DYNAMIC [2m [2m - content-encoding: br [2m [2m - cf-ray: a2a59d5178353aec-BOM [2m [2m - alt-svc: h3=":443"; ma=86400 [2m

How to fix: Open "https://www.statcounter.com/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Performance — 56/100

Page: https://www.midastouchinfotech.com/category/web-development

First Contentful Paint

Result: 4.7 s

Why: The first visible content is taking 4.7 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 10.0 s

Why: The main visible content is taking 10.0 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 13.2 s

Why: Visible page content is appearing slowly (13.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (https://developer.chrome.com/docs/performance/insights/cache).

Affected Elements:

- https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 1,330 ms

Why: Lighthouse reported Est savings of 1,330 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 207 KiB

Why: Lighthouse reported Est savings of 207 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 860 ms

Why: Lighthouse reported Est savings of 860 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 10.0 s

Why: Lighthouse reported 10.0 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 47 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.8 s

Why: Lighthouse reported 3.8 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 2,140 ms

Why: Lighthouse reported Est savings of 2,140 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/web-development>
- <https://www.midastouchinfotech.com/category/web-development/>

Best Practices — 73/100

Page: <https://www.midastouchinfotech.com/category/web-development>

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- https://c.statcounter.com/t.php?sc_project=13119688&u1=7C33A04C0B4040F692ED6E52ECB919C6&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3936&sc_rum_e_e=3993&sc_rdevelopment/&t=Web%20Development%20-%20MDS&get_config=true
- https://c.statcounter.com/t.php?sc_project=13119688&u1=7C33A04C0B4040F692ED6E52ECB919C6&java=1&security=15115abd&sc_snum=1&sess=cdc9e8&sc_rum_e_s=3936&sc_rum_e_e=3993&sc_rdevelopment/&t=Web%20Development%20-%20MDS&get_config=true

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/top-web-design-agency-in-dubai>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 65/100

Page: <https://www.midastouchinfotech.com/top-web-design-agency-in-dubai>

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/digitalgraphiks/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/cloud6infosystems/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/bluebeetlehq/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/planet-green-solutions/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/planet-green-solutions/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/gcc-marketing/>" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be verified: best web design services

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET <https://www.midastouchinfotech.com/service/website-design-services/> [2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m [2m - accept: */* [2m [2m - accept-encoding: gzip,deflate,br [2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786602700.FDBDB0BEEC3F41DF971562D5AA2D7847.1.1.1.1.1.1.1.1 [2m

How to fix: Open "<https://www.midastouchinfotech.com/service/website-design-services/>" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: Web Design for Dentists: Creating a User-Friendly Experience for Your Patients

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET <https://www.midastouchinfotech.com/web-design-for-dentists/> [2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36 [2m [2m - accept: */* [2m [2m - accept-encoding: gzip,deflate,br [2m [2m - cookie:

sc_is_visitor_unique=rx13119688.1786602700.FDBDB0BEEC3F41DF971562D5AA2D7847.1.1.1.1.1.1.1.1 [2m

How to fix: Open "<https://www.midastouchinfotech.com/web-design-for-dentists/>" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Link could not be verified: web design company

Why: The automated request could not reach the destination: apiRequestContext.get: socket hang up Call log: [2m - → GET https://www.midastouchinfotech.com/service/website-design-services/[2m [2m - user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/151.0.7922.34 Safari/537.36[2m [2m - accept: */*[2m [2m - accept-encoding: gzip,deflate,br[2m [2m - cookie: sc_is_visitor_unique=rx13119688.1786602700.FDBDB0BEEC3F41DF971562D5AA2D7847.1.1.1.1.1.1.1.1.1[2m

How to fix: Open "https://www.midastouchinfotech.com/service/website-design-services/" manually and verify that it is accessible. If it is unavailable, replace or remove the link.

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/top-web-design-agency-in-dubai/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/top-web-design-agency-in-dubai/", correct the destination if necessary, and remove or replace the broken link.

Broken link: [http://twitter.com/share?](http://twitter.com/share?text=Top%2011%20Web%20Design%20Agency%20in%20Dubai%20to%20Choose%20for%20Your%20Next%20Project&url=https://www.midastouchinfotech.com/top-web-design-agency-in-dubai/)

text=Top%2011%20Web%20Design%20Agency%20in%20Dubai%20to%20Choose%20for%20Your%20Next%20Project&url=https://www.midastouchinfotech.com/top-web-design-agency-in-dubai/

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "http://twitter.com/share?

text=Top%2011%20Web%20Design%20Agency%20in%20Dubai%20to%20Choose%20for%20Your%20Next%20Project&url=https://www.midastouchinfotech.com/top-web-design-agency-in-dubai/", correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "https://www.facebook.com/midastouchinfotech/", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in" in a normal browser and confirm that the destination works before marking this link as broken.

Performance — 65/100

Page: <https://www.midastouchinfotech.com/best-web-design-agencies-in-california>

First Contentful Paint

Result: 3.4 s

Why: The first visible content is taking 3.4 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.6 s

Why: The main visible content is taking 8.6 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.5 s

Why: Visible page content is appearing slowly (5.5 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 35 KiB

Why: Lighthouse reported Est savings of 35 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>
- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/style.css?ver=1786349790>

Document request latency

Result: Est savings of 560 ms

Why: Lighthouse reported Est savings of 560 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 76 KiB

Why: Lighthouse reported Est savings of 76 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,110 ms

Why: Lighthouse reported Est savings of 1,110 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 8.6 s

Why: Lighthouse reported 8.6 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.2 s

Why: Lighthouse reported 2.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.blog-style-two > div.blog-item-box > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.wp-singular > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,710 ms

Why: Lighthouse reported Est savings of 1,710 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/best-web-design-agencies-in-california`
- `https://www.midastouchinfotech.com/best-web-design-agencies-in-california/`

Best Practices — 77/100

Page: `https://www.midastouchinfotech.com/best-web-design-agencies-in-california`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Functionality — 55/100

Page: `https://www.midastouchinfotech.com/best-web-design-agencies-in-california`

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "`https://www.linkedin.com/company/chico-designs/`" in a normal browser and confirm that the destination works before marking this link as broken.

Broken link: View Profile

Why: The URL returned HTTP 404, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "`https://www.linkedin.com/company/spinx-inc/`", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "`https://www.linkedin.com/company/ideo/`" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "`https://www.linkedin.com/company/pentagram/`" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "`https://www.linkedin.com/company/l-a-design-studio/`" in a normal browser and confirm that the destination works before marking this link as broken.

Link could not be fully verified: View Profile

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/baunfire/>" in a normal browser and confirm that the destination works before marking this link as broken.

Broken link: <https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/sharer/sharer.php?u=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/>", correct the destination if necessary, and remove or replace the broken link.

Broken link: [http://twitter.com/share?](http://twitter.com/share?text=Best%20Web%20Design%20Agencies%20in%20California%20in%202026&url=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/)

text=Best%20Web%20Design%20Agencies%20in%20California%20in%202026&url=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/

Why: The URL returned HTTP 520, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "[http://twitter.com/share?](http://twitter.com/share?text=Best%20Web%20Design%20Agencies%20in%20California%20in%202026&url=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/)

text=Best%20Web%20Design%20Agencies%20in%20California%20in%202026&url=https://www.midastouchinfotech.com/best-web-design-agencies-in-california/", correct the destination if necessary, and remove or replace the broken link.

Broken link: <https://www.facebook.com/midastouchinfotech/>

Why: The URL returned HTTP 400, indicating that the destination could not be successfully accessed.

How to fix: Check the URL "<https://www.facebook.com/midastouchinfotech/>", correct the destination if necessary, and remove or replace the broken link.

Link could not be fully verified: <https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>

Why: The destination returned HTTP 999. This can mean that the server requires authentication, blocks automated requests, applies rate limiting, or uses bot protection.

How to fix: Manually open "<https://www.linkedin.com/company/midastouchinfotech/?originalSubdomain=in>" in a normal browser and confirm that the destination works before marking this link as broken.

Performance — 57/100

Page: <https://www.midastouchinfotech.com/category/ai-marketing>

First Contentful Paint

Result: 4.3 s

Why: The first visible content is taking 4.3 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 9.4 s

Why: The main visible content is taking 9.4 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 10.9 s

Why: Visible page content is appearing slowly (10.9 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 1,110 ms

Why: Lighthouse reported Est savings of 1,110 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server

response, and enabling text compression.

Improve image delivery

Result: Est savings of 171 KiB

Why: Lighthouse reported Est savings of 171 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,520 ms

Why: Lighthouse reported Est savings of 1,520 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/forminator-utilities.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2`
- `https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3`
- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/uploads/forminator/14080_2c8f9bf24cab6ee013c2acc8cb50f3ea/css/style-14080.css?ver=1786349790`

Time to Interactive

Result: 9.4 s

Why: Lighthouse reported 9.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- `https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789`

Minimize main-thread work

Result: 2.5 s

Why: Lighthouse reported 2.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-)

work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,980 ms

Why: Lighthouse reported Est savings of 1,980 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- `https://www.midastouchinfotech.com/category/ai-marketing`
- `https://www.midastouchinfotech.com/category/ai-marketing/`

Reduce initial server response time

Result: Root document took 690 ms

Why: Lighthouse reported Root document took 690 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric](https://developer.chrome.com/docs/lighthouse/performance/time-to-first-byte/).

Affected Elements:

- `https://www.midastouchinfotech.com/category/ai-marketing/`

Best Practices — 73/100

Page: `https://www.midastouchinfotech.com/category/ai-marketing`

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- `https://www.statcounter.com/counter/counter.js`
- `https://www.statcounter.com/counter/counter.js`

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 64/100

Page: `https://www.midastouchinfotech.com/category/branding`

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.2 s

Why: The main visible content is taking 8.2 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 6.4 s

Why: Visible page content is appearing slowly (6.4 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 520 ms

Why: Lighthouse reported Est savings of 520 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 186 KiB

Why: Lighthouse reported Est savings of 186 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-x1-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 750 ms

Why: Lighthouse reported Est savings of 750 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/grid/forminator-grid.open.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>

- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/forminator-utilities.min.css?ver=1.49.2>

Time to Interactive

Result: 8.2 s

Why: Lighthouse reported 8.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.5 s

Why: Lighthouse reported 3.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-xl-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,290 ms

Why: Lighthouse reported Est savings of 1,290 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/branding>
- <https://www.midastouchinfotech.com/category/branding/>

Best Practices — 73/100

Page: <https://www.midastouchinfotech.com/category/branding>

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 61/100

Page: <https://www.midastouchinfotech.com/category/digital-marketing>

First Contentful Paint

Result: 3.4 s

Why: The first visible content is taking 3.4 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 8.5 s

Why: The main visible content is taking 8.5 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 7.6 s

Why: Visible page content is appearing slowly (7.6 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 800 ms

Why: Lighthouse reported Est savings of 800 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 192 KiB

Why: Lighthouse reported Est savings of 192 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.item > div.thumb > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,000 ms

Why: Lighthouse reported Est savings of 1,000 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/plugins/forminator/assets/forminator-ui/css/forminator-icons.min.css?ver=1786349790>
- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>

Time to Interactive

Result: 8.5 s

Why: Lighthouse reported 8.5 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 3.4 s

Why: Lighthouse reported 3.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,490 ms

Why: Lighthouse reported Est savings of 1,490 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/digital-marketing>
- <https://www.midastouchinfotech.com/category/digital-marketing/>

Best Practices — 73/100

Page: <https://www.midastouchinfotech.com/category/digital-marketing>

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 67/100

Page: <https://www.midastouchinfotech.com/category/ecommerce>

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.2 s

Why: The main visible content is taking 7.2 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.2 s

Why: Visible page content is appearing slowly (5.2 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 80 KiB

Why: Lighthouse reported Est savings of 80 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2025/11/Top-eCommerce-Development-Companies-in-USA-Offering-Custom-Solutions.jpg>
- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>

Document request latency

Result: Est savings of 520 ms

Why: Lighthouse reported Est savings of 520 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 381 KiB

Why: Lighthouse reported Est savings of 381 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.author-meta > div.thumbs > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.row > div.col-xl-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 920 ms

Why: Lighthouse reported Est savings of 920 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 7.2 s

Why: Lighthouse reported 7.2 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Minimize main-thread work

Result: 2.4 s

Why: Lighthouse reported 2.4 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-xl-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,260 ms

Why: Lighthouse reported Est savings of 1,260 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](https://developer.chrome.com/docs/lighthouse/performance/redirects/).

Affected Elements:

- <https://www.midastouchinfotech.com/category/ecommerce>
- <https://www.midastouchinfotech.com/category/ecommerce/>

Best Practices — 73/100

Page: <https://www.midastouchinfotech.com/category/ecommerce>

Displays images with incorrect aspect ratio

Why: Lighthouse identified an issue with this page.

How to fix: Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio] (<https://developer.chrome.com/docs/lighthouse/best-practices/image-aspect-ratio/>).

Affected Elements:

- `div.item > div.thumb > a > img.entered`

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Performance — 66/100

Page: <https://www.midastouchinfotech.com/category/seo/ecommerce-seo>

First Contentful Paint

Result: 3.0 s

Why: The first visible content is taking 3.0 s to appear. This can make the page feel slow when users first open it.

How to fix: Reduce render-blocking CSS and JavaScript, optimize above-the-fold images, preload important resources, and remove unnecessary third-party scripts.

Largest Contentful Paint

Result: 7.7 s

Why: The main visible content is taking 7.7 s to appear. A slow Largest Contentful Paint usually means the main image, heading, or other large element is loading too late.

How to fix: Optimize the main hero image, use WebP or AVIF, preload the LCP resource when appropriate, reduce render-blocking resources, and defer non-critical JavaScript.

Speed Index

Result: 5.1 s

Why: Visible page content is appearing slowly (5.1 s), so users may see an incomplete page for longer.

How to fix: Optimize above-the-fold images, reduce render-blocking resources, inline critical CSS, and defer non-critical assets.

Use efficient cache lifetimes

Result: Est savings of 53 KiB

Why: Lighthouse reported Est savings of 53 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/uploads/2024/05/400x400.jpg>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/35.png>
- <https://www.statcounter.com/counter/counter.js>
- <https://www.midastouchinfotech.com/wp-content/themes/mds/assets/img/shape/8.png>
- <https://www.midastouchinfotech.com/wp-content/uploads/2026/08/Untitled-design-74.png>

Document request latency

Result: Est savings of 480 ms

Why: Lighthouse reported Est savings of 480 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Your first network request is the most important. [Reduce its latency]

(<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Improve image delivery

Result: Est savings of 161 KiB

Why: Lighthouse reported Est savings of 161 KiB for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Affected Elements:

- `div.author-meta > div.thumbs > a > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `div.item > div.thumb > a > img.entered`

- `div.row > div.col-x1-6 > div.thumb > img.entered`

LCP breakdown

Why: Lighthouse identified an issue with this page.

How to fix: Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

Why: Lighthouse identified an issue with this page.

How to fix: [Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Network dependency tree

Why: Lighthouse identified an issue with this page.

How to fix: [Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests

Result: Est savings of 1,280 ms

Why: Lighthouse reported Est savings of 1,280 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-includes/css/buttons.min.css?ver=7.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/css/intlTelInput.min.css?ver=4.0.3>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.full.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.select2.min.css?ver=1.49.2>
- <https://www.midastouchinfotech.com/wp-content/plugins/forminator/assets/forminator-ui/css/src/form/forminator-form-default.base.min.css?ver=1.49.2>

Time to Interactive

Result: 7.7 s

Why: Lighthouse reported 7.7 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Reduce unused CSS

Result: Est savings of 20 KiB

Why: The page is downloading resources that are not fully used during the initial page load. This increases network and processing work.

How to fix: Remove unused code, split CSS and JavaScript by page or feature, defer non-critical resources, and load assets only when they are needed.

Affected Elements:

- <https://www.midastouchinfotech.com/wp-content/cache/min/1/wp-content/themes/mds/assets/css/font-awesome.min.css?ver=1786349789>

Minimize main-thread work

Result: 2.1 s

Why: Lighthouse reported 2.1 s for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

Image elements do not have explicit `width` and `height`

Why: Lighthouse identified an issue with this page.

How to fix: Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Affected Elements:

- `div.item > div.thumb > a > img.entered`
- `div.row > div.col-x1-6 > div.thumb > img.entered`
- `div.container > div.navbar-header > a.navbar-brand > img.logo`
- `body.archive > span.statcounter > a#sc_counter_13119688 > img`

Avoid multiple page redirects

Result: Est savings of 1,270 ms

Why: Lighthouse reported Est savings of 1,270 ms for this audit, indicating that this check did not meet the recommended threshold.

How to fix: Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Affected Elements:

- <https://www.midastouchinfotech.com/category/seo/ecommerce-seo>
- <https://www.midastouchinfotech.com/category/seo/ecommerce-seo/>

Best Practices — 77/100

Page: <https://www.midastouchinfotech.com/category/seo/ecommerce-seo>

Uses third-party cookies

Result: 2 cookies found

Why: The page is using third-party cookies that may be restricted or blocked by modern browsers.

How to fix: Review third-party services and migrate to privacy-friendly storage or first-party alternatives where possible.

Affected Elements:

- <https://www.statcounter.com/counter/counter.js>
- <https://www.statcounter.com/counter/counter.js>

Issues were logged in the `Issues` panel in Chrome Devtools

Why: Lighthouse identified an issue with this page.

How to fix: Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

UI / UX Analysis

<https://www.midastouchinfotech.com/top-web-design-agency-in-dubai>

UI-001

Severity: Critical

Issue: Missing Site Logo in Navigation Header

Why: The header area on the top left is completely blank, missing the brand logo and home link.

Recommendation: Add the company logo aligned to the left of the main navigation bar.



Annotated UI/UX issue screenshot

UI-002

Severity: Medium

Issue: Awkward Header CTA Button Container

Why: The header button features an orange CTA nested inside a white rounded container, creating double borders and awkward spacing.

Recommendation: Remove the white outer background wrapper and style the orange CTA directly inside the header menu.



Annotated UI/UX issue screenshot

UI-003

Severity: Low

Issue: Grammatical Error in Main Title

Why: The title uses singular 'Agency' following the plural number '11' ('Top 11 Web Design Agency...').

Recommendation: Change 'Agency' to 'Agencies' for correct plural agreement.



Annotated UI/UX issue screenshot

UI-004

Severity: Medium

Issue: Inappropriate Punctuation in CTA Heading

Why: The sidebar call-to-action title 'Request Our Portfolio Today?' ends with a question mark, weakening the command action.

Recommendation: Remove the question mark from the heading to make it an assertive call to action.



Annotated UI/UX issue screenshot

UI-005

Severity: Medium

Issue: Low Text Color Contrast in Sidebar Card

Why: The secondary text in the sidebar card uses light gray text on a light background, reducing readability.

Recommendation: Increase font darkness to meet WCAG AA contrast standards.

<https://www.midastouchinfotech.com/best-web-design-agencies-in-california>

UI-001

Severity: Medium

Issue: Inconsistent Navigation CTA Pill Container

Why: The CTA button has an inner orange fill wrapped inside a white pill container, resulting in uneven borders and heavy visual mass.

Recommendation: Simplify button design by removing the white container background.



Annotated UI/UX issue screenshot

UI-002

Severity: Medium

Issue: Low Color Contrast in Sidebar Body Text

Why: Body text in the sidebar card lacks sufficient contrast against the card background.

Recommendation: Darken the body text color to improve legibility.

UI-003

Severity: Low

Issue: Hesitant Copywriting in Sidebar CTA

Why: The heading 'Request Our Portfolio Today?' ends with a question mark rather than a direct statement.

Recommendation: Remove the question mark to strengthen tone.



Annotated UI/UX issue screenshot

UI-004

Severity: Low

Issue: Incorrect Metadata Date Display

Why: The article displays a future publication date of June 17, 2026.

Recommendation: Ensure post date dynamically reflects actual publication or updated date.



Annotated UI/UX issue screenshot

Detailed Report