```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
from sklearn.datasets import load_digits
df=load_digits()
_,axes = plt.subplots(nrows=1, ncols=4,figsize=(10,3))
for ax, image, label in zip(axes,df.images,df.target):
  ax.set_axis_off()
  ax.imshow(image, cmap=plt.cm.gray_r,interpolation="nearest")
  ax.set_title("training:%i" %label)
\overline{2}
                                              training:1
              training:0
                                                                             training:2
                                                                                                             training:3
df.images.shape
→ (1797, 8, 8)
df.images[0]
⇒ array([[ 0., 0., 5., 13., 9., 1., 0., [ 0., 0., 13., 15., 10., 15., 5.,
                                                          0.],
                                                          0.],
                0., 3., 15., 2., 0., 11., 8.,
                                                          0.],
              [ 0., 4., 12., 0., 0., 8., 8., 0.],
              [ 0., 5., 8., 0., 0., 9., 8., 0.],
              [ 0., 4., 11., 0., 1., 12., 7., 0.],
              [ 0., 2., 14., 5., 10., 12., 0., 0.],
[ 0., 0., 6., 13., 10., 0., 0., 0.]])
len(df.images)
→ 1797
n_samples=len(df.images)
data=df.images.reshape((n_samples,-1))
data[0]
\Rightarrow array([ 0., 0., 5., 13., 9., 1., 0., 0., 0., 0., 13., 15., 10.,
              15., 5., 0., 0., 3., 15., 2., 0., 11., 8., 0., 0., 4., 12., 0., 0., 8., 8., 0., 0., 5., 8., 0., 0., 9., 8., 0., 0., 4., 11., 0., 1., 12., 7., 0., 0., 2., 14., 5., 10., 12., 0., 0., 0., 0., 6., 13., 10., 0., 0., 0.])
data[0].shape
→ (64,)
data.shape
→ (1797, 64)
data.min()
```

```
→ 0.0
data.max()
 → 16.0
data=data/16
data.min()
<del>→</del> 0.0
data.max()
<del>→</del> 1.0
data[0]
 \rightarrow array([0.
                  , 0. , 0.3125, 0.8125, 0.5625, 0.0625, 0.
                  , 0.
                           , 0.8125, 0.9375, 0.625 , 0.9375, 0.3125, 0.  
             0.
                  , 0.1875, 0.9375, 0.125 , 0. , 0.6875, 0.5
                                                   , 0.5
                                                           , 0.5
                  , 0.25 , 0.75 , 0. , 0.
                  , 0.3125, 0.5
                  , 0.3125, 0.5 , 0. , 0. , 0.5625, 0.5 , 0. , 0.25 , 0.6875, 0. , 0.0625, 0.75 , 0.4375, 0.
                  , 0.125 , 0.875 , 0.3125, 0.625 , 0.75 , 0.
, 0. , 0.375 , 0.8125, 0.625 , 0. , 0.
                                                                   , 0.
                                                          , 0.
from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test=train_test_split(data,df.target,test_size=0.3)
x_train.shape,x_test.shape,y_train.shape,y_test.shape
 → ((1257, 64), (540, 64), (1257,), (540,))
from sklearn.ensemble import RandomForestClassifier
rf=RandomForestClassifier()
rf.fit(x_train,y_train)
     ▼ RandomForestClassifier
      RandomForestClassifier()
y_pred=rf.predict(x_test)
y_pred
 → array([4, 6, 2, 9, 1, 5, 9, 6, 6, 6, 7, 2, 5, 4, 7, 6, 5, 6, 6, 5, 2, 7,
             5, 6, 3, 2, 5, 9, 6, 2, 3, 1, 9, 8, 3, 4, 7, 7, 6, 7, 7, 3, 6, 6,
            3, 0, 3, 7, 0, 2, 2, 5, 7, 6, 2, 1, 1, 9, 5, 4, 3, 6, 0, 4, 7, 1,
            2, 1, 6, 7, 7, 5, 0, 5, 0, 9, 6, 1, 5, 6, 4, 8, 7, 1, 5, 1, 8, 3,
            6, 4, 0, 3, 4, 6, 1, 7, 8, 6, 8, 8, 6, 1, 9, 2, 1, 2, 7, 9, 3, 4,
            1, 4, 2, 3, 1, 1, 4, 8, 5, 3, 3, 5, 4, 1, 4, 9, 6, 1, 2, 7, 3,
            5, 5, 1, 0, 3, 7, 4, 8, 9, 0, 7, 9, 8, 2, 4, 7, 1, 8, 2, 7, 2,
             5, 1, 7, 3, 7, 6, 3, 9, 8, 2, 3, 9, 4, 5, 2, 2, 8, 2, 4, 3, 9, 9,
            6, 7, 9, 4, 6, 0, 0, 2, 1, 3, 5, 1, 4, 4, 5, 5, 4, 6, 8, 7, 3, 7,
            5, 0, 4, 8, 1, 6, 6, 7, 2, 7, 1, 2, 7, 2, 3, 5, 6, 8, 3, 2, 3, 0,
            2, 5, 4, 6, 6, 2, 1, 4, 7, 4, 3, 9, 8, 8, 4, 2, 6, 8, 3, 9, 2,
            3, 5, 6, 3, 2, 8, 4, 4, 8, 7, 1, 9, 6, 2, 2, 0, 3, 7, 2, 9, 1,
            0, 8, 0, 5, 0, 2, 3, 6, 8, 2, 8, 7, 7, 4, 9, 9, 3, 9, 8, 2, 3, 8,
               8, 5, 1, 0, 2, 9, 3, 2, 2, 9, 7, 6, 8, 0, 0, 1, 8, 1, 2, 0, 8,
            4, 8, 5, 1, 1, 1, 3, 4, 6, 4, 2, 1, 2, 0, 5, 5, 4, 8, 7, 0, 0, 2,
            2, 7, 3, 9, 1, 6, 8, 4, 5, 4, 5, 4, 7, 1, 3, 3, 0, 3, 7, 6, 6,
            1, 1, 8, 4, 8, 1, 2, 1, 7, 6, 6, 2, 4, 6, 9, 3, 1, 2, 7, 9, 0,
            9, 1, 5, 8, 6, 2, 9, 4, 3, 8, 6, 3, 0, 7, 5, 7, 2, 2, 6, 0, 4, 7,
            9, 4, 8, 4, 4, 1, 5, 9, 5, 1, 6, 7, 9, 4, 4, 7, 1, 1, 6, 6, 8, 4,
            1, 8, 0, 1, 1, 7, 5, 8, 5, 9, 8, 6, 1, 1, 6, 2, 4, 3, 8, 8, 7, 5,
            0,\ 7,\ 3,\ 3,\ 2,\ 1,\ 2,\ 0,\ 3,\ 2,\ 7,\ 3,\ 3,\ 5,\ 5,\ 2,\ 6,\ 2,\ 5,\ 0,\ 6,\ 4,
            7, 0, 0, 5, 3, 9, 3, 3, 4, 4, 2, 7, 2, 6, 3, 5, 3, 5, 8, 2, 0, 7,
```

```
7, 0, 3, 6, 8, 1, 3, 5, 8, 9, 5, 3, 8, 2, 5, 7, 9, 0, 7, 1, 5, 1, 5, 5, 0, 0, 3, 1, 9, 8, 9, 9, 3, 1, 3, 2, 0, 8, 6, 4, 4, 4, 3, 2, 1, 4, 9, 3, 0, 8, 9, 3, 5, 9, 8, 1])
```

from sklearn.metrics import confusion_matrix, classification_report # Fixed typo in function name

confusion_matrix(y_test,y_pred)

```
array([[40, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0],
[0, 58, 0, 0, 0, 0, 0, 0, 0, 0, 0],
[0, 0, 61, 0, 0, 0, 0, 0, 0, 0, 1, 0],
[0, 1, 0, 62, 0, 0, 0, 0, 0, 0, 0],
[0, 0, 0, 0, 55, 0, 0, 1, 1, 0],
[0, 0, 0, 0, 1, 52, 0, 0, 0, 0],
[0, 0, 0, 0, 0, 1, 56, 0, 0, 0],
[0, 0, 0, 0, 0, 0, 0, 56, 0, 0],
[0, 1, 1, 0, 0, 0, 0, 0, 0, 48, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 43]])
```

print(classification_report(y_test,y_pred))

	precision	recall	f1-score	support
0	1.00	1.00	1.00	40
1	0.97	1.00	0.98	58
2	0.98	0.98	0.98	62
3	1.00	0.98	0.99	63
4	0.98	0.96	0.97	57
5	0.98	0.98	0.98	53
6	1.00	0.98	0.99	57
7	0.98	1.00	0.99	56
8	0.94	0.96	0.95	50
9	1.00	0.98	0.99	44
accuracy			0.98	540
macro avg	0.98	0.98	0.98	540
weighted avg	0.98	0.98	0.98	540

Double-click (or enter) to edit

Start coding or generate with AI.