Name: Shweta Ashok Patil

Branch: CSEDS

Division:SE3

Roll no:12

Experiment no:4

Aim: Develop a dynamic webpage where content updates on button click using JavaScript DOM. Implement jQuery effects: hide/show elements, toggle visibility, and animate elements.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Modern Dynamic Webpage</title>

  <!-- jQuery CDN -->
  <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>

  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }
```

```
body {
    font-family: 'Segoe UI', sans-serif;
    height: 100vh;
    display: flex;
    justify-content: center;
    align-items: center;
    background: linear-gradient(-45deg, #667eea, #764ba2, #6dd5ed, #2193b0);
    background-size: 400% 400%;
    animation: gradientBG 10s ease infinite;
}

@keyframes gradientBG {
    0% {background-position: 0% 50%;}
    50% {background-position: 100% 50%;}
    100% {background-position: 0% 50%;}
}

.container {
    width: 450px;
    padding: 30px;
    border-radius: 20px;
    background: rgba(255, 255, 255, 0.15);
    backdrop-filter: blur(10px);
    box-shadow: 0 15px 35px rgba(0,0,0,0.3);
    text-align: center;
    color: white;
}
```

```
h2 {
    margin-bottom: 20px;
    font-size: 24px;
}

#contentBox {
    background: rgba(255,255,255,0.2);
    padding: 20px;
    border-radius: 10px;
    margin-bottom: 20px;
    transition: 0.4s;
}

button {
    padding: 10px 15px;
    margin: 5px;
    border: none;
    border-radius: 30px;
    cursor: pointer;
    font-weight: bold;
    transition: 0.3s;
    background: white;
    color: #333;
}

button:hover {
    transform: translateY(-3px);
    box-shadow: 0 8px 20px rgba(0,0,0,0.3);
```

```
        }

        #animateBox {
            width: 60px;
            height: 60px;
            background: linear-gradient(45deg, #ff6a00, #ee0979);
            border-radius: 15px;
            margin: 20px auto;
            position: relative;
        }
    </style>
</head>
<body>

<div class="container">
    <h2>✨ Modern Dynamic Webpage</h2>

    <div id="contentBox">
        Click the button to update this content dynamically.
    </div>

    <button onclick="changeContent()">Update Content</button>

    <br><br>

    <button id="hideBtn">Hide</button>
    <button id="showBtn">Show</button>
    <button id="toggleBtn">Toggle</button>
```

```
    <button id="animateBtn">Animate</button>

    <div id="animateBox"></div>
</div>

<script>
    // Dynamic Content Update
    function changeContent() {
        $("#contentBox").fadeOut(300, function () {
            $(this).html("🚀 Content Updated Successfully with Smooth Animation!")
                .fadeIn(500);
        });
    }

    // jQuery Effects
    $(document).ready(function () {

        $("#hideBtn").click(function () {
            $("#contentBox").slideUp(500);
        });

        $("#showBtn").click(function () {
            $("#contentBox").slideDown(500);
        });

        $("#toggleBtn").click(function () {
            $("#contentBox").slideToggle(500);
        });
```

```
    $("#animateBtn").click(function () {
      $("#animateBox").animate({
        left: '150px',
        opacity: '0.6',
        height: '100px',
        width: '100px'
      }, 800).animate({
        left: '0px',
        opacity: '1',
        height: '60px',
        width: '60px'
      }, 800);
    });
  });
</script>
</body>
</html>
```

Output: